

Subject Index

- Adenosine 5'-monophosphate**
 Adsorption of aromatic molecules on hydrophilic gel chromatography media. A thermodynamic study 103
- Adsorption, salt-promoted**
 Salt-promoted adsorption: recent developments 331
- Affinity adsorbents**
 Controlled primary functionalization of agarose affinity supports by carboxymethylation and subsequent addition of spacer units 273
- Affinity adsorbents**
 Divinylsulphone-activated agarose. Formation of stable and non-leaking affinity matrices by immobilization of immunoglobulins and other proteins 299
- Affinity adsorbents**
 Sulfonyl chloride activation of hydroxylic materials 289
- Affinity electrophoresis**
 Qualitative and quantitative applications of affinity electrophoresis for the study of protein-ligand interactions: a review 49
- Affinity partition**
 Efforts to integrate affinity interactions with conventional separation technologies. Affinity partition using biospecific chromatographic particles in aqueous two-phase systems 235
- Affinity partitioning**
 Affinity partitioning: a new approach for studying dye-protein interactions 141
- Agarose**
 Controlled primary functionalization of agarose affinity supports by carboxymethylation and subsequent addition of spacer units 273
- Agarose**
 Divinylsulphone-activated agarose. Formation of stable and non-leaking affinity matrices by immobilization of immunoglobulins and other proteins 299
- Agarose**
 Sulfonyl chloride activation of hydroxylic materials 289
- Albumin**
 Affinity partitioning: a new approach for studying dye-protein interactions 141
- Albumin**
 Competitive adsorption of plasma proteins at solid-liquid interfaces 191
- Alcohol dehydrogenase**
 Zonal chromatographic analysis of the interaction of alcohol dehydrogenase with Blue-Sepharose 149
- Amylase**
 Biospecific sorption, Prague, 1910: Emil Starckenstein (1884-1942) 5
- Anhydrochymotrypsin**
 Affinophoresis of anhydrochymotrypsin with an affinophore based on poly-L-lysine as a matrix 323
- Antibodies**
 Bioaffinity therapy with antibodies and drugs bound to soluble synthetic polymers 221
- Antibodies**
 Glycidyl methacrylate copolymers as suitable supports for immobilizing antigens and antibodies 269
- Antibodies**
 Immobilization of enzymatic inhibitors for the realization of reversible immunosensors 199
- Antigen-antibody interaction**
 Nature of the antigen-antibody interaction. Primary and secondary bonds: optimal conditions for association and dissociation 111
- Antigens**
 Glycidyl methacrylate copolymers as suitable supports for immobilizing antigens and antibodies 269
- Antigens**
 Immobilization of enzymatic inhibitors for the realization of reversible immunosensors 199
- Anti-Thy 1.2 antibodies**
 Bioaffinity therapy with antibodies and drugs bound to soluble synthetic polymers 221
- Arginine⁺-vasopressin**
 Quantitative high-performance affinity chromatography: evaluation of use for analyzing peptide and protein interactions 87
- Aromatic molecules**
 Adsorption of aromatic molecules on hydrophilic gel chromatography media. A thermodynamic study 103
- Bioaffinity adsorbents**
 Adsorption of aromatic molecules on hydrophilic gel chromatography media. A thermodynamic study 103
- Bioaffinity adsorbents**
 Application of 1,1'-carbonyldiimidazole-activated matrices for the purification

- tion of proteins. IX. Dynamic multi-zoning effects in biospecific affinity chromatography on porous supports: evaluation of activation and ligand coupling effects with different support materials 245
- Bioaffinity adsorbents**
Glycidyl methacrylate copolymers as suitable supports for immobilizing antigens and antibodies 269
- Bioaffinity adsorbents**
New support for the large-scale purification of proteins 259
- Bioaffinity adsorbents**
Oligo-D-galactosiduronic acid—Separons: selective bioaffinity adsorbents of endopolygalacturonase 413
- Bioaffinity adsorbents**
Quantitative criterion for evaluation of hydrophobic sorbents 95
- Bioaffinity adsorbents**
Strategies for enzyme isolation using dye-ligand and related adsorbents 131
- Bioaffinity therapy**
Bioaffinity therapy with antibodies and drugs bound to soluble synthetic polymers 221
- Bio-mimetic dyes**
Design and application of bio-mimetic dyes in biotechnology 121
- Bis-dyes**
Affinity precipitation of proteins using bis-dyes 157
- 1,1'-Carbonyldiimidazole**
Application of 1,1'-carbonyldiimidazole-activated matrices for the purification of proteins. IX. Dynamic multi-zoning effects in biospecific affinity chromatography on porous supports: evaluation of activation and ligand coupling effects with different support materials 245
- Carboxypeptidase Y**
Reversible and irreversible immobilization of carboxypeptidase Y using biospecific adsorption 315
- Casein kinases**
Separation and purification of maize casein kinases by affinity chromatography 421
- Charge-controlled hydrophobic chromatography**
Charge-controlled hydrophobic chromatography: an effective enzyme purification technique 349
- Chloride**
Biospecific sorption, Prague, 1910: Emil Starkenstein (1884—1942) 5
- α -Chymotrypsin**
Subunit exchange chromatography: a tool for the purification of oligomeric and self-associating protein systems 343
- Concanavalin A**
Equilibrium and rate constants of immobilized concanavalin A determined by high-performance affinity chromatography 69
- ϵ -Dinitrophenyllysine**
Adsorption of aromatic molecules on hydrophilic gel chromatography media. A thermodynamic study 103
- Drugs**
Bioaffinity therapy with antibodies and drugs bound to soluble synthetic polymers 221
- Dyes**
Affinity partitioning: a new approach for studying dye—protein interactions 141
- Dyes**
Affinity precipitation of proteins using bis-dyes 157
- Dyes**
Strategies for enzyme isolation using dye-ligand and related adsorbents 131
- Dyes, bio-mimetic**
Design and application of bio-mimetic dyes in biotechnology 121
- Elastase**
Affinity purification of kallikrein and elastase from hog pancreas powder 385
- Endopolygalacturonase**
Oligo-D-galactosiduronic acid—Separons: selective bioaffinity adsorbents of endopolygalacturonase 413
- Enzymatic inhibitors**
Immobilization of enzymatic inhibitors for the realization of reversible immunosensors 199
- Enzymes**
Biospecific sorption, Prague, 1910: Emil Starkenstein (1884—1942) 5
- Equilibrium constants**
Equilibrium and rate constants of immobilized concanavalin A determined by high-performance affinity chromatography 69
- Esperase**
Glycidyl methacrylate copolymers as suitable supports for immobilizing antigens and antibodies 269
- Fibrinogen**
Competitive adsorption of plasma proteins at solid—liquid interfaces 191

Fluorescent probes

Design of fluorescent probes for an enzyme on the surface of tumour cells 211

Formate dehydrogenase

Process design for large-scale purification of formate dehydrogenase from *Candida boidinii* by affinity partition 375

Frontal affinity chromatography

Frontal affinity chromatography: theory for its application to studies on specific interactions of biomolecules 33

Gastricsin

Separation of human pepsin and gastricsin by affinity chromatography with an immobilized synthetic inhibitor 409

Glucose-6-phosphate dehydrogenase

Affinity partitioning: a new approach for studying dye-protein interactions 141

Glycidyl methacrylate copolymers

Glycidyl methacrylate copolymers as suitable supports for immobilizing antigens and antibodies 269

Guanidinobenzoate

Design of fluorescent probes for an enzyme on the surface of tumour cells 211

Haptens

Immobilization of enzymatic inhibitors for the realization of reversible immunosensors 199

Histidine

New support for the large-scale purification of proteins 259

Hormones

Quantitative high-performance affinity chromatography: evaluation of use for analyzing peptide and protein interactions 87

Hydrolases

Charge-controlled hydrophobic chromatography: an effective enzyme purification technique 349

Hydrophobic sorbents

Quantitative criterion for evaluation of hydrophobic sorbents 95

Hydroxyethyl methacrylate

Separation of human lymphoid cells by affinity chromatography and cell surface labelling by hydroxyethyl methacrylate particles using monoclonal antibodies 401

N-(2-Hydroxypropyl)methacrylamide

Bioaffinity therapy with antibodies and

drugs bound to soluble synthetic polymers 221

Immunoglobulin G

Competitive adsorption of plasma proteins at solid-liquid interfaces 191

Immunoglobulin G

New support for the large-scale purification of proteins 259

Immunoglobulins

Divinylsulphone-activated agarose. Formation of stable and non-leaking affinity matrices by immobilization of immunoglobulins and other proteins 299

Immunosensors

Immobilization of enzymatic inhibitors for the realization of reversible immunosensors 199

Kallikrein

Affinity purification of kallikrein and elastase from hog pancreas powder 385

Lactate dehydrogenase

Affinity precipitation of proteins using bis-dyes 157

Lyases

Charge-controlled hydrophobic chromatography: an effective enzyme purification technique 349

Lymphoid cells

Separation of human lymphoid cells by affinity chromatography and cell surface labelling by hydroxyethyl methacrylate particles using monoclonal antibodies 401

Maxatase

Glycidyl methacrylate copolymers as suitable supports for immobilizing antigens and antibodies 269

Molecular recognition

Analytical affinity chromatography in studies of molecular recognition in biology: a review 11

Monoclonal antibodies

Separation of human lymphoid cells by affinity chromatography and cell surface labelling by hydroxyethyl methacrylate particles using monoclonal antibodies 401

Multizone effects

Application of 1,1'-carbonyldiimidazole-activated matrices for the purification of proteins. IX. Dynamic multizone effects in biospecific affinity chromatography on porous supports: evaluation of activation and ligand coupling effects with different support materials 245

- Neurohypophysial hormones**
Analytical affinity chromatography in studies of molecular recognition in biology: a review 11
- Neuropeptides**
Targeted immobilization of neurotransmitters and neuropeptides on agarose and on Acrylex polymers 307
- Neurophysin**
Quantitative high-performance affinity chromatography: evaluation of use for analyzing peptide and protein interactions 87
- Neurophysins**
Analytical affinity chromatography in studies of molecular recognition in biology: a review 11
- Neurotransmitters**
Targeted immobilization of neurotransmitters and neuropeptides on agarose and on Acrylex polymers 307
- Oligo-D-galactosiduronic acid—Separons**
Oligo-D-galactosiduronic acid—Separons: selective bioaffinity adsorbents of endopolygalacturonase 413
- Oxidoreductases**
Charge-controlled hydrophobic chromatography: an effective enzyme purification technique 349
- Particle-labelled immunoassays**
Particle-labelled immunoassays: a review 175
- Pepsin**
Separation of human pepsin and gastricsin by affinity chromatography with an immobilized synthetic inhibitor 409
- Phosphofructokinase**
Affinity partitioning: a new approach for studying dye—protein interactions 141
- Poly-L-lysine**
Affinophoresis of anhydrochymotrypsin with an affinophore based on poly-L-lysine as a matrix 323
- Prealbumin**
Affinity partitioning: a new approach for studying dye—protein interactions 141
- Protease inhibitor**
Detection of antigen immunologically related to basic pancreatic inhibitor (Kunitz) in porcine blood plasma by immunoaffinity chromatography 395
- Protein—ligand interactions**
Qualitative and quantitative applications of affinity electrophoresis for the study of protein—ligand interactions: a review 49
- Pyruvate dehydrogenase**
Crossed affinity immunoelectrophoresis of the *Escherichia coli* pyruvate dehydrogenase complex 163
- Rate constants**
Analytical affinity chromatography in studies of molecular recognition in biology: a review 11
- Rate constants**
Equilibrium and rate constants of immobilized concanavalin A determined by high-performance affinity chromatography 69
- Sorption, biospecific**
Biospecific sorption, Prague, 1910: Emil Starckenstein (1884—1942) 5
- Starckenstein, Emil**
Biospecific sorption, Prague, 1910: Emil Starckenstein (1884—1942) 5
- Subunit exchange chromatography**
Subunit exchange chromatography: a tool for the purification of oligomeric and self-associating protein systems 343
- Sulphonyl chloride**
Sulfonyl chloride activation of hydroxylic materials 289
- Thrombin**
Affinity chromatography of thrombin on modified polystyrene resins 429
- Transferases**
Charge-controlled hydrophobic chromatography: an effective enzyme purification technique 349
- Trypsin—kallikrein inhibitor**
Detection of antigen immunologically related to basic pancreatic inhibitor (Kunitz) in porcine blood plasma by immunoaffinity chromatography 395
- Tryptophan**
Adsorption of aromatic molecules on hydrophilic gel chromatography media. A thermodynamic study 103
- Vasopressin**
Quantitative high-performance affinity chromatography: evaluation of use for analyzing peptide and protein interactions 87