

Subject Index

- α -N-Acetylendorphin**
The combined use of size-exclusion and reversed-phase HPLC for characterization of β -endorphin processing pathways 255
- Amines**
Determination of ritodrine in blood and plasma by HPLC with fluorescence detection 400
- Amino acids**
Capillary GC analysis of amino acids in blood and protein hydrolysates as *tert*-butyldimethylsilyl derivatives 15
- Amisulpride**
Determination of a new benzamide, amisulpride, in human plasma by reversed-phase ion-pair HPLC 414
- Amitriptyline**
Applications of column-switching technique in biopharmaceutical analysis. I. HPLC determination of amitriptyline and its metabolites in human plasma 99
- Anagrelide**
Determination of anagrelide in plasma by capillary GC-MS 357
- Arachidonic acid metabolites**
HPLC separation of femtomolar quantities of endogenous carboxylic acids, including arachidonic acid metabolites, as 4-bromo-methyl-7-acetoxycoumarin derivatives 247
- Benzamides**
Determination of a new benzamide, amisulpride, in human plasma by reversed-phase ion-pair HPLC 414
- Benzodiazepines**
Screening procedure for benzodiazepines in biological fluids by HPLC using a rapid-scanning multichannel detector 303
- Busulfan**
Measurement of busulfan in plasma by HPLC 426
- Cannabidiol**
Rapid HPLC assay with pharmacokinetic applications for monitoring cannabidiol in plasma 370
- Carbohydrates**
GC evaluation of hydrogen in the breath as a diagnostic method for the study of intestinal digestion and adsorption of dietary carbohydrates in man 119
- Carboxylic acids**
HPLC separation of femtomolar quantities of endogenous carboxylic acids, including arachidonic acid metabolites, as 4-bromo-methyl-7-acetoxycoumarin derivatives 247
- Catecholamines**
Improved HPLC method with electrochemical detection for the determination of urinary catecholamines using a new electrochemical detector 340
- Chloroform**
Headspace GC analysis for determining low levels of chloroform in human plasma 125
- 4-Chlorophenylbiguanide**
Determination of proguanil and its metabolites cycloguanil and 4-chlorophenylbiguanide in plasma, whole blood and urine by HPLC 394
- Chlorthalidone**
Simple, sensitive and selective HPLC method for analysis of chlorthalidone in whole blood 420
- Ciprofloxacin**
Assay of ciprofloxacin and norfloxacin in serum and urine by HPLC 207
- Ciprofloxacin**
Sensitive and selective determination of picogram amounts of ciprofloxacin and its metabolites in biological samples using HPLC and photothermal post-column derivatization 321
- Citric acid**
Determination of ionic metabolites from ethylene glycol in human blood by isotachopheresis 111
- Clomipramine**
Determination of clomipramine and its hydroxylated and demethylated metabolites in plasma and urine by LC with electrochemical detection 311
- Corticosteroids**
Application of HPLC to the measurement of cortisol secretion rate 25
- Cortisol**
Application of HPLC to the measurement of cortisol secretion rate 25
- Coumarin**
Analysis of coumarin and its urinary metabolites by HPLC 165
- Cycloguanil**
Determination of proguanil and its metabolites cycloguanil and 4-chlorophenylbiguanide in plasma, whole blood and urine by

- HPLC 394
- Danazol
Sensitive and selective assay of danazol in plasma by HPLC 347
- Demethylclomipramine
Determination of clomipramine and its hydroxylated and demethylated metabolites in plasma and urine by LC with electrochemical detection 311
- N-Desmethyl diazepam
Microsample determination of diazepam and its three metabolites in serum by reversed-phase HPLC 212
- Diazepam
Microsample determination of diazepam and its three metabolites in serum by reversed-phase HPLC 212
- Dicyclomine
Quantitative analysis of dicyclomine in human plasma by capillary GC and nitrogen-selective detection 150
- Didemethylclomipramine
Determination of clomipramine and its hydroxylated and demethylated metabolites in plasma and urine by LC with electrochemical detection 311
- Diethylene glycol
Quantification of some glycols in urinary organic acid profiles of acutely ill newborns 439
- 1,3-Dimethylxanthine
Analytical methodology to determine stable isotopically labelled and unlabelled theophylline in human plasma using capillary GC-MS 81
- 1,3-Dimethylxanthine
Microassay for the simultaneous determination of theophylline and dyphylline in serum by HPLC 91
- Dipeptidyl-aminopeptidase II
Rapid chromatographic purification of dipeptidyl-aminopeptidase II from human kidney 131
- Dopamine
Improved HPLC method with electrochemical detection for the determination of urinary catecholamines using a new electrochemical detector 340
- Dyphylline
Microassay for the simultaneous determination of theophylline and dyphylline in serum by HPLC 91
- Eicosanoids
HPLC separation of femtomolar quantities of endogenous carboxylic acids, including arachidonic acid metabolites, as 4-bromo-methyl-7-acetoxycoumarin derivatives 247
- β -Endorphin
The combined use of size-exclusion and reversed-phase HPLC for characterization of β -endorphin processing pathways 255
- Enzymes
Rapid chromatographic purification of dipeptidyl-aminopeptidase II from human kidney 131
- Enzymes
Subfractionation of the dansylated derivatives of glucosyl galactosyl hydroxylysine by LC and its application to a specific α -1,2-glucosidase assay 37
- Enzymes
TLC using multiple development for analysis of reaction products of sucrases 353
- Epinephrine
Improved HPLC method with electrochemical detection for the determination of urinary catecholamines using a new electrochemical detector 340
- Ethylene glycol
Determination of ionic metabolites from ethylene glycol in human blood by isotachopheresis 111
- Fatty acids
HPLC analysis of serum long-chain fatty acids by direct derivatization method 237
- Fatty acids
HPLC separation of femtomolar quantities of endogenous carboxylic acids, including arachidonic acid metabolites, as 4-bromo-methyl-7-acetoxycoumarin derivatives 247
- Flavonoids
HPLC determination of β -naphthoflavone in biological fluids 160
- Flecainide
Determination of flecainide by GC-MS 365
- 5-Fluoro-2'-deoxyuridine
Determination of 5-fluoro-2'-deoxyuridine in human plasma by HPLC with pre-column fluorimetric derivatization 176
- Formic acid
Determination of ionic metabolites from ethylene glycol in human blood by isotachopheresis 111
- α -1,2-Glucosidase
Subfractionation of the dansylated derivatives of glucosyl galactosyl hydroxylysine by LC and its application to a specific α -1,2-glucosidase assay 37

- Glucosyl galactosyl hydroxylysine**
 Subfractionation of the dansylated derivatives of glucosyl galactosyl hydroxylysine by LC and its application to a specific α -1,2-glucosidase assay 37
- Glycolic acid**
 Determination of ionic metabolites from ethylene glycol in human blood by isotachopheresis 111
- Glycols**
 Quantification of some glycols in urinary organic acid profiles of acutely ill newborns 439
- Glyoxylic acid**
 Determination of ionic metabolites from ethylene glycol in human blood by isotachopheresis 111
- Hydrogen**
 GC evaluation of hydrogen in the breath as a diagnostic method for the study of intestinal digestion and adsorption of dietary carbohydrates in man 119
- 10-Hydroxyamitriptyline**
 Applications of column-switching technique in biopharmaceutical analysis. I. HPLC determination of amitriptyline and its metabolites in human plasma 99
- Hydroxyarachidic acids**
 GC-MS of monohydroxyeicosatetraenoic acids as their methyl esters trimethylsilyl, allyldimethylsilyl and *tert.*-butyldimethylsilyl ethers 219
- Hydroxybutyric acids**
 Determination of ionic metabolites from ethylene glycol in human blood by isotachopheresis 111
- Hydroxycholesterols**
 Determination of some hydroxycholesterols in human serum samples 1
- Hydroxyclo mipramines**
 Determination of clomipramine and its hydroxylated and demethylated metabolites in plasma and urine by LC with electrochemical detection 311
- 17-Hydroxycorticosteroids**
 Application of HPLC to the measurement of cortisol secretion rate 25
- 7-Hydroxycoumarin**
 Analysis of coumarin and its urinary metabolites by HPLC 165
- 8-Hydroxydemethylclomipramine**
 Determination of clomipramine and its hydroxylated and demethylated metabolites in plasma and urine by LC with electrochemical detection 311
- Hydroxyeicosatetraenoic acids**
 GC-MS of monohydroxyeicosatetraenoic acids as their methyl esters trimethylsilyl, allyldimethylsilyl and *tert.*-butyldimethylsilyl ethers 219
- 1-(5'-Hydroxyhexyl)-3,7-dimethylxanthine**
 HPLC determination of pentoxifylline and its hydroxy metabolite in human plasma 183
- 10-Hydroxynortriptyline**
 Applications of column-switching technique in biopharmaceutical analysis. I. HPLC determination of amitriptyline and its metabolites in human plasma 99
- 5-Hydroxypyrazinamide**
 Identification of 5-hydroxypyrazinamide isolated from urine of subjects given pyrazinamide 144
- Imidazoleacetic acid**
 Simultaneous determination of imidazoleacetic acid and N^2 - and N^6 -methylimidazoleacetic acids in human urine by HPLC with fluorescence detection 63
- Immunoglobulins**
 Anion-exchange chromatography of normal and monoclonal serum immunoglobulins 53
- Ivermectin**
 Determination of ivermectin in human plasma and milk by HPLC with fluorescence detection 196
- Ketoprofen**
 HPLC assay of ketoprofen enantiomers in human plasma and urine 388
- 17-Ketosteroids**
 Application of HPLC to the measurement of cortisol secretion rate 25
- Lactic acid**
 Determination of ionic metabolites from ethylene glycol in human blood by isotachopheresis 111
- Leukotriene B₄**
 Determination of leukotriene B₄ by HPLC with electrochemical detection 170
- Lipids**
 HPLC separation of femtomolar quantities of endogenous carboxylic acids, including arachidonic acid metabolites, as 4-bromo-methyl-7-acetoxycoumarin derivatives 247
- Long-chain fatty acids**
 HPLC analysis of serum long-chain fatty acids by direct derivatization method 237
- Lymph-to-plasma protein concentration ratios**
 Computer analysis of proteins separated by

- polyacrylamide gradient pore gel electrophoresis 265
- Merbarone**
Quantitation of merbarone in human plasma by HPLC 203
- Metalloporphyrins**
Separation of metalloporphyrins from metallation reactions by LC and electrophoresis 71
- Methylimidazoleacetic acids**
Simultaneous determination of imidazoleacetic acid and N⁺- and N⁻-methylimidazoleacetic acids in human urine by HPLC with fluorescence detection 63
- Metoprolol**
Rapid determination of the enantiomers of metoprolol, oxprenolol and propranolol in urine 331
- Monohydroxyeicosatetraenoic acids**
GC-MS of monohydroxyeicosatetraenoic acids as their methyl esters trimethylsilyl, allyldimethylsilyl and *tert.*-butyldimethylsilyl ethers 219
- Morphine**
HPLC and preliminary pharmacokinetics of nicomorphine and its metabolites 3-nicotinoyl- and 6-nicotinoylmorphine and morphine 382
- Myoglobin**
Determination of myoglobin in human serum by HPLC with chemiluminescence detection 45
- Nadolol**
High-sensitivity determination of nadolol in plasma with mass-selective detection 443
- Nadolol**
Rationale for application of low-mass selected-ion detection in the quantitative body fluid assay of nadolol 445
- β -Naphthoflavone**
HPLC determination of β -naphthoflavone in biological fluids 160
- Nicomorphine**
HPLC and preliminary pharmacokinetics of nicomorphine and its metabolites 3-nicotinoyl- and 6-nicotinoylmorphine and morphine 382
- Nicotinoylmorphines**
HPLC and preliminary pharmacokinetics of nicomorphine and its metabolites 3-nicotinoyl- and 6-nicotinoylmorphine and morphine 382
- Non-steroidal anti-inflammatory drugs**
Rapid HPLC assay for the simultaneous analysis of non-steroidal anti-inflammatory drugs in plasma 293
- Norepinephrine**
Improved HPLC method with electrochemical detection for the determination of urinary catecholamines using a new electrochemical detector 340
- Norfloxacin**
Assay of ciprofloxacin and norfloxacin in serum and urine by HPLC 207
- Nortriptyline**
Applications of column-switching technique in biopharmaceutical analysis. I. HPLC determination of amitriptyline and its metabolites in human plasma 99
- Oxalic acid**
Determination of ionic metabolites from ethylene glycol in human blood by isotachopheresis 111
- Oxazepam**
Microsample determination of diazepam and its three metabolites in serum by reversed-phase HPLC 212
- Oxiracetam**
Determination of oxiracetam in human serum and urine by HPLC 433
- 1-(5'-Oxoheptyl)-3,7-dimethylxanthine**
HPLC determination of pentoxifylline and its hydroxy metabolite in human plasma 183
- Oxprenolol**
Rapid determination of the enantiomers of metoprolol, oxprenolol and propranolol in urine 331
- Oxybuprocaine**
Determination of six metabolites of oxybuprocaine in urine by HPLC 189
- Pentoxifylline**
HPLC determination of pentoxifylline and its hydroxy metabolite in human plasma 183
- Phenylethylmalonamide**
GC analysis of phenylethylmalonamide in human plasma 281
- Pipemidic acid**
Simple method for the determination of pipemidic acid in biological fluids by HPLC 409
- Porphyrins**
Separation of metalloporphyrins from metallation reactions by LC and electrophoresis 71
- Proguanil**
Determination of proguanil and its metab-

- olites cycloguanil and 4-chlorophenylbi-guanide in plasma, whole blood and urine by HPLC 394
- Propranolol**
Rapid determination of the enantiomers of metoprolol, oxprenolol and propranolol in urine 331
- Proteins**
Anion-exchange chromatography of normal and monoclonal serum immunoglobulins 53
- Proteins**
Computer analysis of proteins separated by polyacrylamide gradient pore gel electrophoresis 265
- Proteins**
Determination of myoglobin in human serum by HPLC with chemiluminescence detection 45
- Pyridoxal**
Analysis of vitamin B₆ vitamers in plasma by cation-exchange HPLC 138
- Pyridoxal 5'-phosphate**
Analysis of vitamin B₆ vitamers in plasma by cation-exchange HPLC 138
- Pyridoxamine**
Analysis of vitamin B₆ vitamers in plasma by cation-exchange HPLC 138
- Pyridoxamine 5'-phosphate**
Analysis of vitamin B₆ vitamers in plasma by cation-exchange HPLC 138
- Pyridoxic acid**
Analysis of vitamin B₆ vitamers in plasma by cation-exchange HPLC 138
- Pyridoxine**
Analysis of vitamin B₆ vitamers in plasma by cation-exchange HPLC 138
- Pyrimidines**
Determination of 5-fluoro-2'-deoxyuridine in human plasma by HPLC with pre-column fluorimetric derivatization 176
- Ritodrine**
Determination of ritodrine in blood and plasma by HPLC with fluorescence detection 400
- Saccharides**
TLC using multiple development for analysis of reaction products of sucrases 353
- Steroids**
Application of HPLC to the measurement of cortisol secretion rate 25
- Steroids**
Determination of some hydroxycholesterols in human serum samples 1
- Steroids**
Sensitive and selective assay of danazol in plasma by HPLC 347
- Sucrases**
TLC using multiple development for analysis of reaction products of sucrases 353
- Temazepam**
Microsample determination of diazepam and its three metabolites in serum by reversed-phase HPLC 212
- Tetramethylpyridyl porphyrins**
Separation of metalloporphyrins from metallation reactions by LC and electrophoresis 71
- Tetra-N,N,N-trimethylanilinium porphyrin**
Separation of metalloporphyrins from metallation reactions by LC and electrophoresis 71
- Theophylline**
Analytical methodology to determine stable isotopically labelled and unlabelled theophylline in human plasma using capillary GC-MS 81
- Theophylline**
Microassay for the simultaneous determination of theophylline and dyphylline in serum by HPLC 91
- Triethylene glycol**
Quantification of some glycols in urinary organic acid profiles of acutely ill newborns 439
- Tulobuterol**
Determination of tulobuterol in human plasma by capillary GC 154
- Vinblastine**
Determination of vinblastine in MO₄ mouse fibrosarcoma cells by HPLC 375
- Vitamin B₆ vitamers**
Analysis of vitamin B₆ vitamers in plasma by cation-exchange HPLC 138