

Author Index

- Abbott, F. S., see Doroudian, A. 619(1993)79
- Akiyama, S., see Nakashima, K. 619(1993)1
- Anderson, K. E., see Woodcock, E. A. 619(1993)121
- Andersson, T., Lagerström, P.-O., Miners, J. O., Veronese, M. E., Weidolf, L. and Birkett, D. J.
High-performance liquid chromatographic assay for human liver microsomal omeprazole metabolism 619(1993)291
- Arrigoni Martelli, E., see Bruno, G. 619(1993)167
- Ascalone, V., Guinebault, P. and Rouhouse, A.
Determination of mizolastine, a new antihistaminic drug, in human plasma by liquid-liquid extraction, solid-phase extraction and column-switching techniques in combination with high-performance liquid chromatography 619(1993)275
- Avgerinos, A., Karidas, T. and Malamataris, S.
Extractionless high-performance liquid chromatographic method for the determination of diclofenac in human plasma and urine 619(1993)324
- Axelsson, J. E., see Doroudian, A. 619(1993)79
- Bachert, E. L. and Fung, H.-L.
High-performance liquid chromatographic method for stability and pharmacokinetic studies of nicorandil 619(1993)336
- Bailey, M. R., see Janeček, M. 619(1993)63
- Benowitz, N. L., see Jacob III, P. 619(1993)49
- Birkett, D. J., see Andersson, T. 619(1993)291
- Bockbrader, H. N., see Windsor, B. L. 619(1993)315
- Bonte, W., see Musshoff, F. 619(1993)235
- Bos, R. P., see Scheepers, P. T. J. 619(1993)215
- Brown, D. S., see Scislowski, P. W. D. 619(1993)299
- Bruno, G., Curti, S., Longo, A., Marzo, A. and Arrigoni Martelli, E.
High-performance liquid chromatographic assay for N²-[5-(hypoxanthin-9-yl)pentoxycarbonyl]-L-arginine (ST 789) in plasma by cyclization with benzoin and fluorimetric detection 619(1993)167
- Buchan, V., see Scislowski, P. W. D. 619(1993)299
- Caillé, G., see Lemko, C. H. 619(1993)330
- Camacho, A., see Rosell, G. 619(1993)87
- Campins-Falcó, P., Herráez-Hernández, R. and Sevillano-Cabeza, A.
Column-switching techniques for high-performance liquid chromatography of drugs in biological samples (Review) 619(1993)177
- Chan, K. and Jones, R. D. M.
Simultaneous determination of flumazenil, midazolam and metabolites in human biological fluids by liquid chromatography 619(1993)154
- Chang, T., see Windsor, B. L. 619(1993)315
- Chaussard, J., see Houzé, P. 619(1993)251
- Chen, X.-H., Franke, J.-P., Wijsbeek, J. and De Zeeuw, R. A.
Reusability of Bond Elut Certify columns for the extraction of drugs from plasma 619(1993)137
- Cordel, K. L., see Rimerman, R. A. 619(1993)29
- Craft, N. E., see Epler, K. S. 619(1993)37
- Crofton, K. M., see Raymer, J. H. 619(1993)223
- Curti, S., see Bruno, G. 619(1993)167
- Daldrup, T., see Musshoff, F. 619(1993)235
- DeWulf, D. W., see Ingalls, S. T. 619(1993)9
- De Zeeuw, R. A., see Chen, X.-H. 619(1993)137
- Diez, M. J., see Fernández, N. 619(1993)143
- Donald, P. R., see Seifart, H. I. 619(1993)285
- Doroudian, A., Yeleswaram, K., Rurak, D. W., Abbott, F. S. and Axelson, J. E.
Sensitive high-performance liquid chromatographic method for direct separation of labelalol stereoisomers in biological fluids using an α_1 -acid glycoprotein stationary phase 619(1993)79
- Doyle, E., see Moore, T. D. 619(1993)172
- Duan, G., see Nakashima, K. 619(1993)1
- Dumartin, C., see Gimenez, F. 619(1993)161
- Epler, K. S., Ziegler, R. G. and Craft, N. E.
Liquid chromatographic method for the determination of carotenoids, retinoids and tocopherols in human serum and in food 619(1993)37
- Esposito, E., see Gorbunov, N. 619(1993)133
- Farinotti, R., see Gimenez, F. 619(1993)161
- Feibush, B., see Zhou, F.-X. 619(1993)93
- Fernández, N., García, J. J., Diez, M. J., Terán, M. T. and Sierra, M.
Rapid high-performance liquid chromatographic assay of ethynloestradiol in rabbit plasma 619(1993)143
- Foster, R. T., see Lemko, C. H. 619(1993)330
- Franke, J.-P., see Chen, X.-H. 619(1993)137
- Fung, H.-L., see Bachert, E. L. 619(1993)336
- Gaillard, Y., Gay-Montchamp, J.-P. and Ollagnier, M.
Gas chromatographic determination of zopiclone in plasma after solid-phase extraction 619(1993)310
- García, J. J., see Fernández, N. 619(1993)143
- Gaudreau, P., see Lefrançois, L. 619(1993)116
- Gay-Montchamp, J.-P., see Gaillard, Y. 619(1993)310
- Gibbons, W. A., see Hamedani, M. P. 619(1993)191
- Gimenez, F., Dumartin, C., Wainer, I. W. and Farinotti, R.
Improved column-switching liquid chromatographic method for the determination of the enantiomers of mefloquine 619(1993)161
- Gorbunov, N. and Esposito, E.
Rapid and simple method for the determination of nitrite in synaptosomal superfusates by liquid chromatography with electrochemical detection 619(1993)133
- Guengerich, F. P., see Seto, Y. 619(1993)71
- Guinebault, P., see Ascalone, V. 619(1993)275
- Hamedani, M. P., Valkó, K., Qi, X., Welham, K. J. and Gibbons, W. A.
Two-dimensional high-performance liquid chromatographic method for assaying S-adenosyl-L-methionine and its related metabolites in tissues 619(1993)191
- Harris, I., see Scislowski, P. W. D. 619(1993)299
- Harry, P., see Houzé, P. 619(1993)251
- Herráez-Hernández, R., see Campins-Falcó, P. 619(1993)177
- Heskamp, H. H., see Van Rhijn, J. A. 619(1993)243
- Hoppel, C. L., see Ingalls, S. T. 619(1993)9
- Horikiri, Y., see Suzuki, T. 619(1993)267

- Houzé, P., Chaussard, J., Harry, P. and Pays, M.
Simultaneous determination of ethylene glycol, propylene glycol, 1,3-butylene glycol and 2,3-butylene glycol in human serum and urine by wide-bore column gas chromatography 619(1993)251
- Ingalls, S. T., Kriaris, M. S., Xu, Y., DeWulf, D. W., Tserng, K.-Y. and Hoppel, C. L.
Method for isolation of non-esterified fatty acids and several other classes of plasma lipids by column chromatography on silica gel 619(1993)9
- Iwaki, K., Okumura, N. and Yamazaki, M.
Rapid determination of tetracycline antibiotics in serum by reversed-phase high-performance liquid chromatography with fluorescence detection 619(1993)319
- Jacob III, P., Yu, L., Liang, G., Shulgin, A. T. and Benowitz, N. L.
Gas chromatographic-mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49
- James, C. A., see Kennedy, S. W. 619(1993)127
- Janeček, M., Quilliam, M. A., Bailey, M. R. and North, D. H.
Determination of erythromycin A by liquid chromatography and electrochemical detection, with application to salmon tissue 619(1993)63
- Jones, R. D. M., see Chan, K. 619(1993)154
- Karidas, T., see Avgerinos, A. 619(1993)324
- Kennedy, S. W. and James, C. A.
Improved method to extract and concentrate porphyrins from liver tissue for analysis by high-performance liquid chromatography 619(1993)127
- Koda, R. T., see Li, W. Y. 619(1993)148
- Koel, M., see Nebinger, P. 619(1993)342
- Kriaris, M. S., see Ingalls, S. T. 619(1993)9
- Kruger, P. B., see Seifart, H. I. 619(1993)285
- Krull, I. S., see Zhou, F.-X. 619(1993)93
- Kuroda, N., see Nakashima, K. 619(1993)1
- Lagerström, P.-O., see Andersson, T. 619(1993)291
- Land, S. L., see Woodcock, E. A. 619(1993)121
- Lee, B. L., Ong, H. Y., Shi, C. Y. and Ong, C. N.
Simultaneous determination of hydroquinone, catechol and phenol in urine using high-performance liquid chromatography with fluorimetric detection 619(1993)259
- Lefrançois, L. and Gaudreau, P.
Basal and stimulated cyclic adenosine 3',5'-monophosphate production in rat adenopituitary homogenates: direct determination by high-performance liquid chromatography 619(1993)116
- Lemko, C. H., Caillé, G. and Foster, R. T.
Stereospecific high-performance liquid chromatographic assay of ibuprofen: improved sensitivity and sample processing efficiency 619(1993)330
- Li, W. Y., Seah, S. K. L. and Koda, R. T.
Determination of mitomycin C in human aqueous humor and serum by high-performance liquid chromatography 619(1993)148
- Liang, G., see Jacob III, P. 619(1993)49
- Lladó, I., Palou, A. and Pons, A.
Combined enzymic and chromatographic techniques to determine specific radioactivity in free and triglyceride fatty acid plasma fractions 619(1993)21
- Longo, A., see Bruno, G. 619(1993)167
- MacPhail, R. C., see Raymer, J. H. 619(1993)223
- Malamataris, S., see Avgerinos, A. 619(1993)324
- Marzo, A., see Bruno, G. 619(1993)167
- Metcalf, A. C., see Moore, T. D. 619(1993)172
- Miners, J. O., see Andersson, T. 619(1993)291
- Mizobe, M., see Suzuki, T. 619(1993)267
- Moore, T. D., Metcalf, A. C., Swagzdis, J. E. and Doyle, E.
High-performance liquid chromatographic determination of concentrations of the reversible H⁺/K⁺ ATPase inhibitor SK&F 97574 in plasma 619(1993)172
- Musshoff, F., Daldrup, T. and Bonte, W.
Gas chromatographic-mass spectrometric screening procedure for the identification of formaldehyde-derived tetrahydroisoquinolines in human urine 619(1993)235
- Nakashima, K., Taguchi, Y., Kuroda, N., Akiyama, S. and Duan, G.
2-(4-Hydrazinocarbonylphenyl)-4,5-diphenylimidazole as a versatile fluorescent derivatization reagent for the high-performance liquid chromatographic analysis of free fatty acids 619(1993)1
- Nebinger, P. and Koel, M.
Determination of acyclovir by ultrafiltration and high-performance liquid chromatography 619(1993)342
- Noda, K., see Suzuki, T. 619(1993)267
- North, D. H., see Janeček, M. 619(1993)63
- Ogata, K., see Sugiyama, K. 619(1993)306
- Okumura, N., see Iwaki, K. 619(1993)319
- Ollagnier, M., see Gaillard, Y. 619(1993)310
- Ong, C. N., see Lee, B. L. 619(1993)259
- Ong, H. Y., see Lee, B. L. 619(1993)259
- Ouwerkerk, J. C., see Scheepers, P. T. J. 619(1993)215
- Padilla, S., see Raymer, J. H. 619(1993)223
- Palou, A., see Lladó, I. 619(1993)21
- Parkin, D. P., see Seifart, H. I. 619(1993)285
- Parra, P., see Rosell, G. 619(1993)87
- Pays, M., see Houzé, P. 619(1993)251
- Pickard, K., see Scislawski, P. W. D. 619(1993)299
- Pons, A., see Lladó, I. 619(1993)21
- Prorok, G. D., see Rimerman, R. A. 619(1993)29
- Qi, X., see Hamedani, M. P. 619(1993)191
- Quilliam, M. A., see Janeček, M. 619(1993)63
- Radulovic, L. L., see Windsor, B. L. 619(1993)315
- Raymer, J. H., Sparacino, C. M., Velez, G. R., Padilla, S., MacPhail, R. C. and Crofton, K. M.
Determination of acrylamide in rat serum and sciatic nerve by gas chromatography-electron-capture detection 619(1993)223
- Rimerman, R. A., Prorok, G. D., Cordel, K. L., Shahwan, A. M. and Vaughan, W. P.
Improved high-performance liquid chromatographic analysis of intracellular deoxyribonucleoside triphosphate levels 619(1993)29
- Rosell, G., Camacho, A. and Parra, P.
Direct enantiomeric separation of *cis*-(±) diltiazem in plasma by high-performance liquid chromatography with ovomucoid column 619(1993)87
- Rouhouse, A., see Ascalone, V. 619(1993)275
- Ruban, V. F.
Determination of dopamine and its metabolites in microdialysates by capillary liquid chromatography with electrochemical detection 619(1993)111

- Rurak, D. W., see Doroudian, A. 619(1993)79
- Scheepers, P. T. J., Velders, D. D., Straetemans, M. M. E., Ouwerkerk, J. C., Van Vliet, L. A. and Bos, R. P.
Solid-phase extraction and gas chromatographic-mass spectrometric determination after hydrolysis of 2-aminofluorene haemoglobin adducts in blood of rats 619(1993)215
- Scislowski, P. W. D., Harris, I., Pickard, K., Brown, D. S. and Buchan, V.
Determination of L-methionine-*dl*-sulphoxide in tissue extracts 619(1993)299
- Seah, S. K. L., see Li, W. Y. 619(1993)148
- Seifart, H. I., Kruger, P. B., Parkin, D. P., Van Jaarsveld, P. P. and Donald, P. R.
Therapeutic monitoring of antituberculosis drugs by direct in-line extraction on a high-performance liquid chromatography system 619(1993)285
- Seto, Y. and Guengerich, F. P.
Liquid chromatographic determination of *para*-substituted N,N-dialkylaniline N-oxides 619(1993)71
- Sevillano-Cabeza, A., see Campíns-Falcó, P. 619(1993)177
- Shahwan, A. M., see Rimerman, R. A. 619(1993)29
- Shi, C. Y., see Lee, B. L. 619(1993)259
- Shulgin, A. T., see Jacob III, P. 619(1993)49
- Sierra, M., see Fernández, N. 619(1993)143
- Sparacino, C. M., see Raymer, J. H. 619(1993)223
- Steinebach, O. M. and Wolterbeek, H. T.
Determination of zinc-65, copper-64 and sulphur-35 labelled rat hepatoma tissue culture metallothioneins by high-performance liquid chromatography with on-line radioactivity detection 619(1993)199
- Straetemans, M. M. E., see Scheepers, P. T. J. 619(1993)215
- Sugiyama, K. and Ogata, K.
High-performance liquid chromatographic determination of histatins in human saliva 619(1993)306
- Suzuki, T., Horikiri, Y., Mizobe, M. and Noda, K.
Sensitive determination of bisoprolol enantiomers in plasma and urine by high-performance liquid chromatography using fluorescence detection, and application to preliminary study in humans 619(1993)267
- Swagzdis, J. E., see Moore, T. D. 619(1993)172
- Taguchi, Y., see Nakashima, K. 619(1993)1
- Terán, M. T., see Fernández, N. 619(1993)143
- Traag, W. A., see Van Rhijn, J. A. 619(1993)243
- Tserng, K.-Y., see Ingalls, S. T. 619(1993)9
- Valkó, K., see Hamedani, M. P. 619(1993)191
- Van Jaarsveld, P. P., see Seifart, H. I. 619(1993)285
- Van Rhijn, J. A., Traag, W. A. and Heskamp, H. H.
Confirmatory analysis of clenbuterol using two different derivatives simultaneously 619(1993)243
- Van Vliet, L. A., see Scheepers, P. T. J. 619(1993)215
- Vaughan, W. P., see Rimerman, R. A. 619(1993)29
- Velders, D. D., see Scheepers, P. T. J. 619(1993)215
- Velez, G. R., see Raymer, J. H. 619(1993)223
- Veronese, M. E., see Andersson, T. 619(1993)291
- Wainer, I. W., see Gimenez, F. 619(1993)161
- Wang, E., see Zhou, J. 619(1993)103
- Weidolf, L., see Andersson, T. 619(1993)291
- Welham, K. J., see Hamedani, M. P. 619(1993)191
- Wijsbeek, J., see Chen, X.-H. 619(1993)137
- Windsor, B. L., Radulovic, L. L., Bockbrader, H. N. and Chang, T.
Measurement of CI-979 (a candidate drug for the treatment of age-related disorders of cognition) in human plasma by capillary gas chromatography with nitrogen-selective detection 619(1993)315
- Wolterbeek, H. T., see Steinebach, O. M. 619(1993)199
- Woodcock, E. A., Anderson, K. E. and Land, S. L.
Lyophilization can generate artifacts in chromatographic profiles of inositol phosphates 619(1993)121
- Xu, Y., see Ingalls, S. T. 619(1993)9
- Yamazaki, M., see Iwaki, K. 619(1993)319
- Yeleswaram, K., see Doroudian, A. 619(1993)79
- Yu, L., see Jacob III, P. 619(1993)49
- Zhang, L., see Zhou, J. 619(1993)103
- Zhou, F.-X., Krull, I. S. and Feibush, B.
Direct determination of adamantanamine in plasma and urine with automated solid phase derivatization 619(1993)93
- Zhou, J., Zhang, L. and Wang, E.
Electrochemical detection of cobalt in hair following on-column derivatization with 1-(2-pyridylazo)-2-naphthol-6-sulphonic acid and reversed-phase liquid chromatography 619(1993)103
- Ziegler, R. G., see Epler, K. S. 619(1993)37

Erratum

J. Chromatogr., 615 (1993) 148–153.

Tables I en II. “Cotinine concentration (ng/ml)” should read “Cotinine amount (ng)”.

Table III. Values in the column headed OraSure refer to ng cotinine, not ng/ml cotinine. To convert to ng/ml multiply by two. Urine and serum values are in ng/ml.