

Compound Index

Acrylamide

Determination of acrylamide in rat serum and sciatic nerve by gas chromatography–electron-capture detection 619(1993)223

Acyclovir

Determination of acyclovir by ultrafiltration and high-performance liquid chromatography 619(1993)342

Adamantanamine

Direct determination of adamantanamine in plasma and urine with automated solid phase derivatization 619(1993)93

Adenine

Two-dimensional high-performance liquid chromatographic method for assaying S-adenosyl-L-methionine and its related metabolites in tissues 619(1993)191

Adenosine

Two-dimensional high-performance liquid chromatographic method for assaying S-adenosyl-L-methionine and its related metabolites in tissues 619(1993)191

Adenosine 3',5'-monophosphate, cyclic

Basal and stimulated cyclic adenosine 3',5'-monophosphate production in rat adenopituitary homogenates: direct determination by high-performance liquid chromatography 619(1993)116

S-Adenosyl-L-methionine

Two-dimensional high-performance liquid chromatographic method for assaying S-adenosyl-L-methionine and its related metabolites in tissues 619(1993)191

S-Adenylhomocysteine

Two-dimensional high-performance liquid chromatographic method for assaying S-adenosyl-L-methionine and its related metabolites in tissues 619(1993)191

Alkaloids

Gas chromatographic–mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49

Amino acids

Determination of zinc-65, copper-64 and sulphur-35 labelled rat hepatoma tissue culture metallothioneins by high-performance liquid chromatography with on-line radioactivity detection 619(1993)199

Anabasine

Gas chromatographic–mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49

Anatabine

Gas chromatographic–mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49

Antibiotics

Determination of erythromycin A by liquid chromatography and electrochemical detection, with application to salmon tissue 619(1993)63

Rapid determination of tetracycline antibiotics in serum by reversed-phase high-performance liquid chromatography with fluorescence detection 619(1993)319

H⁺/K⁺ ATPase inhibitor

High-performance liquid chromatographic determination of concentrations of the reversible H⁺/K⁺ ATPase inhibitor SK&F 97574 in plasma 619(1993)172

2,3'-Bipyridyl

Gas chromatographic–mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49

Bisoprolol

Sensitive determination of bisoprolol enantiomers in plasma and urine by high-performance liquid chromatography using fluorescence detection, and application to preliminary study in humans 619(1993)267

2-Bromopropenamide

Determination of acrylamide in rat serum and sciatic nerve by gas chromatography–electron-capture detection 619(1993)223

1,3-Butylene glycol

Simultaneous determination of ethylene glycol, propylene glycol, 1,3-butylene glycol and 2,3-butylene glycol in human serum and urine by wide-bore column gas chromatography 619(1993)251

2,3-Butylene glycol

Simultaneous determination of ethylene glycol, propylene glycol, 1,3-butylene glycol and 2,3-butylene glycol in human serum and urine by wide-bore column gas chromatography 619(1993)251

3-Butyryl-4-(2-methylphenylamino)-8-(2-hydroxyethoxy)quinoline

High-performance liquid chromatographic determination of concentrations of the reversible H⁺/K⁺ ATPase inhibitor SK&F 97574 in plasma 619(1993)172

Cadmium

Determination of zinc-65, copper-64 and sulphur-35 labelled rat hepatoma tissue culture metallothioneins by high-performance liquid chromatography with on-line radioactivity detection 619(1993)199

Carotenoids

Liquid chromatographic method for the determination of carotenoids, retinoids and tocopherols in human serum and in food 619(1993)37

Catechol

Simultaneous determination of hydroquinone, catechol and phenol in urine using high-performance liquid chromatography with fluorimetric detection 619(1993)259

CI-979

Measurement of CI-979 (a candidate drug for the treatment of age-related disorders of cognition) in human plasma by capillary gas chromatography with nitrogen-selective detection 619(1993)315

Clenbuterol

Confirmatory analysis of clenbuterol using two different derivatives simultaneously 619(1993)243

Clonazepam

Reusability of Bond Elut Certify columns for the extraction of drugs from plasma 619(1993)137

Cobalt

Electrochemical detection of cobalt in hair following on-column derivatization with 1-(2-pyridylazo)-2-naphthol-6-sulphonic acid and reversed-phase liquid chromatography 619(1993)103

Copper

Determination of zinc-65, copper-64 and sulphur-35 labelled rat hepatoma tissue culture metallothioneins by high-performance liquid chromatography with on-line radioactivity detection 619(1993)199

Cyclic adenosine 3',5'-monophosphate

Basal and stimulated cyclic adenosine 3',5'-monophosphate production in rat adenopituitary homogenates: direct determination by high-performance liquid chromatography 619(1993)116

Cytochrome P450

High-performance liquid chromatographic assay for human liver microsomal omeprazole metabolism 619(1993)291

Deoxyribonucleoside triphosphate

Improved high-performance liquid chromatographic analysis of intracellular deoxyribonucleoside triphosphate levels 619(1993)29

N,N-Dialkylaniline-N-oxides

Liquid chromatographic determination of *para*-substituted N,N-dialkylaniline N-oxides 619(1993)71

Diclofenac

Extractionless high-performance liquid chromatographic method for the determination of diclofenac in human plasma and urine 619(1993)324

Dihydrometanicotine

Gas chromatographic-mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49

Diltiazem

Direct enantiomeric separation of *cis*-(±) diltiazem in plasma by high-performance liquid chromatography with ovomucoid column 619(1993)87

Dopamine

Determination of dopamine and its metabolites in microdialysates by capillary liquid chromatography with electrochemical detection 619(1993)111

Drugs

Column-switching techniques for high-performance liquid chromatography of drugs in biological samples (Review) 619(1993)177

Erythromycin A

Determination of erythromycin A by liquid chromatography and electrochemical detection, with application to salmon tissue 619(1993)63

Ethionamide

Therapeutic monitoring of antituberculosis drugs by direct in-line extraction on a high-performance liquid chromatography system 619(1993)285

Ethylene glycol

Simultaneous determination of ethylene glycol, propylene glycol, 1,3-butylene glycol and 2,3-butylene glycol in human serum and urine by wide-bore column gas chromatography 619(1993)251

Ethinylestradiol

Rapid high-performance liquid chromatographic assay of ethinyloestradiol in rabbit plasma 619(1993)143

Fatty acids

2-(4-Hydrazinocarbonylphenyl)-4,5-diphenylimidazole as a versatile fluorescent derivatization reagent for the high-performance liquid chromatographic analysis of free fatty acids 619(1993)1

Method for isolation of non-esterified fatty acids and several other classes of plasma lipids by column chromatography on silica gel 619(1993)9

Combined enzymic and chromatographic techniques to determine specific radioactivity in free and triglyceride fatty acid plasma fractions 619(1993)21

Flumazenil

Simultaneous determination of flumazenil, midazolam and metabolites in human biological fluids by liquid chromatography 619(1993)154

9-Fluoreneacetate

Direct determination of adamantanamine in plasma and urine with automated solid phase derivatization 619(1993)93

Flurazepam

Simultaneous determination of flumazenil, midazolam and metabolites in human biological fluids by liquid chromatography 619(1993)154

Guanosine

Determination of acyclovir by ultrafiltration and high-performance liquid chromatography 619(1993)342

Haemoglobin

Solid-phase extraction and gas chromatographic-mass spectrometric determination after hydrolysis of 2-aminofluorene haemoglobin adducts in blood of rats 619(1993)215

Hexobarbital

Reusability of Bond Elut Certify columns for the extraction of drugs from plasma 619(1993)137

Histatins

High-performance liquid chromatographic determination of histatins in human saliva 619(1993)306

2-(4-Hydrazinocarbonylphenyl)-4,5-diphenylimidazole

2-(4-Hydrazinocarbonylphenyl)-4,5-diphenylimidazole as a versatile fluorescent derivatization reagent for the high-performance liquid chromatographic analysis of free fatty acids 619(1993)1

Hydroquinone

Simultaneous determination of hydroquinone, catechol and phenol in urine using high-performance liquid chromatography with fluorimetric detection 619(1993)259

1-Hydroxymethylimidazolam

Simultaneous determination of flumazenil, midazolam and metabolites in human biological fluids by liquid chromatography 619(1993)154

4-Hydroxymidazolam

Simultaneous determination of flumazenil, midazolam and metabolites in human biological fluids by liquid chromatography 619(1993)154

Hydroxyomeprazole

High-performance liquid chromatographic assay for human liver microsomal omeprazole metabolism 619(1993)291

N²-[5-(Hypoxanthin-9-yl)pentylloxycarbonyl]-L-arginine

High-performance liquid chromatographic assay for N²-[5-(hypoxanthin-9-yl)pentylloxycarbonyl]-L-arginine (ST 789) in plasma by cyclization with benzoin and fluorimetric detection 619(1993)167

Ibuprofen

Stereospecific high-performance liquid chromatographic assay of ibuprofen: improved sensitivity and sample processing efficiency 619(1993)330

Indomethacin

Extractionless high-performance liquid chromatographic method for the determination of diclofenac in human plasma and urine 619(1993)324

Inositol phosphates

Lyophilization can generate artifacts in chromatographic profiles of inositol phosphates 619(1993)121

Isoniazid

Therapeutic monitoring of antituberculosis drugs by direct in-line extraction on a high-performance liquid chromatography system 619(1993)285

Labetalol

Sensitive high-performance liquid chromatographic method for direct separation of labetalol stereoisomers in biological fluids using an α_1 -acid glycoprotein stationary phase 619(1993)79

Lipids

Method for isolation of non-esterified fatty acids and several other classes of plasma lipids by column chromatography on silica gel 619(1993)9

Mefloquine

Improved column-switching liquid chromatographic method for the determination of the enantiomers of mefloquine 619(1993)161

Mepivacaine

Reusability of Bond Elut Certify columns for the extraction of drugs from plasma 619(1993)137

Metallothioneins

Determination of zinc-65, copper-64 and sulphur-35 labelled rat hepatoma tissue culture metallothioneins by high-performance liquid chromatography with on-line radioactivity detection 619(1993)199

Metanicotine

Gas chromatographic-mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49

L-Methionine-*dl*-sulphoxide

Determination of L-methionine-*dl*-sulphoxide in tissue extracts 619(1993)299

Methylthioadenosine

Two-dimensional high-performance liquid chromatographic method for assaying S-adenosyl-L-methionine and its related metabolites in tissues 619(1993)191

Midazolam

Simultaneous determination of flumazenil, midazolam and metabolites in human biological fluids by liquid chromatography 619(1993)154

Mitomycin C

Determination of mitomycin C in human aqueous humor and serum by high-performance liquid chromatography 619(1993)148

Mizolastine

Determination of mizolastine, a new antihistaminic drug, in human plasma by liquid-liquid extraction, solid-phase extraction and column-switching techniques in combination with high-performance liquid chromatography 619(1993)275

Nicorandil

High-performance liquid chromatographic method for stability and pharmacokinetic studies of nicorandil 619(1993)336

Nitrite

Rapid and simple method for the determination of nitrite in synaptosomal superfusates by liquid chromatography with electrochemical detection 619(1993)133

2-Nitrofluorene

Solid-phase extraction and gas chromatographic-mass spectrometric determination after hydrolysis of 2-aminofluorene haemoglobin adducts in blood of rats 619(1993)215

Nornicotine

Gas chromatographic-mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49

Nucleotides

Improved high-performance liquid chromatographic analysis of intracellular deoxyribonucleoside triphosphate levels 619(1993)29

Omeprazole

High-performance liquid chromatographic assay for human liver microsomal omeprazole metabolism 619(1993)291

Omeprazole sulphone

High-performance liquid chromatographic assay for human liver microsomal omeprazole metabolism 619(1993)291

Pentobarbital

Reusability of Bond Elut Certify columns for the extraction of drugs from plasma 619(1993)137

Phenol

Simultaneous determination of hydroquinone, catechol and phenol in urine using high-performance liquid chromatography with fluorimetric detection 619(1993)259

Porphyryns

Improved method to extract and concentrate porphyrins from liver tissue for analysis by high-performance liquid chromatography 619(1993)127

Prazepam

Gas chromatographic determination of zopiclone in plasma after solid-phase extraction 619(1993)310

Propylene glycol

Simultaneous determination of ethylene glycol, propylene glycol, 1,3-butylene glycol and 2,3-butylene glycol in human serum and urine by wide-bore column gas chromatography 619(1993)251

Pyrazinamide

Therapeutic monitoring of antituberculosis drugs by direct in-line extraction on a high-performance liquid chromatography system 619(1993)285

1-(2-Pyridylazo)-2-naphthol-6-sulphonic acid

Electrochemical detection of cobalt in hair following on-column derivatization with 1-(2-pyridylazo)-2-naphthol-6-sulphonic acid and reversed-phase liquid chromatography 619(1993)103

Retinoids

Liquid chromatographic method for the determination of carotenoids, retinoids and tocopherols in human serum and in food 619(1993)37

Rifampicin

Therapeutic monitoring of antituberculosis drugs by direct in-line extraction on a high-performance liquid chromatography system 619(1993)285

SK&F 97574

High-performance liquid chromatographic determination of concentrations of the reversible H⁺/K⁺ ATPase inhibitor SK&F 97574 in plasma 619(1993)172

Steroids

Rapid high-performance liquid chromatographic assay of ethinyloestradiol in rabbit plasma 619(1993)143

Confirmatory analysis of clenbuterol using two different derivatives simultaneously 619(1993)243

Tetracyclines

Rapid determination of tetracycline antibiotics in serum by reversed-phase high-performance liquid chromatography with fluorescence detection 619(1993)319

Tetrahydroisoquinolines

Gas chromatographic-mass spectrometric screening procedure for the identification of formaldehyde-derived tetrahydroisoquinolines in human urine 619(1993)235

(E)-1,2,5,6-Tetrahydro-1-methyl-3-pyridinecarboxaldehyde O-methylxime

Measurement of CI-979 (a candidate drug for the treatment of age-related disorders of cognition) in human plasma by capillary gas chromatography with nitrogen-selective detection 619(1993)315

Tobacco alkaloids

Gas chromatographic-mass spectrometric method for determination of anabasine, anatabine and other tobacco alkaloids in urine of smokers and smokeless tobacco users 619(1993)49

Tocopherols

Liquid chromatographic method for the determination of carotenoids, retinoids and tocopherols in human serum and in food 619(1993)37

Triglycerides

Combined enzymic and chromatographic techniques to determine specific radioactivity in free and triglyceride fatty acid plasma fractions 619(1993)21

Trimipramine

Reusability of Bond Elut Certify columns for the extraction of drugs from plasma 619(1993)137

Zinc

Determination of zinc-65, copper-64 and sulphur-35 labelled rat hepatoma tissue culture metallothioneins by high-performance liquid chromatography with on-line radioactivity detection 619(1993)199

Zopiclone

Gas chromatographic determination of zopiclone in plasma after solid-phase extraction 619(1993)310