

## Author Index Vol. 670

- Akiyama, T., see Yamazaki, T. 670(1995)328  
Amatdjais-Groenen, H., see Vree, T.B. 670(1995)111  
Andersson, K., see Luo, J.-L. 670(1995)29  
Baars, A.M., see Vree, T.B. 670(1995)111  
Beecher, G.R., see Khachik, F. 670(1995)219  
Blanchard, J., see Surendran, N. 670(1995)235  
Bökens, H., see Hammes, W. 670(1995)81  
Bonnemain, B., see Bourrinet, P. 670(1995)369  
Bourrinet, P., Feldman, H., Dencausse, A., Chambon, C. and Bonnemain, B.  
High-performance liquid chromatographic determination of iobitridol in plasma, urine and bile 670(1995)369  
Bradbury, E.M., see Gurley, L.R. 670(1995)125  
Büchler, U., see Hammes, W. 670(1995)81  
Carbone, V., see Sannolo, N. 670(1995)349  
Carroll, J.I., see Heath, T.G. 670(1995)91  
Celentano, G., see Stradi, R. 670(1995)337  
Chambon, C., see Bourrinet, P. 670(1995)369  
Chang, J., see Heath, T.G. 670(1995)91  
Charles, B.G., see Preechagoon, Y. 670(1995)139  
Chiba, T., see Ito, T. 670(1995)317  
Christensen, E.B., Hansen, S.H. and Rasmussen, S.N.  
Assay of tocainide enantiomers in plasma by solid-phase extraction and indirect chiral high-performance liquid chromatography after derivatization with (-)-menthyl chloroformate 670(1995)243  
Cirimele, V., see Kintz, P. 670(1995)162  
Cotgreave, I.A., see Luo, J.-L. 670(1995)29  
Curtis, M.A., see Walters, D.L. 670(1995)299  
Deguchi, T., see Suzawa, Y. 670(1995)152  
Dencausse, A., see Bourrinet, P. 670(1995)369  
Deng, Y., Maruyama, W., Dostert, P., Takahashi, T., Kawai, M. and Naoi, M.  
Determination of the (*R*)- and (*S*)-enantiomers of salsolinol and *N*-methylsalsolinol by use of a chiral high-performance liquid chromatographic column 670(1995)47  
Denizli, A. and Pişkin, E.  
Heparin-immobilized polyhydroxyethylmethacrylate microbeads for cholesterol removal: a preliminary report 670(1995)157  
Dooley, K.L., see Hansen, Jr., E.B. 670(1995)259  
Dostert, P., see Deng, Y. 670(1995)47  
Drozd, M.L., Lockwood, G., Miller, B. and Rosi, D.  
A column-switching high-performance liquid chromatographic assay for a novel cytotoxic thioxanthone derivative (WIN 33377) in mouse plasma with toxicokinetic results from a mouse LD<sub>10</sub> study 670(1995)145  
Dzrk, A., see Lee, J.W. 670(1995)287  
Englert, G., see Khachik, F. 670(1995)219  
Esteve-Romero, J.S., see Simó-Alfonso, E.F. 670(1995)183  
Farrán, R., see García-Encina, G. 670(1995)103  
Feldman, H., see Bourrinet, P. 670(1995)369  
Fenske, M.  
Rapid and efficient method for extraction and separation of glucocorticosteroids and sex steroids from urines 670(1995)373  
Ferranti, P., see Sannolo, N. 670(1995)349  
Fiume, I., see Sannolo, N. 670(1995)349  
Frantzen, F., Grimsrud, K., Heggli, D.-E. and Sundrehagen, E.  
Protein-boronic acid conjugates and their binding to low-molecular-mass *cis*-diols and glycated hemoglobin 670(1995)37  
Freeman, S.G., see Karle, J.M. 670(1995)251  
Fujiwara, Y., see Sumiyoshi, H. 670(1995)309  
Furuno, K., see Yamashita, S. 670(1995)354  
García-Alvarez-Coque, M.C., see Simó-Alfonso, E.F. 670(1995)183  
García-Encina, G., Farrán, R., Puig, S., Serafini, M.T. and Martínez, L.  
Automated high-performance liquid chromatographic assay for lesopitron, a novel anxiolytic, in human plasma using on-line solid-phase extraction 670(1995)103  
Geiger, P.G., see Korytowski, W. 670(1995)189  
Girotti, A.W., see Korytowski, W. 670(1995)189  
Gitzen, J., see Huang, T. 670(1995)323  
Gomita, Y., see Yamashita, S. 670(1995)354  
Green, S.V., see Walters, D.L. 670(1995)299  
Grimsrud, K., see Frantzen, F. 670(1995)37  
Gupta, R.C., see Singh, S.K. 670(1995)173  
Gurley, B.J., Marx, M. and Olsen, K.  
Phenytoin free fraction determination: comparison of an improved direct serum injection high-performance liquid chromatographic method to ultrafiltration coupled with fluorescence polarization immunoassay 670(1995)358  
Gurley, L.R., Umbarger, K.O., Kim, J.M., Bradbury, E.M. and Lehnert, B.E.  
Development of a high-performance liquid chromatographic method for the analysis of staurosporine 670(1995)125  
Hammarqvist, F., see Luo, J.-L. 670(1995)29  
Hammes, B., see Hammes, W. 670(1995)81  
Hammes, W., Hammes, B., Büchler, U., Paar, F. and Bökens, H.  
Simultaneous determination of moexipril and moexiprilat, its active metabolite, in human plasma by gas chromatography-negative-ion chemical ionization mass spectrometry 670(1995)81  
Hans, B., see Rickling, B. 670(1995)267  
Hansen, Jr., E.B., Dooley, K.L. and Thompson, Jr., H.C.  
High-performance liquid chromatographic analysis of the antituberculosis drugs aconiazide and isoniazid 670(1995)259  
Hansen, S.H., see Christensen, E.B. 670(1995)243  
Harada, M., see Suzawa, Y. 670(1995)152  
Harker, A.J., see Stubbs, R.J. 670(1995)279

- Heath, T.G., Massad, D.D., Carroll, J.I., Mathews, B.S., Chang, J., Scott, D.O., Kuo, B.-S. and Toren, P.C. Quantification of a dual angiotensin I-converting enzyme-neutral endopeptidase inhibitor and the active thiol metabolite in dog plasma by high-performance liquid chromatography with ultraviolet absorbance detection 670(1995)91
- Heggli, D.-E., see Frantzen, F. 670(1995)37
- Heller, A., see Huang, T. 670(1995)323
- Hiraoka, B.Y., see Suzawa, Y. 670(1995)152
- Huang, T., Yang, L., Gitzen, J., Kissinger, P.T., Vreeke, M. and Heller, A.  
Detection of basal acetylcholine in rat brain microdialysate 670(1995)323
- Hurlbut, J.A., see Turnipseed, S.B. 670(1995)55
- Isselhard, W., see Minor, T. 670(1995)332
- Ito, T., Kidouchi, K., Sugiyama, N., Kajita, M., Chiba, T., Niwa, T. and Wada, Y.  
Liquid chromatographic-atmospheric pressure chemical ionization mass spectrometric analysis of glycine conjugates and urinary isovaleryl-glycine in isovaleric acidemia 670(1995)317
- Itoh, M., see Suzuki, K.T. 670(1995)63
- Jensen, T.B. and Marley, P.D.  
Development of an assay for histamine using automated high-performance liquid chromatography with electrochemical detection 670(1995)199
- Johnson, T., see Lee, J.W. 670(1995)287
- Johnston, J.J., Petty, E.E., Okuno, I. and Nolte, D.L.  
Comparison of reversed-phase and ion-pair chromatography for the determination of strychnine in animal tissues 670(1995)73
- July, N., see Minor, T. 670(1995)332
- Kajita, M., see Ito, T. 670(1995)317
- Karle, J.M., Olmeda, R., Freeman, S.G. and Schroeder, A.C.  
Quantification of the individual enantiomer plasma concentrations of the candidate antimalarial agent N<sup>4</sup>-[2,6-dimethoxy-4-methyl-5-[(3-trifluoromethyl)phenoxy]-8-quinolinyl]-1,4-pentanediamine (WR 238,605) 670(1995)251
- Kawai, M., see Deng, Y. 670(1995)47
- Kawasaki, H., see Yamashita, S. 670(1995)354
- Khachik, F., Englert, G., Beecher, G.R. and Smith, Jr., J.C.  
Isolation, structural elucidation, and partial synthesis of lutein dehydration products in extracts from human plasma 670(1995)219
- Kidouchi, K., see Ito, T. 670(1995)317
- Kidouchi, K., see Sumi, S. 670(1995)376
- Kim, J.M., see Gurley, L.R. 670(1995)125
- Kintz, P., Cirimele, V., Tracqui, A. and Mangin, P.  
Simultaneous determination of amphetamine, methamphetamine, 3,4-methylenedioxyamphetamine and 3,4-methylenedioxymethamphetamine in human hair by gas chromatography-mass spectrometry 670(1995)162
- Kissinger, P.T., see Huang, T. 670(1995)323
- Kissinger, P.T., see Niwa, O. 670(1995)21
- Klar, E., see Minor, T. 670(1995)332
- Korytowski, W., Geiger, P.G. and Girotti, A.W.  
High-performance liquid chromatography with mercury cathode electrochemical detection: application to lipid hydroperoxide analysis 670(1995)189
- Kramarczyk, R., see Rickling, B. 670(1995)267
- Kraus, T.W., see Minor, T. 670(1995)332
- Krumbiegel, G., see Rickling, B. 670(1995)267
- Kuo, B.-S., see Heath, T.G. 670(1995)91
- Larsson, L., see Mielniczuk, Z. 670(1995)167
- Lee, J.W., Naidong, W., Johnson, T., Dzerk, A., Miyabayashi, T. and Motohashi, M.  
Development and validation of column-switching high-performance liquid chromatographic methods for the determination of a potent AII receptor antagonist, TC<sub>1</sub>V-116, and its metabolites in human serum and urine 670(1995)287
- Lehnert, B.E., see Gurley, L.R. 670(1995)125
- Lind, C., see Luo, J.-L. 670(1995)29
- Lockwood, G., see Drozd, M.L. 670(1995)145
- Long, A.R., see Turnipseed, S.B. 670(1995)55
- Luo, J.-L., Hammarqvist, F., Cotgreave, I.A., Lind, C., Andersson, K. and Wernerman, J.  
Determination of intracellular glutathione in human skeletal muscle by reversed-phase high-performance liquid chromatography 670(1995)29
- MacCrehan, W.A. and Schönberger, E.  
Determination of vitamin K<sub>1</sub> in serum using catalytic-reduction liquid chromatography with fluorescence detection 670(1995)209
- Malave, A., see Rathinavelu, A. 670(1995)177
- Malorni, A., see Sannolo, N. 670(1995)349
- Mamone, G., see Sannolo, N. 670(1995)349
- Mangin, P., see Kintz, P. 670(1995)162
- Marley, P.D., see Jensen, T.B. 670(1995)199
- Martínez, L., see García-Encina, G. 670(1995)103
- Maruyama, W., see Deng, Y. 670(1995)47
- Marx, M., see Gurley, B.J. 670(1995)358
- Massad, D.D., see Heath, T.G. 670(1995)91
- Mathews, B.S., see Heath, T.G. 670(1995)91
- Matsuoka, M., see Okumura, T. 670(1995)11
- Mielniczuk, E., see Mielniczuk, Z. 670(1995)167
- Mielniczuk, Z., Mielniczuk, E. and Larsson, L.  
Determination of muramic acid in organic dust by gas chromatography-mass spectrometry 670(1995)167
- Miller, B., see Drozd, M.L. 670(1995)145
- Minor, T., Osswald, B., Kraus, T.W., July, N., Isselhard, W. and Klar, E.  
Determination of plasma activities of purine nucleoside phosphorylase by high-performance liquid chromatography: estimates of nonparenchymal cell injury after porcine liver transplantation 670(1995)332
- Miyabayashi, T., see Lee, J.W. 670(1995)287
- Morgan, Jr., L.R., see Rodgers, A.H. 670(1995)365
- Motohashi, M., see Lee, J.W. 670(1995)287
- Murata, A., see Murata, K. 670(1995)3
- Murata, K., Murata, A. and Yoshida, K.  
High-performance liquid chromatographic identification of eight constitutional disaccharides from heparan sulfate isomers digested with heparitinases 670(1995)3
- Naidong, W., see Lee, J.W. 670(1995)287

- Nakajima, Y., see Okumura, T. 670(1995)11
- Naoi, M., see Deng, Y. 670(1995)47
- Nava, D., see Stradi, R. 670(1995)337
- Niwa, O., Tabei, H., Solomon, B.P., Xie, F. and Kissinger, P.T.  
Improved detection limit for catecholamines using liquid chromatography-electrochemistry with a carbon interdigitated array microelectrode 670(1995)21
- Niwa, T., see Ito, T. 670(1995)317
- Nolte, D.L., see Johnston, J.J. 670(1995)73
- Ohba, S., see Sumi, S. 670(1995)376
- Ohmichi, M., see Suzuki, K.T. 670(1995)63
- Ohtahara, S., see Yamashita, S. 670(1995)354
- Ohune, T., see Sumiyoshi, H. 670(1995)309
- Okumura, T., Nakajima, Y., Takamatsu, T. and Matsuoka, M.  
Column-switching high-performance liquid chromatographic system with a laser-induced fluorimetric detector for direct, automated assay of salivary cortisol 670(1995)11
- Okuno, I., see Johnston, J.J. 670(1995)73
- Olmeda, R., see Karle, J.M. 670(1995)251
- Olsen, K., see Gurley, B.J. 670(1995)358
- Osswald, B., see Minor, T. 670(1995)332
- Paar, F., see Hammes, W. 670(1995)81
- Petty, E.E., see Johnston, J.J. 670(1995)73
- Pişkin, E., see Denizli, A. 670(1995)157
- Preechagoon, Y. and Charles, B.G.  
Analysis of cisapride in neonatal plasma using high-performance liquid chromatography with a base-stable column and fluorescence detection 670(1995)139
- Puig, S., see García-Encina, G. 670(1995)103
- Ramis-Ramos, G., see Simó-Alfonso, E.F. 670(1995)183
- Rasmussen, S.N., see Christensen, E.B. 670(1995)243
- Rathinavelu, A. and Malave, A.  
High-performance liquid chromatography using electrochemical detection for the determination of prazosin in biological samples 670(1995)177
- Rickling, B., Hans, B., Kramarczyk, R., Krumbiegel, G. and Weyhenmeyer, R.  
Two high-performance liquid chromatographic assays for the determination of free and total silibinin diastereomers in plasma using column switching with electrochemical detection and reversed-phase chromatography with ultraviolet detection 670(1995)267
- Rodgers, A.H., Subramanian, S. and Morgan, Jr., L.R.  
High-performance liquid chromatographic determination of 4,4'-dihydroxybenzophenone-2,4-dinitrophenylhydrazone in plasma 670(1995)365
- Rosi, D., see Drozd, M.L. 670(1995)145
- Roybal, J.E., see Turnipseed, S.B. 670(1995)55
- Rupp, H.S., see Turnipseed, S.B. 670(1995)55
- Sannolo, N., Carbone, V., Ferranti, P., Fiume, I., Mamone, G. and Malorni, A.  
Mass spectrometric analysis of haemoglobin adducts formed by methyl bromide in vitro 670(1995)349
- Schönberger, E., see MacCrehan, W.A. 670(1995)209
- Schoondermark-van de Ven, E., see Vree, T.B. 670(1995)111
- Schroeder, A.C., see Karle, J.M. 670(1995)251
- Scott, D.O., see Heath, T.G. 670(1995)91
- Serafini, M.T., see García-Encina, G. 670(1995)103
- Shindo, T., see Yamazaki, T. 670(1995)328
- Simó-Alfonso, E.F., Ramis-Ramos, G., García-Alvarez-Coque, M.C. and Esteve-Romero, J.S.  
Determination of sulphonamides in human urine by azo dye precolumn derivatization and micellar liquid chromatography 670(1995)183
- Singh, S.K., Verma, N. and Gupta, R.C.  
Sensitive high-performance liquid chromatographic assay method for the determination of guggulsterone in serum 670(1995)173
- Smith, Jr., J.C., see Khachik, F. 670(1995)219
- Solomon, B.P., see Niwa, O. 670(1995)21
- Sterling, E.J., see Surendran, N. 670(1995)235
- Stradi, R., Celentano, G. and Nava, D.  
Separation and identification of carotenoids in bird's plumage by high-performance liquid chromatography-diode-array detection 670(1995)337
- Strong, C.R., see Walters, D.L. 670(1995)299
- Stubbs, R.J. and Harker, A.J.  
Automated high-performance liquid chromatographic method for the determination of a neuraminidase inhibitor (GG167) in human serum by pre-column fluorescence derivatisation using benzoin 670(1995)279
- Subramanian, S., see Rodgers, A.H. 670(1995)365
- Sugiyama, N., see Ito, T. 670(1995)317
- Sumi, S., Kidouchi, K., Ohba, S. and Wada, Y.  
Automated determination of hypoxanthine and xanthine in urine by high-performance liquid chromatography with column switching 670(1995)376
- Sumiyoshi, H., Fujiwara, Y., Ohune, T., Yamaoka, N., Tamura, K. and Yamakido, M.  
High-performance liquid chromatographic determination of irinotecan (CPT-11) and its active metabolite (SN-38) in human plasma 670(1995)309
- Sundrehagen, E., see Frantzen, F. 670(1995)37
- Surendran, N., Ugwu, S.O., Sterling, E.J. and Blanchard, J.  
High-performance liquid chromatographic assay for Melanotan-1 ([Nle<sup>4</sup>-DPhe<sup>7</sup>]α-melanocyte-stimulating hormone) in biological matrices 670(1995)235
- Suzawa, Y., Hiraoka, B.Y., Harada, M. and Deguchi, T.  
High-performance liquid chromatographic determination of prolylcarboxypeptidase activity in monkey kidney 670(1995)152
- Suzuki, K.T., Yoneda, S., Itoh, M. and Ohmichi, M.  
Enriched stable isotopes of elements used as tracers: methods of presenting high-performance liquid chromatographic-inductively coupled argon plasma mass spectrometric data 670(1995)63
- Swolfs, A., see Vree, T.B. 670(1995)111
- Tabei, H., see Niwa, O. 670(1995)21
- Takahashi, T., see Deng, Y. 670(1995)47
- Takamatsu, T., see Okumura, T. 670(1995)11
- Tamura, K., see Sumiyoshi, H. 670(1995)309
- Thompson, Jr., H.C., see Hansen Jr, E.B. 670(1995)259
- Toren, P.C., see Heath, T.G. 670(1995)91
- Tracqui, A., see Kintz, P. 670(1995)162

- Turnipseed, S.B., Roybal, J.E., Rupp, H.S., Hurlbut, J.A. and Long, A.R.  
Particle beam liquid chromatography-mass spectrometry of triphenylmethane dyes: application to confirmation of malachite green in incurred catfish tissue 670(1995)55
- Ugwu, S.O., see Surendran, N. 670(1995)235
- Umbarger, K.O., see Gurley, L.R. 670(1995)125
- Van Galen, P.M., see Vree, T.B. 670(1995)111
- Verma, N., see Singh, S.K. 670(1995)173
- Verwey-van Wissen, C.P.W.G.M., see Vree, T.B. 670(1995)111
- Vree, T.B., Schoondermark-van de Ven, E., Verwey-van Wissen, C.P.W.G.M., Baars, A.M., Swolfs, A., Van Galen, P.M. and Amatdjais-Groenen, H.  
Isolation, identification and determination of sulfadiazine and its hydroxy metabolites and conjugates from man and Rhesus monkey by high-performance liquid chromatography 670(1995)111
- Vreeke, M., see Huang, T. 670(1995)323
- Wada, Y., see Ito, T. 670(1995)317
- Wada, Y., see Sumi, S. 670(1995)376
- Walters, D.L., Strong, C.R., Green, S.V. and Curtis, M.A.  
Development and validation of a gradient reversed-phase high-performance liquid chromatographic assay for S(-)-2-(N-propyl-N-2-thienylethylamino)-5-hydroxytetralin (N-0923) from a transdermal delivery system 670(1995)299
- Wernerman, J., see Luo, J.-L. 670(1995)29
- Weyhenmeyer, R., see Rickling, B. 670(1995)267
- Xie, F., see Niwa, O. 670(1995)21
- Yamakido, M., see Sumiyoshi, H. 670(1995)309
- Yamaoka, N., see Sumiyoshi, H. 670(1995)309
- Yamashita, S., Furuno, K., Kawasaki, H., Gomita, Y., Yoshinaga, H., Yamatogi, Y. and Ohtahara, S.  
Simple and rapid analysis of lamotrigine, a novel antiepileptic, in human serum by high-performance liquid chromatography using a solid-phase extraction technique 670(1995)354
- Yamatogi, Y., see Yamashita, S. 670(1995)354
- Yamazaki, T., Akiyama, T. and Shindo, T.  
Routine high-performance liquid chromatographic determination of myocardial interstitial norepinephrine 670(1995)328
- Yang, L., see Huang, T. 670(1995)323
- Yoneda, S., see Suzuki, K.T. 670(1995)63
- Yoshida, K., see Murata, K. 670(1995)3
- Yoshinaga, H., see Yamashita, S. 670(1995)354