



ELSEVIER

J. Chromatogr. B, 676 (1996) 181–248

JOURNAL OF
CHROMATOGRAPHY B:
BIOMEDICAL APPLICATIONS

AUTHOR INDEX

J. CHROMATOGR. B VOLS. 652–675

A

- Aak, O.V., see Okun, V.M. 675(1996)313
- Abbiati, G., see Fossati, T. 656(1994)59
- Abbiati, G., Rigoldi, M., Frignani, S., Colombo, L. and Mussini, E.
Determination of pyridinium crosslinks in plasma and serum by high-performance liquid chromatography 656(1994)303
- Abbott, F.S., see Palaty, J. 662(1994)85
- Abbott, F.S., see Riggs, K.W. 660(1994)315
- Abbott, F.S., see Tonn, G.R. 663(1995)67
- Abbott, F.S., see Yu, D. 666(1995)269
- Abdelhamid, Z., see Chakir, S. 654(1994)61
- Abdel-Rehim, M., see Yu, Z. 654(1994)221
- Abe, A., see Yamane, M. 652(1994)123
- Abe, A., see Yamane, M. 662(1994)91
- Abe, A., see Yamane, M. 666(1995)197
- Abe, H., see Okuma, E. 660(1994)243
- Abe, K.-i., Suzuki, A., Katayama, H., Tatsumi, Y. and Yumioka, E.
Determination of 18 β -glycyrrhetic acid in human plasma by high-performance liquid chromatography 653(1994)112
- Abe, T., see Futani, S. 660(1994)164
- Abidi, S.L. and Mounts, T.L.
High-performance liquid chromatography of phosphatidic acid 671(1995)281
- Aboagye, E.O., Graham, M.A., Lewis, A.D., Workman, P., Kelson, A.B. and Tracy, M.
Development and validation of a solid-phase extraction and high-performance liquid chromatographic assay for a novel fluorinated 2-nitroimidazole hypoxia probe (SR-4554) in Balb/c mouse plasma 672(1995)125
- Abubaker, M.A., Petersen, J.R. and Bissell, M.G.
Micellar electrokinetic capillary chromatographic separation of steroids in urine by trioctylphosphine oxide and cationic surfactant 674(1995)31
- Abu-Izza, K. and Lu, D.R.
Liquid chromatographic determination of sodium mercaptoundecahydrododecaborate in rat urine and plasma after precolumn derivatization 660(1994)347
- Abu-Izza, K., see Saini, P. 665(1995)155
- Acerbi, D., see Rondelli, I. 653(1994)17
- Ackerman, E.W., see Grouls, R.J.E. 673(1995)51
- Ackermann, R., see Pommier, F. 654(1994)35
- Adachi, T., Mogi, M., Harada, M. and Kojima, K.
Selective removal of immunoglobulin E from rat blood by membrane-immobilized antibody 668(1995)327
- Adams, W.J., see Staton, B.A. 668(1995)99
- Addison, R.S., see Wu, Z.-Y. 673(1995)267
- Adeola, G., see Owens, J.W. 669(1995)295
- Adlkofer, F., see Ruppert, T. 666(1995)71
- Aerts, M.M.L., Hogenboom, A.C. and Brinkman, U.A.Th.
Analytical strategies for the screening of veterinary drugs and their residues in edible products (Review) 667(1995)1
- Agadir, A., see Lefebvre, P. 666(1995)55
- Agostini, O. and Toja, E.
Determination of a new antibronchospastic agent, MX2/120, in guinea pig plasma by high-performance liquid chromatography in a pharmacokinetic study 661(1994)313
- Ahn, H.-Y., Shiu, G.K., Trafton, W.F. and Doyle, T.D.
Resolution of the enantiomers of ibuprofen; comparison study of diastereomeric method and chiral stationary phase method 653(1994)163
- Ahn, W.-S., see Myung, S.-W. 660(1994)75
- Ahr, G., see Heinig, R. 655(1994)286
- Ahuja, E.S., Preston, B.P. and Foley, J.P.
Anionic-zwitterionic mixed micelles in micellar electrokinetic chromatography: sodium dodecyl sulfate-N-dodecyl-N,N-dimethylammonium-3-propane-1-sulfonic acid 657(1994)271
- Aiache, J.M., see Lauro-Marty, C. 663(1995)153
- Aihara, N., see Tazuma, S. 653(1994)1
- Aita, P., see Robieux, I. 675(1996)183
- Akasaka, K., Ohata, A., Ohru, H. and Meguro, H.
Automatic determination of hydroperoxides of phosphatidylcholine and phosphatidylethanolamine in human plasma 665(1995)37
- Akimoto, K., see Sormiachi, K. 664(1995)435
- Akiyama, S., see Nakashima, K. 661(1994)205
- Akiyama, T., see Yamazaki, T. 670(1995)328

- Akutsu, H., see Harumi, T. 675(1996)152
- Al-Ahdal, M.N., see Kessie, G. 652(1994)234
- Alberti, K.G.M.M., see Dyer, R.G. 663(1995)1
- Albertioni, F., Pettersson, B., Beck, O., Rask, C., Seideman, P. and Peterson, C.
Simultaneous quantitation of methotrexate and its two main metabolites in biological fluids by a novel solid-phase extraction procedure using high-performance liquid chromatography 665(1995)163
- Alberts, G., see Van Dijk, J. 663(1995)43
- Albrecht, C.F.V., see Kruger, P.B. 662(1994)71
- Al-Dhuwailie, A.A., see Najjar, T.A. 672(1995)295
- Alexander, K., see Karol, M.D. 668(1995)182
- Alibada, Y., see Safi, A. 664(1995)253
- Alif, L., see Rouan, M.C. 667(1995)307
- Allegra, C.J., see Takimoto, C.H. 655(1994)97
- Alleman, D., see Molteni, S. 658(1994)355
- Allen, M.C. and Day, W.W.
Determination of 1-[5-(2-cyclopropyl-5,7-dimethylimidazo[4,5-b]pyridin-3-ylmethyl)thiophen-2-yl]cyclopent-3-enecarboxylic acid (CP-191,166), an angiotensin II antagonist, in dog and rat plasma by high-performance liquid chromatography 675(1996)265
- Allen, R.O., see Butler, J.M. 658(1994)271
- Allen, W.C., see Kuo, K.C. 656(1994)295
- Allerheiligen, S.R.B., see Freeman, K.B. 665(1995)171
- Alò, F.P., see Bompadre, S. 669(1995)265
- Alonso, R.M., see Barroso, M.B. 675(1996)303
- Alonso, R.M., see Maguregui, M.I. 674(1995)85
- Alric, C., see Cociglio, M. 674(1995)101
- Al-Shammary, F.J., see Kessie, G. 652(1994)234
- Altieri, I., see Pacifici, R. 664(1995)329
- Altieri, I., Pichini, S., Pacifici, R. and Zuccaro, P.
Improved clean-up procedure for the high-performance liquid chromatographic assay of clomipramine and its demethylated metabolite in human plasma 669(1995)416
- Altieri, I., see Zuccaro, P. 668(1995)187
- Altschuh, D., see Zeder-Lutz, G. 662(1994)301
- Alvarez, J.G., Slomovic, B. and Ludmir, J.
Analysis of dipalmitoyl phosphatidylcholine in amniotic fluid by enzymatic hydrolysis and high-performance thin-layer chromatography reflectance spectrodensitometry 665(1995)79
- Alvin, J.D., see Minnigh, M.B. 662(1994)118
- Alvinerie, M., Sutra, J.F., Badri, M. and Galtier, P.
Determination of moxidectin in plasma by high-performance liquid chromatography with automated solid-phase extraction and fluorescence detection 674(1995)119
- Alyoshkin, V.A., see Matveevskaya, N.S. 664(1995)261
- Amagaya, S., see Ono, H. 674(1995)293
- Amatdjais-Groenen, H., see Vree, T.B. 658(1994)327
- Amatdjais-Groenen, H., see Vree, T.B. 670(1995)111
- Ambrosoli, L., see Bo, L.D. 665(1995)404
- Amin, M.R., Tomita, Y. and Onodera, R.
Rapid determination of phenylalanine and its related compounds in rumen fluid by high-performance liquid chromatography 663(1995)201
- Amino, M., see Hayashi, T. 665(1995)209
- Amiss, T.J. and Smoak, I.W.
Determination of chlorobutanol in mouse serum, urine and embryos by capillary gas chromatography with electron capture detection 673(1995)59
- Anderson, D., see Liu, B. 666(1995)149
- Anderson, K.L., see Tyczkowska, K.L. 658(1994)341
- Anderson, L.W., Ludeman, S.M., Colvin, O.M., Grochow, L.B. and Strong, J.M.
Quantitation of 4-hydroxycyclophosphamide/aldophosphamide in whole blood 667(1995)247
- Andersson, A. and Ehrsson, H.
Determination of cisplatin and *cis*-diammineaquachloroplatinum(II) ion by liquid chromatography using post-column derivatization with diethylthiocarbamate 652(1994)203
- Andersson, B., see Kussak, A. 656(1994)329
- Andersson, B., see Kussak, A. 672(1995)253
- Andersson, K., see Kussak, A. 656(1994)329
- Andersson, K., see Kussak, A. 672(1995)253
- Andersson, K., see Luo, J.-L. 670(1995)29
- Andresen, A.T., see Johansen, K. 669(1995)281
- Andreux, J.P., see Cardot, Ph.J.P. 654(1994)193
- Andrews, G.K., see Richards, M.P. 675(1996)317
- Anes, J.M., Beck, R.A., Brink, J.J. and Goldberg, R.J.
Nitritocobalamin and nitrosocobalamin may be confused with sulfitecobalamin using cation-exchange chromatography 660(1994)180
- Angeri, F., see Braggio, S. 669(1995)383
- Änggård, E.E., see Nourooz-Zadeh, J. 654(1994)55
- Änggård, E.E., see Nourooz-Zadeh, J. 667(1995)199
- Anliker, S., see Freeman, K.B. 665(1995)171
- Anthonio, R.L., see Van Waarde, A. 663(1995)361
- Antonini, R., see Betto, P. 662(1994)21
- Anumula, K.R., see Burrows, S.D. 668(1995)219
- Aoki, H., Ohshima, Y., Tanaka, M., Okazaki, O. and Hokusui, H.
High-performance liquid chromatographic determination of the new quinolone antibacterial agent DU-6859a in human serum and urine using solid-phase extraction with photolysis-fluorescence detection 660(1994)365
- Aoki, H., see Tanaka, M. 664(1995)401
- Aoki, I., see Kondo, T. 666(1995)291
- Aoki, I., see Okuda, T. 662(1994)79
- Aoki, I., see Yamaguchi, M. 661(1994)93
- Aoki, I., see Yamaguchi, M. 661(1994)168
- Aoyama, T., see Sueyasu, M. 665(1995)133
- Arai, K., see Yoshida, K.-i. 672(1995)45
- Aravagiri, M., Marder, S.R., Van Putten, T. and Marshall, B.D.
Simultaneous determination of plasma haloperidol and its metabolite reduced haloperidol by liquid chromatography with electrochemical detection. Plasma levels in schizophrenic patients treated with oral or intramuscular depot haloperidol 656(1994)373
- Arbughi, T., see Lorusso, V. 656(1994)415
- Arezzini, L., see Terzuoli, L. 663(1995)143
- Arnaud, A., see Moreau, J.L. 656(1994)197
- Arnold, K., see Wiegel, D. 661(1994)159
- Arslan, P., see Libera, L.D. 664(1995)185

- Arthur, K. and Hommes, F.A.
Simple isotope dilution assay for propionic acid and isovaleric acid 673(1995)132
- Arutyunyan, A.M., see Klyushnichenko, V.E. 662(1994)363
- Arvidsson, T. and Eklund, E.
Determination of free concentration of ropivacaine and bupivacaine in blood plasma by ultrafiltration and coupled-column liquid chromatography 668(1995)91
- Asafu-Adjaye, E.B., Su, S.Y. and Shiu, G.K.
Switching-valve-filter technique for the direct injection and analysis of drugs in plasma using high-performance liquid chromatography 652(1994)35
- Asakawa, N., see Takakuwa, S. 673(1995)113
- Asami, M., Yamamura, M., Takasaki, W. and Tanaka, Y.
Quantitative determination of diol metabolites of CS-670, a new antiinflammatory agent, by capillary column gas chromatography-mass spectrometry 665(1995)107
- Ascalone, V., Locatelli, M. and Malavasi, B.
Determination of diltiazem and its main metabolites in human plasma by automated solid-phase extraction and high-performance liquid chromatography: a new method overcoming instability of the compounds and interference problems 657(1994)133
- Asiedu, D.K., see Demoz, A. 667(1995)148
- Asiedu, D.K., see Grav, H.J. 658(1994)1
- Asokan, M., see Navaratnam, V. 669(1995)289
- Astier, A. and Baud, F.J.
Simultaneous determination of hydroxocobalamin and its cyanide complex cyanocobalamin in human plasma by high-performance liquid chromatography. Application to pharmacokinetic studies after high-dose hydroxocobalamin as an antidote for severe cyanide poisoning 667(1995)129
- Astier, A., see Ratiney, R. 654(1994)159
- Astre, C., see Pinguet, F. 675(1996)99
- Au, J.L.-S., see Song, D. 663(1995)337
- Au, T., see Matuszewski, B.K. 653(1994)77
- Augustijns, P., see Sam, E. 658(1994)311
- Aumatell, A. and Wells, R.J.
Determination of a cardiac antiarrhythmic, tricyclic antipsychotics and antidepressants in human and animal urine by micellar electrokinetic capillary chromatography using a bile salt 669(1995)331
- Aussel, C., see Dumas, F. 654(1994)276
- Avgerinos, A., Axarlis, S., Dragatsis, J., Karidas, Th. and Malamataris, S.
Extractionless high-performance liquid chromatographic method for the simultaneous determination of piroxicam and 5'-hydroxy-piroxicam in human plasma and urine 673(1995)142
- Awadé, A.C., see Vachier, M.C. 664(1995)201
- Axarlis, S., see Avgerinos, A. 673(1995)142
- Axelsson, J.E., see Riggs, K.W. 660(1994)315
- Axelsson, J.E., see Tonn, G.R. 663(1995)67
- Axelsson, B.-O., Saraf, A. and Larsson, L.
Determination of ergosterol in organic dust by gas chromatography-mass spectrometry 666(1995)77
- Aymard, P., see Moussa, F. 667(1995)69
- Ayotte, C., see Li, F. 660(1994)327
- Ayrton, J., Evans, M.B., Harris, A.J. and Plumb, R.S.
Porous graphitic carbon shows promise for the rapid chromatographic analysis of polar drug metabolites 667(1995)173
- Azza, S., see Moreau, J.L. 656(1994)197

B

- Baars, A.M., see Vree, T.B. 670(1995)111
- Badri, M., see Alvinerie, M. 674(1995)119
- Bagli, M., Rao, M.L. and Höflich, G.
Quantification of chlorprothixene, levomepromazine and promethazine in human serum using high-performance liquid chromatography with coulometric electrochemical detection 657(1994)141
- Bai, S.A., see Lankford, S.M. 663(1995)91
- Baker, P.R., Gardner, J.J., Lockley, W.J.S. and Wilkinson, D.
Determination of dopexamine hydrochloride in human blood by high-performance liquid chromatography with electrochemical detection 667(1995)283
- Baker, P.R., Gardner, J.J. and Wilkinson, D.
Automated high-performance liquid chromatographic method for the determination of nedocromil sodium in human urine using bimodal column switching 668(1995)59
- Baker, P.V., see Hooper, W.D. 672(1995)89
- Bakes, D.M., see Gordon, B.H. 657(1994)163
- Balázsová, J., see Valášková, I. 674(1995)310
- Balíková, M. and Večerková, J.
High-performance liquid chromatographic confirmation of cocaine and benzoylecgonine in biological samples using photodiode-array detection after toxicological screening 656(1994)267
- Balizes, G., Benesch-Girke, L., Börner, S. and Hewitt, S.A.
Comparison of the determination of four sulphonamides and their N⁴-acetyl metabolites in swine muscle tissue using liquid chromatography with ultraviolet and mass spectral detection 661(1994)75
- Balla, S., see Defilippi, A. 656(1994)466
- Ballesteros, E., see Cárdenas, M.S. 672(1995)7
- Banditt, P.
Determination of orotic acid in serum by high-performance liquid chromatography 660(1994)176
- Banditt, P., see Martens, J. 660(1994)297
- Banks, C.M., see Wu, S.T. 657(1994)254
- Baraldini, M., see Roda, A. 665(1995)281
- Barker, I.K., Crawford, S.M. and Fell, A.F.
Determination of altretamine in human plasma with high-performance liquid chromatography 660(1994)121

- Barra, J., Taburet, A.M., Jardel, A., Fessi, H. and Puisieux, F.
High-performance liquid chromatographic assay for the simultaneous determination of ethyl clofibrate and clofibric acid in plasma. Evaluation of plasma stability of ethyl clofibrate polylactic nanocapsules in human and rat plasmas 661(1994)178
- Barrett, D.A., see Pawula, M. 653(1994)106
- Barrois, R., see Vallar, L. 664(1995)97
- Barron, L.J.R., see Ruiz-Gutiérrez, V. 671(1995)133
- Barroso, M.B., Jiménez, R.M., Alonso, R.M. and Ortiz, E.
Determination of piretanide and furosemide in pharmaceuticals and human urine by high-performance liquid chromatography with amperometric detection 675(1996)303
- Barrow, S., see Nourooz-Zadeh, J. 667(1995)199
- Bartels, M.J., see Bormett, G.A. 665(1995)315
- Barth, T., see Kašička, V. 656(1994)99
- Bartlett, M.S., see Dean, R.A. 655(1994)89
- Bartolucci, G., see Guarna, A. 674(1995)197
- Bartolucci, G.B., see Gori, G. 673(1995)165
- Barton, R.D., see Catlow, J.T. 668(1995)85
- Basta, M., see Pilatte, Y. 668(1995)1
- Batist, G., see Sandor, V. 673(1995)123
- Battersby, J.E., Guzzetta, A.W. and Hancock, W.S.
Application of capillary high-performance liquid chromatography to biotechnology, with reference to the analysis of recombinant DNA-derived human growth hormone 662(1994)335
- Baud, F.J., see Astier, A. 667(1995)129
- Baumann, P., see Eap, C.B. 652(1994)97
- Baumann, P., see Eap, C.B. 669(1995)271
- Beatch, G., see Laganière, S. 660(1994)191
- Beattie, J.H., see Richards, M.P. 669(1995)27
- Beattie, J.H., see Richards, M.P. 675(1996)317
- Bechtel, P.R., see Maboundou, C.W. 657(1994)173
- Beck, O., see Albertioni, F. 665(1995)163
- Beck, R.A., see Anes, J.M. 660(1994)180
- Becklin, R.R., see Lee, H.G. 667(1995)259
- Beconi-Barker, M.G., Roof, R.D., Millerioux, L., Kausche, F.M., Vidmar, T.J., Smith, E.B., Callahan, J.K., Hubbard, V.L., Smith, G.A. and Gilbertson, T.J.
Determination of ceftiofur and its desfuroylceftiofur-related metabolites in swine tissues by high-performance liquid chromatography 673(1995)231
- Becquart, J., see Clerc, F.F. 662(1994)245
- Becue, T., see Cong, H.N. 661(1994)193
- Beecher, G.R., see Khachik, F. 670(1995)219
- Begley, D.J., Reichel, A. and Ermisch, A.
Simple high-performance liquid chromatographic analysis of free primary amino acid concentrations in rat plasma and cisternal cerebrospinal fluid 657(1994)185
- Beijnen, J.H., see Huizing, M.T. 674(1995)261
- Beijnen, J.H., see Huizing, M.T. 664(1995)373
- Beijnen, J.H., see Koks, C.H.W. 663(1995)345
- Beijnen, J.H., see Rosing, H. 668(1995)107
- Beijnen, J.H., see Sparreboom, A. 664(1995)383
- Beijnen, J.H., see Van Tellingen, O. 652(1994)51
- Beijnen, J.H., see Van Gijn, R. 667(1995)269
- Belfayol, L., Guillevin, L., Louchahi, K., Lortholary, O., Bosio, A.M. and Fauvelle, F.
Measurement of 4-hydroxycyclophosphamide in serum by reversed-phase high-performance liquid chromatography 663(1995)395
- Belinda Alvarado, A., see Chan, K.C. 657(1994)301
- Belleville, F., see Legrand, C. 663(1995)187
- Belpaire, F.M., see Laethem, M.E. 675(1996)251
- Beltrame, M., see Libera, L.D. 664(1995)185
- Belz, S., Frickel, C., Wolfrom, C., Nau, H. and Henze, G.
High-performance liquid chromatographic determination of methotrexate, 7-hydroxymethotrexate, 5-methyltetrahydrofolic acid and folic acid in serum and cerebrospinal fluid 661(1994)109
- Benedetti, M.S., see La Croix, R. 656(1994)251
- Benesch-Girke, L., see Balizs, G. 661(1994)75
- Benet, L.Z., see Haj-Yehia, A.I. 666(1995)45
- Benet, L.Z., see Iwaki, M. 661(1994)154
- Ben-Hur, E., see Zuk, M.M. 673(1995)320
- Bennett, P., see Gordon, B.H. 657(1994)163
- Bennett, P.N., see Dobrocky, P. 652(1994)104
- Benson, L.M., see Tomlinson, A.J. 657(1994)373
- Benson, L.M., see Tomlinson, A.J. 669(1995)67
- Bérard, M., see Maboundou, C.W. 657(1994)173
- Berge, R.K., see Demoz, A. 667(1995)148
- Berge, R.K., see Grav, H.J. 658(1994)1
- Berger, B.J., see Cerami, C. 675(1996)71
- Berger, M., see Guichardou, M. 655(1994)112
- Bergh, I., see Fornstedt-Wallin, B. 663(1995)9
- Bergqvist, Y., Doverskog, M. and Kabbani, J.A.
High-performance liquid chromatographic determination of (SR)- and (RS)-enantiomers of mefloquine in plasma and capillary blood sampled on paper after derivatization with (-)-1-(9-fluorenyl)ethyl chloroformate 652(1994)73
- Berkovsky, A.L. and Potapov, P.P.
Use of metal-chelate affinity chromatography and hydrophobic interaction chromatography for purification of placental protein 12 656(1994)432
- Berlaimont, V., see Schenkel, E. 668(1995)189
- Berliz, G., Wintersteiger, R. and Pacha, W.
Determination of a novel xanthine derivative, MKS 213-492, in plasma by high-performance liquid chromatography with electrochemical detection 666(1995)368
- Bernal, J.L., see Del Nozal, M.J. 656(1994)397
- Bernard, A., Bories, C., Loiseau, P.M. and Cardot, P.J.P.
Selective elution and purification of living *Trichomonas vaginalis* using gravitational field-flow fractionation 664(1995)444
- Bernareggi, A., see Castoldi, D. 655(1994)243
- Bernareggi, A., Torti, L., Facino, R.M., Carini, M., Depta, G., Casetta, B., Farrell, N., Spadacini, S., Ceserani, R. and Tognella, S.
Characterization of cisplatin-glutathione adducts by liquid chromatography-mass spectrometry. Evidence for their formation in vitro but not in vivo after concomitant administration of cisplatin and glutathione to rats and cancer patients 669(1995)247
- Bernaude, F., see Flamand, N. 656(1994)65
- Berndt, A., see Oertel, R. 660(1994)353

- Bernhardt, T.G., Cannistraro, P.A., Bird, D.A., Doyle, K.M. and Laposata, M.
Purification of fatty acid ethyl esters by solid-phase extraction and high-performance liquid chromatography 675(1996)189
- Berrini, A., see Borromeo, V. 669(1995)366
- Bersten, A.D., see Whiting, M.J. 660(1994)170
- Bertaux, O., see Cong, H.N. 661(1994)193
- Bessard, G., see Nicolle, E. 663(1995)111
- Bessard, G., see Stanke, F. 675(1996)43
- Bessard, J., see Stanke, F. 675(1996)43
- Beth, M., see Oosterkamp, A.J. 653(1994)55
- Betto, P., Popoli, P., Ricciarello, G., Caporali, M.G. and Antonini, R.
Simultaneous high-performance liquid chromatographic determination of adenosine and dopamine in rat striatal tissue with combined ultraviolet absorbance and electrochemical detection 662(1994)21
- Beyerbach, A., see Sabbioni, G. 667(1995)75
- Beyne, P., see Hervé, C. 675(1996)157
- Beyne, P., see Hervé, C. 653(1994)217
- Beysac, E., see Lauro-Marty, C. 663(1995)153
- Bhanger, M.I., see Khaskhali, M.H. 675(1996)147
- Bianchi, M., see Cerami, C. 675(1996)71
- Bianchi, V. and Donzelli, G.
Rapid reversed-phase high-performance liquid chromatographic method for the assay of urinary 11-nor- Δ^9 -tetrahydrocannabinol-9-carboxylic acid and confirmation of use of cannabis derivatives 675(1996)162
- Bianchi, V. and Mazza, L.
Rapid reversed-phase high-performance liquid chromatographic method with double derivatization for the assay of urinary hydroxyproline 665(1995)295
- Bibby, M.C., see Moore, A.J. 672(1995)225
- Bielenstein, M., see Johansson, M. 660(1994)111
- Biesert, L., see Hoffer, L. 669(1995)187
- Bigey, F., see Moreau, J.L. 656(1994)197
- Bílek, R., Bradbury, A.F. and Smyth, D.G.
Synthesis and high-performance liquid chromatographic purification of tritiated thyrotrophin-releasing hormone-like peptides 656(1994)115
- Binscheck, T., Meyer, H. and Wellhöner, H.H.
High-performance liquid chromatographic assay for the measurement of azathioprine in human serum samples 675(1996)287
- Biollaz, J., see Shen, F. 667(1995)291
- Biondi, A., see Guiso, G. 656(1994)239
- Biou, D., see Cong, H.N. 661(1994)193
- Bird, D.A., see Bernhardt, T.G. 675(1996)189
- Birkett, A.M., Jones, G.P. and Muir, J.G.
Simple high-performance liquid chromatographic analysis of phenol and *p*-cresol in urine and feces 674(1995)187
- Bischoff, R., see Bouchon, B. 662(1994)279
- Bischoff, R. and Kolbe, H.V.J.
Deamidation of asparagine and glutamine residues in proteins and peptides: structural determinants and analytical methodology (Review) 662(1994)261
- Bissell, M.G., see Abubaker, M.A. 674(1995)31
- Björck, L., see Vola, R. 668(1995)209
- Bjorksten, A.R., see Jones, D.J. 661(1994)165
- Black, A., see Shum, Y.Y. 653(1994)205
- Black, J., see Dean, R.A. 655(1994)89
- Black, R.M. and Read, R.W.
Improved methodology for the detection and quantitation of urinary metabolites of sulphur mustard using gas chromatography-tandem mass spectrometry 665(1995)97
- Blackwell, L.F., see Smales, C.M. 662(1994)3
- Blackwell, W., see Dasgupta, A. 666(1995)63
- Bladier, D., see Lutomski, D. 664(1995)79
- Blair, I.A., see Zhang, J.Y. 657(1994)23
- Blanchard, J., see Surendran, N. 670(1995)235
- Blanchflower, W.J. and Kennedy, D.G.
Determination of monensin, salinomycin and narasin in muscle, liver and eggs from domestic fowl using liquid chromatography-electrospray mass spectrometry 675(1996)225
- Blanco Gomis, D., Escotet Arias, V.J., Fidalgo Alvarez, L.E. and Gutiérrez Alvarez, M.D.
Simultaneous determination of vitamins D₃, E and K₁ and retinyl palmitate in cattle plasma by liquid chromatography with a narrow-bore column 660(1994)49
- Blanco, L., see García, J.C. 656(1994)77
- Blanksma, P.K., see Van Waarde, A. 663(1995)361
- Blankson, E.A., see Sanwald, P. 672(1995)207
- Blanz, J., see Proksch, B. 658(1994)349
- Blaschke, G., see Hempel, G. 675(1996)131
- Blaschke, G., see Hempel, G. 675(1996)139
- Blaschke, G., see Rudolphi, C. 663(1995)315
- Blaschke, G., see Terefe, H. 657(1994)238
- Blaschke, G., see Weinz, C. 674(1995)287
- Blasig, I.E., see Oehlke, J. 655(1994)105
- Bleyer, A.J., see Shihabi, Z.K. 669(1995)163
- Bleyzac, N. and Boulieu, R.
High-performance liquid chromatographic determination of ganciclovir nucleotides in human myocardial tissue 658(1994)173
- Bloomfield, F.J., see Kelly, M.T. 668(1995)117
- Bo, L.D., Verga, F., Marzo, A., Ambrosoli, L. and Poli, A.
Determination of ticlopidine in human plasma by high-performance liquid chromatography and ultraviolet absorbance detection 665(1995)404
- Böcker, R., see Lang, D. 672(1995)305
- Bode, D.C., see Cumiskey, W.R. 668(1995)199
- Bode-Böger, S.M., see Tsikas, D. 661(1994)185
- Boerbooms, A.M.Th., see Stolk, J.N. 666(1995)33
- Bogaert, M.G., see Laethem, M.E. 675(1996)251
- Bogan, D.P., Deasy, B., O'Kennedy, R., Smyth, M.R. and Fuhr, U.
Determination of free and total 7-hydroxycoumarin in urine and serum by capillary electrophoresis 663(1995)371
- Böger, R.H., see Tsikas, D. 661(1994)185
- Boggan, W.O., see Miller, S.R. 656(1994)335
- Bohnenstengel, F., Johnson, S., Hofmann, U., Eichelbaum, M. and Kroemer, H.K.
Direct gas chromatographic determination of dechloroethylcyclophosphamide following microsomal incubation of cyclophosphamide 672(1995)271

- Boisson-Vidal, C., see Dahri, L. 664(1995)47
- Bökens, H., see Hammes, W. 670(1995)81
- Bökkerink, J.P.M., see Keuzenkamp-Jansen, C.W. 672(1995)53
- Bolyos, M., see Regoeczi, E. 653(1994)35
- Bompadre, S., Ferrante, L., Aldò, F.P. and Leone, L.
On-line solid-phase extraction of ceftazidime in serum and determination by high-performance liquid chromatography 669(1995)265
- Bonate, P.L., see Kasper, S.C. 669(1995)397
- Bondia, E.M., Castellote, A.I., Lopez, M.C. and Rivero, M.
Determination of plasma fatty acid composition in neonates by gas chromatography 658(1994)369
- Bonetti, A., see Dinelli, G. 656(1994)275
- Bonfiglio, M.F., see Fisher, L.E. 665(1995)217
- Bongartz, D. and Hesse, A.
Selective extraction of quercetrin in vegetable drugs and urine by off-line coupling of boronic acid affinity chromatography and high-performance liquid chromatography 673(1995)223
- Bonnardel, P., see Louchahi, K. 663(1995)385
- Bonnemain, B., see Bourrinet, P. 670(1995)369
- Bonté, F., Pinguet, P., Chevalier, J.M. and Meybeck, A.
Analysis of all stratum corneum lipids by automated multiple development high-performance thin-layer chromatography 664(1995)311
- Boomsma, F., see Van Dijk, J. 663(1995)43
- Boon, J., see Van Noort, J.M. 653(1994)155
- Boos, K.-S., see Vielhauer, S. 666(1995)315
- Boppana, V.K., see Miller-Stein, C. 661(1994)291
- Borbe, H.O., see Raffel, H.H. 653(1994)102
- Bories, C., see Bernard, A. 664(1995)444
- Bormett, G.A., Bartels, M.J. and Markham, D.A.
Determination of 2-butoxyethanol and butoxyacetic acid in rat and human blood by gas chromatography-mass spectrometry 665(1995)315
- Börner, S., see Balizs, G. 661(1994)75
- Borromeo, V., Berrini, A., Secchi, C., Brambilla, G.F. and Cantafora, A.
Matrix-assisted laser desorption mass spectrometry for the detection of recombinant bovine growth hormone in sustained-release form 669(1995)366
- Bos, R.P., see Sessink, P.J.M. 673(1995)205
- Boschetti, E., see Guerrier, L. 664(1995)119
- Boschetti, E., Guerrier, L., Girot, P. and Horvath, J.
Preparative high-performance liquid chromatographic separation of proteins with HyperD ion-exchange supports 664(1995)225
- Boschetti, E., see Jungbauer, A. 662(1994)143
- Boschetti, E., see Santambien, P. 664(1995)241
- Bosio, A.M., see Belfayol, L. 663(1995)395
- Boss, E., see Flesch, G. 657(1994)155
- Bottaro, S., see Dall'Amico, R. 672(1995)155
- Bouchard, C., see Sautès, C. 662(1994)197
- Bouchon, B., Jaquinod, M., Klarskov, K., Trottein, F., Klein, M., Van Dorsselaer, A., Bischoff, R. and Roitsch, C.
Analysis of the primary structure and post-translational modifications of the *Schistosoma mansoni* antigen Smp28 by electrospray mass spectrometry 662(1994)279
- Boudinot, F.D., see Rajagopalan, P. 672(1995)119
- Boulieu, R.
Solid-phase extraction method for the determination of diltiazem and its metabolites by high-performance liquid chromatography: fact or fallacy? 660(1994)221
- Boulieu, R., see Bleyzac, N. 658(1994)173
- Boulieu, R., see Lehmann, B. 674(1995)138
- Boulieu, R. and Lenoir, A.
Determination of thiopurine nucleotides in human lung tissue by high-performance liquid chromatography 665(1995)213
- Boulton, D.W. and Fawcett, J.P.
Determination of salbutamol enantiomers in human plasma and urine by chiral high-performance liquid chromatography 672(1995)103
- Bourdeaux, R., Capolaghi, B., Lacroix, C., Younos, C. and Lehr, P.R.
Assay of urinary free and conjugated 3-methoxy-4-hydroxyphenylethyleneglycol by high-performance liquid chromatography with amperometric detection 665(1995)45
- Bourin, P., see Lutomski, D. 664(1995)79
- Bourque, A.J. and Cohen, A.S.
Quantitative analysis of phosphorothioate oligonucleotides in biological fluids using direct injection fast anion-exchange chromatography and capillary gel electrophoresis 662(1994)343
- Bourque, A.J., see Krull, I.S. 659(1994)19
- Bourrinet, P., Feldman, H., Dencausse, A., Chambon, C. and Bonnemain, B.
High-performance liquid chromatographic determination of iobitridol in plasma, urine and bile 670(1995)369
- Boussard, G., see Tetaert, D. 658(1994)31
- Boven, E., see Van Gijn, R. 667(1995)269
- Bovingdon, M.E. and Webster, R.A.
Derivatization reactions for neurotransmitters and their automation (Review) 659(1994)157
- Bowyer, J.F., Clausing, P. and Newport, G.D.
Determination of d-amphetamine in biological samples using high-performance liquid chromatography after precolumn derivatization with *o*-phthaldialdehyde and 3-mercaptopropionic acid 666(1995)241
- Brabec, V., see Suttner, J. 656(1994)119
- Bradbury, A.F., see Bílek, R. 656(1994)115
- Bradbury, E.M., see Gurley, L.R. 670(1995)125
- Braddock, W.D., see Tomlinson, A.J. 669(1995)67
- Bradford, J.J., see Davis, P.P. 665(1995)327
- Braess, J., see Ramsauer, B. 665(1995)183
- Braggio, S., Sartori, S., Angeri, F. and Pellegatti, M.
Automation and validation of the high-performance liquid chromatographic-radioimmunoassay method for the determination of lacidipine in plasma 669(1995)383
- Brambilla, G.F., see Borromeo, V. 669(1995)366
- Brasseur, P., see Tharasse-Bloch, C. 674(1995)247
- Brazier, J.L., see Guitton, J. 669(1995)358
- Breimer, D.D., see Grouls, R.J.E. 673(1995)51
- Bressolle, F., see Pinguet, F. 675(1996)99
- Breuer, M., see De Jonge, L.H. 652(1994)90
- Brigham-Burke, M.R., see Burrows, S.D. 668(1995)219

- Briley, K., see Li, S. 655(1994)213
- Brink, J.J., see Anes, J.M. 660(1994)180
- Brinkman, U.A.Th., see Aerts, M.M.L. 667(1995)1
- Brinkman, U.A.Th., see Herráez-Hernández, R. 666(1995)127
- Brinkman, U.A.Th., see Snippe, N. 662(1994)61
- Brodfehrer, J.I., see Bullen, W.W. 668(1995)141
- Brondz, I., Dahle, U.R., Greibrokk, T. and Olsen, I.
Capillary zone electrophoresis as a new tool in the chemotaxonomy of oral treponemes 667(1995)161
- Brooks, I.S., see Burrows, S.D. 668(1995)219
- Brøsen, K., see Nielsen, F. 660(1994)103
- Brostedt, P., see Li, Y.-M. 664(1995)426
- Browder, I.W., see Müller, A. 666(1995)283
- Brown, D.S., see Marcé, M. 666(1995)329
- Brown, L.W., see Van der Merwe, P.J. 661(1994)357
- Brown, N.J., see Daniel, V.C. 653(1994)117
- Brown, P.R., see Han, F. 669(1995)103
- Brown, T.J. and Shipley, L.A.
Determination of xanomeline (LY246708 tartrate), an investigational agent for the treatment of Alzheimer's disease, in rat and monkey plasma by capillary gas chromatography with nitrogen-phosphorus detection 665(1995)337
- Brudel, M., see Oehlke, J. 655(1994)105
- Bruhin, P.J., see Wong, B.K. 655(1994)158
- Brümmer, W., see Finger, U.B. 675(1996)197
- Brune, K., see Geisslinger, G. 675(1996)77
- Brunet, C., see Faouzi, M.A. 664(1995)463
- Bücheler, A., see Schmid, J. 658(1994)93
- Büchsler, U., see Hammes, W. 670(1995)81
- Buckley, T.J., see Whiton, R.S. 665(1995)390
- Budowle, B., see Butler, J.M. 658(1994)271
- Bueno, S.M.A., see Haupt, K. 674(1995)13
- Bueno, S.M.A., Haupt, K. and Vijayalakshmi, M.A.
Separation of immunoglobulin G from human serum by pseudobioaffinity chromatography using immobilized L-histidine in hollow fibre membranes 667(1995)57
- Bührer, M., see Lauber, R. 654(1994)69
- Bui, M.H.
Simple determination of retinol, α -tocopherol and carotenoids (lutein, all-trans-lycopene, α - and β -carotenes) in human plasma by isocratic liquid chromatography 654(1994)129
- Buick, A.R., see Cooper, J.D.H. 652(1994)15
- Bullen, W.W., Whitfield, L.R., Walter, G.A. and Brodfehrer, J.I.
High-performance liquid chromatographic assay for CI-980, a novel 1-deaza-7,8-dihydropteridine anticancer agent, in human plasma and urine 668(1995)141
- Bullock, J.
Assay for the dianhydride of diethylenetriaminepentaacetic acid and its major degradation products by capillary electrophoresis 669(1995)149
- Bult, A., see Koks, C.H.W. 663(1995)345
- Bünger, H. and Pison, U.
Quantitative analysis of pulmonary surfactant phospholipids by high-performance liquid chromatography and light-scattering detection 672(1995)25
- Büntemeyer, H., Tebbe, H., Lütkemeyer, D. and Lehmann, J.
Rapid high-performance liquid chromatographic quantification of recombinant human antithrombin III during production and purification 662(1994)209
- Burle, J., see Rop, P.P. 661(1994)245
- Burm, A.G.L., see Groen, K. 655(1994)163
- Burnouf, T.
Chromatography in plasma fractionation: benefits and future trends (Review) 664(1995)3
- Burrows, S.D., Franklin, S.G., Brigham-Burke, M.R., Brooks, I.S., McNulty, D.E., Feild, J.A., Anumula, K.R. and O'Shannessy, D.J.
Biological and biophysical characterization of recombinant soluble human E-selectin purified at large scale by reversed-phase high-performance liquid chromatography 668(1995)219
- Burton, R., see Palaty, J. 662(1994)85
- Bushway, M.S., see Jusko, W.J. 658(1994)47
- Butler, J.M., McCord, B.R., Jung, J.M., Wilson, M.R., Budowle, B. and Allen, R.O.
Quantitation of polymerase chain reaction products by capillary electrophoresis using laser fluorescence 658(1994)271
- Buzello, C.W., see Künzer, T. 653(1994)63

C

- Cabeza, A.S., see Falcó, P.C. 663(1995)235
- Caccia, S., see Dimitrova, B. 667(1995)301
- Caccia, S., see Guiso, G. 656(1994)239
- Caillé, G., see Carr, R.A. 668(1995)175
- Caillé, G., see Foster, R.T. 658(1994)161
- Cairns, A.M., Chiou, R.H.-Y., Rogers, J.D. and Demetriades, J.L.
Enantioselective high-performance liquid chromatographic determination of omeprazole in human plasma 666(1995)323
- Caldwell, K.D., see Tong, X. 674(1995)39
- Callahan, J.K., see Beconi-Barker, M.G. 673(1995)231
- Calvaruso, G., Tesoriere, G., Vento, R., Giuliano, M. and Carabillò, M.
High-performance liquid chromatographic method for the determination of insulin synthesis in biological systems 660(1994)259
- Cámara, C., see Martín, I. 666(1995)101
- Campíns-Falcó, P., see Herráez-Hernández, R. 658(1994)303
- Campíns-Falcó, P., Herráez-Hernández, R. and Sevillano-Cabeza, A.
Application of column-switching techniques to the determination of medium polarity drugs: determination of acetazolamide in urine 654(1994)85

- Campíns-Falcó, P., see Molíns Legua, C. 672(1995)81
- Campione-Piccardo, J., see Pulido-Cejudo, G. 660(1994)37
- Camus, F., Deslandes, A., Harcouet, L. and Farinotti, R. High-performance liquid chromatographic method for the determination of cefpodoxime levels in plasma and sinus mucosa 656(1994)383
- Canafax, D.M., see Lovdahl, M.J. 653(1994)227
- Canafax, D.M., see Yuan, Z. 674(1995)93
- Candito, M., Krstulovic, A.M. and Chambon, P. Stability of 3,4-dihydroxyphenylacetic acid in plasma extracts assayed by high-performance liquid chromatography with electrochemical detection 669(1995)413
- Candito, M., Nagatsu, T., Chambon, P. and Chatel, M. High-performance liquid chromatographic measurement of cerebrospinal fluid tetrahydrobiopterin, neopterin, homovanillic acid and 5-hydroxyindoleacetic acid in neurological diseases 657(1994)61
- Canepari, S., Carunchio, V., Girelli, A.M. and Messina, A. Determination of aspartate aminotransferase activity by high-performance liquid chromatography 656(1994)191
- Cannell, G.R., see Wu, Z.-Y. 673(1995)267
- Cannistraro, P.A., see Bernhardt, T.G. 675(1996)189
- Cannon, D., see Jacob III, P. 664(1995)449
- Cantafora, A., see Borromeo, V. 669(1995)366
- Cantini, M., see Libera, L.D. 664(1995)185
- Capell, T., see Marcé, M. 666(1995)329
- Capodaglio, E., see Maestri, L. 657(1994)111
- Capolaghi, B., see Bourdeaux, R. 665(1995)45
- Caporali, M.G., see Betto, P. 662(1994)21
- Carabilló, M., see Calvaruso, G. 660(1994)259
- Carbone, V., see Sannolo, N. 670(1995)349
- Cárdenas, M.S., Ballesteros, E., Gallego, M. and Valcárcel, M. Automatic gas chromatographic determination of the high-density-lipoprotein cholesterol and total cholesterol in serum 672(1995)7
- Cardot, Ph.J.P., Elgéa, C., Guernet, M., Godet, D. and Andreux, J.P. Size- and density-dependent elution of normal and pathological red blood cells by gravitational field-flow fractionation 654(1994)193
- Cardot, P.J.P., see Bernard, A. 664(1995)444
- Carignan, G., Carrier, K., Laganière, S. and Lessard, M. Simultaneous determination of diltiazem and quinidine in human plasma by liquid chromatography 672(1995)261
- Carini, M., see Bernareggi, A. 669(1995)247
- Carini, M., see Pietta, P.G. 673(1995)75
- Carnicero, M., see González, M.L. 664(1995)317
- Carnicero, M., see Solans, A. 658(1994)380
- Caron, M., see Lutomski, D. 664(1995)79
- Caronna, A., see Pacifici, R. 664(1995)329
- Carr, R.A., Caillé, G., Ngoc, A.H. and Foster, R.T. Stereospecific high-performance liquid chromatographic assay of ketoprofen in human plasma and urine 668(1995)175
- Carrera, P., see Gelfi, C. 657(1994)201
- Carreras, D., see Navajas, R. 673(1995)159
- Carrier, K., see Carignan, G. 672(1995)261
- Carroll, J.I., see Heath, T.G. 670(1995)91
- Carter, A.J. Microbore high-performance liquid chromatographic method for the measurement of dopamine and its metabolites: recommendations for optimal sample collection and storage 660(1994)158
- Carunchio, V., see Canepari, S. 656(1994)191
- Casale, J.F., see Lurie, I.S. 669(1995)3
- Casetta, B., see Bernareggi, A. 669(1995)247
- Casetta, B., see Gori, G. 673(1995)165
- Caslavska, J., Hufschmid, E., Theurillat, R., Desiderio, C., Wolfsberg, H. and Thormann, W. Screening for hydroxylation and acetylation polymorphisms in man via simultaneous analysis of urinary metabolites of mephenytoin, dextromethorphan and caffeine by capillary electrophoretic procedures 656(1994)219
- Caslavska, J., see Molteni, S. 658(1994)355
- Cassani, G., see Palmieri, G. 664(1995)127
- Cassani, G., see Verdoliva, A. 664(1995)175
- Cassiano, L., see Castagnola, M. 656(1994)87
- Cassier, P., see Loutelier, C. 656(1994)281
- Castagnola, M., Cassiano, L., Messina, I., Nocca, G., Rabino, R., Rossetti, D.V. and Giardina, B. Capillary zone electrophoresis of peptides: prediction of the electrophoretic mobility and resolution 656(1994)87
- Castellote, A.I., see Bondia, E.M. 658(1994)369
- Castellote-Bargallo, A.I., see Gonzalez-Corbella, M.J. 660(1994)395
- Castelnovo, P. Determination of the calcium antagonist SIM6080 in plasma by high-resolution gas chromatography 652(1994)240
- Castiglioni, C., see Fossati, T. 656(1994)59
- Castoldi, D., Oggioni, A., Renoldi, M.I., Ratti, E., Di Giovine, S. and Bernareggi, A. Assay of moguisteine metabolites in human plasma and urine: conventional and chiral high-performance liquid chromatographic methods 655(1994)243
- Catizone, P., see Dinelli, G. 656(1994)275
- Catlow, J.T., Barton, R.D., Clemens, M., Gillespie, T.A., Goodwin, M. and Swanson, S.P. Analysis of olanzapine in human plasma utilizing reversed-phase high-performance liquid chromatography with electrochemical detection 668(1995)85
- Caude, M., see Chapeau, V. 660(1994)341
- Cavadini, C., see Guichardant, M. 655(1994)112
- Cavalleri, A., see Venturelli, E. 671(1995)363
- Cazers, A.R., see Hornish, R.E. 674(1995)219
- Cazin, J.C., see Faouzi, M.A. 664(1995)463
- Cazin, M., see Faouzi, M.A. 664(1995)463
- Celardo, A., Dell'Elba, G., Eltantawy, Z.M., Evangelista, V. and Cerletti, C. Simultaneous determination of leukotrienes B₄ and E₄ in whole blood and of leukotriene E₄ in urine of rabbit by reversed-phase high-performance liquid chromatography 658(1994)261
- Celentano, G., see Stradi, R. 670(1995)337
- Celletti, P., see De Witt, P. 657(1994)67

- Celma, C.
Determination of the platelet activating factor antagonist 6-(2-chlorophenyl)-9-[(4-methoxyphenyl)thiocarbonyl]-1-methyl-7,8,9,10-tetrahydro-4H-pyrido[4',3'-4,5]-thieno[3,2-f][1,2,4]triazolo[4,3-a][1,4] diazepine in human plasma by liquid chromatography-thermospray mass spectrometry 657(1994)214
- Cerami, C., Zhang, X., Ulrich, P., Bianchi, M., Tracey, K.J. and Berger, B.J.
High-performance liquid chromatographic method for guanylhydrazone compounds 675(1996)71
- Cerletti, C., see Celardo, A. 658(1994)261
- Cerrè, C., see Roda, A. 665(1995)281
- Cerutti, L., see Pastoris, A. 664(1995)287
- Ceserani, R., see Bernareggi, A. 669(1995)247
- Chabard, J.L., see Lauro-Marty, C. 663(1995)153
- Chakir, S., Maurice, M.-H., Magdalou, J., Leroy, P., Dubois, N., Lopicque, F., Abdelhamid, Z. and Nicolas, A.
High-performance liquid chromatographic enantioselective assay for the measurement of ketoprofen glucuronidation by liver microsomes 654(1994)61
- Chakravarthy, B.K., see Pandya, K.K. 667(1995)315
- Chambon, C., see Bourrinet, P. 670(1995)369
- Chambon, P., see Candito, M. 657(1994)61
- Chambon, P., see Candito, M. 669(1995)413
- Chan, K., see Yang, J.M. 663(1995)172
- Chan, K.C.
High-performance liquid chromatography and micellar electrokinetic chromatography of taxol and related taxanes from bark and needle extracts of *Taxus* species 657(1994)301
- Chan, K.C., see Janini, G.M. 657(1994)419
- Chan, K.C., see Lurie, I.S. 669(1995)3
- Chan, K.K., see Wang, J.J.-H. 674(1995)205
- Chan, K.Y., Dusterhoft, D.A. and Chen, T.-M.
Determination of MDL 74,405, a synthetic analogue of α -tocopherol, in dog plasma and heart tissue by high-performance liquid chromatography with electrochemical detection 656(1994)359
- Chan, W.-K., see Hu, O.Y.-P. 666(1995)299
- Chandler, K.J., McCabe, J.B. and Kirkpatrick, D.L.
High-performance liquid chromatographic method for the separation of chlorambucil and its N-oxide prodrug 652(1994)195
- Chang, H.-C., see Chen, C.-M. 665(1995)117
- Chang, H.-T. and Yeung, E.S.
Poly(ethyleneoxide) for high-resolution and high-speed separation of DNA by capillary electrophoresis 669(1995)113
- Chang, J., see Heath, T.G. 670(1995)91
- Chang, S.F., see Cooper, K.M. 667(1995)85
- Chang, T., see Shum, Y.Y. 653(1994)205
- Chao, C.R., see Virag, L. 658(1994)135
- Chao, W.-f., see Funakoshi, K.-i. 660(1994)200
- Chapeau, V., Moulin, A., Caude, M. and Dufour, A.
High-performance liquid chromatographic determination of oxodipine enantiomers, a new 1,4-dihydropyridine, applied to stereoselectivity studies in man and dog 660(1994)341
- Chaplin, M.F.
Analysis of bile acids and their conjugates using high-pH anion-exchange chromatography with pulsed amperometric detection 664(1995)431
- Chariot, P., see Ratiney, R. 654(1994)159
- Charles, B., see Inoue, S. 661(1994)15
- Charles, B.G., Foo, C.C. and Gath, J.
Rapid column liquid chromatographic analysis of flucloxacillin in plasma on a microparticulate pre-column 660(1994)186
- Charles, B.G., see Preechagoon, Y. 670(1995)139
- Charles, B.G., see Schild, P.N. 658(1994)189
- Charles, B.G., see Wallis, S.C. 674(1995)306
- Charles, B.G., see Wong, Y.-c. 673(1995)306
- Chatel, M., see Candito, M. 657(1994)61
- Chatterjee, D.J., see Li, W.Y. 673(1995)281
- Chauhan, P.B., see Jones, G.D. 661(1994)119
- Chaulet, J.-F., see Gaillard, Y. 668(1995)315
- Chavez, C., see Constanzer, M. 666(1995)117
- Chavez, C.M., see Constanzer, M.L. 658(1994)281
- Che, P., Xu, J., Shi, H. and Ma, Y.
Quantitative determination of serum iron in human blood by high-performance capillary electrophoresis 669(1995)45
- Cheminel, V., see Gaillard, Y. 668(1995)315
- Chen, C.-F., see Cheng, F.-C. 654(1994)177
- Chen, C.-F., see Jeng, K.-F. 668(1995)343
- Chen, C.-F., see Ko, H.-C. 655(1994)27
- Chen, C.-F., see Tsai, T.-H. 655(1994)41
- Chen, C.-F., see Tsai, T.-H. 669(1995)404
- Chen, C.-M. and Chang, H.-C.
Determination of berberine in plasma, urine and bile by high-performance liquid chromatography 665(1995)117
- Chen, C.-M., see Lo, C.-F. 655(1994)33
- Chen, D.Y. and Dovichi, N.J.
Yoctomole detection limit by laser-induced fluorescence in capillary electrophoresis 657(1994)265
- Chen, I.-W., Vastag, K.J. and Lin, J.H.
High-performance liquid chromatographic determination of a potent and selective HIV protease inhibitor (L-735,524) in rat, dog and monkey plasma 672(1995)111
- Chen, P., Nie, L.-H. and Yao, S.-Z.
Determination of lactic acid and pyruvic acid in serum and cerebrospinal fluid by ion-exclusion chromatography with a bulk acoustic wave detector 673(1995)153
- Chen, S.
Partial characterization of the molecular species of phosphatidylserine from human plasma by high-performance liquid chromatography and fast atom bombardment mass spectrometry 661(1994)1
- Chen, S. and Claeys, M.
Approach to the large-scale preparation of highly pure phosphatidylserine from bovine brain 666(1995)178
- Chen, S.C., see Lin, J.D. 667(1995)153
- Chen, T.-L., Kennedy, M.J., Dunlap, V.M. and Colvin, O.M.
Determination of plasma novobiocin levels by a reversed-phase high-performance liquid chromatographic assay 652(1994)109

- Chen, T.-M., see Chan, K.Y. 656(1994)359
 Chen, W.-Y., see Yang, C.-S. 667(1995)41
 Chen, X., see Thomas, B.R. 657(1994)383
 Cheng, F.-C. and Kuo, J.-S.
 High-performance liquid chromatographic analysis with electrochemical detection of biogenic amines using microbore columns (Review) 665(1995)1
 Cheng, F.-C. and Kuo, J.-S.
 Plasma serotonin. Reply to E.F. Marshall and M. Leitch 655(1994)169
 Cheng, F.-C., Kuo, J.-S., Chia, L.-G., Tsai, T.-H. and Chen, C.-F.
 Rapid measurement of the monoamine content in small volumes of rat plasma 654(1994)177
 Cheng, F.-C., see Tsai, T.-H. 655(1994)41
 Cheng, F.-C., Yang, L.-L., Kuo, J.-S., Yang, M.C.M. and Yu, P.-C.
 Rapid assay of the monoamine content in small volumes of rat plasma 653(1994)9
 Chenou, C., see Rodrigues, A.E. 664(1995)233
 Cherkofsky, S.C., see Howell, S.E. 663(1995)148
 Cherton, J.-C., see Loutelier, C. 656(1994)281
 Chester, Jr., S.T., see Hornish, R.E. 674(1995)219
 Chevalier, J.M., see Bonté, F. 664(1995)311
 Chi, H., see Wu, J. 663(1995)247
 Chia, L.-G., see Cheng, F.-C. 654(1994)177
 Chiancone, E., Gattoni, M., Fronticelli, C., Termine, A., Silvestri, L. and Sarti, P.
 Preparative and analytical applications of immobilized haemoglobin 664(1995)89
 Chiarotto, J.A. and Wainer, I.W.
 Determination of metyrapone and the enantiomers of its chiral metabolite metyrapol in human plasma and urine using coupled achiral-chiral liquid chromatography 665(1995)147
 Chiba, K., Horii, H., Chiba, T., Kato, Y., Hirano, T. and Ishizaki, T.
 Development and preliminary application of high-performance liquid chromatographic assay of urinary metabolites of diazepam in humans 668(1995)77
 Chiba, T., see Chiba, K. 668(1995)77
 Chiba, T., see Ito, T. 670(1995)317
 Chien, B.M., see Wong, Y.N. 661(1994)211
 Chiku, S., see Takakuwa, S. 673(1995)113
 Chikuma, T., see Yajima, R. 667(1995)333
 Chin, L.K., see Navaratnam, V. 669(1995)289
 Chiou, R.H.-Y., see Cairns, A.M. 666(1995)323
 Chmelík, J., see Plocek, J. 656(1994)427
 Chomienne, C., see Lefebvre, P. 666(1995)55
 Chopineau, J., see Gremeau, I. 665(1995)399
 Chou, C.-J., see Jeng, K.-F. 668(1995)343
 Chou, C.-J., see Ko, H.-C. 655(1994)27
 Chou, C.-J., see Tsai, T.-H. 655(1994)41
 Chou, S.-T., see Yang, C.-S. 661(1994)231
 Chou, S.-T., see Yang, C.-S. 674(1995)231
 Chow, D., see Liang, D. 656(1994)460
 Chow, H.-H., see Hutchaleelaha, A. 658(1994)103
 Christensen, E.B., Hansen, S.H. and Rasmussen, S.N.
 Assay of tocainide enantiomers in plasma by solid-phase extraction and indirect chiral high-performance liquid chromatography after derivatization with (-)-menthyl chloroformate 670(1995)243
 Christensen, J., see Johnson, R. 657(1994)125
 Christie, W.W., see Dobson, G. 167(1995)197
 Christophersen, A.S., see Johansen, K. 669(1995)281
 Christopherson, R.I., see Szabados, E. 674(1995)132
 Chrystyn, H., see Corlett, S.A. 654(1994)152
 Chu, C.K., see Rajagopalan, P. 672(1995)119
 Chu, F., see Tsina, I. 675(1996)119
 Chu, S.-y., see Tzeng, T.-B. 661(1994)299
 Chudinová, M., see Mislovičová, D. 664(1995)145
 Chui, Y.C., Esaw, B. and Laviolette, B.
 Investigation of the metabolism of azaperone in the horse 652(1994)23
 Chukwumaeze-Obiajunwa, V., see Hussain, M.S. 663(1995)379
 Chun, H.G., see Roth, J.S. 652(1994)149
 Cirimele, V., Kintz, P., Majdalani, R. and Mangin, P.
 Supercritical fluid extraction of drugs in drug addict hair 673(1995)173
 Cirimele, V., see Kintz, P. 670(1995)162
 Cisneros, A., see Newman, R.A. 658(1994)129
 Claeys, M., see Chen, S. 666(1995)178
 Clare, R.A., see Fraser, I.J. 663(1995)275
 Clarkson, Jr., A.B., see Merali, S. 675(1996)321
 Claude, J.-R., see Pham-Huy, C. 665(1995)125
 Clausing, P., see Bowyer, J.F. 666(1995)241
 Clavenna, G., see Tagliaro, F. 656(1994)107
 Clemens, M., see Catlow, J.T. 668(1995)85
 Clerc, F.F., Monégier, B., Faucher, D., Cuiné, F., Pourcet, C., Holt, J.C., Tang, S.-Y., Van Dorsselaer, A., Becquart, J. and Vuilhorgne, M.
 Primary structure control of recombinant proteins using high-performance liquid chromatography, mass spectrometry and microsequencing 662(1994)245
 Cleton, A., see Irth, H. 658(1994)207
 Clifford, A.J., see Ebeler, S.E. 654(1994)9
 Cociglio, M., Hillaire-Buys, D. and Alric, C.
 Determination of methotrexate and 7-hydroxymethotrexate by liquid chromatography for routine monitoring of plasma levels 674(1995)101
 Cohen, A.S., see Bourque, A.J. 662(1994)343
 Cohen, S., see Yu, J.H. 658(1994)249
 Cokelaere, M., see Van Boven, M. 655(1994)281
 Cole, D.E.C., Evrovski, J. and Pirone, R.
 Urinary thiosulfate determined by suppressed ion chromatography with conductimetric detection 672(1995)149
 Cole, P.J., see Taylor, G.W. 664(1995)458
 Cole, R.O., see Janiszewski, J.S. 668(1995)133
 Cole, R.O., see Tess, D.A. 674(1995)253
 Coleman, M.R., see Turberg, M.P. 675(1996)279
 Colombo, L., see Abbiati, G. 656(1994)303
 Colombo, M., see Fossati, T. 656(1994)59
 Colvin, O.M., see Anderson, L.W. 667(1995)247
 Colvin, O.M., see Chen, T.-L. 652(1994)109
 Cone, E.J., see Wang, W.-L. 660(1994)279
 Cong, H.N., Bertaux, O., Valencia, R., Becue, T., Fournier, T., Biou, D. and Porquet, D.
 Separation and characterization of the main methylated nucleobases from nuclear, cytoplasmic and poly (A)⁺ RNA by high-performance liquid chromatography and mass spectrometry 661(1994)193

- Connor, J.D., see Page, T. 675(1996)342
- Constable, D.J.C., see Hsu, L.C. 669(1995)85
- Constanzer, M., Chavez, C. and Matuszewski, B.
Development and comparison of high-performance liquid chromatographic methods with tandem mass spectrometric and ultraviolet absorbance detection for the determination of cyclobenzaprine in human plasma and urine 666(1995)117
- Constanzer, M.L., Chavez, C.M. and Matuszewski, B.K.
Picogram determination of finasteride in human plasma and semen by high-performance liquid chromatography with atmospheric-pressure chemical-ionization tandem mass spectrometry 658(1994)281
- Constanzer, M.L., see Matuszewski, B.K. 653(1994)77
- Conte, L., see Nieto, C. 661(1994)319
- Conter, V., see Gentili, D. 657(1994)47
- Conway, W.D., see Sharma, A. 655(1994)315
- Cook, C.E., see Thomas, B.F. 655(1994)201
- Cook, J., see Wang, C.J. 669(1995)141
- Cook, J.C., see Joyce, J.G. 662(1994)325
- Cooke, D., see Smales, C.M. 662(1994)3
- Cooper, B.R., Wightman, R.M. and Jorgenson, J.W.
Quantitation of epinephrine and norepinephrine secretion from individual adrenal medullary cells by microcolumn high-performance liquid chromatography 653(1994)25
- Cooper, J.D.H., Fook Sheung, C.T.C. and Buick, A.R.
Automated sequential trace enrichment of dialysates combined with high-performance liquid chromatography and automated heart-cutting for the determination of the nucleoside 1-(β -D-arabinofuranosyl)-5-(1-propynyl)uracil and its metabolite 5-propynyluracil in urine 652(1994)15
- Cooper, K.M., Chang, S.F. and Harrison, L.I.
Determination of the chlorofluorocarbon substitute 1,1,1,2-tetrafluoroethane (HFA-134a) in human and animal blood using gas chromatography with headspace analysis 667(1995)85
- Cooper, M.R., see Figg, W.D. 652(1994)187
- Cooper, S.F., see Li, F. 660(1994)327
- Cooper, S.F., see Li, F. 668(1995)67
- Cooper, S.F., see Li, F. 674(1995)277
- Corlett, S.A. and Chrystyn, H.
Enantiomeric separation of R- and S-ifosfamide and their determination in serum from clinical subjects 654(1994)152
- Cornic, M., see Lefebvre, P. 666(1995)55
- Cornpropst, J.D., Gillespie, T.A. and Shipley, L.A.
Determination of the muscarinic agent [(3-(3-1-butylthio)-1,2,5-thiadiazol-4-yl)-1-azabicyclo[2.2.2]octane], in rat, rabbit, and monkey plasma, using high-performance liquid chromatography in conjunction with tandem mass spectrometry 673(1995)67
- Corran, P.H., see Raut, S. 660(1994)390
- Cortés, R., see Navajas, R. 673(1995)159
- Corvol, M., see De Ceuninck, F. 666(1995)203
- Cosbey, S.H., Craig, I. and Gill, R.
Novel solid-phase extraction strategy for the isolation of basic drugs from whole blood. Preliminary study using commercially available extraction cartridges 669(1995)229
- Costa Laia, R., see Defilippi, A. 656(1994)466
- Costa, M., see Newman, R.A. 658(1994)129
- Costa, P.M.P., see Vallar, L. 664(1995)97
- Costa, P.P., see Vallar, L. 664(1995)97
- Côté, M., see Li, F. 660(1994)327
- Côté, M., see Li, F. 668(1995)67
- Cotgreave, I.A., see Luo, J.-L. 670(1995)29
- Cox, S., Harvey, R. and Frazier, D.
High-performance liquid chromatographic determination of intrathecally administered [D-Ala²-D-Leu⁵]-enkephalin concentrations in canine cerebrospinal fluid 657(1994)243
- Cracco, A.T., see Dall'Amico, R. 672(1995)155
- Craescu, C.T., see Noinville, V. 664(1995)33
- Craft, N.E., see Shi, H. 665(1995)89
- Craig, I., see Cosbey, S.H. 669(1995)229
- Crankshaw, D.P., see Jones, D.J. 675(1996)174
- Crawford, S.M., see Barker, I.K. 660(1994)121
- Creemers, M.C.W., see Russel, F.G.M. 661(1994)173
- Crews, T., see Davis, P.P. 665(1995)327
- Criscuoli, M., see Lippi, A. 660(1994)127
- Crozier, G., see Guichardant, M. 655(1994)112
- Cserhádi, T., see Forgács, E. 656(1994)233
- Cserhádi, T., see Forgács, E. 664(1995)277
- Cuiné, F., see Clerc, F.F. 662(1994)245
- Cumiskey, W.R., Pagani, E.D. and Bode, D.C.
Enrichment and analysis of desmosine and isodesmosine in biological fluids 668(1995)199
- Cummings, J., Leonard, R.C.F. and Miller, W.R.
Sensitive determination of 8-chloroadenosine 3',5'-monophosphate and 8-chloroadenosine in plasma by high-performance liquid chromatography 658(1994)183
- Cummings, J., MacLellan, A., Langdon, S.P., Rozengurt, E. and Smyth, J.F.
Determination of two neuropeptide growth factor antagonists, [D-Arg¹, D-Phe⁵, D-Trp^{7,9}, Leu¹¹]-substance P and [Arg⁶, D-Trp^{7,9}, N-MePhe⁸]-substance P(6-11), by high-performance liquid chromatography with electrochemical detection 653(1994)195
- Cunningham, D.D., Webster, J., Nelson, D. and Williamson, B.
Analysis of sevoflurane degradation products in vapor phase samples 668(1995)41
- Curtis, M.A., see Walters, D.L. 670(1995)299
- Custer, L.J., see Franke, A.A. 662(1994)47
- Cvrčková, E., see Tvřická, E. 656(1994)51
- Czech, J., see Leyssens, L. 654(1994)43

D

- Daenens, P., see Van Boven, M. 655(1994)281
- Dahle, U.R., see Brondz, I. 667(1995)161

- Dahri, L., Boisson-Vidal, C., Regnault, V., Muller, D., Sultan, Y. and Stoltz, J.F.
Synthetic sorbents for removal of factor VIII inhibitors from haemophilic A plasma 664(1995)47
- Dahut, W.L., see Takimoto, C.H. 655(1994)97
- Dal Fiume, D., see Lorusso, V. 656(1994)415
- Dale Lehman, E., see Joyce, J.G. 662(1994)325
- Dalene, M., see Skarping, G. 663(1995)209
- Dalene, M., Skarping, G. and Tinnerberg, H.
Biological monitoring of hexamethylene diisocyanate by determination of 1,6-hexamethylene diamine as the trifluoroethyl chloroformate derivative using capillary gas chromatography with thermoionic and selective-ion monitoring 656(1994)319
- Dall'Amico, R., Montini, G., Pisanello, L., Piovesan, G., Bottaro, S., Cracco, A.T., Zacchello, G. and Zacchello, F.
Determination of inulin in plasma and urine by reversed-phase high-performance liquid chromatography 672(1995)155
- D'Ambrosio, R., see Jusko, W.J. 658(1994)47
- Dangi, R.S., Jeevaratnam, K., Sugendran, K., Malhotra, R.C. and Raghuvveeran, C.D.
Solid-phase extraction and reversed-phase high-performance liquid chromatographic determination of sulphur mustard in blood 661(1994)341
- Danhof, M., see Irth, H. 658(1994)207
- Daniel, V.C., Minton, T.A., Brown, N.J., Nadeau, J.H. and Morrow, J.D.
Simplified assay for the quantification of 2,3-dinor-6-keto-prostaglandin $F_{1\alpha}$ by gas chromatography-mass spectrometry 653(1994)117
- Danielson, T.J., see Taylor, W.G. 661(1994)327
- Danza, G., see Guarna, A. 674(1995)197
- Darius, J. and Meyer, F.P.
Sensitive capillary gas chromatographic-mass spectrometric method for the therapeutic drug monitoring of valproic acid and seven of its metabolites in human serum. Application of the assay for a group of pediatric epileptics 656(1994)343
- Darwin, W.D., see Wang, W.-L. 660(1994)279
- Dasgupta, A., Blackwell, W., Griego, J. and Malik, S.
Gas chromatographic-mass spectrometric identification and quantitation of ethylene glycol in serum after derivatization with perfluorooctanoyl chloride: a novel derivative 666(1995)63
- Dasgupta, S., Timby, D.M. and Lam, G.N.
Determination of brequinar in rat plasma by direct deproteinization and reversed-phase high-performance liquid chromatography with ultraviolet absorbance detection 673(1995)107
- Dauphin, A., see Gupta, R.N. 658(1994)113
- Davies, B.E., see Rosing, H. 668(1995)107
- Davis, P.P., Crews, T., Bradford, J.J. and Edom, R.W.
Determination of Ro 19-6327 (Lazabemide) in human plasma and urine by gas chromatography-negative chemical ionization mass spectrometry 665(1995)327
- Davrincche, C., see Nattouf, H. 664(1995)365
- Day, W.W., see Allen, M.C. 675(1996)265
- De Abreu, R.A., see Keuzenkamp-Jansen, C.W. 672(1995)53
- De Abreu, R.A., see Stolk, J.N. 666(1995)33
- Dean, R.A., Ochieng, W., Black, J., Queener, S.F., Bartlett, M.S. and Dumaul, N.G.
Simultaneous determination of primaquine and carboxyprimaquine in plasma using high-performance liquid chromatography with electrochemical detection 655(1994)89
- DeAngelis, D.V., Long, J.D., Kanics, L.L. and Woolley, J.L.
High-performance liquid chromatographic assay for the measurement of atovaquone in plasma 652(1994)211
- Deasy, B., see Bogan, D.P. 663(1995)371
- De Boer, D., see Höld, K.M. 663(1995)103
- De Broux, S., see Dethy, J.-M. 654(1994)121
- De Ceuninck, F., Willeput, J. and Corvol, M.
Purification and characterization of insulin-like growth factor II (IGF II) and an IGF II variant from human placenta 666(1995)203
- Decherf, M., see Rouan, M.C. 658(1994)167
- Decker, M.A. and Zimmermann, C.L.
Simultaneous determination of etretinate, acitretin and their metabolites in perfusate, perfusate plasma, bile or hepatic tissue with reversed-phase high-performance liquid chromatography 667(1995)105
- De Clippeleir, J.J.M., see Van Gijn, R. 667(1995)269
- De Collongue-Poyet, B., Vidal-Madjar, C., Sebillé, B. and Unger, K.K.
Study of conformational effects of recombinant interferon γ adsorbed on a non-porous reversed-phase silica support 664(1995)155
- Decosterd, L.A., see Shen, F. 667(1995)291
- Decuyper, E., see Van Boven, M. 655(1994)281
- DeDionisio, L. and Gryaznov, S.M.
Analysis of a ribonuclease H digestion of N3' \rightarrow P5' phosphoramidate-RNA duplexes by capillary gel electrophoresis 669(1995)125
- Defilippi, A., Piancone, G., Costa Laia, R., Balla, S. and Tibaldi, G.P.
High-performance liquid chromatography with UV detection and diode-array UV confirmation of isonicotinic acid hydrazide in cattle milk 656(1994)466
- De Fusco, M., D'Incalci, M., Gentili, D., Reichert, S. and Zucchetti, M.
High-performance liquid chromatographic assay for the determination of the novel etoposide derivative dimethylaminoetoposide (NK611) and its metabolites in urine of cancer patients 664(1995)409
- De Fusco, M., see Zucchetti, M. 654(1994)97
- Degand, P., see Tetaert, D. 658(1994)31
- Degen, P.H., see Flesch, G. 657(1994)155
- De Giovanni, N. and Strano Rossi, S.
Simultaneous detection of cocaine and heroin metabolites in urine by solid-phase extraction and gas chromatography-mass spectrometry 658(1994)69
- Degos, L., see Lefebvre, P. 666(1995)55
- Degoute, C.S., see Guitton, J. 669(1995)358
- De Graaf, R., see Stolk, J.N. 666(1995)33
- Deguchi, T., see Suzawa, Y. 670(1995)152
- De Haan, W., see Van Engelen, J.G.M. 667(1995)233
- De Haas, E.J.M., see Pennings, E.J.M. 675(1996)332
- Deias, R., see De Witt, P. 657(1994)67

- De Jonge, L.H. and Breuer, M.
Modification of the analysis of amino acids in pig plasma 652(1994)90
- De Keukeleire, D., see Thienpont, L.M. 665(1995)63
- De Keyser, P.M., De Smedt, S., Demeester, J. and Lauwers, A.
Fractionation and purification of the thiol proteinases from papaya latex 656(1994)203
- De Koning, D.G.M., see Stolk, J.N. 666(1995)33
- De Koster, V., see Van Belle, K. 657(1994)149
- Delaborde, C., see Denouël, J. 663(1995)353
- Delacoux, E., see Got, L. 668(1995)233
- Delacoux, E., see Hervé, C. 675(1996)157
- Delacoux, E., see Herve, C. 653(1994)217
- Dela Cruz, D.M., see Kessie, G. 652(1994)234
- De La Torre, R., see González, M.L. 664(1995)317
- De La Torre, R., see Solans, A. 658(1994)380
- De Leenheer, A.P., see Huo, J.-Z. 661(1994)69
- De Leenheer, A.P., see Thienpont, L.M. 665(1995)63
- Dellacherie, E., see Leonard, M. 664(1995)39
- Dell'Elba, G., see Celardo, A. 658(1994)261
- Delmas, J.-M., see Renard, L. 657(1994)219
- Delnomdedieu, M., see Stýblo, M. 668(1995)21
- DeLong, A.F., see Kasper, S.C. 669(1995)397
- DeLong, A.F., see Murphy, A.T. 668(1995)273
- Delsenne, F., see Meulemans, A. 660(1994)401
- DeLuca, P.P., see Lee, H.S. 673(1995)136
- Del Nozal, M.J., Bernal, J.L., Pampliega, A., Marinero, P. and Pozuelo, M.
Determination of the concentrations of 5-fluorouracil and its metabolites in rabbit plasma and tissues by high-performance liquid chromatography 656(1994)397
- Demeester, J., see Dekeyser, P.M. 656(1994)203
- Demeester, J.M., see Vercruyse, K.P. 656(1994)179
- Demetriades, J.L., see Cairns, A.M. 666(1995)323
- Demin, P., Reynaud, D. and Pace-Asciak, C.R.
High-performance liquid chromatographic separation of fluorescent esters of hepoxilin enantiomers on a chiral stationary phase 672(1995)282
- Demme, U., see Tenczer, J. 661(1994)47
- Demoz, A., Garras, A., Asiedu, D.K., Netteland, B. and Berge, R.K.
Rapid method for the separation and detection of tissue short-chain coenzyme A esters by reversed-phase high-performance liquid chromatography 667(1995)148
- Dencausse, A., see Bourrinet, P. 670(1995)369
- Deng, Y., Maruyama, W., Dostert, P., Takahashi, T., Kawai, M. and Naoi, M.
Determination of the (*R*)- and (*S*)-enantiomers of salsolinol and N-methylsalsolinol by use of a chiral high-performance liquid chromatographic column 670(1995)47
- Denizli, A. and Pişkin, E.
DNA-immobilized polyhydroxyethylmethacrylate microbeads for affinity sorption of human immunoglobulin G and anti-DNA antibodies 666(1995)215
- Denizli, A. and Pişkin, E.
Heparin-immobilized polyhydroxyethylmethacrylate microbeads for cholesterol removal: a preliminary report 670(1995)157
- Denizli, A., Rad, A.Y. and Pişkin, E.
Protein A immobilized polyhydroxyethylmethacrylate beads for affinity sorption of human immunoglobulin G 668(1995)13
- Dennis, M.F., see Stratford, M.R.L. 662(1994)15
- Denouël, J., Keller, H.P., Schaub, P., Delaborde, C. and Humbert, H.
Determination of terbinafine and its desmethyl metabolite in human plasma by high-performance liquid chromatography 663(1995)353
- Denouël, J., see Zehender, H. 664(1995)347
- Depasse, F., see Moussa, F. 667(1995)69
- Depta, G., see Bernareggi, A. 669(1995)247
- Desage, M., see Guitton, J. 669(1995)358
- De Saint Leger, M.N., see Rop, P.P. 661(1994)245
- Desiderio, C., see Caslavská, J. 656(1994)219
- Desiderio, D.M., see Lee, H.G. 655(1994)9
- Desiderio, D.M., see Lee, H.G. 662(1994)35
- Desiderio, D.M., see Lee, H.G. 667(1995)259
- Deslandes, A., see Camus, F. 656(1994)383
- De Smedt, S., see Dekeyser, P.M. 656(1994)203
- De Takats, P.G., see Liu, B. 666(1995)149
- Dethy, J.-M., De Broux, S., Lesne, M., Longstreth, J. and Gilbert, P.
Stereoselective determination of verapamil and norverapamil by capillary electrophoresis 654(1994)121
- Deutz, N.E.P., see Van Eijk, H.M.H. 660(1994)251
- De Vecchi, L., see Pastoris, A. 664(1995)287
- Devine, D.A., see Moore, A.J. 672(1995)225
- De Vries, J.X. and Schmitz-Kummer, E.
Determination of the coumarin anticoagulant phenprocoumon and metabolites in human plasma, urine and breast milk by high-performance liquid chromatography after solid-phase extraction 655(1994)63
- Dewey, M.J., see Yoo, S.D. 668(1995)338
- De Witt, P., Deias, R., Muck, S., Galletti, B., Meloni, D., Celletti, P. and Marzo, A.
High-performance liquid chromatography and capillary electrophoresis of L- and D-carnitine by precolumn diastereomeric derivatization 657(1994)67
- De Wolff, F.A., see Van Engelen, J.G.M. 667(1995)233
- Deyl, Z.
Foreword 671(1995)1
- Deyl, Z., see Krull, I.S. 659(1994)1
- Deyl, Z., Tagliaro, F. and Mikšík, I.
Capillary electrophoretic profiling of rat hair: a tool for alopecia areata diagnosis 653(1994)47
- Deyl, Z., Tagliaro, F. and Mikšík, I.
Biomedical applications of capillary electrophoresis 656(1994)3
- Dhahir, P.H., see Freeman, K.B. 665(1995)171
- Di Biase, S., see Guarnieri, C. 656(1994)209
- Dick, R., see Zimmerli, B. 666(1995)85
- Dickens, J.E., Gorse, J., Everhart, J.A. and Ryan, M.
Dependence of electroosmotic flow in capillary electrophoresis on Group I and II metal ions 657(1994)401
- Diedrich, P., see Zhao, J.Y. 657(1994)307
- Diefenbach, C., see Künzer, T. 653(1994)63

- Diekmann, S., see Ronnenberg, J. 656(1994)169
 Dieterle, W., see Flesch, G. 657(1994)155
 Di Giovine, S., see Castoldi, D. 655(1994)243
 Dimitrova, B., Caccia, S., Garattini, E. and Guiso, G.
 Determination of the retinobenzoic acid derivative
 Am580 in rat plasma by high-performance liquid
 chromatography 667(1995)301
 Dimitrova, B., see Guiso, G. 656(1994)239
 D'Incalci, M., see De Fusco, M. 664(1995)409
 D'Incalci, M., see Gentili, D. 657(1994)47
 D'Incalci, M., see Zucchetti, M. 654(1994)97
 Dine, T., see Faouzi, M.A. 664(1995)463
 Dinelli, G., Bonetti, A., Catizone, P. and Galletti, G.C.
 Separation and detection of herbicides in water by
 micellar electrokinetic capillary chromatography
 656(1994)275
 Dini, S., see Guarna, A. 674(1995)197
 D'mello, A.P., see Wong, Y.N. 661(1994)211
 Dobarganes, M.C., see Márquez-Ruiz, G. 675(1996)1
 Dobrinska, M.R., see Dru, J.D.-Y. 666(1995)259
 Dobrocky, P., Bennett, P.N. and Notarianni, L.J.
 Rapid method for the routine determination of
 caffeine and its metabolites by high-performance liquid
 chromatography 652(1994)104
 Dobson, G., Christie, W.W. and Nikolova-Damyanova, B.
 Silver ion chromatography of lipids and fatty acids
 167(1995)197
 Dočolomanský, P., see Mislovičová, D. 664(1995)145
 Dolovich, M.B., see Gupta, R.N. 654(1994)205
 Donald, P.R., see Seifart, H.I. 674(1995)269
 Donati, F., see Lacroix, M. 663(1995)297
 Donati, F., see Mastey, V. 655(1994)305
 Donzelli, G., see Bianchi, V. 675(1996)162
 Dooley, K.L., see Hansen, Jr., E.B. 670(1995)259
 Döppenschmitt, S.A., Scheidel, B., Harrison, F. and
 Surmann, J.P.
 Simultaneous determination of prednisolone,
 prednisolone acetate and hydrocortisone in human
 serum by high-performance liquid chromatography
 674(1995)237
 Doretti, L., see Gori, G. 673(1995)165
 Dorhout, B., see Muskiet, F.A.J. 667(1995)189
 Dostert, P., see Deng, Y. 670(1995)47
 Dote, S., see Yamahata, T. 653(1994)92
 Dou, L., see Zeng, J.-n. 654(1994)231
 Douibi, H., see Tracqui, A. 675(1996)235
 Dousset, B., see Legrand, C. 663(1995)187
 Doverskog, M., see Bergqvist, Y. 652(1994)73
 Dovichi, N.J., see Chen, D.Y. 657(1994)265
 Dovichi, N.J., see Zhao, J.Y. 657(1994)307
 Dow, J., see Sanwald, P. 672(1995)207
 Doyle, E., see Rosing, H. 668(1995)107
 Doyle, E., see Torchio, L. 666(1995)169
 Doyle, K.M., see Bernhardt, T.G. 675(1996)189
 Doyle, T.D., see Ahn, H.-Y. 653(1994)163
 Dragatsis, J., see Avgerinos, A. 673(1995)142
 Dreux, C., see Lefebvre, P. 666(1995)55
 Drewe, J., see Huwyler, J. 674(1995)57
 Driou, A., see Perrin, E. 664(1995)267
 Drozd, M.L., Lockwood, G., Miller, B. and Rosi, D.
 A column-switching high-performance liquid
 chromatographic assay for a novel cytotoxic
 thioxanthone derivative (WIN 33377) in mouse plasma
 with toxicokinetic results from a mouse LD₁₀ study
 670(1995)145
 Dru, J.D.-Y., Hsieh, J.Y.-K., Matuszewski, B.K. and
 Dobrinska, M.R.
 Determination of felodipine, its enantiomers, and a
 pyridine metabolite in human plasma by capillary gas
 chromatography with mass spectrometric detection
 666(1995)259
 Drummer, O.H., see Robertson, M.D. 667(1995)179
 Dua, V.K., Kar, P.K., Sarin, R. and Sharma, V.P.
 High-performance liquid chromatographic
 determination of primaquine and carboxyprimaquine
 concentrations in plasma and blood cells in
Plasmodium vivax malaria cases following chronic
 dosage with primaquine 675(1996)93
 Dubois, J., see Schenkel, E. 668(1995)189
 Dubois, N., see Chakir, S. 654(1994)61
 Ducint, D., see Grellet, J. 652(1994)59
 Duda, M., see Zeng, J.-n. 654(1994)231
 Duez, P., see Kumps, A. 658(1994)241
 Dufek, P., see Hradec, J. 660(1994)386
 Dufour, A., see Chapeau, V. 660(1994)341
 Dugue, B., see Safi, A. 664(1995)253
 Duke, C.C., see Huang, J.L. 673(1995)245
 Duléry, B.D., see Sanwald, P. 672(1995)207
 Dumas, F., Aussel, C., Pernet, P., Martin, C. and
 Giboudeau, J.
 Gas chromatography applied to the lactulose-mannitol
 intestinal permeability test 654(1994)276
 Dumauual, N.G., see Dean, R.A. 655(1994)89
 Dumontet, M., see Sadeg, N. 675(1996)113
 Duncan, G.F., see Willey, T.A. 652(1994)171
 Dunlap, V.M., see Chen, T.-L. 652(1994)109
 Dunnott, M., see Smith, N.C. 673(1995)35
 Dusterhoff, D.A., see Chan, K.Y. 656(1994)359
 Dutertre, H., see Sadeg, N. 675(1996)113
 Dyer, R.G., Hetherington, C.S., Alberti, K.G.M.M. and
 Laker, M.F.
 Simultaneous measurement of phytosterols
 (campesterol and β -sitosterol) and 7-ketocholesterol in
 human lipoproteins by capillary column gas
 chromatography 663(1995)1
 Dyr, J.E., see Liška, V. 656(1994)127
 Dyr, J.E., see Suttmar, J. 656(1994)123
 Dzerk, A., see Lee, J.W. 670(1995)287

E

- Eap, C.B., Koeb, L. and Baumann, P.
Determination of trimipramine and its demethylated and hydroxylated metabolites in plasma by gas chromatography-mass spectrometry 652(1994)97
- Eap, C.B., Koeb, L., Powell, K. and Baumann, P.
Determination of the enantiomers of thioridazine, thioridazine 2-sulfone, and of the isomeric pairs of thioridazine 2-sulfoxide and thioridazine 5-sulfoxide in human plasma 669(1995)271
- Ebeler, S.E., Hinrichs, S.H., Clifford, A.J. and Shibamoto, T.
Volatile carbonyl levels in tissues of transgenic mice with nerve sheath tumors 654(1994)9
- Ebete, K.O., see Kountourellis, J.E. 664(1995)468
- Ebinger, G., see Van Belle, K. 657(1994)149
- Ebinger, G., see Van Belle, K. 672(1995)97
- Eckstein, J.A. and Swanson, S.P.
Determination of a novel α -amino-3-hydroxy-5-methyl-4-isoxazolepropionate receptor antagonist (LY300164) and its N-acetyl metabolite in mouse, rat, dog, and monkey plasma using high-performance liquid chromatography with ultraviolet detection 668(1995)153
- Edder, P., Staub, C., Veuthey, J.L., Pierroz, I. and Haerdi, W.
Subcritical fluid extraction of opiates in hair of drug addicts 658(1994)75
- Edeki, T.I., see He, H. 661(1994)351
- Edelbroek, P.M., see Vermeij, T.A.C. 662(1994)134
- Edelman, M., see Fekkes, D. 669(1995)177
- Eder, K.
Gas chromatographic analysis of fatty acid methyl esters 671(1995)113
- Edholm, L.-E., see Lövgren, U. 672(1995)33
- Edom, R.W., see Davis, P.P. 665(1995)327
- Egami, K., see Kajita, M. 669(1995)345
- Egger, D., Reisbach, G. and Hültner, L.
Simultaneous determination of histamine and serotonin in mast cells by high-performance liquid chromatography 662(1994)103
- Egorin, M.J., see Zuhowski, E.G. 655(1994)147
- Egorova, T.A., Eremin, S.V., Mitsner, B.I., Zvonkova, E.N. and Shvets, V.I.
Isolation of individual amino acids from various microbiological sources using reversed-phase high-performance liquid chromatography 665(1995)53
- Ehninger, G., see Proksch, B. 658(1994)349
- Ehrsson, H., see Andersson, A. 652(1994)203
- Eichelbaum, M., see Bohnenstengel, F. 672(1995)271
- Eichelbaum, M., see Engel, G. 666(1995)111
- Eisenhofer, G., see Holmes, C. 653(1994)131
- Eklund, E., see Arvidsson, T. 668(1995)91
- Elayan, N., see Owens, J.W. 669(1995)295
- Elg a, C., see Cardot, Ph.J.P. 654(1994)193
- El-Jammal, A. and Templeton, D.M.
Reversed-phase high-performance liquid chromatography of non-transferrin-bound iron and some hydroxypyridone and hydroxypyridone chelators 658(1994)121
- Ellingson, J.S., see Seenaiah, B. 660(1994)380
- Elliott, H.G., see Smith, K.D. 661(1994)7
- Elliott, M.A., see Smith, K.D. 661(1994)7
- Ellis, P.P., see Riegel, M. 654(1994)140
- Elm, T. and Hansen, E.L.
Simultaneous determination of lofepramine and desipramine by a high-performance liquid chromatographic method used for therapeutic drug monitoring 665(1995)355
- Elsinga, P.H., see Van Waarde, A. 663(1995)361
- Eltantawy, Z.M., see Celardo, A. 658(1994)261
- Emm, T.A., Krauthauser, C.L. and Huang, S.-M.
Determination of XR510, a balanced angiotensin II receptor antagonist, in dog and rat plasma by combined liquid-liquid/solid-phase extraction and high-performance liquid chromatography 675(1996)273
- Emm, T.A., see Wu, S.T. 657(1994)254
- Engel, G., Hofmann, U. and Eichelbaum, M.
Highly sensitive and specific gas chromatographic-tandem mass spectrometric method for the determination of trace amounts of antipyrine metabolites in biological material 666(1995)111
- Engels, W., see Van Haaster, C.M.C.J. 657(1994)261
- Englert, G., see Khachik, F. 670(1995)219
- Eremin, S.V., see Egorova, T.A. 665(1995)53
- Ericsson, O., see Wall n, L. 655(1994)153
- Eriksson, B.-M., see Toreson, H. 673(1995)81
- Eriksson, C.G., see Pettersson, L. 657(1994)31
- Ermisch, A., see Begley, D.J. 657(1994)185
- Esaw, B., see Chui, Y.C. 652(1994)23
- Escotet Arias, V.J., see Blanco Gomis, D. 660(1994)49
- Essers, M.L., see Van Rhijn, J.A. 665(1995)395
- Esteve-Romero, J.S., see Sim -Alfonso, E.F. 670(1995)183
- Eto, K., see Furuno, K. 656(1994)456
- Eto, S., Noda, H. and Noda, A.
Simultaneous determination of antiepileptic drugs and their metabolites, including chiral compounds, via β -cyclodextrin inclusion complexes by a column-switching chromatographic technique 658(1994)385
- Evangelatos, G.P., see Livaniou, E. 656(1994)215
- Evangelatos, G.P., see Roboti, A. 662(1994)27
- Evangelista, V., see Celardo, A. 658(1994)261
- Evans, G.L., see Harker, A.J. 657(1994)227
- Evans, M.B., see Ayrton, J. 667(1995)173
- Everhart, J.A., see Dickens, J.E. 657(1994)401
- Evrovski, J., see Cole, D.E.C. 672(1995)149

- F**
- Facchini, V., see Jones, G.D. 661(1994)119
- Facino, R.M., see Bernareggi, A. 669(1995)247
- Fairchild, B.A., see Sallustio, B.C. 665(1995)345
- Fakhry, I., see Farthing, D. 653(1994)171
- Falcó, P.C., Legua, C.M., Hernandez, R.H. and Cabeza, A.S.
Improved amphetamine and methamphetamine determination in urine by normal-phase high-performance liquid chromatography with sodium 1,2-naphthoquinone 4-sulphonate as derivatizing agent and solid-phase extraction for sample clean-up 663(1995)235
- Fang, X., see Qi, S. 658(1994)397
- Fang, X.G., see Thomas, B.R. 657(1994)383
- Faouzi, M.A., Dine, T., Luyckx, M., Brunet, C., Gressier, B., Cazin, M., Wallaert, B. and Cazin, J.C.
High-performance liquid chromatographic method for the determination of budesonide in bronchoalveolar lavage of asthmatic patients 664(1995)463
- Farinotti, R., see Camus, F. 656(1994)383
- Farinotti, R., see Nattouf, H. 664(1995)365
- Farmen, R.H., see Willey, T.A. 652(1994)171
- Farrán, R., see García-Encina, G. 670(1995)103
- Farrell, N., see Bernareggi, A. 669(1995)247
- Farthing, D., Sica, D.A., Fakhry, I. and Gehr, T.W.B.
Novel high-performance liquid chromatographic method using solid-phase on-line elution for determination of metolazone in plasma and whole blood 653(1994)171
- Fasching, J.L., see Han, F. 669(1995)103
- Fasco, M.J., see Zhang, Z.-Y. 665(1995)201
- Fassina, G., see Palmieri, G. 664(1995)127
- Fassina, G., see Verdoliva, A. 664(1995)175
- Faucher, D., see Clerc, F.F. 662(1994)245
- Fauler, J., see Tsikas, D. 667(1995)209
- Fauvelle, F., see Belfayol, L. 663(1995)395
- Favennec, L., see Tharasse-Bloch, C. 674(1995)247
- Fawcett, J.P., see Boulton, D.W. 672(1995)103
- Fazli, F.R.Y., see Siddiqui, F.Q. 666(1995)342
- Feild, J.A., see Burrows, S.D. 668(1995)219
- Fekkes, D., Van Dalen, A., Edelman, M. and Voskuilen, A.
Validation of the determination of amino acids in plasma by high-performance liquid chromatography using automated pre-column derivatization with *o*-phthaldialdehyde 669(1995)177
- Feldman, H., see Bourrinet, P. 670(1995)369
- Fell, A.F., see Barker, I.K. 660(1994)121
- Feng, J.-L., see Luo, Y. 667(1995)344
- Feng, L., Xuying, H. and Yi, L.
Investigation of meperidine and its metabolites in urine of an addict by gas chromatography-flame ionization detection and gas chromatography-mass spectrometry 658(1994)375
- Feng, M.R., Siersma, P.R., Strenkoski, C.A. and Wright, D.S.
Sensitive high-performance liquid chromatographic method for a dopamine receptor agonist, CI-1007, and its metabolite PD 147693 in monkey plasma 665(1995)193
- Fenske, M.
Rapid and efficient method for extraction and separation of glucocorticosteroids and sex steroids from urines 670(1995)373
- Fenton, T.W., see McAllister, T.A. 666(1995)336
- Ferguson, J.E., see Ji, A.J. 669(1995)15
- Feriotto, G., see Mischiati, C. 664(1995)303
- Fernandes, D., see Klein, J. 655(1994)83
- Fernández, J.M., see Nieto, C. 661(1994)319
- Ferns, G.A., see Nourooz-Zadeh, J. 654(1994)55
- Ferrala, N.F., Ghanayem, B.I. and Nomeir, A.A.
Determination of 1-methoxy-2-propanol and its metabolite 1,2-propanediol in rat and mouse plasma by gas chromatography 660(1994)291
- Ferrante, L., see Bompadre, S. 669(1995)265
- Ferranti, P., see Sannolo, N. 670(1995)349
- Ferrari, M., see Gelfi, C. 657(1994)201
- Ferry, D.R., see Liu, B. 666(1995)149
- Fessi, H., see Barra, J. 661(1994)178
- Fidalgo Alvarez, L.E., see Blanco Gomis, D. 660(1994)49
- Figg, W.D., Yeh, H.J.C., Thibault, A., Pluda, J.M., Itoh, F., Yarchoan, R. and Cooper, M.R.
Assay of the antiangiogenic compound TNP-470, and one of its metabolites, AGM-1883, by reversed-phase high-performance liquid chromatography in plasma 652(1994)187
- Figueras, X., see Marcé, M. 666(1995)329
- Fike, R.R., see Hirata, H. 658(1994)55
- Filka, K., see Tichá, M. 656(1994)423
- Fincher, T.K., see Yoo, S.D. 668(1995)338
- Finger, U.B., Brümmer, W., Knieps, E., Thömmes, J. and Kula, M.-R.
Investigations on the specificity of thiophilic interaction for monoclonal antibodies of different subclasses 675(1996)197
- Finger, U.B., Thömmes, J., Kinzelt, D. and Kula, M.-R.
Application of thiophilic membranes for the purification of monoclonal antibodies from cell culture media 664(1995)69
- Fiorentino, D., see Mischiati, C. 664(1995)303
- Fischer, C. and Klotz, U.
Radical-derived oxidation products of 5-aminosalicylic acid and *N*-acetyl-5-aminosalicylic acid 661(1994)57
- Fischer, G., see Leube, J. 665(1995)373
- Fisher, L.E., Perch, S., Bonfiglio, M.F. and Geers, S.M.
Simultaneous determination of midazolam and flumazenil concentrations in human plasma by gas chromatography 665(1995)217
- Fiume, I., see Sannolo, N. 670(1995)349
- Flamand, N., Justine, P., Bernaud, F., Rougier, A. and Gaetani, Q.
In vivo distribution of free long-chain sphingoid bases in the human stratum corneum by high-performance liquid chromatographic analysis of strippings 656(1994)65

- Flarakos, T., see Sandor, V. 673(1995)123
- Flayeux, I., see Guerrier, L. 664(1995)119
- Flesch, G., Mann, C., Boss, E., Lang, M., Degen, P.H. and Dieterle, W.
Quantitative determination of CGP 53 437, a new HIV protease inhibitor, in plasma by high-performance liquid chromatography and fluorescence detection 657(1994)155
- Flurer, C.L., Lin, L.A., Satzger, R.D. and Wolnik, K.A.
Determination of ephedrine compounds in nutritional supplements by cyclodextrin-modified capillary electrophoresis 669(1995)133
- Foglia, J.P., Sorisio, D., Kirshner, M.A., Mulsant, B.H. and Perel, J.M.
Quantitative determination of perphenazine and its metabolites in plasma by high-performance liquid chromatography and coulometric detection 668(1995)291
- Folb, P.I., see Walubo, A. 658(1994)391
- Foley, J.P., see Ahuja, E.S. 657(1994)271
- Foo, C.C., see Charles, B.G. 660(1994)186
- Fook Sheung, C.T.C., see Cooper, J.D.H. 652(1994)15
- Forgács, E. and Cserháti, T.
Retention behaviour of some barbituric acid derivatives on a polyethylene-coated silica column 656(1994)233
- Forgács, E. and Cserháti, T.
Determination of hydrophobicity of non-homologous series of anticancer drugs by reversed-phase high-performance liquid chromatography 664(1995)277
- Forn, J., see Nieto, C. 661(1994)319
- Fornstedt-Wallin, B. and Bergh, I.
Sensitive high-performance liquid chromatographic method for the determination of 5-S-cysteinyl-dopamine, 5-S-cysteinyl-3,4-dihydroxyphenylacetic acid and 5-S-cysteinyl-3,4-dihydroxyphenylalanine 663(1995)9
- Forster, L.A., see Nourooz-Zadeh, J. 654(1994)55
- Forťová, H., see Suttner, J. 656(1994)119
- Fossati, T., Colombo, M., Castiglioni, C. and Abbiati, G.
Determination of plasma choline by high-performance liquid chromatography with a postcolumn enzyme reactor and electrochemical detection 656(1994)59
- Foster, R.T., Caillé, G., Ngoc, A.H., Lemko, C.H., Kherani, R. and Pasutto, F.M.
Stereospecific high-performance liquid chromatographic assay of zopiclone in human plasma 658(1994)161
- Foster, R.T., see Carr, R.A. 668(1995)175
- Foster, R.T., see Grundy, J.S. 654(1994)146
- Fouda, H.G., see Janiszewski, J.S. 668(1995)133
- Foulds, G., see Teng, R. 675(1996)53
- Fournier, C., see Leonard, M. 664(1995)39
- Fournier, T., see Cong, H.N. 661(1994)193
- Fourtillan, J.B., see Girault, J. 658(1994)289
- Franke, A.A. and Custer, L.J.
High-performance liquid chromatographic assay of isoflavonoids and coumestrol from human urine 662(1994)47
- Franklin, S.G., see Burrows, S.D. 668(1995)219
- Frantzen, F., Grimsrud, K., Heggli, D.-E. and Sundrehagen, E.
Protein-boronic acid conjugates and their binding to low-molecular-mass *cis*-diols and glycated hemoglobin 670(1995)37
- Fraser, I.J., Clare, R.A. and Pleasance, S.
Determination of the acylcoenzyme A cholesterol acyltransferase inhibitor 447C88 in plasma using gas chromatography-mass spectrometry and liquid chromatography atmospheric pressure chemical ionisation tandem mass spectrometry 663(1995)275
- Frazier, D., see Cox, S. 657(1994)243
- Freeman, K.B., Anliker, S., Hamilton, M., Osborne, D., Dhahir, P.H., Nelson, R. and Allerheiligen, S.R.B.
Validated assays for the determination of gemcitabine in human plasma and urine using high-performance liquid chromatography with ultraviolet detection 665(1995)171
- Freeman, S.G., see Karle, J.M. 670(1995)251
- Fregni, R., see Volpi, N. 669(1995)197
- Freschi, A., see Robieux, I. 675(1996)183
- Freysz, N., see Liepkalns, V.A. 658(1994)223
- Frickel, C., see Belz, S. 661(1994)109
- Fridman, W.H., see Sautès, C. 662(1994)197
- Fried, K.M. and Wainer, I.W.
Direct determination of tamoxifen and its four major metabolites in plasma using coupled column high-performance liquid chromatography 655(1994)261
- Friedlander, M., see Wu, Y.C. 667(1995)328
- Frignani, S., see Abbiati, G. 656(1994)303
- Friis, J.M., see Staton, B.A. 668(1995)99
- Fritsch, M., see Wieder, T. 652(1994)9
- Fröhlich, A., see Zucchetti, M. 654(1994)97
- Froines, J.R., see Wilson, P.M. 667(1995)166
- Frölich, J.C., see Tsikas, D. 661(1994)185
- Frölich, J.C., see Tsikas, D. 667(1995)209
- Fromm, M.F., see Hofmann, U. 663(1995)59
- Fronticelli, C., see Chiancone, E. 664(1995)89
- Fuchs, S., see Pienimäki, P. 673(1995)97
- Fuhr, U., see Bogan, D.P. 663(1995)371
- Fujii, E., Iwase, H., Ishii-Karakasa, I., Yajima, Y. and Hotta, K.
Quantitation of the glycation intermediate 3-deoxyglucosone by oxidation with rabbit liver oxoaldehyde dehydrogenase to 2-keto-3-deoxygluconic acid followed by high-performance liquid chromatography 660(1994)265
- Fujii, S., see Ishiguro, H. 663(1995)35
- Fujisaki, M., see Kajita, M. 669(1995)345
- Fujita, K., see Hibiya, M. 672(1995)143
- Fujiwara, Y., see Sumiyoshi, H. 670(1995)309
- Fuller, H.D., see Gupta, R.N. 654(1994)205
- Funakoshi, K.-i., Yamashita, K., Chao, W.-f., Yamaguchi, M. and Yashiki, T.
High-performance liquid chromatographic determination of busulfan in human serum with on-line derivatization, column switching and ultraviolet absorbance detection 660(1994)200
- Furuno, K., Oishi, R., Gomita, Y. and Eto, K.
Simple and sensitive assay of zonisamide in human serum by high-performance liquid chromatography using a solid-phase extraction technique 656(1994)456

- Furuno, K., see Yamashita, S. 670(1995)354
 Furuta, T., see Ishii, K. 655(1994)300
 Futagami, K., see Otsubo, K. 669(1995)408
 Futani, S., Ubuka, T. and Abe, T.
 High-performance liquid chromatographic determination of hypotaurine and taurine after conversion to 4-dimethylaminoazobenzene-4'-sulfonyl derivatives and its application to the urine of cysteine-administered rats 660(1994)164
- G**
- Gaetani, Q., see Flamand, N. 656(1994)65
 Gaffney, P.J., see Raut, S. 660(1994)390
 Gagnon, J., see Pulido-Cejudo, G. 660(1994)37
 Gahan, L.R., see Wallis, S.C. 674(1995)306
 Gaillard, Y., Prévosto, J.-M., Cheminel, V., Soares, O. and Chaulet, J.-F.
 New solid-phase extraction for an improved high-performance liquid chromatographic procedure for the quantitation of halofantrine and monodesbutylhalofantrine in blood or plasma 668(1995)315
 Galinha, A., see Sautès, C. 662(1994)197
 Gallego, M., see Cárdenas, M.S. 672(1995)7
 Galletti, B., see De Witt, P. 657(1994)67
 Galletti, G.C., see Dinelli, G. 656(1994)275
 Galli Kienle, M., see Magni, F. 657(1994)1
 Gallion, C., see Levêque, D. 655(1994)320
 Gallo, J.M., see Qian, M. 666(1995)307
 Galtier, P., see Alvinerie, M. 674(1995)119
 Galzy, P., see Moreau, J.L. 656(1994)197
 Gambari, R., see Mischiati, C. 664(1995)303
 Gander, M., see Shen, F. 667(1995)291
 Gandhi, T.P., see Pandya, K.K. 667(1995)315
 Gao, Z., see Rajagopalan, P. 672(1995)119
 Garattini, E., see Dimitrova, B. 667(1995)301
 García, J.C., Blanco, L., McPherson, M., Leiva, A. and Maciás, R.
 High-performance liquid chromatographic determination of norepinephrine, epinephrine and dopamine in human foetal adrenal gland 656(1994)77
 García, L.L., Shihabi, Z.K. and Oles, K.
 Determination of gabapentin in serum by capillary electrophoresis 669(1995)157
 García, M., see Navajas, R. 673(1995)159
 García-Alvarez-Coque, M.C., see Simó-Alfonso, E.F. 670(1995)183
 García-Encina, G., Farrán, R., Puig, S., Serafini, M.T. and Martínez, L.
 Automated high-performance liquid chromatographic assay for lescopitron, a novel anxiolytic, in human plasma using on-line solid-phase extraction 670(1995)103
 García-Pérez, A.-I., see Lucas, L. 664(1995)137
 Gardana, C., see Pietta, P.G. 673(1995)75
 Gardner, J.J., see Baker, P.R. 667(1995)283
 Gardner, J.J., see Baker, P.R. 668(1995)59
 Garras, A., see Demoz, A. 667(1995)148
 Gasco-Lopez, A.I., see Santos-Montes, A. 652(1994)83
 Gasco-Lopez, A.I., see Santos-Montes, A. 657(1994)248
 Gastin, I., see Moutete, H.F. 664(1995)211
 Gastin, I., see Safi, A. 664(1995)253
 Gath, J., see Charles, B.G. 660(1994)186
 Gattoni, M., see Chiancone, E. 664(1995)89
 Gaucheron, F., Mollé, D., Léonil, J. and Maubois, J.-L.
 Selective determination of phosphopeptide β -CN(1-25) in a β -casein digest by adding iron: characterization by liquid chromatography with on-line electrospray-ionization mass spectrometric detection 664(1995)193
 Gazarian, M., see Klein, J. 655(1994)83
 Gazdag, M., see Görög, S. 659(1994)51
 Gechman, M., see Webb, L.E. 654(1994)257
 Geers, S.M., see Fisher, L.E. 665(1995)217
 Gehr, T.W.B., see Farthing, D. 653(1994)171
 Gehrke, C.W., see Kuo, K.C. 656(1994)295
 Gehrke, J.C., see Kuo, K.C. 656(1994)295
 Geiger, P.G., see Korytowski, W. 670(1995)189
 Geilen, C.C., see Wieder, T. 652(1994)9
 Geisslinger, G., Menzel, S. and Brune, K.
 Stereospecific determination of tiaprofenic acid in plasma: problems with drug degradation 675(1996)77
 Gelfi, C., Orsi, A., Righetti, P.G., Zanussi, M., Carrera, P. and Ferrari, M.
 Capillary zone electrophoresis in polymer networks of polymerase chain reaction-amplified oligonucleotides: the case of congenital adrenal hyperplasia 657(1994)201
 Gemeiner, P., see Mislovičová, D. 664(1995)145
 Gemperline, P.J., see Li, S. 655(1994)213
 Gent, W.L., see Seifart, H.I. 674(1995)269
 Gentile, M.M., see Tagliaro, F. 656(1994)107
 Gentili, D., see De Fusco, M. 664(1995)409
 Gentili, D., Zucchetti, M., Conter, V., Masera, G. and D'Incalci, M.
 Determination of L-asparagine in biological samples in the presence of L-asparaginase 657(1994)47
 Georgi, M., see Haber, H. 672(1995)179
 Gey, M.H. and Unger, K.K.
 Calculation of the molecular masses of two newly synthesized thermostable enzymes isolated from thermophilic microorganisms 666(1995)188
 Ghanayem, B.I., see Ferrala, N.F. 660(1994)291
 Gharbi, R., see Moussa, F. 667(1995)69
 Ghielmi, S., see Marigo, M. 656(1994)1
 Ghielmi, S., see Tagliaro, F. 656(1994)107
 Ghittori, S., see Maestri, L. 657(1994)111
 Ghodbane, S., see Thomas, B.R. 657(1994)383
 Giaccari, A., see Guarnieri, C. 656(1994)209
 Giardina, B., see Castagnola, M. 656(1994)87
 Giboudeau, J., see Dumas, F. 654(1994)276
 Gielen, B., see Leyssens, L. 654(1994)43
 Gilbert, P., see Dethy, J.-M. 654(1994)121
 Gilbertson, T.J., see Beconi-Barker, M.G. 673(1995)231
 Gill, R., see Cosby, S.H. 669(1995)229

- Gillespie, T.A., see Catlow, J.T. 668(1995)85
 Gillespie, T.A., see Cornpropst, J.D. 673(1995)67
 Gillespie, T.A., see Murphy, A.T. 668(1995)273
 Gillespie, W.R., see Stagni, G. 667(1995)349
 Gioacchini, A.M., see Roda, A. 665(1995)281
 Girault, J., Malgouyat, J.M., Longueville, D., Lecomte, G., Revaud, M. and Fourtillan, J.B.
 Quantitative measurement of a new synthetic tetrazepine derivative, BN50730, in human plasma and urine by combined liquid chromatography-negative chemical ionization mass spectrometry using a particle beam interface 658(1994)289
 Girelli, A.M., see Canepari, S. 656(1994)191
 Giroto, P., see Boschetti, E. 664(1995)225
 Giroto, P., see Santambieni, P. 664(1995)241
 Girotti, A.W., see Korytowski, W. 670(1995)189
 Gitzen, J., see Huang, T. 670(1995)323
 Giuliano, M., see Calvaruso, G. 660(1994)259
 Glinsky, G.V., see Kuo, K.C. 656(1994)295
 Godbillon, J., see Mangoni, P. 664(1995)393
 Godbillon, J., see Pommier, F. 654(1994)35
 Godbillon, J., see Pommier, F. 674(1995)155
 Godbillon, J., see Rouan, M.C. 658(1994)167
 Godbillon, J., see Rouan, M.C. 667(1995)307
 Godet, D., see Cardot, Ph.J.P. 654(1994)193
 Goernert, L., see Laganière, S. 660(1994)191
 Goldberg, R.J., see Anes, J.M. 660(1994)180
 Goldstein, D.S., see Holmes, C. 653(1994)131
 Goldwisch, A., see Guse, A.H. 672(1995)189
 Gómez, M., see Martín, I. 666(1995)101
 Gomita, Y., see Furuno, K. 656(1994)456
 Gomita, Y., see Yamashita, S. 670(1995)354
 Gondo, K., see Iwase, H. 655(1994)73
 Gondo, K., see Iwase, H. 660(1994)422
 González, M.L., Carnicero, M., De La Torre, R., Ortuño, J. and Segura, J.
 Influence of the injection technique on the thermal degradation of cocaine and its metabolites in gas chromatography 664(1995)317
 Gonzalez-Corbella, M.J., Lloberas-Blanch, N., Castellote-Bargallo, A.I., Lopez-Sabater, M.C. and Rivero-Urgell, M.
 Determination of α -tocopherol in plasma and erythrocytes by high-performance liquid chromatography 660(1994)395
 Gonzalo-Lumbreras, R., see Santos-Montes, A. 652(1994)83
 Gonzalo-Lumbreras, R., see Santos-Montes, A. 657(1994)248
 Gonzalo-Lumbreras, R., see Santos-Montes, A. 673(1995)27
 Goodnough, D.B., Lutz, M.P. and Wood, P.L.
 Rapid and sensitive procedure for the separation and quantitation of D- and L-serine in rat brain using gas chromatography-mass spectrometry 667(1995)223
 Goodnough, D.B., Lutz, M.P. and Wood, P.L.
 Separation and quantification of D- and L-phosphoserine in rat brain using $N\alpha$ -(2,4-dinitro-5-fluorophenyl)-L-alaninamide (Marfey's reagent) by high-performance liquid chromatography with ultraviolet detection 672(1995)290
 Goodwin, M., see Catlow, J.T. 668(1995)85
 Goossens, J.F., Leroux, F., Pommery, N., Pommery, J. and Hénichart, J.P.
 High-performance liquid chromatographic determination of cyclic 3',5'-AMP with fluorescence detection. Vasoactive intestinal peptide-induced modification of its concentration in neuroblastoma cells 657(1994)192
 Gopaul, N.K., see Nourooz-Zadeh, J. 654(1994)55
 Gopaul, N.K., see Nourooz-Zadeh, J. 667(1995)199
 Gordon, B.H., Bakes, D.M., Bennett, P., LeBras, B., Walther, B., Lucas, C., Marc, S. and Gouyette, A.
 Methods for the analysis of the new vinca alkaloid derivative, S 12363, in plasma by high-performance liquid chromatography with fluorescence detection 657(1994)163
 Gordon, J., see Pulido-Cejudo, G. 660(1994)37
 Gordon, J.D., see Yu, D. 666(1995)269
 Gori, G., Bartolucci, G.B., Sturaro, A., Parvoli, G., Doretta, L., Troiano, R. and Casetta, B.
 High-performance liquid chromatographic determination of urinary 2,5-hexanedione as mono-2,4-dinitrophenylhydrazone using ultraviolet detection 673(1995)165
 Görög, S. and Gazdag, M.
 Enantiomeric derivatization for biomedical chromatography (Review) 659(1994)51
 Gorrod, J.W., see Tomlinson, A.J. 657(1994)373
 Gorse, J., see Dickens, J.E. 657(1994)401
 Got, L., Gousson, T. and Delacoux, E.
 Simultaneous determination of retinyl esters and retinol in human livers by reversed-phase high-performance liquid chromatography 668(1995)233
 Gourdiere, B., see Mouchard-Delmas, C. 663(1995)390
 Gourmel, B., see Lefebvre, P. 666(1995)55
 Gousson, T., see Got, L. 668(1995)233
 Gouyette, A., see Gordon, B.H. 657(1994)163
 Grabs, A.J., see Wu, Z.-Y. 673(1995)267
 Graf, P., see Van Gijn, R. 667(1995)269
 Graham, M.A., see Aboagye, E.O. 672(1995)125
 Gramatté, T., see Oertel, R. 660(1994)353
 Granneman, G.R., see Karol, M.D. 668(1995)182
 Grauffel, C., see Seiler, N. 653(1994)87
 Graumann, K., see Koller, G. 664(1995)107
 Grav, H.J., Asiedu, D.K. and Berge, R.K.
 Gas chromatographic measurement of 3- and 4-thia fatty acids incorporated into various classes of rat liver lipids during feeding experiments 658(1994)1
 Graves, S.W. and Runyon, S.
 Determination of methyleugenol in rodent plasma by high-performance liquid chromatography 663(1995)255
 Grayeski, M.L., see Sandmann, B.W. 653(1994)123
 Green, S.V., see Walters, D.L. 670(1995)299
 Gregus, Z., see Madhu, C. 674(1995)193
 Greibrokk, T., see Brondz, I. 667(1995)161
 Grellet, J., Michel-Gueroult, P., Ducint, D. and Saux, M.C.
 Sensitive high-performance liquid chromatographic method for the determination of labelalol diastereoisomers in plasma samples without derivatization 652(1994)59

- Grem, J.L., see Takimoto, C.H. 655(1994)97
- Gremeau, I., Sautou, V., Pinon, V., Rivault, F. and Chopineau, J.
Solid-phase extraction of isosorbide dinitrate and two of its metabolites from plasma for gas chromatographic analysis 665(1995)399
- Gressier, B., see Faouzi, M.A. 664(1995)463
- Grevillot, G., see Simon, G. 664(1995)17
- Gribnau, F.W.J., see Russel, F.G.M. 661(1994)173
- Griego, J., see Dasgupta, A. 666(1995)63
- Grimaldi, F., see Rop, P.P. 661(1994)245
- Grimsrud, K., see Frantzen, F. 670(1995)37
- Grochow, L.B., see Anderson, L.W. 667(1995)247
- Grodnitskaya, E.I., see Volkov, S.K. 660(1994)405
- Groen, K., Zeijlmans, P.W.M., Burm, A.G.L. and Van Kleef, J.W.
Improved clean-up procedure for the high-performance liquid chromatographic assay of bupivacaine enantiomers in human plasma and ultrafiltrate in the nanogram per milliliter range 655(1994)163
- Grosse, J., see Mueller, R.K. 674(1995)1
- Grouls, R.J.E., Machielsens, E., Korsten, H.H.M., Hellebrekers, L.J., Breimer, D.D. and Ackerman, E.W.
Capillary gas chromatographic method for the determination of *n*-butyl-*p*-aminobenzoate and lidocaine in plasma samples 673(1995)51
- Grover, P.K., see Lal, J. 655(1994)142
- Grover, P.K., see Lal, J. 658(1994)193
- Grover, P.K., see Singh, S.K. 658(1994)198
- Grundy, J.S., Kherani, R. and Foster, R.T.
Sensitive high-performance liquid chromatographic assay for nifedipine in human plasma utilizing ultraviolet detection 654(1994)146
- Gryaznov, S.M., see DeDionisio, L. 669(1995)125
- Gu, X.S., see Mills, M.H. 658(1994)177
- Guarna, A., Danza, G., Bartolucci, G., Marrucci, A., Dini, S. and Serio, M.
Synthesis of 5,6,6-³H₃finasteride and quantitative determination of finasteride in human plasma at picogram level by an isotope-dilution mass spectrometric method 674(1995)197
- Guarnieri, C., Muscari, C., Stefanelli, C., Giaccari, A., Zini, M. and Di Biase, S.
Micellar electrokinetic capillary chromatography of 8-hydroxydeoxyguanosine and other oxidized derivatives of DNA 656(1994)209
- Gude, Th., Preiss, A. and Rubach, K.
Determination of chloramphenicol in muscle, liver, kidney and urine of pigs by means of immunoaffinity chromatography and gas chromatography with electron-capture detection 673(1995)197
- Guéant, J.L., see Moutete, H.F. 664(1995)211
- Gueant, J.-L., see Safi, A. 664(1995)253
- Guerin, M.D., see Jenkins, M.A. 662(1994)108
- Guerin, M.D., see Jenkins, M.A. 672(1995)241
- Guernet, M., see Cardot, Ph.J.P. 654(1994)193
- Guerrier, L., see Boschetti, E. 664(1995)225
- Guerrier, L., Flayeux, I., Boschetti, E. and Radosevich, M.B.
Specific sorbent to remove solvent-detergent mixtures from virus-inactivated biological fluids 664(1995)119
- Guichardant, M., Valette-Talbi, L., Cavadini, C., Crozier, G. and Berger, M.
Malondialdehyde measurement in urine 655(1994)112
- Guillaume, Y., see Peyrin, E. 672(1995)160
- Guillaume, Y., Peyrin, E. and Guinchard, C.
Rapid determination of sulbactam and tazobactam in human serum by high-performance liquid chromatography 665(1995)363
- Guillevin, L., see Belfayol, L. 663(1995)395
- Guinchard, C., see Guillaume, Y. 665(1995)363
- Guinchard, C., see Peyrin, E. 672(1995)160
- Guiso, G., see Dimitrova, B. 667(1995)301
- Guiso, G., Rambaldi, A., Dimitrova, B., Biondi, A. and Caccia, S.
Determination of orally administered all-trans-retinoic acid in human plasma by high-performance liquid chromatography 656(1994)239
- Guillon, J., Desage, M., Lepape, A., Degoute, C.S., Manchon, M. and Brazier, J.L.
Quantitation of propofol in whole blood by gas chromatography-mass spectrometry 669(1995)358
- Gunraj, P.E., see Jones, G.D. 661(1994)119
- Gupta, R.C., see Lal, J. 655(1994)142
- Gupta, R.C., see Lal, J. 658(1994)193
- Gupta, R.C., see Nagaraja, N.V. 664(1995)472
- Gupta, R.C., see Singh, S.K. 658(1994)198
- Gupta, R.C., see Singh, S.K. 670(1995)173
- Gupta, R.N.
Column liquid chromatographic determination of paroxetine in human serum using solid-phase extraction 661(1994)362
- Gupta, R.N.
Pharmaceutical and Biomedical Applications of Liquid Chromatography (edited by C.M. Riley, W.J. Lough and I.W. Wainer) (Book Review) 666(1995)194
- Gupta, R.N.
Column liquid chromatographic determination of clozapine and N-desmethylclozapine in human serum using solid-phase extraction 673(1995)311
- Gupta, R.N. and Dauphin, A.
Column liquid chromatographic determination of bupivacaine in human serum using solid-phase extraction 658(1994)113
- Gupta, R.N., Fuller, H.D. and Dolovich, M.B.
Optimization of a column liquid chromatographic procedure for the determination of plasma salbutamol concentration 654(1994)205
- Gurley, B.J., Marx, M. and Olsen, K.
Phenytoin free fraction determination: comparison of an improved direct serum injection high-performance liquid chromatographic method to ultrafiltration coupled with fluorescence polarization immunoassay 670(1995)358
- Gurley, L.R., Umbarger, K.O., Kim, J.M., Bradbury, E.M. and Lehnert, B.E.
Development of a high-performance liquid chromatographic method for the analysis of staurosporine 670(1995)125

- Guse, A.H., Goldwisch, A., Weber, K. and Mayr, G.W.
Non-radioactive, isomer-specific inositol phosphate mass determinations: high-performance liquid chromatography–micro-metal–dye detection strongly improves speed and sensitivity of analyses from cells and micro-enzyme assays 672(1995)189
- Gutheil, J.C., see Zuhowski, E.G. 655(1994)147
- Gutiérrez Alvarez, M.D., see Blanco Gomis, D. 660(1994)49
- Gutnikov, G.
Fatty acid profiles of lipid samples 671(1995)71
- Gutzki, F.-M., see Tsikas, D. 661(1994)185
- Guyonnet, J., Richard, M. and Hellings, Ph.
Determination of fumagillin in muscle tissue of rainbow trout using automated ion-pairing liquid chromatography 666(1995)354
- Guzzetta, A.W., see Battersby, J.E. 662(1994)335
- H**
- Haagsma, N., see Hajee, C.A.J. 669(1995)219
- Haagsma, N., Scherpenisse, P., Simmonds, R.J., Wood, S.A. and Rees, S.A.
High-performance liquid chromatographic determination of spectinomycin in swine, calf and chicken plasma using post-column derivatization 672(1995)165
- Haase, A., see Wieder, T. 652(1994)9
- Haber, H., Henklein, P., Georgi, M. and Melzig, M.F.
Resolution of catecholic tetrahydroisoquinoline enantiomers and the determination of *R*- and *S*-salsolinol in biological samples by gas chromatography–mass spectrometry 672(1995)179
- Haddix, H., see Matuszewski, B.K. 653(1994)77
- Hadwiger, M.E., Telting-Diaz, M. and Lunte, C.E.
Liquid chromatographic determination of tacrine and its metabolites in rat bile microdialysates 655(1994)235
- Hadzija, B.W., see Ruddy, S.B. 657(1994)83
- Haegele, K.D., see Sanwald, P. 661(1994)101
- Haerdi, W., see Edder, P. 658(1994)75
- Hage, D.S., see Loun, B. 665(1995)303
- Hage, D.S., see Rollag, J. 663(1995)193
- Hahn, A., see Stein, J. 665(1995)71
- Hajee, C.A.J. and Haagsma, N.
Simultaneous determination of malachite green and its metabolite leucomalachite green in eel plasma using post-column oxidation 669(1995)219
- Haj-Yehia, A.I. and Benet, L.Z.
2-(4-*N*-Maleimidophenyl)-6-methoxybenzofuran: a superior derivatizing agent for fluorimetric determination of aliphatic thiols by high-performance liquid chromatography 666(1995)45
- Hakusui, H., see Aoki, H. 660(1994)365
- Hakusui, H., see Tanaka, M. 664(1995)401
- Hama, K., see Tsina, I. 675(1996)119
- Hamasaki, K., see Kondo, T. 666(1995)291
- Hamilton, C.L. and Kirkwood, J.A.
Column-switching high-performance liquid chromatographic method for the determination of a thymidylate synthase inhibitor, LY231514, an investigational agent for the treatment of solid tumors, in human plasma 654(1994)297
- Hamilton, M., see Freeman, K.B. 665(1995)171
- Hammarqvist, F., see Luo, J.-L. 670(1995)29
- Hammer, C.H., see Pilatte, Y. 668(1995)1
- Hammes, B., see Hammes, W. 670(1995)81
- Hammes, W., Hammes, B., Büchler, U., Paar, F. and Bökens, H.
Simultaneous determination of moexipril and moexiprilat, its active metabolite, in human plasma by gas chromatography–negative-ion chemical ionization mass spectrometry 670(1995)81
- Hamšíková, E., see Suttner, J. 656(1994)123
- Han, F., Fasching, J.L. and Brown, P.R.
Speciation of organotin compounds by capillary electrophoresis using indirect ultraviolet absorbance detection 669(1995)103
- Hanada, K., Nagai, N. and Ogata, H.
Quantitative determination of unchanged cisplatin in rat kidney and liver by high-performance liquid chromatography 663(1995)181
- Hanak, L., see Simon, G. 664(1995)17
- Hancock, W.S., see Battersby, J.E. 662(1994)335
- Hannah, R.E., see Hsu, L.C. 669(1995)85
- Hanocq, M., see Schenkel, E. 668(1995)189
- Hans, B., see Rickling, B. 670(1995)267
- Hänseler, E., see Rentsch, K.M. 673(1995)259
- Hansen, B.B. and Hansen, S.H.
Determination of zuclopenthixol and its main *N*-dealkylated metabolite in biological fluids using high-performance liquid chromatography with post-column photochemical derivatization and fluorescence detection 658(1994)319
- Hansen, E.L., see Elm, T. 665(1995)355
- Hansen, Jr., E.B., Dooley, K.L. and Thompson, Jr., H.C.
High-performance liquid chromatographic analysis of the antituberculosis drugs aconiazide and isoniazid 670(1995)259
- Hansen, S.H., see Christensen, E.B. 670(1995)243
- Hansen, S.H., see Hansen, B.B. 658(1994)319
- Hansen-Møller, J.
Rapid high-performance liquid chromatographic method for simultaneous determination of androstene, skatole and indole in back fat from pigs 661(1994)219
- Hansson, A.G., Mitchell, S., Jatlow, P. and Rainey, P.M.
Rapid high-performance liquid chromatographic assay for atovaquone 675(1996)180
- Hara, K., see Hieda, Y. 667(1995)241
- Harada, M., see Adachi, T. 668(1995)327
- Harada, M., see Suzawa, Y. 670(1995)152
- Harada, T., see Inoue, S. 661(1994)15
- Harcouet, L., see Camus, F. 656(1994)383

- Harima, N., see Mizugaki, M. 658(1994)11
- Harker, A.J., Evans, G.L., Hawley, A.E. and Morris, D.M.
High-performance liquid chromatographic assay for 2'-deoxy-3'-thiacytidine in human serum 657(1994)227
- Harker, A.J., see Stubbs, R.J. 670(1995)279
- Harper, S.B., Hurst, W.J. and Lang, C.M.
Use of capillary electrophoresis-isoelectric focusing for the determination of bovine hemoglobin variants 657(1994)339
- Harris, A.J., see Ayrton, J. 667(1995)173
- Harrison, F., see Döppenschmitt, S.A. 674(1995)237
- Harrison, L.I., see Cooper, K.M. 667(1995)85
- Hartwick, R.A., see Sun, P. 661(1994)335
- Haruki, S., see Iwata, K. 667(1995)339
- Harumi, T., Akutsu, H. and Matsushima, S.
Simultaneous determination of serotonin, N-acetylserotonin and melatonin in the pineal gland of the juvenile golden hamster by high-performance liquid chromatography with electrochemical detection 675(1996)152
- Harvey, R., see Cox, S. 657(1994)243
- Harvey-Clark, C., see Szeitz, A. 675(1996)33
- Hasinoff, B.B.
Quantitation of the dexrazoxane hydrolysis product ADR-925 by fluorescence detection of its terbium(III) complex after high-performance liquid chromatographic separation 656(1994)451
- Hata, S., see Takano, T. 656(1994)353
- Hata, S., see Takenaga, N. 674(1995)111
- Hathout, Y., Maume, G. and Maume, B.F.
High-performance liquid chromatographic study of the regulation of phospholipid metabolism in cultured adrenocortical cells 652(1994)1
- Hatsushika, S., see Tazuma, S. 653(1994)1
- Hattori, H., see Seno, H. 673(1995)189
- Haupt, K., see Bueno, S.M.A. 667(1995)57
- Haupt, K., Bueno, S.M.A. and Vijayalakshmi, M.A.
Interaction of human immunoglobulin G with L-histidine immobilized onto poly(ethylene vinyl alcohol) hollow-fiber membranes 674(1995)13
- Hauser, G., see Liepkalns, V.A. 658(1994)223
- Hautem, J.-Y., see Moussa, F. 667(1995)69
- Havránek, E., see Valášková, I. 674(1995)310
- Hawley, A.E., see Harker, A.J. 657(1994)227
- Hayakawa, T., see Kawasaki, N. 656(1994)436
- Hayashi, H., see Iwaki, M. 661(1994)154
- Hayashi, T., Amino, M., Uchida, G. and Sato, M.
High-performance liquid chromatographic determination of primary aromatic amines in urine after derivatization to an azo dye with 2-aminoanthracene 665(1995)209
- Hayball, P.J., Holman, J.W. and Nation, R.L.
Influence of octanoic acid on the reversible protein binding of ketorolac enantiomers to human serum albumin (HSA): comparative liquid chromatographic studies using a HSA chiral stationary phase 662(1994)128
- He, B., see Yoshida, T. 655(1994)179
- He, H., Edeki, T.I. and Wood, A.J.J.
Determination of low plasma timolol concentrations following topical application of timolol eye drops in humans by high-performance liquid chromatography with electrochemical detection 661(1994)351
- Heath, T.G., Massad, D.D., Carroll, J.I., Mathews, B.S., Chang, J., Scott, D.O., Kuo, B.-S. and Toren, P.C.
Quantification of a dual angiotensin I-converting enzyme-neutral endopeptidase inhibitor and the active thiol metabolite in dog plasma by high-performance liquid chromatography with ultraviolet absorbance detection 670(1995)91
- Hege, H.G., see Velic, I. 666(1995)139
- Heggli, D.-E., see Frantzen, F. 670(1995)37
- Heinig, R.
Determination of BAY x 7195, a novel leukotriene D₄ antagonist, in human plasma by high-performance liquid chromatography with post-column photo derivatisation and fluorescence detection 667(1995)137
- Heinig, R., Muschalek, V. and Ahr, G.
Determination of the enantiomers of nisoldipine in human plasma using high-performance liquid chromatography on a chiral stationary phase and gas chromatography with mass-selective detection 655(1994)286
- Heintze, and Schultz, G.
High-performance liquid chromatographic determination of 3-hydroxy-3-methylglutaryl coenzyme A as diphenacyl ester of 3-hydroxy-3-methylglutarate 655(1994)117
- Hekster, Y.A., see Vree, T.B. 652(1994)161
- Hellebrekers, L.J., see Grouls, R.J.E. 673(1995)51
- Hellemann, C., see Lintelmann, J. 660(1994)67
- Heller, A., see Huang, T. 670(1995)323
- Hellgren, U., see Wallén, L. 655(1994)153
- Hellings, Ph., see Guyonnet, J. 666(1995)354
- Helson-Cambier, M., see Schenkel, E. 668(1995)189
- Hempel, G. and Blaschke, G.
Direct determination of zolpidem and its main metabolites in urine using capillary electrophoresis with laser-induced fluorescence detection 675(1996)131
- Hempel, G. and Blaschke, G.
Enantioselective determination of zopiclone and its metabolites in urine by capillary electrophoresis 675(1996)139
- Hendrickson, T.L. and Wilson, G.S.
Improved clean-up method for the enkephalins in plasma using immunoaffinity chromatography 653(1994)147
- Hendriks, L., see Leyssens, L. 654(1994)43
- Hendrikz, S.E., see Van der Merwe, P.J. 661(1994)357
- Hendrikz, S.E., see Van der Merwe, P.J. 663(1995)160
- Hénichart, J.P., see Goossens, J.F. 657(1994)192
- Henklein, P., see Haber, H. 672(1995)179
- Henrar, R.E.C., see Van Tellingen, O. 652(1994)51
- Henry, P., see Renard, L. 657(1994)219
- Henze, G., see Belz, S. 661(1994)109
- Heo, G.S., see Kim, D.H. 655(1994)1
- Hernandez, R.H., see Falcó, P.C. 663(1995)235
- Herráez-Hernández, R., see Campíns-Falcó, P. 654(1994)85

- Herráez-Hernández, R., Soriano-Vega, E. and Campíns-Falcó, P.
High-performance liquid chromatographic determination of spironolactone and its major metabolite canrenone in urine using ultraviolet detection and column-switching 658(1994)303
- Herráez-Hernández, R., Van de Merbel, N.C. and Brinkman, U.A.Th.
Determination of the total concentration of highly protein-bound drugs in plasma by on-line dialysis and column liquid chromatography: application to non-steroidal anti-inflammatory drugs 666(1995)127
- Hervé, C., Beyne, P. and Delacoux, E.
Determination of thiamine and its phosphate esters in human erythrocytes by high-performance liquid chromatography with isocratic elution 653(1994)217
- Hervé, C., Beyne, P., Jamault, H. and Delacoux, E.
Determination of tryptophan and its kynurenine pathway metabolites in human serum by high-performance liquid chromatography with simultaneous ultraviolet and fluorimetric detection 675(1996)157
- Hervé, F., see Millot, M.-C. 664(1995)55
- Heskamp, H.H., see Van Rhijn, J.A. 665(1995)395
- Hesse, A., see Bongartz, D. 673(1995)223
- Hessels, J., see Muskiet, F.A.J. 667(1995)189
- Hetherington, C.S., see Dyer, R.G. 663(1995)1
- Hewitt, S.A., see Balizs, G. 661(1994)75
- Hibiya, M., Teradaira, R., Sugimoto, T., Fujita, K. and Nagatsu, T.
Simultaneous determination of N²-(3-aminopropyl)biopterin (oncopterin), biopterin and neopterin by high-performance liquid chromatography with fluorescence detection 672(1995)143
- Hidaka, T., see Hosoe, K. 653(1994)177
- Hidaka, Y., see Nakashima, K. 661(1994)205
- Hiddemann, W., see Ramsauer, B. 665(1995)183
- Hiddemann, W., see Schleyer, E. 669(1995)319
- Hieda, Y., Kashimura, S., Hara, K. and Kageura, M.
Highly sensitive and rapid determination of theophylline, theobromine and caffeine in human plasma and urine by gradient capillary high-performance liquid chromatography–frit-fast atom bombardment mass spectrometry 667(1995)241
- Higuchi, S., see Usui, T. 652(1994)67
- Hillaire-Buys, D., see Cociglio, M. 674(1995)101
- Hillebrand, M.J.X., see Van Gijn, R. 667(1995)269
- Hindsgaul, O., see Zhao, J.Y. 657(1994)307
- Hines, H.B., see Stafford, R.G. 657(1994)119
- Hino, H., see Tazuma, S. 653(1994)1
- Hinrichs, S.H., see Ebeler, S.E. 654(1994)9
- Hinsdale, M.E., see Shihabi, Z.K. 669(1995)75
- Hinsdale, M.E., see Shihabi, Z.K. 669(1995)163
- Hirano, N., see Tazuma, S. 653(1994)1
- Hirano, T., see Chiba, K. 668(1995)77
- Hiraoka, B.Y., see Suzawa, Y. 670(1995)152
- Hiraoka, M., see Shimizu, T. 674(1995)77
- Hirata, H., Kasama, T., Sawai, Y. and Fike, R.R.
Simultaneous determination of deflazacort metabolites II and III, cortisol, cortisone, prednisolone and prednisone in human serum by reversed-phase high-performance liquid chromatography 658(1994)55
- Hirata, M., see Miyajima, K. 654(1994)165
- Hirobe, M., see Takahara, E. 658(1994)154
- Hirose, T., see Iwata, T. 654(1994)171
- Hirsch, I., see Liška, V. 656(1994)127
- Hishinuma, T., see Mizugaki, M. 658(1994)11
- Hjertén, S., see Li, Y.-M. 664(1995)426
- Hlaváček, J., see Kašička, V. 656(1994)99
- Ho, Y., Lee, Y.-L. and Hsu, K.-Y.
Determination of (+)-catechin in plasma by high-performance liquid chromatography using fluorescence detection 665(1995)383
- Hobbs, G.J., see Mason, J.L. 665(1995)410
- Hobbs, G.J., see Mason, J.L. 667(1995)361
- Hodgson, D., see Varelis, P. 660(1994)151
- Hoff, T.A., see Jones, G.D. 661(1994)119
- Hoffer, L., Schwinn, H., Biesert, L. and Josic, D.
Improved virus safety and purity of a chromatographically produced Factor IX concentrate by nanofiltration 669(1995)187
- Höflich, G., see Bagli, M. 657(1994)141
- Hofmann, U., see Bohnenstengel, F. 672(1995)271
- Hofmann, U., see Engel, G. 666(1995)111
- Hofmann, U., Fromm, M.F., Johnson, S. and Mikus, G.
Simultaneous determination of dihydrocodeine and dihydromorphine in serum by gas chromatography–tandem mass spectrometry 663(1995)59
- Hogenboom, A.C., see Aerts, M.M.L. 667(1995)1
- Höld, K.M., De Boer, D., Zuidema, J. and Maes, R.A.A.
Evaluation of the Salivette as sampling device for monitoring β -adrenoceptor blocking drugs in saliva 663(1995)103
- Holladay, J.W., see Yoo, S.D. 668(1995)338
- Holm, K.A., see Kapil, R.P. 665(1995)226
- Holmalahiti, J., see Pesonen, T. 665(1995)222
- Holman, J.W., see Hayball, P.J. 662(1994)128
- Holmes, C., Eisenhofer, G. and Goldstein, D.S.
Improved assay for plasma dihydroxyphenylacetic acid and other catechols using high-performance liquid chromatography with electrochemical detection 653(1994)131
- Holsbeke, M., see Kuo, K.C. 656(1994)295
- Holt, J.C., see Clerc, F.F. 662(1994)245
- Holtz, M.-C., see Zhao, M.-J. 656(1994)441
- Hommel, F.A., see Arthur, K. 673(1995)132
- Honda, A., see Yoshida, T. 655(1994)179
- Honda, M., see Yoshida, K.-i. 672(1995)45
- Hooijerink, H., Schilt, R., Van Bennekom, E.O. and Huf, F.A.
Determination of beta-sympathomimetics in liver and urine by immunoaffinity chromatography and gas chromatography–mass-selective detection 660(1994)303
- Hooper, W.D. and Baker, P.V.
Enantioselective analysis of sotalol in plasma by reversed-phase high-performance liquid chromatography using diastereomeric derivatives 672(1995)89
- Hoops, A., see Sun, P. 661(1994)335
- Hoppel, C.L., see Ingalls, S.T. 666(1995)1
- Hoppel, C.L., see Minkler, P.E. 652(1994)119
- Horie, M., see Saito, K. 654(1994)270

- Horie, M., Saito, K., Nose, N. and Nakazawa, H.
Simultaneous determination of benofloxacin, danofloxacin, enrofloxacin and ofloxacin in chicken tissues by high-performance liquid chromatography 653(1994)69
- Horie, M., Saito, K., Nose, N., Oka, H. and Nakazawa, H.
Determination of mirosamicin in animal tissues by high-performance liquid chromatography 655(1994)47
- Horie, T., see Tokumura, T. 658(1994)202
- Horii, H., see Chiba, K. 668(1995)77
- Horikawa, K., see Tazuma, S. 653(1994)1
- Horike, N., see Ishida, J. 669(1995)390
- Hornish, R.E., Cazars, A.R., Chester, Jr., S.T. and Roof, R.D.
Identification and determination of pirlimycin residue in bovine milk and liver by high-performance liquid chromatography-thermospray mass spectrometry 674(1995)219
- Hornstra, G., see Van Haaster, C.M.C.J. 657(1994)261
- Horowitz, B., see Zuk, M.M. 673(1995)320
- Horvath, J., see Boschetti, E. 664(1995)225
- Hoshino, M., see Matsui, E. 668(1995)299
- Hoshino, M., Yajima, K., Suzuki, Y. and Okahira, A.
Determination of nadolol diastereomers in dog plasma using chiral derivatization and reversed-phase high-performance liquid chromatography with fluorescence detection 661(1994)281
- Hosoe, K., Konishi, E., Hidaka, T., Yamane, T., Yamashita, K. and Ohashi, T.
High-performance liquid chromatographic determination of 3'-hydroxy-5'-(4-isobutyl-1-piperazinyl)benzoxazinorifamycin (KRM-1648) and its deacetyl metabolite in plasma, whole blood, urine and tissue samples in rats 653(1994)177
- Hosoya, Y., see Yoshida, K.-i. 672(1995)45
- Hotta, K., see Fujii, E. 660(1994)265
- Hoving, E.B.
Chromatographic methods in the analysis of cholesterol and related lipids 671(1995)341
- Howald, W.N., see Neal, J.M. 661(1994)263
- Howell, S.E., Miller, S.R., McCallister, J.D., Cherkofsky, S.C. and Patrick, K.S.
Gas chromatographic-mass spectrometric determination of urinary 1-aminocyclopropanecarboxylic acid in mice using a deuterated internal standard 663(1995)148
- Hradec, J. and Dufek, P.
Determination of cholesteryl 14-methylhexadecanoate in blood serum by reversed-phase high-performance liquid chromatography 660(1994)386
- Hsieh, J.Y.-K., see Dru, J.D.-Y. 666(1995)259
- Hsieh, J.Y.-K., Lin, C. and Matuszewski, B.K.
Robotic sample preparation and high-performance liquid chromatographic analysis of verlukast in human plasma 661(1994)307
- Hsu, C.-y.L. and Walters, R.R.
Assay of the enantiomers of ibutilide and artilide using solid-phase extraction, derivatization, and achiral-chiral column-switching high-performance liquid chromatography 667(1995)115
- Hsu, F.-F., see Mattammal, M.B. 658(1994)21
- Hsu, K.-Y., see Ho, Y. 665(1995)383
- Hsu, K.-Y., see Uang, Y.-S. 673(1995)43
- Hsu, L.C., Constable, D.J.C., Orvos, D.R. and Hannah, R.E.
Comparison of high-performance liquid chromatography and capillary zone electrophoresis in penciclovir biodegradation kinetic studies 669(1995)85
- Hsu, S.-Y., see Ko, H.-C. 655(1994)27
- Hsyu, P.-H. and Lloyd, T.L.
Automated high-performance liquid chromatographic analysis of (-)-2'-deoxy-3'-thiacytidine in biological fluids using the automated sequential trace enrichment of dialysate systems 655(1994)253
- Hu, O.Y.-P., Wu, C.-Y., Chan, W.-K. and Wu, F.Y.-H.
Determination of anticancer drug vitamin K₃ in plasma by high-performance liquid chromatography 666(1995)299
- Hu, X., see Liu, F. 662(1994)123
- Hu, X.-y., see Luo, Y. 667(1995)344
- Huang, C.C., see Lin, J.D. 667(1995)153
- Huang, J.L., Mather, L.E. and Duke, C.C.
High-performance liquid chromatographic determination of thiopentone enantiomers in sheep plasma 673(1995)245
- Huang, J.L., see Mills, M.H. 658(1994)177
- Huang, S.-L., see Xie, H.-G. 668(1995)125
- Huang, S.-M., see Emm, T.A. 675(1996)273
- Huang, S.-M., see Wu, S.T. 657(1994)254
- Huang, T., Yang, L., Gitzen, J., Kissinger, P.T., Vreeke, M. and Heller, A.
Detection of basal acetylcholine in rat brain microdialysate 670(1995)323
- Hubbard, V.L., see Beconi-Barker, M.G. 673(1995)231
- Huber, J.F.K. and Lamprecht, G.
Assay of neopterin in serum by means of two-dimensional high-performance liquid chromatography with automated column switching using three retention mechanisms 666(1995)223
- Hubert, E., see Santambien, P. 664(1995)241
- Hue, B., see Lefebvre, P. 666(1995)55
- Huebert, N.D., see Sanwald, P. 661(1994)101
- Huebert, N.D., see Sanwald, P. 672(1995)207
- Huf, F.A., see Hooijerink, H. 660(1994)303
- Huffmon III, G.V., see Lee, H.G. 667(1995)259
- Hufschmid, E., see Caslavská, J. 656(1994)219
- Hufschmid, E., Theurillat, R., Martin, U. and Thormann, W.
Exploration of the metabolism of dihydrocodeine via determination of its metabolites in human urine using micellar electrokinetic capillary chromatography 668(1995)159
- Hugenell, N., see Zhao, M.-J. 656(1994)441
- Hughes, D.E.
Capillary electrophoretic examination of underivatized O-linked and N-linked oligosaccharide mixtures and immunoglobulin G antibody-released oligosaccharide libraries 657(1994)315
- Hughes, M.F., see Stýblo, M. 668(1995)21
- Huinck, M.P.L., see Van Eijk, H.M.H. 660(1994)251

- Huizing, M.T., Sparreboom, A., Rosing, H., Van Tellingen, O., Pinedo, H.M. and Beijnen, J.H. Quantification of paclitaxel metabolites in human plasma by high-performance liquid chromatography 674(1995)261
- Huizing, M.T., Rosing, H., Koopman, F., Keung, A.C.F., Pinedo, H.M. and Beijnen, J.H. High-performance liquid chromatographic procedures for the quantitative determination of paclitaxel (Taxol) in human urine 664(1995)373
- Hulse, J.D., see Naidong, W. 654(1994)287
- Hültner, L., see Egger, D. 662(1994)103
- Humbert, H., see Denouël, J. 663(1995)353
- Hummert, C., Luckas, B. and Siebenlist, H. Determination of chloramphenicol in animal tissue using high-performance liquid chromatography with a column-switching system and ultraviolet detection 668(1995)53
- Humphrey, J.H., see Shi, H. 665(1995)89
- Huo, J.-Z., Van Bocxlaer, J., Lambert, W.E. and De Leenheer, A.P. Determination of embutramide in biological matrices by gas chromatography with nitrogen-phosphorus detection 661(1994)69
- Hurlbut, J.A., see Turnipseed, S.B. 670(1995)55
- Hurst, W.J., see Harper, S.B. 657(1994)339
- Hušek, P. Simultaneous profile analysis of plasma amino and organic acids by capillary gas chromatography 669(1995)352
- Hušek, P. and Liebich, H.M. Organic acid profiling by direct treatment of deproteinized plasma with ethyl chloroformate 656(1994)37
- Hussain, M.S., Chukwumaeze-Obiajunwa, V. and Micetich, R.G. Sensitive high-performance liquid chromatographic assay for norfloxacin utilizing fluorescence detection 663(1995)379
- Husseini, H., Mitrovic, V. and Schlepfer, M. Determination of monoamine oxidase B activity by high-performance liquid chromatography with electrochemical detection 672(1995)138
- Hutchaleelaha, A., Walters, A., Chow, H.-H. and Mayersohn, M. Sensitive enantiomer-specific high-performance liquid chromatographic analysis of methamphetamine and amphetamine from serum using precolumn fluorescent derivatization 658(1994)103
- Huwylar, J., Rufer, S., Küsters, E. and Drewe, J. Rapid and highly automated determination of morphine and morphine glucuronides in plasma by on-line solid-phase extraction and column liquid chromatography 674(1995)57
- Huxtable, R.J., see Yan, C.C. 672(1995)217
- I
- Igwemezie, L., see Kwok, D.K.W. 661(1994)271
- IJzerman, A.P., see Irth, H. 658(1994)207
- Ikeda, M., see Sormiachi, K. 664(1995)435
- Ikeda, T., see Sueyasu, M. 665(1995)133
- Ikeya, Y., see Ono, H. 674(1995)293
- Ikuta, M., see Iwase, H. 663(1995)15
- Imai, J., Murayama, K., Kawai, M., Yamaguchi, S. and Matsuura, K. Determination of 8-methyl ether of xanthurenic acid in human urine by high-performance liquid chromatography 661(1994)149
- Imaz, C., see Navajas, R. 673(1995)159
- Imbriani, M., see Maestri, L. 657(1994)111
- Ingalls, S.T., see Minkler, P.E. 652(1994)119
- Ingalls, S.T., Xu, Y. and Hoppel, C.L. Determination of plasma non-esterified fatty acids and triglyceride fatty acids by gas chromatography of their methyl esters after isolation by column chromatography on silica gel 666(1995)1
- Inokuma, M., see Inoue, S. 661(1994)15
- Inoue, S., Inokuma, M., Harada, T., Shibutani, Y., Yoshitake, T., Charles, B., Ishida, J. and Yamaguchi, M. Simultaneous high-performance liquid chromatographic determination of 6 β -hydroxycortisol and cortisol in urine with fluorescence detection and its application for estimating hepatic drug-metabolizing enzyme induction 661(1994)15
- Inubushi, M., see Tanaka, E. 673(1995)147
- Iossi, M.F., see Ji, A.J. 669(1995)15
- Irth, H., Cleton, A., Mathôt, R.A.A., Danhof, M., IJzerman, A.P., Tjaden, U.R. and Van der Greef, J. Liquid chromatographic determination of the adenosine receptor agonist CGS 21680 in blood using on-line solid-phase extraction on a phenylboronic acid support and fluorescence detection 658(1994)207
- Irth, H., see Oosterkamp, A.J. 653(1994)55
- Iseki, K., see Kishino, S. 672(1995)199
- Ishibashi, M., see Mizugaki, M. 658(1994)11
- Ishida, H., see Shimizu, M. 672(1995)63
- Ishida, J., Horike, N. and Yamaguchi, M. Determination of maprotiline in plasma by high-performance liquid chromatography with chemiluminescence detection 669(1995)390
- Ishida, J., see Inoue, S. 661(1994)15
- Ishida, M., Tsuda, Y., Onuki, Y., Itoh, T., Shimada, H. and Yamada, H. Determination of carbenicillin epimers in plasma and urine with high-performance liquid chromatography 652(1994)43
- Ishiguro, H., Kawata, S., Yamasaki, E., Matsuda, Y., Fujii, S. and Matsuzawa, Y. High-performance liquid chromatographic assay for farnesyl-protein transferase activity with dabsylated peptide 663(1995)35

- Ishii, A., see Seno, H. 673(1995)189
- Ishii, K., Urano, S., Furuta, T. and Kasuya, Y.
Determination of rhoifolin and daidzin in human plasma by high-performance liquid chromatography 655(1994)300
- Ishii, Y., see Takenaga, N. 674(1995)111
- Ishii-Karakasa, I., see Fujii, E. 660(1994)265
- Ishikawa, F., see Matsumoto, M. 663(1995)217
- Ishizaki, T., see Chiba, K. 668(1995)77
- Isojärvi, J., see Pienimäki, P. 673(1995)97
- Issaq, H.J.
Foreword 657(1994)263
- Issaq, H.J.
Foreword 669(1995)1
- Issaq, H.J., see Chan, K.C. 657(1994)301
- Issaq, H.J., see Janini, G.M. 657(1994)419
- Issaq, H.J., see Lurie, I.S. 669(1995)3
- Isselhard, W., see Minor, T. 670(1995)332
- Ithakissios, D.S., see Livaniou, E. 656(1994)215
- Ithakissios, D.S., see Roboti, A. 662(1994)27
- Ito, K., see Mizugaki, M. 658(1994)11
- Ito, T., Kidouchi, K., Sugiyama, N., Kajita, M., Chiba, T., Niwa, T. and Wada, Y.
Liquid chromatographic-atmospheric pressure chemical ionization mass spectrometric analysis of glycine conjugates and urinary isovalerylglycine in isovaleric acidemia 670(1995)317
- Ito, T., Murata, H., Yasui, Y., Matsui, M., Sakai, T. and Yamauchi, K.
Simultaneous determination of ascorbic acid and dehydroascorbic acid in fish tissues of high-performance liquid chromatography 667(1995)355
- Ito, Y., see Shibusawa, Y. 664(1995)295
- Itoh, F., see Figg, W.D. 652(1994)187
- Itoh, M., see Suzuki, K.T. 666(1995)13
- Itoh, M., see Suzuki, K.T. 670(1995)63
- Itoh, T., see Ishida, M. 652(1994)43
- Ivanov, A.E., see Klyushnichenko, V.E. 662(1994)363
- Ivanov, A.E., Zhigis, L.S., Rapoport, E.M., Lisyutina, O.E. and Zubov, V.P.
Characterization of weak hydrophobic composite sorbents and their application to the isolation of bacterial lectin 664(1995)219
- Ivanov, S., see Polanuer, B. 656(1994)81
- Ivanova, T.V., see Rumiantsev, D.O. 674(1995)301
- Iwaki, M., Ogiso, T., Hayashi, H., Lin, E.T. and Benet, L.Z.
Simultaneous measurement of nicotinic acid and its major metabolite, nicotinuric acid in urine using high-performance liquid chromatography: application of solid-liquid extraction 661(1994)154
- Iwasaki, M., see Yonekura, S. 654(1994)19
- Iwasaki, Y., see Shimizu, M. 672(1995)63
- Iwase, H., see Fujii, E. 660(1994)265
- Iwase, H., Gondo, K., Koike, T. and Ono, I.
Novel precolumn deproteinization method using a hydroxyapatite cartridge for the determination of theophylline and diazepam in human plasma by high-performance liquid chromatography with ultraviolet detection 655(1994)73
- Iwase, H., Gondo, K., Koike, T. and Ono, I.
Novel precolumn deproteinization method using a hydroxyapatite cartridge for the determination of theophylline and diazepam in human plasma by high-performance liquid chromatography with ultraviolet detection [J. Chromatogr. B, 655 (1994) 73-81] 660(1994)422
- Iwase, H. and Ono, I.
Determination of ascorbic acid in human plasma by high-performance liquid chromatography with electrochemical detection using a hydroxyapatite cartridge for precolumn deproteinization 655(1994)195
- Iwase, H., Ozawa, S., Ikuta, M. and Ono, I.
Determination of amino acids in human plasma by liquid chromatography with postcolumn ninhydrin derivatization using a hydroxyapatite cartridge for precolumn deproteinization 663(1995)15
- Iwata, K., Haruki, S. and Kimura, T.
High-performance liquid chromatographic determination of diadenosine 5',5'''-p¹,p⁴-tetrphosphate with precolumn fluorescence derivatization and its application to metabolism study in whole blood 667(1995)339
- Iwata, T., Hirose, T., Nakamura, M. and Yamaguchi, M.
Determination of urinary glucuronide conjugates by high-performance liquid chromatography with precolumn fluorescence derivatization 654(1994)171
- Izquierdo-Hornillos, R., see Santos-Montes, A. 652(1994)83
- Izquierdo-Hornillos, R., see Santos-Montes, A. 657(1994)248
- Izquierdo-Hornillos, R., see Santos-Montes, A. 673(1995)27

J

- Jacob III, P., Tisdale, E.C., Panganiban, K., Cannon, D., Zabel, K., Mendelson, J.E. and Jones, R.T.
Gas chromatographic determination of methamphetamine and its metabolite amphetamine in human plasma and urine following conversion to N-propyl derivatives 664(1995)449
- Jakobsson, E., see Weistrand, C. 669(1995)207
- Jamault, H., see Hervé, C. 675(1996)157
- Jamdar, S., see Virag, L. 658(1994)135
- Jamison, K., see Pulido-Cejudo, G. 660(1994)37
- Janicki, P.K., Johnson, R. and Kambam, J.R.
Rapid determination of chlorprocaine and its major metabolite, 2-chloroaminobenzoic acid, in plasma by high-performance liquid chromatography 675(1996)336

- Janini, G.M., Chan, K.C., Muschik, G.M. and Issaq, H.J.
Analysis of nitrate and nitrite in water and urine by capillary zone electrophoresis 657(1994)419
- Janiszewski, J.S., Fouda, H.G. and Cole, R.O.
Development and validation of a high-sensitivity assay for an antipsychotic agent, CP-88,059, with solid-phase extraction and narrow-bore high-performance liquid chromatography 668(1995)133
- Jaquinod, M., see Bouchon, B. 662(1994)279
- Jardel, A., see Barra, J. 661(1994)178
- Jatlow, P., see Hansson, A.G. 675(1996)180
- Jeevaratnam, K., see Dangi, R.S. 661(1994)341
- Jeffcoat, A.R., see Thomas, B.F. 655(1994)201
- Jehl, F., see Levêque, D. 655(1994)320
- Jehl, F., see Levêque, D. 672(1995)314
- Jemal, M., Patel, A. and Teitz, D.S.
Direct injection for high sample throughput capillary gas chromatographic-mass spectrometric bioanalysis 666(1995)251
- Jen, J.-F. and Tsai, M.-Y.
Determination of phenol in urine by high-performance liquid chromatography with on-line precolumn enzymatic hydrolysis of the conjugates 658(1994)87
- Jeng, K.-F., Lin, Y.-H., Lin, L.-C., Chou, C.-J., Tsai, T.-H. and Chen, C.-F.
High-performance liquid chromatographic determination of evodiamine in rat plasma: application to pharmacokinetic studies 668(1995)343
- Jeng, L.B., see Lin, J.D. 667(1995)153
- Jenkins, M.A., Kulinskaya, E., Martin, H.D. and Guerin, M.D.
Evaluation of serum protein separation by capillary electrophoresis: prospective analysis of 1000 specimens 672(1995)241
- Jenkins, M.A., O'Leary, T.D. and Guerin, M.D.
Identification and quantitation of human urine proteins by capillary electrophoresis 662(1994)108
- Jensen, B.B., see Jensen, M.T. 655(1994)275
- Jensen, M.T. and Jensen, B.B.
Gas chromatographic determination of indole and 3-methylindole (skatole) in bacterial culture media, intestinal contents and faeces 655(1994)275
- Jensen, T.B. and Marley, P.D.
Development of an assay for histamine using automated high-performance liquid chromatography with electrochemical detection 670(1995)199
- Ji, A.J., Nunez, M.F., Machacek, D., Ferguson, J.E., Iossi, M.F., Kao, P.C. and Landers, J.P.
Separation of urinary estrogens by micellar electrokinetic chromatography 669(1995)15
- Jia, C., see Wang, X. 653(1994)98
- Jiang, Y., see Singh, A.K. 671(1995)255
- Jiaying, Z., Machida, Y., Sugahara, K. and Kodama, H.
Determination of D,L-propargylglycine and N-acetylpropargylglycine in urine and several tissues of D,L-propargylglycine-treated rats using liquid chromatography-mass spectrometry 660(1994)375
- Jiaying, Z., see Sugahara, K. 657(1994)15
- Jiménez, R.M., see Barroso, M.B. 675(1996)303
- Jiménez, R.M., see Maguregui, M.I. 674(1995)85
- Jimeno, P., see Lucas, L. 664(1995)137
- Jin, L. and Lau, C.E.
Determination of alprazolam and its major metabolites in serum microsomes by high-performance liquid chromatography and its application to pharmacokinetics in rats 654(1994)77
- Jirásková, M., see Tvřizcká, E. 656(1994)51
- Joelsson, M., see Johansson, G. 652(1994)137
- Johansen, K., see Krogh, M. 673(1995)299
- Johansen, K., Krogh, M., Andresen, A.T., Christophersen, A.S., Lehne, G. and Rasmussen, K.E.
Automated analysis of free and total concentrations of three antiepileptic drugs in plasma with on-line dialysis and high-performance liquid chromatography 669(1995)281
- Johansson, G., Olde, B. and Joelsson, M.
Effect of some poly(ethylene glycol)-bound and dextran-bound affinity ligands on the partition of synaptic membranes in aqueous two-phase systems 652(1994)137
- Johansson, M. and Bielenstein, M.
Determination of 4-hydroxycyclophosphamide in plasma, as 2,4-dinitrophenylhydrazone derivative of aldophosphamide, by liquid chromatography 660(1994)111
- Johansson, M., see Lövgren, U. 672(1995)33
- Johnson, M.G., see Staton, B.A. 668(1995)99
- Johnson, R., Christensen, J. and Lin, C.-C.
Sensitive gas-liquid chromatographic method for the determination of loratadine and its major active metabolite, descarboethoxyloratadine, in human plasma using a nitrogen-phosphorus detector 657(1994)125
- Johnson, R., see Janicki, P.K. 675(1996)336
- Johnson, S., see Bohnenstengel, F. 672(1995)271
- Johnson, S., see Hofmann, U. 663(1995)59
- Johnson, T., see Lee, J.W. 670(1995)287
- Johnston, J.J., Petty, E.E., Okuno, I. and Nolte, D.L.
Comparison of reversed-phase and ion-pair chromatography for the determination of strychnine in animal tissues 670(1995)73
- Jonáková, V., see Tichá, M. 656(1994)423
- Jones, A.
High-performance liquid chromatographic determination of iophenoxic acid in serum 654(1994)293
- Jones, A.W., Lagesson, V. and Tagesson, C.
Determination of isoprene in human breath by thermal desorption gas chromatography with ultraviolet detection 672(1995)1
- Jones, D.J. and Bjorksten, A.R.
Detection of ketorolac enantiomers in human plasma using enantioselective liquid chromatography 661(1994)165
- Jones, D.J., Nguyen, K.T., McLeish, M.J., Crankshaw, D.P. and Morgan, D.J.
Determination of (R)-(+)- and (S)-(-)-isomers of thiopentone in plasma by chiral high-performance liquid chromatography 675(1996)174
- Jones, E.L., see Müller, A. 666(1995)283

- Jones, G.D., Hoff, T.A., Gunraj, P.E., Facchini, V. and Chauhan, P.B.
Assay and single dose pharmacokinetics of a novel systemic acyl coenzyme A cholesterol O-acyltransferase inhibitor, RP 73163, in rat plasma using automated solid-phase extraction with high-performance liquid chromatography 661(1994)119
- Jones, G.P., see Birkett, A.M. 674(1995)187
- Jones, R.T., see Jacob III, P. 664(1995)449
- Jönsson, B.A.G., see Lindh, C.H. 660(1994)57
- Jorgenson, J.W., see Cooper, B.R. 653(1994)25
- Josefsson, M., Zackrisson, A.-L. and Norlander, B.
Sensitive high-performance liquid chromatographic analysis of amlodipine in human plasma with amperometric detection and a single-step solid-phase sample preparation 672(1995)310
- Joshi, A.S., Raghavan, N., Williams, R.M., Takahashi, K., Shingu, H. and King, S.-Y.P.
Simultaneous quantification of an anti-inflammatory compound (DuP 697) and a potential metabolite (X6882) in human plasma and urine by high-performance liquid chromatography 660(1994)143
- Josic, D., see Hoffer, L. 669(1995)187
- Josic, D., Lim, Y.-P., Štrancar, A. and Reutter, W.
Application of high-performance membrane chromatography for separation of annexins from the plasma membranes of liver and isolation of monospecific polyclonal antibodies 662(1994)217
- Josić, D., see Lukša, J. 667(1995)321
- Josic, D., Schwinn, H., Stadler, M. and Štrancar, A.
Purification of factor VIII and von Willebrand factor from human plasma by anion-exchange chromatography 662(1994)181
- Joubert-Caron, R., see Lutomski, D. 664(1995)79
- Jourdil, N., see Stanke, F. 675(1996)43
- Joyce, J.G., Cook, J.C., Przysiecki, C.T. and Dale Lehman, E.
Chromatographic separation of low-molecular-mass recombinant proteins and peptides on Superdex 30 prep grade 662(1994)325
- Jozefonvicz, J., see Lakhari, H. 664(1995)163
- July, N., see Minor, T. 670(1995)332
- Jung, J.M., see Butler, J.M. 658(1994)271
- Jung, L., see Zhao, M.-J. 656(1994)441
- Jung, Y.S., see Lee, H.S. 673(1995)136
- Jungbauer, A. and Boschetti, E.
Manufacture of recombinant proteins with safe and validated chromatographic sorbents (Review) 662(1994)143
- Jungbauer, A., see Koller, G. 664(1995)107
- Jusko, W.J., Pyszczynski, N.A., Bushway, M.S., D'Ambrosio, R. and Mis, S.M.
Fifteen years of operation of a high-performance liquid chromatographic assay for prednisolone, cortisol and prednisone in plasma 658(1994)47
- Justine, P., see Flamand, N. 656(1994)65
- Kabbani, J.A., see Bergqvist, Y. 652(1994)73
- Kagami, Y., see Takano, T. 656(1994)353
- Kage, S., Nagata, T. and Kudo, K.
Determination of cyanide and thiocyanate in blood by gas chromatography and gas chromatography-mass spectrometry 675(1996)27
- Kageura, M., see Hieda, Y. 667(1995)241
- Kahan, B.D., see Napoli, K.L. 654(1994)111
- Kai, M., see Ohkura, Y. 659(1994)85
- Kai, M., see Yonekura, S. 654(1994)19
- Kajita, M., see Ito, T. 670(1995)317
- Kajita, M., Niwa, T., Fujisaki, M., Ueki, M., Niimura, K., Sato, M., Egami, K., Naoi, M., Yoshida, M. and Nagatsu, T.
Detection of 1-phenyl-N-methyl-1,2,3,4-tetrahydroisoquinoline and 1-phenyl-1,2,3,4-tetrahydroisoquinoline in human brain by gas chromatography-tandem mass spectrometry 669(1995)345
- Kajita, M., Niwa, T., Maruyama, W., Nakahara, D., Takeda, N., Yoshizumi, H., Tatematsu, A., Watanabe, K., Naoi, M. and Nagatsu, T.
Endogenous synthesis of N-methylnorsalsolinol in rat brain during *in vivo* microdialysis with epinine 654(1994)263
- Kajiyama, G., see Tazuma, S. 653(1994)1
- Kakabakos, S.E., see Livanou, E. 656(1994)215
- Kakinoki, S., see Kishino, S. 672(1995)199
- Kaloostian, M., see Tsina, I. 675(1996)119
- Kambam, J.R., see Janicki, P.K. 675(1996)336
- Kaminsky, L.S., see Zhang, Z.-Y. 665(1995)201
- Kammuri, M., see Obata, T. 655(1994)173
- Kanai, M., see Kobayashi, N. 672(1995)17
- Kanazawa, H., see Mashige, F. 658(1994)63
- Kanazawa, T., see Nakai, H. 660(1994)211
- Kanfer, I., see Walker, R.B. 672(1995)172
- Kang, F.-L., see Uang, Y.-S. 673(1995)43
- Kanics, L.L., see DeAngelis, D.V. 652(1994)211
- Kantes, H.L., see Petucci, C.J. 668(1995)241
- Kao, P.C., see Ji, A.J. 669(1995)15
- Kapil, R.P., Lee, Jr., W., Padovani, P.K., Wong, N.Y., Holm, K.A. and Lam, G.N.
Determination of a novel cognitive enhancer, X9121, and its mono N-oxide metabolite, XG696, in dog plasma by reversed-phase high-performance liquid chromatography with ultraviolet detection 665(1995)226
- Kapil, R.P., Lee, Jr., W., Wong, N.Y., Saxton, P.L. and Lam, G.N.
Determination of a novel sigma receptor antagonist, DuP 734, in rat plasma by reversed-phase high-performance liquid chromatography with ultraviolet detection 653(1994)221

- Kapil, R.P., see Wu, S.T. 657(1994)254
- Kaplan, D.R.
Delivery of interleukin 2 for immunotherapy (Review) 662(1994)315
- Kar, P.K., see Dua, V.K. 675(1996)93
- Karidas, Th., see Avgerinos, A. 673(1995)142
- Karle, J.M., Olmeda, R., Freeman, S.G. and Schroeder, A.C.
Quantification of the individual enantiomer plasma concentrations of the candidate antimalarial agent N⁴-[2,6-dimethoxy-4-methyl-5-[(3-trifluoromethyl)phenoxy]-8-quinolinyl]-1,4-pentanediamine (WR 238,605) 670(1995)251
- Karol, M.D., Granneman, G.R. and Alexander, K.
Determination of lansoprazole and five metabolites in plasma by high-performance liquid chromatography 668(1995)182
- Kasama, T., see Hirata, H. 658(1994)55
- Kashimoto, M., see Nagasawa, M. 673(1995)294
- Kashimura, S., see Hieda, Y. 667(1995)241
- Kashiyama, E., Odomi, M. and Shimizu, T.
Stereospecific and simultaneous high-performance liquid chromatographic assay of flosequinan and its metabolites in human plasma 652(1994)179
- Kašička, V., Prusík, Z., Smékal, O., Hlaváček, J., Barth, T., Weber, G. and Wagner, H.
Application of capillary and free-flow zone electrophoresis and isotachopheresis to the analysis and preparation of the synthetic tetrapeptide fragment of growth hormone-releasing peptide 656(1994)99
- Kasper, S.C., Bonate, P.L. and DeLong, A.F.
High-performance liquid chromatographic assay for xanomeline, a specific M-1 agonist, and its metabolite in human plasma 669(1995)397
- Kasper, S.C., see Murphy, A.T. 668(1995)273
- Kastritsis, C., see Touraki, M. 663(1995)167
- Kasuya, Y., see Ishii, K. 655(1994)300
- Kataoka, H., Takagi, K. and Makita, M.
Determination of total plasma homocysteine and related amino thiols by gas chromatography with flame photometric detection 664(1995)421
- Kataoka, H., Tanaka, H. and Makita, M.
Determination of total cysteamine in urine and plasma samples by gas chromatography with flame photometric detection 657(1994)9
- Katayama, H., see Abe, K.-i. 653(1994)112
- Kato, H., see Takahara, E. 658(1994)154
- Kato, T., see Yajima, R. 667(1995)333
- Kato, Y., see Chiba, K. 668(1995)77
- Kaufmann, C.C., see Ramsauer, B. 665(1995)183
- Kausche, F.M., see Beconi-Barker, M.G. 673(1995)231
- Kawabata, M., see Sato, K. 663(1995)25
- Kawai, M., see Deng, Y. 670(1995)47
- Kawai, M., see Imai, J. 661(1994)149
- Kawakami, R., see Usui, T. 652(1994)67
- Kawasaki, H., see Yamashita, S. 670(1995)354
- Kawasaki, N., Tanimoto, T., Tanaka, A., Hayakawa, T. and Miyasaka, N.
Determination of non-protein-bound iron in human synovial fluid by high-performance liquid chromatography with electrochemical detection 656(1994)436
- Kawata, S., see Ishiguro, H. 663(1995)35
- Kayano, M., see Nakai, H. 660(1994)211
- Kazmierczak, S., see Li, S. 655(1994)213
- Keating, J., see Sherwood, R. 655(1994)171
- Keller, H.P., see Denouël, J. 663(1995)353
- Kelley, J.A., see Roth, J.S. 652(1994)149
- Kelly, M.T., McGuirk, D. and Bloomfield, F.J.
Determination of cimetidine in human plasma by high-performance liquid chromatography following liquid-liquid extraction 668(1995)117
- Kelson, A.B., see Aboagye, E.O. 672(1995)125
- Kennedy, D.G., see Blanchflower, W.J. 675(1996)225
- Kennedy, M.J., see Chen, T.-L. 652(1994)109
- Kenney, M.E., see Zuk, M.M. 673(1995)320
- Kent, G., see Klein, J. 655(1994)83
- Kern, W., see Loidl-Stahlhofen, A. 673(1995)1
- Kerr, C.R., see Kwok, D.K.W. 661(1994)271
- Kerr, D.J., see Liu, B. 666(1995)149
- Kerstens, P.J.S.M., see Stolk, J.N. 666(1995)33
- Kessie, G., Dela Cruz, D.M., Taha, M.A., Al-Shammary, F.J., Tawfik, A.F. and Al-Ahdal, M.N.
Processing of envelope polypeptides of *Herpes simplex* virus type 1. Demonstration of variation in different cell lines by high-performance liquid chromatography and radioimmunoprecipitation 652(1994)234
- Kettrup, A., see Lintelmann, J. 660(1994)67
- Keung, A.C.F., see Huizing, M.T. 664(1995)373
- Keuzenkamp-Jansen, C.W., De Abreu, R.A., Bökkerink, J.P.M. and Trijbels, J.M.F.
Determination of extracellular and intracellular thiopurines and methylthiopurines by high-performance liquid chromatography 672(1995)53
- Kežič, S., see Van Engelen, J.G.M. 667(1995)233
- Khachik, F., Englert, G., Beecher, G.R. and Smith, Jr., J.C.
Isolation, structural elucidation, and partial synthesis of lutein dehydration products in extracts from human plasma 670(1995)219
- Khand, F.D., see Khaskhali, M.H. 675(1996)147
- Kharasch, E.D., see Labroo, R. 660(1994)85
- Kharasch, E.D., see Mautz, D.S. 658(1994)149
- Khaskhali, M.H., Bhangar, M.I. and Khand, F.D.
Simultaneous determination of oxalic and citric acids in urine by high-performance liquid chromatography 675(1996)147
- Khaykis, V., see Song, D.M. 663(1995)263
- Kherani, R., see Foster, R.T. 658(1994)161
- Kherani, R., see Grundy, J.S. 654(1994)146
- Kidouchi, K., see Ito, T. 670(1995)317
- Kidouchi, K., see Sumi, S. 670(1995)376
- Kidouchi, K., see Sumi, S. 672(1995)233
- Kikura, R., see Nakahara, Y. 657(1994)93
- Kim, D.H., Lee, K.-J. and Heo, G.S.
Analysis of cholesterol and cholesteryl esters in human serum using capillary supercritical fluid chromatography 655(1994)1
- Kim, H., Lapiguera, A. and Lin, C.
Gas chromatographic and high-performance liquid chromatographic methods for the determination of genaconazole in biological fluids 655(1994)21
- Kim, J.M., see Gurley, L.R. 670(1995)125

- Kim, M.-S., see Myung, S.-W. 660(1994)75
 Kim, W.B., see Shim, H.J. 656(1994)407
 Kimmel, P.L., see Phillips, T.M. 656(1994)259
 Kimura, T., see Iwata, K. 667(1995)339
 Kimura, Y., see Murase, M. 664(1995)415
 Kimura, Y., see Nagasawa, M. 673(1995)294
 King, S.-Y.P., see Joshi, A.S. 660(1994)143
 Kinoshita, H., see Shibusawa, Y. 666(1995)233
 Kinter, M.
 Analytical technologies for lipid oxidation products analysis 671(1995)223
 Kintz, P., see Cirimele, V. 673(1995)173
 Kintz, P., Cirimele, V., Tracqui, A. and Mangin, P.
 Simultaneous determination of amphetamine, methamphetamine, 3,4-methylenedioxyamphetamine and 3,4-methylenedioxymethamphetamine in human hair by gas chromatography-mass spectrometry 670(1995)162
 Kintz, P., see Tracqui, A. 675(1996)235
 Kinuta, M., see Masuoka, N. 660(1994)31
 Kinzelt, D., see Finger, U.B. 664(1995)69
 Király, I., see Patthy, M. 664(1995)247
 Kirch, W., see Oertel, R. 660(1994)353
 Kirkpatrick, D.L., see Chandler, K.J. 652(1994)195
 Kirkwood, J.A., see Hamilton, C.L. 654(1994)297
 Kirshner, M.A., see Foglia, J.P. 668(1995)291
 Kishimoto, H., see Sugioka, N. 654(1994)249
 Kishino, S., Nomura, A., Sugawara, M., Iseki, K., Kakinoki, S., Kitabatake, A. and Miyazaki, K.
 Purification method for α -1-acid glycoprotein with subsequent high-performance liquid chromatographic determination of monosaccharides in plasma of healthy subjects and patients with renal insufficiency 672(1995)199
 Kissinger, P.T., see Huang, T. 670(1995)323
 Kissinger, P.T., see Niwa, O. 670(1995)21
 Kitabatake, A., see Kishino, S. 672(1995)199
 Klaassen, C.D., see Madhu, C. 674(1995)193
 Klar, E., see Minor, T. 670(1995)332
 Klarskov, K., see Bouchon, B. 662(1994)279
 Klecker, R.W., see Takimoto, C.H. 655(1994)97
 Klee, M.S., see Wang, M.Z. 665(1995)139
 Kleijnen, H.C.H., see Van Rhijn, J.A. 665(1995)395
 Klein, J., Fernandes, D., Gazarian, M., Kent, G. and Koren, G.
 Simultaneous determination of lidocaine, prilocaine and the prilocaine metabolite *o*-toluidine in plasma by high-performance liquid chromatography 655(1994)83
 Klein, M., see Bouchon, B. 662(1994)279
 Kleinman, W.A. and Richie Jr., J.P.
 Determination of thiols and disulfides using high-performance liquid chromatography with electrochemical detection 672(1995)73
 Klimeš, J., see Sochor, J. 654(1994)282
 Klimeš, J., see Sochor, J. 663(1995)309
 Klotz, U., see Fischer, C. 661(1994)57
 Klyushnichenko, V.E., Yakimov, S.A., Arutyunyan, A.M., Ivanov, A.E., Maltsev, K.V. and Wulfson, A.N.
 Recombinant human insulin V. Optimization of the reversed-phase high-performance liquid chromatographic separation 662(1994)363
 Knebel, N.G., Sharp, S.R. and Madigan, M.J.
 Rapid quantitative determination of a collagenase inhibitor and its major metabolite by on-line liquid chromatography with ionspray tandem mass spectrometric detection 673(1995)213
 Knieps, E., see Finger, U.B. 675(1996)197
 Knoedgen, B., see Seiler, N. 653(1994)87
 Knorr, W., see Ulrich, S. 663(1995)289
 Ko, H.-C., Tsai, T.-H., Chou, C.-J., Hsu, S.-Y., Li, S.-Y. and Chen, C.-F.
 High-performance liquid chromatographic determination of rutaecarpine in rat plasma: application to a pharmacokinetic study 655(1994)27
 Kobayashi, N., Kanai, M., Seta, K. and Nakamura, K.-i.
 Quantitative analysis of synthetic human calcitonin by liquid chromatography-mass spectrometry 672(1995)17
 Koda, R.T., see Li, W.Y. 673(1995)281
 Kodama, H., see Jianying, Z. 660(1994)375
 Kodama, H., see Sugahara, K. 657(1994)15
 Koeb, L., see Eap, C.B. 652(1994)97
 Koeb, L., see Eap, C.B. 669(1995)271
 Koffel, J.-C., see Zhao, M.-J. 656(1994)441
 Kohen, F., see Schwarz, A. 664(1995)83
 Kohlhof, K., see Song, D. 660(1994)95
 Kohlhof, K., see Song, D.M. 658(1994)142
 Kohlhof, K., see Song, D.M. 663(1995)263
 Koike, T., see Iwase, H. 655(1994)73
 Koike, T., see Iwase, H. 660(1994)422
 Kojima, K., see Adachi, T. 668(1995)327
 Kok, W.Th.
 Derivatization reactions for the determination of aflatoxins by liquid chromatography with fluorescence detection (Review) 659(1994)127
 Kok, W.Th., see Xu, X. 661(1994)35
 Koks, C.H.W., Rosing, H., Meenhorst, P.L., Bult, A. and Beijnen, J.H.
 High-performance liquid chromatographic determination of the antifungal drug fluconazole in plasma and saliva of human immunodeficiency virus-infected patients 663(1995)345
 Kokue, E., see Shin, H.-C. 661(1994)237
 Kolawole, J.A., Taylor, R.B. and Moody, R.R.
 Determination of proguanil and metabolites in small sample volumes of whole blood stored on filter paper by high-performance liquid chromatography 674(1995)149
 Kolbe, H.V.J., see Bischoff, R. 662(1994)261
 Koller, G., Graumann, K., Kramer, W., Sara, M. and Jungbauer, A.
 Laboratory-scale production and purification of recombinant HIV-1 reverse transcriptase 664(1995)107
 Kondo, T., Hamasaki, K., Yamaguchi, M., Aoki, I., Yoshida, K., Yoshimura, Y. and Tanayama, S.
 Enantioselective determination of pazinaclone, a new isoindoline anxiolytic, and its active metabolite in rat plasma by high-performance liquid chromatography 666(1995)291
 Konečný, P., see Plocek, J. 656(1994)427
 Konishi, E., see Hosoe, K. 653(1994)177
 Konishi, M., see Ohno, M. 654(1994)213

- Koopman, F., see Huizing, M.T. 664(1995)373
- Köppel, C., see Tenczer, J. 661(1994)47
- Koppel, R., Litvak, M. and Solomon, B.
Affinity purification of a mannose-binding protein, a sensitive tool in the diagnostics of IgM, via site-directed phosphorylated mannan bound to alumina 662(1994)191
- Koren, G., see Klein, J. 655(1994)83
- Korrapati, M.R., see Zhai, S. 669(1995)372
- Korsten, H.H.M., see Grouls, R.J.E. 673(1995)51
- Korytowski, W., Geiger, P.G. and Girotti, A.W.
High-performance liquid chromatography with mercury cathode electrochemical detection: application to lipid hydroperoxide analysis 670(1995)189
- Kosaka, H., see Miyajima, K. 654(1994)165
- Koulich, D.M., Nazimov, I.V., Maltsev, K.V. and Wulfson, A.N.
Recombinant human insulin VI. Determination of recombinant human proinsulin by capillary zone electrophoresis: optimization of efficiency and selectivity 662(1994)357
- Kountourellis, J.E. and Ebete, K.O.
Reversed-phase high performance liquid chromatographic determination of cyproheptadine from urine by solid-phase extraction 664(1995)468
- Kovaleva, M.G., see Mayakova, T.I. 672(1995)133
- Kozlov, V.Yu., see Okun, V.M. 675(1996)313
- Kraak, J.C., see Xu, X. 661(1994)35
- Kramarczyk, R., see Rickling, B. 670(1995)267
- Kramer, W., see Koller, G. 664(1995)107
- Kramer Nielsen, K., see Nielsen, F. 660(1994)103
- Kraus, T.W., see Minor, T. 670(1995)332
- Krauthauser, C.L., see Emm, T.A. 675(1996)273
- Krishna, R., Riggs, K.W., Walker, M.P.R., Kwan, E. and Rurak, D.W.
Sensitive fused-silica capillary gas chromatographic assay using electron-capture detection for indomethacin in ovine fetal fluids 674(1995)65
- Kroemer, H.K., see Bohnenstengel, F. 672(1995)271
- Krogh, M., see Johansen, K. 669(1995)281
- Krogh, M., Johansen, K., Tønnesen, F. and Rasmussen, K.E.
Solid-phase microextraction for the determination of the free concentration of valproic acid in human plasma by capillary gas chromatography 673(1995)299
- Kronkvist, K., see Lövgren, U. 672(1995)33
- Krstulovic, A.M.
Foreword 662(1994)141
- Krstulovic, A.M.
Foreword 664(1995)1
- Krstulovic, A.M., see Candito, M. 669(1995)413
- Krstulović, A.M., see Marigo, M. 656(1994)1
- Krüger, C., see Schletter, J. 654(1994)25
- Kruger, P.B., Albrecht, C.F.V., Liebenberg, R.W. and Van Jaarsveld, P.P.
Studies on hypoxoside and rooperol analogues from *Hypoxis rooperi* and *Hypoxis latifolia* and their biotransformation in man by using high-performance liquid chromatography with in-line sorption enrichment and diode-array detection 662(1994)71
- Krull, I.S.
Sample Preparation for Biomedical and Environmental Analysis (edited by D. Stevenson and I.D. Wilson) (Book Review) 663(1995)406
- Krull, I.S., Deyl, Z. and Lingeman, H.
General strategies and selection of derivatization reactions for liquid chromatography and capillary electrophoresis (Review) 659(1994)1
- Krull, I.S., Szulc, M.E., Bourque, A.J., Zhou, F.-X., Yu, J. and Strong, R.
Solid-phase derivatization reactions for biomedical liquid chromatography (Review) 659(1994)19
- Krull, I.S., see Yu, J.H. 658(1994)249
- Krumbiegel, G., see Rickling, B. 670(1995)267
- Kudo, K., see Kage, S. 675(1996)27
- Kudoh, S., Sato, T., Okada, H., Kumakura, H. and Nakamura, H.
Simultaneous determination of granisetron and 7-hydroxygranisetron in human plasma by high-performance liquid chromatography with fluorescence detection 660(1994)205
- Kugler, A.R., Olson, S.C. and Smith, D.E.
Determination of quinapril and quinaprilat by high-performance liquid chromatography with radiochemical detection, coupled to liquid scintillation counting spectrometry 666(1995)360
- Kühn, I., Valenta, H. and Rohr, K.
Determination of ochratoxin A in bile of swine by high-performance liquid chromatography 668(1995)333
- Kuksis, A., see Liepkalns, V.A. 658(1994)223
- Kuksis, A. and Myher, J.J.
Application of tandem mass spectrometry for the analysis of long-chain carboxylic acids 671(1995)35
- Kuksis, A., see Myher, J.J. 671(1995)3
- Kukucka, M.A. and Misra, H.P.
Determination of oxytocin in biological samples by isocratic high-performance liquid chromatography with coulometric detection using C₁₈ solid-phase extraction and polyclonal antibody-based immunoaffinity column purification 653(1994)139
- Kula, M.-R., see Finger, U.B. 664(1995)69
- Kula, M.-R., see Finger, U.B. 675(1996)197
- Kulczykowska, E.
Solid-phase extraction of arginine vasotocin and isotocin in fish samples and subsequent gradient reversed-phase high-performance liquid chromatographic separation 673(1995)289
- Kulinskaya, E., see Jenkins, M.A. 672(1995)241
- Kumakura, H., see Kudoh, S. 660(1994)205
- Kumazawa, T., see Seno, H. 673(1995)189
- Kumps, A., Duez, P. and Mardens, Y.
Gas chromatographic profiling and determination of urinary acylcarnitines 658(1994)241
- Kunze, K.L., see Neal, J.M. 661(1994)263
- Künzer, T., Buzello, C.W., Theisohn, M. and Diefenbach, C.
Simple and rapid high-performance liquid chromatography method for the determination of alcuronium in human plasma and urine 653(1994)63
- Kuo, B.-S., see Heath, T.G. 670(1995)91
- Kuo, J., see Loayza, S.L. 662(1994)227

- Kuo, J.-S., see Cheng, F.-C. 653(1994)9
 Kuo, J.-S., see Cheng, F.-C. 654(1994)177
 Kuo, J.-S., see Cheng, F.-C. 655(1994)169
 Kuo, J.-S., see Cheng, F.-C. 665(1995)1
 Kuo, J.-S., see Yang, C.-S. 661(1994)231
 Kuo, J.-S., see Yang, C.-S. 667(1995)41
 Kuo, J.-S., see Yang, C.-S. 674(1995)23
 Kuo, K.C., Gehrke, J.C., Allen, W.C., Holsbeke, M., Li, Z., Glinsky, G.V., Zumwalt, R.W. and Gehrke, C.W.
 High-performance liquid chromatographic analysis of glycoamines in serum 656(1994)295
 Kurata, K.
 Separation of juvenile hormone metabolites with a silica-based gel permeation column 668(1995)322
 Kurishita, A., see Tawa, R. 653(1994)211
 Kuroda, N., see Nakashima, K. 661(1994)205
 Kurono, S., see Seno, H. 673(1995)189
 Kuss, H.-J., Sirch, S. and Zhao, D.Y.
 Assay for maprotiline in human serum with improved sensitivity and selectivity 656(1994)245
 Kussak, A., Andersson, B. and Andersson, K.
 Determination of aflatoxin Q₁ in urine by automated immunoaffinity column clean-up and liquid chromatography 656(1994)329
 Kussak, A., Andersson, B. and Andersson, K.
 Immunoaffinity column clean-up for the high-performance liquid chromatographic determination of aflatoxins B₁, B₂, G₁, G₂, M₁ and Q₁ in urine 672(1995)253
 Küsters, E., see Huwyler, J. 674(1995)57
 Kuwabara, Y., see Takano, T. 656(1994)353
 Kuypers, A.W.H.M., Linssen, P.C.M., Willems, P.M.W. and Mensink, E.J.B.M.
 On-line melting of double-stranded DNA for analysis of single-stranded DNA using capillary electrophoresis 675(1996)205
 Kuypers, A.W.H.M., Meijerink, J.P.P., Smetsers, T.F.C.M., Linssen, P.C.M. and Mensink, E.J.B.M.
 Quantitative analysis of DNA aberrations amplified by competitive polymerase chain reaction using capillary electrophoresis 660(1994)271
 Kuznetsova, E.E., see Mayakova, T.I. 672(1995)133
 Kwan, E., see Krishna, R. 674(1995)65
 Kwok, D.K.W., Igwemezie, L., Kerr, C.R. and McErlane, K.M.
 High-performance liquid chromatographic analysis using a highly sensitive fluorogenic reagent, 2-anthroyl chloride, and stereoselective determination of the enantiomers of mexiletine in human serum 661(1994)271
 Labroo, R. and Kharasch, E.D.
 Gas chromatographic-mass spectrometric analysis of alfentanil metabolites. Application to human liver microsomal alfentanil biotransformation 660(1994)85
 Labroo, R., see Mautz, D.S. 658(1994)149
 Lackner, K.J., see Trümbach, B. 656(1994)73
 Lacroix, C., see Bourdeaux, R. 665(1995)45
 Lacroix, M., Tu, T.M., Donati, F. and Varin, F.
 High-performance liquid chromatographic assays with fluorometric detection for mivacurium isomers and their metabolites in human plasma 663(1995)297
 La Croix, R., Pianezzola, E. and Benedetti, M.S.
 Sensitive high-performance liquid chromatographic method for the determination of the three main metabolites of selegiline (L-deprenyl) in human plasma 656(1994)251
 Laethem, M.E., Belpaire, F.M. and Bogaert, M.G.
 Direct high-performance liquid chromatography determination of diastereomeric oxprenolol glucuronides 675(1996)251
 Laganière, S., see Carignan, G. 672(1995)261
 Laganière, S., Goernert, L. and Beatch, G.
 High-performance liquid chromatographic assay for sematilide in plasma using solid-phase extraction microcolumn technology 660(1994)191
 Lagesson, V., see Jones, A.W. 672(1995)1
 Lai, J.-S., see Yang, C.-S. 661(1994)231
 Laker, M.F., see Dyer, R.G. 663(1995)1
 Lakhari, H., Legendre, E., Muller, D. and Jozefonvicz, J.
 High-performance affinity chromatography of insulin on coated silica grafted with sialic acid 664(1995)163
 Lal, J., Paliwal, J.K., Grover, P.K. and Gupta, R.C.
 Determination of ampicillin in serum by high-performance liquid chromatography with precolumn derivatization 655(1994)142
 Lal, J., Paliwal, J.K., Grover, P.K. and Gupta, R.C.
 Simultaneous liquid chromatographic determination of centchroman and its 7-demethylated metabolite in serum and milk 658(1994)193
 Lam, G.N., see Dasgupta, S. 673(1995)107
 Lam, G.N., see Kapil, R.P. 653(1994)221
 Lam, G.N., see Kapil, R.P. 665(1995)226
 Lambert, W.E., see Huo, J.-Z. 661(1994)69
 Lambeth, D.O. and Muhonen, W.W.
 High-performance liquid chromatography-based assays of enzyme activities 656(1994)143
 Lamprecht, G., see Huber, J.F.K. 666(1995)223
 Landers, J.P., see Ji, A.J. 669(1995)15
 Lang, C.M., see Harper, S.B. 657(1994)339
 Lang, D. and Böcker, R.
 Highly sensitive and specific high-performance liquid chromatographic analysis of 7-hydroxywarfarin, a marker for human cytochrome P-450C9 activity 672(1995)305
 Lang, M., see Flesch, G. 657(1994)155

L

- Lang, R., see Mueller, R.K. 674(1995)1
- Langdon, S.P., see Cummings, J. 653(1994)195
- Lange, C., see Loutelling, C. 656(1994)281
- Lange, M. and Mályusz, M.
Fast method for the simultaneous determination of 2-oxo acids in biological fluids by high-performance liquid chromatography 662(1994)97
- Lankford, S.M. and Bai, S.A.
Determination of the stereochemical composition of the major metabolites of verapamil in dog urine with enantioselective liquid chromatographic techniques 663(1995)91
- Laohavinij, S., see Wedge, S.R. 663(1995)327
- Lapicque, F., see Chakir, S. 654(1994)61
- Lapiguera, A., see Kim, H. 655(1994)21
- Laposata, M., see Bernhardt, T.G. 675(1996)189
- Lappenberg-Pelzer, M., see Tenczer, J. 661(1994)47
- Larsson, L., see Axelsson, B.-O. 666(1995)77
- Larsson, L., see Mielniczuk, Z. 670(1995)167
- Lartigue-Mattei, C., see Lauro-Marty, C. 663(1995)153
- Lau, C.E., see Jin, L. 654(1994)77
- Lauber, R., Mosimann, M., Bühler, M. and Zbinden, A.M.
Automated determination of midazolam in human plasma by high-performance liquid chromatography using column switching 654(1994)69
- Laufen, H., see Scharpf, F. 655(1994)225
- Laurentie, M., see Renard, L. 657(1994)219
- Lauro-Marty, C., Lartigue-Mattei, C., Chabard, J.L., Beyssac, E., Aiache, J.M. and Madesclaire, M.
Gas chromatographic-mass spectrometric determination of isosorbide 5-mononitrate in human plasma 663(1995)153
- Lauwers, A., see Dekeyser, P.M. 656(1994)203
- Lauwers, A.R., see Vercruyse, K.P. 656(1994)179
- Lavergne, O., see Pruñonosa, J. 668(1995)281
- Laviolette, B., see Chui, Y.C. 652(1994)23
- Lawrence, R.F., see Neal, J.M. 661(1994)263
- Lazarus, L., see Varelis, P. 660(1994)151
- Lazzarini, R., see Robieux, I. 675(1996)183
- LeBras, B., see Gordon, B.H. 657(1994)163
- Lecaillon, J.B., see Rouan, M.C. 658(1994)167
- Lecaillon, J.B., see Rouan, M.C. 667(1995)307
- Lecchi, P., see Magni, F. 657(1994)1
- Le Clanche, V., see Rouan, M.C. 658(1994)167
- Leclerc, J.-M., see Pulido-Cejudo, G. 660(1994)37
- Lecomte, G., see Girault, J. 658(1994)289
- Lee, B.-L., see Ong, C.-N. 660(1994)1
- Lee, B.L., Yang, X.F., New, A.L. and Ong, C.N.
Liquid chromatographic determination of urinary 2-thiothiazolidine-4-carboxylic acid, a biomarker of carbon disulphide exposure 668(1995)265
- Lee, C.S., see Tsai, P. 657(1994)285
- Lee, D.S., see Woo, K.L. 665(1995)15
- Lee, E.D., see Shim, H.J. 656(1994)407
- Lee, H., see Lee, H.S. 673(1995)136
- Lee, H., Lee, J.S. and Lee, H.S.
Simultaneous determination of ampicillin and metampicillin in biological fluids using high-performance liquid chromatography with column switching 664(1995)335
- Lee, H.G. and Desiderio, D.M.
Capillary zone electrophoresis of two synthetic neuropeptides: examination of detectability and resolution as a function of peptide concentration and buffer concentration 655(1994)9
- Lee, H.G. and Desiderio, D.M.
Optimization of the loading limit for capillary zone electrophoresis of synthetic opioid and tachykinin peptides: a study of the interactions among the amount of peptide, resolution, saturation, injection volume and capillary diameter 662(1994)35
- Lee, H.G., Huffmon III, G.V., Becklin, R.R., Tseng, J.-L., Soble-Smith, J., Robertson, J.T. and Desiderio, D.M.
Capillary reversed-phase high-performance liquid chromatographic determination of acetyl-methylprednisolone in feline spinal cord 667(1995)259
- Lee, H.K., see Wu, J. 663(1995)247
- Lee, H.S., see Lee, H. 664(1995)335
- Lee, H.S., Lee, J.S., Lee, H., Jung, Y.S., DeLuca, P.P. and Lee, K.C.
Reversed-phase high-performance liquid chromatography of salmon calcitonin and its degradation products in biological samples using column switching and flow-through radioisotope detection 673(1995)136
- Lee, Jr., W., see Kapil, R.P. 653(1994)221
- Lee, Jr., W., see Kapil, R.P. 665(1995)226
- Lee, Jr., W.M., see Wu, S.T. 657(1994)254
- Lee, J.S., see Lee, H. 664(1995)335
- Lee, J.S., see Lee, H.S. 673(1995)136
- Lee, J.W., see Naidong, W. 654(1994)287
- Lee, J.W., Naidong, W., Johnson, T., Dzerk, A., Miyabayashi, T. and Motohashi, M.
Development and validation of column-switching high-performance liquid chromatographic methods for the determination of a potent AII receptor antagonist, TCV-116, and its metabolites in human serum and urine 670(1995)287
- Lee, K.C., see Lee, H.S. 673(1995)136
- Lee, K.-J., see Kim, D.H. 655(1994)1
- Lee, M.G., see Lee, S.H. 656(1994)367
- Lee, M.G., see Shim, H.J. 656(1994)407
- Lee, S.D., see Shim, H.J. 656(1994)407
- Lee, S.H. and Lee, M.G.
Determination of azosemide and its metabolite in plasma, blood, urine and tissue homogenates by high-performance liquid chromatography 656(1994)367
- Lee, Y.-L., see Ho, Y. 665(1995)383
- Lefebvre, P., Agadir, A., Cornic, M., Gourmel, B., Hue, B., Dreux, C., Degos, L. and Chomienne, C.
Simultaneous determination of all-*trans* and 13-*cis* retinoic acids and their 4-oxo metabolites by adsorption liquid chromatography after solid-phase extraction 666(1995)55
- Legendre, E., see Lakhari, H. 664(1995)163
- Legrand, C., Dousset, B., Tronel, H., Belleville, F. and Nabet, P.
Measurement of plasma testosterone by gas chromatography-negative-ion mass spectrometry using pentafluoropropionic derivatives 663(1995)187

- Legua, C.M., see Falcó, P.C. 663(1995)235
- Lehmann, B. and Bouliou, R.
Determination of midazolam and its unconjugated 1-hydroxy metabolite in human plasma by high-performance liquid chromatography 674(1995)138
- Lehmann, J., see Büntemeyer, H. 662(1994)209
- Lehne, G., see Johansen, K. 669(1995)281
- Lehnert, B.E., see Gurley, L.R. 670(1995)125
- Lehr, P.R., see Bourdeaux, R. 665(1995)45
- Leitch, M., see Marshall, E.F. 655(1994)167
- Leitold, M., see Scharpf, F. 655(1994)225
- Leiva, A., see García, J.C. 656(1994)77
- Lejeune, F., see Shen, F. 667(1995)291
- Leli, U., see Liepkalns, V.A. 658(1994)223
- Lemko, C.H., see Foster, R.T. 658(1994)161
- Lemmens, P.J.M.R., see Van Haaster, C.M.C.J. 657(1994)261
- Lennard, L. and Singleton, H.J.
High-performance liquid chromatographic assay of human red blood cell thiopurine methyltransferase activity 661(1994)25
- Lenoir, A., see Bouliou, R. 665(1995)213
- Lenzen, S., see Rustenbeck, I. 667(1995)185
- Leonard, M., Fournier, C. and Dellacherie, E.
Polyvinyl alcohol-coated macroporous polystyrene particles as stationary phases for the chromatography of proteins 664(1995)39
- Leonard, R.C.F., see Cummings, J. 658(1994)183
- Leone, L., see Bompadre, S. 669(1995)265
- Léonil, J., see Gaucheron, F. 664(1995)193
- Lepape, A., see Guitton, J. 669(1995)358
- Leroux, F., see Goossens, J.F. 657(1994)192
- Leroy, P., see Chakir, S. 654(1994)61
- Le Saux, L., see Zehender, H. 664(1995)347
- Lesne, M., see Dethy, J.-M. 654(1994)121
- Lessard, M., see Carignan, G. 672(1995)261
- Leube, J. and Fischer, G.
Determination of the renin inhibitor Ro 42-5892 in human plasma by automated pre-column derivatization, reversed-phase high-performance liquid chromatographic separation and electrochemical detection after post-column irradiation 665(1995)373
- Levêque, D., Gallion, C., Tarral, E., Monteil, H. and Jehl, F.
Determination of fosfomicin in biological fluids by capillary electrophoresis 655(1994)320
- Levêque, D. and Jehl, F.
Determination of vinorelbine in biological fluids by high-performance liquid chromatography 672(1995)314
- Lewis, A.D., see Aboagye, E.O. 672(1995)125
- Leysens, L., Royackers, E., Gielen, B., Missotten, M., Schoofs, J., Czech, J., Noben, J.P., Hendriks, L. and Raus, J.
Metabolites of 4-chlorotestosterone acetate in cattle urine as diagnostic markers for its illegal use 654(1994)43
- Leyvraz, S., see Shen, F. 667(1995)291
- Li, F., Cooper, S.F. and Côté, M.
Determination of the enantiomers of metoprolol and its major acidic metabolite in human urine by high-performance liquid chromatography with fluorescence detection 668(1995)67
- Li, F., Cooper, S.F., Côté, M. and Ayotte, C.
Determination of the enantiomers of bunolol in human urine by high-performance liquid chromatography on a chiral AGP stationary phase and identification of their metabolites by gas chromatography-mass spectrometry 660(1994)327
- Li, F., Cooper, S.F. and Mikkelsen, S.R.
Enantioselective determination of oxprenolol and its metabolites in human urine by cyclodextrin-modified capillary zone electrophoresis 674(1995)277
- Li, G. and Locke, D.C.
Separation of the eleven priority pollutant phenols by capillary zone electrophoresis 669(1995)93
- Li, G.D., see Yu, J.H. 658(1994)249
- Li, Q., see Liu, F. 662(1994)123
- Li, S., Gemperline, P.J., Briley, K. and Kazmierczak, S.
Identification and quantitation of drugs of abuse in urine using the generalized rank annihilation method of curve resolution 655(1994)213
- Li, S.-Y., see Ko, H.-C. 655(1994)27
- Li, W.Y., Chatterjee, D.J., Shetty, B.V., Wu, E.Y., Muggia, F. and Koda, R.T.
High-performance liquid chromatographic method for the determination of a novel thymidylate synthase inhibitor, AG 331, in human serum 673(1995)281
- Li, Y.-M., Brostedt, P., Hjertén, S., Nyberg, F. and Silberring, J.
Capillary liquid chromatography-fast atom bombardment mass spectrometry using a high-resolving cation exchanger, based on a continuous chromatographic matrix. Application to studies on neuropeptide peptidases 664(1995)426
- Li, Z., see Kuo, K.C. 656(1994)295
- Liang, D., Chow, D. and White, C.
High-performance liquid chromatographic assay of cefazolin in rat tissues 656(1994)460
- Liao, W.-P., see Yi, Y.-H. 661(1994)143
- Libera, L.D., Massimino, M.L., Arslan, P., Beltrame, M. and Cantini, M.
Analysis of muscle cell culture medium by size-exclusion chromatography 664(1995)185
- Liebenberg, R.W., see Kruger, P.B. 662(1994)71
- Liebich, H.M., see Hušek, P. 656(1994)37
- Liepkalns, V.A., Myher, J.J., Kuksis, A., Leli, U., Freyrs, N. and Hauser, G.
Complementary chromatographic analysis of free diacylglycerols and potential glycerophospholipid precursors in human SH-SY5Y neuroblastoma cells following incubation with lithium chloride 658(1994)223
- Liljemark, E., Pettersson, B., Peterson, C. and Liljemark, J.
High-performance liquid chromatography with fluorometric detection for monitoring of etoposide and its *cis*-isomer in plasma and leukaemic cells 669(1995)311
- Liljemark, J., see Liljemark, E. 669(1995)311
- Lim, B.C. and Sim, M.K.
Determination of angiotensins by capillary electrophoresis 655(1994)127
- Lim, Y.-P., see Josic, D. 662(1994)217

- Lin, C., see Hsieh, J.Y.-K. 661(1994)307
- Lin, C., see Kim, H. 655(1994)21
- Lin, C., see Wang, C.J. 669(1995)141
- Lin, C.-C., see Johnson, R. 657(1994)125
- Lin, E.T., see Iwaki, M. 661(1994)154
- Lin, J.D., Huang, C.C., Weng, H.F., Chen, S.C. and Jeng, L.B.
Comparison of membrane proteins from benign and malignant human thyroid tissues by two-dimensional polyacrylamide gel electrophoresis 667(1995)153
- Lin, J.H., see Chen, I.-W. 672(1995)111
- Lin, J.H., see Wong, B.K. 655(1994)158
- Lin, L.A., see Flurer, C.L. 669(1995)133
- Lin, L.-C., see Jeng, K.-F. 668(1995)343
- Lin, M., see Wu, N. 654(1994)185
- Lin, N.-N., see Yang, C.-S. 661(1994)231
- Lin, Y.-H., see Jeng, K.-F. 668(1995)343
- Lind, C., see Luo, J.-L. 670(1995)29
- Linden, G., see Perrin, E. 664(1995)267
- Lindh, C.H. and Jönsson, B.A.G.
Method for analysis of methyltetrahydrophthalic acid in urine using gas chromatography and selected ion monitoring 660(1994)57
- Lindstrom, A.B., see Pleil, J.D. 665(1995)271
- Lingeman, H., see Krull, I.S. 659(1994)1
- Lingeman, H., see Snippe, N. 662(1994)61
- Linhares, M.C., see Strelevitz, T.J. 675(1996)243
- Linhares, M.C., see Wu, D. 657(1994)357
- Linnert, K., see Olesen, O.V. 675(1996)83
- Linssen, P.C.M., see Kuypers, A.W.H.M. 660(1994)271
- Linssen, P.C.M., see Kuypers, A.W.H.M. 675(1996)205
- Lintelmann, J., Hellemann, C. and Kettrup, A.
Coupled-column high-performance liquid chromatographic method for the determination of four metabolites of polycyclic aromatic hydrocarbons, 1-, 4- and 9-hydroxyphenanthrene and 1-hydroxypyrene, in urine 660(1994)67
- Lippi, A., Criscuoli, M., Sardelli, G. and Subissi, A.
High-performance liquid chromatographic method with electrochemical detection for the determination of idrapril, a novel angiotensin-converting enzyme inhibitor, in biological matrices 660(1994)127
- Liška, V., Dyr, J.E., Suttar, J., Hirsch, I. and Vonka, V.
Production and simple purification of a protein encoded by part of the *gag* gene of HIV-1 in the *Escherichia coli* HB101F⁺ expression system inducible by lactose and isopropyl- β -D-thiogalactopyranoside 656(1994)127
- Liston, T.E., see Teng, R. 675(1996)53
- Lisyutina, O.E., see Ivanov, A.E. 664(1995)219
- Litvak, M., see Koppel, R. 662(1994)191
- Liu, B., Anderson, D., Ferry, D.R., Seymour, L.W., De Takats, P.G. and Kerr, D.J.
Determination of quercetin in human plasma using reversed-phase high-performance liquid chromatography 666(1995)149
- Liu, F., Hu, X. and Li, Q.
Quantitative analysis of bencynonate in human plasma using a deuterated internal standard by gas chromatography-mass spectrometry with selected-ion monitoring 662(1994)123
- Liu, F., see Luo, Y. 667(1995)344
- Liu, G.-q., Wang, W. and Shan, X.-q.
Factors influencing the separation of metallothioneins by capillary zone electrophoresis 653(1994)41
- Liu, H. and Wehmeyer, K.R.
Supercritical fluid extraction as a sample preparation technique for the direct isolation of drugs from plasma prior to analysis 657(1994)206
- Liu, J.-H. and Smith, P.C.
Direct analysis of salicylic acid, salicyl acyl glucuronide, salicylic acid and gentisic acid in human plasma and urine by high-performance liquid chromatography 675(1996)61
- Liu, L., see Yang, C.-S. 661(1994)231
- Liu, L., see Yang, C.-S. 667(1995)41
- Liu, L., see Yang, C.-S. 674(1995)23
- Liu, L., see Zhou, Y. 659(1994)109
- Liu, T., see Rollag, J. 663(1995)193
- Livaniou, E., Roboti, A., Kakabakos, S.E., Nyalala, J., Evangelatos, G.P. and Ithakissios, D.S.
High-performance liquid chromatographic separation of biotinylamide analogues used as substrates in biotinidase radioassays 656(1994)215
- Livaniou, E., see Roboti, A. 662(1994)27
- Lloberas-Blanch, N., see Gonzalez-Corbella, M.J. 660(1994)395
- Lloyd, D.K., see Sandor, V. 673(1995)123
- Lloyd, D.K. and Wätzig, H.
Sodium dodecyl sulfate solution is an effective between-run rinse for capillary electrophoresis of samples in biological matrices 663(1995)400
- Lloyd, T.L., see Hsyu, P.-H. 655(1994)253
- Lo, C.-F. and Chen, C.-M.
Determination of higenamine in plasma and urine by high-performance liquid chromatography with electrochemical detection 655(1994)33
- Loadman, P.M., see Moore, A.J. 672(1995)225
- Loayza, S.L., Trikha, M., Markland, F.S., Riquelme, P. and Kuo, J.
Resolution of isoforms of natural and recombinant fibrolase, the fibrinolytic enzyme from *Agkistrodon contortrix contortrix* snake venom, and comparison of their EDTA sensitivities 662(1994)227
- Locatelli, M., see Ascalone, V. 657(1994)133
- Locher, M., see Raffel, H.H. 653(1994)102
- Locke, D.C., see Li, G. 669(1995)93
- Lockley, W.J.S., see Baker, P.R. 667(1995)283
- Lockwood, G., see Drozd, M.L. 670(1995)145
- Loft, S., see Lykkesfeldt, J. 660(1994)23
- Lo-Guidice, J.-M., see Tetaert, D. 658(1994)31
- Loidl-Stahlhofen, A., Kern, W. and Spittler, G.
Gas chromatographic-electron impact mass spectrometric screening procedure for unknown hydroxyaldehydic lipid peroxidation products after pentafluorobenzoyloxime derivatization 673(1995)1
- Loiseau, P.M., see Bernard, A. 664(1995)444
- Lombardi, A., see Vola, R. 668(1995)209
- Lombardi, F., see Torchio, L. 666(1995)169
- Long, A.R., see Turnipseed, S.B. 670(1995)55
- Long, G., see Moore, C. 655(1994)132
- Long, G., see Rogowsky, D. 655(1994)138

- Long, J.D., see DeAngelis, D.V. 652(1994)211
- Longstreth, J., see Dethy, J.-M. 654(1994)121
- Longueville, D., see Girault, J. 658(1994)289
- Lopez, M.C., see Bondia, E.M. 658(1994)369
- López-Barea, J., see Rodriguez-Ariza, A. 656(1994)311
- Lopez-Galera, R., Pou-Clave, L. and Pascual-Mostaza, C.
Determination of amphotericin B in human serum by liquid chromatography 674(1995)298
- Lopez-Galera, R., see Rosell-Rovira, M.L. 675(1996)89
- López-González, M.A., see Martín, I. 666(1995)101
- Lopez-Sabater, M.C., see Gonzalez-Corbella, M.J. 660(1994)395
- Löptien, D., see Rustenbeck, I. 667(1995)185
- Lortholary, O., see Belfayol, L. 663(1995)395
- Lorusso, V., Poggesi, I., Arbughi, T., Dal Fiume, D. and Tirone, P.
High-performance liquid chromatographic assay of the magnetic resonance imaging contrast agent gadobenat in plasma, urine and bile 656(1994)415
- Lottspeich, F., see Schletter, J. 654(1994)25
- Louchahi, K., see Belfayol, L. 663(1995)395
- Louchahi, K., Tod, M., Bonnardel, P. and Petitjean, O.
Determination of piracetam in human plasma and urine by liquid chromatography 663(1995)385
- Loun, B. and Hage, D.S.
Characterization of thyroxine-albumin binding using high-performance affinity chromatography. II. Comparison of the binding of thyroxine, triiodothyronines and related compounds at the warfarin and indole sites of human serum albumin 665(1995)303
- Loureiro, J.M., see Rodrigues, A.E. 664(1995)233
- Loutelier, C., Lange, C., Cassier, P., Vey, A. and Cherton, J.-C.
Non-extractive metabolism study of E and A destruxins in the locust, *Locusta migratoria* L. III. Direct high-performance liquid chromatographic analysis and parallel fast atom bombardment mass spectrometric monitoring 656(1994)281
- Lovdahl, M.J., Reher, K.E., Russlie, H.Q. and Canafax, D.M.
Determination of cefpodoxime levels in chinchilla middle ear fluid and plasma by high-performance liquid chromatography 653(1994)227
- Lövgren, U., Johansson, M., Kronkvist, K. and Edholm, L.-E.
Biocompatible sample pretreatment for immunochemical techniques using micellar liquid chromatography for separation of corticosteroids 672(1995)33
- Low, A.S. and Taylor, R.B.
Analysis of common opiates and heroin metabolites in urine by high-performance liquid chromatography 663(1995)225
- Low, A.S., see Taylor, R.B. 675(1996)213
- Lu, D.R., see Abu-Izza, K. 660(1994)347
- Lu, D.R., see Saini, P. 665(1995)155
- Lu, X., see Yi, Y.-H. 661(1994)143
- Luan, P., see Zhou, Y. 659(1994)109
- Lucas, C., see Gordon, B.H. 657(1994)163
- Lucas, L., García-Pérez, A.-I., Jimeno, P., Pérez, M.T., Pinilla, M., Sancho, P. and Luque, J.
Surface properties of crosslinked erythrocytes as studied by counter-current distribution in aqueous polymer two-phase systems 664(1995)137
- Luckas, B., see Hummert, C. 668(1995)53
- Ludeman, S.M., see Anderson, L.W. 667(1995)247
- Ludes, B., see Tracqui, A. 675(1996)235
- Ludmir, J., see Alvarez, J.G. 665(1995)79
- Lukácsová, M., see Veningerová, M. 657(1994)103
- Lukša, J. and Josić, D.
Determination of cimetidine in human plasma by free capillary zone electrophoresis 667(1995)321
- Lukša, J. and Marušič, A.
Rapid high-performance liquid chromatographic determination of vancomycin in human plasma 667(1995)277
- Lunte, C.E., see Hadwiger, M.E. 655(1994)235
- Lunte, S.M., see Regan, F.B. 657(1994)409
- Luo, J.-L., Hammarqvist, F., Cotgreave, I.A., Lind, C., Andersson, K. and Wernerman, J.
Determination of intracellular glutathione in human skeletal muscle by reversed-phase high-performance liquid chromatography 670(1995)29
- Luo, Y., Feng, J.-l., Liu, F. and Hu, X.-y.
Identification of dihydroetorphine in biological fluids by gas chromatography-mass spectrometry 667(1995)344
- Luque, J., see Lucas, L. 664(1995)137
- Lurie, I.S., Chan, K.C., Spratley, T.K., Casale, J.F. and Issaq, H.J.
Separation and detection of acidic and neutral impurities in illicit heroin via capillary electrophoresis 669(1995)3
- Lütkemeyer, D., see Büntemeyer, H. 662(1994)209
- Lutowski, D., Joubert-Caron, R., Bourin, P., Bladier, D. and Caron, M.
Use of thiophilic adsorption in the purification of biotinylated Fab fragments 664(1995)79
- Lutz, M.P., see Goodnough, D.B. 667(1995)223
- Lutz, M.P., see Goodnough, D.B. 672(1995)290
- Luyckx, M., see Faouzi, M.A. 664(1995)463
- Lykkesfeldt, J., Loft, S. and Poulsen, H.E.
Simultaneous determination of urinary free cortisol and 6 β -hydroxycortisol by high-performance liquid chromatography to measure human CYP3A activity 660(1994)23

M

- Ma, Y., see Che, P. 669(1995)45
- Ma, Y., see Shi, H. 665(1995)89

- Maboundou, C.W., Paintaud, G., Bérard, M. and Bechtel, P.R.
Separation of fifteen non-steroidal anti-inflammatory drugs using micellar electrokinetic capillary chromatography 657(1994)173
- Máca, B., see Tyrzická, E. 656(1994)51
- MacCrehan, W.A. and Schönberger, E.
Determination of vitamin K₁ in serum using catalytic-reduction liquid chromatography with fluorescence detection 670(1995)209
- Macek, J. and Ptáček, P.
Determination of ofloxacin in human plasma using high-performance liquid chromatography and fluorescence detection 673(1995)316
- Machacek, D., see Ji, A.J. 669(1995)15
- Machan, Z.A., see Taylor, G.W. 664(1995)458
- Machida, Y., see Jianying, Z. 660(1994)375
- Machielsen, E., see Grouls, R.J.E. 673(1995)51
- Maciás, R., see García, J.C. 656(1994)77
- MacLellan, A., see Cummings, J. 653(1994)195
- Madesclaire, M., see Lauro-Marty, C. 663(1995)153
- Madhu, C., Gregus, Z. and Klaassen, C.D.
Simple method for analysis of diquat in biological fluids and tissues by high-performance liquid chromatography 674(1995)193
- Madigan, M.J., see Knebel, N.G. 673(1995)213
- Maeda, I., see Uno, K. 663(1995)177
- Maeda, S., see Yamahata, T. 653(1994)92
- Maekawa, K., see Obata, T. 655(1994)173
- Maes, R.A.A., see Höld, K.M. 663(1995)103
- Maestri, L., Ghittori, S., Imbriani, M. and Capodaglio, E.
Determination of 2,5-hexandione by high-performance liquid chromatography after derivatization with dansylhydrazine 657(1994)111
- Maffei-Facino, R., see Pietta, P.G. 673(1995)75
- Magdalou, J., see Chakir, S. 654(1994)61
- Magni, F., Piatti, P.M., Monti, L.D., Lecchi, P., Pontiroli, A.E., Pozza, G. and Galli Kienle, M.
Fast gas chromatographic-mass spectrometric method for the evaluation of plasma fatty acid turnover using [1-¹³C]palmitate 657(1994)1
- Maguregui, M.I., Alonso, R.M. and Jiménez, R.M.
High-performance liquid chromatography with amperometric detection applied to the screening of β -blockers in human urine 674(1995)85
- Majdalani, R., see Cirimele, V. 673(1995)173
- Major, C. and Wolf, B.A.
Quantitation of the fatty acid composition of phosphatidic acid by capillary gas chromatography electron-capture detection with picomole sensitivity 658(1994)233
- Makita, M., see Kataoka, H. 657(1994)9
- Makita, M., see Kataoka, H. 664(1995)421
- Malamataris, S., see Avgerinos, A. 673(1995)142
- Malavasi, B., see Ascalone, V. 657(1994)133
- Malave, A., see Rathinavelu, A. 670(1995)177
- Malgouyat, J.M., see Girault, J. 658(1994)289
- Malhotra, R.C., see Dangi, R.S. 661(1994)341
- Malik, F., see Siddiqui, F.Q. 666(1995)342
- Malik, S., see Dasgupta, A. 666(1995)63
- Mallet, A.I., see Nourooz-Zadeh, J. 667(1995)199
- Malorni, A., see Sannolo, N. 670(1995)349
- Maltsev, K.V., see Klyushnichenko, V.E. 662(1994)363
- Maltsev, K.V., see Koulich, D.M. 662(1994)357
- Mályusz, M., see Lange, M. 662(1994)97
- Mamone, G., see Sannolo, N. 670(1995)349
- Mamzori, K., see Niopas, I. 656(1994)447
- Man in 't Veld, A.J., see Van Dijk, J. 663(1995)43
- Manchon, M., see Guitton, J. 669(1995)358
- Mangin, P., see Cirimele, V. 673(1995)173
- Mangin, P., see Kintz, P. 670(1995)162
- Mangin, P., see Tracqui, A. 675(1996)235
- Mangoni, P., Sioufi, A. and Godbillon, J.
Stereospecific high-performance liquid chromatographic determination of an S(-)-benzopyran methyl ester derivative (CGP 50 068), its (-)-carboxylic acid metabolite (CGP 55 461) and the related (+)-enantiomer (CGP 54 228) in human and dog plasma 664(1995)393
- Maniara, W.M. and Powell, M.L.
Determination of the rifamycin-related hypolipidemic drug CGP 43371 in human feces, plasma and urine by high-performance liquid chromatography 660(1994)135
- Mann, C., see Flesch, G. 657(1994)155
- Mann, H., see Müller-Schulte, D. 656(1994)135
- Männistö, P.T., see Reenilä, I. 663(1995)137
- Mano, N., see Takakuwa, S. 673(1995)113
- Manoharan, M. and Schwillie, P.O.
Measurement of ascorbic acid in human plasma and urine by high-performance liquid chromatography. Results in healthy subjects and patients with idiopathic calcium urolithiasis 654(1994)134
- Mansor, S.M., see Navaratnam, V. 669(1995)289
- Mansor, S.M., see Ramanathan, S. 655(1994)269
- Marc, S., see Gordon, B.H. 657(1994)163
- Marcé, M., Brown, D.S., Capell, T., Figueras, X. and Tiburcio, A.F.
Rapid high-performance liquid chromatographic method for the quantitation of polyamines as their dansyl derivatives: application to plant and animal tissues 666(1995)329
- Marchand, J., see Tharasse-Bloch, C. 674(1995)247
- Mardens, Y., see Kumps, A. 658(1994)241
- Marder, S.R., see Aravagiri, M. 656(1994)373
- Mariani, M., see Vola, R. 668(1995)209
- Margio, M., Ghielmi, S., Tagliaro, F. and Krstulović, A.M.
Foreword 656(1994)1
- Marigo, M., see Tagliaro, F. 656(1994)107
- Mariller, C., see Tetaert, D. 658(1994)31
- Marinello, E., see Terzuoli, L. 663(1995)143
- Marinero, P., see Del Nozal, M.J. 656(1994)397
- Mariotti, F., see Rondelli, I. 653(1994)17
- Markham, D.A., see Bormett, G.A. 665(1995)315
- Markland, F.S., see Loayza, S.L. 662(1994)227
- Markowitz, J.S. and Patrick, K.S.
Thermal degradation of clozapine-N-oxide to clozapine during gas chromatographic analysis 668(1995)171
- Marley, P.D., see Jensen, T.B. 670(1995)199

- Márquez, C.D., Weintraub, S.T. and Smith, P.C.
Femtomole detection of amino acids and dipeptides by gas chromatography-negative-ion chemical ionization mass spectrometry following alkylation with pentafluorobenzyl bromide 658(1994)213
- Márquez-Ruiz, G. and Dobarganes, M.C.
Assessments on the digestibility of oxidized compounds from [1-¹⁴C]linoleic acid using a combination of chromatographic techniques 675(1996)1
- Marr, M., see Moore, C. 655(1994)132
- Marr, M., see Rogowsky, D. 655(1994)138
- Marrucci, A., see Guarna, A. 674(1995)197
- Marshall, B.D., see Aravagiri, M. 656(1994)373
- Marshall, E.F. and Leitch, M.
Plasma serotonin 655(1994)167
- Martel, P., see Pinguet, F. 675(1996)99
- Martens, J.
Determination of loratadine and pheniramine from human serum by gas chromatography-mass spectrometry 673(1995)183
- Martens, J., Banditt, P. and Meyer, F.P.
Determination of nifedipine in human serum by gas chromatography-mass spectrometry: validation of the method and its use in bioavailability studies 660(1994)297
- Martin, C., see Dumas, F. 654(1994)276
- Martin, H.D., see Jenkins, M.A. 672(1995)241
- Martín, I., López-González, M.A., Gómez, M., Cámara, C. and Palacios, M.A.
Evaluation of high-performance liquid chromatography for the separation and determination of arsenic species by on-line high-performance liquid chromatographic-hydrate generation-atomic absorption spectrometry 666(1995)101
- Martin, L.M.
Antibody fragment separations by capillary zone electrophoresis 675(1996)17
- Martin, U., see Hufschmid, E. 668(1995)159
- Martínez, L., see García-Encina, G. 670(1995)103
- Marton, G., see Simon, G. 664(1995)17
- Marty, Y., see Soudant, P. 673(1995)15
- Maruno, M., see Ono, H. 674(1995)293
- Marušić, A., see Lukša, J. 667(1995)277
- Maruyama, W., see Deng, Y. 670(1995)47
- Maruyama, W., see Kajita, M. 654(1994)263
- Marx, M., see Gurley, B.J. 670(1995)358
- Marzo, A., see Bo, L.D. 665(1995)404
- Marzo, A., see De Witt, P. 657(1994)67
- Masaki, T., see Obata, T. 655(1994)173
- Masera, G., see Gentili, D. 657(1994)47
- Mashige, F., Ohkubo, A., Matsushima, Y., Takano, M., Tsuchiya, E., Kanazawa, H., Nagata, Y., Takai, N., Shinozuka, N. and Sakuma, I.
High-performance liquid chromatographic determination of catecholamine metabolites and 5-hydroxyindoleacetic acid in human urine using a mixed-mode column and an eight-channel electrode electrochemical detector 658(1994)63
- Mason, J.L. and Hobbs, G.J.
Simple method for the analysis of tenoxicam in human plasma using high-performance liquid chromatography [J. Chromatogr. B, 665 (1995) 410] (Erratum) 667(1995)361
- Massad, D.D., see Heath, T.G. 670(1995)91
- Massimino, M.L., see Libera, L.D. 664(1995)185
- Mastey, V., Panneton, A.-C., Donati, F. and Varin, F.
Determination of midazolam and two of its metabolites in human plasma by high-performance liquid chromatography 655(1994)305
- Masuoka, N., Yao, K., Kinuta, M., Ohta, J., Wakimoto, M. and Ubuka, T.
High-performance liquid chromatographic determination of taurine and hypotaurine using 3,5-dinitrobenzoyl chloride as derivatizing reagent 660(1994)31
- Mather, L.E., see Huang, J.L. 673(1995)245
- Mather, L.E., see Mills, M.H. 658(1994)177
- Mathews, B.S., see Heath, T.G. 670(1995)91
- Mathews, J.M., see Thomas, B.F. 655(1994)201
- Mathôt, R.A.A., see Irth, H. 658(1994)207
- Matinier, D., see Moachon, G. 654(1994)91
- Matsuda, Y., see Ishiguro, H. 663(1995)35
- Matsui, A., see Matsui, E. 668(1995)299
- Matsui, E., Hoshino, M., Matsui, A. and Okahira, A.
Simultaneous determination of citalopram and its metabolites by high-performance liquid chromatography with column switching and fluorescence detection by direct plasma injection 668(1995)299
- Matsui, M., see Ito, T. 667(1995)355
- Matsumoto, M. and Ishikawa, F.
Purification of *Treponema pallidum*, Nichols strain, by two-step column chromatography 663(1995)217
- Matsumoto, U., see Shibusawa, Y. 664(1995)295
- Matsumoto, U., see Shibusawa, Y. 666(1995)233
- Matsuoka, M., see Okumura, T. 670(1995)11
- Matsushima, S., see Harumi, T. 675(1996)152
- Matsushima, Y., see Mashige, F. 658(1994)63
- Matsuura, K., see Imai, J. 661(1994)149
- Matsuzaki, Y., see Ono, H. 674(1995)293
- Matsuzaki, Y., see Yoshida, T. 655(1994)179
- Matsuzawa, Y., see Ishiguro, H. 663(1995)35
- Mattammal, M.B., Strong, R., White V, E. and Hsu, F.-F.
Characterization of peroxidative oxidation products of dopamine by mass spectrometry 658(1994)21
- Matuszewski, B., see Constanzer, M. 666(1995)117
- Matuszewski, B.K., Constanzer, M.L., Woolf, E.J., Au, T. and Haddix, H.
Determination of MK-507, a novel topically effective carbonic anhydrase inhibitor, and its de-ethylated metabolite in human whole blood, plasma, and urine by high-performance liquid chromatography 653(1994)77
- Matuszewski, B.K., see Constanzer, M.L. 658(1994)281
- Matuszewski, B.K., see Dru, J.D.-Y. 666(1995)259
- Matuszewski, B.K., see Hsieh, J.Y.-K. 661(1994)307
- Matveevskaya, N.S., Alyoshkin, V.A. and Rozina, M.N.
Isolation of the C3 complement component and its C3d subunit from IY-1 fraction of Cohn's fractionation of human plasma 664(1995)261

- Maubois, J.-L., see Gaucheron, F. 664(1995)193
Maume, B.F., see Hathout, Y. 652(1994)1
Maume, G., see Hathout, Y. 652(1994)1
Maurer, H.H.
Contributions to Forensic Toxicology (edited by R.K. Müller) (Book Review) 660(1994)421
Mauri, P.L., see Pietta, P.G. 673(1995)75
Maurice, M.-H., see Chakir, S. 654(1994)61
Mautz, D.S., Labroo, R. and Kharasch, E.D.
Determination of alfentanil and noralfentanil in human plasma by gas chromatography-mass spectrometry 658(1994)149
Mayakova, T.I., Kuznetsova, E.E., Kovaleva, M.G. and Plyusnin, S.A.
Gas chromatographic-mass spectrometric study of lipids and rapid diagnosis of *Mycobacterium tuberculosis* 672(1995)133
Mayersohn, M., see Hutchaleelaha, A. 658(1994)103
Mayr, G.W., see Guse, A.H. 672(1995)189
Mazières, N., see Sautès, C. 662(1994)197
Mazza, L., see Bianchi, V. 665(1995)295
Mberu, E.K., see Muhia, D.K. 660(1994)196
McAllister, T.A., Samuels, S.E., Sedgwick, G.W., Fenton, T.W. and Thompson, J.R.
High-performance liquid chromatographic analysis of β -phenylethylamine for the estimation of in vivo protein synthesis 666(1995)336
McCabe, J.B., see Chandler, K.J. 652(1994)195
McCallister, J.D., see Howell, S.E. 663(1995)148
McClure, H.M., see Rajagopalan, P. 672(1995)119
McCord, B.R., see Butler, J.M. 658(1994)271
McErlane, K.M., see Kwok, D.K.W. 661(1994)271
McGarvey, B.D.
Derivatization reactions applicable to pesticide determination by high-performance liquid chromatography (Review) 659(1994)243
McGuire, M.T., see Chan, K.C. 657(1994)301
McGuirk, D., see Kelly, M.T. 668(1995)117
McLaughlin, C.M., see Smith, K.D. 661(1994)7
McLeish, M.J., see Jones, D.J. 675(1996)174
McMahon, L., see Owens, J.W. 669(1995)295
McNamee, R.B., see Müller, A. 666(1995)283
McNulty, D.E., see Burrows, S.D. 668(1995)219
McPherson, M., see García, J.C. 656(1994)77
Meaney, M.P., see Regan, F.B. 657(1994)409
Medina, M.B. and Unruh, J.J.
Solid-phase clean-up and thin-layer chromatographic detection of veterinary aminoglycosides 663(1995)127
Meenhorst, P.L., see Koks, C.H.W. 663(1995)345
Meguro, H., see Akasaka, K. 665(1995)37
Mehmet, S., see Taylor, G.W. 664(1995)458
Meijerink, J.P.P., see Kuypers, A.W.H.M. 660(1994)271
Meloni, D., see De Witt, P. 657(1994)67
Melzer, H., see Müller-Schulte, D. 656(1994)135
Melzig, M.F., see Haber, H. 672(1995)179
Mendelson, J.E., see Jacob III, P. 664(1995)449
Mensink, E.J.B.M., see Kuypers, A.W.H.M. 660(1994)271
Mensink, E.J.B.M., see Kuypers, A.W.H.M. 675(1996)205
Menzel, S., see Geisslinger, G. 675(1996)77
Merali, S. and Clarkson, Jr., A.B.
Polyamine analysis using N-hydroxysuccinimidyl-6-aminoquinoyl carbamate for pre-column derivatization 675(1996)321
Messana, I., see Castagnola, M. 656(1994)87
Messina, A., see Canepari, S. 656(1994)191
Metzler, M., see Velic, I. 666(1995)139
Meulemans, A. and Delsenne, F.
Measurement of nitrite and nitrate levels in biological samples by capillary electrophoresis 660(1994)401
Meybeck, A., see Bonté, F. 664(1995)311
Meyer, C., see Wiegel, D. 661(1994)159
Meyer, F.P., see Darius, J. 656(1994)343
Meyer, F.P., see Martens, J. 660(1994)297
Meyer, F.P., see Ulrich, S. 663(1995)289
Meyer, H., see Binscheck, T. 675(1996)287
Micetich, R.G., see Hussain, M.S. 663(1995)379
Michaut, S., see Nicolle, E. 663(1995)111
Michel-Guerout, P., see Grellet, J. 652(1994)59
Michotte, Y., see Van Belle, K. 657(1994)149
Michotte, Y., see Van Belle, K. 672(1995)97
Miclo, L., see Perrin, E. 664(1995)267
Mielniczuk, E., see Mielniczuk, Z. 670(1995)167
Mielniczuk, Z., Mielniczuk, E. and Larsson, L.
Determination of muramic acid in organic dust by gas chromatography-mass spectrometry 670(1995)167
Mikkelsen, S.R., see Li, F. 674(1995)277
Mikšík, I., see Deyl, Z. 653(1994)47
Mikšík, I., see Deyl, Z. 656(1994)3
Mikus, G., see Hofmann, U. 663(1995)59
Miller, B., see Drozd, M.L. 670(1995)145
Miller, S.R., see Howell, S.E. 663(1995)148
Miller, S.R., Salo, A.L., Boggan, W.O. and Patrick, K.S.
Determination of plasma cocaine and ethylcocaine (cocaethylene) in mice using gas chromatography-mass spectrometry and deuterated internal standards 656(1994)335
Miller, W.R., see Cummings, J. 658(1994)183
Millérioux, L., see Beconi-Barker, M.G. 673(1995)231
Miller-Stein, C., Boppana, V.K. and Rhodes, G.R.
High-performance liquid chromatographic determination of the N-ethyl tricarbamate ester pro-drug of fenoldopam utilizing simultaneous post-column hydrolysis and fluorescence derivatization 661(1994)291
Millot, M.-C., Hervé, F. and Sébille, B.
Retention behaviour of proteins on poly(vinylimidazole)-copper(II) complexes supported on silica: application to the fractionation of desialylated human α_1 -acid glycoprotein variants 664(1995)55
Mills, M.H., Mather, L.E., Gu, X.S. and Huang, J.L.
Determination of ketorolac enantiomers in plasma using enantioselective liquid chromatography on an α_1 -acid glycoprotein chiral stationary phase and ultraviolet detection 658(1994)177
Mills, P.C., see Smith, N.C. 673(1995)35
Minkler, P.E., Ingalls, S.T. and Hoppel, C.L.
Comments on quantitation of carnitine esters by high performance liquid chromatography. Reply to E. Schmidt-Sommerfeld and D. Penn 652(1994)119

- Minnigh, M.B., Alvin, J.D. and Zemaitis, M.A.
Determination of plasma mexiletine levels with gas chromatography-mass spectrometry and selected-ion monitoring 662(1994)118
- Mino, T., see Shimada, K. 661(1994)85
- Minor, T., Osswald, B., Kraus, T.W., July, N., Isselhard, W. and Klar, E.
Determination of plasma activities of purine nucleoside phosphorylase by high-performance liquid chromatography: estimates of nonparenchymal cell injury after porcine liver transplantation 670(1995)332
- Minton, T.A., see Daniel, V.C. 653(1994)117
- Mis, S.M., see Jusko, W.J. 658(1994)47
- Misawa, S., see Tanaka, E. 673(1995)147
- Mischiati, C., Feriotto, G., Fiorentino, D. and Gambari, R.
Chromatography in DNA radiolabeling: hands-off automation using a robotic workstation 664(1995)303
- Mislovičová, D., Chudinová, M., Gemeiner, P. and Dočolomanský, P.
Affinity chromatography of invertase on Concanavalin A-bead cellulose matrix: the case of an extraordinary strong binding glycoenzyme 664(1995)145
- Misra, H.P., see Kukucka, M.A. 653(1994)139
- Missotten, M., see Leyssens, L. 654(1994)43
- Misztal, G. and Przyborowski, L.
Determination of nadoxolol in human plasma using reversed-phase high-performance liquid chromatography 660(1994)409
- Mitamura, K., see Shimada, K. 659(1994)227
- Mitchell, S., see Hansson, A.G. 675(1996)180
- Mitrovic, V., see Hussein, H. 672(1995)138
- Mitsner, B.I., see Egorova, T.A. 665(1995)53
- Miura, H., see Tazuma, S. 653(1994)1
- Miyabayashi, T., see Lee, J.W. 670(1995)287
- Miyajima, K., Hirata, M., Yoshida, T., Kosaka, H. and Okayama, A.
Study on measurement of δ -aminolevulinic acid in plasma by high-performance liquid chromatography 654(1994)165
- Miyaoka, M., see Yamane, M. 666(1995)197
- Miyasaka, N., see Kawasaki, N. 656(1994)436
- Miyazaki, H., see Yoshida, T. 655(1994)179
- Miyazaki, K., see Kishino, S. 672(1995)199
- Mizugaki, M., Hishinuma, T., Yu, G.S.P., Ito, K., Nishikawa, M., Ohyama, Y., Ishibashi, M., Nakagawa, Y. and Harima, N.
Microdetermination of 2,3-dinor-6-ketoprostaglandin $F_{1\alpha}$ in human urine using gas chromatography-high-resolution selected-ion monitoring 658(1994)11
- Mizuno, A., Uematsu, T. and Nakashima, M.
Simultaneous determination of ofloxacin, norfloxacin and ciprofloxacin in human hair by high-performance liquid chromatography and fluorescence detection 653(1994)187
- Moachon, G. and Matinier, D.
Simultaneous determination of modafinil and its acid metabolite by high-performance liquid chromatography in human plasma 654(1994)91
- Moal, J., see Soudant, P. 673(1995)15
- Modi, I.A., see Pandya, K.K. 667(1995)315
- Modi, R.I., see Pandya, K.K. 667(1995)315
- Moes, D., see Rouan, M.C. 667(1995)307
- Moffa, M., see Tagliaro, F. 656(1994)107
- Mogi, M., see Adachi, T. 668(1995)327
- Molíns Legua, C., Campíns-Falcó, P. and Sevillano-Cabeza, A.
Amphetamine and methamphetamine determination in urine by reversed-phase high-performance liquid chromatography with sodium 1,2-naphthoquinone 4-sulfonate as derivatizing agent and solid-phase extraction for sample clean-up 672(1995)81
- Mollé, D., see Gaucheron, F. 664(1995)193
- Molteni, S., Caslavská, J., Alleman, D. and Thormann, W.
Determination of methadone and its primary metabolite in human urine by capillary electrophoretic techniques 658(1994)355
- Moncrieff, J.
Determination of dapsone in serum and saliva using reversed-phase high-performance liquid chromatography with ultraviolet or electrochemical detection 654(1994)103
- Monden, S., see Takenaga, N. 674(1995)111
- Monégier, B., see Clerc, F.F. 662(1994)245
- Moneret-Vautrin, D.A., see Moutete, H.F. 664(1995)211
- Monji, H., see Yamaguchi, M. 661(1994)93
- Monji, H., see Yamaguchi, M. 661(1994)168
- Monnier, V., see Wu, Y.C. 667(1995)328
- Monsigny, M., see Santambien, P. 664(1995)241
- Monteil, H., see Levêque, D. 655(1994)320
- Monti, L.D., see Magni, F. 657(1994)1
- Montini, G., see Dall'Amico, R. 672(1995)155
- Moody, R.R., see Kolawole, J.A. 674(1995)149
- Moore, A.J., Loadman, P.M., Devine, D.A. and Bibby, M.C.
Extraction of the synthetic lytic peptide, cecropin B, from biological fluid and analysis using reversed-phase high-performance liquid chromatography 672(1995)225
- Moore, C., Long, G. and Marr, M.
Confirmation of benzodiazepines in urine as trimethylsilyl derivatives using gas chromatography-mass spectrometry 655(1994)132
- Moore, C., see Rogowsky, D. 655(1994)138
- Mopper, B., see Sciacchitano, C.J. 657(1994)395
- Mordi, M.N., see Navaratnam, V. 669(1995)289
- Moreau, J.L., Azza, S., Bigey, F., Arnaud, A. and Galzy, P.
Application of high-performance liquid chromatography to the study of the biological transformation of adiponitrile 656(1994)197
- Morgan, D.J., see Jones, D.J. 675(1996)174
- Morgan, Jr., L.R., see Rodgers, A.H. 670(1995)365
- Morishima, H.O., see Virag, L. 658(1994)135
- Morris, D.M., see Harker, A.J. 657(1994)227
- Morrow, J.D., see Daniel, V.C. 653(1994)117
- Mosimann, M., see Lauber, R. 654(1994)69
- Motohashi, M., see Lee, J.W. 670(1995)287
- Motohashi, M., see Okuda, T. 662(1994)79
- Mouchard-Delmas, C., Gourdiere, B. and Vistelle, R.
Determination of vinorelbine in rabbit plasma by high-performance liquid chromatography with coulometric detection 663(1995)390

- Moulin, A., see Chapeau, V. 660(1994)341
- Mount, D.L., Todd, G.D. and Navaratnam, V.
Packed-column supercritical chromatography of artemisinin (qinghaosu) with electron-capture detection 666(1995)183
- Mounds, T.L., see Abidi, S.L. 671(1995)281
- Moussa, F., Raux-Demay, M.-C., Veinberg, F., Depasse, F., Gharbi, R., Hautem, J.-Y. and Aymard, P.
Determination of iodide in serum and urine by ion-pair reversed-phase high-performance liquid chromatography with coulometric detection 667(1995)69
- Moutete, H.F., Olszewski, A., Gastin, I., Namour, F., Moneret-Vautrin, D.A. and Guéant, J.L.
Purification of allergenic proteins from peanut for preparation of the reactive solid phase of a specific IgE radioimmunoassay 664(1995)211
- Muck, S., see De Witt, P. 657(1994)67
- Mueller, R.K., Grosse, J., Lang, R. and Thieme, D.
Chromatographic techniques—the basis of doping control (Review) 674(1995)1
- Muggia, F., see Li, W.Y. 673(1995)281
- Mugiyama, M., see Shibusawa, Y. 664(1995)295
- Muhia, D.K., Mberu, E.K. and Watkins, W.M.
Differential extraction of artemether and its metabolite dihydroartemisinin from plasma and determination by high-performance liquid chromatography 660(1994)196
- Muhonen, W.W., see Lambeth, D.O. 656(1994)143
- Muir, J.G., see Birkett, A.M. 674(1995)187
- Müller, A., Pretus, H.A., McNamee, R.B., Jones, E.L., Browder, I.W. and Williams, D.L.
Comparison of the carbohydrate biological response modifiers Krestin, schizophyllan and glucan phosphate by aqueous size exclusion chromatography with in-line argon-ion multi-angle laser light scattering photometry and differential viscometry detectors 666(1995)283
- Müller, B., see Schmid, J. 658(1994)93
- Muller, D., see Dahri, L. 664(1995)47
- Muller, D., see Lakhari, H. 664(1995)163
- Müller-Schulte, D., Melzer, H. and Mann, H.
Removal of β_2 -microglobulin using grafted affinity adsorbents as therapeutic approach for the treatment of hemodialysis patients 656(1994)135
- Mulsant, B.H., see Foglia, J.P. 668(1995)291
- Muppalla, S., see Zhai, S. 669(1995)372
- Mura, P., Papet, Y., Sanchez, A. and Piriou, A.
Rapid and specific high-performance liquid chromatographic method for the determination of iodide in urine 664(1995)440
- Murakami, K., see Muro, H. 663(1995)83
- Murase, M., Kimura, Y. and Nagata, Y.
Determination of portal short-chain fatty acids in rats fed various dietary fibers by capillary gas chromatography 664(1995)415
- Murata, A., see Murata, K. 670(1995)3
- Murata, H., see Ito, T. 667(1995)355
- Murata, K., Murata, A. and Yoshida, K.
High-performance liquid chromatographic identification of eight constitutional disaccharides from heparan sulfate isomers digested with heparinases 670(1995)3
- Murayama, K., see Imai, J. 661(1994)149
- Muro, H., Tatsuhara, T., Sugimoto, T., Woo, M., Nishida, N., Murakami, K. and Yamaguchi, Y.
Determination of urinary valproylcarnitine by gas chromatography-mass spectrometry with selected-ion monitoring 663(1995)83
- Murphy, A.T., Kasper, S.C., Gillespie, T.A. and Delong, A.F.
Determination of xanomeline and active metabolite, N-desmethylxanomeline, in human plasma by liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 668(1995)273
- Muscari, C., see Guarnieri, C. 656(1994)209
- Muschalek, V., see Heinig, R. 655(1994)286
- Muschik, G.M., see Chan, K.C. 657(1994)301
- Muschik, G.M., see Janini, G.M. 657(1994)419
- Muskiet, F.A.J.
Foreword 671(1995)1
- Muskiet, F.A.J., Dorhout, B., Van den Berg, G.A. and Hessels, J.
Investigation of polyamine metabolism by high-performance liquid chromatographic and gas chromatographic profiling methods (Review) 667(1995)189
- Mussini, E., see Abbiati, G. 656(1994)303
- Müthing, J.
Improved thin-layer chromatographic separation of gangliosides by automated multiple development 657(1994)75
- Müthing, J. and Unland, F.
Improved separation of isomeric gangliosides by anion-exchange high-performance liquid chromatography 658(1994)39
- Mutlib, A.E., see Riggs, K.W. 660(1994)315
- Mutlib, A.E. and Strupczewski, J.T.
Picogram determination of iloperidone in human plasma by solid-phase extraction and by high-performance liquid chromatography-selected-ion monitoring electrospray mass spectrometry 669(1995)237
- Myers, M.W., see Thomas, B.F. 655(1994)201
- Myher, J.J. and Kuksis, A.
General strategies in chromatographic analysis of lipids 671(1995)3
- Myher, J.J., see Kuksis, A. 671(1995)35
- Myher, J.J., see Liepkalns, V.A. 658(1994)223
- Myung, S.-W., Kim, M.-S., Yoon, C.-N., Park, J.-S. and Ahn, W.-S.
Gas chromatographic-electron-impact chemical ionization mass spectrometric identification of cinmetacin and its metabolites in human urine 660(1994)75

N

- Nabet, P., see Legrand, C. 663(1995)187
- Nadeau, J.H., see Daniel, V.C. 653(1994)117
- Nagai, N., see Hanada, K. 663(1995)181
- Nagakura, T., see Obata, T. 655(1994)173
- Nagaraja, N.V., Singh, S.K. and Gupta, R.C.
Sensitive high-performance liquid chromatographic method for the determination of methyl N-[5-[[4-(2-pyridinyl)-1-piperazinyl]carbonyl]-1H-benzimidazol-2-yl] carbamate in rat blood 664(1995)472
- Nagasawa, M., Kashimoto, M., Sugawara, M. and Kimura, Y.
Determination of the β -blocker carteolol in human plasma by a sensitive gas chromatographic-negative-ion chemical ionization high-resolution mass spectrometric method 673(1995)294
- Nagata, O., see Takahara, E. 658(1994)154
- Nagata, T., see Kage, S. 675(1996)27
- Nagata, Y., see Mashige, F. 658(1994)63
- Nagata, Y., see Murase, M. 664(1995)415
- Nagatsu, T., see Candito, M. 657(1994)61
- Nagatsu, T., see Hibiya, M. 672(1995)143
- Nagatsu, T., see Kajita, M. 654(1994)263
- Nagatsu, T., see Kajita, M. 669(1995)345
- Naidong, W., see Lee, J.W. 670(1995)287
- Naidong, W., Lee, J.W. and Hulse, J.D.
Development and validation of a high-performance liquid chromatographic method for the determination of methocarbamol in human plasma 654(1994)287
- Nair, N.K., see Navaratnam, V. 669(1995)289
- Nair, N.K., see Ramanathan, S. 655(1994)269
- Najjar, T.A., Al-Dhuwailie, A.A. and Tekle, A.
Comparison of high-performance liquid chromatography with fluorescence polarization immunoassay for the analysis of vancomycin in patients with chronic renal failure 672(1995)295
- Naka, K., see Yoshioka, K. 655(1994)189
- Nakagawa, Y., see Mizugaki, M. 658(1994)11
- Nakahara, D., see Kajita, M. 654(1994)263
- Nakahara, Y., Kikura, R. and Takahashi, K.
Hair analysis for drugs of abuse. VIII. Effective extraction and determination of 6-acetylmorphine and morphine in hair with trifluoroacetic acid-methanol for the confirmation of retrospective heroin use by gas chromatography-mass spectrometry 657(1994)93
- Nakai, H., Shimamura, Y., Kanazawa, T., Yasuda, S. and Kayano, M.
Determination of a new $H^+ - K^+$ ATPase inhibitor (E3810) and its four metabolites in human plasma by high-performance liquid chromatography 660(1994)211
- Nakajima, M., see Shimada, K. 661(1994)85
- Nakajima, M., see Yamane, M. 662(1994)91
- Nakajima, M., see Yamato, S. 656(1994)29
- Nakajima, Y., see Okumura, T. 670(1995)11
- Nakamura, H., see Kudoh, S. 660(1994)205
- Nakamura, H., see Ohta, T. 675(1996)168
- Nakamura, K.-i., see Kobayashi, N. 672(1995)17
- Nakamura, M., see Iwata, T. 654(1994)171
- Nakamura, M., see Takeda, N. 660(1994)223
- Nakanishi, T., see Yoshioka, K. 655(1994)189
- Nakanomyo, H., see Shimizu, T. 674(1995)77
- Nakashima, K., Hidaka, Y., Yoshida, T., Kuroda, N. and Akiyama, S.
High-performance liquid chromatographic determination of short-chain aliphatic aldehydes using 4-(N,N-dimethylaminosulphonyl)-7-hydrazino-2,1,3-benzoxadiazole as a fluorescence reagent 661(1994)205
- Nakashima, M., see Mizuno, A. 653(1994)187
- Nakata, H., see Takakuwa, S. 673(1995)113
- Nakazawa, H., see Horie, M. 653(1994)69
- Nakazawa, H., see Horie, M. 655(1994)47
- Nakazawa, H., see Saito, K. 654(1994)270
- Namour, F., see Moutete, H.F. 664(1995)211
- Naio, M., see Deng, Y. 670(1995)47
- Naio, M., see Kajita, M. 654(1994)263
- Naio, M., see Kajita, M. 669(1995)345
- Napoli, K.L. and Kahan, B.D.
Sample clean-up and high-performance liquid chromatographic techniques for measurement of whole blood rapamycin concentrations 654(1994)111
- Nation, R.L., see Hayball, P.J. 662(1994)128
- Nattouf, H., Davrinche, C., Sinet, M. and Farinotti, R.
High-performance liquid chromatographic assay for 3'-amino-3'-deoxythymidine in plasma, with 9-fluorenyl methyl chloroformate as the derivatization agent 664(1995)365
- Nau, H., see Belz, S. 661(1994)109
- Nava, D., see Stradi, R. 670(1995)337
- Navajas, R., Imaz, C., Carreras, D., García, M., Pérez, M., Rodríguez, C., Rodríguez, A.F. and Cortés, R.
Determination of epitestosterone and testosterone in urine by high-performance liquid chromatography 673(1995)159
- Navaratnam, V., Mansor, S.M., Chin, L.K., Mordi, M.N., Asokan, M. and Nair, N.K.
Determination of artemether and dihydroartemisinin in blood plasma by high-performance liquid chromatography for application in clinical pharmacological studies 669(1995)289
- Navaratnam, V., see Mount, D.L. 666(1995)183
- Navaratnam, V., see Ramanathan, S. 655(1994)269
- Naylor, S., see Tomlinson, A.J. 657(1994)373
- Naylor, S., see Tomlinson, A.J. 669(1995)67
- Nazimov, I.V., see Koulich, D.M. 662(1994)357
- Neal, J.M., Howald, W.N., Kunze, K.L., Lawrence, R.F. and Trager, W.F.
Application of negative-ion chemical ionization isotope dilution gas chromatography-mass spectrometry to single-dose bioavailability studies of mefloquine 661(1994)263
- Nelson, D., see Cunningham, D.D. 668(1995)41
- Nelson, R., see Freeman, K.B. 665(1995)171
- Netteland, B., see Demoz, A. 667(1995)148
- Neuhof, S., see Ulrich, S. 663(1995)289
- New, A.L., see Lee, B.L. 668(1995)265

- Newell, D.R., see Wedge, S.R. 663(1995)327
- Newman, R.A., Costa, M. and Cisneros, A.
High-performance liquid chromatographic measurement of the novel anti-HIV agent 7,8-dihydrocostatolide (NSC 661123) 658(1994)129
- Newport, G.D., see Bowyer, J.F. 666(1995)241
- Ngo, T.T.
Rapid purification of immunoglobulin G using azareophilic chromatography: novel mode of protein-solid phase interactions 662(1994)351
- Ngoc, A.H., see Carr, R.A. 668(1995)175
- Ngoc, A.H., see Foster, R.T. 658(1994)161
- Nguyen, K.T., see Jones, D.J. 675(1996)174
- Nicolas, A., see Chakir, S. 654(1994)61
- Nicolle, E., Michaut, S., Serre-Debeauvais, F. and Bessard, G.
Rapid and sensitive high-performance liquid chromatographic assay for nalbuphine in plasma 663(1995)111
- Nie, L.-H., see Chen, P. 673(1995)153
- Nielsen, F., Kramer Nielsen, K. and Brøsen, K.
Determination of quinidine, dihydroquinidine, (3S)-3-hydroxyquinidine and quinidine N-oxide in plasma and urine by high-performance liquid chromatography 660(1994)103
- Nieman, T.A., see Skotty, D.R. 665(1995)27
- Nieto, C., Ramis, J., Conte, L., Fernández, J.M. and Forn, J.
On-line fully automated solid-phase extraction-liquid chromatography analysis of 1,2-dihydro-4-(1,2-dihydro-2-oxo-1-pyridyl)-2,2-dimethyl-1-oxonaphthalene-6-carbonitrile (UR-8225), a new potassium channel opener, in plasma samples 661(1994)319
- Niida, S., see Ohta, T. 675(1996)168
- Niimura, K., see Kajita, M. 669(1995)345
- Nikolova-Damyanova, B., see Dobson, G. 167(1995)197
- Niopas, I. and Mamzoridi, K.
Determination of indomethacin and mefenamic acid in plasma by high-performance liquid chromatography 656(1994)447
- Nishida, N., see Muro, H. 663(1995)83
- Nishikawa, H., see Yamahata, T. 653(1994)92
- Nishikawa, M., see Mizugaki, M. 658(1994)11
- Niwa, A., see Sormiachi, K. 664(1995)435
- Niwa, O., Tabei, H., Solomon, B.P., Xie, F. and Kissinger, P.T.
Improved detection limit for catecholamines using liquid chromatography-electrochemistry with a carbon interdigitated array microelectrode 670(1995)21
- Niwa, T., see Ito, T. 670(1995)317
- Niwa, T., see Kajita, M. 654(1994)263
- Niwa, T., see Kajita, M. 669(1995)345
- Noben, J.P., see Leyssens, L. 654(1994)43
- Nocca, G., see Castagnola, M. 656(1994)87
- Noda, A., see Eto, S. 658(1994)385
- Noda, H., see Eto, S. 658(1994)385
- Nohta, H., see Ohkura, Y. 659(1994)85
- Noinville, V., Craescu, C.T., Vidal-Madjar, C. and Sebille, B.
Molecular approach to protein-polymer interactions in ion-exchange chromatography 664(1995)33
- Nolte, D.L., see Johnston, J.J. 670(1995)73
- Nomeir, A.A., see Ferrala, N.F. 660(1994)291
- Nomura, A., see Kishino, S. 672(1995)199
- Nooijen, W.J., see Sparreboom, A. 664(1995)383
- Nooijen, W.J., see Van Tellingen, O. 652(1994)51
- Noordhoek, J., see Sessink, P.J.M. 673(1995)205
- Norén, K., see Weistrand, C. 669(1995)207
- Norlander, B., see Josefsson, M. 672(1995)310
- Norris, R.L.G., Ravenscroft, P.J. and Pond, S.M.
Sensitive high-performance liquid chromatographic assay with ultraviolet detection of methadone enantiomers in plasma 661(1994)346
- Nose, N., see Horie, M. 653(1994)69
- Nose, N., see Horie, M. 655(1994)47
- Notarianni, L.J., see Dobrocky, P. 652(1994)104
- Nourooz-Zadeh, J., Gopaul, N.K., Barrow, S., Mallet, A.I. and Ånggård, E.E.
Analysis of F₂-isoprostanes as indicators of non-enzymatic lipid peroxidation in vivo by gas chromatography-mass spectrometry: development of a solid-phase extraction procedure 667(1995)199
- Nourooz-Zadeh, J., Gopaul, N.K., Forster, L.A., Ferns, G.A. and Ånggård, E.E.
Measurement of plasma probucol levels by high-performance liquid chromatography 654(1994)55
- Novák, J., see Suttner, J. 656(1994)123
- Novotný, L., see Romanová, D. 675(1996)9
- Nunez, M.F., see Ji, A.J. 669(1995)15
- Nyalala, J., see Livaniou, E. 656(1994)215
- Nyberg, F., see Li, Y.-M. 664(1995)426
- O**
- Obach, R., see Pruñonosa, J. 668(1995)281
- Obata, T., Nagakura, T., Kammuri, M., Masaki, T., Maekawa, K. and Yamashita, K.
Determination of 9 α ,11 β -prostaglandin F₂ in human urine and plasma by gas chromatography-mass spectrometry 655(1994)173
- Ochi, H., see Tazuma, S. 653(1994)1
- Ochieng, W., see Dean, R.A. 655(1994)89
- Oda, R.P., see Tomlinson, A.J. 669(1995)67
- Odani, H., see Sugioka, N. 654(1994)249
- Odle, J., see van Kempen, T. 652(1994)117
- Odomi, M., see Kashiya, E. 652(1994)179
- O'Dwyer, P.J., see Qian, M. 666(1995)307
- Oehike, J., Brudel, M. and Blasig, I.E.
Benzoylation of sugars, polyols and amino acids in biological fluids for high-performance liquid chromatographic analysis 655(1994)105

- Oertel, R., Richter, K., Trausch, B., Berndt, A., Gramatté, T. and Kirch, W.
Elucidation of the structure of talinolol metabolites in man. Determination of talinolol and hydroxylated talinolol metabolites in urine and analysis of talinolol in serum 660(1994)353
- Ogata, H., see Hanada, K. 663(1995)181
- Oggioni, A., see Castoldi, D. 655(1994)243
- Ogiso, T., see Iwaki, M. 661(1994)154
- Ohashi, T., see Hosoe, K. 653(1994)177
- Ohata, A., see Akasaka, K. 665(1995)37
- Ohba, S., see Sumi, S. 670(1995)376
- Ohba, S., see Sumi, S. 672(1995)233
- Ohkubo, A., see Mashige, F. 658(1994)63
- Ohkura, Y., Kai, M. and Nohta, H.
Fluorogenic reactions for biomedical chromatography (Review) 659(1994)85
- Ohkura, Y., see Saito, M. 674(1995)167
- Ohkura, Y., see Yonekura, S. 654(1994)19
- Ohmichi, M., see Suzuki, K.T. 666(1995)13
- Ohmichi, M., see Suzuki, K.T. 670(1995)63
- Ohmori, S., see Otsuka, M. 654(1994)1
- Ohno, M., Shiono, Y. and Konishi, M.
Simultaneous determination of dihydrocodeine and its metabolites in dog plasma by high-performance liquid chromatography with electrochemical and ultraviolet detection 654(1994)213
- Ohrui, H., see Akasaka, K. 665(1995)37
- Ohtahara, Y., see Aoki, H. 660(1994)365
- Ohta, J., see Masuoka, N. 660(1994)31
- Ohta, S., see Takahara, E. 658(1994)154
- Ohta, T., Niida, S. and Nakamura, H.
Selective extraction of β -blockers from biological fluids by column-switching high-performance liquid chromatography using an internal-surface phenylboronic acid precolumn 675(1996)168
- Ohta, T., see Sugioka, N. 654(1994)249
- Ohtahara, S., see Yamashita, S. 670(1995)354
- Ohtsuki, K., see Sato, K. 663(1995)25
- Ohune, T., see Sumiyoshi, H. 670(1995)309
- Ohya, T., see Tazuma, S. 653(1994)1
- Ohyama, Y., see Mizugaki, M. 658(1994)11
- Oishi, R., see Furuno, K. 656(1994)456
- Oishi, R., see Otsubo, K. 669(1995)408
- Oishi, R., see Sueyasu, M. 665(1995)133
- Oka, H., see Horie, M. 655(1994)47
- Okada, H., see Kudoh, S. 660(1994)205
- Okahira, A., see Hoshino, M. 661(1994)281
- Okahira, A., see Matsui, E. 668(1995)299
- Okayama, A., see Miyajima, K. 654(1994)165
- Okazaki, O., see Aoki, H. 660(1994)365
- O'Kennedy, R., see Bogan, D.P. 663(1995)371
- Okuda, K., see Yoshioka, K. 655(1994)189
- Okuda, T., Motohashi, M., Aoki, I. and Yashiki, T.
Sensitive determination of methotrexate in monkey plasma by high-performance liquid chromatography using on-line solid-phase extraction 662(1994)79
- Okuma, E. and Abe, H.
Simultaneous determination of D- and L-amino acids in the nervous tissues of crustaceans using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and reversed-phase ion-pair high-performance liquid chromatography 660(1994)243
- Okumura, T., Nakajima, Y., Takamatsu, T. and Matsuoka, M.
Column-switching high-performance liquid chromatographic system with a laser-induced fluorimetric detector for direct, automated assay of salivary cortisol 670(1995)11
- Okun, V.M., Aak, O.V. and Kozlov, V.Yu.
Determination of the anticancer drug prospidin in human tissue by high-performance capillary electrophoresis using derivatization 675(1996)313
- Okuno, I., see Johnston, J.J. 670(1995)73
- Olde, B., see Johansson, G. 652(1994)137
- O'Leary, T.D., see Jenkins, M.A. 662(1994)108
- Oles, K., see Garcia, L.L. 669(1995)157
- Olesen, O.V. and Linnet, K.
Simplified high-performance liquid chromatographic method for the determination of citalopram and desmethylcitalopram in serum without interference from commonly used psychotropic drugs and their metabolites 675(1996)83
- Olmeda, R., see Karle, J.M. 670(1995)251
- Olsen, I., see Brondz, I. 667(1995)161
- Olsen, K., see Gurley, B.J. 670(1995)358
- Olson, S.C., see Kugler, A.R. 666(1995)360
- Olszewski, A., see Moutete, H.F. 664(1995)211
- Ong, C.-N. and Lee, B.-L.
Determination of benzene and its metabolites. Application in biological monitoring of environmental and occupational exposure to benzene (Review) 660(1994)1
- Ong, C.N., see Lee, B.L. 668(1995)265
- Ong, C.N., see Wu, J. 663(1995)247
- Ong, H.Y., see Wu, J. 663(1995)247
- Ono, H., Matsuzaki, Y., Wakui, Y., Takeda, S., Ikeya, Y., Amagaya, S. and Maruno, M.
Determination of schizandrin in human plasma by gas chromatography-mass spectrometry 674(1995)293
- Ono, I., see Iwase, H. 655(1994)73
- Ono, I., see Iwase, H. 655(1994)195
- Ono, I., see Iwase, H. 660(1994)422
- Ono, I., see Iwase, H. 663(1995)15
- Ono, T., see Tawa, R. 653(1994)211
- Onodera, R., see Amin, M.R. 663(1995)201
- Onuki, Y., see Ishida, M. 652(1994)43
- Oosterkamp, A.J., Irth, H., Beth, M., Unger, K.K., Tjaden, U.R. and Van de Greef, J.
Bioanalysis of digoxin and its metabolites using direct serum injection combined with liquid chromatography and on-line immunochemical detection 653(1994)55
- Opdam, J.J.G., see Van Engelen, J.G.M. 667(1995)233
- Orcutt, R.L., see Taylor, W.G. 661(1994)327
- Orsi, A., see Gelfi, C. 657(1994)201
- Ortiz, E., see Barroso, M.B. 675(1996)303
- Ortuño, J., see González, M.L. 664(1995)317
- Orvos, D.R., see Hsu, L.C. 669(1995)85

- Osborne, D., see Freeman, K.B. 665(1995)171
 Oscarsson, S.
 Influence of salts on protein interactions at interfaces of amphiphilic polymers and adsorbents 666(1995)21
 O'Shannessy, D.J., see Burrows, S.D. 668(1995)219
 Oshima, Y., see Tanaka, M. 664(1995)401
 Osswald, B., see Minor, T. 670(1995)332
 Osuga, T., see Yoshida, T. 655(1994)179
 Otsubo, K., Seto, H., Futagami, K. and Oishi, R.
 Rapid and sensitive detection of benzodiazepines and zopiclone in serum using high-performance thin-layer chromatography 669(1995)408
 Otsubo, K., see Sueyasu, M. 665(1995)133
 Otsuka, M. and Ohmori, S.
 Simple and sensitive determination of 2,3-butanediol in biological samples by gas chromatography with electron-capture detection 654(1994)1
 Ouagmiri, M.E., see Van Noort, J.M. 653(1994)155
 Owens, J.W., Yang, L., Adeola, G., Robins, M., Smith, R., Robinson, R., Elayan, N. and McMahon, L.
 Isolation and photodynamic effects of hematoporphyrin derivative components: a chromatographic analysis of the starting materials 669(1995)295
 Owens, N.A., see Stanley, S.M.R. 667(1995)95
 Ozawa, S., see Iwase, H. 663(1995)15
 Ozawa, Y., see Yamahata, T. 653(1994)92
- P**
- Palacios, M.A., see Martín, I. 666(1995)101
 Palaty, J., Burton, R. and Abbott, F.S.
 Rapid assay for γ -aminobutyric acid in mouse brain synaptosomes using gas chromatography-mass spectrometry 662(1994)85
 Paliwal, J.K., see Lal, J. 655(1994)142
 Paliwal, J.K., see Lal, J. 658(1994)193
 Paliwal, J.K., see Singh, S.K. 658(1994)198
 Palmieri, G., Cassani, G. and Fassina, G.
 Peptide immobilization on calcium alginate beads: applications to antibody purification and assay 664(1995)127
 Pampiega, A., see Del Nozal, M.J. 656(1994)397
 Pandolfi, M., see Terzuoli, L. 663(1995)143
 Pandya, K.K., Satia, M., Gandhi, T.P., Modi, I.A., Modi, R.I. and Chakravarthy, B.K.
 Detection and determination of total amlodipine by high-performance thin-layer chromatography: a useful technique for pharmacokinetic studies 667(1995)315
 Panesar, S.K., see Yu, D. 666(1995)269
 Panganiban, K., see Jacob III, P. 664(1995)449
 Panneton, A.-C., see Mastey, V. 655(1994)305
 Papadoyannis, I., see Theodoridis, G. 668(1995)253
 Papet, Y., see Mura, P. 664(1995)440
 Papich, M.G., see Tyczkowska, K.L. 658(1994)341
 Parera, L., see Pruñonosa, J. 668(1995)281
 Park, J.-S., see Myung, S.-W. 660(1994)75
 Park, J.-S., see Shin, H.-S. 661(1994)255
 Park, P.-B., see Shin, H.-S. 661(1994)255
 Parkin, D.P., see Seifart, H.I. 674(1995)269
 Partilla, J.S., You, J. and Rothman, R.B.
 High-performance liquid chromatographic resolution of synthetic opiate and "anti-opiate" peptides from human plasma 667(1995)49
 Parvoli, G., see Gori, G. 673(1995)165
 Pascual-Mostaza, C., see Lopez-Galera, R. 674(1995)298
 Pascual-Mostaza, C., see Rosell-Rovira, M.L. 675(1996)89
 Passa, A.R., see Pacifici, R. 664(1995)329
 Passa, A.R., see Zuccaro, P. 668(1995)187
 Pastoris, A., Cerutti, L., Sacco, R., De Vecchi, L. and Sbaffi, A.
 Automated analysis of urinary catecholamines by high-performance liquid chromatography and on-line sample pretreatment 664(1995)287
 Pasutto, F.M., see Foster, R.T. 658(1994)161
 Patel, A., see Jemal, M. 666(1995)251
 Patrick, K.S., see Howell, S.E. 663(1995)148
 Patrick, K.S., see Markowitz, J.S. 668(1995)171
 Patrick, K.S., see Miller, S.R. 656(1994)335
 Patthy, M., Király, I. and Sziráki, I.
 Separation of dihydroxybenzoates, indicators of in-vivo hydroxyl free radical formation, in the presence of transmitter amines and some metabolites in rodent brain, using high-performance liquid chromatography with electrochemical detection 664(1995)247
 Pawliszyn, J., see Vonguyen, L. 657(1994)333
 Pawliszyn, J., see Wu, J. 657(1994)327
 Pawliszyn, J., see Wu, J. 669(1995)39
 Pawula, M., Shaw, P.N. and Barrett, D.A.
 Determination of codeine and its metabolites in microsomal incubates by high-performance liquid chromatography 653(1994)106
- Paans, A.M.J., see Van Waarde, A. 663(1995)361
 Paar, F., see Hammes, W. 670(1995)81
 Pace-Asciak, C.R., see Demin, P. 672(1995)282
 Pacha, W., see Berliz, G. 666(1995)368
 Pacifici, R., see Altieri, I. 669(1995)416
 Pacifici, R., Pichini, S., Altieri, I., Caronna, A., Passa, A.R. and Zuccaro, P.
 High-performance liquid chromatographic-electrospray mass spectrometric determination of morphine and its 3- and 6-glucuronides: application to pharmacokinetic studies 664(1995)329
 Pacifici, R., see Zuccaro, P. 668(1995)187
 Padbury, G.E., see Van Tellingen, O. 652(1994)51
 Padovani, P.K., see Kapil, R.P. 665(1995)226
 Padovani, P.K., see Wu, S.T. 657(1994)254
 Pagani, E.D., see Cumiskey, W.R. 668(1995)199
 Pagani, R., see Terzuoli, L. 663(1995)143
 Page, T., Sherwood, C., Connor, J.D. and Tarnowski, T.
 Simple reversed-phase high-performance liquid chromatography quantitation of ganciclovir in human serum and urine 675(1996)342
 Pagliuca, G., see Piretti, M.V. 674(1995)177
 Paintaud, G., see Maboundou, C.W. 657(1994)173

- Pazur, J.H.
Coupled gel electrophoresis–agar diffusion method for the detection of tumor antigens 663(1995)51
- Pechstein, B., see Welink, J. 675(1996)107
- Pellegatti, M., see Braggio, S. 669(1995)383
- Pels, E.M., see Van Tellingen, O. 652(1994)51
- Penn, D., see Schmidt-Sommerfeld, E. 652(1994)115
- Pennings, E.J.M. and De Haas, E.J.M.
Improved extraction procedure for the assay of isosorbide-5-mononitrate in serum 675(1996)332
- Peraire, C., see Pruñonosa, J. 668(1995)281
- Perch, S., see Fisher, L.E. 665(1995)217
- Perel, J.M., see Foglia, J.P. 668(1995)291
- Pérez, M., see Navajas, R. 673(1995)159
- Pérez, M.T., see Lucas, L. 664(1995)137
- Pergandas, P., see Touraki, M. 663(1995)167
- Pernet, P., see Dumas, F. 654(1994)276
- Perrin, E., Miclo, L., Driou, A. and Linden, G.
Rapid determination of the ratios of three aromatic residues in peptides by reversed-phase high-performance liquid chromatography with a high-resolution photodiode-array detector 664(1995)267
- Pertat, N., see Sadeg, N. 675(1996)113
- Pesonen, T., Holmalahti, J. and Pohjola, J.
Determination of chlorhexidine in saliva using high-performance liquid chromatography 665(1995)222
- Peter, C., see Zhao, M.-J. 656(1994)441
- Petersen, J.R., see Abubaker, M.A. 674(1995)31
- Peterson, C., see Albertioni, F. 665(1995)163
- Peterson, C., see Liliemark, E. 669(1995)311
- Petitjean, O., see Louchahi, K. 663(1995)385
- Pettersson, B., see Albertioni, F. 665(1995)163
- Pettersson, B., see Liliemark, E. 669(1995)311
- Pettersson, L. and Eriksson, C.G.
Reversed-phase high-performance liquid chromatographic determination of 7 α -hydroxy-4-cholesten-3-one in human serum 657(1994)31
- Petty, E.E., see Johnston, J.J. 670(1995)73
- Petucci, C.J., Kantes, H.L., Strein, T.G. and Veening, H.
Capillary electrophoresis as a clinical tool.
Determination of organic anions in normal and uremic serum using photodiode-array detection 668(1995)241
- Peyrin, E., see Guillaume, Y. 665(1995)363
- Peyrin, E., Guillaume, Y. and Guinchard, C.
High-performance liquid chromatographic determination of tazobactam by precolumn derivatization 672(1995)160
- Pfister, M., see Vallar, L. 664(1995)97
- Pham-Huy, C., Radenen, B., Sahui-Gnassi, A. and Claude, J.-R.
High-performance liquid chromatographic determination of (S)- and (R)-propranolol in human plasma and urine with a chiral β -cyclodextrin bonded phase 665(1995)125
- Phillips, L.R., see Supko, J.G. 666(1995)157
- Phillips, T.M.
Immunoaffinity measurement of recombinant granulocyte colony stimulating factor in patients with chemotherapy-induced neutropenia 662(1994)307
- Phillips, T.M. and Kimmel, P.L.
High-performance capillary electrophoretic analysis of inflammatory cytokines in human biopsies 656(1994)259
- Piancone, G., see Defilippi, A. 656(1994)466
- Pianezzola, E., see La Croix, R. 656(1994)251
- Piatti, P.M., see Magni, F. 657(1994)1
- Pichini, S., see Altieri, I. 669(1995)416
- Pichini, S., see Pacifici, R. 664(1995)329
- Pichini, S., see Zuccaro, P. 668(1995)187
- Pienimäki, P., Fuchs, S., Isojärvi, J. and Vähäkangas, K.
Improved detection and determination of carbamazepine and oxcarbazepine and their metabolites by high-performance liquid chromatography 673(1995)97
- Pierroz, I., see Edler, P. 658(1994)75
- Pietta, P.G., Gardana, C., Mauri, P.L., Maffei-Facino, R. and Carini, M.
Identification of flavonoid metabolites after oral administration to rats of a *Ginkgo biloba* extract 673(1995)75
- Pilatte, Y., Rostoker, G., Violleau, K., Basta, M. and Hammer, C.H.
Further identification of human plasma glycoproteins interacting with the galactose-specific lectin Jacalin 668(1995)1
- Pinedo, H.M., see Huizing, M.T. 674(1995)261
- Pinedo, H.M., see Huizing, M.T. 664(1995)373
- Pinguet, F., Bressolle, F., Martel, P., Salabert, D. and Astre, C.
High-performance liquid chromatographic determination of granisetron in human plasma 675(1996)99
- Pinguet, P., see Bonté, F. 664(1995)311
- Pinilla, M., see Lucas, L. 664(1995)137
- Pinon, V., see Gremeau, I. 665(1995)399
- Piot, M., see Vachier, M.C. 664(1995)201
- Piovesan, G., see Dall'Amico, R. 672(1995)155
- Piretti, M.V., Pagliuca, G. and Tarozzi, G.
Simultaneous reversed-phase high-performance liquid chromatographic separation of non-polar isoprenoid lipids and their determination 674(1995)177
- Piriou, A., see Mura, P. 664(1995)440
- Pirone, R., see Cole, D.E.C. 672(1995)149
- Pisanello, L., see Dall'Amico, R. 672(1995)155
- Pişkin, E., see Denizli, A. 666(1995)215
- Pişkin, E., see Denizli, A. 668(1995)13
- Pişkin, E., see Denizli, A. 670(1995)157
- Pison, U., see Bünger, H. 672(1995)25
- Pittman, K.A., see Willey, T.A. 652(1994)171
- Pizzichini, M., see Terzuoli, L. 663(1995)143
- Pla, F., see Pruñonosa, J. 668(1995)281
- Plasse, J.C., see Schrive, I. 657(1994)233
- Pleasant, S., see Fraser, I.J. 663(1995)275
- Pleil, J.D. and Lindstrom, A.B.
Measurement of volatile organic compounds in exhaled breath as collected in evacuated electropolished canisters 665(1995)271
- Plocek, J., Konečný, P. and Chmelík, J.
Modification of glass channel walls for separation of biological particles by gravitational field-flow fractionation 656(1994)427

- Pluda, J.M., see Figg, W.D. 652(1994)187
 Plumb, R.S., see Ayrton, J. 667(1995)173
 Plyusnin, S.A., see Mayakova, T.I. 672(1995)133
 Poggesi, I., see Lorusso, V. 656(1994)415
 Pohjola, J., see Pesonen, T. 665(1995)222
 Polanuer, B., Ivanov, S. and Sholin, A.
 Rapid assay of dinitrophenyl derivative of taurine by high-performance liquid chromatography 656(1994)81
 Poli, A., see Bo, L.D. 665(1995)404
 Pommery, J., see Goossens, J.F. 657(1994)192
 Pommery, N., see Goossens, J.F. 657(1994)192
 Pommier, F., Ackermann, R., Sioufi, A. and Godbillon, J.
 Determination of acenocoumarol in human plasma by capillary gas chromatography with mass-selective detection 654(1994)35
 Pommier, F., Sioufi, A. and Godbillon, J.
 Simultaneous determination of norethisterone and six metabolites in human plasma by capillary gas chromatography with mass-selective detection 674(1995)155
 Pond, S.M., see Norris, R.L.G. 661(1994)346
 Pontiroli, A.E., see Magni, F. 657(1994)1
 Popoli, P., see Betto, P. 662(1994)21
 Poppe, H., see Xu, X. 661(1994)35
 Porquet, D., see Cong, H.N. 661(1994)193
 Posthumus, H., see Van Waarde, A. 663(1995)361
 Potapov, P.P., see Berkovsky, A.L. 656(1994)432
 Pou-Clave, L., see Lopez-Galera, R. 674(1995)298
 Pou-Clavé, L., see Rosell-Rovira, M.L. 675(1996)89
 Poulsen, H.E., see Lykkesfeldt, J. 660(1994)23
 Pourcet, C., see Clerc, F.F. 662(1994)245
 Powell, K., see Eap, C.B. 669(1995)271
 Powell, M.L., see Maniara, W.M. 660(1994)135
 Pozuelo, M., see Del Nozal, M.J. 656(1994)397
 Pozza, G., see Magni, F. 657(1994)1
 Prachar, V., see Veningerová, M. 657(1994)103
 Preechagoon, Y. and Charles, B.G.
 Analysis of cisapride in neonatal plasma using high-performance liquid chromatography with a base-stable column and fluorescence detection 670(1995)139
 PreiB, R., see Teichert, J. 672(1995)277
 Preiss, A., see Gude, Th. 673(1995)197
 Preitz, B., see Ronnenberg, J. 656(1994)169
 Preston, B.P., see Ahuja, E.S. 657(1994)271
 Pretus, H.A., see Müller, A. 666(1995)283
 Prévosto, J.-M., see Gaillard, Y. 668(1995)315
 Proksch, B., Blanz, J., Zeller, K.-P. and Ehninger, G.
 Detection and separation of the anthrapyrazole CI-941 and its metabolites in serum and urine by high-performance liquid chromatography 658(1994)349
 Pruñonosa, J., Parera, L., Peraire, C., Pla, F., Lavergne, O. and Obach, R.
 Determination of the anti-platelet-activating factor BN-50727 and its metabolites in human plasma by high-performance liquid chromatography–solid-phase extraction 668(1995)281
 Prusik, Z., see Kašička, V. 656(1994)99
 Przyborowski, L., see Misztal, G. 660(1994)409
 Przysiecki, C.T., see Joyce, J.G. 662(1994)325
 Ptáček, P., see Macek, J. 673(1995)316
 Puig, S., see García-Encina, G. 670(1995)103

- Puisieux, F., see Barra, J. 661(1994)178
 Pulido-Cejudo, G., Gagnon, J., Leclerc, J.-M., Jamison, K., Gordon, J. and Campione-Piccardo, J.
 Measurement of nucleoside diphosphate kinase–Nm23 activity by anion-exchange high-performance liquid chromatography 660(1994)37
 Purdy, W.C., see Tadey, T. 657(1994)365
 Purdy, W.C., see Tadey, T. 671(1995)237
 Pyszczynski, N.A., see Jusko, W.J. 658(1994)47

Q

- Qi, S., Zhu, T., Zhao, T., Fang, X. and Sun, Y.
 Purity control of different bee venom melittin preparations by capillary zone electrophoresis 658(1994)397
 Qian, M., O'Dwyer, P.J. and Gallo, J.M.
 High-performance liquid chromatographic method for the determination of AG-331, a novel anti-cancer agent, in human serum and urine using solid-phase extraction and photodiode-array detection 666(1995)307
 Que Hee, S.S., see Wilson, P.M. 667(1995)166
 Quecener, S.F., see Dean, R.A. 655(1994)89

R

- Rabino, R., see Castagnola, M. 656(1994)87
 Rad, A.Y., see Denizli, A. 668(1995)13
 Radenen, B., see Pham-Huy, C. 665(1995)125
 Radosevich, M.B., see Guerrier, L. 664(1995)119
 Radulovic, L.L., see Windsor, B.L. 674(1995)143
 Raffel, H.H., Locher, M. and Borbe, H.O.
 High-performance liquid chromatographic assay for the determination of the decapeptide cetrorelix, a novel luteinizing hormone-releasing hormone antagonist, in human plasma 653(1994)102
 Raghavan, N., see Joshi, A.S. 660(1994)143
 Raghuvveeran, C.D., see Dangi, R.S. 661(1994)341
 Rainey, P.M., see Hansson, A.G. 675(1996)180

- Rajagopalan, P., Gao, Z., Chu, C.K., Schinazi, R.F., McClure, H.M. and Boudinot, F.D.
High-performance liquid chromatographic determination of (-)- β -D-2,6-diaminopurine dioxolane and its metabolite, dioxolane guanosine, using ultraviolet and on-line radiochemical detection 672(1995)119
- Ramanathan, S., Nair, N.K., Mansor, S.M. and Navaratnam, V.
Determination of the antifilarial drug UMF-078 and its metabolites UMF-060 and flubendazole in whole blood using high-performance liquid chromatography 655(1994)269
- Ramboldi, A., see Guiso, G. 656(1994)239
- Ramis, J., see Nieto, C. 661(1994)319
- Ramis-Ramos, G., see Simó-Alfonso, E.F. 670(1995)183
- Ramsauer, B., Braess, J., Unterhalt, M., Kaufmann, C.C., Hiddemann, W. and Schleyer, E.
Highly sensitive high-performance liquid chromatographic assay for 1- β -D-arabinofuranosylcytosine-5'-stearyl phosphate (cytarabine-ocfosfate) 665(1995)183
- Rao, M.L., see Bagli, M. 657(1994)141
- Rapoport, E.M., see Ivanov, A.E. 664(1995)219
- Rask, C., see Albertioni, F. 665(1995)163
- Rasmussen, K.E., see Johansen, K. 669(1995)281
- Rasmussen, K.E., see Krogh, M. 673(1995)299
- Rasmussen, S.N., see Christensen, E.B. 670(1995)243
- Rathinavelu, A. and Malave, A.
High-performance liquid chromatography using electrochemical detection for the determination of prazosin in biological samples 670(1995)177
- Ratney, R., Astier, A. and Chariot, P.
Determination of fenoverine in tissue samples by high-performance liquid chromatography 654(1994)159
- Ratti, E., see Castoldi, D. 655(1994)243
- Raus, J., see Leyssens, L. 654(1994)43
- Rauscher, D., see Ruppert, T. 666(1995)71
- Raut, S., Corran, P.H. and Gaffney, P.J.
Ultra-rapid preparation of milligram quantities of the purified polypeptide chains of human fibrinogen 660(1994)390
- Raux-Demay, M.-C., see Moussa, F. 667(1995)69
- Ravenscroft, P.J., see Norris, R.L.G. 661(1994)346
- Read, R.W., see Black, R.M. 665(1995)97
- Reenilä, I., Tuomainen, P. and Männistö, P.T.
Improved assay of reaction products to quantitate catechol-O-methyltransferase activity by high-performance liquid chromatography with electrochemical detection 663(1995)137
- Rees, S.A., see Haagsma, N. 672(1995)165
- Regan, F.B., Lunte, S.M. and Meaney, M.P.
Determination of metal ions by capillary electrophoresis using on-column complexation with 4-(2-pyridylazo)resorcinol following trace enrichment by peak stacking 657(1994)409
- Regnault, V., see Dahri, L. 664(1995)47
- Regnier, F.E., see Wu, D. 657(1994)357
- Regoeczi, E. and Bolyos, M.
Isolation of the four forms of transferrin with respect to iron by high-performance liquid chromatography: comparison of three mammalian species 653(1994)35
- Reher, K.E., see Lovdahl, M.J. 653(1994)227
- Rehner, G., see Stein, J. 665(1995)71
- Reichel, A., see Begley, D.J. 657(1994)185
- Reichert, S., see De Fusco, M. 664(1995)409
- Reichert, S., see Zucchetti, M. 654(1994)97
- Reid, R.G., see Taylor, R.B. 675(1996)213
- Reinhardt, J., see Schleyer, E. 669(1995)319
- Reisbach, G., see Egger, D. 662(1994)103
- Renard, L., Henry, P., Sanders, P., Laurentie, M. and Delmas, J.-M.
Determination of spiramycin and neospiramycin in plasma and milk of lactating cows by reversed-phase high-performance liquid chromatography 657(1994)219
- Rendueles de la Vega, M., see Rodrigues, A.E. 664(1995)233
- Renoldi, M.I., see Castoldi, D. 655(1994)243
- Rentsch, K.M., Schwendener, R.A., Schott, H. and Hänseler, E.
Sensitive high-performance liquid chromatographic method for the determination of N⁴-hexadecyl- and N⁴-octadecyl-1- β -D-arabinofuranosylcytosine in plasma and erythrocytes 673(1995)259
- Reutter, W., see Josic, D. 662(1994)217
- Revaud, M., see Girault, J. 658(1994)289
- Reynaud, D., see Demin, P. 672(1995)282
- Rhodes, G.R., see Miller-Stein, C. 661(1994)291
- Ricciarello, G., see Betto, P. 662(1994)21
- Richard, M., see Guyonnet, J. 666(1995)354
- Richards, M.P.
Application of a polyamine-coated capillary to the separation of metallothionein isoforms by capillary zone electrophoresis 657(1994)345
- Richards, M.P., Andrews, G.K., Winge, D.R. and Beattie, J.H.
Separation of three mouse metallothionein isoforms by free-solution capillary electrophoresis 675(1996)317
- Richards, M.P. and Beattie, J.H.
Comparison of different techniques for the analysis of metallothionein isoforms by capillary electrophoresis 669(1995)27
- Richards, R.M.E., see Stead, D.A. 675(1996)295
- Richet, C., see Tetaert, D. 658(1994)31
- Richie Jr., J.P., see Kleinman, W.A. 672(1995)73
- Richter, K., see Oertel, R. 660(1994)353
- Rickling, B., Hans, B., Kramarczyk, R., Krumbiegel, G. and Weyhenmeyer, R.
Two high-performance liquid chromatographic assays for the determination of free and total silibinin diastereomers in plasma using column switching with electrochemical detection and reversed-phase chromatography with ultraviolet detection 670(1995)267
- Riedel, K.-D., see Scharpf, F. 655(1994)225
- Riegel, M. and Ellis, P.P.
High-performance liquid chromatographic assay for antiinflammatory agents diclofenac and flurbiprofen in ocular fluids 654(1994)140
- Riekkola, M.-L., see Saarinen, M.T. 664(1995)341
- Rigas, P., see Touraki, M. 663(1995)167
- Riggs, K.W., see Krishna, R. 674(1995)65
- Riggs, K.W., see Szeitz, A. 675(1996)33

- Riggs, K.W., Szeitz, A., Rurak, D.W., Mutlib, A.E., Abbott, F.S. and Axelson, J.E.
Determination of metoclopramide and two of its metabolites using a sensitive and selective gas chromatographic-mass spectrometric assay 660(1994)315
- Riggs, K.W., see Yu, D. 666(1995)269
- Righetti, P.G., see Gelfi, C. 657(1994)201
- Rigoldi, M., see Abbiati, G. 656(1994)303
- Riquelme, P., see Loayza, S.L. 662(1994)227
- Rissler, K.
Sample preparation, high-performance liquid chromatographic separation and determination of substance P-related peptides (Review) 665(1995)233
- Rivat, C., see Vallar, L. 664(1995)97
- Rivault, F., see Gremeau, I. 665(1995)399
- Rivero, M., see Bondia, E.M. 658(1994)369
- Rivero-Urgell, M., see Gonzalez-Corbella, M.J. 660(1994)395
- Rivory, L.P. and Robert, J.
Reversed-phase high-performance liquid chromatographic method for the simultaneous quantitation of the carboxylate and lactone forms of the camptothecin derivative irinotecan, CPT-11, and its metabolite SN-38 in plasma 661(1994)133
- Robert, J., see Rivory, L.P. 661(1994)133
- Roberts, M.S., see Wu, Z.-Y. 673(1995)267
- Robertson, J.T., see Lee, H.G. 667(1995)259
- Robertson, M.D. and Drummer, O.H.
High-performance liquid chromatography procedure for the measurement of nitrobenzodiazepines and their 7-amino metabolites in blood 667(1995)179
- Robieux, I., Vitali, V., Aita, P., Freschi, A., Lazzarini, R. and Sorio, R.
Sensitive high-performance liquid chromatographic method with fluorescence detection for measurement of vinorelbine plasma concentrations 675(1996)183
- Robins, M., see Owens, J.W. 669(1995)295
- Robinson, R., see Owens, J.W. 669(1995)295
- Roboti, A., see Livaniou, E. 656(1994)215
- Roboti, A., Livaniou, E., Evangelatos, G.P., Tsoupras, G., Tsolas, O. and Ithakissios, D.S.
Large-scale chromatofocusing-based method for isolating thymosin β_1 and thymosin β_2 from bovine tissues 662(1994)27
- Roche, A.C., see Santambien, P. 664(1995)241
- Roda, A., Gioacchini, A.M., Cerrè, C. and Baraldini, M.
High-performance liquid chromatographic-electrospray mass spectrometric analysis of bile acids in biological fluids 665(1995)281
- Rodewald, J.M., see Turberg, M.P. 675(1996)279
- Rodgers, A.H., Subramanian, S. and Morgan, Jr., L.R.
High-performance liquid chromatographic determination of 4,4'-dihydroxybenzophenone-2,4-dinitrophenylhydrazone in plasma 670(1995)365
- Rodgers, J.P., see Stanley, S.M.R. 667(1995)95
- Rodrigues, A.E., Loureiro, J.M., Chenou, C. and Rendueles de la Vega, M.
Bioseparations with permeable particles 664(1995)233
- Rodríguez, A.F., see Navajas, R. 673(1995)159
- Rodríguez, C., see Navajas, R. 673(1995)159
- Rodriguez-Ariza, A., Toribio, F. and López-Barea, J.
Rapid determination of glutathione status in fish liver using high-performance liquid chromatography and electrochemical detection 656(1994)311
- Rogers, J.D., see Cairns, A.M. 666(1995)323
- Rogler, G., see Trümbach, B. 656(1994)73
- Rogowsky, D., Marr, M., Long, G. and Moore, C.
Determination of sertraline and desmethylsertraline in human serum using copolymeric bonded-phase extraction, liquid chromatography and gas chromatography-mass spectrometry 655(1994)138
- Rohr, K., see Kühn, I. 668(1995)333
- Roitsch, C., see Bouchon, B. 662(1994)279
- Rollag, J., Liu, T. and Hage, D.S.
Determination of 3-methoxy-4-hydroxyphenylethylene glycol in urine using reversed-phase liquid chromatography with column switching and electrochemical detection 663(1995)193
- Romanová, D. and Novotný, L.
Chromatographic properties of cytosine, cytidine and their synthetic analogues 675(1996)9
- Rommelspacher, H., see Sällström Baum, S. 660(1994)235
- Rondelli, I., Acerbi, D., Mariotti, F. and Ventura, P.
Simultaneous determination of levodopa methyl ester, levodopa, 3-O-methyldopa and dopamine in plasma by high-performance liquid chromatography with electrochemical detection 653(1994)17
- Ronnenberg, J., Preitz, B., Wöstemeier, G. and Diekmann, S.
Immobilized residue-specific endoproteinasen for protein sequencing 656(1994)169
- Roof, R.D., see Beconi-Barker, M.G. 673(1995)231
- Roof, R.D., see Hornish, R.E. 674(1995)219
- Roos, A.H., see Van Rhijn, J.A. 665(1995)395
- Rooyackers, D.R., see Van Eijk, H.M.H. 660(1994)251
- Rop, P.P., Grimaldi, F., Burle, J., De Saint Leger, M.N. and Viala, A.
Determination of 6-monoacetylmorphine and morphine in plasma, whole blood and urine using high-performance liquid chromatography with electrochemical detection 661(1994)245
- Rosa, M., see Zuccaro, P. 668(1995)187
- Rosell-Rovira, M.L., Pou-Clavé, L., Lopez-Galera, R. and Pascual-Mostaza, C.
Determination of free serum didanosine by ultrafiltration and high-performance liquid chromatography 675(1996)89
- Rosi, D., see Drozd, M.L. 670(1995)145
- Rosing, H., Doyle, E., Davies, B.E. and Beijnen, J.H.
High-performance liquid chromatographic determination of the novel antitumour drug topotecan and topotecan as the total of the lactone plus carboxylate forms, in human plasma 668(1995)107
- Rosing, H., see Huizing, M.T. 674(1995)261
- Rosing, H., see Huizing, M.T. 664(1995)373
- Rosing, H., see Koks, C.H.W. 663(1995)345
- Ross, M.A.
Determination of ascorbic acid and uric acid in plasma by high-performance liquid chromatography 657(1994)197
- Rossetti, D.V., see Castagnola, M. 656(1994)87

- Rossomando, E.F., White, L. and Ulfelder, K.J.
Capillary electrophoresis: separation and quantitation of reverse transcriptase polymerase chain reaction products from polio virus 656(1994)159
- Rostoker, G., see Pilatte, Y. 668(1995)1
- Roth, J.S., Kelley, J.A., Chun, H.G. and Ward, F.T.
Simultaneous measurement of the cell-differentiating agent hexamethylene bisacetamide and its metabolites by gas chromatography 652(1994)149
- Rothman, R.B., see Partilla, J.S. 667(1995)49
- Rouan, M.C., Decherf, M., Le Clanche, V., Lecaillon, J.B. and Godbillon, J.
Automated microanalysis of oxcarbazepine and its monohydroxy and transdiol metabolites in plasma by liquid chromatography 658(1994)167
- Rouan, M.C., Soupart, C., Alif, L., Moes, D., Lecaillon, J.B. and Godbillon, J.
Automated analysis of a novel anti-epileptic compound, CGP 33 101, and its metabolite, CGP 47 292, in body fluids by high-performance liquid chromatography and liquid-solid extraction 667(1995)307
- Rougé, C., see Tracqui, A. 675(1996)235
- Rougier, A., see Flamand, N. 656(1994)65
- Roy, M., see Zehender, H. 664(1995)347
- Royackers, E., see Leyssens, L. 654(1994)43
- Roybal, J.E., see Turnipseed, S.B. 670(1995)55
- Rozengurt, E., see Cummings, J. 653(1994)195
- Rozina, M.N., see Matveevskaya, N.S. 664(1995)261
- Rubach, K., see Gude, Th. 673(1995)197
- Ruddy, S.B. and Hadzija, B.W.
High-performance liquid chromatographic method for the simultaneous determination of low-molecular-mass oligomers of polyethylene glycol in aqueous skin extracts 657(1994)83
- Rudolphi, A., see Vielhauer, S. 666(1995)315
- Rudolphi, C. and Blaschke, G.
Determination of the stereoselective aspects in in-vitro and in-vivo metabolism of the analgesic meptazinol by high-performance liquid chromatography 663(1995)315
- Rufer, S., see Huwyler, J. 674(1995)57
- Ruiter, F.P.M., see Snippe, N. 662(1994)61
- Ruiz-Gutiérrez, V. and Barron, L.J.R.
Methods for the analysis of triacylglycerols 671(1995)133
- Rumiantsev, D.O. and Ivanova, T.V.
Solid-phase extraction on Styrosorb cartridges as a sample pretreatment method in the stereoselective analysis of propranolol in human serum 674(1995)301
- Runyon, S., see Graves, S.W. 663(1995)255
- Rupp, H.S., see Turnipseed, S.B. 670(1995)55
- Ruppert, T., Scherer, G., Tricker, A.R., Rauscher, D. and Adlkofer, F.
Determination of urinary *trans,trans*-muconic acid by gas chromatography-mass spectrometry 666(1995)71
- Rurak, D.W., see Krishna, R. 674(1995)65
- Rurak, D.W., see Riggs, K.W. 660(1994)315
- Rurak, D.W., see Tonn, G.R. 663(1995)67
- Rurak, D.W., see Yu, D. 666(1995)269
- Rushing, L.G., Webb, S.F. and Thompson, Jr., H.C.
Determination of leucogentian violet and gentian violet in catfish tissue by high-performance liquid chromatography with visible detection 674(1995)125
- Russel, F.G.M., Creemers, M.C.W., Tan, Y., Van Riel, P.L.C.M. and Gribnau, F.W.J.
Ion-pair solid-phase extraction of cimetidine from plasma and subsequent analysis by high-performance liquid chromatography 661(1994)173
- Russlie, H.Q., see Lovdahl, M.J. 653(1994)227
- Russlie, H.Q., see Yuan, Z. 674(1995)93
- Rustenbeck, I., Löptien, D. and Lenzen, S.
Degradation of dansyl polyamines on high-performance thin-layer chromatographic plates 667(1995)185
- Rutten, A.J., see Whiting, M.J. 660(1994)170
- Ryan, M., see Dickens, J.E. 657(1994)401

S

- Saarinen, M.T., Sirén, H. and Riekkola, M.-L.
Screening and determination of β -blockers, narcotic analgesics and stimulants in urine by high-performance liquid chromatography with column switching 664(1995)341
- Sabbioni, G. and Beyerbach, A.
Determination of hemoglobin adducts of arylamines in humans 667(1995)75
- Sacco, R., see Pastoris, A. 664(1995)287
- Sadeg, N., Pertat, N., Dutertre, H. and Dumontet, M.
Rapid, specific and sensitive method for isoniazid determination in serum 675(1996)113
- Saeyens, W., see Thienpont, L.M. 665(1995)63
- Safi, A., Saunier, M., Gustin, I., Alibada, Y., Dugue, B. and Gueant, J.-L.
Intrinsic factor covalently bound to Sepharose as affinity medium for the purification of a soluble intrinsic factor receptor from human urine 664(1995)253
- Sahui-Gnassi, A., see Pham-Huy, C. 665(1995)125
- Saini, P., Abu-Izza, K. and Lu, D.R.
High-performance liquid chromatographic assay for sodium mercaptoundecahydrododecaborate in rat tissues 665(1995)155
- Saito, K., see Horie, M. 653(1994)69
- Saito, K., see Horie, M. 655(1994)47
- Saito, K., Horie, M. and Nakazawa, H.
Determination of urinary excretion of histamine and 1-methylhistamine by liquid chromatography 654(1994)270

- Saito, M., Ushijima, T., Sasamoto, K., Ohkura, Y. and Ueno, K.
2-(5-Hydrazinocarbonyl-2-oxazolyl)-5,6-dimethoxybenzothiazole as a precolumn fluorescence derivatization reagent for carboxylic acids in high-performance liquid chromatography and its application to the assay of fatty acids in human serum 674(1995)167
- Saitoh, T., see Yamane, M. 666(1995)197
- Sakai, T., see Ito, T. 667(1995)355
- Sakamoto, N., see Tanaka, E. 673(1995)147
- Sakuma, I., see Mashige, F. 658(1994)63
- Sakurai, H., see Tawa, R. 653(1994)211
- Salabert, D., see Pinguet, F. 675(1996)99
- Sällström Baum, S. and Rommelspacher, H.
Determination of total dopamine, *R*- and *S*-salsolinol in human plasma by cyclodextrin bonded-phase liquid chromatography with electrochemical detection 660(1994)235
- Sallustio, B.C. and Fairchild, B.A.
Biosynthesis, characterisation and direct high-performance liquid chromatographic analysis of gemfibrozil 1-*O*- β -acylglucuronide 665(1995)345
- Salo, A.L., see Miller, S.R. 656(1994)335
- Sam, E., Augustijns, P. and Verbeke, N.
Stability of apomorphine in plasma and its determination by high-performance liquid chromatography with electrochemical detection 658(1994)311
- Samain, J.F., see Soudant, P. 673(1995)15
- Samuels, S.E., see McAllister, T.A. 666(1995)336
- Samuelsen, O.B.
High-performance liquid chromatographic determination of oxolinic acid residues in fish silage 655(1994)311
- Samuelsen, O.B.
Simultaneous determination of ormethoprim and sulphadimethoxine in plasma and muscle of Atlantic salmon (*Salmo salar*) 660(1994)412
- Sanchez, A., see Mura, P. 664(1995)440
- Sancho, P., see Lucas, L. 664(1995)137
- Sanders, P., see Renard, L. 657(1994)219
- Sandmann, B.W. and Grayeski, M.L.
Quinoxalinone derivatization of biological carboxylic acids for detection by peroxyoxalate chemiluminescence with high-performance liquid chromatography 653(1994)123
- Sandor, V., Flarakos, T., Batist, G., Wainer, I.W. and Lloyd, D.K.
Quantitation of the diastereoisomers of L-buthionine-(*R,S*)-sulfoximine in human plasma: a validated assay by capillary electrophoresis 673(1995)123
- Sannolo, N., Carbone, V., Ferranti, P., Fiume, I., Mamone, G. and Malorni, A.
Mass spectrometric analysis of haemoglobin adducts formed by methyl bromide in vitro 670(1995)349
- Santambien, P., Sdiqui, S., Hubert, E., Girot, P., Roche, A.C., Monsigny, M. and Boschetti, E.
In vitro toxicity assays for dye ligands used in affinity chromatography 664(1995)241
- Santos-Montes, A., Gonzalo-Lumbreras, R., Gasco-Lopez, A.I. and Izquierdo-Hornillos, R.
Solvent and solid-phase extraction of natural and synthetic corticoids in human urine 652(1994)83
- Santos-Montes, A., Gonzalo-Lumbreras, R., Gasco-Lopez, A.I. and Izquierdo-Hornillos, R.
Extraction and high-performance liquid chromatographic separation of deflazacort and its metabolite 21-hydroxydeflazacort Application to urine samples 657(1994)248
- Santos-Montes, A., Gonzalo-Lumbreras, R. and Izquierdo-Hornillos, R.
Simultaneous determination of cortisol and cortisone in urine by reversed-phase high-performance liquid chromatography Clinical and doping control applications 673(1995)27
- Sanwald, P., Blankson, E.A., Duléry, B.D., Schoun, J., Huebert, N.D. and Dow, J.
Isocratic high-performance liquid chromatographic method for the separation of testosterone metabolites 672(1995)207
- Sanwald, P., Huebert, N.D. and Haegele, K.D.
Simultaneous measurement of the major metabolites of dolasetron mesilate in human urine using solid-phase extraction and high-performance liquid chromatography 661(1994)101
- Sara, M., see Koller, G. 664(1995)107
- Saraf, A., see Axelsson, B.-O. 666(1995)77
- Sardelli, G., see Lippi, A. 660(1994)127
- Sarhan, S., see Seiler, N. 653(1994)87
- Sarin, R., see Dua, V.K. 675(1996)93
- Sarre, S., see Van Belle, K. 657(1994)149
- Sarti, P., see Chiancone, E. 664(1995)89
- Sartori, S., see Braggio, S. 669(1995)383
- Sasaki, M., see Tazuma, S. 653(1994)1
- Sasaki, Y., see Takenaga, N. 674(1995)111
- Sasamoto, K., see Saito, M. 674(1995)167
- Satia, M., see Pandya, K.K. 667(1995)315
- Sato, K., Taira, T., Takayama, R., Ohtsuki, K. and Kawabata, M.
Improved chromatographic purification of human and bovine type V collagen sub-molecular species and their subunit chains from conventional crude preparations. Application to cell-substratum adhesion assay for human umbilical vein endothelial cell 663(1995)25
- Sato, M., see Hayashi, T. 665(1995)209
- Sato, M., see Kajita, M. 669(1995)345
- Sato, T., see Kudoh, S. 660(1994)205
- Satzger, R.D., see Flurer, C.L. 669(1995)133
- Saunier, M., see Safi, A. 664(1995)253
- Sautès, C., Galinha, A., Bouchard, C., Mazières, N., Spagnoli, R. and Fridman, W.H.
Recombinant soluble Fc γ receptors: production, purification and biological activities 662(1994)197
- Sautou, V., see Gremeau, I. 665(1995)399
- Saux, M.C., see Grellet, J. 652(1994)59
- Sawai, Y., see Hirata, H. 658(1994)55
- Säwe, J., see Svensson, J.O. 674(1995)49
- Saxton, P.L., see Kapil, R.P. 653(1994)221
- Sbaffi, A., see Pastoris, A. 664(1995)287

- Scalia, S.
Bile acid separation 671(1995)299
- Schaaf, L.J., see Van Tellingen, O. 652(1994)51
- Schalekamp, M.A.D.H., see Van Dijk, J. 663(1995)43
- Scharpf, F., Riedel, K.-D., Laufen, H. and Leitold, M.
Enantioselective gas chromatographic assay with electron-capture detection for amlodipine in biological samples 655(1994)225
- Schaub, P., see Denouël, J. 663(1995)353
- Schaub, P., see Zehender, H. 664(1995)347
- Scheffer, A.J., see Welling, G.W. 659(1994)209
- Scheidel, B., see Döppenschmitt, S.A. 674(1995)237
- Schenkel, E., Berlaimont, V., Dubois, J., Helson-Cambier, M. and Hanocq, M.
Improved high-performance liquid chromatographic method for the determination of polyamines as their benzoylated derivatives: application to P388 cancer cells 668(1995)189
- Scherer, G., see Ruppert, T. 666(1995)71
- Scherpenisse, P., see Haagsma, N. 672(1995)165
- Schild, P.N. and Charles, B.G.
Determination of dexamethasone in plasma of premature neonates using high-performance liquid chromatography 658(1994)189
- Schilt, R., see Hooijerink, H. 660(1994)303
- Schinazi, R.F., see Rajagopalan, P. 672(1995)119
- Schlepper, M., see Hussein, H. 672(1995)138
- Schletter, J., Krüger, C., Lottspeich, F. and Schütt, C.
Improved method for preparation of lipopolysaccharide-binding protein from human serum by electrophoretic and chromatographic separation techniques 654(1994)25
- Schleyer, E., see Ramsauer, B. 665(1995)183
- Schleyer, E., Reinhardt, J., Unterhalt, M. and Hiddemann, W.
Highly sensitive coupled-column high-performance liquid chromatographic method for the separation and quantitation of the diastereomers of leucovorin and 5-methyltetrahydrofolate in serum and urine 669(1995)319
- Schmid, J., Bücheler, A. and Müller, B.
Assay of zatebradine in plasma by fully automated sample clean-up, capillary gas chromatography and ammonia chemical ionisation mass spectrometry 658(1994)93
- Schmidt-Sommerfeld, E. and Penn, D.
Comments on quantitation of carnitine esters by high-performance liquid chromatography 652(1994)115
- Schmitz, G., see Trümbach, B. 656(1994)73
- Schmitz-Kummer, E., see De Vries, J.X. 655(1994)63
- Schneider, V., see Tenczer, J. 661(1994)47
- Schönberger, E., see MacCrehan, W.A. 670(1995)209
- Schoofs, J., see Leyssens, L. 654(1994)43
- Schoondermark-van de Ven, E., see Vree, T.B. 670(1995)111
- Schott, H., see Rentsch, K.M. 673(1995)259
- Schoun, J., see Sanwald, P. 672(1995)207
- Schrive, I. and Plasse, J.C.
Quantification of zidovudine and one of its metabolites in plasma and urine by solid-phase extraction and high-performance liquid chromatography 657(1994)233
- Schroeder, A.C., see Karle, J.M. 670(1995)251
- Schubert, J.
Post-mortem test for low-boiling arson residues of gasoline by gas chromatography-ion-trap mass spectrometry 662(1994)113
- Schultz, G., see Heintze, 655(1994)117
- Schuster, A.E., see Whigan, D.B. 664(1995)357
- Schütt, C., see Schletter, J. 654(1994)25
- Schwarz, A., Kohen, F. and Wilchek, M.
Novel heterocyclic ligands for the thiophilic purification of antibodies 664(1995)83
- Schweer, H., Watzer, B. and Seyberth, H.W.
Determination of seven prostanoids in 1 ml of urine by gas chromatography-negative ion chemical ionization triple stage quadrupole mass spectrometry 652(1994)221
- Schwendener, R.A., see Rentsch, K.M. 673(1995)259
- Schwartz, S., see Van Gijn, R. 667(1995)269
- Schwille, P.O., see Manoharan, M. 654(1994)134
- Schwinn, H., see Hoffer, L. 669(1995)187
- Schwinn, H., see Josic, D. 662(1994)181
- Sciacchitano, C.J., Mopper, B. and Specchio, J.J.
Identification and separation of five cephalosporins by micellar electrokinetic capillary chromatography 657(1994)395
- Scott, D.O., see Heath, T.G. 670(1995)91
- Sdiq, S., see Santambien, P. 664(1995)241
- Sébille, B., see De Collongue-Poyet, B. 664(1995)155
- Sébille, B., see Millot, M.-C. 664(1995)55
- Sébille, B., see Noinville, V. 664(1995)33
- Secchi, C., see Borromeo, V. 669(1995)366
- Secreto, G., see Venturelli, E. 671(1995)363
- Sedgwick, G.W., see McAllister, T.A. 666(1995)336
- Sedláček, J., see Sochor, J. 654(1994)282
- Seenaiah, B. and Ellingson, J.S.
High-performance liquid chromatographic method for determination of the metabolism of polyunsaturated molecular species of phosphatidylserine labeled in the polar group 660(1994)380
- Segura, J., see González, M.L. 664(1995)317
- Segura, J., see Solans, A. 658(1994)380
- Seidel, D., see Vielhauer, S. 666(1995)315
- Seideman, P., see Albertioni, F. 665(1995)163
- Seifart, H.I., Gent, W.L., Parkin, D.P., Van Jaarsveld, P.P. and Donald, P.R.
High-performance liquid chromatographic determination of isoniazid, acetylisoniazid and hydrazine in biological fluids 674(1995)269
- Seiler, N., Grauffel, C., Therrien, G., Sarhan, S. and Knoedgen, B.
Determination of orotic acid in urine 653(1994)87
- Semple, H.A. and Xia, F.
Simplified high-performance liquid chromatographic method for propranolol and five metabolites in liver perfusate, rat serum and dog plasma 655(1994)293
- Seno, H., Hattori, H., Kurono, S., Yamada, T., Kumazawa, T., Ishii, A. and Suzuki, O.
Gas chromatography with surface ionization detection: a highly sensitive method for determining underivatized codeine and dihydrocodeine in body fluids 673(1995)189

- Sentell, K.B., see St. Pierre, L.A. 657(1994)291
- Sequeira, D.J. and Strobel, H.W.
High-performance liquid chromatographic method for the analysis of imipramine metabolism in vitro by liver and brain microsomes 673(1995)251
- Serafini, M.T., see García-Encina, G. 670(1995)103
- Serio, M., see Guarna, A. 674(1995)197
- Serre-Debeauvais, F., see Nicolle, E. 663(1995)111
- Sessa, C., see Zucchetti, M. 654(1994)97
- Sessink, P.J.M., Vaes, W.H.J., Van den Broek, P.H.H., Noordhoek, J. and Bos, R.P.
Determination of cyclophosphamide metabolites by gas chromatography and thermionic specific detection. Interindividual differences in hepatic biotransformation of cyclophosphamide in man in vitro 673(1995)205
- Seta, K., see Kobayashi, N. 672(1995)17
- Seto, H., see Otsubo, K. 669(1995)408
- Sevillano-Cabeza, A., see Molíns Legua, C. 672(1995)81
- Sevillano-Cabeza, A., see Campíns-Falcó, P. 654(1994)85
- Seyberth, H.W., see Schweer, H. 652(1994)221
- Seymour, L.W., see Liu, B. 666(1995)149
- Shan, X.-q., see Liu, G.-q. 653(1994)41
- Sharma, A., Conway, W.D. and Straubinger, R.M.
Reversed-phase high-performance liquid chromatographic determination of taxol in mouse plasma 655(1994)315
- Sharma, V.P., see Dua, V.K. 675(1996)93
- Sharp, S.R., see Knebel, N.G. 673(1995)213
- Sharp, T., see Smith, S. 652(1994)228
- Shaw, P.N., see Pawula, M. 653(1994)106
- Shen, F., Decosterd, L.A., Gander, M., Leyvraz, S., Biollaz, J. and Lejeune, F.
Determination of temozolomide in human plasma and urine by high-performance liquid chromatography after solid-phase extraction 667(1995)291
- Sherwood, C., see Page, T. 675(1996)342
- Sherwood, R. and Keating, J.
Plasma serotonin. Reply to E.F. Marshall and M. Leitch 655(1994)171
- Shetty, B.V., see Li, W.Y. 673(1995)281
- Shi, H., see Che, P. 669(1995)45
- Shi, H., Ma, Y., Humphrey, J.H. and Craft, N.E.
Determination of vitamin A in dried human blood spots by high-performance capillary electrophoresis with laser-excited fluorescence detection 665(1995)89
- Shibamoto, T., see Ebeler, S.E. 654(1994)9
- Shibusawa, Y., Mugiya, M., Matsumoto, U. and Ito, Y.
Complementary use of counter-current chromatography and hydroxyapatite chromatography for the separation of three main classes of lipoproteins from human serum 664(1995)295
- Shibusawa, Y., Suzuki, K., Kinoshita, H. and Matsumoto, U.
Selective separation of human peripheral platelets, granulocytes and lymphocytes by surface affinity chromatography 666(1995)233
- Shibutani, Y., see Inoue, S. 661(1994)15
- Shihabi, Z.K.
Myoglobinuria detection by capillary electrophoresis 669(1995)53
- Shihabi, Z.K., see Garcia, L.L. 669(1995)157
- Shihabi, Z.K. and Hinsdale, M.E.
Sample matrix effects in micellar electrokinetic capillary electrophoresis 669(1995)75
- Shihabi, Z.K., Hinsdale, M.E. and Bleyer, A.J.
Xanthine analysis in biological fluids by capillary electrophoresis 669(1995)163
- Shim, H.J., Lee, E.D., Yoon, E.J., Lee, S.D., Kim, W.B., Yang, J. and Lee, M.G.
Simultaneous determination of a new anthracycline, DA-125, and its metabolites M1, M2, M3 and M4 in plasma and urine by high-performance liquid chromatography 656(1994)407
- Shimada, H., see Ishida, M. 652(1994)43
- Shimada, K., Mino, T., Nakajima, M., Wakabayashi, H. and Yamato, S.
Application of the desulfurization of phenothiazines for a sensitive detection method by high-performance liquid chromatography 661(1994)85
- Shimada, K. and Mitamura, K.
Derivatization of thiol-containing compounds (Review) 659(1994)227
- Shimada, K., see Yamato, S. 656(1994)29
- Shimamura, Y., see Nakai, H. 660(1994)211
- Shimizu, M., Iwasaki, Y., Ishida, H. and Yamada, S.
Determination of 25-hydroxyvitamin D₃ in human plasma using a non-radioactive tetranorvitamin D analogue as an internal standard 672(1995)63
- Shimizu, S., see Yamane, M. 666(1995)197
- Shimizu, T., Hiraoka, M. and Nakanomyo, H.
Enantioselective determination of sotalol enantiomers in biological fluids using high-performance liquid chromatography 674(1995)77
- Shimizu, T., see Kashiyama, E. 652(1994)179
- Shimoda, M., see Shin, H.-C. 661(1994)237
- Shimojo, N., see Yoshioka, K. 655(1994)189
- Shin, H.-C., Shimoda, M. and Kokue, E.
Identification of 5,10-methylenetetrahydrofolate in rat bile 661(1994)237
- Shin, H.-S., Park, J.-S., Park, P.-B. and Yun, S.J.
Detection and identification of famprofazone and its metabolite in human urine 661(1994)255
- Shindo, T., see Yamazaki, T. 670(1995)328
- Shingu, H., see Joshi, A.S. 660(1994)143
- Shinozuka, N., see Mashige, F. 658(1994)63
- Shiono, Y., see Ohno, M. 654(1994)213
- Shiple, L.A., see Brown, T.J. 665(1995)337
- Shiple, L.A., see Cornpropst, J.D. 673(1995)67
- Shiu, G.K., see Ahn, H.-Y. 653(1994)163
- Shiu, G.K., see Asafu-Adjaye, E.B. 652(1994)35
- Shoda, J., see Yoshida, T. 655(1994)179
- Sholin, A., see Polanuer, B. 656(1994)81
- Shum, Y.Y., Black, A. and Chang, T.
Determination of 2,2-dimethyl-N-(2,4,6-trimethoxyphenyl) dodecanamide, CI-976, in rat plasma by reversed-phase high-performance liquid chromatography 653(1994)205
- Shvets, V.I., see Egorova, T.A. 665(1995)53
- Sica, D.A., see Farthing, D. 653(1994)171
- Siddiqui, F.Q., Malik, F. and Fazli, F.R.Y.
Determination of serum retinol by reversed-phase high-performance liquid chromatography 666(1995)342

- Siebenlist, H., see Hummert, C. 668(1995)53
- Siersma, P.R., see Feng, M.R. 665(1995)193
- Silberring, J., see Li, Y.-M. 664(1995)426
- Siluveru, M. and Stewart, J.T.
Determination of sulindac and its metabolites in human serum by reversed-phase high-performance liquid chromatography using on-line post-column ultraviolet irradiation and fluorescence detection 673(1995)91
- Silvestri, L., see Chiancone, E. 664(1995)89
- Sim, M.K., see Lim, B.C. 655(1994)127
- Simmonds, R.J., see Haagsma, N. 672(1995)165
- Simó-Alfonso, E.F., Ramis-Ramos, G., García-Alvarez-Coque, M.C. and Esteve-Romero, J.S.
Determination of sulphonamides in human urine by azo dye precolumn derivatization and micellar liquid chromatography 670(1995)183
- Simon, G., Hanak, L., Grevillot, G., Szanya, T. and Marton, G.
Preparative-scale amino acid separation by thermal parametric pumping on an ion-exchange resin 664(1995)17
- Sinet, M., see Nattouf, H. 664(1995)365
- Singh, A.K. and Jiang, Y.
Quantitative chromatographic analysis of inositol phospholipids and related compounds 671(1995)255
- Singh, S.K., see Nagaraja, N.V. 664(1995)472
- Singh, S.K., Paliwal, J.K., Grover, P.K. and Gupta, R.C.
Quantification of 2,3-dihydro-7-methoxypyrrolo-[2,1-b]-quinazolin-9(1H)-one, a new antiallergic agent, by high-performance liquid chromatography in serum 658(1994)198
- Singh, S.K., Verma, N. and Gupta, R.C.
Sensitive high-performance liquid chromatographic assay method for the determination of guggulsterone in serum 670(1995)173
- Singleton, H.J., see Lennard, L. 661(1994)25
- Sioufi, A., see Mangoni, P. 664(1995)393
- Sioufi, A., see Pommier, F. 654(1994)35
- Sioufi, A., see Pommier, F. 674(1995)155
- Sirch, S., see Kuss, H.-J. 656(1994)245
- Sirén, H., see Saarinen, M.T. 664(1995)341
- Skarping, G., see Dalene, M. 656(1994)319
- Skarping, G. and Dalene, M.
Determination of 4,4'-methylenediphenyldianiline (MDA) and identification of isomers in technical-grade MDA in hydrolysed plasma and urine from workers exposed to methylene diphenyldiisocyanate by gas chromatography-mass spectrometry 663(1995)209
- Skerjanec, A. and Tam, Y.K.
High-performance liquid chromatographic analysis of mibefradil in dog plasma and urine 669(1995)377
- Skotty, D.R. and Nieman, T.A.
Determination of oxalate in urine and plasma using reversed-phase ion-pair high-performance liquid chromatography with tris(2,2'-bipyridyl)ruthenium(II)-electrogenerated chemiluminescence detection 665(1995)27
- Slomovic, B., see Alvarez, J.G. 665(1995)79
- Smales, C.M., Cooke, D. and Blackwell, L.F.
Use of ion-exchange and hydrophobic-interaction chromatography for the rapid purification of lysozyme-estrone glucuronide conjugates 662(1994)3
- Smékal, O., see Kašička, V. 656(1994)99
- Smetsers, T.F.C.M., see Kuypers, A.W.H.M. 660(1994)271
- Smith, D.E., see Kugler, A.R. 666(1995)360
- Smith, E.B., see Beconi-Barker, M.G. 673(1995)231
- Smith, F.P., see Tagliaro, F. 667(1995)358
- Smith, G.A., see Beconi-Barker, M.G. 673(1995)231
- Smith, Jr., J.C., see Khachik, F. 670(1995)219
- Smith, J.T. and Vinjamoori, D.V.
Rapid determination of logarithmic partition coefficients between *n*-octanol and water using micellar electrokinetic capillary chromatography 669(1995)59
- Smith, K.D., Elliott, M.A., Elliott, H.G., McLaughlin, C.M., Wightman, P. and Wood, G.C.
Heterogeneity of α_1 -acid glycoprotein in rheumatoid arthritis 661(1994)7
- Smith, N.C., Dunnett, M. and Mills, P.C.
Simultaneous quantitation of oxidised and reduced glutathione in equine biological fluids by reversed-phase high-performance liquid chromatography using electrochemical detection 673(1995)35
- Smith, P., see Walubo, A. 658(1994)391
- Smith, P.C., see Liu, J.-H. 675(1996)61
- Smith, P.C., see Márquez, C.D. 658(1994)213
- Smith, R., see Owens, J.W. 669(1995)295
- Smith, S. and Sharp, T.
Measurement of GABA in rat brain microdialysates using *o*-phthalaldehyde-sulphite derivatization and high-performance liquid chromatography with electrochemical detection 652(1994)228
- Smithers, B.M., see Wu, Z.-Y. 673(1995)267
- Smoak, I.W., see Amiss, T.J. 673(1995)59
- Smyth, D.G., see Bilek, R. 656(1994)115
- Smyth, J.F., see Cummings, J. 653(1994)195
- Smyth, M.R., see Bogan, D.P. 663(1995)371
- Smythe, G.A., see Varelis, P. 660(1994)151
- Snader, K.M., see Chan, K.C. 657(1994)301
- Snippe, N., Van de Merbel, N.C., Ruiten, F.P.M., Steijger, O.M., Lingeman, H. and Brinkman, U.A.Th.
Automated column liquid chromatographic determination of amoxicillin and cefadroxil in bovine serum and muscle tissue using on-line dialysis for sample preparation 662(1994)61
- Soares, O., see Gaillard, Y. 668(1995)315
- Soble-Smith, J., see Lee, H.G. 667(1995)259
- Sochor, J., Klimeš, J., Zahradníček, M. and Sedláček, J.
High-performance liquid chromatographic assay for ibuprofen in whole blood using solid-phase extraction 654(1994)282
- Sochor, J., Klimeš, J. and Šrumová, M.
High-performance liquid chromatographic determination of terguride in solid dosage forms and plasma 663(1995)309
- Solans, A., Carnicero, M., De La Torre, R. and Segura, J.
Simultaneous detection of methylphenidate and its main metabolite, ritalinic acid, in doping control 658(1994)380

- Solomon, B., see Koppel, R. 662(1994)191
Solomon, B.P., see Niwa, O. 670(1995)21
Sommadosi, J.-P., see Zhou, X.-J. 656(1994)389
Song, D. and Au, J.L.-S.
 Isocratic high-performance liquid chromatographic assay of taxol in biological fluids and tissues using automated column switching 663(1995)337
Song, D., Zhang, S. and Kohlhof, K.
 Determination of chlordiazepoxide in mouse plasma by gas chromatography-negative-ion chemical ionization mass spectrometry 660(1994)95
Song, D.M., Khaykis, V. and Kohlhof, K.
 Determination of flumazenil in plasma by gas chromatography-negative ion chemical ionization mass spectrometry 663(1995)263
Song, D.M., Zhang, S. and Kohlhof, K.
 Gas chromatographic-mass spectrometric method for the determination of flurazepam and its major metabolites in mouse and rat plasma 658(1994)142
Soriano-Vega, E., see Herráez-Hernández, R. 658(1994)303
Sorio, R., see Robieux, I. 675(1996)183
Soriso, D., see Foglia, J.P. 668(1995)291
Sormiachi, K., Ikeda, M., Akimoto, K. and Niwa, A.
 Rapid determination of dabylated hydroxyproline from cultured cells by reversed-phase high-performance liquid chromatography 664(1995)435
Soudan, B., see Tetaert, D. 658(1994)31
Soudant, P., Marty, Y., Moal, J. and Samain, J.F.
 Separation of major polar lipids in *Pecten maximus* by high-performance liquid chromatography and subsequent determination of their fatty acids using gas chromatography 673(1995)15
Souppart, C., see Rouan, M.C. 667(1995)307
Spadacini, S., see Bernareggi, A. 669(1995)247
Spagnoli, R., see Sautès, C. 662(1994)197
Sparreboom, A., see Huizing, M.T. 674(1995)261
Sparreboom, A., van Tellingen, O., Nooijen, W.J. and Beijnen, J.H.
 Determination of paclitaxel and metabolites in mouse plasma, tissues, urine and faeces by semi-automated reversed-phase high-performance liquid chromatography 664(1995)383
Specchio, J.J., see Sciacchitano, C.J. 657(1994)395
Spik, G., see Tetaert, D. 658(1994)31
Spiteller, G., see Loidl-Stahlhofen, A. 673(1995)1
Spratley, T.K., see Lurie, I.S. 669(1995)3
Šrumová, M., see Sochor, J. 663(1995)309
St. Claire III, R.L., see Stafford, C.G. 663(1995)119
St. Pierre, L.A. and Sentell, K.B.
 Cyclodextrins as enantioselective mobile phase modifiers for chiral capillary electrophoresis. Effects of pH and cyclodextrin concentration 657(1994)291
Stadler, M., see Josic, D. 662(1994)181
Stafford, C.G. and St. Claire III, R.L.
 High-performance liquid chromatographic analysis of the lactone and carboxylate forms of a topoisomerase I inhibitor (the antitumor drug GI147211) in plasma 663(1995)119
Stafford, R.G. and Hines, H.B.
 Method for the identification of saxitoxin in rat urine 657(1994)119
Stagni, G. and Gillespie, W.R.
 Simultaneous analysis of verapamil and norverapamil enantiomers in human plasma by high-performance liquid chromatography 667(1995)349
Stamm, G., see Tzeng, T.-B. 661(1994)299
Stampfli, H.F., see Wu, S.T. 657(1994)254
Stanke, F., Jourdil, N., Bessard, J. and Bessard, G.
 Simultaneous determination of zolpidem and zopiclone in human plasma by gas chromatography-nitrogen-phosphorus detection 675(1996)43
Stanley, S.M.R., Owens, N.A. and Rodgers, J.P.
 Detection of flunixin in equine urine using high-performance liquid chromatography with particle beam and atmospheric pressure ionization mass spectrometry after solid-phase extraction 667(1995)95
Staton, B.A., Johnson, M.G., Friis, J.M. and Adams, W.J.
 Simple, rapid and sensitive high-performance liquid chromatographic determination of delavirdine and its N-desisopropyl metabolite in human plasma 668(1995)99
Staub, C., see Edder, P. 658(1994)75
Stead, D.A. and Richards, R.M.E.
 Sensitive fluorimetric determination of gentamicin sulfate in biological matrices using solid-phase extraction, pre-column derivatization with 9-fluorenylmethyl chloroformate and reversed-phase high-performance liquid chromatography 675(1996)295
Stefanelli, C., see Guarnieri, C. 656(1994)209
Steijger, O.M., see Snippe, N. 662(1994)61
Stein, J., Hahn, A. and Rehner, G.
 High-performance liquid chromatographic determination of nicotinic acid and nicotinamide in biological samples applying post-column derivatization resulting in bathochrome absorption shifts 665(1995)71
Sterling, E.J., see Surendran, N. 670(1995)235
Stewart, J.T., see Siluveru, M. 673(1995)91
Stewart, J.T., see Venkateshwaran, T.G. 672(1995)300
Stewart, J.T., see Zhang, H. 668(1995)309
Stöckl, D., see Thienpont, L.M. 665(1995)63
Stolk, J.N., De Abreu, R.A., Boerbooms, A.M.Th., De Koning, D.G.M., De Graaf, R., Kerstens, P.J.S.M. and Van de Putte, L.B.A.
 Purine enzyme activities in peripheral blood mononuclear cells: comparison of a new non-radiochemical high-performance liquid chromatography procedure and a radiochemical thin-layer chromatography procedure 666(1995)33
Stoltz, J.F., see Dahri, L. 664(1995)47
Story, K., see Webb, L.E. 654(1994)257
Stradi, R., Celentano, G. and Nava, D.
 Separation and identification of carotenoids in bird's plumage by high-performance liquid chromatography-diode-array detection 670(1995)337
Štrancar, A., see Josic, D. 662(1994)181
Štrancar, A., see Josic, D. 662(1994)217
Strano Rossi, S., see De Giovanni, N. 658(1994)69
Stratford, M.R.L. and Dennis, M.F.
 Determination of adenine nucleotides by fluorescence detection using high-performance liquid chromatography and post-column derivatisation with chloroacetaldehyde 662(1994)15

- Straubinger, R.M., see Sharma, A. 655(1994)315
- Strein, T.G., see Petucci, C.J. 668(1995)241
- Strelevitz, T.J. and Linhares, M.C.
Simultaneous determination of danofloxacin and N-desmethyldanofloxacin in cattle and chicken edible tissues by liquid chromatography with fluorescence detection 675(1996)243
- Strenkoski, C.A., see Feng, M.R. 665(1995)193
- Strobel, H.W., see Sequeira, D.J. 673(1995)251
- Strong, C.R., see Walters, D.L. 670(1995)299
- Strong, J.M., see Anderson, L.W. 667(1995)247
- Strong, J.M., see Takimoto, C.H. 655(1994)97
- Strong, R., see Krull, I.S. 659(1994)19
- Strong, R., see Mattammal, M.B. 658(1994)21
- Strupczewski, J.T., see Mutlib, A.E. 669(1995)237
- Stubbs, R.J. and Harker, A.J.
Automated high-performance liquid chromatographic method for the determination of a neuraminidase inhibitor (GG167) in human serum by pre-column fluorescence derivatisation using benzoin 670(1995)279
- Štůlík, K., see Vičanová, J. 656(1994)45
- Sturaro, A., see Gori, G. 673(1995)165
- Stuting, H.H., see Zeng, J.-n. 654(1994)231
- Stýblo, M., Delnomdedieu, M., Hughes, M.F. and Thomas, D.J.
Identification of methylated metabolites of inorganic arsenic by thin-layer chromatography 668(1995)21
- Su, S.Y., see Asafu-Adjaye, E.B. 652(1994)35
- Subissi, A., see Lippi, A. 660(1994)127
- Subramanian, S., see Rodgers, A.H. 670(1995)365
- Sueyasu, M., Ikeda, T., Otsubo, K., Taniyama, T., Aoyama, T. and Oishi, R.
Enantioselective determination of thiamylal in human serum by high-performance liquid chromatography 665(1995)133
- Sugahara, K., see Jianying, Z. 660(1994)375
- Sugahara, K., Jianying, Z. and Kodama, H.
Liquid chromatographic-mass spectrometric analysis of N-acetylamino acids in human urine 657(1994)15
- Sugawara, M., see Kishino, S. 672(1995)199
- Sugawara, M., see Nagasawa, M. 673(1995)294
- Sugendran, K., see Dangi, R.S. 661(1994)341
- Sugimoto, T., see Hibiya, M. 672(1995)143
- Sugimoto, T., see Muro, H. 663(1995)83
- Sugioka, N., Odani, H., Ohta, T., Kishimoto, H., Yasumura, T. and Takada, K.
Determination of a new immunosuppressant, mycophenolate mofetil, and its active metabolite, mycophenolic acid, in rat and human body fluids by high-performance liquid chromatography 654(1994)249
- Sugiura, H., see Yamane, M. 666(1995)197
- Sugiyama, N., see Ito, T. 670(1995)317
- Sultan, Y., see Dahri, L. 664(1995)47
- Sumi, S., Kidouchi, K., Ohba, S. and Wada, Y.
Automated determination of hypoxanthine and xanthine in urine by high-performance liquid chromatography with column switching 670(1995)376
- Sumi, S., Kidouchi, K., Ohba, S. and Wada, Y.
Automated screening system for purine and pyrimidine metabolism disorders using high-performance liquid chromatography 672(1995)233
- Sumi, S., see Yoshida, K.-i. 672(1995)45
- Sumiyoshi, H., Fujiwara, Y., Ohune, T., Yamaoka, N., Tamura, K. and Yamakido, M.
High-performance liquid chromatographic determination of irinotecan (CPT-11) and its active metabolite (SN-38) in human plasma 670(1995)309
- Sun, P., Hoops, A. and Hartwick, R.A.
Enhanced albumin protein separations and protein-drug binding constant measurements using anti-inflammatory drugs as run buffer additives in affinity capillary electrophoresis 661(1994)335
- Sun, Y., see Qi, S. 658(1994)397
- Sun, Z.P., see Zhou, Y. 659(1994)109
- Sundrehagen, E., see Frantzen, F. 670(1995)37
- Supko, J.G. and Phillips, L.R.
High-performance liquid chromatographic assay for genistein in biological fluids 666(1995)157
- Surendran, N., Ugwu, S.O., Sterling, E.J. and Blanchard, J.
High-performance liquid chromatographic assay for Melanotan-1 ([Nle⁴-D¹Phe⁷]α-melanocyte-stimulating hormone) in biological matrices 670(1995)235
- Surmann, J.P., see Döppenschmitt, S.A. 674(1995)237
- Sutra, J.F., see Alvinerie, M. 674(1995)119
- Suttnar, J., Dyr, J.E., Hamšíková, E., Novák, J. and Vonka, V.
Procedure for refolding and purification of recombinant proteins from *Escherichia coli* inclusion bodies using a strong anion exchanger 656(1994)123
- Suttnar, J., Fořtová, H. and Brabec, V.
EDMA 2000 as a matrix for high-performance liquid chromatography of human haemoglobin chains 656(1994)119
- Suttnar, J., see Liška, V. 656(1994)127
- Suzawa, Y., Hiraoka, B.Y., Harada, M. and Deguchi, T.
High-performance liquid chromatographic determination of prolylcarboxypeptidase activity in monkey kidney 670(1995)152
- Suzuki, A., see Abe, K.-i. 653(1994)112
- Suzuki, K., see Shibusawa, Y. 666(1995)233
- Suzuki, K.T., Itoh, M. and Ohmichi, M.
Detection of selenium-containing biological constituents by high-performance liquid chromatography-plasma source mass spectrometry 666(1995)13
- Suzuki, K.T., Yoneda, S., Itoh, M. and Ohmichi, M.
Enriched stable isotopes of elements used as tracers: methods of presenting high-performance liquid chromatographic-inductively coupled argon plasma mass spectrometric data 670(1995)63
- Suzuki, O., see Seno, H. 673(1995)189
- Suzuki, Y., see Hoshino, M. 661(1994)281
- Svensson, J.O., Yue, Q.Y. and Säwe, J.
Determination of codeine and metabolites in plasma and urine using ion-pair high-performance liquid chromatography 674(1995)49
- Swanson, S.P., see Catlow, J.T. 668(1995)85
- Swanson, S.P., see Eckstein, J.A. 668(1995)153
- Sweedler, J.V., see Wu, N. 654(1994)185
- Swezey, R.R.
High-performance liquid chromatographic system for separating sugar phosphates and other intermediary metabolites 669(1995)171

- Swolfs, A., see Vree, T.B. 670(1995)111
 Swolfs, A.E.M., see Vree, T.B. 658(1994)327
 Szabados, E. and Christopherson, R.I.
 Rapid radioassay for metabolites of adenosine and deoxyadenosine in erythrocytes 674(1995)132
 Szanya, T., see Simon, G. 664(1995)17
 Szeitz, A., see Riggs, K.W. 660(1994)315
 Szeitz, A., Riggs, K.W. and Harvey-Clark, C.
 Sensitive and selective assay for fentanyl using gas chromatography with mass selective detection 675(1996)33
 Sziráki, I., see Patthy, M. 664(1995)247
 Szulc, M.E., see Krull, I.S. 659(1994)19
- T**
- Tabei, H., see Niwa, O. 670(1995)21
 Taburet, A.M., see Barra, J. 661(1994)178
 Tadey, T. and Purdy, W.C.
 Capillary electrophoretic separation of nucleotide isomers via complexation with cyclodextrin and borate 657(1994)365
 Tadey, T. and Purdy, W.C.
 Chromatographic techniques for the isolation and purification of lipoproteins 671(1995)237
 Tagesson, C., see Jones, A.W. 672(1995)1
 Tagliaro, F., see Deyl, Z. 653(1994)47
 Tagliaro, F., see Deyl, Z. 656(1994)3
 Tagliaro, F., see Marigo, M. 656(1994)1
 Tagliaro, F., Moffa, M., Gentile, M.M., Clavenna, G., Valentini, R., Ghielmi, S. and Marigo, M.
 Free solution capillary electrophoresis of calcitonin and calcitonin tryptic digests 656(1994)107
 Tagliaro, F. and Smith, F.P.
 Analysis of addictive and misused drugs (edited by John A. Adamovics) (Book Review) 667(1995)358
 Taha, M.A., see Kessie, G. 652(1994)234
 Taira, T., see Sato, K. 663(1995)25
 Takada, K., see Sugioka, N. 654(1994)249
 Takagi, K., see Kataoka, H. 664(1995)421
 Takahara, E., Nagata, O., Kato, H., Ohta, S. and Hirobe, M.
 Analysis of urinary and biliary metabolites of (+)-4-[4-(4-methylphenyl)phenylmethoxy-1-piperidinyl]butyric acid in rats by liquid chromatography–frit-fast atom bombardment mass spectrometry 658(1994)154
 Takahashi, K., see Joshi, A.S. 660(1994)143
 Takahashi, K., see Nakahara, Y. 657(1994)93
 Takahashi, T., see Deng, Y. 670(1995)47
 Takai, N., see Mashige, F. 658(1994)63
 Takakuwa, S., Chiku, S., Nakata, H., Yuzuriha, T., Mano, N. and Asakawa, N.
 Enantioselective high-performance liquid chromatographic assay for determination of the enantiomers of a new anti-ulcer agent, E3810, in Beagle dog plasma and rat plasma 673(1995)113
 Takamatsu, T., see Okumura, T. 670(1995)11
 Takano, M., see Mashige, F. 658(1994)63
 Takano, T., Kagami, Y., Kuwabara, Y. and Hata, S.
 Column-switching high-performance liquid chromatographic analysis of BO-2727, a new carbapenem antibiotic, in human plasma and urine by direct injection 656(1994)353
 Takasaki, W., see Asami, M. 665(1995)107
 Takase, Y., see Tokumura, T. 658(1994)202
 Takayama, R., see Sato, K. 663(1995)25
 Takeda, N., see Kajita, M. 654(1994)263
 Takeda, N., Nakamura, M., Yoshizumi, H. and Tatematsu, A.
 Detection of ribose-methylated nucleotides in *Pyrodictium occultum* tRNA by liquid chromatography–frit-fast atom bombardment mass spectrometry 660(1994)223
 Takeda, N. and Yamamoto, A.
 Simultaneous determination of 13-*cis*- and all-*trans*-retinoic acids and retinol in human serum by high-performance liquid chromatography 657(1994)53
 Takeda, S., see Ono, H. 674(1995)293
 Takenaga, N., Ishii, Y., Monden, S., Sasaki, Y. and Hata, S.
 Simultaneous determination of a new anticancer agent (NB-506) and its active metabolite in human plasma and urine by high-performance liquid chromatography with ultraviolet detection 674(1995)111
 Takimoto, C.H., Klecker, R.W., Dahut, W.L., Yee, L.K., Strong, J.M., Allegra, C.J. and Grem, J.L.
 Analysis of the active lactone form of 9-aminocamptothecin in plasma using solid-phase extraction and high-performance liquid chromatography 655(1994)97
 Tam, Y.K., see Skerjanec, A. 669(1995)377
 Tam, Y.L., see Tsina, I. 675(1996)119
 Tamura, G., see Tawa, R. 653(1994)211
 Tamura, K., see Sumiyoshi, H. 670(1995)309
 Tan, Y., see Russel, F.G.M. 661(1994)173
 Tanaka, A., see Kawasaki, N. 656(1994)436
 Tanaka, E., Sakamoto, N., Inubushi, M. and Misawa, S.
 Simultaneous determination of plasma phenytoin and its primary hydroxylated metabolites in carbon tetrachloride-intoxicated rats by high-performance liquid chromatography 673(1995)147
 Tanaka, H., see Kataoka, H. 657(1994)9
 Tanaka, M., see Aoki, H. 660(1994)365
 Tanaka, M., Oshima, Y., Aoki, H. and Hokusui, H.
 Determination of a new fluoroquinolone antimicrobial agent, (S)-10-[(S)-(8-amino-6-azaspiro[3,4]octan-6-yl)]-9-fluoro-2,3-dihydro-3-methyl-7-oxo-7H-pyrido[1,2,3-de][1,4]benzoxazine-6-carboxylic acid hemihydrate, DV-7751a, in human serum and urine using solid-phase extraction and high-performance liquid chromatography with fluorescence detection 664(1995)401

- Tanaka, M., see Yasaka, Y. 659(1994)139
- Tanaka, N., see Yoshida, T. 655(1994)179
- Tanaka, Y., see Asami, M. 665(1995)107
- Tanayama, S., see Kondo, T. 666(1995)291
- Tang, S.-Y., see Clerc, F.F. 662(1994)245
- Tanimoto, T., see Kawasaki, N. 656(1994)436
- Taniyama, T., see Sueyasu, M. 665(1995)133
- Tarditi, L., see Vola, R. 668(1995)209
- Tarnowski, T., see Page, T. 675(1996)342
- Tarnowski, T., see Tsina, I. 675(1996)119
- Tarozzi, G., see Piretti, M.V. 674(1995)177
- Tarral, E., see Levêque, D. 655(1994)320
- Tatematsu, A., see Kajita, M. 654(1994)263
- Tatematsu, A., see Takeda, N. 660(1994)223
- Tatsuhara, T., see Muro, H. 663(1995)83
- Tatsumi, Y., see Abe, K.-i. 653(1994)112
- Tawa, R., Tamura, G., Sakurai, H., Ono, T. and Kurishita, A.
High-performance liquid chromatographic analysis of methylation changes of CCGG sequence in brain and liver DNA of mice during pre- and postnatal development 653(1994)211
- Tawfik, A.F., see Kessie, G. 652(1994)234
- Tay, L.K., see Willey, T.A. 652(1994)171
- Taylor, G.A., see Wedge, S.R. 663(1995)327
- Taylor, G.W., Machan, Z.A., Mehmet, S., Cole, P.J. and Wilson, R.
Rapid identification of 4-hydroxy-2-alkylquinolines produced by *Pseudomonas aeruginosa* using gas chromatography-electron-capture mass spectrometry 664(1995)458
- Taylor, R.B., see Kolawole, J.A. 674(1995)149
- Taylor, R.B., see Low, A.S. 663(1995)225
- Taylor, R.B., Low, A.S. and Reid, R.G.
Determination of opiates in urine by capillary electrophoresis 675(1996)213
- Taylor, W.G., Danielson, T.J. and Orcutt, R.L.
Thin-layer chromatographic detection of ivermectin in cattle serum 661(1994)327
- Tazuma, S., Hatsushika, S., Yamashita, G., Aihara, N., Sasaki, M., Horikawa, K., Yamashita, Y., Teramen, K., Ochi, H., Hirano, N., Miura, H., Ohya, T., Hino, H. and Kajiyama, G.
Simultaneous microanalysis of biliary cholesterol, bile acids and fatty acids in lecithin using capillary column gas chromatography: an advantage to assess bile lithogenicity 653(1994)1
- Tebbe, H., see Büntemeyer, H. 662(1994)209
- Teerlink, T.
Derivatization of posttranslationally modified amino acids (Review) 659(1994)185
- Teichert, J. and Preiß, R.
Determination of lipoic acid in human plasma by high-performance liquid chromatography with electrochemical detection 672(1995)277
- Teitz, D.S., see Jemal, M. 666(1995)251
- Teixeira, A., see Vallar, L. 664(1995)97
- Tekle, A., see Najjar, T.A. 672(1995)295
- Telting-Diaz, M., see Hadwiger, M.E. 655(1994)235
- Templeton, D.M., see El-Jammal, A. 658(1994)121
- Ten Bokkel Huinink, W.W., see Van Gijn, R. 667(1995)269
- Tenczer, J., Lappenberg-Pelzer, M., Schneider, V., Demme, U. and Köppel, C.
Fatal poisoning with detajmium: identification of detajmium and its metabolites and artifacts by gas chromatography-mass spectrometry and quantification by high-performance liquid chromatography 661(1994)47
- Teng, R., Tensfeldt, T.G., Liston, T.E. and Foulds, G.
Determination of trovafloxacin, a new quinolone antibiotic, in biological samples by reversed-phase high-performance liquid chromatography 675(1996)53
- Tensfeldt, T.G., see Teng, R. 675(1996)53
- Teradaira, R., see Hibiya, M. 672(1995)143
- Teramen, K., see Tazuma, S. 653(1994)1
- Terefe, H. and Blaschke, G.
Direct determination of the enantiomers of the antimalarial drug halofantrine and its active metabolite N-desbutylhalofantrine in human plasma 657(1994)238
- Termine, A., see Chiancone, E. 664(1995)89
- Terzuoli, L., Pandolfi, M., Arezzini, L., Pizzichini, M., Marinello, E. and Pagani, R.
Separation and determination of liver uric acid and allantoin 663(1995)143
- Tesoriere, G., see Calvaruso, G. 660(1994)259
- Tess, D.A., Cole, R.O. and Toler, S.M.
Sensitive method for the quantitation of droloxifene in plasma and serum by high-performance liquid chromatography employing fluorimetric detection 674(1995)253
- Tetaert, D., Soudan, B., Lo-Guidice, J.-M., Richet, C., Degand, P., Boussard, G., Mariller, C. and Spik, G.
Combination of high-performance anion-exchange chromatography and electrospray mass spectrometry for analysis of the *in vitro* O-glycosylated mucin motif peptide 658(1994)31
- Tharasse-Bloch, C., Brasseur, P., Favennec, L. and Marchand, J.
Determination of sinesfungin in rat plasma by high-performance liquid chromatography 674(1995)247
- Theisohn, M., see Künzer, T. 653(1994)63
- Theodoridis, G., Papadoyannis, I., Vasilikiotis, G. and Tsoukali-Papadopoulou, H.
Reversed-phase high-performance liquid chromatography-photodiode-array analysis of alkaloid drugs of forensic interest 668(1995)253
- Therrien, G., see Seiler, N. 653(1994)87
- Theurillat, R., see Caslavská, J. 656(1994)219
- Theurillat, R., see Hufschmid, E. 668(1995)159
- Thibault, A., see Figg, W.D. 652(1994)187
- Thieme, D., see Mueller, R.K. 674(1995)1
- Thienpont, L.M., Van Landuyt, K.G., Stöckl, D., Saeyens, W., De Keukeleire, D. and De Leenheer, A.P.
Evaluation of 2-iminoimidazolidin-4-one and thymine as respective internal standards for normal-phase and reversed-phase high-performance liquid chromatographic determination of creatinine in human serum 665(1995)63

- Thomas, B.F., Jeffcoat, A.R., Myers, M.W., Mathews, J.M. and Cook, C.E.
Determination of *l*- α -acetylmethadol, *l*- α -noracetylmethadol and *l*- α -dinoracetylmethadol in plasma by gas chromatography-mass spectrometry 655(1994)201
- Thomas, B.R., Fang, X.G., Chen, X., Tyrrell, R.J. and Ghodbane, S.
Validated micellar electrokinetic capillary chromatography method for quality control of the drug substances hydrochlorothiazide and chlorothiazide 657(1994)383
- Thomas, D.J., see Stýblo, M. 668(1995)21
- Thömmes, J., see Finger, U.B. 664(1995)69
- Thömmes, J., see Finger, U.B. 675(1996)197
- Thompson, J.R., see McAllister, T.A. 666(1995)336
- Thompson, Jr., H.C., see Hansen, Jr., E.B. 670(1995)259
- Thompson, Jr., H.C., see Rushing, L.G. 674(1995)125
- Thompson, M.J., see Wu, Z.-Y. 673(1995)267
- Thormann, W., see Caslavská, J. 656(1994)219
- Thormann, W., see Hufschmid, E. 668(1995)159
- Thormann, W., see Molteni, S. 658(1994)355
- Tian, Z., see Wang, C.J. 669(1995)141
- Tibaldi, G.P., see Defilippi, A. 656(1994)466
- Tiburcio, A.F., see Marcé, M. 666(1995)329
- Tichá, M., Železná, B., Jonáková, V. and Filka, K.
Immobilization of heparin on polyacrylamide derivatives 656(1994)423
- Timby, D.M., see Dasgupta, S. 673(1995)107
- Tinnerberg, H., see Dalene, M. 656(1994)319
- Tirone, P., see Lorusso, V. 656(1994)415
- Tisdale, E.C., see Jacob III, P. 664(1995)449
- Tjaden, U.R., see Irth, H. 658(1994)207
- Tjaden, U.R., see Oosterkamp, A.J. 653(1994)55
- Tod, M., see Louchahi, K. 663(1995)385
- Todd, G.D., see Mount, D.L. 666(1995)183
- Tognella, S., see Bernareggi, A. 669(1995)247
- Toja, E., see Agostini, O. 661(1994)313
- Tokumura, T., Takase, Y. and Horie, T.
Determination of a novel and potent cyclic GMP phosphodiesterase inhibitor, 4-[[3,4-(methylenedioxy)-benzyl]amino]-6,7,8-trimethoxyquinazoline, in dog plasma by high-performance liquid chromatography 658(1994)202
- Toler, S.M., see Tess, D.A. 674(1995)253
- Tomita, Y., see Amin, M.R. 663(1995)201
- Tomlinson, A.J., Benson, L.M., Gorrod, J.W. and Naylor, S.
Investigation of the *in vitro* metabolism of the H₂-antagonist mifentidine by on-line capillary electrophoresis-mass spectrometry using non-aqueous separation conditions 657(1994)373
- Tomlinson, A.J., Braddock, W.D., Benson, L.M., Oda, R.P. and Naylor, S.
Preliminary investigations of preconcentration-capillary electrophoresis-mass spectrometry 669(1995)67
- Tong, X. and Caldwell, K.D.
Separation and characterization of red blood cells with different membrane deformability using steric field-flow fractionation 674(1995)39
- Tonn, G.R., Abbott, F.S., Rurak, D.W. and Axelson, J.E.
Simultaneous analysis of diphenylmethoxyacetic acid, a metabolite of diphenhydramine, and its deuterium-labeled stable isotope analog in ovine plasma and urine 663(1995)67
- Tønnesen, F., see Krogh, M. 673(1995)299
- Torchio, L., Lombardi, F., Visconti, M. and Doyle, E.
Determination of the polar drug dimiracetam in human plasma and serum by column-switching high-performance liquid chromatography 666(1995)169
- Toren, P.C., see Heath, T.G. 670(1995)91
- Toreson, H. and Eriksson, B.-M.
Determination of erythromycin in gastric juice and blood plasma by liquid chromatography and electrochemical detection 673(1995)81
- Toribio, F., see Rodriguez-Ariza, A. 656(1994)311
- Torti, L., see Bernareggi, A. 669(1995)247
- Touchstone, J.C.
Thin-layer chromatographic procedures for lipid separation 671(1995)169
- Touraki, M., Rigas, P., Pergandas, P. and Kastritsis, C.
Determination of oxytetracycline in the live fish feed *Artemia* using high-performance liquid chromatography with ultraviolet detection 663(1995)167
- Toyo'oka, T.
Use of derivatization to improve the chromatographic properties and detection selectivity of physiologically important carboxylic acids 671(1995)91
- Tracey, K.J., see Cerami, C. 675(1996)71
- Tracqui, A., see Kintz, P. 670(1995)162
- Tracqui, A., Kintz, P., Ludes, B., Rougé, C., Douibi, H. and Mangin, P.
High-performance liquid chromatography coupled to ion spray mass spectrometry for the determination of colchicine at ppb levels in human biofluids 675(1996)235
- Tracy, M., see Aboagye, E.O. 672(1995)125
- Trafton, W.F., see Ahn, H.-Y. 653(1994)163
- Trager, W.F., see Neal, J.M. 661(1994)263
- Trausch, B., see Oertel, R. 660(1994)353
- Tricker, A.R., see Ruppert, T. 666(1995)71
- Trijbels, J.M.F., see Keuzenkamp-Jansen, C.W. 672(1995)53
- Trikha, M., see Loayza, S.L. 662(1994)227
- Trnovec, T., see Veningerová, M. 657(1994)103
- Troiano, R., see Gori, G. 673(1995)165
- Tronel, H., see Legrand, C. 663(1995)187
- Trottein, F., see Bouchon, B. 662(1994)279
- Trümbach, B., Rogler, G., Lackner, K.J. and Schmitz, G.
Improved separation of radioactively labelled cellular phospholipids by high-performance liquid chromatography 656(1994)73
- Tsai, M.-Y., see Jen, J.-F. 658(1994)87
- Tsai, P., Wu, C.-T. and Lee, C.S.
Electrokinetic studies of inorganic coated capillaries 657(1994)285
- Tsai, P.-J., see Yang, C.-S. 661(1994)231
- Tsai, P.-J., see Yang, C.-S. 667(1995)41
- Tsai, P.-J., see Yang, C.-S. 674(1995)23
- Tsai, T.-H., see Cheng, F.-C. 654(1994)177

- Tsai, T.-H., Chou, C.-J., Cheng, F.-C. and Chen, C.-F.
Pharmacokinetics of honokiol after intravenous administration in rats assessed using high-performance liquid chromatography 655(1994)41
- Tsai, T.-H., see Jeng, K.-F. 668(1995)343
- Tsai, T.-H., see Ko, H.-C. 655(1994)27
- Tsai, T.-H., Tsai, W.-J. and Chen, C.-F.
Aspirin inhibits collagen-induced platelet serotonin release, as measured by microbore high-performance liquid chromatography with electrochemical detection 669(1995)404
- Tsai, W.-J., see Tsai, T.-H. 669(1995)404
- Tseng, J.-L., see Lee, H.G. 667(1995)259
- Tsikakos, D., Böger, R.H., Bode-Böger, S.M., Gutzki, F.-M. and Frölich, J.C.
Quantification of nitrite and nitrate in human urine and plasma as pentafluorobenzyl derivatives by gas chromatography-mass spectrometry using their ¹⁵N-labelled analogs 661(1994)185
- Tsikakos, D., Fauler, J. and Frölich, J.C.
Chemical synthesis of dioxygen-18 labelled ω -/ β -oxidized cysteinyl leukotrienes: analysis by gas chromatography-mass spectrometry and gas chromatography-tandem mass spectrometry 667(1995)209
- Tsina, I., Chu, F., Hama, K., Kaloostian, M., Tam, Y.L., Tarnowski, T. and Wong, B.
Manual and automated (robotic) high-performance liquid chromatography methods for the determination of mycophenolic acid and its glucuronide conjugate in human plasma 675(1996)119
- Tsolas, O., see Roboti, A. 662(1994)27
- Tsoukali-Papadopoulou, H., see Theodoridis, G. 668(1995)253
- Tsoupras, G., see Roboti, A. 662(1994)27
- Tsuchiya, E., see Mashige, F. 658(1994)63
- Tsuda, Y., see Ishida, M. 652(1994)43
- Tsuji, K.
Sodium dodecyl sulfate polyacrylamide gel- and replaceable polymer-filled capillary electrophoresis for molecular mass determination of proteins of pharmaceutical interest 662(1994)291
- Tu, T.M., see Lacroix, M. 663(1995)297
- Tuomainen, P., see Reenilä, I. 663(1995)137
- Turberg, M.P., Rodewald, J.M. and Coleman, M.R.
Determination of ractopamine in monkey plasma and swine serum by high-performance liquid chromatography with electrochemical detection 675(1996)279
- Turková, J.
Molecular interactions in bioseparations (edited by T.T. Ngo) (Book Review) 660(1994)419
- Turnipseed, S.B., Roybal, J.E., Rupp, H.S., Hurlbut, J.A. and Long, A.R.
Particle beam liquid chromatography-mass spectrometry of triphenylmethane dyes: application to confirmation of malachite green in incurred catfish tissue 670(1995)55
- Tvrzická, E., Cvrčková, E., Máca, B. and Jirásková, M.
Changes in the liver, kidney and heart fatty acid composition following administration of ibuprofen to mice 656(1994)51
- Tvrzická, E., see Vičanová, J. 656(1994)45
- Tyczkowska, K.L., Voyksner, R.D., Anderson, K.L. and Papich, M.G.
Simultaneous determination of enrofloxacin and its primary metabolite ciprofloxacin in bovine milk and plasma by ion-pairing liquid chromatography 658(1994)341
- Tyrrell, R.J., see Thomas, B.R. 657(1994)383
- Tzeng, T.-B., Stamm, G. and Chu, S.-y.
Sensitive method for the assay of sertindole in plasma by high-performance liquid chromatography and fluorimetric detection 661(1994)299
- ## U
- Uang, Y.-S., Kang, F.-L. and Hsu, K.-Y.
Determination of caffeic acid in rabbit plasma by high-performance liquid chromatography 673(1995)43
- Ubuka, T., see Futani, S. 660(1994)164
- Ubuka, T., see Masuoka, N. 660(1994)31
- Uchida, G., see Hayashi, T. 665(1995)209
- Ueda, Y., see Yoshida, K.-i. 672(1995)45
- Ueki, M., see Kajita, M. 669(1995)345
- Uematsu, T., see Mizuno, A. 653(1994)187
- Ueno, K., see Saito, M. 674(1995)167
- Ugwu, S.O., see Surendran, N. 670(1995)235
- Uhnák, J., see Veningerová, M. 657(1994)103
- Ujhelyi, M., see Zhang, H. 668(1995)309
- Ulfelder, K.J., see Rossomando, E.F. 656(1994)159
- Ulrich, P., see Cerami, C. 675(1996)71
- Ulrich, S.
Sensitive gas-liquid chromatographic method for the assay of the neuroleptic drug *cis*-(Z)-flupentixol in human serum or plasma 668(1995)31
- Ulrich, S., Meyer, F.P., Neuhof, S. and Knorr, W.
Megabore capillary gas-liquid chromatographic method with nitrogen-phosphorus selective detection for the assay of haloperidol and reduced haloperidol in serum: results of therapeutic drug-monitoring during acute therapy of eight schizophrenics 663(1995)289
- Umbarger, K.O., see Gurley, L.R. 670(1995)125
- Unger, K.K., see De Collongue-Poyet, B. 664(1995)155
- Unger, K.K., see Gey, M.H. 666(1995)188
- Unger, K.K., see Oosterkamp, A.J. 653(1994)55
- Unland, F., see Müthing, J. 658(1994)39
- Uno, K. and Maeda, I.
Simultaneous determination of sulphamonomethoxine and its *N*⁴-acetyl metabolite in blood serum by high-performance liquid chromatography with direct injection 663(1995)177
- Unruh, J.J., see Medina, M.B. 663(1995)127
- Unterhalt, M., see Ramsauer, B. 665(1995)183

- Unterhalt, M., see Schleyer, E. 669(1995)319
 Urano, S., see Ishii, K. 655(1994)300
 Ushijima, T., see Saito, M. 674(1995)167
 Usui, T., Kawakami, R., Watanabe, T. and Higuchi, S.
 Sensitive determination of a novel bisphosphonate,
 YM529, in plasma, urine and bone by high-
 performance liquid chromatography with fluorescence
 detection 652(1994)67
- V**
- Vaalburg, W., see Van Waarde, A. 663(1995)361
 Vachier, M.C., Piot, M. and Awadé, A.C.
 Isolation of hen egg white lysozyme, ovotransferrin
 and ovalbumin, using a quaternary ammonium bound
 to a highly crosslinked agarose matrix 664(1995)201
 Vaes, W.H.J., see Sessink, P.J.M. 673(1995)205
 Vähäkangas, K., see Pienimäki, P. 673(1995)97
 Valášková, I., Balážová, J. and Havránek, E.
 Monitoring of lithium levels in human serum after
 therapy with lithium preparations by capillary
 isotachopheresis 674(1995)310
 Valcárcel, M., see Cárdenas, M.S. 672(1995)7
 Valencia, R., see Cong, H.N. 661(1994)193
 Valenta, H., see Kühn, I. 668(1995)333
 Valentini, R., see Tagliaro, F. 656(1994)107
 Valette-Talbi, L., see Guichardant, M. 655(1994)112
 Vallar, L., Costa, P.M.P., Teixeira, A., Pfister, M.,
 Barrois, R., Costa, P.P. and Rivat, C.
 Immunoabsorption procedure as a potential method
 for the specific β 2-microglobulin removal from plasma
 of patients with chronic renal failure 664(1995)97
 Van Belle, K., De Koster, V., Sarre, S., Ebinger, G. and
 Michotte, Y.
 Narrow-bore liquid chromatographic assay for
 oxcarbazepine and its major metabolite in rat brain,
 liver and blood microdialysates 657(1994)149
 Van Belle, K., Verfaillie, I., Ebinger, G. and Michotte, Y.
 Liquid chromatographic assay using a microcolumn
 coupled to a U-shaped optical cell for high-sensitivity
 ultraviolet absorbance detection of oxcarbazepine and
 its major metabolite in microdialysates 672(1995)97
 Van Bennekom, E.O., see Hooijerink, H. 660(1994)303
 Van Bocxlaer, J., see Huo, J.-Z. 661(1994)69
 Van Boven, M., Daenens, P., Cokelaere, M. and
 Decuyper, E.
 Extraction and liquid chromatographic method for the
 determination of simmondsin in plasma 655(1994)281
 Van Dalen, A., see Fekkes, D. 669(1995)177
 Van de Greef, J., see Oosterkamp, A.J. 653(1994)55
 Van de Merbel, N.C., see Herráez-Hernández, R.
 666(1995)127
 Van de Merbel, N.C., see Snippe, N. 662(1994)61
 Van den Berg, G.A., see Muskiet, F.A.J. 667(1995)189
 Van den Biggelaar-Martea, M., see Vree, T.B.
 655(1994)53
 Van den Broek, P.H.H., see Sessink, P.J.M. 673(1995)205
 Van de Putte, L.B.A., see Stolk, J.N. 666(1995)33
 Van der Greef, J., see Irth, H. 658(1994)207
 Van der Merwe, P.J., Brown, L.W. and Hendrikz, S.E.
 Simultaneous quantification of ephedrine in urine by
 high-performance liquid chromatography 661(1994)357
 Van der Merwe, P.J. and Hendrikz, S.E.
 Identification of ephedrine as their carbon disulfide
 derivatives 663(1995)160
 Van der Ven, A.J.A.M., see Vree, T.B. 658(1994)327
 Van der Vijgh, W.J.F., see Welink, J. 675(1996)107
 Van der Vusse, G.J., see Van Haaster, C.M.C.J.
 657(1994)261
 Van de Wetering, H.J., see Van Rhijn, J.A. 665(1995)395
 Van Dijk, J., Boomsma, F., Alberts, G., Man in 't Veld,
 A.J. and Schalekamp, M.A.D.H.
 Determination of semicarbazide-sensitive amine
 oxidase activity in human plasma by high-performance
 liquid chromatography with fluorimetric detection
 663(1995)43
 Van Dorsselaer, A., see Bouchon, B. 662(1994)279
 Van Dorsselaer, A., see Clerc, F.F. 662(1994)245
 Van Eijk, H.M.H., Huinck, M.P.L., Rooyackers, D.R.
 and Deutz, N.E.P.
 Automated simultaneous isolation and quantitation of
 labeled amino acid fractions from plasma and tissue by
 ion-exchange chromatography 660(1994)251
 Van Engelen, J.G.M., Kežič, S., De Haan, W., Opdam,
 J.J.G. and De Wolff, F.A.
 Determination of 2,5-hexanedione, a metabolite of *n*-
 hexane, in urine: evaluation and application of three
 analytical methods 667(1995)233
 Van Ewijk-Beneken Kolmer, E.W.J., see Vree, T.B.
 652(1994)161
 Van Ewijk-Beneken Kolmer, E.W.J., see Vree, T.B.
 658(1994)327
 Van Galen, P.M., see Vree, T.B. 658(1994)327
 Van Galen, P.M., see Vree, T.B. 670(1995)111
 Van Gijn, R., Van Tellingen, O., De Clippeleir, J.J.M.,
 Hillebrand, M.J.X., Boven, E., Vermorken, J.B., Ten
 Bokkel Huinink, W.W., Schwertz, S., Graf, P. and
 Beijnen, J.H.
 Analytical procedure for the determination of the new
 antitumour drug N-benzoylstaurosporine and three
 potential metabolites in human plasma by reversed-
 phase high-performance liquid chromatography
 667(1995)269
 Van Haaster, C.M.C.J., Engels, W., Lemmens, P.J.M.R.,
 Hornstra, G. and Van der Vusse, G.J.
 Rapid and highly sensitive high-performance liquid
 chromatographic method for the determination of
 histamine and 3-methylhistamine in biological samples
 using fluorecamine as the derivatizing agent
 657(1994)261
 Van Jaarsveld, P.P., see Kruger, P.B. 662(1994)71
 Van Jaarsveld, P.P., see Seifart, H.I. 674(1995)269

- Van Kempen, T. and Odle, J.
Comments on quantitation of carnitine esters by high-performance liquid chromatography. Reply to E. Schmidt-Sommerfeld and D. Penn 652(1994)117
- Van Kleef, J.W., see Groen, K. 655(1994)163
- Van Landuyt, K.G., see Thienpont, L.M. 665(1995)63
- Van Noort, J.M., Ouagmiri, M.E., Boon, J. and Van Sechel, A.C.
Fractionation of central nervous system myelin proteins by reversed-phase high-performance liquid chromatography 653(1994)155
- Van Putten, T., see Aravagiri, M. 656(1994)373
- Van Regenmortel, M.H.V., see Zeder-Lutz, G. 662(1994)301
- Van Rhijn, J.A., Heskamp, H.H., Essers, M.L., Van de Wetering, H.J., Kleijnen, H.C.H. and Roos, A.H.
Possibilities for confirmatory analysis of some β -agonists using two different derivatives simultaneously 665(1995)395
- Van Riel, P.L.C.M., see Russel, F.G.M. 661(1994)173
- Van Sechel, A.C., see Van Noort, J.M. 653(1994)155
- Van Tellingen, O., see Huizing, M.T. 674(1995)261
- Van Tellingen, O., Pels, E.M., Henrar, R.E.C., Schaaf, L.J., Padbury, G.E., Beijnen, J.H. and Nooijen, W.J.
Fully automated high-performance liquid chromatographic method for the determination of carzelesin (U-80,244) and metabolites (U-76,073 and U-76,074) in human plasma 652(1994)51
- Van Tellingen, O., see Sparreboom, A. 664(1995)383
- Van Tellingen, O., see Van Gijn, R. 667(1995)269
- Van Waarde, A., Anthonio, R.L., Visser, T.J., Elsinga, P.H., Posthumus, H., Weemaes, A.-M.A., Blanksma, P.K., Visser, G.M., Paans, A.M.J. and Vaalburg, W.
Quantification of an ^{11}C -labelled β -adrenoceptor ligand, S-($-$)CGP 12177, in plasma of humans and rats 663(1995)361
- Varelis, P., Smythe, G.A., Hodgson, D. and Lazarus, L.
Measurement of urinary free cortisol by stable isotope dilution mass spectrometry using a new cortisol derivative 660(1994)151
- Varin, F., see Lacroix, M. 663(1995)297
- Varin, F., see Mastey, V. 655(1994)305
- Vasilikiotis, G., see Theodoridis, G. 668(1995)253
- Vastag, K.J., see Chen, I.-W. 672(1995)111
- Večerková, J., see Balíková, M. 656(1994)267
- Veening, H., see Petucci, C.J. 668(1995)241
- Veinberg, F., see Moussa, F. 667(1995)69
- Velic, I., Metzler, M., Hege, H.G. and Weymann, J.
Separation and identification of phase I and phase II [^{14}C]antipyrine metabolites in rat and dog urine 666(1995)139
- Veningerová, M., Prachar, V., Uhnák, J., Lukácsová, M. and Trnovec, T.
Determination of chlorinated phenols and cresols in human urine using solid-phase extraction and gas chromatography 657(1994)103
- Venkateshwaran, T.G. and Stewart, J.T.
Determination of metronidazole in vaginal tissue by high-performance liquid chromatography using solid-phase extraction 672(1995)300
- Vento, R., see Calvaruso, G. 660(1994)259
- Ventura, P., see Rondelli, I. 653(1994)17
- Venturelli, E., Cavalleri, A. and Secreto, G.
Methods for urinary testosterone analysis 671(1995)363
- Venturelli, T., see Volpi, N. 669(1995)197
- Verbeke, N., see Sam, E. 658(1994)311
- Vercruyse, K.P., Lauwers, A.R. and Demeester, J.M.
Kinetic investigation of the degradation of hyaluronan by hyaluronidase using gel permeation chromatography 656(1994)179
- Verdoliva, A., Cassani, G. and Fassina, G.
Affinity purification of polyclonal antibodies using immobilized multimeric peptides 664(1995)175
- Verfaillie, I., see Van Belle, K. 672(1995)97
- Verga, F., see Bo, L.D. 665(1995)404
- Verma, N., see Singh, S.K. 670(1995)173
- Vermeij, T.A.C. and Edelbroek, P.M.
High-performance liquid chromatographic and megabore gas-liquid chromatographic determination of levetiracetam (ucb L059) in human serum after solid-phase extraction 662(1994)134
- Vermorken, J.B., see Van Gijn, R. 667(1995)269
- Verwey-van Wissen, C.P.W.G.M., see Vree, T.B. 652(1994)161
- Verwey-van Wissen, C.P.W.G.M., see Vree, T.B. 655(1994)53
- Verwey-van Wissen, C.P.W.G.M., see Vree, T.B. 658(1994)327
- Verwey-van Wissen, C.P.W.G.M., see Vree, T.B. 670(1995)111
- Vestal, R.E., see Zhai, S. 669(1995)372
- Veuthey, J.L., see Edder, P. 658(1994)75
- Vey, A., see Loutelier, C. 656(1994)281
- Viala, A., see Rop, P.P. 661(1994)245
- Vičanová, J., Tvrzická, E. and Štulík, K.
Capillary gas chromatography of underivatized fatty acids with a free fatty acid phase column and a programmed temperature vaporizer injector 656(1994)45
- Vidal-Madjar, C., see De Collongue-Poyet, B. 664(1995)155
- Vidal-Madjar, C., see Noinville, V. 664(1995)33
- Vidmar, T.J., see Beconi-Barker, M.G. 673(1995)231
- Vielhauer, S., Rudolphi, A., Boos, K.-S. and Seidel, D.
Evaluation and routine application of the novel restricted-access precolumn packing material Alkyl-Diol Silica: coupled-column high-performance liquid chromatographic analysis of the photoreactive drug 8-methoxypsoralen in plasma 666(1995)315
- Vijayalakshmi, M.A., see Bueno, S.M.A. 667(1995)57
- Vijayalakshmi, M.A., see Haupt, K. 674(1995)13
- Vinjamoori, D.V., see Smith, J.T. 669(1995)59
- Violleau, K., see Pilatte, Y. 668(1995)1
- Virag, L., Jamdar, S., Chao, C.R. and Morishima, H.O.
Sensitive assay for cocaine and benzoylcegonine using solid-phase extraction and gas chromatography 658(1994)135
- Visconti, M., see Torchio, L. 666(1995)169
- Visser, G.M., see Van Waarde, A. 663(1995)361
- Visser, T.J., see Van Waarde, A. 663(1995)361
- Vistelle, R., see Mouchard-Delmas, C. 663(1995)390

- Vitali, V., see Robieux, I. 675(1996)183
- Vola, R., Lombardi, A., Tarditi, L., Björck, L. and Mariani, M.
Recombinant proteins L and LG: efficient tools for purification of murine immunoglobulin G fragments 668(1995)209
- Volin, P.
Determination of free urinary catecholamines by high-performance liquid chromatography with electrochemical detection 655(1994)121
- Volin, P.
Simple and specific reversed-phase liquid chromatographic method with diode-array detection for simultaneous determination of serum hydroxychloroquine, chloroquine and some corticosteroids 666(1995)347
- Volin, P.
High-performance liquid chromatographic analysis of corticosteroids 671(1995)319
- Volkov, S.K. and Grodnitskaya, E.I.
Application of high-performance liquid chromatography to the determination of vinblastine in *Catharanthus roseus* 660(1994)405
- Volpi, N., Fregni, R. and Venturelli, T.
Activity of chondroitin ABC lyase on dermatan sulfate partially degraded by cupric-ion-mediated free-radical treatment 669(1995)197
- Vonguyen, L., Wu, J. and Pawliszyn, J.
Peptide mapping of bovine and chicken cytochrome c by capillary isoelectric focusing with universal concentration gradient imaging 657(1994)333
- Vonka, V., see Liška, V. 656(1994)127
- Vonka, V., see Suttner, J. 656(1994)123
- Voskuilen, A., see Fekkes, D. 669(1995)177
- Voyksner, R.D., see Tyczkowska, K.L. 658(1994)341
- Vree, T.B., Schoondermark-van de Ven, E., Verwey-van Wissen, C.P.W.G.M., Baars, A.M., Swolfs, A., Van Galen, P.M. and Amatdjais-Groenen, H.
Isolation, identification and determination of sulfadiazine and its hydroxy metabolites and conjugates from man and Rhesus monkey by high-performance liquid chromatography 670(1995)111
- Vree, T.B., Van den Biggelaar-Martea, M. and Verwey-van Wissen, C.P.W.G.M.
Determination of furosemide with its acyl glucuronide in human plasma and urine by means of direct gradient high-performance liquid chromatographic analysis with fluorescence detection. Preliminary pharmacokinetics and effect of probenecid 655(1994)53
- Vree, T.B., Van der Ven, A.J.A.M., Verwey-van Wissen, C.P.W.G.M., Van Ewijk-Beneken Kolmer, E.W.J., Swolfs, A.E.M., Van Galen, P.M. and Amatdjais-Groenen, H.
Isolation, identification and determination of sulfamethoxazole and its known metabolites in human plasma and urine by high-performance liquid chromatography 658(1994)327
- Vree, T.B., Van Ewijk-Beneken Kolmer, E.W.J., Verwey-van Wissen, C.P.W.G.M. and Hekster, Y.A.
Direct gradient reversed-phase high-performance liquid chromatographic determination of salicylic acid, with the corresponding glycine and glucuronide conjugates in human plasma and urine 652(1994)161
- Vreeke, M., see Huang, T. 670(1995)323
- Vuilhorgne, M., see Clerc, F.F. 662(1994)245

W

- Wada, Y., see Ito, T. 670(1995)317
- Wada, Y., see Sumi, S. 670(1995)376
- Wada, Y., see Sumi, S. 672(1995)233
- Wagner, H., see Kašička, V. 656(1994)99
- Wainer, I.W., see Chiarotto, J.A. 665(1995)147
- Wainer, I.W., see Fried, K.M. 655(1994)261
- Wainer, I.W., see Sandor, V. 673(1995)123
- Wakabayashi, H., see Shimada, K. 661(1994)85
- Wakabayashi, H., see Yamato, S. 656(1994)29
- Wakimoto, M., see Masuoka, N. 660(1994)31
- Wakui, Y., see Ono, H. 674(1995)293
- Walker, M.J.A., see Walker, M.L. 675(1996)257
- Walker, M.L., Wall, R.A. and Walker, M.J.A.
Determination of an arylacetamide antiarrhythmic in rat blood and tissues using reversed-phase high-performance liquid chromatography 675(1996)257
- Walker, M.P.R., see Krishna, R. 674(1995)65
- Walker, R.B. and Kanfer, I.
Sensitive high-performance liquid chromatographic determination of cyclizine and its demethylated metabolite, norcyclizine, in biological fluids using coulometric detection 672(1995)172
- Wall, R.A., see Walker, M.L. 675(1996)257
- Wallaert, B., see Faouzi, M.A. 664(1995)463
- Wallén, L., Ericsson, O., Wikström, I. and Hellgren, U.
High-performance liquid chromatographic method for the enantioselective analysis of mefloquine in plasma and urine 655(1994)153
- Wallis, S.C., Charles, B.G. and Gahan, L.R.
Rapid and economical high-performance liquid chromatographic method for the determination of norfloxacin in serum using a microparticulate C₁₈ guard cartridge 674(1995)306
- Walter, G.A., see Bullen, W.W. 668(1995)141
- Walters, A., see Hutchaleelaha, A. 658(1994)103
- Walters, D.L., Strong, C.R., Green, S.V. and Curtis, M.A.
Development and validation of a gradient reversed-phase high-performance liquid chromatographic assay for *S*(-)-2-(*N*-propyl-*N*-2-thienylethylamino)-5-hydroxytetralin (N-0923) from a transdermal delivery system 670(1995)299

- Walters, R.R., see Hsu, C.-y.L. 667(1995)115
- Walther, B., see Gordon, B.H. 657(1994)163
- Walubo, A., Smith, P. and Folb, P.I.
Comprehensive assay for pyrazinamide, rifampicin and isoniazid with its hydrazine metabolites in human plasma by column liquid chromatography 658(1994)391
- Wan, H., see Wang, X. 653(1994)98
- Wang, C.J., Tian, Z., Watkins, R., Cook, J. and Lin, C.
Determination of a cyclic guanine monophosphate phosphodiesterase inhibitor (SCH 51866) in rat serum using capillary zone electrophoresis 669(1995)141
- Wang, J.J.-H. and Chan, K.K.
Analysis of ifosfamide, 4-hydroxyifosfamide, N2-dechloroethylifosfamide, N3-dechloroethylifosfamide and iphosphoramidate mustard in plasma by gas chromatography-mass spectrometry 674(1995)205
- Wang, M.Z., Klee, M.S. and Yang, S.K.
Achiral and chiral analysis of camazepam and metabolites by packed-column supercritical fluid chromatography 665(1995)139
- Wang, W., see Liu, G.-q. 653(1994)41
- Wang, W.-L., Darwin, W.D. and Cone, E.J.
Simultaneous assay of cocaine, heroin and metabolites in hair, plasma, saliva and urine by gas chromatography-mass spectrometry 660(1994)279
- Wang, X., Jia, C. and Wan, H.
Two-dimensional gas chromatography for the enantiomeric separation of ephedrine and phenaminum and their metabolites 653(1994)98
- Ward, F.T., see Roth, J.S. 652(1994)149
- Watanabe, K., see Kajita, M. 654(1994)263
- Watanabe, T., see Usui, T. 652(1994)67
- Waterfield, C.J.
Determination of taurine in biological samples and isolated hepatocytes by high-performance liquid chromatography with fluorimetric detection 657(1994)37
- Watkins, R., see Wang, C.J. 669(1995)141
- Watkins, W.M., see Muhia, D.K. 660(1994)196
- Watzel, B., see Schweer, H. 652(1994)221
- Wätzig, H., see Lloyd, D.K. 663(1995)400
- Webb, L.E., Gechman, M. and Story, K.
Determination of L-2-oxothiazolidine-4-carboxylic acid (Procysteine[®]) in human plasma by high-performance liquid chromatography 654(1994)257
- Webb, S.F., see Rushing, L.G. 674(1995)125
- Weber, G., see Kašička, V. 656(1994)99
- Weber, K., see Guse, A.H. 672(1995)189
- Webster, J., see Cunningham, D.D. 668(1995)41
- Webster, R.A., see Bovingdon, M.E. 659(1994)157
- Wedge, S.R., Laohavinij, S., Taylor, G.A. and Newell, D.R.
Measurement of 5,10-dideaza-5,6,7,8-tetrahydrofolate (lometrexol) in human plasma and urine by high-performance liquid chromatography 663(1995)327
- Weemaes, A.-M.A., see Van Waarde, A. 663(1995)361
- Wehmeyer, K.R., see Liu, H. 657(1994)206
- Wei, X., see Zhai, S. 669(1995)372
- Weintraub, S.T., see Márquez, C.D. 658(1994)213
- Weinz, C. and Blaschke, G.
Investigation of the in vitro biotransformation and simultaneous enantioselective separation of thalidomide and its neutral metabolites by capillary electrophoresis 674(1995)287
- Weistrand, C., Jakobsson, E. and Norén, K.
Liquid-gel partitioning using Lipidex in the determination of polychlorinated biphenyls, naphthalenes, dibenzo-*p*-dioxins and dibenzofurans in blood plasma 669(1995)207
- Welink, J., Pechstein, B. and Van der Vijh, W.J.F.
Determination of the two diastereoisomers of lobaplatin (D-19466) in plasma ultrafiltrate of cancer patients with a normal or an impaired kidney or liver function by high-performance liquid chromatography with ultraviolet detection 675(1996)107
- Wellhöner, H.H., see Binscheck, T. 675(1996)287
- Welling, G.W., Scheffer, A.J. and Welling-Wester, S.
Determination of enzyme activity by high-performance liquid chromatography (Review) 659(1994)209
- Welling-Wester, S., see Welling, G.W. 659(1994)209
- Wells, R.J., see Aumatell, A. 669(1995)331
- Weng, H.F., see Lin, J.D. 667(1995)153
- Wenger, R., see Zeder-Lutz, G. 662(1994)301
- Wernerman, J., see Luo, J.-L. 670(1995)29
- Westerlund, D., see Yu, Z. 654(1994)221
- Weyhenmeyer, R., see Rickling, B. 670(1995)267
- Weymann, J., see Velic, I. 666(1995)139
- Whigan, D.B. and Schuster, A.E.
Manual and automated determination of 1- β -D-arabinofuranosyl-*E*-5-(2-bromovinyl)uracil and its metabolite (*E*)-5-(2-bromovinyl)uracil in urine 664(1995)357
- White, C., see Liang, D. 656(1994)460
- White, L., see Rossomando, E.F. 656(1994)159
- White V, E., see Mattammal, M.B. 658(1994)21
- Whitfield, L.R., see Bullen, W.W. 668(1995)141
- Whiting, M.J., Rutten, A.J., Williams, P. and Bersten, A.D.
Determination of N^G-nitro-L-arginine and N^G-nitro-L-arginine methyl ester in plasma by high-performance liquid chromatography 660(1994)170
- Whiton, R.S., Witherspoon, C.L. and Buckley, T.J.
Improved high-performance liquid chromatographic method for the determination of polycyclic aromatic hydrocarbon metabolites in human urine 665(1995)390
- Wieder, T., Fritsch, M., Haase, A. and Geilen, C.C.
Determination of alkylphosphocholines by high-performance liquid chromatography with light-scattering mass detection 652(1994)9
- Wiegel, D., Meyer, C. and Arnold, K.
Partitioning of high-density lipoproteins in charge-sensitive two-phase systems 661(1994)159
- Wightman, P., see Smith, K.D. 661(1994)7
- Wightman, R.M., see Cooper, B.R. 653(1994)25
- Wikström, I., see Wallén, L. 655(1994)153
- Wilchek, M., see Schwarz, A. 664(1995)83
- Wilkinson, D., see Baker, P.R. 667(1995)283
- Wilkinson, D., see Baker, P.R. 668(1995)59
- Willems, P.M.W., see Kuypers, A.W.H.M. 675(1996)205
- Willeput, J., see De Ceuninck, F. 666(1995)203

- Wiley, T.A., Duncan, G.F., Tay, L.K., Pittman, K.A. and Farnen, R.H.
High-performance liquid chromatographic method for the quantitative determination of butorphanol, hydroxybutorphanol, and norbutorphanol in human urine using fluorescence detection 652(1994)171
- Williams, D.L., see Müller, A. 666(1995)283
- Williams, P., see Whiting, M.J. 660(1994)170
- Williams, R.M., see Joshi, A.S. 660(1994)143
- Williamson, B., see Cunningham, D.D. 668(1995)41
- Wilson, G.S., see Hendrickson, T.L. 653(1994)147
- Wilson, M.R., see Butler, J.M. 658(1994)271
- Wilson, P.M., Que Hee, S.S. and Froines, J.R.
Determination of hemoglobin adduct levels of the carcinogen 2,4-diaminotoluene using gas chromatography-electron impact positive-ion mass spectrometry 667(1995)166
- Wilson, R., see Taylor, G.W. 664(1995)458
- Windsor, B.L. and Radulovic, L.L.
Measurement of a new anticonvulsant, (S)-3-(aminomethyl)-5-methylhexanoic acid, in plasma and milk by high-performance liquid chromatography 674(1995)143
- Winge, D.R., see Richards, M.P. 675(1996)317
- Wintersteiger, R., see Berliz, G. 666(1995)368
- Witherspoon, C.L., see Whiton, R.S. 665(1995)390
- Wolf, B.A., see Major, C. 658(1994)233
- Wolfsberg, H., see Caslavská, J. 656(1994)219
- Wolfrom, C., see Belz, S. 661(1994)109
- Wolnik, K.A., see Flurer, C.L. 669(1995)133
- Wong, B., see Tsina, I. 675(1996)119
- Wong, B.K., Bruhin, P.J. and Lin, J.H.
Column-switching high-pressure liquid chromatographic method for the determination of a new carbapenem antibiotic, L-739,428, in rat and monkey plasma 655(1994)158
- Wong, M.K., see Wu, J. 663(1995)247
- Wong, N.Y., see Kapil, R.P. 653(1994)221
- Wong, N.Y., see Kapil, R.P. 665(1995)226
- Wong, Y.-c. and Charles, B.G.
Determination of the angiotensin-converting enzyme inhibitor lisinopril in urine using solid-phase extraction and reversed-phase high-performance liquid chromatography 673(1995)306
- Wong, Y.N., Chien, B.M. and D'mello, A.P.
Analysis of corticosterone in rat plasma by high-performance liquid chromatography 661(1994)211
- Woo, K.L. and Lee, D.S.
Capillary gas chromatographic determination of proteins and biological amino acids as N(O)-*tert*-butyldimethylsilyl derivatives 665(1995)15
- Woo, M., see Muro, H. 663(1995)83
- Wood, A.J.J., see He, H. 661(1994)351
- Wood, G.C., see Smith, K.D. 661(1994)7
- Wood, P.L., see Goodnough, D.B. 667(1995)223
- Wood, P.L., see Goodnough, D.B. 672(1995)290
- Wood, S.A., see Haagsma, N. 672(1995)165
- Woolf, E.J., see Matuszewski, B.K. 653(1994)77
- Woolley, J.L., see DeAngelis, D.V. 652(1994)211
- Workman, P., see Aboagye, E.O. 672(1995)125
- Wöstemeier, G., see Ronnenberg, J. 656(1994)169
- Wright, D.S., see Feng, M.R. 665(1995)193
- Wu, C.-T., see Tsai, P. 657(1994)285
- Wu, C.-Y., see Hu, O.Y.-P. 666(1995)299
- Wu, D., Regnier, F.E. and Linhares, M.C.
Electrophoretically mediated micro-assay of alkaline phosphatase using electrochemical and spectrophotometric detection in capillary electrophoresis 657(1994)357
- Wu, E.Y., see Li, W.Y. 673(1995)281
- Wu, F.Y.-H., see Hu, O.Y.-P. 666(1995)299
- Wu, J. and Pawliszyn, J.
Application of capillary isoelectric focusing with absorption imaging detection to the analysis of proteins 657(1994)327
- Wu, J. and Pawliszyn, J.
Protein analysis by isoelectric focusing in a capillary array with an absorption imaging detector 669(1995)39
- Wu, J., see Vonguyen, L. 657(1994)333
- Wu, J., Zhou, C.Y., Chi, H., Wong, M.K., Lee, H.K., Ong, H.Y. and Ong, C.N.
Determination of serum aluminium using an ion-pair reversed-phase high-performance liquid chromatographic-fluorimetric system with lumogallion 663(1995)247
- Wu, N., Sweedler, J.V. and Lin, M.
Enhanced separation and detection of serum bilirubin species by capillary electrophoresis using a mixed anionic surfactant-protein buffer system with laser-induced fluorescence detection 654(1994)185
- Wu, S.T., Stampfli, H.F., Banks, C.M., Emm, T.A., Kapil, R.P., Padovani, P.K., Lee, Jr., W.M. and Huang, S.-M.
Determination of DMP 728, a IIb/IIIa receptor antagonist, in rat and dog plasma by high-performance liquid chromatography with fluorimetric detection 657(1994)254
- Wu, Y.C., Monnier, V. and Friedlander, M.
Reliable determination of furosine in human serum and dialysate proteins by high-performance liquid chromatography 667(1995)328
- Wu, Z.-Y., Thompson, M.J., Roberts, M.S., Addison, R.S., Cannell, G.R., Grabs, A.J. and Smithers, B.M.
High-performance liquid chromatographic assay for the measurement of melphalan and its hydrolysis products in perfusate and plasma and melphalan in tissues from human and rat isolated limb perfusions 673(1995)267
- Wulfson, A.N., see Klyushnichenko, V.E. 662(1994)363
- Wulfson, A.N., see Koulich, D.M. 662(1994)357
- Wyss, R.
Chromatographic and electrophoretic analysis of biomedically important retinoids 671(1995)381

X

- Xia, F., see Semple, H.A. 655(1994)293
 Xie, F., see Niwa, O. 670(1995)21
 Xie, H.-G., Huang, S.-L. and Zhou, H.-H.
 High-performance liquid chromatographic
 determination of urinary 4'-hydroxymephenytoin, a
 metabolic marker for the hepatic enzyme CYP2C19, in
 humans 668(1995)125
 Xu, J., see Che, J. 669(1995)45
 Xu, X., Kok, W.Th., Kraak, J.C. and Poppe, H.
 Simultaneous determination of urinary creatinine,
 calcium and other inorganic cations by capillary zone
 electrophoresis with indirect ultraviolet detection
 661(1994)35
 Xu, Y., see Ingalls, S.T. 666(1995)1
 Xuying, H., see Feng, L. 658(1994)375

Y

- Yajima, K., see Hoshino, M. 661(1994)281
 Yajima, R., Chikuma, T. and Kato, T.
 Highly sensitive high-performance liquid
 chromatography-fluorimetric assay method for
 carboxypeptidase H activity 667(1995)333
 Yajima, Y., see Fujii, E. 660(1994)265
 Yakimov, S.A., see Klyushnichenko, V.E. 662(1994)363
 Yamada, H., see Ishida, M. 652(1994)43
 Yamada, S., see Shimizu, M. 672(1995)63
 Yamada, T., see Seno, H. 673(1995)189
 Yamaguchi, M., see Funakoshi, K.-i. 660(1994)200
 Yamaguchi, M., see Inoue, S. 661(1994)15
 Yamaguchi, M., see Ishida, J. 669(1995)390
 Yamaguchi, M., see Iwata, T. 654(1994)171
 Yamaguchi, M., see Kondo, T. 666(1995)291
 Yamaguchi, M., Monji, H., Aoki, I. and Yashiki, T.
 High-performance liquid chromatographic
 determination of phenylephrine in human serum using
 column switching with fluorescence detection
 661(1994)93
 Yamaguchi, M., Monji, H., Yamashita, K., Aoki, I. and
 Yashiki, T.
 Sensitive high-performance liquid chromatographic
 determination of chlorpheniramine in human serum
 using column switching 661(1994)168
 Yamaguchi, S., see Imai, J. 661(1994)149
 Yamaguchi, Y., see Muro, H. 663(1995)83
 Yamahata, T., Dote, S., Ozawa, Y., Nishikawa, H. and
 Maeda, S.
 Determination of clonidine in human plasma by gas
 chromatography-electron-impact mass spectrometry
 653(1994)92
 Yamakido, M., see Sumiyoshi, H. 670(1995)309
 Yamamoto, A., see Takeda, N. 657(1994)53
 Yamamura, M., see Asami, M. 665(1995)107
 Yamane, M., Abe, A. and Nakajima, M.
 High-performance liquid chromatography-thermospray
 mass spectrometry of ω -hydroxy polyunsaturated fatty
 acids from rat brain homogenate 662(1994)91
 Yamane, M., Abe, A. and Yamane, S.
 High-performance liquid chromatography-thermospray
 mass spectrometry of epoxy polyunsaturated fatty acids
 and epoxyhydroxy polyunsaturated fatty acids from an
 incubation mixture of rat tissue homogenate
 652(1994)123
 Yamane, M., Shimizu, S., Abe, A., Sugiura, H., Miyaoka,
 M. and Saitoh, T.
 High-performance liquid chromatography-thermospray
 mass spectrometry of ω -carboxyleukotriene B₄ and ω -
 hydroxyleukotriene B₄ from an incubation mixture of
 human colonic well-differentiated adenocarcinoma
 homogenate 666(1995)197
 Yamane, S., see Yamane, M. 652(1994)123
 Yamane, T., see Hosoe, K. 653(1994)177
 Yamaoka, N., see Sumiyoshi, H. 670(1995)309
 Yamasaki, E., see Ishiguro, H. 663(1995)35
 Yamashita, G., see Tazuma, S. 653(1994)1
 Yamashita, K., see Funakoshi, K.-i. 660(1994)200
 Yamashita, K., see Hosoe, K. 653(1994)177
 Yamashita, K., see Obata, T. 655(1994)173
 Yamashita, K., see Yamaguchi, M. 661(1994)168
 Yamashita, S., Furuno, K., Kawasaki, H., Gomita, Y.,
 Yoshinaga, H., Yamatogi, Y. and Ohtahara, S.
 Simple and rapid analysis of lamotrigine, a novel
 antiepileptic, in human serum by high-performance
 liquid chromatography using a solid-phase extraction
 technique 670(1995)354
 Yamashita, Y., see Tazuma, S. 653(1994)1
 Yamato, S., see Shimada, K. 661(1994)85
 Yamato, S., Wakabayashi, H., Nakajima, M. and Shimada,
 K.
 Amperometric determination of oxalate in plasma and
 urine by liquid chromatography with immobilized
 oxalate oxidase 656(1994)29
 Yamatogi, Y., see Yamashita, S. 670(1995)354
 Yamauchi, K., see Ito, T. 667(1995)355
 Yamazaki, T., Akiyama, T. and Shindo, T.
 Routine high-performance liquid chromatographic
 determination of myocardial interstitial norepinephrine
 670(1995)328
 Yan, C.C. and Huxtable, R.J.
 Fluorimetric determination of monobromobimane and
o-phthalaldehyde adducts of γ -glutamylcysteine and
 glutathione: application to assay of γ -glutamylcysteinyl
 synthetase activity and glutathione concentration in
 liver 672(1995)217

- Yang, C.-S., Chou, S.-T., Lin, N.-N., Liu, L., Tsai, P.-J., Kuo, J.-S. and Lai, J.-S.
Determination of extracellular glutathione in rat brain by microdialysis and high-performance liquid chromatography with fluorescence detection 661(1994)231
- Yang, C.-S., Chou, S.-T., Liu, L., Tsai, P.-J. and Kuo, J.-S.
Effect of ageing on human plasma glutathione concentrations as determined by high-performance liquid chromatography with fluorimetric detection 674(1995)23
- Yang, C.-S., Tsai, P.-J., Chen, W.-Y., Liu, L. and Kuo, J.-S.
Determination of extracellular glutathione in livers of anaesthetized rats by microdialysis with on-line high-performance liquid chromatography 667(1995)41
- Yang, E.J., see Shim, H.J. 656(1994)407
- Yang, J.M. and Chan, K.
Simultaneous determination of moricizine and its sulphoxidation metabolites in biological fluids by high-performance liquid chromatography 663(1995)172
- Yang, L., see Huang, T. 670(1995)323
- Yang, L., see Owens, J.W. 669(1995)295
- Yang, L.-L., see Cheng, F.-C. 653(1994)9
- Yang, M.C.M., see Cheng, F.-C. 653(1994)9
- Yang, S.K., see Wang, M.Z. 665(1995)139
- Yang, X.F., see Lee, B.L. 668(1995)265
- Yano, M., see Yoshida, K.-i. 672(1995)45
- Yao, K., see Masuoka, N. 660(1994)31
- Yao, S.-Z., see Chen, P. 673(1995)153
- Yarchoan, R., see Figg, W.D. 652(1994)187
- Yasaka, Y. and Tanaka, M.
Labeling of free carboxyl groups (Review) 659(1994)139
- Yashiki, T., see Funakoshi, K.-i. 660(1994)200
- Yashiki, T., see Okuda, T. 662(1994)79
- Yashiki, T., see Yamaguchi, M. 661(1994)93
- Yashiki, T., see Yamaguchi, M. 661(1994)168
- Yasuda, S., see Nakai, H. 660(1994)211
- Yasui, Y., see Ito, T. 667(1995)355
- Yasumura, T., see Sugioka, N. 654(1994)249
- Yee, L.K., see Takimoto, C.H. 655(1994)97
- Yeh, H.J.C., see Figg, W.D. 652(1994)187
- Yeung, E.S., see Chang, H.-T. 669(1995)113
- Yi, L., see Feng, L. 658(1994)375
- Yi, Y.-H., Liao, W.-P. and Lu, X.
Simultaneous determination of tryptophan, 5-hydroxytryptophan, 5-hydroxytryptamine, 5-hydroxyindoleacetic acid, 4-hydroxy-3-methoxyphenylacetic acid and 3-methoxy-4-hydroxyphenylglycol in human cerebrospinal fluid 661(1994)143
- Yoneda, S., see Suzuki, K.T. 670(1995)63
- Yonekura, S., Iwasaki, M., Kai, M. and Ohkura, Y.
Determination of guanine and its nucleosides and nucleotides in human erythrocytes by high-performance liquid chromatography with postcolumn fluorescence derivatization using phenylglyoxal reagent 654(1994)19
- Yoo, S.D., Holladay, J.W., Fincher, T.K. and Dewey, M.J.
Rapid microsample analysis of imipramine and desipramine by reversed-phase high-performance liquid chromatography with ultraviolet detection 668(1995)338
- Yoon, C.-N., see Myung, S.-W. 660(1994)75
- Yoon, E.J., see Shim, H.J. 656(1994)407
- Yoshida, K., see Kondo, T. 666(1995)291
- Yoshida, K., see Murata, K. 670(1995)3
- Yoshida, K.-i., Sumi, S., Honda, M., Hosoya, Y., Yano, M., Arai, K. and Ueda, Y.
Serial lectin affinity chromatography demonstrates altered asparagine-linked sugar chain structures of γ -glutamyltransferase in human renal cell carcinoma 672(1995)45
- Yoshida, M., see Kajita, M. 669(1995)345
- Yoshida, T., Honda, A., Tanaka, N., Matsuzaki, Y., Shoda, J., He, B., Osuga, T. and Miyazaki, H.
Determination of 7α -hydroxy-4-cholesten-3-one level in plasma using isotope-dilution mass spectrometry and monitoring its circadian rhythm in human as an index of bile acid biosynthesis 655(1994)179
- Yoshida, T., see Miyajima, K. 654(1994)165
- Yoshida, T., see Nakashima, K. 661(1994)205
- Yoshimura, Y., see Kondo, T. 666(1995)291
- Yoshinaga, H., see Yamashita, S. 670(1995)354
- Yoshioka, K., Shimojo, N., Nakanishi, T., Naka, K. and Okuda, K.
Measurements of urinary adipic acid and suberic acid using high-performance liquid chromatography 655(1994)189
- Yoshitake, T., see Inoue, S. 661(1994)15
- Yoshizumi, H., see Kajita, M. 654(1994)263
- Yoshizumi, H., see Takeda, N. 660(1994)223
- You, J., see Partilla, J.S. 667(1995)49
- Younos, C., see Bourdeaux, R. 665(1995)45
- Yu, D., Gordon, J.D., Zheng, J., Panesar, S.K., Riggs, K.W., Rurak, D.W. and Abbott, F.S.
Determination of valproic acid and its metabolites using gas chromatography with mass-selective detection: application to serum and urine samples from sheep 666(1995)269
- Yu, G.S.P., see Mizugaki, M. 658(1994)11
- Yu, J., see Krull, I.S. 659(1994)19
- Yu, J.H., Li, G.D., Krull, I.S. and Cohen, S.
Polymeric 6-aminoquinoline, an activated carbamate reagent for derivatization of amines and amino acids by high-performance liquid chromatography 658(1994)249
- Yu, P.-C., see Cheng, F.-C. 653(1994)9
- Yu, Z., Abdel-Rehim, M. and Westerlund, D.
Determination of amide-type local anaesthetics by direct injection of plasma in a column-switching high-performance liquid chromatographic system using a pre-column with a semipermeable surface 654(1994)221
- Yuan, Z., Russlie, H.Q. and Canafax, D.M.
Sensitive assay for measuring amoxicillin in human plasma and middle ear fluid using solid-phase extraction and reversed-phase high-performance liquid chromatography 674(1995)93

Yue, Q.Y., see Svensson, J.O. 674(1995)49
 Yumioka, E., see Abe, K.-i. 653(1994)112
 Yun, S.J., see Shin, H.-S. 661(1994)255
 Yuzuriha, T., see Takakuwa, S. 673(1995)113

Z

- Zabel, K., see Jacob III, P. 664(1995)449
 Zacchello, F., see Dall'Amico, R. 672(1995)155
 Zacchello, G., see Dall'Amico, R. 672(1995)155
 Zackrisson, A.-L., see Josefsson, M. 672(1995)310
 Zahradníček, M., see Sochor, J. 654(1994)282
 Zanussi, M., see Gelfi, C. 657(1994)201
 Zbinden, A.M., see Lauber, R. 654(1994)69
 Zeder-Lutz, G., Van Regenmortel, M.H.V., Wenger, R. and Altschuh, D.
 Interaction of cyclosporin A and two cyclosporin analogs with cyclophilin: relationship between structure and binding 662(1994)301
 Zehender, H., Denouël, J., Roy, M., Le Saux, L. and Schaub, P.
 Simultaneous determination of terbinafine (Lamisil) and five metabolites in human plasma and urine by high-performance liquid chromatography using on-line solid-phase extraction 664(1995)347
 Zeijlmans, P.W.M., see Groen, K. 655(1994)163
 Železná, B., see Tichá, M. 656(1994)423
 Zeller, K.-P., see Proksch, B. 658(1994)349
 Zemaits, M.A., see Minnigh, M.B. 662(1994)118
 Zeng, J.-n., Dou, L., Duda, M. and Stuting, H.H.
 New chiral high-performance liquid chromatographic methodology used for the pharmacokinetic evaluation of dexfenfluramine 654(1994)231
 Zhai, S., Korrapati, M.R., Wei, X., Muppalla, S. and Vestal, R.E.
 Simultaneous determination of theophylline, enoxacin and ciprofloxacin in human plasma and saliva by high-performance liquid chromatography 669(1995)372
 Zhang, H., Stewart, J.T. and Ujhelyi, M.
 High-performance liquid chromatographic analysis of pindolol enantiomers in human serum and urine using a reversed-phase cellulose-based chiral column 668(1995)309
 Zhang, J.Y. and Blair, I.A.
 Direct resolution of epoxyeicosatrienoic acid enantiomers by chiral-phase high-performance liquid chromatography 657(1994)23
 Zhang, S., see Song, D. 660(1994)95
 Zhang, S., see Song, D.M. 658(1994)142
 Zhang, X., see Cerami, C. 675(1996)71
 Zhang, Y., see Zhao, J.Y. 657(1994)307
 Zhang, Z.-Y., Fasco, M.J. and Kaminsky, L.S.
 Determination of theophylline and its metabolites in rat liver microsomes and human urine by capillary electrophoresis 665(1995)201
 Zhao, D.Y., see Kuss, H.-J. 656(1994)245
 Zhao, J.Y., Diedrich, P., Zhang, Y., Hinds Gaul, O. and Dovichi, N.J.
 Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307
 Zhao, M.-J., Peter, C., Holtz, M.-C., Hugenell, N., Koffel, J.-C. and Jung, L.
 Gas chromatographic-mass spectrometric determination of ibuprofen enantiomers in human plasma using *R*(-)-2,2,2-trifluoro-1-(9-anthryl)ethanol as derivatizing reagent 656(1994)441
 Zhao, T., see Qi, S. 658(1994)397
 Zheng, J., see Yu, D. 666(1995)269
 Zhisig, L.S., see Ivanov, A.E. 664(1995)219
 Zhou, C.Y., see Wu, J. 663(1995)247
 Zhou, F.-X., see Krull, I.S. 659(1994)19
 Zhou, H.-H., see Xie, H.-G. 668(1995)125
 Zhou, X.-J. and Sommadossi, J.-P.
 Quantification of 3'-amino-3'-deoxythymidine, a toxic catabolite of 3'-azido-3'-deoxythymidine (zidovudine) in human plasma by high-performance liquid chromatography using precolumn derivatization with fluorescamine and fluorescence detection 656(1994)389
 Zhou, Y., Luan, P., Liu, L. and Sun, Z.P.
 Chiral derivatizing reagents for drug enantiomers bearing hydroxyl groups (Review) 659(1994)109
 Zhu, T., see Qi, S. 658(1994)397
 Zimmerli, B. and Dick, R.
 Determination of ochratoxin A at the ppt level in human blood, serum, milk and some foodstuffs by high-performance liquid chromatography with enhanced fluorescence detection and immunoaffinity column cleanup: methodology and Swiss data 666(1995)85
 Zimmerman, C.L., see Decker, M.A. 667(1995)105
 Zini, M., see Guarnieri, C. 656(1994)209
 Zubov, V.P., see Ivanov, A.E. 664(1995)219
 Zuccaro, P., Altieri, I., Rosa, M., Passa, A.R., Pichini, S. and Pacifici, R.
 Solid-phase extraction of nicotine and its metabolites for high-performance liquid chromatographic determination in urine 668(1995)187
 Zuccaro, P., see Altieri, I. 669(1995)416
 Zuccaro, P., see Pacifici, R. 664(1995)329
 Zucchetti, M., De Fusco, M., Sessa, C., Fröhlich, A., Reichert, S. and D'Incalci, M.
 High-performance liquid chromatographic assay for the determination of the novel podophyllotoxin derivative dimethylaminoetoposide (NK611) in human plasma 654(1994)97
 Zucchetti, M., see De Fusco, M. 664(1995)409
 Zucchetti, M., see Gentili, D. 657(1994)47
 Zuhowski, E.G., Gutheil, J.C. and Egorin, M.J.
 Rapid and sensitive high-performance liquid chromatographic assay for novobiocin in human serum 655(1994)147
 Zuidema, J., see Höld, K.M. 663(1995)103
 Zuk, M.M., Kenney, M.E., Horowitz, B. and Ben-Hur, E.
 High-performance liquid chromatographic determination of the silicon phthalocyanine Pc 4 in human blood 673(1995)320
 Zumwalt, R.W., see Kuo, K.C. 656(1994)295
 Zvonkova, E.N., see Egorova, T.A. 665(1995)53