

JOURNAL OF CHROMATOGRAPHY B: BIOMEDICAL APPLICATIONS

J. Chromatogr. B, 676 (1996) 269-368

COMPOUND INDEX

J. CHROMATOGR. B VOLS. 652-675



Acenocoumarol

Determination of acenocoumarol in human plasma by capillary gas chromatography with mass-selective detection 654(1994)35

Acetaldehyde

Volatile carbonyl levels in tissues of transgenic mice with nerve sheath tumors 654(1994)9

High-performance liquid chromatographic determination of short-chain aliphatic aldehydes using 4-(N,N-dimethylaminosulphonyl)-7-hydrazino-2,1,3-benzoxadiazole as a fluorescence reagent 661(1994)205

6-Acetamidohexanoic acid

Simultaneous measurement of the cell-differentiating agent hexamethylene bisacetamide and its metabolites by gas chromatography 652(1994)149

Acetone

Measurement of volatile organic compounds in exhaled breath as collected in evacuated electropolished canisters 665(1995)271

N-Acetylamino acids

Liquid chromatographic-mass spectrometric analysis of N-acetylamino acids in human urine 657(1994)15

(R)-7-Acetyl-5-(4-aminophenyl)-8,9-dihydro-8-methyl-7H-1,3-dioxolo[4,5-h]benzodiazepine

Determination of a novel α -amino-3-hydroxy-5-methyl-4-isoxazolepropionate receptor antagonist (LY300164) and its N-acetyl metabolite in mouse, rat, dog, and monkey plasma using high-performance liquid chromatography with ultraviolet detection 668(1995)153

N-Acetyl-5-aminosalicylic acid

Radical-derived oxidation products of 5-aminosalicylic acid and N-acetyl-5-aminosalicylic acid 661(1994)57

Acetylcholine

Detection of basal acetylcholine in rat brain microdialysate 670(1995)323

Acetyl coenzyme A

Rapid method for the separation and detection of tissue short-chain coenzyme A esters by reversed-phase high-performance liquid chromatography 667(1995)148

N-Acetyl-1,6-diaminohexane

Simultaneous measurement of the cell-differentiating agent hexamethylene bisacetamide and its metabolites by gas chromatography 652(1994)149

N-Acetylgalactosamine

Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307

N-Acetylglucosamine

Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307

Purification method for α -1-acid glycoprotein with subsequent high-performance liquid chromatographic determination of monosaccharides in plasma of healthy subjects and patients with renal insufficiency 672(1995)199

Acetyl hormeperidine

Investigation of meperidine and its metabolites in urine of an addict by gas chromatography-flame ionization detection and gas chromatography-mass spectrometry 658(1994)375

Acetylisoniazid

High-performance liquid chromatographic determination of isoniazid, acetylisoniazid and hydrazine in biological fluids 674(1995)269

l- α -Acetylmethadol

Determination of l- α -acetylmethadol, l- α -noracetylmethadol and l- α -dinoracetylmethadol in plasma by gas chromatography-mass spectrometry 655(1994)201

N₄-Acetyl-5-methylhydroxysulphamethoxazole

Isolation, identification and determination of sulfamethoxazole and its known metabolites in human plasma and urine by high-performance liquid chromatography 658(1994)327

Acetylmethylprednisolone

Capillary reversed-phase high-performance liquid chromatographic determination of acetylmethylprednisolone in feline spinal cord 667(1995)259

6-Acetylmorphine

Hair analysis for drugs of abuse. VIII. Effective extraction and determination of 6-acetylmorphine and morphine in hair with trifluoroacetic acid-methanol for the confirmation of retrospective heroin use by gas chromatography-mass spectrometry 657(1994)93

N-Acetylneuraminic acid

Purification method for α -1-acid glycoprotein with subsequent high-performance liquid chromatographic determination of monosaccharides in plasma of healthy subjects and patients with renal insufficiency 672(1995)199

N-Acetylpropargylglycine

Determination of D,L-propargylglycine and N-acetylpropargylglycine in urine and several tissues of D,L-propargylglycine-treated rats using liquid chromatographymass spectrometry 660(1994)375

Acetylsalicylic acid

Aspirin inhibits collagen-induced platelet serotonin release, as measured by microbore high-performance liquid chromatography with electrochemical detection 669(1995)404

N-Acetylserotonin

Simultaneous determination of serotonin, N-acetylserotonin and melatonin in the pineal gland of the juvenile golden hamster by high-performance liquid chromatography with electrochemical detection 675(1996)152

N⁴-Acetylsulphadiazine

Comparison of the determination of four sulphonamides and their N⁴-acetyl metabolites in swine muscle tissue using liquid chromatography with ultraviolet and mass spectral detection 661(1994)75

N⁴-Acetylsulphadimidine

Comparison of the determination of four sulphonamides and their N⁴-acetyl metabolites in swine muscle tissue using liquid chromatography with ultraviolet and mass spectral detection 661(1994)75

N⁴-Acetylsulphamerazine

Comparison of the determination of four sulphonamides and their N⁴-acetyl metabolites in swine muscle tissue using liquid chromatography with ultraviolet and mass spectral detection 661(1994)75

N⁴-Acetylsulphamonomethoxine

Simultaneous determination of sulphamonomethoxine and its N^4 -acetyl metabolite in blood serum by high-performance liquid chromatography with direct injection 663(1995)177

N4-Acetylsulphathiazole

Comparison of the determination of four sulphonamides and their N⁴-acetyl metabolites in swine muscle tissue using liquid chromatography with ultraviolet and mass spectral detection 661(1994)75

N⁴-Acetylsulphonamides

Comparison of the determination of four sulphonamides and their N⁴-acetyl metabolites in swine muscle tissue using liquid chromatography with ultraviolet and mass spectral detection 661(1994)75

α,-Acid glycoprotein

Heterogeneity of α_1 -acid glycoprotein in rheumatoid arthritis 661(1994)7

Retention behaviour of proteins on poly(vinylimidazole)—copper(II) complexes supported on silica: application to the fractionation of desialylated human α_1 -acid glycoprotein variants 664(1995)55

Purification method for α -1-acid glycoprotein with subsequent high-performance liquid chromatographic determination of monosaccharides in plasma of healthy subjects and patients with renal insufficiency 672(1995)199

Acitretin

Simultaneous determination of etretinate, acitretin and their metabolites in perfusate, perfusate plasma, bile or hepatic tissue with reversed-phase high-performance liquid chromatography 667(1995)105

Aconiazide

High-performance liquid chromatographic analysis of the antituberculosis drugs aconiazide and isoniazid 670(1995)259

Acylcarnitines

Comments on quantitation of carnitine esters by highperformance liquid chromatography 652(1994)115

Comments on quantitation of carnitine esters by highperformance liquid chromatography 652(1994)117

Comments on quantitation of carnitine esters by high performance liquid chromatography 652(1994)119

Gas chromatographic profiling and determination of urinary acylcarnitines 658(1994)241

Acyl coenzyme A cholesterol O-acyltranferase inhibitor

Assay and single dose pharmacokinetics of a novel systemic acyl coenzyme A cholesterol O-acyltransferase inhibitor, RP 73163, in rat plasma using automated solid-phase extraction with high-performance liquid chromatography 661(1994)119

Acyl coenzyme A cholesterol transferase inhibitor

Determination of the acylcoenzyme A cholesterol acyltransferase inhibitor 447C88 in plasma using gas chromatography-mass spectrometry and liquid chromatography atmospheric pressure chemical ionisation tandem mass spectrometry 663(1995)275

Adenine nucleotides

Determination of adenine nucleotides by fluorescence detection using high-performance liquid chromatography and post-column derivatisation with chloroacetaldehyde 662(1994)15

Adenosine

Simultaneous high-performance liquid chromatographic determination of adenosine and dopamine in rat striatal tissue with combined ultraviolet absorbance and electrochemical detection 662(1994)21

Rapid radioassay for metabolites of adenosine and deoxyadenosine in erythrocytes 674(1995)132

Adenosine phosphates

High-performance liquid chromatographic determination of cyclic 3',5'-AMP with fluorescence detection. Vasoactive intestinal peptide-induced modification of its concentration in neuroblastoma cells 657(1994)192

Adenosine receptor agonist

Liquid chromatographic determination of the adenosine receptor agonist CGS 21680 in blood using on-line solid-phase extraction on a phenylboronic acid support and fluorescence detection 658(1994)207

Adipic acid

Measurements of urinary adipic acid and suberic acid using high-performance liquid chromatography 655(1994)189

Application of high-performance liquid chromatography to the study of the biological transformation of adiponitrile 656(1994)197

Adiponitrile

Application of high-performance liquid chromatography to the study of the biological transformation of adiponitrile 656(1994)197

Achenaline

see Epinephrine

β-Adrenoceptor blocking drugs

see also B-Blockers

Evaluation of the Salivette as sampling device for monitoring β -adrenoceptor blocking drugs in saliva 663(1995)103

B-Adrenoceptors

Quantification of an 11 C-labelled β -adrenoceptor ligand, S-(-)CGP 12177, in plasma of humans and rats 663(1995)361

Advanced glycation end products

Reliable determination of furosine in human serum and dialysate proteins by high-performance liquid chromatography 667(1995)328

Aflatoxins

Determination of aflatoxin Q₁ in urine by automated immunoaffinity column clean-up and liquid chromatography 656(1994)329

Derivatization reactions for the determination of aflatoxins by liquid chromatography with fluorescence detection 659(1994)127

Immunoaffinity column clean-up for the high-performance liquid chromatographic determination of aflatoxins B_1 , B_2 , G_1 , G_2 , M_1 and Q_1 in urine 672(1995)253

AG-331

High-performance liquid chromatographic method for the determination of AG-331, a novel anti-cancer agent, in human serum and urine using solid-phase extraction and photodiode-array detection 666(1995)307

High-performance liquid chromatographic method for the determination of a novel thymidylate synthase inhibitor, AG 331, in human serum 673(1995)281

AGM-1883

Assay of the antiangiogenic compound TNP-470, and one of its metabolites, AGM-1883, by reversed-phase high-performance liquid chromatography in plasma 652(1994)187

β -Agonists

Possibilities for confirmatory analysis of some β -agonists using two different derivatives simultaneously 665(1995)395

All receptor antagonist

Development and validation of column-switching highperformance liquid chromatographic methods for the determination of a potent AII receptor antagonist, TCV-116, and its metabolites in human serum and urine 670(1995)287

Ajmaline

Fatal poisoning with detajmium: identification of detajmium and its metabolites and artifacts by gas chromatography—mass spectrometry and quantification by high-performance liquid chromatography 661(1994)47

Albumin

see also Human serum albumin

Enhanced albumin protein separations and protein-drug binding constant measurements using anti-inflammatory drugs as run buffer additives in affinity capillary electrophoresis 661(1994)335

Influence of octanoic acid on the reversible protein binding of ketorolac enantiomers to human serum albumin (HSA): comparative liquid chromatographic studies using a HSA chiral stationary phase 662(1994)128

Primary structure control of recombinant proteins using high-performance liquid chromatography, mass spectrometry and microsequencing 662(1994)245

Characterization of thyroxine-albumin binding using highperformance affinity chromatography. II. Comparison of the binding of thyroxine, triiodothyronines and related compounds at the warfarin and indole sites of human serum albumin 665(1995)303

Influence of salts on protein interactions at interfaces of amphiphilic polymers and adsorbents 666(1995)21

Alcohols

Chiral derivatizing reagents for drug enantiomers bearing hydroxyl groups 659(1994)109

Alcuronium

Simple and rapid high-performance liquid chromatography method for the determination of alcuronium in human plasma and urine 653(1994)63

Aldehydes

High-performance liquid chromatographic determination of short-chain aliphatic aldehydes using 4-(N,N-dimethylaminosulphonyl)-7-hydrazino-2,1,3-benzoxadiazole as a fluorescence reagent 661(1994)205

Analytical technologies for lipid oxidation products analysis 671(1995)223

Aldophosphamide

Determination of 4-hydroxycyclophosphamide in plasma, as 2,4-dinitrophenylhydrazone derivative of aldophosphamide, by liquid chromatography 660(1994)111

Quantitation of 4-hydroxycyclophosphamide/ aldophosphamide in whole blood 667(1995)247

Alfentanil

Determination of alfentanil and noralfentanil in human plasma by gas chromatography-mass spectrometry 658(1994)149

Gas chromatographic-mass spectrometric analysis of alfentanil metabolites. Application to human liver microsomal alfentanil biotransformation 660(1994)85

Alkaline phosphatase

Electrophoretically mediated micro-assay of alkaline phosphatase using electrochemical and spectrophotometric detection in capillary electrophoresis 657(1994)357

Alkaloids

Methods for the analysis of the new vinca alkaloid derivative, S 12363, in plasma by high-performance liquid chromatography with fluorescence detection 657(1994)163

Reversed-phase high-performance liquid chromatographyphotodiode-array analysis of alkaloid drugs of forensic interest 668(1995)253

Alkylphosphocholines

Determination of alkylphosphocholines by highperformance liquid chromatography with light-scattering mass detection 652(1994)9

Allantoin

Separation and determination of liver uric acid and allantoin 663(1995)143

Allobarbital

Simultaneous determination of antiepileptic drugs and their metabolites, including chiral compounds, via β -cyclodextrin inclusion complexes by a column-switching chromatographic technique 658(1994)385

Alprazolam

Determination of alprazolam and its major metabolites in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 654(1994)77

Alprenolol

Selective extraction of β -blockers from biological fluids by column-switching high-performance liquid chromatography using an internal-surface phenylboronic acid precolumn 675(1996)168

Altretamine

Determination of altretamine in human plasma with highperformance liquid chromatography 660(1994)121

Aluminium

Determination of serum aluminium using an ion-pair reversed-phase high-performance liquid chromatographic-fluorimetric system with lumogallion 663(1995)247

Am580

Determination of the retinobenzoic acid derivative Am580 in rat plasma by high-performance liquid chromatography 667(1995)301

Amine oxidase

Determination of semicarbazide-sensitive amine oxidase activity in human plasma by high-performance liquid chromatography with fluorimetric detection 663(1995)43

Amines

see also Catecholamines

Polymeric 6-aminoquinoline, an activated carbamate reagent for derivatization of amines and amino acids by high-performance liquid chromatography 658(1994)249

Separation of dihydroxybenzoates, indicators of in-vivo hydroxyl free radical formation, in the presence of transmitter amines and some metabolites in rodent brain, using high-performance liquid chromatography with electrochemical detection 664(1995)247

High-performance liquid chromatographic determination of primary aromatic amines in urine after derivatization to an azo dye with 2-aminoanthracene 665(1995)209

Amines, aromatic

Determination of hemoglobin adducts of arylamines in humans 667(1995)75

Amines, biogenic

High-performance liquid chromatographic analysis with electrochemical detection of biogenic amines using microbore columns 665(1995)1

Amino acids

Modification of the analysis of amino acids in pig plasma 652(1994)90

Benzoylation of sugars, polyols and amino acids in biological fluids for high-performance liquid chromatographic analysis 655(1994)105

Rapid assay of dinitrophenyl derivative of taurine by highperformance liquid chromatography 656(1994)81

Liquid chromatographic-mass spectrometric analysis of N-acetylamino acids in human urine 657(1994)15

Determination of L-asparagine in biological samples in the presence of L-asparaginase 657(1994)47

Femtomole detection of amino acids and dipeptides by gas chromatography-negative-ion chemical ionization mass spectrometry following alkylation with pentafluorobenzyl bromide 658(1994)213

Polymeric 6-aminoquinoline, an activated carbamate reagent for derivatization of amines and amino acids by high-performance liquid chromatography 658(1994)249

Derivatization reactions for neurotransmitters and their automation 659(1994)157

Derivatization of posttranslationally modified amino acids 659(1994)185

High-performance liquid chromatographic determination of hypotaurine and taurine after conversion to 4-dimethylaminoazobenzene-4'-sulfonyl derivatives and its application to the urine of cysteine-administered rats 660(1994)164

Simultaneous determination of D- and L-amino acids in the nervous tissues of crustaceans using precolumn derivatization with (+)-1-(9-fluorenyl)ethyl chloroformate and reversed-phase ion-pair high-performance liquid chromatography 660(1994)243

Automated simultaneous isolation and quantitation of labeled amino acid fractions from plasma and tissue by ion-exchange chromatography 660(1994)251

Determination of amino acids in human plasma by liquid chromatography with postcolumn ninhydrin derivatization using a hydroxyapatite cartridge for precolumn deproteination 663(1995)15

Preparative-scale amino acid separation by thermal parametric pumping on an ion-exchange resin 664(1995)17

Retention behaviour of proteins on poly(vinylimidazole)—copper(II) complexes supported on silica: application to the fractionation of desialylated human α_1 -acid glycoprotein variants 664(1995)55

Isolation of hen egg white lysozyme, ovotransferrin and ovalbumin, using a quaternary ammonium bound to a highly crosslinked agarose matrix 664(1995)201

Capillary gas chromatographic determination of proteins and biological amino acids as N(O)-tert.-butyldimethylsilyl derivatives 665(1995)15

Isolation of individual amino acids from various microbiological sources using reversed-phase high-performance liquid chromatography 665(1995)53

Validation of the determination of amino acids in plasma by high-performance liquid chromatography using automated pre-column derivatization with ophthaldialdehyde 669(1995)177

Simultaneous profile analysis of plasma amino and organic acids by capillary gas chromatography 669(1995)352

Mass spectrometric analysis of haemoglobin adducts formed by methyl bromide in vitro 670(1995)349

Amino acids, aromatic

Rapid determination of the ratios of three aromatic residues in peptides by reversed-phase high-performance liquid chromatography with a high-resolution photodiodearray detector 664(1995)267

Amino acids, OPA derivatives

Simple high-performance liquid chromatographic analysis of free primary amino acid concentrations in rat plasma and cisternal cerebrospinal fluid 657(1994)185

2-Aminoanthracene

High-performance liquid chromatographic determination of primary aromatic amines in urine after derivatization to an azo dye with 2-aminoanthracene 665(1995)209

4-Aminobenzoic acid

High-performance liquid chromatographic determination of primary aromatic amines in urine after derivatization to an azo dye with 2-aminoanthracene 665(1995)209

4-Aminobenzoyl-β-alanine

High-performance liquid chromatographic determination of primary aromatic amines in urine after derivatization to an azo dye with 2-aminoanthracene 665(1995)209

γ-Aminobutyric acid

Measurement of GABA in rat brain microdialysates using o-phthaldialdehyde-sulphite derivatization and high-performance liquid chromatography with electrochemical detection 652(1994)228

Rapid assay for γ-aminobutyric acid in mouse brain synaptosomes using gas chromatography-mass spectrometry 662(1994)85

9-Aminocamptothecin

Analysis of the active lactone form of 9-aminocamptothecin in plasma using solid-phase extraction and high-performance liquid chromatography 655(1994)97

7-Aminoclonazepam

High-performance liquid chromatographic procedure for the measurement of nitrobenzodiazepines and their 7-amino metabolites in blood 667(1995)179

1-Aminocyclopropanecarboxylic acid

Gas chromatographic-mass spectrometric determination of urinary 1-aminocyclopropanecarboxylic acid in mice using a deuterated internal standard 663(1995)148

1-Amino-1-deoxyalditols

Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307

3'-Amino-3'-deoxythymidine

Quantification of 3'-amino-3'-deoxythymidine, a toxic catabolite of 3'-azido-3'-deoxythymidine (zidovudine) in human plasma by high-performance liquid chromatography using precolumn derivatization with fluorescamine and fluorescence detection 656(1994)389

High-performance liquid chromatographic assay for 3'-amino-3'-deoxythymidine in plasma, with 9-fluorenyl methyl chloroformate as the derivatization agent 664(1995)365

7-Aminoflunitrazepam

High-performance liquid chromatographic procedure for the measurement of nitrobenzodiazepines and their 7-amino metabolites in blood 667(1995)179

Aminoglycosides

Solid-phase clean-up and thin-layer chromatographic detection of veterinary aminoglycosides 663(1995)127

δ -Aminolevulinic acid

Study on measurement of δ -aminolevulinic acid in plasma by high-performance liquid chromatography 654(1994)165

1-(Aminomethyl)cycloheptaneacetic acid

Measurement of a new anticonvulsant, (S)-3-(aminomethyl)-5-methylhexanoic acid, in plasma and milk by high-performance liquid chromatography 674(1995)143

(S)-3-(Aminomethyl)-5-methylhexanoic acid

Measurement of a new anticonvulsant, (S)-3-(aminomethyl)-5-methylhexanoic acid, in plasma and milk by high-performance liquid chromatography 674(1995)143

7-Aminonitrazepam

High-performance liquid chromatographic procedure for the measurement of nitrobenzodiazepines and their 7-amino metabolites in blood 667(1995)179

N²-(3-Aminopropyl)biopterin

Simultaneous determination of N²-(3-aminopropyl)biopterin (oncopterin), biopterin and neopterin by high-performance liquid chromatography with fluorescence detection 672(1995)143

6-Aminoquinoline

Polymeric 6-aminoquinoline, an activated carbamate reagent for derivatization of amines and amino acids by high-performance liquid chromatography 658(1994)249

5-Aminosalicylic acid

Radical-derived oxidation products of 5-aminosalicylic acid and N-acetyl-5-aminosalicylic acid 661(1994)57

9-Amino-1,2,3,4-tetrahydroacridine

Liquid chromatographic determination of tacrine and its metabolites in rat bile microdialysates 655(1994)235

9-Amino-1,2,3,4-tetrahydroacridin-1-ol

Liquid chromatographic determination of tacrine and its metabolites in rat bile microdialysates 655(1994)235

Aminothiols

Determination of total plasma homocysteine and related aminothiols by gas chromatography with flame photometric detection 664(1995)421

Amlodipine

Enantioselective gas chromatographic assay with electroncapture detection for amlodipine in biological samples 655(1994)225 Detection and determination of total amlodipine by highperformance thin-layer chromatography: a useful technique for pharmacokinetic studies 667(1995)315

Sensitive high-performance liquid chromatographic analysis of amlodipine in human plasma with amperometric detection and a single-step solid-phase sample preparation 672(1995)310

Ammonium

Simultaneous determination of urinary creatinine, calcium and other inorganic cations by capillary zone electrophoresis with indirect ultraviolet detection 661(1994)35

Amoxicillin

Automated column liquid chromatographic determination of amoxicillin and cefadroxil in bovine serum and muscle tissue using on-line dialysis for sample preparation 662(1994)61

Sensitive assay for measuring amoxicillin in human plasma and middle ear fluid using solid-phase extraction and reversed-phase high-performance liquid chromatography 674(1995)93

Amphetamine

Two-dimensional gas chromatography for the enantiomeric separation of ephedrine and phenaminum and their metabolites 653(1994)98

Sensitive high-performance liquid chromatographic method for the determination of the three main metabolites of selegiline (L-deprenyl) in human plasma 656(1994)251

Sensitive enantiomer-specific high-performance liquid chromatographic analysis of methamphetamine and amphetamine from serum using precolumn fluorescent derivatization 658(1994)103

Improved amphetamine and methamphetamine determination in urine by normal-phase high-performance liquid chromatography with sodium 1,2-naphthoquinone 4-sulphonate as derivatizing agent and solid-phase extraction for sample clean-up 663(1995)235

Gas chromatographic determination of methamphetamine and its metabolite amphetamine in human plasma and urine following conversion to N-propyl derivatives 664(1995)449

Determination of d-amphetamine in biological samples using high-performance liquid chromatography after precolumn derivatization with o-phthaldialdehyde and 3-mercaptopropionic acid 666(1995)241

Simultaneous determination of amphetamine, methamphetamine, 3,4-methylenedioxyamphetamine and 3,4-methylenedioxymethamphetamine in human hair by gas chromatography-mass spectrometry 670(1995)162

Amphetamine and methamphetamine determination in urine by reversed-phase high-performance liquid chromatography with sodium 1,2-naphthoquinone 4-sulfonate as derivatizing agent and solid-phase extraction for sample clean-up 672(1995)81

Amphotericin B

Determination of amphotericin B in human serum by liquid chromatography 674(1995)298

Ampicillin

Determination of ampicillin in serum by high-performance liquid chromatography with precolumn derivatization 655(1994)142

Simultaneous determination of ampicillin and metampicillin in biological fluids using high-performance liquid chromatography with column switching 664(1995)335

Androstenedione

Isocratic high-performance liquid chromatographic method for the separation of testosterone metabolites 672(1995)207

Androstenone

Rapid high-performance liquid chromatographic method for simultaneous determination of androstenone, skatole and indole in back fat from pigs 661(1994)219

Androsteron-3-glucuronide

Determination of urinary glucuronide conjugates by highperformance liquid chromatography with pre-column fluorescence derivatization 654(1994)171

Angiotensin-converting enzyme

Quantification of a dual angiotensin I-converting enzymeneutral endopeptidase inhibitor and the active thiol metabolite in dog plasma by high-performance liquid chromatography with ultraviolet absorbance detection 670(1995)91

Determination of the angiotensin-converting enzyme inhibitor lisinopril in urine using solid-phase extraction and reversed-phase high-performance liquid chromatography 673(1995)306

Angiotensin-converting enzyme inhibitors

High-performance liquid chromatographic method with electrochemical detection for the determination of idrapril, a novel angiotensin-converting enzyme inhibitor, in biological matrices 660(1994)127

Angiotensin II receptor antagonist

Determination of XR510, a balanced angiotensin II receptor antagonist, in dog and rat plasma by combined liquid-liquid/solid-phase extraction and high-performance liquid chromatography 675(1996)273

Angiotensins

Determination of angiotensins by capillary electrophoresis 655(1994)127

Anions, organic

Capillary electrophoresis as a clinical tool. Determination of organic anions in normal and uremic serum using photodiode-array detection 668(1995)241

Annexins

Application of high-performance membrane chromatography for separation of annexins from the plasma membranes of liver and isolation of monospecific polyclonal antibodies 662(1994)217

Anthracyclines

Simultaneous determination of a new anthracycline, DA-125, and its metabolites M1, M2, M3 and M4 in plasma and urine by high-performance liquid chromatography 656(1994)407

Anthrapyrazoles

Detection and separation of the anthrapyrazole CI-941 and its metabolites in serum and urine by high-performance liquid chromatography 658(1994)349

2-Anthroyl chloride

High-performance liquid chromatographic analysis using a highly sensitive fluorogenic reagent, 2-anthroyl chloride, and stereoselective determination of the enantiomers of mexiletine in human serum 661(1994)271

Antiangiogenic compound

Assay of the antiangiogenic compound TNP-470, and one of its metabolites, AGM-1883, by reversed-phase high-performance liquid chromatography in plasma 652(1994)187

Antibodies

see also Monoclonal antibodies

Application of high-performance membrane chromatography for separation of annexins from the plasma membranes of liver and isolation of monospecific polyclonal antibodies 662(1994)217

Novel heterocyclic ligands for the thiophilic purification of antibodies 664(1995)83

Antibody fragment separations by capillary zone electrophoresis 675(1996)17

Investigations on the specificity of thiophilic interaction for monoclonal antibodies of different subclasses 675(1996)197

Anticancer drugs

Determination of hydrophobicity of non-homologous series of anticancer drugs by reversed-phase high-performance liquid chromatography 664(1995)277

Antidepressants

Determination of a cardiac antiarrhythmic, tricyclic antipsychotics and antidepressants in human and animal urine by micellar electrokinetic capillary chromatography using a bile salt 669(1995)331

Anti-factor VIII

Synthetic sorbents for removal of factor VIII inhibitors from haemophilic A plasma 664(1995)47

Antigens, tumor

Coupled gel electrophoresis-agar diffusion method for the detection of tumor antigens 663(1995)51

Anti-opiates

High-performance liquid chromatographic resolution of synthetic opiate and "anti-opiate" peptides from human plasma 667(1995)49

Anti-platelet-activating factors

Determination of the anti-platelet-activating factor BN-50727 and its metabolites in human plasma by high-performance liquid chromatography-solid-phase extraction 668(1995)281

Antipyrine

Highly sensitive and specific gas chromatographic-tandem mass spectrometric method for the determination of trace amounts of antipyrine metabolites in biological material 666(1995)111

Separation and identification of phase I and phase II [14C]antipyrine metabolites in rat and dog urine 666(1995)139

Antisense phosphorothioate DNA

Quantitative analysis of phosphorothioate oligonucleotides in biological fluids using direct injection fast anionexchange chromatography and capillary gel electrophoresis 662(1994)343

Antithrombin III

Immobilization of heparin on polyacrylamide derivatives 656(1994)423

Rapid high-performance liquid chromatographic quantification of recombinant human antithrombin III during production and purification 662(1994)209

Specific sorbent to remove solvent-detergent mixtures from virus-inactivated biological fluids 664(1995)119

Apomorphine

Stability of apomorphine in plasma and its determination by high-performance liquid chromatography with electrochemical detection 658(1994)311

$1-\beta$ -D-Arabinofuranosyl-E-5-(2-bromovinyl)uracil

Manual and automated determination of 1- β -D-arabinofuranosyl-E-5-(2-bromovinyl)uracil and its metabolite (E)-5-(2-bromovinyl)uracil in urine 664(1995)357

$1-\beta$ -D-Arabinofuranosylcytosine-5'-stearyl phosphate

Highly sensitive high-performance liquid chromatographic assay for $1-\beta$ -D-arabinofuranosylcytosine-5'-stearyl phosphate (cytarabine-ocfosfate) 665(1995)183

1-(β-D-Arabinofuranosyl)-5-(1-propynyl)uracil

Automated sequential trace enrichment of dialysates combined with high-performance liquid chromatography and automated heart-cutting for the determination of the nucleoside 1- $(\beta$ -p-arabinofuranosyl)-5-(1-propynyl)uracil and its metabolite 5-propynyluracil in urine 652(1994)15

Arabinosylcytosine

Chromatographic properties of cytosine, cytidine and their synthetic analogues 675(1996)9

Arachidonic acid

Determination of plasma non-esterified fatty acids and triglyceride fatty acids by gas chromatography of their methyl esters after isolation by column chromatography on silica gel 666(1995)1

Quantitative chromatographic analysis of inositol phospholipids and related compounds 671(1995)255

Arginin vasotocin

Solid-phase extraction of arginine vasotocin and isotocin in fish samples and subsequent gradient reversed-phase high-performance liquid chromatographic separation 673(1995)289

Arsenate

Evaluation of high-performance liquid chromatography for the separation and determination of arsenic species by online high-performance liquid chromatographic-hydride generation-atomic absorption spectrometry 666(1995)101

Arsenic, inorganic

Identification of methylated metabolites of inorganic arsenic by thin-layer chromatography 668(1995)21

Arsenite

Evaluation of high-performance liquid chromatography for the separation and determination of arsenic species by online high-performance liquid chromatographic-hydride generation-atomic absorption spectrometry 666(1995)101

Arsenobetaine

Evaluation of high-performance liquid chromatography for the separation and determination of arsenic species by online high-performance liquid chromatographic-hydride generation-atomic absorption spectrometry 666(1995)101

Arsenocholine

Evaluation of high-performance liquid chromatography for the separation and determination of arsenic species by online high-performance liquid chromatographic-hydride generation-atomic absorption spectrometry 666(1995)101

Arson

Post-mortem test for low-boiling arson residues of gasoline by gas chromatography-ion-trap mass spectrometry 662(1994)113

Artemether

Differential extraction of artemether and its metabolite dihydroartemisinin from plasma and determination by high-performance liquid chromatography 660(1994)196

Determination of artemether and dihydroartemisinin in blood plasma by high-performance liquid chromatography for application in clinical pharmacological studies 669(1995)289

Artemisinin

Packed-column supercritical fluid chromatography of artemisinin (qinghaosu) with electron-capture detection 666(1995)183

Artilide

Assay of the enantiomers of ibutilide and artilide using solid-phase extraction, derivatization, and achiral-chiral column-switching high-performance liquid chromatography 667(1995)115

Arylacetamide antiarrhythmic

Determination of an arylacetamide antiarrhythmic in rat blood and tissues using reversed-phase high-performance liquid chromatography 675(1996)257

Arylamines

Determination of hemoglobin adducts of arylamines in humans 667(1995)75

Ascorbic acid

see also Vitamin C

Measurement of ascorbic acid in human plasma and urine by high-performance liquid chromatography 654(1994)134

Determination of ascorbic acid in human plasma by highperformance liquid chromatography with electrochemical detection using a hydroxyapatite cartridge for precolumn deproteinization 655(1994)195

Determination of ascorbic acid and uric acid in plasma by high-performance liquid chromatography 657(1994)197

Simultaneous determination of ascorbic acid and dehydroascorbic acid in fish tissues by high-performance liquid chromatography 667(1995)355

Asparagine

Deamidation of asparagine and glutamine residues in proteins and peptides: structural determinants and analytical methodology 662(1994)261

Serial lectin affinity chromatography demonstrates altered asparagine-linked sugar chain structures of γ -glutamyltransferase in human renal cell carcinoma 672(1995)45

L-Asparaginase

Determination of L-asparagine in biological samples in the presence of L-asparaginase 657(1994)47

L-Asparagine

Determination of L-asparagine in biological samples in the presence of L-asparaginase 657(1994)47

Aspartate aminotransferase

Determination of aspartate aminotransferase activity by high-performance liquid chromatography 656(1994)191

Aspartic acid

Preparative-scale amino acid separation by thermal parametric pumping on an ion-exchange resin 664(1995)17

Aspirin

Aspirin inhibits collagen-induced platelet serotonin release, as measured by microbore high-performance liquid chromatography with electrochemical detection 669(1995)404

Atovaquone

High-performance liquid chromatographic assay for the measurement of atovaquone in plasma 652(1994)211

Rapid high-performance liquid chromatographic assay for atovaquone 675(1996)180

Atropine

Cyclodextrins as enantioselective mobile phase modifiers for chiral capillary electrophoresis. Effects of pH and cyclodextrin concentration 657(1994)291

5-Azaarabinosylcytosine

Chromatographic properties of cytosine, cytidine and their synthetic analogues 675(1996)9

5(6)-Azacytidine

Chromatographic properties of cytosine, cytidine and their synthetic analogues 675(1996)9

5(6)-Azacytosine

Chromatographic properties of cytosine, cytidine and their synthetic analogues 675(1996)9

Azaperone

Investigation of the metabolism of azaperone in the horse 652(1994)23

Azathioprine

High-performance liquid chromatographic assay for the measurement of azathioprine in human serum samples 675(1996)287

Azetazolamide

Application of column-switching techniques to the determination of medium polarity drugs: determination of acetazolamide in urine 654(1994)85

3'-Azido-2'-deoxycytidine

Porous graphitic carbon shows promise for the rapid chromatographic analysis of polar drug metabolites 667(1995)173

3'-Azido-3'-deoxythymidine

Quantification of 3'-amino-3'-deoxythymidine, a toxic catabolite of 3'-azido-3'-deoxythymidine (zidovudine) in human plasma by high-performance liquid chromatography using precolumn derivatization with fluorescamine and fluorescence detection 656(1994)389

Azosemide

Determination of azosemide and its metabolite in plasma, blood, urine and tissue homogenates by high-performance liquid chromatography 656(1994)367



Baccatin III

High-performance liquid chromatography and micellar electrokinetic chromatography of taxol and related taxanes from bark and needle extracts of *Taxus* species 657(1994)301

Barbiturates

Retention behaviour of some barbituric acid derivatives on a polyethylene-coated silica column 656(1994)233

Bariun

Dependence of electroosmotic flow in capillary electrophoresis on Group I and II metal ions 657(1994)401

Simultaneous determination of urinary creatinine, calcium and other inorganic cations by capillary zone electrophoresis with indirect ultraviolet detection 661(1994)35

BAY x 7195

Determination of BAY x 7195, a novel leukotriene D_4 antagonist, in human plasma by high-performance liquid chromatography with post-column photo derivatisation and fluorescence detection 667(1995)137

Bencynonate

Quantitative analysis of bencynonate in human plasma using a deuterated internal standard by gas chromatography-mass spectrometry with selected-ion monitoring 662(1994)123

Benofloxacin

Simultaneous determination of benofloxacin, danofloxacin, enrofloxacin and ofloxacin in chicken tissues by high-performance liquid chromatography 653(1994)69

Benzene

Determination of benzene and its metabolites: Application in biological monitoring of environmental and occupational exposure to benzene 660(1994)1

Benzene, metabolites

Determination of benzene and its metabolites: Application in biological monitoring of environmental and occupational exposure to benzene 660(1994)1

Benzodiazepines

Confirmation of benzodiazepines in urine as trimethylsilyl derivatives using gas chromatography-mass spectrometry 655(1994)132

Rapid and sensitive detection of benzodiazepines and zopiclone in serum using high-performance thin-layer chromatography 669(1995)408

Benzoic acid

Rapid determination of phenylalanine and its related compounds in rumen fluid by high-performance liquid chromatography 663(1995)201

Identification of flavonoid metabolities after oral administration to rats of a *Ginkgo biloba* extract 673(1995)75

5-[2-(4-Benzo[d]isothiazol-3-ylpiperazin-1-yl)ethyl]-6-chloro-1,3-dihydroindol-2-one

Development and validation of a high-sensitivity assay for an antipsychotic agent, CP-88,059, with solid-phase extraction and narrow-bore high-performance liquid chromatography 668(1995)133

Benzopyran methyl ester derivative

Stereospecific high-performance liquid chromatographic determination of an S(-)-benzopyran methyl ester derivative (CGP 50 068), its (-)-carboxylic acid metabolite (CGP 55 461) and the related (+)-enantiomer (CGP 54 228) in human and dog plasma 664(1995)393

Benzoylecgonine

High-performance liquid chromatographic confirmation of cocaine and benzoylecgonine in biological samples using photodiode-array detection after toxicological screening 656(1994)267

Simultaneous detection of cocaine and heroin metabolites in urine by solid-phase extraction and gas chromatographymass spectrometry 658(1994)69

Sensitive assay for cocaine and benzoylecgonine using solid-phase extraction and gas chromatography 658(1994)135

N-Benzoylstaurosporine

Analytical procedure for the determination of the new antitumour drug N-benzoylstaurosporine and three potential metabolites in human plasma by reversed-phase high-performance liquid chromatography 667(1995)269

Berberine

Determination of berberine in plasma, urine and bile by high-performance liquid chromatography 665(1995)117

Bile acids

Simultaneous microanalysis of biliary cholesterol, bile acids and fatty acids in lecithin using capillary column gas chromatography: an advantage to assess bile lithogenecity 653(1994)1

Analysis of bile acids and their conjugates using high-pH anion-exchange chromatography with pulsed amperometric detection 664(1995)431

High-performance liquid chromatographic-electrospray mass spectrometric analysis of bile acids in biological fluids 665(1995)281

Bile acid separation 671(1995)299

Rilienki

Enhanced separation and detection of serum bilirubin species by capillary electrophoresis using a mixed anionic surfactant-protein buffer system with laser-induced fluorescence detection 654(1994)185

Rimanes

Derivatization of thiol-containing compounds 659(1994)227

Biogenic amines

see also Catecholamines and Indoleamines

High-performance liquid chromatographic analysis with electrochemical detection of biogenic amines using microbore columns 665(1995)1

Biopterin

Simultaneous determination of N²-(3-aminopropyl)biopterin (oncopterin), biopterin and neopterin by high-performance liquid chromatography with fluorescence detection 672(1995)143

Biotinylamide analogues

High-performance liquid chromatographic separation of biotinylamide analogues used as substrates in biotinidase radioassays 656(1994)215

Biphenyls

Liquid-gel partitioning using Lipidex in the determination of polychlorinated biphenyls, naphthalenes, dibenzo-p-dioxins and dibenzofurans in blood plasma 669(1995)207

Bisphosphonate

Sensitive determination of a novel bisphosphonate, YM529, in plasma, urine and bone by high-performance liquid chromatography with fluorescence detection 652(1994)67

5,5-Bis(4-pyridinylmethyl)-5H-cyclopental[2,1-b:3,4-b']dipyridine

Determination of a novel cognitive enhancer, X9121, and its mono N-oxide metabolite, XG696, in dog plasma by reversed-phase high-performance liquid chromatography with ultraviolet detection 665(1995)226

β-Blockers

Evaluation of the Salivette as sampling device for monitoring β -adrenoceptor blocking drugs in saliva 663(1995)103

Screening and determination of β -blockers, narcotic analgesics and stimulants in urine by high-performance liquid chromatography with column switching 664(1995)341

Enantioselective determination of sotalol enantiomers in biological fluids using high-performance liquid chromatography 674(1995)77

High-performance liquid chromatography with amperometric detection applied to the screening of β -blockers in human urine 674(1995)85

Enantioselective determination of oxprenolol and its metabolites in human urine by cyclodextrin-modified capillary zone electrophoresis 674(1995)277

Selective extraction of β -blockers from biological fluids by column-switching high-performance liquid chromatography using an internal-surface phenylboronic acid precolumn 675(1996)168

BN-50727

Determination of the anti-platelet-activating factor BN-50727 and its metabolites in human plasma by high-performance liquid chromatography-solid-phase extraction 668(1995)281

BN-50730

Quantitative measurement of a new synthetic hetrazepine derivative, BN50730, in human plasma and urine by combined liquid chromatography-negative chemical ionization mass spectrometry using a particle beam interface 658(1994)289

BO-2727

Column-switching high-performance liquid chromatographic analysis of BO-2727, a new carbapenem antibiotic, in human plasma and urine by direct injection 656(1994)353

Borate

Capillary electrophoretic separation of nucleotide isomers via complexation with cyclodextrin and borate 657(1994)365

Boronic acid

Protein-boronic acid conjugates and their binding to low-molecular-mass cis-diols and glycated hemoglobin 670(1995)37

Bovine serum

Specific sorbent to remove solvent-detergent mixtures from virus-inactivated biological fluids 664(1995)119

Bovine serum albumin

Enhanced albumin protein separations and protein-drug binding constant measurements using anti-inflammatory drugs as run buffer additives in affinity capillary electrophoresis 661(1994)335

Polyvinyl alcohol-coated macroporous polystyrene particles as stationary phases for the chromatography of proteins 664(1995)39

Application of thiophilic membranes for the purification of monoclonal antibodies from cell culture media 664(1995)69

Bioseparations with permeable particles 664(1995)233

Brequinar

Determination of brequinar in rat plasma by direct deproteinization and reversed-phase high-performance liquid chromatography with ultraviolet absorbance detection 673(1995)107

${\bf 5\text{-}Bromo-2-(4\text{-}fluorophenyl)-3\text{-}[4\text{-}(methylsulphonyl)phenyl]-} thiophene$

Simultaneous quantification of an anti-inflammatory compound (DuP 697) and a potential metabolite (X6882) in human plasma and urine by high-performance liquid chromatography 660(1994)143

(E)-5-(2-Bromovinyl)uracil

Manual and automated determination of $1-\beta$ -D-arabinofuranosyl-E-5-(2-bromovinyl)uracil and its metabolite (E)-5-(2-bromovinyl)uracil in urine 664(1995)357

BSH

Liquid chromatographic determination of sodium mercaptoundecahydrododecaborate in rat urine and plasma after precolumn derivatization 660(1994)347

Budesonide

High-performance liquid chromatographic method for the determination of budesonide in bronchoalveolar lavage of asthmatic patients 664(1995)463

Bunolol

Determination of the enantiomers of bunolol in human urine by high-performance liquid chromatography on a chiral AGP stationary phase and identification of their metabolites by gas chromatography-mass spectrometry 660(1994)327

Bupivacaine

Determination of amide-type local anaesthetics by direct injection of plasma in a column-switching high-performance liquid chromatographic system using a pre-column with a semipermeable surface 654(1994)221

Improved clean-up procedure for the high-performance liquid chromatographic assay of bupivacaine enantiomers in human plasma and ultrafiltrate in the nanogram per milliliter range 655(1994)163

Column liquid chromatographic determination of bupivacaine in human serum using solid-phase extraction 658(1994)113

Determination of free concentration of ropivacaine and bupivacaine in blood plasma by ultrafiltration and coupled-column liquid chromatography 668(1995)91

Busulfan

High-performance liquid chromatographic determination of busulfan in human serum with on-line derivatization, column switching and ultraviolet absorbance detection 660(1994)200

2,3-Butanediol

Simple and sensitive determination of 2,3-butanediol in biological samples by gas chromatography with electron-capture detection 654(1994)1

L-Buthionine-(R,S)-sulfoximine

Quantitation of the diastereoisomers of L-buthionine-(R,S)-sulfoximine in human plasma: a validated assay by capillary electrophoresis 673(1995)123

Butorphanol

High-performance liquid chromatographic method for the quantitative determination of butorphanol, hydroxybutorphanol, and norbutorphanol in human urine using fluorescence detection 652(1994)171

Butoxyacetic acid

Determination of 2-butoxyethanol and butoxyacetic acid in rat and human blood by gas chromatography-mass spectrometry 665(1995)315

2-Butoxyethanol

Determination of 2-butoxyethanol and butoxyacetic acid in rat and human blood by gas chromatography-mass spectrometry 665(1995)315

Butyl-p-aminobenzoate

Capillary gas chromatographic method for the determination of *n*-butyl-*p*-aminobenzoate and lidocaine in plasma samples 673(1995)51

3-(3-1-Butylthio)-1,2,5-thiadiazol-4-yl-1-azabicyclo[2.2.2]octane

Determination of the muscarinic agent [(3-(3-1-butylthio)-1,2,5-thiadiazol-4-yl)-1-azabicyclo[2.2.2]octane], in rat, rabbit, and monkey plasma, using high-performance liquid chromatography in conjunction with tandem mass spectrometry 673(1995)67



447C88

Determination of the acylcoenzyme A cholesterol acyltransferase inhibitor 447C88 in plasma using gas chromatography-mass spectrometry and liquid chromatography atmospheric pressure chemical ionisation tandem mass spectrometry 663(1995)275

C₃ complement component

Isolation of the C3 complement component and its C3d subunit from IY-1 fraction of Cohn's fractionation of human plasma 664(1995)261

Cadaverine

Rapid high-performance liquid chromatographic method for the quantitation of polyamines as their dansyl derivatives: application to plant and animal tissues 666(1995)329

Improved high-performance liquid chromatographic method for the determination of polyamines as their benzoylated derivatives: application to P388 cancer cells 668(1995)189

Caffeic acid

Determination of caffeic acid in rabbit plasma by highperformance liquid chromatography 673(1995)43

Caffeine

Rapid method for the routine determination of caffeine and its metabolites by high-performance liquid chromatography 652(1994)104

Screening for hydroxylation and acetylation polymorphisms in man via simultaneous analysis of urinary metabolites of mephenytoin, dextromethorphan and caffeine by capillary electrophoretic procedures 656(1994)219

Highly sensitive and rapid determination of theophylline, theobromine and caffeine in human plasma and urine by gradient capillary high-performance liquid chromatography-frit-fast atom bombardment mass spectrometry 667(1995)241

Calcitonins

Free solution capillary electrophoresis of calcitonins and calcitonin tryptic digests 656(1994)107

Quantitative analysis of synthetic human calcitonin by liquid chromatography-mass spectrometry 672(1995)17

Reversed-phase high-performance liquid chromatography of salmon calcitonin and its degradation products in biological samples using column switching and flow-through radioisotope detection 673(1995)136

Calcitonin tryptic digests

Free solution capillary electrophoresis of calcitonins and calcitonin tryptic digests 656(1994)107

Calcium

Dependence of electroosmotic flow in capillary electrophoresis on Group I and II metal ions 657(1994)401

Simultaneous determination of urinary creatinine, calcium and other inorganic cations by capillary zone electrophoresis with indirect ultraviolet detection 661(1994)35

Calcium alginate

Peptide immobilization on calcium alginate beads: applications to antibody purification and assay 664(1995)127

Calcium antagonist

Determination of the calcium antagonist SIM6080 in plasma by high-resolution gas chromatography 652(1994)240

Camazepam

Achiral and chiral analysis of camazepam and metabolites by packed-column supercritical fluid chromatography 665(1995)139

Campesterol

Simultaneous measurement of phytosterols (campesterol and β -sitosterol) and 7-ketocholesterol in human lipoproteins by capillary column gas chromatography 663(1995)1

Camptothecin

Reversed-phase high-performance liquid chromatographic method for the simultaneous quantitation of the carboxylate and lactone forms of the camptothecin derivative irinotecan, CPT-11, and its metabolite SN-38 in plasma 661(1994)133

Cannabinoids

Rapid reversed-phase high-performance liquid chromatographic method for the assay of urinary 11-nor- Δ^9 -tetrahydrocannabinol-9-carboxylic acid and confirmation of use of cannabis derivatives 675(1996)162

Cannabis

Rapid reversed-phase high-performance liquid chromatographic method for the assay of urinary 11-nor-Δ^o-tetrahydrocannabinol-9-carboxylic acid and confirmation of use of cannabis derivatives 675(1996)162

Canrenone

High-performance liquid chromatographic determination of spironolactone and its major metabolite canrenone in urine using ultraviolet detection and column-switching 658(1994)303

Carbamazepine

Simultaneous determination of antiepileptic drugs and their metabolites, including chiral compounds, via β -cyclodextrin inclusion complexes by a column-switching chromatographic technique 658(1994)385

Automated analysis of free and total concentrations of three antiepileptic drugs in plasma with on-line dialysis and high-performance liquid chromatography 669(1995)281

Improved detection and determination of carbamazepine and oxcarbazepine and their metabolites by high-performance liquid chromatography 673(1995)97

Carbapenem antibiotics

Column-switching high-pressure liquid chromatographic method for the determination of a new carbapenem antibiotic, L-739,428, in rat and monkey plasma 655(1994)158

Column-switching high-performance liquid chromatographic analysis of BO-2727, a new carbapenem antibiotic, in human plasma and urine by direct injection 656(1994)353

Carbenicillin

Determination of carbenicillin epimers in plasma and urine with high-performance liquid chromatography 652(1994)43

Carbohydrates

see also Sugars

Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307

Capillary electrophoretic examination of underivatized O-linked and N-linked oligosaccharide mixtures and immunoglobulin G antibody-released oligosaccharide libraries 657(1994)315

Carbon dioxide

Measurement of volatile organic compounds in exhaled breath as collected in evacuated electropolished canisters 665(1995)271

Carbon disulfide

Identification of ephedrines as their carbon disulfide derivatives 663(1995)160

Liquid chromatographic determination of urinary 2-thiothiazolidine-4-carboxylic acid, a biomarker of carbon disulphide exposure 668(1995)265

Carbonic anhydrase inhibitor

Determination of MK-507, a novel topically effective carbonic anhydrase inhibitor, and its de-ethylated metabolite in human whole blood, plasma, and urine by high-performance liquid chromatography 653(1994)77

Carbon tetrachloride

Simultaneous determination of plasma phenytoin and its primary hydroxylated metabolites in carbon tetrachloride-intoxicated rats by high-performance liquid chromatography 673(1995)147

Carbonyl products

Volatile carbonyl levels in tissues of transgenic mice with nerve sheath tumors 654(1994)9

Carbonyls

Analytical technologies for lipid oxidation products analysis 671(1995)223

$\hbox{$2$-[$\it p$-(2-Carboxyethyl)$phenylethylamino]-5'-N-ethylcarboxyamidoadenosine } \\$

Liquid chromatographic determination of the adenosine receptor agonist CGS 21680 in blood using on-line solid-phase extraction on a phenylboronic acid support and fluorescence detection 658(1994)207

ω-Carboxyleukotriene B₄

High-performance liquid chromatography-thermospray mass spectrometry of ω -carboxyleukotriene B_4 and ω -hydroxyleukotriene B_4 from an incubation mixture of human colonic well-differentiated adenocarcinoma homogenate 666(1995)197

Carboxyl groups

Labeling of free carboxyl groups 659(1994)139

Carboxylic acids

see also Fatty acids and Organic acids

Quinoxalinone derivatization of biological carboxylic acids for detection by peroxyoxalate chemiluminescence with high-performance liquid chromatography 653(1994)123

Labeling of free carboxyl groups 659(1994)139

Use of derivatization to improve the chromatographic properties and detection selectivity of physiologically important carboxylic acids 671(1995)91

2-(5-Hydrazinocarbonyl-2-oxazolyl)-

5,6-dimethoxybenzothiazole as a precolumn fluorescence derivatization reagent for carboxylic acids in high-performance liquid chromatography and its application to the assay of fatty acids in human serum 674(1995)167

Carboxylic acids, long-chain

Application of tandem mass spectrometry for the analysis of long-chain carboxylic acids 671(1995)35

Carboxypeptidase H

Highly sensitive high-performance liquid chromatography-fluorimetric assay method for carboxypeptidase H activity 667(1995)333

Carboxyphosphamide

Determination of cyclophosphamide metabolites by gas chromatography and thermionic specific detection. Interindividual differences in hepatic biotransformation of cyclophosphamide in man in vitro 673(1995)205

Carboxyprimaquine

Simultaneous determination of primaquine and carboxyprimaquine in plasma using high-performance liquid chromatography with electrochemical detection 655(1994)89

High-performance liquid chromatographic determination of primaquine and carboxyprimaquine concentrations in plasma and blood cells in *Plasmodium vivax* malaria cases following chronic dosage with primaquine 675(1996)93

Carnitine

High-performance liquid chromatography and capillary electrophoresis of L- and D-carnitine by precolumn diastereomeric derivatization 657(1994)67

Liquid chromatographic-atmospheric pressure chemical ionization mass spectrometric analysis of glycine conjugates and urinary isovalerylglycine in isovaleric acidemia 670(1995)317

Carnitine esters

Comments on quantitation of carnitine esters by highperformance liquid chromatography 652(1994)115 Comments on quantitation of carnitine esters by highperformance liquid chromatography 652(1994)117

Comments on quantitation of carnitine esters by high performance liquid chromatography 652(1994)119

Carotenes

Simple determination of retinol, α -tocopherol and carotenoids (lutein, all-trans-lycopene, α - and β -carotenes) in human plasma by isocratic liquid chromatography 654(1994)129

Carotenoids

Simple determination of retinol, α -tocopherol and carotenoids (lutein, all-trans-lycopene, α - and β -carotenes) in human plasma by isocratic liquid chromatography 654(1994)129

Separation and identification of carotenoids in bird's plumage by high-performance liquid chromatography-diode-array detection 670(1995)337

Carteolol

Determination of the β -blocker carteolol in human plasma by a sensitive gas chromatographic-negative-ion chemical ionization high-resolution mass spectrometric method 673(1995)294

Carzelesin

Fully automated high-performance liquid chromatographic method for the determination of carzelesin (U-80,244) and metabolites (U-76,073 and U-76,074) in human plasma 652(1994)51

B-Casein

Selective determination of phosphopeptide β -CN(1-25) in a β -casein digest by adding iron: characterization by liquid chromatography with on-line electrospray-ionization mass spectrometric detection 664(1995)193

Catechin

Determination of (+)-catechin in plasma by highperformance liquid chromatography using fluorescence detection 665(1995)383

Catecholamines

Rapid assay of the monoamine content in small volumes of rat plasma 653(1994)9

Quantitation of epinephrine and norepinephrine secretion from individual adrenal medullary cells by microcolumn high-performance liquid chromatography 653(1994)25

Improved assay for plasma dihydroxyphenylacetic acid and other catechols using high-performance liquid chromatography with electrochemical detection 653(1994)131

Rapid measurement of the monoamine content in small volumes of rat plasma 654(1994)177

Determination of free urinary catecholamines by highperformance liquid chromatography with electrochemical detection 655(1994)121

High-performance liquid chromatographic determination of norepinephrine, epinephrine and dopamine in human foetal adrenal gland 656(1994)77

High-performance liquid chromatographic determination of catecholamine metabolites and 5-hydroxyindoleacetic acid in human urine using a mixed-mode column and an eight-channel electrode electrochemical detector 658(1994)63

Microbore high-performance liquid chromatographic method for the measurement of dopamine and its metabolites: recommendations for optimal sample collection and storage 660(1994)158

Simultaneous high-performance liquid chromatographic determination of adenosine and dopamine in rat striatal tissue with combined ultraviolet absorbance and electrochemical detection 662(1994)21

Automated analysis of urinary catecholamines by highperformance liquid chromatography and on-line sample pretreatment 664(1995)287

Stability of 3,4-dihydroxyphenylacetic acid in plasma extracts assayed by high-performance liquid chromatography with electrochemical detection 669(1995)413

Improved detection limit for catecholamines using liquid chromatography-electrochemistry with a carbon interdigitated array microelectrode 670(1995)21

Catechol-O-methyltransferase

Improved assay of reaction products to quantitate catechol-O-methyltransferase activity by high-performance liquid chromatography with electrochemical detection 663(1995)137

CDRI 81/470

Sensitive high-performance liquid chromatographic method for the determination of methyl N-[5-[[4-(2-pyridinyl)-1-piperazinyl]carbonyl]-1*H*-benzimidazol-2-yl] carbamate in rat blood 664(1995)472

Cecropin B

Extraction of the synthetic lytic peptide, cecropin B, from biological fluid and analysis using reversed-phase high-performance liquid chromatography 672(1995)225

Cefadroxil

Automated column liquid chromatographic determination of amoxicillin and cefadroxil in bovine serum and muscle tissue using on-line dialysis for sample preparation 662(1994)61

Sensitive assay for measuring amoxicillin in human plasma and middle ear fluid using solid-phase extraction and reversed-phase high-performance liquid chromatography 674(1995)93

Cefamandole nafate

Identification and separation of five cephalosporins by micellar electrokinetic capillary chromatography 657(1994)395

Cefazolin

High-performance liquid chromatographic assay of cefazolin in rat tissues 656(1994)460

Cefpodoxime

Determination of cefpodoxime levels in chinchilla middle ear fluid and plasma by high-performance liquid chromatography 653(1994)227

High-performance liquid chromatographic method for the determination of cefpodoxime levels in plasma and sinus mucosa 656(1994)383

Ceftazidime

On-line solid-phase extraction of ceftazidime in serum and determination by high-performance liquid chromatography 669(1995)265

Ceftiofur

Determination of ceftiofur and its desfuroylceftiofur-related metabolites in swine tissues by high-performance liquid chromatography 673(1995)231

Cefuroxime

Identification and separation of five cephalosporins by micellar electrokinetic capillary chromatography 657(1994)395

Centchroman

Simultaneous liquid chromatographic determination of centchroman and its 7-demethylated metabolite in serum and milk 658(1994)193

Cephalexin

Identification and separation of five cephalosporins by micellar electrokinetic capillary chromatography 657(1994)395

Cephalomannine

High-performance liquid chromatography and micellar electrokinetic chromatography of taxol and related taxanes from bark and needle extracts of *Taxus* species 657(1994)301

Cephalosporins

Identification and separation of five cephalosporins by micellar electrokinetic capillary chromatography 657(1994)395

Cephalothin

Identification and separation of five cephalosporins by micellar electrokinetic capillary chromatography 657(1994)395

Cephapirin

Identification and separation of five cephalosporins by micellar electrokinetic capillary chromatography 657(1994)395

Cetrorelix

High-performance liquid chromatographic assay for the determination of the decapeptide cetrorelix, a novel luteinizing hormone-releasing hormone antagonist, in human plasma 653(1994)102

S-(-)-CGP 12177

Quantification of an 11 C-labelled β -adrenoceptor ligand, S-(-)CGP 12177, in plasma of humans and rats 663(1995)361

CGP 33101

Automated analysis of a novel anti-epileptic compound, CGP 33 101, and its metabolite, CGP 47 292, in body fluids by high-performance liquid chromatography and liquid-solid extraction 667(1995)307

CGP 43371

Determination of the rifamycin-related hypolipidemic drug CGP 43371 in human feces, plasma and urine by high-performance liquid chromatography 660(1994)135

CGP 47292

Automated analysis of a novel anti-epileptic compound, CGP 33 101, and its metabolite, CGP 47 292, in body fluids by high-performance liquid chromatography and liquid-solid extraction 667(1995)307

CGP 50068

Stereospecific high-performance liquid chromatographic determination of an S(-)-benzopyran methyl ester derivative (CGP 50 068), its (-)-carboxylic acid metabolite (CGP 55 461) and the related (+)-enantiomer (CGP 54 228) in human and dog plasma 664(1995)393

CGP 53437

Quantitative determination of CGP 53 437, a new HIV protease inhibitor, in plasma by high-performance liquid chromatography and fluorescence detection 657(1994)155

CGP 54228

Stereospecific high-performance liquid chromatographic determination of an S(-)-benzopyran methyl ester derivative (CGP 50 068), its (-)-carboxylic acid metabolite (CGP 55 461) and the related (+)-enantiomer (CGP 54 228) in human and dog plasma 664(1995)393

CGP 55461

Stereospecific high-performance liquid chromatographic determination of an S(-)-benzopyran methyl ester derivative (CGP 50 068), its (-)-carboxylic acid metabolite (CGP 55 461) and the related (+)-enantiomer (CGP 54 228) in human and dog plasma 664(1995)393

Chenodeoxycholic acid

Bile acid separation 671(1995)299

Chlorambucil

High-performance liquid chromatographic method for the separation of chlorambucil and its N-oxide prodrug 652(1994)195

Chlorambucil N-oxide

High-performance liquid chromatographic method for the separation of chlorambucil and its N-oxide prodrug 652(1994)195

Chloramphenicol

Porous graphitic carbon shows promise for the rapid chromatographic analysis of polar drug metabolites 667(1995)173

Determination of chloramphenicol in animal tissue using high-performance liquid chromatography with a column-switching system and ultraviolet detection 668(1995)53

Determination of chloramphenicol in muscle, liver, kidney and urine of pigs by means of immunoaffinity chromatography and gas chromatography with electron-capture detection 673(1995)197

Chlordiazepoxide

Determination of chlordiazepoxide in mouse plasma by gas chromatography-negative-ion chemical ionization mass spectrometry 660(1994)95

Chlorhexidine

Determination of chlorhexidine in saliva using highperformance liquid chromatography 665(1995)222

8-Chloroadenosine

Sensitive determination of 8-chloroadenosine 3',5'-monophosphate and 8-chloroadenosine in plasma by high-performance liquid chromatography 658(1994)183

8-Chloroadenosine 3',5'-monophosphate

Sensitive determination of 8-chloroadenosine 3',5'-monophosphate and 8-chloroadenosine in plasma by high-performance liquid chromatography 658(1994)183

2-Chloroaminobenzoic acid

Rapid determination of chloroprocaine and its major metabolite, 2-chloroaminobenzoic acid, in plasma by high-performance liquid chromatography 675(1996)336

Chlorobutanol

Determination of chlorobutanol in mouse serum, urine and embryos by capillary gas chromatography with electron capture detection 673(1995)59

Chlorocresols

Determination of chlorinated phenols and cresols in human urine using solid-phase extraction and gas chromatography 657(1994)103

Chlorofluorocarbons

Determination of the chlorofluorocarbon substitute 1,1,1,2-tetrafluoroethane (HFA-134a) in human and animal blood using gas chromatography with headspace analysis 667(1995)85

Chlorogenic acid

Selective extraction of quercetrin in vegetable drugs and urine by off-line coupling of boronic acid affinity chromatography and high-performance liquid chromatography 673(1995)223

Chlorophenols

Determination of chlorinated phenols and cresols in human urine using solid-phase extraction and gas chromatography 657(1994)103

4-Chlorophenylbiguanide

Determination of proguanil and metabolites in small sample volumes of whole blood stored on filter paper by high-performance liquid chromatography 674(1995)149

Chloroprocaine

Rapid determination of chloroprocaine and its major metabolite, 2-chloroaminobenzoic acid, in plasma by high-performance liquid chromatography 675(1996)336

Chloroquine

Simple and specific reversed-phase liquid chromatographic method with diode-array detection for simultaneous determination of serum hydroxychloroquine, chloroquine and some corticosteroids 666(1995)347

4-Chlorotestosterone acetate

Metabolites of 4-chlorotestosterone acetate in cattle urine as diagnostic markers for its illegal use 654(1994)43

Chlorpheniramine

Cyclodextrins as enantioselective mobile phase modifiers for chiral capillary electrophoresis. Effects of pH and cyclodextrin concentration 657(1994)291

Sensitive high-performance liquid chromatographic determination of chlorpheniramine in human serum using column switching 661(1994)168

Chlorprothixene

Quantification of chlorprothixene, levomepromazine and promethazine in human serum using high-performance liquid chromatography with coulometric electrochemical detection 657(1994)141

Chlorthiazide

Validated micellar electrokinetic capillary chromatography method for quality control of the drug substances hydrochlorothiazide and chlorothiazide 657(1994)383

Cholestanol

Chromatographic methods in the analysis of cholesterol and related lipids 671(1995)341

Cholesterol

Simultaneous microanalysis of biliary cholesterol, bile acids and fatty acids in lecithin using capillary column gas chromatography: an advantage to assess bile lithogenecity 653(1994)1

Analysis of cholesterol and cholesteryl esters in human serum using capillary supercritical fluid chromatography 655(1994)1

Heparin-immobilized polyhydroxyethylmethacrylate microbeads for cholesterol removal: a preliminary report 670(1995)157

High-performance liquid chromatography with mercury cathode electrochemical detection: application to lipid hydroperoxide analysis 670(1995)189

Thin-layer chromatographic procedures for lipid separation 671(1995)169

Analytical technologies for lipid oxidation products analysis 671(1995)223

Chromatographic methods in the analysis of cholesterol and related lipids 671(1995)341

Automatic gas chromatographic determination of the highdensity-lipoprotein cholesterol and total cholesterol in serum 672(1995)7

Simultaneous reversed-phase high-performance liquid chromatographic separation of non-polar isoprenoid lipids and their determination 674(1995)177

Cholesteryl esters

Analysis of cholesterol and cholesteryl esters in human serum using capillary supercritical fluid chromatography 655(1994)1

Simultaneous reversed-phase high-performance liquid chromatographic separation of non-polar isoprenoid lipids and their determination 674(1995)177

Cholesteryl linoleate

High-performance liquid chromatography with mercury cathode electrochemical detection: application to lipid hydroperoxide analysis 670(1995)189

Cholesteryl 14-methylhexadecanoate

Determination of cholesteryl 14-methylhexadecanoate in blood serum by reversed-phase high-performance liquid chromatography 660(1994)386

Cholic acid

Bile acid separation 671(1995)299

Choline

Determination of plasma choline by high-performance liquid chromatography with a postcolumn enzyme reactor and electrochemical detection 656(1994)59

Detection of basal acetylcholine in rat brain microdialysate 670(1995)323

Chondroitin ABC lyase

Activity of chondroitin ABC lyase on dermatan sulfate partially degraded by cupric-ion-mediated free-radical treatment 669(1995)197

CI-941

Detection and separation of the anthrapyrazole CI-941 and its metabolites in serum and urine by high-performance liquid chromatography 658(1994)349

CI-976

Determination of 2,2-dimethyl-N-(2,4,6-trimethoxyphenyl) dodecanamide, CI-976, in rat plasma by reversed-phase high-performance liquid chromatography 653(1994)205

CI-1007

Sensitive high-performance liquid chromatographic method for a dopamine receptor agonist, CI-1007, and its metabolite PD 147693 in monkey plasma 665(1995)193

Cimetidine

Ion-pair solid-phase extraction of cimetidine from plasma and subsequent analysis by high-performance liquid chromatography 661(1994)173

Determination of cimetidine in human plasma by free capillary zone electrophoresis 667(1995)321

Determination of cimetidine in human plasma by highperformance liquid chromatography following liquid-liquid extraction 668(1995)117

Cinmetacin

Gas chromatographic-electron-impact chemical ionization mass spectrometric identification of cinmetacin and its metabolites in human urine 660(1994)75

Cinnamic acid

Rapid determination of phenylalanine and its related compounds in rumen fluid by high-performance liquid chromatography 663(1995)201

Ciprofloxacin

Simultaneous determination of ofloxacin, norfloxacin and ciprofloxacin in human hair by high-performance liquid chromatography and fluorescence detection 653(1994)187

Simultaneous determination of enrofloxacin and its primary metabolite ciprofloxacin in bovine milk and plasma by ion-pairing liquid chromatography 658(1994)341

Simultaneous determination of theophylline, enoxacin and ciprofloxacin in human plasma and saliva by high-performance liquid chromatography 669(1995)372

Cisapride

Analysis of cisapride in neonatal plasma using highperformance liquid chromatography with a base-stable column and fluorescence detection 670(1995)139

Cisplatin

Determination of cisplatin and cis-diammineaquachloroplatinum(II) ion by liquid chromatography using post-column derivatization with diethyldithiocarbamate 652(1994)203

Quantitative determination of unchanged cisplatin in rat kidney and liver by high-performance liquid chromatography 663(1995)181

Characterization of cisplatin-glutathione adducts by liquid chromatography-mass spectrometry. Evidence for their formation in vitro but not in vivo after concomitant administration of cisplatin and glutathione to rats and cancer patients 669(1995)247

Cisplatin-glutathione adducts

Characterization of cisplatin-glutathione adducts by liquid chromatography-mass spectrometry. Evidence for their formation in vitro but not in vivo after concomitant administration of cisplatin and glutathione to rats and cancer patients 669(1995)247

Citalopram

Simultaneous determination of citalopram and its metabolites by high-performance liquid chromatography with column switching and fluorescence detection by direct plasma injection 668(1995)299

Simplified high-performance liquid chromatographic method for the determination of citalopram and desmethylcitalopram in serum without interference from commonly used psychotropic drugs and their metabolites 675(1996)83

Citalopram N-oxide

Simultaneous determination of citalopram and its metabolites by high-performance liquid chromatography with column switching and fluorescence detection by direct plasma injection 668(1995)299

Citalopram propionic acid

Simultaneous determination of citalopram and its metabolites by high-performance liquid chromatography with column switching and fluorescence detection by direct plasma injection 668(1995)299

Citokines

High-performance capillary electrophoretic analysis of inflammatory citokines in human biopsies 656(1994)259

Citric acid

Simultaneous determination of oxalic and citric acids in urine by high-performance liquid chromatography 675(1996)147

Clenbuterol

Possibilities for confirmatory analysis of some β -agonists using two different derivatives simultaneously 665(1995)395

Clofibric acid

High-performance liquid chromatographic assay for the simultaneous determination of ethyl clofibrate and clofibric acid in plasma. Evaluation of plasma stability of ethyl clofibrate polylactic nanocapsules in human and rat plasmas 661(1994)178

Clomipramine

Improved clean-up procedure for the high-performance liquid chromatographic assay of clomipramine and its demethylated metabolite in human plasma 669(1995)416

Clonazepam

High-performance liquid chromatographic procedure for the measurement of nitrobenzodiazepines and their 7-amino metabolites in blood 667(1995)179

Clonidine

Determination of clonidine in human plasma by gas chromatography-electron-impact mass spectrometry 653(1994)92

cis-(Z)-Clopenthixol

Determination of zuclopenthixol and its main N-dealkylated metabolite in biological fluids using high-performance liquid chromatography with post-column photochemical derivatization and fluorescence detection 658(1994)319

Clozapine

Thermal degradation of clozapine-N-oxide to clozapine during gas chromatographic analysis 668(1995)171

Column liquid chromatographic determination of clozapine and N-desmethylclozapine in human serum using solid-phase extraction 673(1995)311

Clozapine-N-oxide

Thermal degradation of clozapine-N-oxide to clozapine during gas chromatographic analysis 668(1995)171

CNI-1493

High-performance liquid chromatographic method for guanylhydrazone compounds 675(1996)71

Coagulation factors

Purification of factor VIII and von Willebrand factor from human plasma by anion-exchange chromatography 662(1994)181

Cobalamins

Nitritocobalamin and nitrosocobalamin may be confused with sulfitocobalamin using cation-exchange chromatography 660(1994)180

Intrinsic factor covalently bound to Sepharose as affinity medium for the purification of a soluble intrinsic factor receptor from human urine 664(1995)253

Cobalt

Determination of metal ions by capillary electrophoresis using on-column complexation with 4-(2-pyridylazo)resorcinol following trace enrichment by peak stacking 657(1994)409

Cocaethylene

Determination of plasma cocaine and ethylcocaine (cocaethylene) in mice using gas chromatography-mass spectrometry and deuterated internal standards 656(1994)335

Cocaine

High-performance liquid chromatographic confirmation of cocaine and benzoylecgonine in biological samples using photodiode-array detection after toxicological screening 656(1994)267

Determination of plasma cocaine and ethylcocaine (cocaethylene) in mice using gas chromatography-mass spectrometry and deuterated internal standards 656(1994)335

Simultaneous detection of cocaine and heroin metabolites in urine by solid-phase extraction and gas chromatographymass spectrometry 658(1994)69

Sensitive assay for cocaine and benzoylecgonine using solid-phase extraction and gas chromatography 658(1994)135

Simultaneous assay of cocaine, heroin and metabolites in hair, plasma, saliva and urine by gas chromatography-mass spectrometry 660(1994)279

Influence of the injection technique on the thermal degradation of cocaine and its metabolites in gas chromatography 664(1995)317

Codeine

Determination of codeine and its metabolites in microsomal incubates by high-performance liquid chromatography 653(1994)106

Simultaneous detection of cocaine and heroin metabolites in urine by solid-phase extraction and gas chromatographymass spectrometry 658(1994)69

Subcritical fluid extraction of opiates in hair of drug addicts 658(1994)75

Analysis of common opiates and heroin metabolites in urine by high-performance liquid chromatography 663(1995)225

Supercritical fluid extraction of drugs in drug addict hair 673(1995)173

Gas chromatography with surface ionization detection: a highly sensitive method for determining underivatized codeine and dihydrocodeine in body fluids 673(1995)189

Determination of codeine and metabolites in plasma and urine using ion-pair high-performance liquid chromatography 674(1995)49

Determination of opiates in urine by capillary electrophoresis 675(1996)213

Coenzyme A

High-performance liquid chromatographic determination of 3-hydroxy-3-methylglutaryl coenzyme A as diphenacyl ester of 3-hydroxy-3-methylglutarate 655(1994)117

Coenzyme A esters

Rapid method for the separation and detection of tissue short-chain coenzyme A esters by reversed-phase high-performance liquid chromatography 667(1995)148

Coenzyme Q

Simultaneous reversed-phase high-performance liquid chromatographic separation of non-polar isoprenoid lipids and their determination 674(1995)177

Cognitive enhancer

Determination of a novel cognitive enhancer, X9121, and its mono N-oxide metabolite, XG696, in dog plasma by reversed-phase high-performance liquid chromatography with ultraviolet detection 665(1995)226

Colchicine

High-performance liquid chromatography coupled to ion spray mass spectrometry for the determination of colchicine at ppb levels in human biofluids 675(1996)235

Collagen

Improved chromatographic purification of human and bovine type V collagen sub-molecular species and their subunit chains from conventional crude preparations. Application to cell-substratum adhesion assay for human umbilical vein endothelial cell 663(1995)25

Aspirin inhibits collagen-induced platelet serotonin release, as measured by microbore high-performance liquid chromatography with electrochemical detection 669(1995)404

Collagenase inhibitor

Rapid quantitative determination of a collagenase inhibitor and its major metabolite by on-line liquid chromatography with ionspray tandem mass spectrometric detection 673(1995)213

Copper

Determination of metal ions by capillary electrophoresis using on-column complexation with 4-(2-pyridylazo)resorcinol following trace enrichment by peak stacking 657(1994)409

Enriched stable isotopes of elements used as tracers: methods of presenting high-performance liquid chromatographic-inductively coupled argon plasma mass spectrometric data 670(1995)63

Corticoids

Solvent and solid-phase extraction of natural and synthetic corticoids in human urine 652(1994)83

Corticosteroids

see also Steroids

Fifteen years of operation of a high-performance liquid chromatographic assay for prednisolone, cortisol and prednisone in plasma 658(1994)47

High-performance liquid chromatographic method for the determination of budesonide in bronchoalveolar lavage of asthmatic patients 664(1995)463

Simple and specific reversed-phase liquid chromatographic method with diode-array detection for simultaneous determination of serum hydroxychloroquine, chloroquine and some corticosteroids 666(1995)347

Capillary reversed-phase high-performance liquid chromatographic determination of acetylmethylprednisolone in feline spinal cord 667(1995)259

High-performance liquid chromatographic analysis of corticosteroids 671(1995)319

Biocompatible sample pretreatment for immunochemical techniques using micellar liquid chromatography for separation of corticosteroids 672(1995)33

Corticosterone

Analysis of corticosterone in rat plasma by highperformance liquid chromatography 661(1994)211

Isocratic high-performance liquid chromatographic method for the separation of testosterone metabolites 672(1995)207

Cortisol

Fifteen years of operation of a high-performance liquid chromatographic assay for prednisolone, cortisol and prednisone in plasma 658(1994)47

Simultaneous determination of deflazacort metabolites II and III, cortisol, cortisone, prednisolone and prednisone in human serum by reversed-phase high-performance liquid chromatography 658(1994)55

Simultaneous determination of urinary free cortisol and 6β -hydroxycortisol by high-performance liquid chromatography to measure human CYP3A activity 660(1994)23

Measurement of urinary free cortisol by stable isotope dilution mass spectrometry using a new cortisol derivative 660(1994)151

Simultaneous high-performance liquid chromatographic determination of 6β -hydroxycortisol and cortisol in urine with fluorescence detection and its application for estimating hepatic drug-metabolizing enzyme induction 661(1994)15

Column-switching high-performance liquid chromatographic system with a laser-induced fluorimetric detector for direct, automated assay of salivary cortisol 670(1995)11

Simultaneous determination of cortisol and cortisone in urine by reversed-phase high-performance liquid chromatography Clinical and doping control applications 673(1995)27

Cortisone

Simultaneous determination of deflazacort metabolites II and III, cortisol, cortisone, prednisolone and prednisone in human serum by reversed-phase high-performance liquid chromatography 658(1994)55

Simultaneous determination of cortisol and cortisone in urine by reversed-phase high-performance liquid chromatography Clinical and doping control applications 673(1995)27

Micellar electrokinetic capillary chromatographic separation of steroids in urine by trioctylphosphine oxide and cationic surfactant 674(1995)31

Costatolide

High-performance liquid chromatographic measurement of the novel anti-HIV agent 7,8-dihydrocostatolide (NSC 661123) 658(1994)129

Cotinine

Solid-phase extraction of nicotine and its metabolites for high-performance liquid chromatographic determination in urine 668(1995)187

Coumarin

Determination of free and total 7-hydroxycoumarin in urine and serum by capillary electrophoresis 663(1995)371

Coumarin anticoagulant

Determination of the coumarin anticoagulant phenprocoumon and metabolites in human plasma, urine and breast milk by high-performance liquid chromatography after solid-phase extraction 655(1994)63

Coumestrol

High-performance liquid chromatographic assay of isoflavonoids and coumestrol from human urine 662(1994)47

CP-191,166

Determination of 1-[5-(2-cyclopropyl-5,7-dimethyl-imidazo[4,5-b]pyridin-3-ylmethyl)thiophen-2-yl]-cyclopent-3-enecarboxylic acid (CP-191,166), an angiotensin II antagonist, in dog and rat plasma by high-performance liquid chromatography 675(1996)265

CP-88.059

Development and validation of a high-sensitivity assay for an antipsychotic agent, CP-88,059, with solid-phase extraction and narrow-bore high-performance liquid chromatography 668(1995)133

CPT-11

Reversed-phase high-performance liquid chromatographic method for the simultaneous quantitation of the carboxylate and lactone forms of the camptothecin derivative irinotecan, CPT-11, and its metabolite SN-38 in plasma 661(1994)133

High-performance liquid chromatographic determination of irinotecan (CPT-11) and its active metabolite (SN-38) in human plasma 670(1995)309

Creatinine

Simultaneous determination of urinary creatinine, calcium and other inorganic cations by capillary zone electrophoresis with indirect ultraviolet detection 661(1994)35

Evaluation of 2-iminoimidazolidin-4-one and thymine as respective internal standards for normal-phase and reversed-phase high-performance liquid chromatographic determination of creatinine in human serum 665(1995)63

p-Cresol

Simple high-performance liquid chromatographic analysis of phenol and p-cresol in urine and feces 674(1995)187

Cresols (chlorinated)

Determination of chlorinated phenols and cresols in human urine using solid-phase extraction and gas chromatography 657(1994)103

CS-670

Quantitative determination of diol metabolites of CS-670, a new antiinflammatory agent, by capillary column gas chromatography-mass spectrometry 665(1995)107

Cyanide

Determination of cyanide and thiocyanate in blood by gas chromatography and gas chromatography-mass spectrometry 675(1996)27

Cyanocobalamin

Simultaneous determination of hydroxocobalamin and its cyanide complex cyanocobalamin in human plasma by high-performance liquid chromatography. Application to pharmacokinetic studies after high-dose hydroxocobalamin as an antidote for severe cyanide poisoning 667(1995)129

Cyclic 3',5'-adenosine monophosphate

High-performance liquid chromatographic determination of cyclic 3',5'-AMP with fluorescence detection. Vasoactive intestinal peptide-induced modification of its concentration in neuroblastoma cells 657(1994)192

Cyclic guanine monophosphate phosphodiesterase inhibitor

Determination of a novel and potent cyclic GMP phosphodiesterase inhibitor, 4-{[3,4-(methylenedioxy)-benzyl]amino}-6,7,8-trimethoxyquinazoline, in dog plasma by high-performance liquid chromatography 658(1994)202

Determination of a cyclic guanine monophosphate phosphodiesterase inhibitor (SCH 51866) in rat serum using capillary zone electrophoresis 669(1995)141

Cyclizine

Sensitive high-performance liquid chromatographic determination of cyclizine and its demethylated metabolite, norcyclizine, in biological fluids using coulometric detection 672(1995)172

Cyclobenzaprine

Development and comparison of high-performance liquid chromatographic methods with tandem mass spectrometric and ultraviolet absorbance detection for the determination of cyclobenzaprine in human plasma and urine 666(1995)117

Cyclodextrins

Cyclodextrins as enantioselective mobile phase modifiers for chiral capillary electrophoresis. Effects of pH and cyclodextrin concentration 657(1994)291

Cycloguanil

Determination of proguanil and metabolites in small sample volumes of whole blood stored on filter paper by high-performance liquid chromatography 674(1995)149

Cyclophilin

Interaction of cyclosporin A and two cyclosporin analogs with cyclophilin: relationship between structure and binding 662(1994)301

Cyclophosphamide

Direct gas chromatographic determination of dechloroethylcyclophosphamide following microsomal incubation of cyclophosphamide 672(1995)271

Determination of cyclophosphamide metabolites by gas chromatography and thermionic specific detection. Interindividual differences in hepatic biotransformation of cyclophosphamide in man in vitro 673(1995)205

1-[5-(2-Cyclopropyl-5,7-dimethyl-imidazo[4,5-b]pyridin-3-ylmethyl)thiophen-2-yl]-cyclopent-3-enecarboxylic acid

Determination of 1-[5-(2-cyclopropyl-5,7-dimethyl-imidazo[4,5-b]pyridin-3-ylmethyl)thiophen-2-yl]-cyclopent-3-enecarboxylic acid (CP-191,166), an angiotensin II antagonist, in dog and rat plasma by high-performance liquid chromatography 675(1996)265

Cyclosporin A

Interaction of cyclosporin A and two cyclosporin analogs with cyclophilin: relationship between structure and binding 662(1994)301

Cyproheptadine

Reversed-phase high performance liquid chromatographic determination of cyproheptadine from urine by solid-phase extraction 664(1995)468

Cysteamine

Determination of total cysteamine in urine and plasma samples by gas chromatography with flame photometric detection 657(1994)9

Cysteine

Determination of total plasma homocysteine and related aminothiols by gas chromatography with flame photometric detection 664(1995)421

2-(4-N-Maleimidophenyl)-6-methoxybenzofuran: a superior derivatizing agent for fluorimetric determination of aliphatic thiols by high-performance liquid chromatography 666(1995)45

Cysteine proteinases

Fractionation and purification of the thiol proteinases from papaya latex 656(1994)203

5-S-Cysteinyl-3,4-dihydroxyphenylacetic acid

Sensitive high-performance liquid chromatographic method for the determination of 5-S-cysteinyldopamine, 5-S-cysteinyl-3,4-dihydroxyphenylacetic acid and 5-S-cysteinyl-3,4-dihydroxyphenylalanine 663(1995)9

5-S-Cysteinyl-3,4-dihydroxyphenylalanine

Sensitive high-performance liquid chromatographic method for the determination of 5-S-cysteinyldopamine, 5-S-cysteinyl-3,4-dihydroxyphenylacetic acid and 5-S-cysteinyl-3,4-dihydroxyphenylalanine 663(1995)9

5-S-Cysteinyldopamine

Sensitive high-performance liquid chromatographic method for the determination of 5-S-cysteinyldopamine, 5-S-cysteinyl-3,4-dihydroxyphenylacetic acid and 5-S-cysteinyl-3,4-dihydroxyphenylalanine 663(1995)9

Cysteinylglycine

Determination of total plasma homocysteine and related aminothiols by gas chromatography with flame photometric detection 664(1995)421

Cysteinyl leukotrienes

Chemical synthesis of dioxygen-18 labelled ω -/ β -oxidized cysteinyl leukotrienes: analysis by gas chromatography-mass spectrometry and gas chromatography-tandem mass spectrometry 667(1995)209

Cytarabine-ocfosfate

Highly sensitive high-performance liquid chromatographic assay for 1-β-D-arabinofuranosylcytosine-5'-stearyl phosphate (cytarabine-ocfosfate) 665(1995)183

Cytidine

Chromatographic properties of cytosine, cytidine and their synthetic analogues 675(1996)9

Cytochrome c

Peptide mapping of bovine and chicken cytochrome c by capillary isoelectric focusing with universal concentration gradient imaging 657(1994)333

Cytochrome P450

Isocratic high-performance liquid chromatographic method for the separation of testosterone metabolites 672(1995)207

Cytochrome P-4502C9

Highly sensitive and specific high-performance liquid chromatographic analysis of 7-hydroxywarfarin, a marker for human cytochrome P-4502C9 activity 672(1995)305

Cytokines

Immunoaffinity measurement of recombinant granulocyte colony stimulating factor in patients with chemotherapy-induced neutropenia 662(1994)307

Delivery of interleukin 2 for immunotherapy 662(1994)315

Cytosine

Chromatographic properties of cytosine, cytidine and their synthetic analogues 675(1996)9

Cytosine arabinoside

Sensitive high-performance liquid chromatographic method for the determination of N⁴-hexadecyl- and N⁴-octadecyl-1-β-p-arabinofuranosylcytosine in plasma and erythrocytes 673(1995)259



DA-125

Simultaneous determination of a new anthracycline, DA-125, and its metabolites M1, M2, M3 and M4 in plasma and urine by high-performance liquid chromatography 656(1994)407

Dabsylhypotaurine

High-performance liquid chromatographic determination of hypotaurine and taurine after conversion to 4-dimethylaminoazobenzene-4'-sulfonyl derivatives and its application to the urine of cysteine-administered rats 660(1994)164

Dabsyltaurine

High-performance liquid chromatographic determination of hypotaurine and taurine after conversion to 4-dimethylaminoazobenzene-4'-sulfonyl derivatives and its application to the urine of cysteine-administered rats 660(1994)164

Daidzin

Determination of rhoifolin and daidzin in human plasma by high-performance liquid chromatography 655(1994)300

Danofloxacin

Simultaneous determination of benofloxacin, danofloxacin, enrofloxacin and ofloxacin in chicken tissues by high-performance liquid chromatography 653(1994)69

Simultaneous determination of danofloxacin and N-desmethyldanofloxacin in cattle and chicken edible tissues by liquid chromatography with fluorescence detection 675(1996)243

Dansvlaziridine

Derivatization of thiol-containing compounds 659(1994)227

Dansyl polyamines

Degradation of dansyl polyamines on high-performance thin-layer chromatographic plates 667(1995)185

Dapsone

Determination of dapsone in serum and saliva using reversed-phase high-performance liquid chromatography with ultraviolet or electrochemical detection 654(1994)103

1-Deaza-7,8-dihydropteridine

High-performance liquid chromatographic assay for CI-980, a novel 1-deaza-7,8-dihydropteridine anticancer agent, in human plasma and urine 668(1995)141

Dechloroethylcyclophosphamide

Direct gas chromatographic determination of dechloroethylcyclophosphamide following microsomal incubation of cyclophosphamide 672(1995)271

Dechloroethylifosfamides

Analysis of ifosfamide, 4-hydroxyifosfamide, N2-dechloroethylifosfamide, N3-dechloroethylifosfamide and iphosphoramide mustard in plasma by gas chromatography-mass spectrometry 674(1995)205

Deflazacort

Extraction and high-performance liquid chromatographic separation of deflazacort and its metabolite 21-hydroxydeflazacort. Application to urine samples 657(1994)248

Simultaneous determination of deflazacort metabolites II and III, cortisol, cortisone, prednisolone and prednisone in human serum by reversed-phase high-performance liquid chromatography 658(1994)55

Dehydroascorbic acid

Simultaneous determination of ascorbic acid and dehydroascorbic acid in fish tissues by high-performance liquid chromatography 667(1995)355

Dehydroisoandrosterone-3-glucuronide

Determination of urinary glucuronide conjugates by highperformance liquid chromatography with pre-column fluorescence derivatization 654(1994)171

Delavirdine

Simple, rapid and sensitive high-performance liquid chromatographic determination of delavirdine and its N-desisopropyl metabolite in human plasma 668(1995)99

N-Demethyldesacetyldiltiazem

Solid-phase extraction method for the determination of diltiazem and its metabolites by high-performance liquid chromatography: fact or fallacy? 660(1994)221

N-Demethyldiltiazem

Solid-phase extraction method for the determination of diltiazem and its metabolites by high-performance liquid chromatography: fact or fallacy? 660(1994)221

Deoxyadenosine

Rapid radioassay for metabolites of adenosine and deoxyadenosine in erythrocytes 674(1995)132

Deoxycholic acid

Bile acid separation 671(1995)299

17-Deoxycorticosterone

Micellar electrokinetic capillary chromatographic separation of steroids in urine by trioctylphosphine oxide and cationic surfactant 674(1995)31

2'-Deoxy-2'-2'-difluorocytidine

Validated assays for the determination of gemcitabine in human plasma and urine using high-performance liquid chromatography with ultraviolet detection 665(1995)171

3-Deoxyglucosone

Quantitation of the glycation intermediate 3deoxyglucosone by oxidation with rabbit liver oxoaldehyde dehydrogenase to 2-keto-3-deoxygluconic acid followed by high-performance liquid chromatography 660(1994)265

Deoxypyridinoline

Determination of pyridinium crosslinks in plasma and serum by high-performance liquid chromatography 656(1994)303

2'-Deoxy-3'-thiacytidine

Automated high-performance liquid chromatographic analysis of (-)-2'-deoxy-3'-thiacytidine in biological fluids using the automated sequential trace enrichment of dialysate systems 655(1994)253

High-performance liquid chromatographic assay for 2'-deoxy-3'-thiacytidine in human serum 657(1994)227

L-Deprenyl

Sensitive high-performance liquid chromatographic method for the determination of the three main metabolites of selegiline (L-deprenyl) in human plasma 656(1994)251

Dermatan sulphate

Activity of chondroitin ABC lyase on dermatan sulfate partially degraded by cupric-ion-mediated free-radical treatment 669(1995)197

Desacetyldiltiazem

Determination of diltiazem and its main metabolites in human plasma by automated solid-phase extraction and high-performance liquid chromatography: a new method overcoming instability of the compounds and interference problems 657(1994)133

Solid-phase extraction method for the determination of diltiazem and its metabolites by high-performance liquid chromatography: fact or fallacy? 660(1994)221

N-Desacetylmonodesmethyldiltiazem

Determination of diltiazem and its main metabolites in human plasma by automated solid-phase extraction and high-performance liquid chromatography: a new method overcoming instability of the compounds and interference problems 657(1994)133

Desalkylflurazepam

Gas chromatographic-mass spectrometric method for the determination of flurazepam and its major metabolites in mouse and rat plasma 658(1994)142

N-Desbutylhalofantrine

Direct determination of the enantiomers of the antimalarial drug halofantrine and its active metabolite N-desbutylhalofantrine in human plasma 657(1994)238

Descarboethoxyloratidine

Sensitive gas-liquid chromatographic method for the determination of loratadine and its major active metabolite, descarboethoxyloratadine, in human plasma using a nitrogen-phosphorus detector 657(1994)125

N-Descinnamovlcinmetacin

Gas chromatographic-electron-impact chemical ionization mass spectrometric identification of cinmetacin and its metabolites in human urine 660(1994)75

N-Desdimethyltamoxifen

Direct determination of tamoxifen and its four major metabolites in plasma using coupled column highperformance liquid chromatography 655(1994)261

Desfuroylceftiofur

Determination of ceftiofur and its desfuroylceftiofur-related metabolites in swine tissues by high-performance liquid chromatography 673(1995)231

Deshydroxyethylperphenazine

Quantitative determination of perphenazine and its metabolites in plasma by high-performance liquid chromatography and coulometric detection 668(1995)291

Desipramine

Simultaneous determination of lofepramine and desipramine by a high-performance liquid chromatographic method used for therapeutic drug monitoring 665(1995)355

Rapid microsample analysis of imipramine and desipramine by reversed-phase high-performance liquid chromatography with ultraviolet detection 668(1995)338

High-performance liquid chromatographic method for the analysis of imipramine metabolism in vitro by liver and brain microsomes 673(1995)251

N-Desisopropyldelavirdine

Simple, rapid and sensitive high-performance liquid chromatographic determination of delavirdine and its N-desisopropyl metabolite in human plasma 668(1995)99

N-Desisopropylpropranolol

Simplified high-performance liquid chromatographic method for propranolol and five metabolites in liver perfusate, rat serum and dog plasma 655(1994)293

O-Desmethylcinmetacin

Gas chromatographic-electron-impact chemical ionization mass spectrometric identification of cinmetacin and its metabolites in human urine 660(1994)75

Desmethylcitalopram

Simultaneous determination of citalopram and its metabolites by high-performance liquid chromatography with column switching and fluorescence detection by direct plasma injection 668(1995)299

Simplified high-performance liquid chromatographic method for the determination of citalopram and desmethylcitalopram in serum without interference from commonly used psychotropic drugs and their metabolites 675(1996)83

Desmethylclomipramine

Improved clean-up procedure for the high-performance liquid chromatographic assay of clomipramine and its demethylated metabolite in human plasma 669(1995)416

N-Desmethylclozapine

Column liquid chromatographic determination of clozapine and N-desmethylclozapine in human serum using solid-phase extraction 673(1995)311

N-Desmethyldanofloxacin

Simultaneous determination of danofloxacin and N-desmethyldanofloxacin in cattle and chicken edible tissues by liquid chromatography with fluorescence detection 675(1996)243

N-Desmethyldiazepam

Development and preliminary application of highperformance liquid chromatographic assay of urinary metabolites of diazepam in humans 668(1995)77

Desmethylmaprotiline

Assay for maprotiline in human serum with improved sensitivity and selectivity 656(1994)245

Desmethylsertraline

Determination of sertraline and desmethylsertraline in human serum using copolymeric bonded-phase extraction, liquid chromatography and gas chromatography-mass spectrometry 655(1994)138

N-Desmethyltamoxifen

Direct determination of tamoxifen and its four major metabolites in plasma using coupled column highperformance liquid chromatography 655(1994)261

Desmethylterbinafine

Determination of terbinafine and its desmethyl metabolite in human plasma by high-performance liquid chromatography 663(1995)353

Desmethyltrimipramine

Determination of trimipramine and its demethylated and hydroxylated metabolites in plasma by gas chromatography-mass spectrometry 652(1994)97

Desmethylxanomeline

Determination of xanomeline and active metabolite, N-desmethylxanomeline, in human plasma by liquid chromatography—atmospheric pressure chemical ionization mass spectrometry 668(1995)273

High-performance liquid chromatographic assay for xanomeline, a specific M-1 agonist, and its metabolite in human plasma 669(1995)397

N-Desmethylzopiclone

Enantioselective determination of zopiclone and its metabolites in urine by capillary electrophoresis 675(1996)139

Desmosine

Enrichment and analysis of desmosine and isodesmosine in biological fluids 668(1995)199

Destruxins

Non-extractive metabolism study of E and A destruxins in the locust. Locusta migratoria L. 656(1994)281

Detajmium

Fatal poisoning with detajmium: identification of detajmium and its metabolites and artifacts by gas chromatography—mass spectrometry and quantification by high-performance liquid chromatography 661(1994)47

Dexamethasone

Determination of dexamethasone in plasma of premature neonates using high-performance liquid chromatography 658(1994)189

Dexfenfluramine

New chiral high-performance liquid chromatographic methodology used for the pharmacokinetic evaluation of dexfenfluramine 654(1994)231

Dexrazoxane hydrolysis product

Quantitation of the dexrazoxane hydrolysis product ADR-925 by fluorescence detection of its terbium(III) complex after high-performance liquid chromatographic separation 656(1994)451

Dextran

Effect of some poly(ethylene glycol)-bound and dextranbound affinity ligands on the partition of synaptic membranes in aqueous two-phase systems 652(1994)137

Dextromethorphan

Screening for hydroxylation and acetylation polymorphisms in man via simultaneous analysis of urinary metabolites of mephenytoin, dextromethorphan and caffeine by capillary electrophoretic procedures 656(1994)219

Sodium dodecyl sulfate solution is an effective between-run rinse for capillary electrophoresis of samples in biological matrices 663(1995)400

Diacetyl acetoin

Simple and sensitive determination of 2,3-butanediol in biological samples by gas chromatography with electron-capture detection 654(1994)1

Diacylglycerols

Complementary chromatographic analysis of free diacylglycerols and potential glycerophospholipid precursors in human SH-SY5Y neuroblastoma cells following incubation with lithium chloride 658(1994)223

Quantitative chromatographic analysis of inositol phospholipids and related compounds 671(1995)255

Diadenosine 5',5"'-p1,p4-tetraphosphate

High-performance liquid chromatographic determination of diadenosine 5',5'''-p¹,p⁴-tetraphosphate with precolumn fluorescence derivatization and its application to metabolism study in whole blood 667(1995)339

2,4-Diamino-N¹⁰-methylpteroic acid

Simultaneous quantitation of methotrexate and its two main metabolites in biological fluids by a novel solid-phase extraction procedure using high-performance liquid chromatography 665(1995)163

1,3-Diaminopropane

Rapid high-performance liquid chromatographic method for the quantitation of polyamines as their dansyl derivatives: application to plant and animal tissues 666(1995)329

(-)- β -D-2,6-Diaminopurine dioxolane

High-performance liquid chromatographic determination of (-)- β -D-2,6-diaminopurine dioxolane and its metabolite, dioxolane guanosine, using ultraviolet and on-line radiochemical detection 672(1995)119

2,4-Diaminotoluene

Determination of hemoglobin adduct levels of the carcinogen 2,4-diaminotoluene using gas chromatography-electron impact positive-ion mass spectrometry 667(1995)166

cis-Diammineaquachloroplatinum(II)

see also Cisplatin

Determination of cisplatin and cis-diammineaquachloroplatinum(II) ion by liquid chromatography using post-column derivatization with diethyldithiocarbamate 652(1994)203

Diazepam

Novel precolumn deproteinization method using a hydroxyapatite cartridge for the determination of theophylline and diazepam in human plasma by high-performance liquid chromatography with ultraviolet detection 655(1994)73

Development and preliminary application of highperformance liquid chromatographic assay of urinary metabolites of diazepam in humans 668(1995)77

Dibenzo-p-dioxins

Liquid-gel partitioning using Lipidex in the determination of polychlorinated biphenyls, naphthalenes, dibenzo-p-dioxins and dibenzofurans in blood plasma 669(1995)207

Dibenzofurans

Liquid-gel partitioning using Lipidex in the determination of polychlorinated biphenyls, naphthalenes, dibenzo-p-dioxins and dibenzofurans in blood plasma 669(1995)207

Dibutyltin

Speciation of organotin compounds by capillary electrophoresis using indirect ultraviolet absorbance detection 669(1995)103

Diclofenac

High-performance liquid chromatographic assay for antiinflammatory agents diclofenac and flurbiprofen in ocular fluids 654(1994)140

Didanosine

Determination of free serum didanosine by ultrafiltration and high-performance liquid chromatography 675(1996)89

5,10-Dideaza-5,6,7,8-tetrahydrofolate

Measurement of 5,10-dideaza-5,6,7,8-tetrahydrofolate (lometrexol) in human plasma and urine by high-performance liquid chromatography 663(1995)327

N,15-Didehydro-15-deoxo-1-deoxy-1,15-epoxy-8-O-pivaloyl-3-[4-(2,4,6-

trimethylbenzyl)-1-piperazinyl]rifamycin

Determination of the rifamycin-related hypolipidemic drug CGP 43371 in human feces, plasma and urine by high-performance liquid chromatography 660(1994)135

Didesmethylcitalopram

Simultaneous determination of citalopram and its metabolites by high-performance liquid chromatography with column switching and fluorescence detection by direct plasma injection 668(1995)299

Didesmethylimipramine

High-performance liquid chromatographic method for the analysis of imipramine metabolism in vitro by liver and brain microsomes 673(1995)251

Didesmethyltrimipramine

Determination of trimipramine and its demethylated and hydroxylated metabolites in plasma by gas chromatography-mass spectrometry 652(1994)97

Diethylenetriaminepentaacetic acid

Assay for the dianhydride of diethylenetriaminepentaacetic acid and its major degradation products by capillary electrophoresis 669(1995)149

Digoxigenin

Bioanalysis of digoxin and its metabolites using direct serum injection combined with liquid chromatography and on-line immunochemical detection 653(1994)55

Digoxigenin digitoxose

Bioanalysis of digoxin and its metabolites using direct serum injection combined with liquid chromatography and on-line immunochemical detection 653(1994)55

Digoxin

Bioanalysis of digoxin and its metabolites using direct serum injection combined with liquid chromatography and on-line immunochemical detection 653(1994)55

Dihydroartemisinin

Differential extraction of artemether and its metabolite dihydroartemisinin from plasma and determination by high-performance liquid chromatography 660(1994)196

Determination of artemether and dihydroartemisinin in blood plasma by high-performance liquid chromatography for application in clinical pharmacological studies 669(1995)289

Dihydrocodeine

Simultaneous determination of dihydrocodeine and its metabolites in dog plasma by high-performance liquid chromatography with electrochemical and ultraviolet detection 654(1994)213

Simultaneous determination of dihydrocodeine and dihydromorphine in serum by gas chromatography-tandem mass spectrometry 663(1995)59

Analysis of common opiates and heroin metabolites in urine by high-performance liquid chromatography 663(1995)225

Exploration of the metabolism of dihydrocodeine via determination of its metabolites in human urine using micellar electrokinetic capillary chromatography 668(1995)159

Gas chromatography with surface ionization detection: a highly sensitive method for determining underivatized codeine and dihydrocodeine in body fluids 673(1995)189

Determination of opiates in urine by capillary electrophoresis 675(1996)213

Dihydrocodeine glucuronide

Simultaneous determination of dihydrocodeine and its metabolites in dog plasma by high-performance liquid chromatography with electrochemical and ultraviolet detection 654(1994)213

7,8-Dihydrocostatolide

High-performance liquid chromatographic measurement of the novel anti-HIV agent 7,8-dihydrocostatolide (NSC 661123) 658(1994)129

1,2-Dihydro-4-(1,2-dihydro-2-oxo-1-pyridyl)-2,2-dimethyl-1-oxonaphthalene-6-carbonitrile

On-line fully automated solid-phase extraction-liquid chromatography analysis of 1,2-dihydro-4-(1,2-dihydro-2-

oxo-1-pyridyl)-2,2-dimethyl-1-oxonaphthalene-6-carbonitrile (UR-8225), a new potassium channel opener, in plasma samples 661(1994)319

10,11-Dihydro-10,11-trans-dihydroxycarbamazepine

Automated microanalysis of oxcarbazepine and its monohydroxy and transdiol metabolites in plasma by liquid chromatography 658(1994)167

Dihydroetorphine

Identification of dihydroetorphine in biological fluids by gas chromatography-mass spectrometry 667(1995)344

10,11-Dihydrohydroxycarbamazepine

Narrow-bore liquid chromatographic assay for oxcarbazepine and its major metabolite in rat brain, liver and blood microdialysates 657(1994)149

Automated microanalysis of oxcarbazepine and its monohydroxy and transdiol metabolites in plasma by liquid chromatography 658(1994)167

Liquid chromatographic assay using a microcolumn coupled to a U-shaped optical cell for high-sensitivity ultraviolet absorbance detection of oxcarbazepine and its major metabolite in microdialysates 672(1995)97

2,3-Dihydro-7-methoxypyrrolo[2,1-b]quinazolin-9(1H)-one Quantification of 2,3-dihydro-7-methoxypyrrolo-[2,1-b]-quinazolin-9(1H)-one, a new antiallergic agent, by high-performance liquid chromatography in serum 658(1994)198

Dihydromorphine

Simultaneous determination of dihydrocodeine and its metabolites in dog plasma by high-performance liquid chromatography with electrochemical and ultraviolet detection 654(1994)213

Simultaneous determination of dihydrocodeine and dihydromorphine in serum by gas chromatography-tandem mass spectrometry 663(1995)59

Dihydronoethisterone

Simultaneous determination of norethisterone and six metabolites in human plasma by capillary gas chromatography with mass-selective detection 674(1995)155

Dihydronorcodeine

Simultaneous determination of dihydrocodeine and its metabolites in dog plasma by high-performance liquid chromatography with electrochemical and ultraviolet detection 654(1994)213

Dihydropyridine

High-performance liquid chromatographic determination of oxodipine enantiomers, a new 1,4-dihydropyridine, applied to stereoselectivity studies in man and dog 660(1994)341

Sensitive high-performance liquid chromatographic analysis of amlodipine in human plasma with amperometric detection and a single-step solid-phase sample preparation 672(1995)310

Dihydroquinidine

Determination of quinidine, dihydroquinidine, (3S)-3-hydroxyquinidine and quinidine N-oxide in plasma and urine by high-performance liquid chromatography 660(1994)103

Dihydrouracil

Automated screening system for purine and pyrimidine metabolism disorders using high-performance liquid chromatography 672(1995)233

2,8-Dihydroxyadenine

Automated screening system for purine and pyrimidine metabolism disorders using high-performance liquid chromatography 672(1995)233

4,4'-Dihydroxyantipyrine

Separation and identification of phase I and phase II [14C]antipyrine metabolites in rat and dog urine 666(1995)139

Dihydroxybenzoates

Separation of dihydroxybenzoates, indicators of in-vivo hydroxyl free radical formation, in the presence of transmitter amines and some metabolites in rodent brain, using high-performance liquid chromatography with electrochemical detection 664(1995)247

4,4'-Dihydroxybenzophenone-2,4-dinitrophenylhydrazone

High-performance liquid chromatographic determination of 4,4'-dihydroxybenzophenone-2,4-dinitrophenylhydrazone in plasma 670(1995)365

Dihydroxymelphalan

High-performance liquid chromatographic assay for the measurement of melphalan and its hydrolysis products in perfusate and plasma and melphalan in tissues from human and rat isolated limb perfusions 673(1995)267

Dihydroxypaclitaxel

Determination of paclitaxel and metabolites in mouse plasma, tissues, urine and faeces by semi-automated reversed-phase high-performance liquid chromatography 664(1995)383

Dihydroxyphenylacetic acid

Improved assay for plasma dihydroxyphenylacetic acid and other catechols using high-performance liquid chromatography with electrochemical detection 653(1994)131

High-performance liquid chromatographic determination of catecholamine metabolites and 5-hydroxyindoleacetic acid in human urine using a mixed-mode column and an eight-channel electrode electrochemical detector 658(1994)63

Microbore high-performance liquid chromatographic method for the measurement of dopamine and its metabolites: recommendations for optimal sample collection and storage 660(1994)158

Stability of 3,4-dihydroxyphenylacetic acid in plasma extracts assayed by high-performance liquid chromatography with electrochemical detection 669(1995)413

Improved detection limit for catecholamines using liquid chromatography-electrochemistry with a carbon interdigitated array microelectrode 670(1995)21

Identification of flavonoid metabolities after oral administration to rats of a *Ginkgo biloba* extract 673(1995)75

Dihydroxyphenylalanine

Improved assay for plasma dihydroxyphenylacetic acid and other catechols using high-performance liquid chromatography with electrochemical detection 653(1994)131

Dihydroxyphenylglycol

Improved assay for plasma dihydroxyphenylacetic acid and other catechols using high-performance liquid chromatography with electrochemical detection 653(1994)131

Diisopropyl fluorophosphate

Capillary gas chromatographic method for the determination of *n*-butyl-*p*-aminobenzoate and lidocaine in plasma samples 673(1995)51

Diltiazem

Determination of diltiazem and its main metabolites in human plasma by automated solid-phase extraction and high-performance liquid chromatography: a new method overcoming instability of the compounds and interference problems 657(1994)133

Solid-phase extraction method for the determination of diltiazem and its metabolites by high-performance liquid chromatography: fact or fallacy? 660(1994)221

Simultaneous determination of diltiazem and quinidine in human plasma by liquid chromatography 672(1995)261

$N^4\hbox{-}[2,6\hbox{-}Dimethoxy-4\hbox{-}methyl\hbox{-}[(3\hbox{-}trifluoromethyl)phenoxy]-8-quinolinyl]-1,4\hbox{-}pentanediamine}$

Quantification of the individual enantiomer plasma concentrations of the candidate antimalarial agent N⁴-[2,6-dimethoxy-4-methyl-5-[(3-trifluoromethyl)phenoxy]-8-quinolinyl]-1,4-pentanediamine (WR 238,605) 670(1995)251

Dimethylaminoetoposide

High-performance liquid chromatographic assay for the determination of the novel etoposide derivative dimethylaminoetoposide (NK611) and its metabolites in urine of cancer patients 664(1995)409

4-(N,N-Dimethylaminosulphonyl)-7-hydrazino-2,1,3benzoxadiazole

High-performance liquid chromatographic determination of short-chain aliphatic aldehydes using 4-(N,Ndimethylaminosulphonyl)-7-hydrazino-2,1,3-benzoxadiazole as a fluorescence reagent 661(1994)205

Dimethylarsinate

Evaluation of high-performance liquid chromatography for the separation and determination of arsenic species by online high-performance liquid chromatographic-hydride generation-atomic absorption spectrometry 666(1995)101

Identification of methylated metabolites of inorganic arsenic by thin-layer chromatography 668(1995)21

7-[(2,2-Dimethyl)propyl]-1-methylxanthine

Determination of a new antibronchospastic agent, MX2/ 120, in guinea pig plasma by high-performance liquid chromatography in a pharmacokinetic study 661(1994)313

$(S)\hbox{-}2\hbox{-}[5\hbox{-}(3,5\hbox{-}Dimethylpyrazol-1-yl)pent-1-yl] sulphinyl-4,5\hbox{-}$ diphenylimidazole

Assay and single dose pharmacokinetics of a novel systemic acyl coenzyme A cholesterol O-acyltransferase inhibitor, RP 73163, in rat plasma using automated solid-phase extraction with high-performance liquid chromatography 661(1994)119

Dimethyltestosterone

Micellar electrokinetic capillary chromatographic separation of steroids in urine by trioctylphosphine oxide and cationic surfactant 674(1995)31

Dimethyltin

Speciation of organotin compounds by capillary electrophoresis using indirect ultraviolet absorbance detection 669(1995)103

2,2-Dimethyl-N-(2,4,6-trimethoxyphenyl) do decan a mide

Determination of 2,2-dimethyl-N-(2,4,6-trimethoxyphenyl) dodecanamide, CI-976, in rat plasma by reversed-phase high-performance liquid chromatography 653(1994)205

1,3-Dimethyluric acid

Determination of theophylline and its metabolites in rat liver microsomes and human urine by capillary electrophoresis 665(1995)201

1,3-Dimethylxanthine

Determination of theophylline and its metabolites in rat liver microsomes and human urine by capillary electrophoresis 665(1995)201

Dimiracetam

Determination of the polar drug dimiracetam in human plasma and serum by column-switching high-performance liquid chromatography 666(1995)169

$N\alpha$ -(2,4-Dinitrol-5-fluorophenyl)-L-alaninamide

Separation and quantification of D- and L-phosphoserine in rat brain using Nα-(2,4-dinitro-5-fluorophenyl)-Lalaninamide (Marfey's reagent) by high-performance liquid chromatography with ultraviolet detection 672(1995)290

Dinitrophenyltaurine

Rapid assay of dinitrophenyl derivative of taurine by highperformance liquid chromatography 656(1994)81

$l-\alpha$ -Dinoracetylmethadol

Determination of l- α -acetylmethadol, l- α noracetylmethadol and l- α -dinoracetylmethadol in plasma by gas chromatography-mass spectrometry 655(1994)201

2,3-Dinor-6-ketoprostaglandin $F_{1\alpha}$ Simplified assay for the quantification of 2,3-dinor-6-ketoprostaglandin F_{1α} by gas chromatography-mass spectrometry 653(1994)117

Microdetermination of 2,3-dinor-6-ketoprostaglandin $F_{1\alpha}$ in human urine using gas chromatography-high-resolution selected-ion monitoring 658(1994)11

Dinucleotides

High-performance liquid chromatographic analysis of methylation changes of CCGG sequence in brain and liver DNA of mice during pre- and postnatal development 653(1994)211

cis-Diols

Protein-boronic acid conjugates and their binding to lowmolecular-mass cis-diols and glycated hemoglobin 670(1995)37

Dioxolane guanosine

High-performance liquid chromatographic determination of (-)- β -D-2,6-diaminopurine dioxolane and its metabolite, dioxolane guanosine, using ultraviolet and on-line radiochemical detection 672(1995)119

Dipalmitoyl phosphatidylcholine

Analysis of dipalmitoyl phosphatidylcholine in amniotic fluid by enzymatic hydrolysis and high-performance thinlayer chromatography reflectance spectrodensitometry 665(1995)79

Dipeptides

Femtomole detection of amino acids and dipeptides by gas chromatography-negative-ion chemical ionization mass spectrometry following alkylation with pentafluorobenzyl bromide 658(1994)213

Diphenhydramine

Simultaneous analysis of diphenylmethoxyacetic acid, a metabolite of diphenhydramine, and its deuterium-labeled stable isotope analog in ovine plasma and urine 663(1995)67

Diphenylamine

Application of the desulfurization of phenothiazines for a sensitive detection method by high-performance liquid chromatography 661(1994)85

Diphenylmethoxyacetic acid

Simultaneous analysis of diphenylmethoxyacetic acid, a metabolite of diphenhydramine, and its deuterium-labeled stable isotope analog in ovine plasma and urine 663(1995)67

Diquat

Simple method for analysis of diquat in biological fluids and tissues by high-performance liquid chromatography 674(1995)193

Disaccharides

High-performance liquid chromatographic identification of eight constitutional disaccharides from heparan sulfate isomers digested with heparitinases 670(1995)3

Disulfides

Determination of thiols and disulfides using highperformance liquid chromatography with electrochemical detection 672(1995)73

DMP 728

Determination of DMP 728, a IIb/IIIa receptor antagonist, in rat and dog plasma by high-performance liquid chromatography with fluorimetric detection 657(1994)254

DNA

High-performance liquid chromatographic analysis of methylation changes of CCGG sequence in brain and liver DNA of mice during pre- and postnatal development 653(1994)211

Quantitation of polymerase chain reaction products by capillary electrophoresis using laser fluorescence 658(1994)271

Quantitative analysis of DNA aberrations amplified by competitive polymerase chain reaction using capillary electrophoresis 660(1994)271

Application of capillary high-performance liquid chromatography to biotechnology, with reference to the analysis of recombinant DNA-derived human growth hormone 662(1994)335

Quantitative analysis of phosphorothioate oligonucleotides in biological fluids using direct injection fast anionexchange chromatography and capillary gel electrophoresis 662(1994)343 Chromatography in DNA radiolabeling: hands-off automation using a robotic workstation 664(1995)303

DNA-immobilized polyhydroxyethylmethacrylate microbeads for affinity sorption of human immunoglobulin G and anti-DNA antibodies 666(1995)215

Poly(ethyleneoxide) for high-resolution and high-speed separation of DNA by capillary electrophoresis 669(1995)113

On-line melting of double-stranded DNA for analysis of single-stranded DNA using capillary electrophoresis 675(1996)205

N-Dodecyl-N, N-dimethylammonium-3-propane-1-sulphonic acid

Anionic-zwitterionic mixed micelles in micellar electrokinetic chromatography: sodium dodecyl sulfate-N-dodecyl-N,N-dimethylammonium-3-propane-1-sulfonic acid 657(1994)271

Dolasetron mesilate

Simultaneous measurement of the major metabolites of dolasetron mesilate in human urine using solid-phase extraction and high-performance liquid chromatography 661(1994)101

Dolichol

Simultaneous reversed-phase high-performance liquid chromatographic separation of non-polar isoprenoid lipids and their determination 674(1995)177

Dolichyl ester

Simultaneous reversed-phase high-performance liquid chromatographic separation of non-polar isoprenoid lipids and their determination 674(1995)177

Dopamine

Simultaneous determination of levodopa methyl ester, levodopa, 3-O-methyldopa and dopamine in plasma by high-performance liquid chromatography with electrochemical detection 653(1994)17

Improved assay for plasma dihydroxyphenylacetic acid and other catechols using high-performance liquid chromatography with electrochemical detection 653(1994)131

Determination of free urinary catecholamines by highperformance liquid chromatography with electrochemical detection 655(1994)121

High-performance liquid chromatographic determination of norepinephrine, epinephrine and dopamine in human foetal adrenal gland 656(1994)77

Microbore high-performance liquid chromatographic method for the measurement of dopamine and its metabolites: recommendations for optimal sample collection and storage 660(1994)158

Simultaneous high-performance liquid chromatographic determination of adenosine and dopamine in rat striatal tissue with combined ultraviolet absorbance and electrochemical detection 662(1994)21

Automated analysis of urinary catecholamines by highperformance liquid chromatography and on-line sample pretreatment 664(1995)287

Stability of 3,4-dihydroxyphenylacetic acid in plasma extracts assayed by high-performance liquid chromatography with electrochemical detection 669(1995)413

Improved detection limit for catecholamines using liquid chromatography-electrochemistry with a carbon interdigitated array microelectrode 670(1995)21

Determination of monoamine oxidase B activity by highperformance liquid chromatography with electrochemical detection 672(1995)138

Selective extraction of β -blockers from biological fluids by column-switching high-performance liquid chromatography using an internal-surface phenylboronic acid precolumn 675(1996)168

Determination of total dopamine, R- and S-salsolinol in human plasma by cyclodextrin bonded-phase liquid chromatography with electrochemical detection 660(1994)235

Dopamine, peroxidative oxidation products

Characterization of peroxidative oxidation products of dopamine by mass spectrometry 658(1994)21

Dopamine receptor agonist

Sensitive high-performance liquid chromatographic method for a dopamine receptor agonist, CI-1007, and its metabolite PD 147693 in monkey plasma 665(1995)193

Dopaminochrome

Characterization of peroxidative oxidation products of dopamine by mass spectrometry 658(1994)21

Dopexamine hydrochloride

Determination of dopexamine hydrochloride in human blood by high-performance liquid chromatography with electrochemical detection 667(1995)283

Droloxifene

Sensitive method for the quantitation of droloxifene in plasma and serum by high-performance liquid chromatography employing fluorimetric detection 674(1995)253

Drugs

Switching-valve-filter technique for the direct injection and analysis of drugs in plasma using high-performance liquid chromatography 652(1994)35

Biomedical applications of capillary electrophoresis 656(1994)3

High-performance liquid chromatography-based assays of enzyme activities 656(1994)143

Novel solid-phase extraction strategy for the isolation of basic drugs from whole blood. Preliminary study using commercially available extraction cartridges 669(1995)229

Chromatographic techniques—the basis of doping control 674(1995)1

Drugs, medium-polarity

Application of column-switching techniques to the determination of medium polarity drugs: determination of acetazolamide in urine 654(1994)85

Drugs of abuse

Identification and quantitation of drugs of abuse in urine using the generalized rank annihilation method of curve resolution 655(1994)213

DU-6859a

High-performance liquid chromatographic determination of the new quinolone antibacterial agent DU-6859a in human serum and urine using solid-phase extraction with photolysis-fluorescence detection 660(1994)365

DuP 697

Simultaneous quantification of an anti-inflammatory compound (DuP 697) and a potential metabolite (X6882) in human plasma and urine by high-performance liquid chromatography 660(1994)143

DuP 734

Determination of a novel sigma receptor antagonist, DuP 734, in rat plasma by reversed-phase high-performance liquid chromatography with ultraviolet detection 653(1994)221



E3810

Determination of a new H⁺-K⁺ ATPase inhibitor (E3810) and its four metabolites in human plasma by high-performance liquid chromatography 660(1994)211

Enantioselective high-performance liquid chromatographic assay for determination of the enantiomers of a new antiulcer agent, E3810, in Beagle dog plasma and rat plasma 673(1995)113

Ecgonine methyl ester

Simultaneous detection of cocaine and heroin metabolites in urine by solid-phase extraction and gas chromatographymass spectrometry 658(1994)69

Echistatin

Chromatographic separation of low-molecular-mass recombinant proteins and peptides on Superdex 30 prep grade 662(1994)325

Eicosanoids

High-performance liquid chromatographic separation of fluorescent esters of hepoxilin enantiomers on a chiral stationary phase 672(1995)282

Elastin

Enrichment and analysis of desmosine and isodesmosine in biological fluids 668(1995)199

Embutramide

Determination of embutramide in biological matrices by gas chromatography with nitrogen-phosphorus detection 661(1994)69

Endogenous compounds

Biomedical applications of capillary electrophoresis 656(1994)3

Endopeptidase

Capillary liquid chromatography-fast atom bombardment mass spectrometry using a high-resolving cation exchanger, based on a continuous chromatographic matrix 664(1995)426

Quantification of a dual angiotensin I-converting enzymeneutral endopeptidase inhibitor and the active thiol metabolite in dog plasma by high-performance liquid chromatography with ultraviolet absorbance detection 670(1995)91

Endoproteinases

Immobilized residue-specific endoproteinases for protein sequencing 656(1994)169

Enkephalins

High-performance liquid chromatographic determination of intrathecally administered [D-Ala²-D-Leu⁵]-enkephalin concentrations in canine cerebrospinal fluid 657(1994)243

Improved clean-up method for the enkephalins in plasma using immunoaffinity chromatography 653(1994)147

Enoxacin

Simultaneous determination of theophylline, enoxacin and ciprofloxacin in human plasma and saliva by high-performance liquid chromatography 669(1995)372

Enrofloxacin

Simultaneous determination of benofloxacin, danofloxacin, enrofloxacin and ofloxacin in chicken tissues by high-performance liquid chromatography 653(1994)69

Simultaneous determination of enrofloxacin and its primary metabolite ciprofloxacin in bovine milk and plasma by ion-pairing liquid chromatography 658(1994)341

Enzyme inhibitors

Quantification of a dual angiotensin I-converting enzymeneutral endopeptidase inhibitor and the active thiol metabolite in dog plasma by high-performance liquid chromatography with ultraviolet absorbance detection 670(1995)91

Enzymes

see also Proteins

Biomedical applications of capillary electrophoresis 656(1994)3

High-performance liquid chromatography-based assays of enzyme activities 656(1994)143

Capillary electrophoresis: separation and quantitation of reverse transcriptase polymerase chain reaction products from polio virus 656(1994)159

Immobilized residue-specific endoproteinases for protein sequencing 656(1994)169

Determination of aspartate aminotransferase activity by high-performance liquid chromatography 656(1994)191

Fractionation and purification of the thiol proteinases from papaya latex 656(1994)203

Determination of L-asparagine in biological samples in the presence of L-asparaginase 657(1994)47

Electrophoretically mediated micro-assay of alkaline phosphatase using electrochemical and spectrophotometric detection in capillary electrophoresis 657(1994)357

Determination of enzyme activity by high-performance liquid chromatography 659(1994)209

Measurement of nucleoside diphosphate kinase-Nm23 activity by anion-exchange high-performance liquid chromatography 660(1994)37

Quantitation of the glycation intermediate 3deoxyglucosone by oxidation with rabbit liver oxoaldehyde dehydrogenase to 2-keto-3-deoxygluconic acid followed by high-performance liquid chromatography 660(1994)265

High-performance liquid chromatographic assay of human red blood cell thiopurine methyltransferase activity 661(1994)25

Use of ion-exchange and hydrophobic-interaction chromatography for the rapid purification of lysozyme-estrone glucuronide conjugates 662(1994)3

Resolution of isoforms of natural and recombinant fibrolase, the fibrinolytic enzyme from Agkistrodon contortrix contortrix snake venom, and comparison of their EDTA sensitivities 662(1994)227

High-performance liquid chromatographic assay for farnesyl-protein transferase activity with dabsylated peptide 663(1995)35

Determination of semicarbazide-sensitive amine oxidase activity in human plasma by high-performance liquid chromatography with fluorimetric detection 663(1995)43

Improved assay of reaction products to quantitate catechol-O-methyltransferase activity by high-performance liquid chromatography with electrochemical detection 663(1995)137

Determination of the acylcoenzyme A cholesterol acyltransferase inhibitor 447C88 in plasma using gas chromatography—mass spectrometry and liquid chromatography atmospheric pressure chemical ionisation tandem mass spectrometry 663(1995)275

Laboratory-scale production and purification of recombinant HIV-1 reverse transcriptase 664(1995)107

Affinity chromatography of invertase on Concanavalin Abead cellulose matrix: the case of an extraordinary strong binding glycoenzyme 664(1995)145

Capillary liquid chromatography-fast atom bombardment mass spectrometry using a high-resolving cation exchanger, based on a continuous chromatographic matrix 664(1995)426

Purine enzyme activities in peripheral blood mononuclear cells: comparison of a new non-radiochemical high-performance liquid chromatography procedure and a radiochemical thin-layer chromatography procedure 666(1995)33

Calculation of the molecular masses of two newly synthesized thermostable enzymes isolated from thermophilic microorganisms 666(1995)188

Highly sensitive high-performance liquid chromatography-fluorimetric assay method for carboxypeptidase H activity 667(1995)333

High-performance liquid chromatographic determination of prolylcarboxypeptidase activity in monkey kidney 670(1995)152

Determination of plasma activities of purine nucleoside phosphorylase by high-performance liquid chromatography: estimates of nonparenchymal cell injury after porcine liver transplantation 670(1995)332 Serial lectin affinity chromatography demonstrates altered asparagine-linked sugar chain structures of γ -glutamyltransferase in human renal cell carcinoma 672(1995)45

Determination of monoamine oxidase B activity by highperformance liquid chromatography with electrochemical detection 672(1995)138

Fluorimetric determination of monobromobimane and ophthalaldehyde adducts of γ -glutamylcysteine and glutathione: application to assay of γ -glutamylcysteinyl synthetase activity and glutathione concentration in liver 672(1995)217

Rapid quantitative determination of a collagenase inhibitor and its major metabolite by on-line liquid chromatography with ionspray tandem mass spectrometric detection 673(1995)213

Determination of the angiotensin-converting enzyme inhibitor lisinopril in urine using solid-phase extraction and reversed-phase high-performance liquid chromatography 673(1995)306

Ephedrines

Two-dimensional gas chromatography for the enantiomeric separation of ephedrine and phenaminum and their metabolites 653(1994)98

Simultaneous quantification of ephedrines in urine by highperformance liquid chromatography 661(1994)357

Identification of ephedrines as their carbon disulfide derivatives 663(1995)160

Determination of ephedrine compounds in nutritional supplements by cyclodextrin-modified capillary electrophoresis 669(1995)133

Epinephrine

Quantitation of epinephrine and norepinephrine secretion from individual adrenal medullary cells by microcolumn high-performance liquid chromatography 653(1994)25

Improved assay for plasma dihydroxyphenylacetic acid and other catechols using high-performance liquid chromatography with electrochemical detection 653(1994)131

Determination of free urinary catecholamines by highperformance liquid chromatography with electrochemical detection 655(1994)121

High-performance liquid chromatographic determination of norepinephrine, epinephrine and dopamine in human foetal adrenal gland 656(1994)77

Automated analysis of urinary catecholamines by highperformance liquid chromatography and on-line sample pretreatment 664(1995)287 Stability of 3,4-dihydroxyphenylacetic acid in plasma extracts assayed by high-performance liquid chromatography with electrochemical detection 669(1995)413

Selective extraction of β -blockers from biological fluids by column-switching high-performance liquid chromatography using an internal-surface phenylboronic acid precolumn 675(1996)168

Epitestosterone

Determination of epitestosterone and testosterone in urine by high-performance liquid chromatography 673(1995)159

Epoxides

Analytical technologies for lipid oxidation products analysis 671(1995)223

Epoxyeicosatrienoic acids

Direct resolution of epoxyeicosatrienoic acid enantiomers by chiral-phase high-performance liquid chromatography 657(1994)23

Epoxyhydroxy polyunsaturated fatty acids

High-performance liquid chromatography—thermospray mass spectrometry of epoxy polyunsaturated fatty acids and epoxyhydroxy polyunsaturated fatty acids from an incubation mixture of rat tissue homogenate 652(1994)123

Epoxy polyunsaturated fatty acids

High-performance liquid chromatography—thermospray mass spectrometry of epoxy polyunsaturated fatty acids and epoxyhydroxy polyunsaturated fatty acids from an incubation mixture of rat tissue homogenate 652(1994)123

Equilin

Switching-valve-filter technique for the direct injection and analysis of drugs in plasma using high-performance liquid chromatography 652(1994)35

Ergosterol

Determination of ergosterol in organic dust by gas chromatography-mass spectrometry 666(1995)77

Erythromycin

Determination of erythromycin in gastric juice and blood plasma by liquid chromatography and electrochemical detection 673(1995)81

Estradiols

Switching-valve-filter technique for the direct injection and analysis of drugs in plasma using high-performance liquid chromatography 652(1994)35

Porous graphitic carbon shows promise for the rapid chromatographic analysis of polar drug metabolites 667(1995)173

Separation of urinary estrogens by micellar electrokinetic chromatography 669(1995)15

Estrial

Separation of urinary estrogens by micellar electrokinetic chromatography 669(1995)15

Estrogen agonists/antagonists

Sensitive method for the quantitation of droloxifene in plasma and serum by high-performance liquid chromatography employing fluorimetric detection 674(1995)253

Estrogens

Separation of urinary estrogens by micellar electrokinetic chromatography 669(1995)15

Estrone

Switching-valve-filter technique for the direct injection and analysis of drugs in plasma using high-performance liquid chromatography 652(1994)35

Use of ion-exchange and hydrophobic-interaction chromatography for the rapid purification of lysozyme-estrone glucuronide conjugates 662(1994)3

Separation of urinary estrogens by micellar electrokinetic chromatography 669(1995)15

Estrone-3-glucuronide

Determination of urinary glucuronide conjugates by highperformance liquid chromatography with pre-column fluorescence derivatization 654(1994)171

Ethanol

Determination of plasma cocaine and ethylcocaine (cocaethylene) in mice using gas chromatography-mass spectrometry and deuterated internal standards 656(1994)335

Ethidium bromide

Capillary zone electrophoresis in polymer networks of polymerase chain reaction-amplified oligonucleotides: the case of congenital adrenal hyperplasia 657(1994)201

Ethyl clofibrate

High-performance liquid chromatographic assay for the simultaneous determination of ethyl clofibrate and clofibric acid in plasma. Evaluation of plasma stability of ethyl clofibrate polylactic nanocapsules in human and rat plasmas 661(1994)178

Ethylcocaine

Determination of plasma cocaine and ethylcocaine (cocaethylene) in mice using gas chromatography-mass spectrometry and deuterated internal standards 656(1994)335

Ethylenediaminetetraacetic acid

Resolution of isoforms of natural and recombinant fibrolase, the fibrinolytic enzyme from Agkistrodon contortrix contortrix snake venom, and comparison of their EDTA sensitivities 662(1994)227

Ethylenedimethacrylate

EDMA 2000 as a matrix for high-performance liquid chromatography of human haemoglobin chains 656(1994)119

Ethylene glycol

Gas chromatographic-mass spectrometric identification and quantitation of ethylene glycol in serum after derivatization with perfluorooctanoyl chloride: a novel derivative 666(1995)63

2-Ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine

Determination of methadone and its primary metabolite in human urine by capillary electrophoretic techniques 658(1994)355

Ethylmorphine

Subcritical fluid extraction of opiates in hair of drug addicts 658(1994)75

N-Ethyl-3-(2-pyridyldisulfanyl)propionamide

Influence of salts on protein interactions at interfaces of amphiphilic polymers and adsorbents 666(1995)21

Etiocholanorone-3-glucuronide

Determination of urinary glucuronide conjugates by highperformance liquid chromatography with pre-column fluorescence derivatization 654(1994)171

Etoposide

High-performance liquid chromatography with fluorometric detection for monitoring of etoposide and its *cis*-isomer in plasma and leukaemic cells 669(1995)311

Etretinate

Simultaneous determination of etretinate, acitretin and their metabolites in perfusate, perfusate plasma, bile or hepatic tissue with reversed-phase high-performance liquid chromatography 667(1995)105

Evodiamine

High-performance liquid chromatographic determination of evodiamine in rat plasma: application to pharmacokinetic studies 668(1995)343



Fab fragments

Use of thiophilic adsorption in the purification of biotinylated Fab fragments 664(1995)79

Factor VIII

Purification of factor VIII and von Willebrand factor from human plasma by anion-exchange chromatography 662(1994)181

Synthetic sorbents for removal of factor VIII inhibitors from haemophilic A plasma 664(1995)47

Factor IX

Improved virus safety and purity of a chromatographically produced Factor IX concentrate by nanofiltration 669(1995)187

Famprofazone

Detection and identification of famprofazone and its metabolite in human urine 661(1994)255

Farnesyl-protein transferase

High-performance liquid chromatographic assay for farnesyl-protein transferase activity with dabsylated peptide 663(1995)35

Fatty acid ethyl esters

Purification of fatty acid ethyl esters by solid-phase extraction and high-performance liquid chromatography 675(1996)189

Fatty acid methyl esters

Gas chromatographic analysis of fatty acid methyl esters 671(1995)113

Fatty acids

see also Carboxylic acids and Organic acids

High-performance liquid chromatographic study of the regulation of phospholipid metabolism in cultured adrenocortical cells 652(1994)1

High-performance liquid chromatography-thermospray mass spectrometry of epoxy polyunsaturated fatty acids and epoxyhydroxy polyunsaturated fatty acids from an incubation mixture of rat tissue homogenate 652(1994)123

Simultaneous microanalysis of biliary cholesterol, bile acids and fatty acids in lecithin using capillary column gas chromatography: an advantage to assess bile lithogenecity 653(1994)1

Capillary gas chromatography of underivatized fatty acids with a free fatty acid phase column and a programmed temperature vaporizer injector 656(1994)45

Changes in the liver, kidney and heart fatty acid composition following administration of ibuprofen to mice 656(1994)51

Fast gas chromatographic-mass spectrometric method for the evaluation of plasma fatty acid turnover using [1-13C]palmitate 657(1994)1

Gas chromatographic measurement of 3- and 4-thia fatty acids incorporated into various classes of rat liver lipids during feeding experiments 658(1994)1

Quantitation of the fatty acid composition of phosphatidic acid by capillary gas chromatography electron-capture detection with picomole sensitivity 658(1994)233

Determination of plasma fatty acid composition in neonates by gas chromatography 658(1994)369

High-performance liquid chromatographic method for determination of the metabolism of polyunsaturated molecular species of phosphatidylserine labeled in the polar group 660(1994)380

High-performance liquid chromatograpy-thermospray mass spectrometry of ω -hydroxy polyunsaturated fatty acids from rat brain homogenate 662(1994)91

Determination of portal short-chain fatty acids in rats fed various dietary fibers by capillary gas chromatography 664(1995)415

Determination of plasma non-esterified fatty acids and triglyceride fatty acids by gas chromatography of their methyl esters after isolation by column chromatography on silica gel 666(1995)1

Fatty acid profiles of lipid samples 671(1995)71

Thin-layer chromatographic procedures for lipid separation 671(1995)169

Silver ion chromatography of lipids and fatty acids 671(1995)197

Analytical technologies for lipid oxidation products analysis 671(1995)223

Separation of major polar lipids in *Pecten maximus* by high-performance liquid chromatography and subsequent determination of their fatty acids using gas chromatography 673(1995)15

2-(5-Hydrazinocarbonyl-2-oxazolyl)-

5,6-dimethoxybenzothiazole as a precolumn fluorescence derivatization reagent for carboxylic acids in high-performance liquid chromatography and its application to the assay of fatty acids in human serum 674(1995)167

Assessments on the digestibility of oxidized compounds from [1-¹⁴C]linoleic acid using a combination of chromatographic techniques 675(1996)1

Fcy receptors

Recombinant soluble Fcy receptors: production, purification and biological activities 662(1994)197

Felbamate

Sample matrix effects in micellar electrokinetic capillary electrophoresis 669(1995)75

Felodipine

Determination of felodipine, its enantiomers, and a pyridine metabolite in human plasma by capillary gas chromatography with mass spectrometric detection 666(1995)259

Fenfluramine

New chiral high-performance liquid chromatographic methodology used for the pharmacokinetic evaluation of dexfenfluramine 654(1994)231

Fenoldopam, N-ethyl tricarbamate ester

High-performance liquid chromatographic determination of the N-ethyl tricarbamate ester pro-drug of fenoldopam utilizing simultaneous post-column hydrolysis and fluorescence derivatization 661(1994)291

Fenoverine

Determination of fenoverine in tissue samples by highperformance liquid chromatography 654(1994)159

Fenprofen

Determination of the total concentration of highly proteinbound drugs in plasma by on-line dialysis and column liquid chromatography: application to non-steroidal antiinflammatory drugs 666(1995)127

Fentanyl

Sensitive and selective assay for fentanyl using gas chromatography with mass selective detection 675(1996)33

Fibrin

Ultra-rapid preparation of milligram quantities of the purified polypeptide chains of human fibrinogen 660(1994)390

Fibrinogen

Ultra-rapid preparation of milligram quantities of the purified polypeptide chains of human fibrinogen 660(1994)390

Fibrolase

Resolution of isoforms of natural and recombinant fibrolase, the fibrinolytic enzyme from *Agkistrodon* contortrix contortrix snake venom, and comparison of their EDTA sensitivities 662(1994)227

Finasteride

Picogram determination of finasteride in human plasma and semen by high-performance liquid chromatography with atmospheric-pressure chemical-ionization tandem mass spectrometry 658(1994)281

Synthesis of 5,6,6-[²H₃]finasteride and quantitative determination of finasteride in human plasma at picogram level by an isotope-dilution mass spectrometric method 674(1995)197

Flavone

Supercritical fluid extraction as a sample preparation technique for the direct isolation of drugs from plasma prior to analysis 657(1994)206

Flavonoids

Determination of (+)-catechin in plasma by highperformance liquid chromatography using fluorescence detection 665(1995)383

Determination of quercetin in human plasma using reversed-phase high-performance liquid chromatography 666(1995)149

Identification of flavonoid metabolities after oral administration to rats of a *Ginkgo biloba* extract 673(1995)75

Flosequinan

Stereospecific and simultaneous high-performance liquid chromatographic assay of flosequinan and its metabolites in human plasma 652(1994)179

Flosequinan sulphide

Stereospecific and simultaneous high-performance liquid chromatographic assay of flosequinan and its metabolites in human plasma 652(1994)179

Flosequinan sulphone

Stereospecific and simultaneous high-performance liquid chromatographic assay of flosequinan and its metabolites in human plasma 652(1994)179

Flubendazole

Determination of the antifilarial drug UMF-078 and its metabolites UMF-060 and flubendazole in whole blood using high-performance liquid chromatography 655(1994)269

Flucloxacillin

Rapid column liquid chromatographic analysis of flucloxacillin in plasma on a microparticulate pre-column 660(1994)186

Fluconazole

High-performance liquid chromatographic determination of the antifungal drug fluconazole in plasma and saliva of human immunodeficiency virus-infected patients 663(1995)345

Flumazenil

Determination of flumazenil in plasma by gas chromatography-negative ion chemical ionization mass spectrometry 663(1995)263

Simultaneous determination of midazolam and flumazenil concentrations in human plasma by gas chromatography 665(1995)217

Flunitrazepam

High-performance liquid chromatographic procedure for the measurement of nitrobenzodiazepines and their 7-amino metabolites in blood 667(1995)179

Flunixin

Detection of flunixin in equine urine using highperformance liquid chromatography with particle beam and atmospheric pressure ionization mass spectrometry after solid-phase extraction 667(1995)95

5-Fluoro-2'-deoxyuridine

Determination of the concentrations of 5-fluorouracil and its metabolites in rabbit plasma and tissues by high-performance liquid chromatography 656(1994)397

5-Fluoro-5,6-dihydrouracil

Determination of the concentrations of 5-fluorouracil and its metabolites in rabbit plasma and tissues by high-performance liquid chromatography 656(1994)397

Fluoroquinolone antimicrobial agent

Determination of a new fluoroquinolone antimicrobial agent, (S)-10-[(S)-(8-amino-6-azaspiro[3,4]octan-6-yl)]-9-fluoro-2,3-dihydro-3-methyl-7-oxo-7H-pyrido[1,2,3-de][1,4]benzoxazine-6-carboxylic acid hemihydrate, DV-7751a, in human serum and urine using solid-phase extraction and high-performance liquid chromatography with fluorescence detection 664(1995)401

Fluoroquinolones

Simultaneous determination of benofloxacin, danofloxacin, enrofloxacin and ofloxacin in chicken tissues by high-performance liquid chromatography 653(1994)69

5-Fluorouracil

Determination of the concentrations of 5-fluorouracil and its metabolites in rabbit plasma and tissues by high-performance liquid chromatography 656(1994)397

5-Fluorouridine

Determination of the concentrations of 5-fluorouracil and its metabolites in rabbit plasma and tissues by high-performance liquid chromatography 656(1994)397

cis-(Z)-Flupentixol

Sensitive gas-liquid chromatographic method for the assay of the neuroleptic drug cis(Z)-flupentixol in human serum or plasma 668(1995)31

Flurazepam

Gas chromatographic-mass spectrometric method for the determination of flurazepam and its major metabolites in mouse and rat plasma 658(1994)142

Flurbiprofen

High-performance liquid chromatographic assay for antiinflammatory agents diclofenac and flurbiprofen in ocular fluids 654(1994)140

Enhanced albumin protein separations and protein-drug binding constant measurements using anti-inflammatory drugs as run buffer additives in affinity capillary electrophoresis 661(1994)335

Determination of the total concentration of highly proteinbound drugs in plasma by on-line dialysis and column liquid chromatography: application to non-steroidal antiinflammatory drugs 666(1995)127

Folates

Identification of 5,10-methylenetetrahydrofolate in rat bile 661(1994)237

Folinic acid

High-performance liquid chromatographic determination of methotrexate, 7-hydroxymethotrexate, 5-methyltetrahydrofolic acid and folinic acid in serum and cerebrospinal fluid 661(1994)109

Formaldehyde

Volatile carbonyl levels in tissues of transgenic mice with nerve sheath tumors 654(1994)9

High-performance liquid chromatographic determination of short-chain aliphatic aldehydes using 4-(N,N-dimethylaminosulphonyl)-7-hydrazino-2,1,3-benzoxadiazole as a fluorescence reagent 661(1994)205

Fosfomycin

Determination of fosfomycin in biological fluids by capillary electrophoresis 655(1994)320

Fructose-lysine

Reliable determination of furosine in human serum and dialysate proteins by high-performance liquid chromatography 667(1995)328

Fucose

Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307

Purification method for α -1-acid glycoprotein with subsequent high-performance liquid chromatographic determination of monosaccharides in plasma of healthy subjects and patients with renal insufficiency 672(1995)199

Fumagillin

Determination of fumagillin in muscle tissue of rainbow trout using automated ion-pairing liquid chromatography 666(1995)354

Fungicides

see Pesticides

Furosemide

Determination of furosemide with its acyl glucuronide in human plasma and urine by means of direct gradient high-performance liquid chromatographic analysis with fluorescence detection 655(1994)53

Determination of piretanide and furosemide in pharmaceuticals and human urine by high-performance liquid chromatography with amperometric detection 675(1996)303

Furosemide acyl glucuronide

Determination of furosemide with its acyl glucuronide in human plasma and urine by means of direct gradient highperformance liquid chromatographic analysis with fluorescence detection 655(1994)53

Furosine

Reliable determination of furosine in human serum and dialysate proteins by high-performance liquid chromatography 667(1995)328



Gabapentin

Determination of gabapentin in serum by capillary electrophoresis 669(1995)157

Gadobenate

High-performance liquid chromatographic assay of the magnetic resonance imaging contrast agent gadobenate in plasma, urine and bile 656(1994)415

Galactose

Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307

Purification method for α -1-acid glycoprotein with subsequent high-performance liquid chromatographic determination of monosaccharides in plasma of healthy subjects and patients with renal insufficiency 672(1995)199

Galactose-specific lectins

Further identification of human plasma glycoproteins interacting with the galactose-specific lectin Jacalin 668(1995)1

β-Galactosidase

Calculation of the molecular masses of two newly synthesized thermostable enzymes isolated from thermophilic microorganisms 666(1995)188

Ganciclovir

High-performance liquid chromatographic determination of ganciclovir nucleotides in human myocardial tissue 658(1994)173

Simple reversed-phase high-performance liquid chromatography quantitation of ganciclovir in human serum and urine 675(1996)342

Gangliosides

Improved thin-layer chromatographic separation of gangliosides by automated multiple development 657(1994)75

Improved separation of isomeric gangliosides by anionexchange high-performance liquid chromatography 658(1994)39

Gemcitabine

Validated assays for the determination of gemcitabine in human plasma and urine using high-performance liquid chromatography with ultraviolet detection 665(1995)171

Gemfibroził

Biosynthesis, characterisation and direct high-performance liquid chromatographic analysis of gemfibrozil 1-O- β -acylglucuronide 665(1995)345

Gemfibrozil 1-O-β-acylglucuronide

Biosynthesis, characterisation and direct high-performance liquid chromatographic analysis of gemfibrozil 1-O-β-acylglucuronide 665(1995)345

Genaconazole

Gas chromatographic and high-performance liquid chromatographic methods for the determination of genaconazole in biological fluids 655(1994)21

Genistein

High-performance liquid chromatographic assay for genistein in biological fluids 666(1995)157

Gentamycin sulfate

Sensitive fluorimetric determination of gentamicin sulfate in biological matrices using solid-phase extraction, pre-column derivatization with 9-fluorenylmethyl chloroformate and reversed-phase high-performance liquid chromatography 675(1996)295

Gentian violet

Determination of leucogentian violet and gentian violet in catfish tissue by high-performance liquid chromatography with visible detection 674(1995)125

Gentisic acid

Direct analysis of salicylic acid, salicyl acyl glucuronide, salicyluric acid and gentisic acid in human plasma and urine by high-performance liquid chromatography 675(1996)61

GG167

Automated high-performance liquid chromatographic method for the determination of a neuraminidase inhibitor (GG167) in human serum by pre-column fluorescence derivatisation using benzoin 670(1995)279

GI147211, lactone form

High-performance liquid chromatographic analysis of the lactone and carboxylate forms of a topoisomerase I inhibitor (the antitumor drug GI147211) in plasma 663(1995)119

GI190421, carboxylate form

High-performance liquid chromatographic analysis of the lactone and carboxylate forms of a topoisomerase I inhibitor (the antitumor drug GI147211) in plasma 663(1995)119

Glucan phosphate

Comparison of the carbohydrate biological response modifiers Krestin, schizophyllan and glucan phosphate by aqueous size exclusion chromatography with in-line argonion multi-angle laser light scattering photometry and differential viscometry detectors 666(1995)283

Glucocorticosteroids

Simultaneous determination of deflazacort metabolites II and III, cortisol, cortisone, prednisolone and prednisone in human serum by reversed-phase high-performance liquid chromatography 658(1994)55

Determination of dexamethasone in plasma of premature neonates using high-performance liquid chromatography 658(1994)189

High-performance liquid chromatographic method for the determination of budesonide in bronchoalveolar lavage of asthmatic patients 664(1995)463

Rapid and efficient method for extraction and separation of glucocorticosteroids and sex steroids from urines 670(1995)373

Glucose

Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307

B-Glucosidase

Determination of phenol in urine by high-performance liquid chromatography with on-line precolumn enzymatic hydrolysis of the conjugates 658(1994)87

Glutamic acid

Preparative-scale amino acid separation by thermal parametric pumping on an ion-exchange resin 664(1995)17

Glutamine

Deamidation of asparagine and glutamine residues in proteins and peptides: structural determinants and analytical methodology 662(1994)261

γ-Glutamylcysteine

Fluorimetric determination of monobromobimane and ophthalaldehyde adducts of γ -glutamylcysteine and glutathione: application to assay of γ -glutamylcysteinyl synthetase activity and glutathione concentration in liver 672(1995)217

γ-Glutamylcysteinylglycine

Determination of extracellular glutathione in livers of anaesthetized rats by microdialysis with on-line high-performance liquid chromatography 667(1995)41

γ-Glutamylcysteinyl synthetase

Fluorimetric determination of monobromobimane and ophthalaldehyde adducts of γ -glutamylcysteine and glutathione: application to assay of γ -glutamylcysteinyl synthetase activity and glutathione concentration in liver 672(1995)217

γ -Glutamyltransferase

Serial lectin affinity chromatography demonstrates altered asparagine-linked sugar chain structures of γ -glutamyltransferase in human renal cell carcinoma 672(1995)45

Glutathione

Rapid determination of glutathione status in fish liver using high-performance liquid chromatography and electrochemical detection 656(1994)311

Determination of extracellular glutathione in rat brain by microdialysis and high-performance liquid chromatography with fluorescence detection 661(1994)231

2-(4-N-Maleimidophenyl)-6-methoxybenzofuran: a superior derivatizing agent for fluorimetric determination of aliphatic thiols by high-performance liquid chromatography 666(1995)45

Determination of extracellular glutathione in livers of anaesthetized rats by microdialysis with on-line high-performance liquid chromatography 667(1995)41

Characterization of cisplatin-glutathione adducts by liquid chromatography-mass spectrometry. Evidence for their formation in vitro but not in vivo after concomitant administration of cisplatin and glutathione to rats and cancer patients 669(1995)247

Determination of intracellular glutathione in human skeletal muscle by reversed-phase high-performance liquid chromatography 670(1995)29

Determination of thiols and disulfides using highperformance liquid chromatography with electrochemical detection 672(1995)73 Fluorimetric determination of monobromobimane and ophthalaldehyde adducts of γ -glutamylcysteine and glutathione: application to assay of γ -glutamylcysteinyl synthetase activity and glutathione concentration in liver 672(1995)217

Simultaneous quantitation of oxidised and reduced glutathione in equine biological fluids by reversed-phase high-performance liquid chromatography using electrochemical detection 673(1995)35

Effect of ageing on human plasma glutathione concentrations as determined by high-performance liquid chromatography with fluorimetric detection 674(1995)23

Glutathione-S-transferase

Analysis of the primary structure and post-translational modifications of the *Schistosoma mansoni* antigen *Smp28* by electrospray mass spectrometry 662(1994)279

Glycerides

Thin-layer chromatographic procedures for lipid separation 671(1995)169

Glycerols

Methods for the analysis of triacylglycerols 671(1995)133

Glycerophospholipids

Complementary chromatographic analysis of free diacylglycerols and potential glycerophospholipid precursors in human SH-SY5Y neuroblastoma cells following incubation with lithium chloride 658(1994)223

L-α-Glycerophosphorylcholine

Determination of plasma choline by high-performance liquid chromatography with a postcolumn enzyme reactor and electrochemical detection 656(1994)59

Glycine conjugate

Liquid chromatographic-atmospheric pressure chemical ionization mass spectrometric analysis of glycine conjugates and urinary isovalerylglycine in isovaleric acidemia 670(1995)317

Glycoamines

High-performance liquid chromatographic analysis of glycoamines in serum 656(1994)295

Glycoenzymes

Affinity chromatography of invertase on Concanavalin Abead cellulose matrix: the case of an extraordinary strong binding glycoenzyme 664(1995)145

Glycolipids

Thin-layer chromatographic procedures for lipid separation 671(1995)169

Glycoproteins

Heterogeneity of α_1 -acid glycoprotein in rheumatoid arthritis 661(1994)7

Purification of factor VIII and von Willebrand factor from human plasma by anion-exchange chromatography 662(1994)181

Coupled gel electrophoresis-agar diffusion method for the detection of tumor antigens 663(1995)51

Further identification of human plasma glycoproteins interacting with the galactose-specific lectin Jacalin 668(1995)1

Purification method for α -1-acid glycoprotein with subsequent high-performance liquid chromatographic determination of monosaccharides in plasma of healthy subjects and patients with renal insufficiency 672(1995)199

Glycosaminoglycans

High-performance liquid chromatographic identification of eight constitutional disaccharides from heparan sulfate isomers digested with heparitinases 670(1995)3

O-Glycosylated peptides

Combination of high-performance anion-exchange chromatography and electrospray mass spectrometry for analysis of the *in vitro* O-glycosylated mucin motif peptide 658(1994)31

18\(\beta\)-Glycyrrhetic acid

Determination of 18β-glycyrrhetic acid in human plasma by high-performance liquid chromatography 653(1994)112

Glyoxylate

Fast method for the simultaneous determination of 2-oxo acids in biological fluids by high-performance liquid chromatography 662(1994)97

Granisetron

Simultaneous determination of granisetron and 7-hydroxygranisetron in human plasma by high-performance liquid chromatography with fluorescence detection 660(1994)205

High-performance liquid chromatographic determination of granisetron in human plasma 675(1996)99

Granulocyte colony stimulating factor

Immunoaffinity measurement of recombinant granulocyte colony stimulating factor in patients with chemotherapy-induced neutropenia 662(1994)307

Growth factors

Immunoaffinity measurement of recombinant granulocyte colony stimulating factor in patients with chemotherapy-induced neutropenia 662(1994)307

Growth hormone releasing peptide

Application of capillary and free-flow zone electrophoresis and isotachophoresis to the analysis and preparation of the synthetic tetrapeptide fragment of growth hormone-releasing peptide 656(1994)99

Growth hormones

Deamidation of asparagine and glutamine residues in proteins and peptides: structural determinants and analytical methodology 662(1994)261

Application of capillary high-performance liquid chromatography to biotechnology, with reference to the analysis of recombinant DNA-derived human growth hormone 662(1994)335

Guanine

Determination of guanine and its nucleosides and nucleotides in human erythrocytes by high-performance liquid chromatography with postcolumn fluorescence derivatization using phenylglyoxal reagent 654(1994)19

Guanine nucleosides

Determination of guanine and its nucleosides and nucleotides in human erythrocytes by high-performance liquid chromatography with postcolumn fluorescence derivatization using phenylglyoxal reagent 654(1994)19

Guanine nucleotides

Determination of guanine and its nucleosides and nucleotides in human erythrocytes by high-performance liquid chromatography with postcolumn fluorescence derivatization using phenylglyoxal reagent 654(1994)19

Guanylhydrazones

High-performance liquid chromatographic method for guanylhydrazone compounds 675(1996)71

Guggulsterone

Sensitive high-performance liquid chromatographic assay method for the determination of guggulsterone in serum 670(1995)173



Haemoglobin

Size- and density-dependent elution of normal and pathological red blood cells by gravitational field-flow fractionation 654(1994)193

EDMA 2000 as a matrix for high-performance liquid chromatography of human haemoglobin chains 656(1994)119

Use of capillary electrophoresis-isoelectric focusing for the determination of bovine hemoglobin variants 657(1994)339

Preparative and analytical applications of immobilized haemoglobin 664(1995)89

Determination of hemoglobin adduct levels of the carcinogen 2,4-diaminotoluene using gas chromatography-electron impact positive-ion mass spectrometry 667(1995)166

Mass spectrometric analysis of haemoglobin adducts formed by methyl bromide in vitro 670(1995)349

Haemoglobin adducts

Determination of hemoglobin adducts of arylamines in humans 667(1995)75

Haemoglobin, glycated

Protein-boronic acid conjugates and their binding to low-molecular-mass *cis*-diols and glycated hemoglobin 670(1995)37

Halofantrine

Direct determination of the enantiomers of the antimalarial drug halofantrine and its active metabolite N-desbutylhalofantrine in human plasma 657(1994)238

New solid-phase extraction for an improved highperformance liquid chromatographic procedure for the quantitation of halofantrine and monodesbutylhalofantrine in blood or plasma 668(1995)315

Halogensulphonylbenzofurazans

Derivatization of thiol-containing compounds 659(1994)227

Haloperidol

Simultaneous determination of plasma haloperidol and its metabolite reduced haloperidol by liquid chromatography with electrochemical detection 656(1994)373

Megabore capillary gas-liquid chromatographic method with nitrogen-phosphorus selective detection for the assay of haloperidol and reduced haloperidol in serum: results of therapeutic drug-monitoring during acute therapy of eight schizophrenics 663(1995)289

Preliminary investigations of preconcentration-capillary electrophoresis-mass spectrometry 669(1995)67

Hematoporphyrin

Isolation and photodynamic effects of hematoporphyrin derivative components: a chromatographic analysis of the starting materials 669(1995)295

Heparan sulphate

High-performance liquid chromatographic identification of eight constitutional disaccharides from heparan sulfate isomers digested with heparitinases 670(1995)3

Heparin

Immobilization of heparin on polyacrylamide derivatives 656(1994)423

Heparin-immobilized polyhydroxyethylmethacrylate microbeads for cholesterol removal: a preliminary report 670(1995)157

Heparitinases

High-performance liquid chromatographic identification of eight constitutional disaccharides from heparan sulfate isomers digested with heparitinases 670(1995)3

Hepoxilins

High-performance liquid chromatographic separation of fluorescent esters of hepoxilin enantiomers on a chiral stationary phase 672(1995)282

Herbicides

see also Pesticides

Separation and detection of herbicides in water by micellar electrokinetic capillary chromatography 656(1994)275

Heroin

Hair analysis for drugs of abuse. VIII. Effective extraction and determination of 6-acetylmorphine and morphine in hair with trifluoroacetic acid-methanol for the confirmation of retrospective heroin use by gas chromatography-mass spectrometry 657(1994)93

Simultaneous detection of cocaine and heroin metabolites in urine by solid-phase extraction and gas chromatographymass spectrometry 658(1994)69

Simultaneous assay of cocaine, heroin and metabolites in hair, plasma, saliva and urine by gas chromatography-mass spectrometry 660(1994)279

Analysis of common opiates and heroin metabolites in urine by high-performance liquid chromatography 663(1995)225

Separation and detection of acidic and neutral impurities in illicit heroin via capillary electrophoresis 669(1995)3

Determination of opiates in urine by capillary electrophoresis 675(1996)213

N⁴-Hexadecyl-1-β-D-arabinofuranosylcytosine

Sensitive high-performance liquid chromatographic method for the determination of N⁴-hexadecyl- and N⁴-octadecyl-1 β -p-arabinofuranosylcytosine in plasma and erythrocytes 673(1995)259

Hexamethylene bisacetamide

Simultaneous measurement of the cell-differentiating agent hexamethylene bisacetamide and its metabolites by gas chromatography 652(1994)149

1,6-Hexamethylene diamine

Biological monitoring of hexamethylene diisocyanate by determination of 1,6-hexamethylene diamine as the trifluoroethyl chloroformate derivative using capillary gas chromatography with thermoionic and selective-ion monitoring 656(1994)319

Hexamethylene diisocyanate

Biological monitoring of hexamethylene diisocyanate by determination of 1,6-hexamethylene diamine as the trifluoroethyl chloroformate derivative using capillary gas chromatography with thermoionic and selective-ion monitoring 656(1994)319

n-Hexane

High-performance liquid chromatographic determination of urinary 2,5-hexanedione as mono-2,4-dinitrophenylhydrazone using ultraviolet detection 673(1995)165

2.5-Hexanedione

Determination of 2,5-hexandione by high-performance liquid chromatography after derivatization with dansylhydrazine 657(1994)111

Determination of 2,5-hexanedione, a metabolite of *n*-hexane, in urine: evaluation and application of three analytical methods 667(1995)233

High-performance liquid chromatographic determination of urinary 2,5-hexanedione as mono-2,4-dinitrophenylhydrazone using ultraviolet detection 673(1995)165

HFA-134a

Determination of the chlorofluorocarbon substitute 1,1,1,2-tetrafluoroethane (HFA-134a) in human and animal blood using gas chromatography with headspace analysis 667(1995)85

Higenamine

Determination of higenamine in plasma and urine by highperformance liquid chromatography with electrochemical detection 655(1994)33

High-density lipoproteins

Partitioning of high-density lipoproteins in charge-sensitive two-phase systems 661(1994)159

Complementary use of counter-current chromatography and hydroxyapatite chromatography for the separation of three main classes of lipoproteins from human serum 664(1995)295

Automatic gas chromatographic determination of the highdensity-lipoprotein cholesterol and total cholesterol in serum 672(1995)7

Hippuric acid

Capillary electrophoresis as a clinical tool. Determination of organic anions in normal and uremic serum using photodiode-array detection 668(1995)241

Identification of flavonoid metabolities after oral administration to rats of a *Ginkgo biloba* extract 673(1995)75

Hirudin

Deamidation of asparagine and glutamine residues in proteins and peptides: structural determinants and analytical methodology 662(1994)261

Chromatographic separation of low-molecular-mass recombinant proteins and peptides on Superdex 30 prep grade 662(1994)325

Histamine

Determination of urinary excretion of histamine and 1methylhistamine by liquid chromatography 654(1994)270

Rapid and highly sensitive high-performance liquid chromatographic method for the determination of histamine and 3-methylhistamine in biological samples using fluorescamine as the derivatizing agent 657(1994)261

Simultaneous determination of histamine and serotonin in mast cells by high-performance liquid chromatography 662(1994)103

Development of an assay for histamine using automated high-performance liquid chromatography with electrochemical detection 670(1995)199

L-Histidine

Separation of immunoglobulin G from human serum by pseudobioaffinity chromatography using immobilized L-histidine in hollow fibre membranes 667(1995)57

Interaction of human immunoglobulin G with L-histidine immobilized onto poly(ethylene vinyl alcohol) hollow-fiber membranes 674(1995)13

HIV protease inhibitor

High-performance liquid chromatographic determination of a potent and selective HIV protease inhibitor (L-735,524) in rat, dog and monkey plasma 672(1995)111

H-K ATPase inhibitor

Determination of a new H⁺-K⁺ ATPase inhibitor (E3810) and its four metabolites in human plasma by high-performance liquid chromatography 660(1994)211

Homocysteine

Determination of total plasma homocysteine and related aminothiols by gas chromatography with flame photometric detection 664(1995)421

Homovanillic acid

High-performance liquid chromatographic measurement of cerebrospinal fluid tetrahydrobiopterin, neopterin, homovanillic acid and 5-hydroxindoleacetic acid in neurological diseases 657(1994)61

High-performance liquid chromatographic determination of catecholamine metabolites and 5-hydroxyindoleacetic acid in human urine using a mixed-mode column and an eight-channel electrode electrochemical detector 658(1994)63

Microbore high-performance liquid chromatographic method for the measurement of dopamine and its metabolites: recommendations for optimal sample collection and storage 660(1994)158

Automated analysis of urinary catecholamines by highperformance liquid chromatography and on-line sample pretreatment 664(1995)287

Identification of flavonoid metabolities after oral administration to rats of a *Ginkgo biloba* extract 673(1995)75

Honokiol

Pharmacokinetics of honokiol after intravenous administration in rats assessed using high-performance liquid chromatography 655(1994)41

Hormones

Separation of juvenile hormone metabolites with a silicabased gel permeation column 668(1995)322

Matrix-assisted laser desorption mass spectrometry for the detection of recombinant bovine growth hormone in sustained-release form 669(1995)366

Quantitative analysis of synthetic human calcitonin by liquid chromatography-mass spectrometry 672(1995)17

HpD

Isolation and photodynamic effects of hematoporphyrin derivative components: a chromatographic analysis of the starting materials 669(1995)295

Human growth hormone

Application of capillary high-performance liquid chromatography to biotechnology, with reference to the analysis of recombinant DNA-derived human growth hormone 662(1994)335

Human immunodeficiency virus 1

Laboratory-scale production and purification of recombinant HIV-1 reverse transcriptase 664(1995)107

Human immunodeficiency virus protease inhibition

Quantitative determination of CGP 53 437, a new HIV protease inhibitor, in plasma by high-performance liquid chromatography and fluorescence detection 657(1994)155

Human immunoglobulin G

Protein A immobilized polyhydroxyethylmethacrylate beads for affinity sorption of human immunoglobulin G 668(1995)13

Human serum albumin

see also Albumin

Enhanced albumin protein separations and protein-drug binding constant measurements using anti-inflammatory drugs as run buffer additives in affinity capillary electrophoresis 661(1994)335

Influence of octanoic acid on the reversible protein binding of ketorolac enantiomers to human serum albumin (HSA): comparative liquid chromatographic studies using a HSA chiral stationary phase 662(1994)128

Hyaluronan

Kinetic investigation of the degradation of hyaluronan by hyaluronidase using gel permeation chromatography 656(1994)179

Hvalurononidase

Kinetic investigation of the degradation of hyaluronan by hyaluronidase using gel permeation chromatography 656(1994)179

Hydrazine

High-performance liquid chromatographic determination of isoniazid, acetylisoniazid and hydrazine in biological fluids 674(1995)269

$\hbox{$2$-(5-Hydrazino carbonyl-2-oxazolyl\)-5,6-dimethoxy benzothiazole}$

2-(5-Hydrazinocarbonyl-2-oxazolyl)-

5,6-dimethoxybenzothiazole as a precolumn fluorescence derivatization reagent for carboxylic acids in high-performance liquid chromatography and its application to the assay of fatty acids in human serum 674(1995)671

Hydrocarbons

Coupled-column high-performance liquid chromatographic method for the determination of four metabolites of polycyclic aromatic hydrocarbons, 1-, 4- and 9-hydroxyphenanthrene and 1-hydroxypyrene, in urine 660(1994)67

Analytical technologies for lipid oxidation products analysis 671(1995)223

Hydrochlorthiazide

Validated micellar electrokinetic capillary chromatography method for quality control of the drug substances hydrochlorothiazide and chlorothiazide 657(1994)383

Hydrocortisone

Micellar electrokinetic capillary chromatographic separation of steroids in urine by trioctylphosphine oxide and cationic surfactant 674(1995)31

Simultaneous determination of prednisolone, prednisolone acetate and hydrocortisone in human serum by high-performance liquid chromatography 674(1995)237

Hydroperoxides

Automatic determination of hydroperoxides of phosphatidylcholine and phosphatidylethanolamine in human plasma 665(1995)37

Hydroxocobalamin

Simultaneous determination of hydroxocobalamin and its cyanide complex cyanocobalamin in human plasma by high-performance liquid chromatography. Application to pharmacokinetic studies after high-dose hydroxocobalamin as an antidote for severe cyanide poisoning 667(1995)129

4-Hydroxyalkanals

Gas chromatographic-electron impact mass spectrometric screening procedure for unknown hydroxyaldehydic lipid peroxidation products after pentafluorobenzyloxime derivatization 673(1995)1

4-Hydroxy-2-alkenals

Gas chromatographic-electron impact mass spectrometric screening procedure for unknown hydroxyaldehydic lipid peroxidation products after pentafluorobenzyloxime derivatization 673(1995)1

4-Hydroxy-2-alkylquinolines

Rapid identification of 4-hydroxy-2-alkylquinolines produced by *Pseudomonas aeruginosa* using gas chromatography-electron-capture mass spectrometry 664(1995)458

Hydroxyalprazolam

Determination of alprazolam and its major metabolites in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 654(1994)77

3-Hydroxyanthranilic acid

Determination of tryptophan and its kynurenine pathway metabolites in human serum by high-performance liquid chromatography with simultaneous ultraviolet and fluorimetric detection 675(1996)157

4-Hydroxyantipyrine

Highly sensitive and specific gas chromatographic-tandem mass spectrometric method for the determination of trace amounts of antipyrine metabolites in biological material 666(1995)111

Separation and identification of phase I and phase II [14C]antipyrine metabolites in rat and dog urine 666(1995)139

Hydroxybenzoic acid isoamyl ester

Enantioselective determination of sotalol enantiomers in biological fluids using high-performance liquid chromatography 674(1995)77

Hydroxybutorphanol

High-performance liquid chromatographic method for the quantitative determination of butorphanol, hydroxybutorphanol, and norbutorphanol in human urine using fluorescence detection 652(1994)171

N2-(2(5)-[(Hydroxycarbamoyl)methyl)-4-methylvaleryl]N1,3-dimethyl-1-valin-amide

Rapid quantitative determination of a collagenase inhibitor and its major metabolite by on-line liquid chromatography with ionspray tandem mass spectrometric detection 673(1995)213

Hydroxychloroquine

Simple and specific reversed-phase liquid chromatographic method with diode-array detection for simultaneous determination of serum hydroxychloroquine, chloroquine and some corticosteroids 666(1995)347

7α-Hydroxy-4-cholesten-3-one

Determination of 7α -hydroxy-4-cholesten-3-one level in plasma using isotope-dilution mass spectrometry and monitoring its circadian rhythm in human as an index of bile acid biosynthesis 655(1994)179

Reversed-phase high-performance liquid chromatographic determination of 7α -hydroxy-4-cholesten-3-one in human serum 657(1994)31

6B-Hydroxycortisol

Simultaneous determination of urinary free cortisol and 6β-hydroxycortisol by high-performance liquid chromatography to measure human CYP3A activity 660(1994)23

Simultaneous high-performance liquid chromatographic determination of 6β -hydroxycortisol and cortisol in urine with fluorescence detection and its application for estimating hepatic drug-metabolizing enzyme induction 661(1994)15

trans-3'-Hydroxycotinine

Solid-phase extraction of nicotine and its metabolites for high-performance liquid chromatographic determination in urine 668(1995)187

7-Hydroxycoumarin

Determination of free and total 7-hydroxycoumarin in urine and serum by capillary electrophoresis 663(1995)371

4-Hydroxycyclophosphamide

Determination of 4-hydroxycyclophosphamide in plasma, as 2,4-dinitrophenylhydrazone derivative of aldophosphamide, by liquid chromatography 660(1994)111

Measurement of 4-hydroxycyclophosphamide in serum by reversed-phase high-performance liquid chromatography 663(1995)395

4-Hydroxycyclophosphamide-aldophosphamide

Quantitation of 4-hydroxycyclophosphamide/ aldophosphamide in whole blood 667(1995)247

21-Hydroxydeflazacort

Extraction and high-performance liquid chromatographic separation of deflazacort and its metabolite 21-hydroxydeflazacort. Application to urine samples 657(1994)248

8-Hydroxydeoxyguanosine

Micellar electrokinetic capillary chromatography of 8-hydroxydeoxyguanosine and other oxidized derivatives of DNA 656(1994)209

2-Hydroxydesmethyltrimipramine

Determination of trimipramine and its demethylated and hydroxylated metabolites in plasma by gas chromatography-mass spectrometry 652(1994)97

N-Hydroxyethylflurazepam

Gas chromatographic—mass spectrometric method for the determination of flurazepam and its major metabolites in mouse and rat plasma 658(1994)142

Hydroxyethylvinyldeuteroporphyrin

Isolation and photodynamic effects of hematoporphyrin derivative components: a chromatographic analysis of the starting materials 669(1995)295

7-Hydroxygranisetron

Simultaneous determination of granisetron and 7-hydroxygranisetron in human plasma by high-performance liquid chromatography with fluorescence detection 660(1994)205

4-Hydroxyifosfamide

Analysis of ifosfamide, 4-hydroxyifosfamide, N2-dechloroethylifosfamide, N3-dechloroethylifosfamide and iphosphoramide mustard in plasma by gas chromatography-mass spectrometry 674(1995)205

Hydroxyimipramine

High-performance liquid chromatographic method for the analysis of imipramine metabolism in vitro by liver and brain microsomes 673(1995)251

5-Hydroxyindoleacetic acid

High-performance liquid chromatographic measurement of cerebrospinal fluid tetrahydrobiopterin, neopterin, homovanillic acid and 5-hydroxindoleacetic acid in neurological diseases 657(1994)61

High-performance liquid chromatographic determination of catecholamine metabolites and 5-hydroxyindoleacetic acid in human urine using a mixed-mode column and an eight-channel electrode electrochemical detector 658(1994)63

Simultaneous determination of tryptophan, 5-hydroxytryptophan, 5-hydroxytryptamine, 5-hydroxyindoleacetic acid, 4-hydroxy-3-methoxyphenylacetic acid and 3-methoxy-4-hydroxyphenylglycol in human cerebrospinal fluid 661(1994)143

Aspirin inhibits collagen-induced platelet serotonin release, as measured by microbore high-performance liquid chromatography with electrochemical detection 669(1995)404

3'-Hydroxy-5'-(4-isobutyl-1-piperazinyl)benzoxazinorifamycin High-performance liquid chromatographic determination of 3'-hydroxy-5'-(4-isobutyl-1-piperazinyl)benzoxazinorifamycin (KRM-1648) and its deacetyl metabolite in plasma, whole blood, urine and tissue samples in rats 653(1994)177

3-Hydroxykynurenine

Determination of tryptophan and its kynurenine pathway metabolites in human serum by high-performance liquid chromatography with simultaneous ultraviolet and fluorimetric detection 675(1996)157

5-Hydroxylesopitron

Automated high-performance liquid chromatographic assay for lesopitron, a novel anxiolytic, in human plasma using on-line solid-phase extraction 670(1995)103

ω-Hydroxyleukotriene B₄

High-performance liquid chromatography-thermospray mass spectrometry of ω -carboxyleukotriene B_4 and ω -hydroxyleukotriene B_4 from an incubation mixture of human colonic well-differentiated adenocarcinoma homogenate 666(1995)197

4'-Hydroxymephenytoin

High-performance liquid chromatographic determination of urinary 4'-hydroxymephenytoin, a metabolic marker for the hepatic enzyme CYP2C19, in humans 668(1995)125

7-Hydroxymethotrexate

High-performance liquid chromatographic determination of methotrexate, 7-hydroxymethotrexate, 5-methyltetrahydrofolic acid and folinic acid in serum and cerebrospinal fluid 661(1994)109

Simultaneous quantitation of methotrexate and its two main metabolites in biological fluids by a novel solid-phase extraction procedure using high-performance liquid chromatography 665(1995)163

Determination of methotrexate and 7-hydroxymethotrexate by liquid chromatography for routine monitoring of plasma levels 674(1995)101

4-Hydroxy-3-methoxyphenylacetic acid

Simultaneous determination of tryptophan, 5-hydroxytryptophan, 5-hydroxytryptamine, 5-hydroxyindoleacetic acid, 4-hydroxy-3-methoxyphenylacetic acid and 3-methoxy-4-hydroxyphenylglycol in human cerebrospinal fluid 661(1994)143

Hydroxymethoxyphenylglycol

Automated analysis of urinary catecholamines by highperformance liquid chromatography and on-line sample pretreatment 664(1995)287

4-Hydroxy-3-methoxyphenyllactic acid

High-performance liquid chromatographic determination of catecholamine metabolites and 5-hydroxyindoleacetic acid in human urine using a mixed-mode column and an eight-channel electrode electrochemical detector 658(1994)63

3-Hydroxymethylantipyrine

Highly sensitive and specific gas chromatographic-tandem mass spectrometric method for the determination of trace amounts of antipyrine metabolites in biological material 666(1995)111

Separation and identification of phase I and phase II [14C]antipyrine metabolites in rat and dog urine 666(1995)139

3-Hydroxy-3-methylglutaryl coenzyme A

High-performance liquid chromatographic determination of 3-hydroxy-3-methylglutaryl coenzyme A as diphenacyl ester of 3-hydroxy-3-methylglutarate 655(1994)117

Hydroxymidazolam

Determination of midazolam and two of its metabolites in human plasma by high-performance liquid chromatography 655(1994)305

Determination of midazolam and its unconjugated 1hydroxy metabolite in human plasma by high-performance liquid chromatography 674(1995)138

3-Hydroxynorantipyrine

Separation and identification of phase I and phase II [14C]antipyrine metabolites in rat and dog urine 666(1995)139

Hydroxypaclitaxel

Determination of paclitaxel and metabolites in mouse plasma, tissues, urine and faeces by semi-automated reversed-phase high-performance liquid chromatography 664(1995)383

Quantification of paclitaxel metabolites in human plasma by high-performance liquid chromatography 674(1995)261

7-Hydroxyperphenazine

Quantitative determination of perphenazine and its metabolites in plasma by high-performance liquid chromatography and coulometric detection 668(1995)291

Hydroxyphenanthrene

Coupled-column high-performance liquid chromatographic method for the determination of four metabolites of polycyclic aromatic hydrocarbons, 1-, 4- and 9-hydroxyphenanthrene and 1-hydroxypyrene, in urine 660(1994)67

Hydroxyphenprocoumon

Determination of the coumarin anticoagulant phenprocoumon and metabolites in human plasma, urine and breast milk by high-performance liquid chromatography after solid-phase extraction 655(1994)63

3-Hydroxyphenylacetic acid

Identification of flavonoid metabolities after oral administration to rats of a *Ginkgo biloba* extract 673(1995)75

Hydroxyphenylnitroethane

Characterization of peroxidative oxidation products of dopamine by mass spectrometry 658(1994)21

5-(Hydroxyphenyl)-5-phenylhydantoin

Simultaneous determination of plasma phenytoin and its primary hydroxylated metabolites in carbon tetrachloride-intoxicated rats by high-performance liquid chromatography 673(1995)147

3-(4(3)-Hydroxyphenyl)propionic acid

Identification of flavonoid metabolities after oral administration to rats of a *Ginkgo biloba* extract 673(1995)75

5'-Hydroxypiroxicam

Extractionless high-performance liquid chromatographic method for the simultaneous determination of piroxicam and 5'-hydroxypiroxicam in human plasma and urine 673(1995)142

ω -Hydroxy polyunsaturated fatty acids

High-performance liquid chromatograpy—thermospray mass spectrometry of ω-hydroxy polyunsaturated fatty acids from rat brain homogenate 662(1994)91

Hydroxyproline

Rapid determination of dabsylated hydroxyproline from cultured cells by reversed-phase high-performance liquid chromatography 664(1995)435

Rapid reversed-phase high-performance liquid chromatographic method with double derivatization for the assay of urinary hydroxyproline 665(1995)295

Hydroxypropranolol

Simplified high-performance liquid chromatographic method for propranolol and five metabolites in liver perfusate, rat serum and dog plasma 655(1994)293

1-Hydroxypyrene

Coupled-column high-performance liquid chromatographic method for the determination of four metabolites of polycyclic aromatic hydrocarbons, 1-, 4- and 9-hydroxyphenanthrene and 1-hydroxypyrene, in urine 660(1994)67

Hydroxypyridone

Reversed-phase high-performance liquid chromatography of non-transferrin-bound iron and some hydroxypyridone and hydroxypyrone chelators 658(1994)121

Hydroxypyrone

Reversed-phase high-performance liquid chromatography of non-transferrin-bound iron and some hydroxypyridone and hydroxypyrone chelators 658(1994)121

(3S)-3-Hydroxyquinidine

Determination of quinidine, dihydroquinidine, (3S)-3-hydroxyquinidine and quinidine N-oxide in plasma and urine by high-performance liquid chromatography 660(1994)103

N-Hydroxysuccinimidyl-6-aminoquinoyl carbamate

Polyamine analysis using N-hydroxysuccinimidyl-6aminoquinoyl carbamate for pre-column derivatization 675(1996)321

4(5)-Hydroxysulphadiazine

Isolation, identification and determination of sulfadiazine and its hydroxy metabolites and conjugates from man and Rhesus monkey by high-performance liquid chromatography 670(1995)111

5-Hydroxysulphadiazine glucuronide

Isolation, identification and determination of sulfadiazine and its hydroxy metabolites and conjugates from man and Rhesus monkey by high-performance liquid chromatography 670(1995)111

5-Hydroxysulphadiazine sulphate

Isolation, identification and determination of sulfadiazine and its hydroxy metabolites and conjugates from man and Rhesus monkey by high-performance liquid chromatography 670(1995)111

Hydroxytalinolol

Elucidation of the structure of talinolol metabolites in man. Determination of talinolol and hydroxylated talinolol metabolites in urine and analysis of talinolol in serum 660(1994)353

4-Hydroxytamoxifen

Direct determination of tamoxifen and its four major metabolites in plasma using coupled column highperformance liquid chromatography 655(1994)261

Hydroxytestosterone

Isocratic high-performance liquid chromatographic method for the separation of testosterone metabolites 672(1995)207

Hydroxythalidomide

Investigation of the in vitro biotransformation and simultaneous enantioselective separation of thalidomide and its neutral metabolites by capillary electrophoresis 674(1995)287

Hydroxytriazolam

Determination of alprazolam and its major metabolites in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 654(1994)77

$N\hbox{-}(2\hbox{-Hydroxy-3,3,3-trifluoropropyl})\hbox{-}2\hbox{-}(2\hbox{-nitro-1-imidazolyl}) \\ acetamide$

Development and validation of a solid-phase extraction and high-performance liquid chromatographic assay for a novel fluorinated 2-nitroimidazole hypoxia probe (SR-4554) in Balb/c mouse plasma 672(1995)125

2-Hydroxytrimipramine

Determination of trimipramine and its demethylated and hydroxylated metabolites in plasma by gas chromatography-mass spectrometry 652(1994)97

5-Hydroxytryptamine

see also Serotonin

Plasma serotonin 655(1994)169

Plasma serotonin 655(1994)171

Plasma serotonin 655(1994)671

Simultaneous determination of tryptophan, 5-hydroxytryptophan, 5-hydroxytryptamine, 5-hydroxyindoleacetic acid, 4-hydroxy-3-methoxyphenylacetic acid and 3-methoxy-4-hydroxyphenylglycol in human cerebrospinal fluid 661(1994)143

Simultaneous determination of histamine and serotonin in mast cells by high-performance liquid chromatography 662(1994)103

Aspirin inhibits collagen-induced platelet serotonin release, as measured by microbore high-performance liquid chromatography with electrochemical detection 669(1995)404

5-Hydroxytryptophan

Simultaneous determination of tryptophan, 5-hydroxytryptophan, 5-hydroxytryptamine, 5-hydroxyindoleacetic acid, 4-hydroxy-3-methoxyphenylacetic acid and 3-methoxy-4-hydroxyphenylglycol in human cerebrospinal fluid 661(1994)143

6-Hydroxy-2,4-undecadienal

Gas chromatographic-electron impact mass spectrometric screening procedure for unknown hydroxyaldehydic lipid peroxidation products after pentafluorobenzyloxime derivatization 673(1995)1

25-Hydroxyvitamin D,

Determination of 25-hydroxyvitamin D_3 in human plasma using a non-radioactive tetranorvitamin D analogue as an internal standard 672(1995)63

7-Hydroxywarfarin

Highly sensitive and specific high-performance liquid chromatographic analysis of 7-hydroxywarfarin, a marker for human cytochrome P-4502C9 activity 672(1995)305

Hygromycin B

Solid-phase clean-up and thin-layer chromatographic detection of veterinary aminoglycosides 663(1995)127

Hypotaurine

High-performance liquid chromatographic determination of taurine and hypotaurine using 3,5-dinitrobenzoyl chloride as derivatizing reagent 660(1994)31

High-performance liquid chromatographic determination of hypotaurine and taurine after conversion to 4-dimethylaminoazobenzene-4'-sulfonyl derivatives and its application to the urine of cysteine-administered rats 660(1994)164

Hypoxanthine

Simultaneous high-performance liquid chromatographic determination of adenosine and dopamine in rat striatal tissue with combined ultraviolet absorbance and electrochemical detection 662(1994)21

Capillary electrophoresis as a clinical tool. Determination of organic anions in normal and uremic serum using photodiode-array detection 668(1995)241

Automated determination of hypoxanthine and xanthine in urine by high-performance liquid chromatography with column switching 670(1995)376

Hypoxanthine guanine phosphoribosyltransferase

Purine enzyme activities in peripheral blood mononuclear cells: comparison of a new non-radiochemical high-performance liquid chromatography procedure and a radiochemical thin-layer chromatography procedure 666(1995)33

Hypoxoside

Studies on hypoxoside and rooperol analogues from *Hypoxis rooperi* and *Hypoxis latifolia* and their biotransformation in man by using high-performance liquid chromatography with in-line sorption enrichment and diode-array detection 662(1994)71

I

Ibuprofen

Switching-valve-filter technique for the direct injection and analysis of drugs in plasma using high-performance liquid chromatography 652(1994)35

Resolution of the enantiomers of ibuprofen; comparison study of diastereomeric method and chiral stationary phase method 653(1994)163

High-performance liquid chromatographic assay for ibuprofen in whole blood using solid-phase extraction 654(1994)282

Changes in the liver, kidney and heart fatty acid composition following administration of ibuprofen to mice 656(1994)51

Gas chromatographic—mass spectrometric determination of ibuprofen enantiomers in human plasma using R(-)-2,2,2-trifluoro-1-(9-anthryl)ethanol as derivatizing reagent 656(1994)441

Enhanced albumin protein separations and protein-drug binding constant measurements using anti-inflammatory drugs as run buffer additives in affinity capillary electrophoresis 661(1994)335

Determination of the total concentration of highly proteinbound drugs in plasma by on-line dialysis and column liquid chromatography: application to non-steroidal antiinflammatory drugs 666(1995)127

Ibutilide

Assay of the enantiomers of ibutilide and artilide using solid-phase extraction, derivatization, and achiral-chiral column-switching high-performance liquid chromatography 667(1995)115

Idrapril

High-performance liquid chromatographic method with electrochemical detection for the determination of idrapril, a novel angiotensin-converting enzyme inhibitor, in biological matrices 660(1994)127

Ifosfamide

Enantiomeric separation of R- and S-ifosfamide and their determination in serum from clinical subjects 654(1994)152

Analysis of ifosfamide, 4-hydroxyifosfamide, N2-dechloroethylifosfamide, N3-dechloroethylifosfamide and iphosphoramide mustard in plasma by gas chromatography-mass spectrometry 674(1995)205

Iloperidone

Picogram determination of iloperidone in human plasma by solid-phase extraction and by high-performance liquid chromatography-selected-ion monitoring electrospray mass spectrometry 669(1995)237

2-Iminoimidazolidin-4-one

Evaluation of 2-iminoimidazolidin-4-one and thymine as respective internal standards for normal-phase and reversed-phase high-performance liquid chromatographic determination of creatinine in human serum 665(1995)63

Imipramine

Rapid microsample analysis of imipramine and desipramine by reversed-phase high-performance liquid chromatography with ultraviolet detection 668(1995)338

Novel solid-phase extraction strategy for the isolation of basic drugs from whole blood. Preliminary study using commercially available extraction cartridges 669(1995)229

High-performance liquid chromatographic method for the analysis of imipramine metabolism in vitro by liver and brain microsomes 673(1995)251

Immunoglobulin A antibody

Antibody fragment separations by capillary zone electrophoresis 675(1996)17

Immunoglobulin E

Purification of allergenic proteins from peanut for preparation of the reactive solid phase of a specific IgE radioimmunoassay 664(1995)211

Selective removal of immunoglobulin E from rat blood by membrane-immobilized antibody 668(1995)327

Immunoglobulin fractions

Use of thiophilic adsorption in the purification of biotinylated Fab fragments 664(1995)79

Immunoglobulin G

Rapid purification of immunoglobulin G using azaarenophilic chromatography: novel mode of protein-solid phase interactions 662(1994)351

Specific sorbent to remove solvent-detergent mixtures from virus-inactivated biological fluids 664(1995)119

DNA-immobilized polyhydroxyethylmethacrylate microbeads for affinity sorption of human immunoglobulin G and anti-DNA antibodies 666(1995)215

Separation of immunoglobulin G from human serum by pseudobioaffinity chromatography using immobilized L-histidine in hollow fibre membranes 667(1995)57

Protein A immobilized polyhydroxyethylmethacrylate beads for affinity sorption of human immunoglobulin G 668(1995)13

Recombinant proteins L and LG: efficient tools for purification of murine immunoglobulin G fragments 668(1995)209

Interaction of human immunoglobulin G with L-histidine immobilized onto poly(ethylene vinyl alcohol) hollow-fiber membranes 674(1995)13

Immunoglobulin M

Affinity purification of a mannose-binding protein, a sensitive tool in the diagnostics of IgM, via site-directed phosphorylated mannan bound to alumina 662(1994)191

Indole

Gas chromatographic determination of indole and 3-methylindole (skatole) in bacterial culture media, intestinal contents and faeces 655(1994)275

Rapid high-performance liquid chromatographic method for simultaneous determination of androstenone, skatole and indole in back fat from pigs 661(1994)219

Indoleamines

Simultaneous high-performance liquid chromatographic determination of adenosine and dopamine in rat striatal tissue with combined ultraviolet absorbance and electrochemical detection 662(1994)21

Indomethacin

Determination of indomethacin and mefenamic acid in plasma by high-performance liquid chromatography 656(1994)447

Sensitive fused-silica capillary gas chromatographic assay using electron-capture detection for indomethacin in ovine fetal fluids 674(1995)65

Inorganic ion

see Metal ions

Inosine

Simultaneous high-performance liquid chromatographic determination of adenosine and dopamine in rat striatal tissue with combined ultraviolet absorbance and electrochemical detection 662(1994)21

Inositol phosphates

Non-radioactive, isomer-specific inositol phosphate mass determinations: high-performance liquid chromatographymicro-metal-dye detection strongly improves speed and sensitivity of analyses from cells and micro-enzyme assays 672(1995)189

Inositol phospholipids

Quantitative chromatographic analysis of inositol phospholipids and related compounds 671(1995)255

Insecticides

see Pesticides

Insulin

High-performance liquid chromatographic method for the determination of insulin synthesis in biological systems 660(1994)259

Recombinant human insulin VI. Determination of recombinant human proinsulin by capillary zone electrophoresis: optimization of efficiency and selectivity. 662(1994)357

Recombinant human insulin V. Optimization of the reversed-phase high-performance liquid chromatographic separation 662(1994)363

High-performance affinity chromatography of insulin on coated silica grafted with sialic acid 664(1995)163

Insulin-like growth factor II

Purification and characterization of insulin-like growth factor II (IGF II) and an IGF II variant from human placenta 666(1995)203

Interferon-y

Study of conformational effects of recombinant interferon γ adsorbed on a non-porous reversed-phase silica support 664(1995)155

Interleukin 2

Delivery of interleukin 2 for immunotherapy 662(1994)315

Intrinsic binding protein

Intrinsic factor covalently bound to Sepharose as affinity medium for the purification of a soluble intrinsic factor receptor from human urine 664(1995)253

Intrinsic factor receptor

Intrinsic factor covalently bound to Sepharose as affinity medium for the purification of a soluble intrinsic factor receptor from human urine 664(1995)253

Inulin

Determination of inulin in plasma and urine by reversedphase high-performance liquid chromatography 672(1995)155

Invertase

Affinity chromatography of invertase on Concanavalin Abead cellulose matrix: the case of an extraordinary strong binding glycoenzyme 664(1995)145

Iobitridol

High-performance liquid chromatographic determination of iobitridol in plasma, urine and bile 670(1995)369

Iodide

Rapid and specific high-performance liquid chromatographic method for the determination of iodide in urine 664(1995)440

Determination of iodide in serum and urine by ion-pair reversed-phase high-performance liquid chromatography with coulometric detection 667(1995)69

Iophenoxic acid

High-performance liquid chromatographic determination of iophenoxic acid in serum 654(1994)293

Iphosphoramide mustard

Analysis of ifosfamide, 4-hydroxyifosfamide, N2-dechloroethylifosfamide, N3-dechloroethylifosfamide and iphosphoramide mustard in plasma by gas chromatography-mass spectrometry 674(1995)205

Irinotecan

Reversed-phase high-performance liquid chromatographic method for the simultaneous quantitation of the carboxylate and lactone forms of the camptothecin derivative irinotecan, CPT-11, and its metabolite SN-38 in plasma 661(1994)133

High-performance liquid chromatographic determination of irinotecan (CPT-11) and its active metabolite (SN-38) in human plasma 670(1995)309

Iroi

Determination of non-protein-bound iron in human synovial fluid by high-performance liquid chromatography with electrochemical detection 656(1994)436

Determination of metal ions by capillary electrophoresis using on-column complexation with 4-(2-pyridylazo)resorcinol following trace enrichment by peak stacking 657(1994)409

Quantitative determination of serum iron in human blood by high-performance capillary electrophoresis 669(1995)45

Iron, non-transferrin-bound

Reversed-phase high-performance liquid chromatography of non-transferrin-bound iron and some hydroxypyridone and hydroxypyrone chelators 658(1994)121

Isodesmosine

Enrichment and analysis of desmosine and isodesmosine in biological fluids 668(1995)199

Isoflavonoids

High-performance liquid chromatographic assay of isoflavonoids and coumestrol from human urine 662(1994)47

Isoniazid

High-performance liquid chromatography with UV detection and diode-array UV confirmation of isonicotinic acid hydrazide in cattle milk 656(1994)466

Comprehensive assay for pyrazinamide, rifampicin and isoniazid with its hydrazine metabolites in human plasma by column liquid chromatography 658(1994)391

High-performance liquid chromatographic analysis of the antituberculosis drugs aconiazide and isoniazid 670(1995)259

High-performance liquid chromatographic determination of isoniazid, acetylisoniazid and hydrazine in biological fluids 674(1995)269

Rapid, specific and sensitive method for isoniazid determination in serum 675(1996)113

Isonicotinic acid hydrazide

High-performance liquid chromatography with UV detection and diode-array UV confirmation of isonicotinic acid hydrazide in cattle milk 656(1994)466

Isoprene

Measurement of volatile organic compounds in exhaled breath as collected in evacuated electropolished canisters 665(1995)271

Determination of isoprene in human breath by thermal desorption gas chromatography with ultraviolet detection 672(1995)1

Isoprenoid lipids

Simultaneous reversed-phase high-performance liquid chromatographic separation of non-polar isoprenoid lipids and their determination 674(1995)177

F,-Isoprostanes

Analysis of F₂-isoprostanes as indicators of non-enzymatic lipid peroxidation in vivo by gas chromatography-mass spectrometry: development of a solid-phase extraction procedure 667(1995)199

Isosorbide dinitrate

Solid-phase extraction of isosorbide dinitrate and two of its metabolites from plasma for gas chromatographic analysis 665(1995)399

Isosorbide mononitrate

Gas chromatographic-mass spectrometric determination of isosorbide 5-mononitrate in human plasma 663(1995)153

Solid-phase extraction of isosorbide dinitrate and two of its metabolites from plasma for gas chromatographic analysis 665(1995)399

Improved extraction procedure for the assay of isosorbide-5-mononitrate in serum 675(1996)332

Isotocin

Solid-phase extraction of arginine vasotocin and isotocin in fish samples and subsequent gradient reversed-phase high-performance liquid chromatographic separation 673(1995)289

Isovaleric acid

Simple isotope dilution assay for propionic acid and isovaleric acid 673(1995)132

Isovalerylglycine

Liquid chromatographic-atmospheric pressure chemical ionization mass spectrometric analysis of glycine conjugates and urinary isovalerylglycine in isovaleric acidemia 670(1995)317

Isovanillic acid

Improved assay of reaction products to quantitate catechol-O-methyltransferase activity by high-performance liquid chromatography with electrochemical detection 663(1995)137

Ivermectin

Thin-layer chromatographic detection of ivermectin in cattle serum 661(1994)327



Jacalin

Further identification of human plasma glycoproteins interacting with the galactose-specific lectin Jacalin 668(1995)1

Juvenile hormones

Separation of juvenile hormone metabolites with a silicabased gel permeation column 668(1995)322



7-Ketocholesterol

Simultaneous measurement of phytosterols (campesterol and β -sitosterol) and 7-ketocholesterol in human lipoproteins by capillary column gas chromatography 663(1995)1

4-Ketocyclophosphamide

Determination of cyclophosphamide metabolites by gas chromatography and thermionic specific detection. Interindividual differences in hepatic biotransformation of cyclophosphamide in man in vitro 673(1995)205

2-Keto-3-deoxygluconic acid

Quantitation of the glycation intermediate 3deoxyglucosone by oxidation with rabbit liver oxoaldehyde dehydrogenase to 2-keto-3-deoxygluconic acid followed by high-performance liquid chromatography 660(1994)265

2-Ketoglutarate

Fast method for the simultaneous determination of 2-oxo acids in biological fluids by high-performance liquid chromatography 662(1994)97

Ketoprofen

High-performance liquid chromatographic enantioselective assay for the measurement of ketoprofen glucuronidation by liver microsomes 654(1994)61

Enhanced albumin protein separations and protein-drug binding constant measurements using anti-inflammatory drugs as run buffer additives in affinity capillary electrophoresis 661(1994)335

Determination of the total concentration of highly proteinbound drugs in plasma by on-line dialysis and column liquid chromatography: application to non-steroidal antiinflammatory drugs 666(1995)127

Stereospecific high-performance liquid chromatographic assay of ketoprofen in human plasma and urine 668(1995)175

Ketoprofen glucuronides

High-performance liquid chromatographic enantioselective assay for the measurement of ketoprofen glucuronidation by liver microsomes 654(1994)61

Ketorolac

Supercritical fluid extraction as a sample preparation technique for the direct isolation of drugs from plasma prior to analysis 657(1994)206

Determination of ketorolac enantiomers in plasma using enantioselective liquid chromatography on an α_1 -acid glycoprotein chiral stationary phase and ultraviolet detection 658(1994)177

Detection of ketorolac enantiomers in human plasma using enantioselective liquid chromatography 661(1994)165

Influence of octanoic acid on the reversible protein binding of ketorolac enantiomers to human serum albumin (HSA): comparative liquid chromatographic studies using a HSA chiral stationary phase 662(1994)128

Krestin

Comparison of the carbohydrate biological response modifiers Krestin, schizophyllan and glucan phosphate by aqueous size exclusion chromatography with in-line argonion multi-angle laser light scattering photometry and differential viscometry detectors 666(1995)283

Kynurenic acid

Determination of tryptophan and its kynurenine pathway metabolites in human serum by high-performance liquid chromatography with simultaneous ultraviolet and fluorimetric detection 675(1996)157

Kynurenine

Determination of tryptophan and its kynurenine pathway metabolites in human serum by high-performance liquid chromatography with simultaneous ultraviolet and fluorimetric detection 675(1996)157



L-735.524

High-performance liquid chromatographic determination of a potent and selective HIV protease inhibitor (L-735,524) in rat, dog and monkey plasma 672(1995)111

Labetalol

Sensitive high-performance liquid chromatographic method for the determination of labetalol diastereoisomers in plasma samples without derivatization 652(1994)59

Selective extraction of β -blockers from biological fluids by column-switching high-performance liquid chromatography using an internal-surface phenylboronic acid precolumn 675(1996)168

Lacidipine

Automation and validation of the high-performance liquid chromatographic-radioimmunoassay method for the determination of lacidipine in plasma 669(1995)383

β-Lactam antibiotics

Sensitive assay for measuring amoxicillin in human plasma and middle ear fluid using solid-phase extraction and reversed-phase high-performance liquid chromatography 674(1995)93

Lactic acid

Determination of lactic acid and pyruvic acid in serum and cerebrospinal fluid by ion-exclusion chromatography with a bulk acoustic wave detector 673(1995)153

Lactulose

Gas chromatography applied to the lactulose-mannitol intestinal permeability test 654(1994)276

Lamotrigine

Simple and rapid analysis of lamotrigine, a novel antiepileptic, in human serum by high-performance liquid chromatography using a solid-phase extraction technique 670(1995)354

Lansoprazole

Determination of lansoprazole and five metabolites in plasma by high-performance liquid chromatography 668(1995)182

Lazabemide

Determination of Ro 19-6327 (Lazabemide) in human plasma and urine by gas chromatography-negative chemical ionization mass spectrometry 665(1995)327

Lecithin

Simultaneous microanalysis of biliary cholesterol, bile acids and fatty acids in lecithin using capillary column gas chromatography: an advantage to assess bile lithogenecity 653(1994)1

Lectins

Characterization of weak hydrophobic composite sorbents and their application to the isolation of bacterial lectin 664(1995)219

Further identification of human plasma glycoproteins interacting with the galactose-specific lectin Jacalin 668(1995)1

Leech antiplatelet protein

Chromatographic separation of low-molecular-mass recombinant proteins and peptides on Superdex 30 prep grade 662(1994)325

Lesopitron

Automated high-performance liquid chromatographic assay for lesopitron, a novel anxiolytic, in human plasma using on-line solid-phase extraction 670(1995)103

Leucine

High-performance liquid chromatographic method for the determination of insulin synthesis in biological systems 660(1994)259

Leucine-enkephalin

Improved clean-up method for the enkephalins in plasma using immunoaffinity chromatography 653(1994)147

Leucogentian violet

Determination of leucogentian violet and gentian violet in catfish tissue by high-performance liquid chromatography with visible detection 674(1995)125

Leucomalachite green

Simultaneous determination of malachite green and its metabolite leucomalachite green in eel plasma using post-column oxidation 669(1995)219

Particle beam liquid chromatography-mass spectrometry of triphenylmethane dyes: application to confirmation of malachite green in incurred catfish tissue 570(1995)55

Leucovorin

Highly sensitive coupled-column high-performance liquid chromatographic method for the separation and quantitation of the diastereomers of leucovorin and 5-methyltetrahydrofolate in serum and urine 669(1995)319

Leukotriene D4 antagonist

Robotic sample preparation and high-performance liquid chromatographic analysis of verlukast in human plasma 661(1994)307

Determination of BAY x 7195, a novel leukotriene D_4 antagonist, in human plasma by high-performance liquid chromatography with post-column photo derivatisation and fluorescence detection 667(1995)137

Leukotrienes

Simultaneous determination of leukotrienes B_4 and E_4 in whole blood and of leukotriene E_4 in urine of rabbit by reversed-phase high-performance liquid chromatography 658(1994)261

High-performance liquid chromatography-thermospray mass spectrometry of ω -carboxyleukotriene B_4 and ω -hydroxyleukotriene B_4 from an incubation mixture of human colonic well-differentiated adenocarcinoma homogenate 666(1995)197

Chemical synthesis of dioxygen-18 labelled ω -/ β -oxidized cysteinyl leukotrienes: analysis by gas chromatography-mass spectrometry and gas chromatography-tandem mass spectrometry 667(1995)209

Levetiracetam

High-performance liquid chromatographic and megabore gas-liquid chromatographic determination of levetiracetam (ucb L059) in human serum after solid-phase extraction 662(1994)134

Levodopa

Simultaneous determination of levodopa methyl ester, levodopa, 3-O-methyldopa and dopamine in plasma by high-performance liquid chromatography with electrochemical detection 653(1994)17

Levodopa methyl ester

Simultaneous determination of levodopa methyl ester, levodopa, 3-O-methyldopa and dopamine in plasma by high-performance liquid chromatography with electrochemical detection 653(1994)17

Levomepromazine

Quantification of chlorprothixene, levomepromazine and promethazine in human serum using high-performance liquid chromatography with coulometric electrochemical detection 657(1994)141

Lidocaine

Simultaneous determination of lidocaine, prilocaine and the prilocaine metabolite *o*-toluidine in plasma by high-performance liquid chromatography 655(1994)83

Capillary gas chromatographic method for the determination of *n*-butyl-*p*-aminobenzoate and lidocaine in plasma samples 673(1995)51

Ligands

Effect of some poly(ethylene glycol)-bound and dextranbound affinity ligands on the partition of synaptic membranes in aqueous two-phase systems 652(1994)137

Linoleate

High-performance liquid chromatography with mercury cathode electrochemical detection: application to lipid hydroperoxide analysis 670(1995)189

Linoleic acid

Gas chromatographic-electron impact mass spectrometric screening procedure for unknown hydroxyaldehydic lipid peroxidation products after pentafluorobenzyloxime derivatization 673(1995)1

Assessments on the digestibility of oxidized compounds from [1-¹⁴C]linoleic acid using a combination of chromatographic techniques 675(1996)1

Lipid hydroperoxides

Lipids

High-performance liquid chromatography with mercury cathode electrochemical detection: application to lipid hydroperoxide analysis 670(1995)189

see also Special Issue Index

High-performance liquid chromatographic study of the regulation of phospholipid metabolism in cultured adrenocortical cells 652(1994)1

Malondialdehyde measurement in urine 655(1994)112

Capillary gas chromatography of underivatized fatty acids with a free fatty acid phase column and a programmed temperature vaporizer injector 656(1994)45

Changes in the liver, kidney and heart fatty acid composition following administration of ibuprofen to mice 656(1994)51

Improved separation of radioactively labelled cellular phospholipids by high-performance liquid chromatography 656(1994)73

Analysis of all stratum corneum lipids by automated multiple development high-performance thin-layer chromatography 664(1995)311

Determination of plasma non-esterified fatty acids and triglyceride fatty acids by gas chromatography of their methyl esters after isolation by column chromatography on silica gel 666(1995)1

Liquid-gel partitioning using Lipidex in the determination of polychlorinated biphenyls, naphthalenes, dibenzo-p-dioxins and dibenzofurans in blood plasma 669(1995)207

General strategies in chromatographic analysis of lipids 671(1995)3

Fatty acid profiles of lipid samples 671(1995)71

Thin-layer chromatographic procedures for lipid separation 671(1995)169

Silver ion chromatography of lipids and fatty acids 671(1995)197

Analytical technologies for lipid oxidation products analysis 671(1995)223

Chromatographic methods in the analysis of cholesterol and related lipids 671(1995)341

Automatic gas chromatographic determination of the highdensity-lipoprotein cholesterol and total cholesterol in serum 672(1995)7

Gas chromatographic-mass spectrometric study of lipids and rapid diagnosis of *Mycobacterium tuberculosis* 672(1995)133

Gas chromatographic-electron impact mass spectrometric screening procedure for unknown hydroxyaldehydic lipid peroxidation products after pentafluorobenzyloxime derivatization 673(1995)1

Separation of major polar lipids in *Pecten maximus* by high-performance liquid chromatography and subsequent determination of their fatty acids using gas chromatography 673(1995)15

Simultaneous reversed-phase high-performance liquid chromatographic separation of non-polar isoprenoid lipids and their determination 674(1995)177

Assessments on the digestibility of oxidized compounds from [1-14C]linoleic acid using a combination of chromatographic techniques 675(1996)1

Lipids, biliary

Simultaneous microanalysis of biliary cholesterol, bile acids and fatty acids in lecithin using capillary column gas chromatography: an advantage to assess bile lithogenecity 653(1994)1

Lipoic acid

Determination of lipoic acid in human plasma by highperformance liquid chromatography with electrochemical detection 672(1995)277

Lipopolysaccharide-binding protein

Improved method for preparation of lipopolysaccharidebinding protein from human serum by electrophoretic and chromatographic separation techniques 654(1994)25

Lipoproteins

Partitioning of high-density lipoproteins in charge-sensitive two-phase systems 661(1994)159

Complementary use of counter-current chromatography and hydroxyapatite chromatography for the separation of three main classes of lipoproteins from human serum 664(1995)295

Chromatographic techniques for the isolation and purification of lipoproteins 671(1995)237

Automatic gas chromatographic determination of the highdensity-lipoprotein cholesterol and total cholesterol in serum 672(1995)7

Lisinopril

Determination of the angiotensin-converting enzyme inhibitor lisinopril in urine using solid-phase extraction and reversed-phase high-performance liquid chromatography 673(1995)306

Lithium

Dependence of electroosmotic flow in capillary electrophoresis on Group I and II metal ions 657(1994)401

Simultaneous determination of urinary creatinine, calcium and other inorganic cations by capillary zone electrophoresis with indirect ultraviolet detection 661(1994)35

Monitoring of lithium levels in human serum after therapy with lithium preparations by capillary isotachophoresis 674(1995)310

Lithocholic acid

Bile acid separation 671(1995)299

Lobaplatin

Determination of the two diastereoisomers of lobaplatin (D-19466) in plasma ultrafiltrate of cancer patients with a normal or an impaired kidney or liver function by high-performance liquid chromatography with ultraviolet detection 675(1996)107

Lofepramine

Simultaneous determination of lofepramine and desipramine by a high-performance liquid chromatographic method used for therapeutic drug monitoring 665(1995)355

Lometrexol

Measurement of 5,10-dideaza-5,6,7,8-tetrahydrofolate (lometrexol) in human plasma and urine by high-performance liquid chromatography 663(1995)327

Loratadine

Sensitive gas-liquid chromatographic method for the determination of loratadine and its major active metabolite, descarboethoxyloratadine, in human plasma using a nitrogen-phosphorus detector 657(1994)125

Determination of loratadine and pheniramine from human serum by gas chromatography-mass spectrometry 673(1995)183

Low-density lipoproteins

Complementary use of counter-current chromatography and hydroxyapatite chromatography for the separation of three main classes of lipoproteins from human serum 664(1995)295

Low-molecular-mass oligomers

High-performance liquid chromatographic method for the simultaneous determination of low-molecular-mass oligomers of polyethylene glycol in aqueous skin extracts 657(1994)83

Lumogallion

Determination of serum aluminium using an ion-pair reversed-phase high-performance liquid chromatographicfluorimetric system with lumogallion 663(1995)247

Lutein

Simple determination of retinol, α -tocopherol and carotenoids (lutein, all-*trans*-lycopene, α - and β -carotenes) in human plasma by isocratic liquid chromatography 654(1994)129

Lutein dehydration products

Isolation, structural elucidation, and partial synthesis of lutein dehydration products in extracts from human plasma 670(1995)219

Luteinizing hormone-releasing hormone

High-performance liquid chromatographic assay for the determination of the decapeptide cetrorelix, a novel luteinizing hormone-releasing hormone antagonist, in human plasma 653(1994)102

LY231514

Column-switching high-performance liquid chromatographic method for the determination of a thymidylate synthase inhibitor, LY231514, an investigational agent for the treatment of solid tumors, in human plasma 654(1994)297

LY300164

Determination of a novel α -amino-3-hydroxy-5-methyl-4-isoxazolepropionate receptor antagonist (LY300164) and its N-acetyl metabolite in mouse, rat, dog, and monkey plasma using high-performance liquid chromatography with ultraviolet detection 668(1995)153

all-trans-Lycopene

Simple determination of retinol, α -tocopherol and carotenoids (lutein, all-trans-lycopene, α - and β -carotenes) in human plasma by isocratic liquid chromatography 654(1994)129

Lysozymes

Use of ion-exchange and hydrophobic-interaction chromatography for the rapid purification of lysozyme-estrone glucuronide conjugates 662(1994)3

Isolation of hen egg white lysozyme, ovotransferrin and ovalbumin, using a quaternary ammonium bound to a highly crosslinked agarose matrix 664(1995)201

M

Magnesium

Simultaneous determination of urinary creatinine, calcium and other inorganic cations by capillary zone electrophoresis with indirect ultraviolet detection 661(1994)35

Malachite green

Simultaneous determination of malachite green and its metabolite leucomalachite green in eel plasma using post-column oxidation 669(1995)219

Particle beam liquid chromatography-mass spectrometry of triphenylmethane dyes: application to confirmation of malachite green in incurred catfish tissue 670(1995)55

Maleimides

Derivatization of thiol-containing compounds 659(1994)227

2-(4-N-Maleimidophenyl)-6-methoxybenzofuran

2-(4-N-Maleimidophenyl)-6-methoxybenzofuran: a superior derivatizing agent for fluorimetric determination of aliphatic thiols by high-performance liquid chromatography 666(1995)45

Malonaldehyde

Volatile carbonyl levels in tissues of transgenic mice with nerve sheath tumors 654(1994)9

Malondialdehyde

Malondialdehyde measurement in urine 655(1994)112

Malonyl coenzyme A

Rapid method for the separation and detection of tissue short-chain coenzyme A esters by reversed-phase high-performance liquid chromatography 667(1995)148

Mannitol

Gas chromatography applied to the lactulose-mannitol intestinal permeability test 654(1994)276

Mannose

Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection 657(1994)307

Purification method for α -1-acid glycoprotein with subsequent high-performance liquid chromatographic determination of monosaccharides in plasma of healthy subjects and patients with renal insufficiency 672(1995)199

Mannose-binding protein

Affinity purification of a mannose-binding protein, a sensitive tool in the diagnostics of IgM, via site-directed phosphorylated mannan bound to alumina 662(1994)191

Maprotiline

Assay for maprotiline in human serum with improved sensitivity and selectivity 656(1994)245

Determination of maprotiline in plasma by highperformance liquid chromatography with chemiluminescence detection 669(1995)390

Marfey's reagent

Separation and quantification of D- and L-phosphoserine in rat brain using $N\alpha$ -(2,4-dinitro-5-fluorophenyl)-L-alaninamide (Marfey's reagent) by high-performance liquid chromatography with ultraviolet detection 672(1995)290

McPC603

Antibody fragment separations by capillary zone electrophoresis 675(1996)17

MDL 74,405

Determination of MDL 74,405, a synthetic analogue of α -tocopherol, in dog plasma and heart tissue by high-performance liquid chromatography with electrochemical detection 656(1994)359

Mefenamic acid

Determination of indomethacin and mefenamic acid in plasma by high-performance liquid chromatography 656(1994)447

Mefloquine

High-performance liquid chromatographic determination of (SR)- and (RS)-enantiomers of mefloquine in plasma and capillary blood sampled on paper after derivatization with (-)-1-(9-fluorenyl)ethyl chloroformate 652(1994)73

High-performance liquid chromatographic method for the enantioselective analysis of mefloquine in plasma and urine 655(1994)153

Application of negative-ion chemical ionization isotope dilution gas chromatography-mass spectrometry to single-dose bioavailability studies of mefloquine 661(1994)263

Melanotan

High-performance liquid chromatographic assay for Melanotan-1 ($[Nle^4-DPhe^7]\alpha$ -melanocyte-stimulating hormone) in biological matrices 670(1995)235

Melatonin

Simultaneous determination of serotonin, N-acetylserotonin and melatonin in the pineal gland of the juvenile golden hamster by high-performance liquid chromatography with electrochemical detection 675(1996)152

Melittin

Purity control of different bee venom melittin preparations by capillary zone electrophoresis 658(1994)397

Melphalan

High-performance liquid chromatographic assay for the measurement of melphalan and its hydrolysis products in perfusate and plasma and melphalan in tissues from human and rat isolated limb perfusions 673(1995)267

Membrane proteins

see also Proteins

Recombinant soluble Fc γ receptors: production, purification and biological activities 662(1994)197

(-)-Menthyl chloroformate

Assay of tocainide enantiomers in plasma by solid-phase extraction and indirect chiral high-performance liquid chromatography after derivatization with (-)-menthyl chloroformate 670(1995)243

Meperidine

Investigation of meperidine and its metabolites in urine of an addict by gas chromatography-flame ionization detection and gas chromatography-mass spectrometry 658(1994)375

Meperidinic acid

Investigation of meperidine and its metabolites in urine of an addict by gas chromatography-flame ionization detection and gas chromatography-mass spectrometry 658(1994)375

Mephenytoin

Screening for hydroxylation and acetylation polymorphisms in man via simultaneous analysis of urinary metabolites of mephenytoin, dextromethorphan and caffeine by capillary electrophoretic procedures 656(1994)219

Mephobarbital

Simultaneous determination of antiepileptic drugs and their metabolites, including chiral compounds, via β -cyclodextrin inclusion complexes by a column-switching chromatographic technique 658(1994)385

Meptazinol

Determination of the stereoselective aspects in in-vitro and in-vivo metabolism of the analgesic meptazinol by high-performance liquid chromatography 663(1995)315

6-Mercaptopurine

Determination of extracellular and intracellular thiopurines and methylthiopurines by high-performance liquid chromatography 672(1995)53

Mercaptoundecahydrododecaborate

High-performance liquid chromatographic assay for sodium mercaptoundecahydrododecaborate in rat tissues 665(1995)155

Metal ions

see also Inorganic ions

Dependence of electroosmotic flow in capillary electrophoresis on Group I and II metal ions 657(1994)401

Determination of metal ions by capillary electrophoresis using on-column complexation with 4-(2-pyridylazo)resorcinol following trace enrichment by peak stacking 657(1994)409

Metallothioneins

Factors influencing the separation of metallothioneins by capillary zone electrophoresis 653(1994)41

Application of a polyamine-coated capillary to the separation of metallothionein isoforms by capillary zone electrophoresis 657(1994)345

Comparison of different techniques for the analysis of metallothionein isoforms by capillary electrophoresis 669(1995)27

Separation of three mouse metallothionein isoforms by free-solution capillary electrophoresis 675(1996)317

Metampicillin

Simultaneous determination of ampicillin and metampicillin in biological fluids using high-performance liquid chromatography with column switching 664(1995)335

Methadone

Determination of methadone and its primary metabolite in human urine by capillary electrophoretic techniques 658(1994)355

Sensitive high-performance liquid chromatographic assay with ultraviolet detection of methadone enantiomers in plasma 661(1994)346

Methamphetamine

Sensitive high-performance liquid chromatographic method for the determination of the three main metabolites of selegiline (L-deprenyl) in human plasma 656(1994)251

Sensitive enantiomer-specific high-performance liquid chromatographic analysis of methamphetamine and amphetamine from serum using precolumn fluorescent derivatization 658(1994)103

Improved amphetamine and methamphetamine determination in urine by normal-phase high-performance liquid chromatography with sodium 1,2-naphthoquinone 4-sulphonate as derivatizing agent and solid-phase extraction for sample clean-up 663(1995)235

Gas chromatographic determination of methamphetamine and its metabolite amphetamine in human plasma and urine following conversion to N-propyl derivatives 664(1995)449

Simultaneous determination of amphetamine, methamphetamine, 3,4-methylenedioxyamphetamine and 3,4-methylenedioxymethamphetamine in human hair by gas chromatography-mass spectrometry 670(1995)162

Amphetamine and methamphetamine determination in urine by reversed-phase high-performance liquid chromatography with sodium 1,2-naphthoquinone 4-sulfonate as derivatizing agent and solid-phase extraction for sample clean-up 672(1995)81

Methionine enkephalin

Improved clean-up method for the enkephalins in plasma using immunoaffinity chromatography 653(1994)147

Capillary zone electrophoresis of two synthetic neuropeptides: examination of detectability and resolution as a function of peptide concentration and buffer concentration 655(1994)9

Methocarbamol

Development and validation of a high-performance liquid chromatographic method for the determination of methocarbamol in human plasma 654(1994)287

Methotrexate

High-performance liquid chromatographic determination of methotrexate, 7-hydroxymethotrexate, 5-methyltetrahydrofolic acid and folinic acid in serum and cerebrospinal fluid 661(1994)109

Sensitive determination of methotrexate in monkey plasma by high-performance liquid chromatography using on-line solid-phase extraction 662(1994)79

Simultaneous quantitation of methotrexate and its two main metabolites in biological fluids by a novel solid-phase extraction procedure using high-performance liquid chromatography 665(1995)163

Determination of methotrexate and 7-hydroxymethotrexate by liquid chromatography for routine monitoring of plasma levels 674(1995)101

7-Methoxydeoxyvasicinone

Quantification of 2,3-dihydro-7-methoxypyrrolo-[2,1-b]-quinazolin-9(1H)-one, a new antiallergic agent, by high-performance liquid chromatography in serum 658(1994)198

3-Methoxy-4-hydroxyphenylethylene glycol

Determination of 3-methoxy-4-hydroxyphenylethylene glycol in urine using reversed-phase liquid chromatography with column switching and electrochemical detection 663(1995)193

Assay of urinary free and conjugated 3-methoxy-4-hydroxyphenylethyleneglycol by high-performance liquid chromatography with amperometric detection 665(1995)45

3-Methoxy-4-hydroxyphenylgiycol

Simultaneous determination of tryptophan, 5-hydroxytryptophan, 5-hydroxytryptamine, 5-hydroxyindoleacetic acid, 4-hydroxy-3-methoxyphenylacetic acid and 3-methoxy-4-hydroxyphenylglycol in human cerebrospinal fluid 661(1994)143

1-Methoxy-2-propanol

Determination of 1-methoxy-2-propanol and its metabolite 1,2-propanediol in rat and mouse plasma by gas chromatography 660(1994)291

8-Methoxypsoralen

Evaluation and routine application of the novel restrictedaccess precolumn packing material Alkyl-Diol Silica: coupled-column high-performance liquid chromatographic analysis of the photoreactive drug 8-methoxypsoralen in plasma 666(1995)315

Methyl (\pm)-[5-(α -amino- α -p-fluorophenyl)-1H-benzimidazol-2-vllcarbamate

Determination of the antifilarial drug UMF-078 and its metabolites UMF-060 and flubendazole in whole blood using high-performance liquid chromatography 655(1994)269

Methyl bromide

Mass spectrometric analysis of haemoglobin adducts formed by methyl bromide in vitro 670(1995)349

5-Methyldeoxycytidine

High-performance liquid chromatographic analysis of methylation changes of CCGG sequence in brain and liver DNA of mice during pre- and postnatal development 653(1994)211

3-O-Methyldopa

Simultaneous determination of levodopa methyl ester, levodopa, 3-O-methyldopa and dopamine in plasma by high-performance liquid chromatography with electrochemical detection 653(1994)17

3,4-Methylenedioxyamphetamine

Simultaneous determination of amphetamine, methamphetamine, 3,4-methylenedioxyamphetamine and 3,4-methylenedioxymethamphetamine in human hair by gas chromatography-mass spectrometry 670(1995)162

4-{[3,4-(Methylenedioxy)benzyl]amino}-6,7,8-trimethoxyquinazoline

Determination of a novel and potent cyclic GMP phosphodiesterase inhibitor, 4-{[3,4-(methylenedioxy)-benzyl]amino}-6,7,8-trimethoxyquinazoline, in dog plasma by high-performance liquid chromatography 658(1994)202

4,4-Methylene diphenyldianiline

Determination of 4,4'-methylenediphenyldianiline (MDA) and identification of isomers in technical-grade MDA in hydrolysed plasma and urine from workers exposed to methylene diphenyldiisocyanate by gas chromatographymass spectrometry 663(1995)209

Methylene diphenyldiisocyanate

Determination of 4,4'-methylenediphenyldianiline (MDA) and identification of isomers in technical-grade MDA in hydrolysed plasma and urine from workers exposed to methylene diphenyldiisocyanate by gas chromatography—mass spectrometry 663(1995)209

5,10-Methylenetetrahydrofolate

Identification of 5,10-methylenetetrahydrofolate in rat bile 661(1994)237

Methylephedrine

Simultaneous quantification of ephedrines in urine by highperformance liquid chromatography 661(1994)357

Determination of ephedrine compounds in nutritional supplements by cyclodextrin-modified capillary electrophoresis 669(1995)133

Methyleugenol

Determination of methyleugenol in rodent plasma by highperformance liquid chromatography 663(1995)255

Methyl (±)-[5-(4-fluorophenyl)hydroxymethyl-1*H*-benzimidazol-2-vl]carbamate

Determination of the antifilarial drug UMF-078 and its metabolites UMF-060 and flubendazole in whole blood using high-performance liquid chromatography 655(1994)269

Methylhistamine

Determination of urinary excretion of histamine and 1-methylhistamine by liquid chromatography 654(1994)270

Rapid and highly sensitive high-performance liquid chromatographic method for the determination of histamine and 3-methylhistamine in biological samples using fluorescamine as the derivatizing agent 657(1994)261

5-Methylhydroxysulphamethoxazole

Isolation, identification and determination of sulfamethoxazole and its known metabolites in human plasma and urine by high-performance liquid chromatography 658(1994)327

3-Methylindole

Gas chromatographic determination of indole and 3-methylindole (skatole) in bacterial culture media, intestinal contents and faeces 655(1994)275

Methylmalonyl coenzyme A

Rapid method for the separation and detection of tissue short-chain coenzyme A esters by reversed-phase high-performance liquid chromatography 667(1995)148

N-Methylnorsalsolinol

Endogenous synthesis of N-methylnorsalsolinol in rat brain during *in vivo* microdialysis with epinine 654(1994)263

Methylphenidate

Simultaneous detection of methylphenidate and its main metabolite, ritalinic acid, in doping control 658(1994)380

(+)-4-[4-(4-Methylphenyl)phenylmethoxy-1-piperidinyl]butyric acid

Analysis of urinary and biliary metabolites of (+)-4-[4-(4-methylphenyl)phenylmethoxy-1-piperidinyl]butyric acid in rats by liquid chromatography—frit-fast atom bombardment mass spectrometry 658(1994)154

Methyl N-[5-[[4-(2-pyridinyl)-1-piperazinyl[carbonyl]-1H-benzimidazole-2-yl] carbamate

Sensitive high-performance liquid chromatographic method for the determination of methyl N-[5-[[4-(2-pyridinyl)-1-piperazinyl]carbonyl]-1*H*-benzimidazol-2-yl] carbamate in rat blood 664(1995)472

(+)-trans-N-Methyl-N-[2-(1-pyrrolidinyl)-cyclohexyl]benzo[b]thiophene-4-acetamide

Determination of an arylacetamide antiarrhythmic in rat blood and tissues using reversed-phase high-performance liquid chromatography 675(1996)257

N-Methylsalsolinol

Determination of the (R)- and (S)-enantiomers of salsolinol and N-methylsalsolinol by use of a chiral high-performance liquid chromatographic column 670(1995)47

5-Methyltetrahydrofolate

Highly sensitive coupled-column high-performance liquid chromatographic method for the separation and quantitation of the diastereomers of leucovorin and 5-methyltetrahydrofolate in serum and urine 669(1995)319

5-Methyltetrahydrofolic acid

High-performance liquid chromatographic determination of methotrexate, 7-hydroxymethotrexate, 5-methyltetrahydrofolic acid and folinic acid in serum and cerebrospinal fluid 661(1994)109

Methyltetrahydrophthalic acid

Method for analysis of methyltetrahydrophthalic acid in urine using gas chromatography and selected ion monitoring 660(1994)57

Methylthiopurines

Determination of extracellular and intracellular thiopurines and methylthiopurines by high-performance liquid chromatography 672(1995)53

Methyluric acid

Determination of the ophylline and its metabolites in rat liver microsomes and human urine by capillary electrophoresis 665(1995)201

Methylxanthine

Determination of theophylline and its metabolites in rat liver microsomes and human urine by capillary electrophoresis 665(1995)201

Metoclopramide

Determination of metoclopramide and two of its metabolites using a sensitive and selective gas chromatographic-mass spectrometric assay 660(1994)315

Metolazone

Novel high-performance liquid chromatographic method using solid-phase on-line elution for determination of metolazone in plasma and whole blood 653(1994)171

Metoprolol

Cyclodextrins as enantioselective mobile phase modifiers for chiral capillary electrophoresis. Effects of pH and cyclodextrin concentration 657(1994)291

Determination of the enantiomers of metoprolol and its major acidic metabolite in human urine by high-performance liquid chromatography with fluorescence detection 668(1995)67

Metronidazole

Determination of metronidazole in vaginal tissue by highperformance liquid chromatography using solid-phase extraction 672(1995)300

Metyrapol

Determination of metyrapone and the enantiomers of its chiral metabolite metyrapol in human plasma and urine using coupled achiral-chiral liquid chromatography 665(1995)147

Metyrapone

Determination of metyrapone and the enantiomers of its chiral metabolite metyrapol in human plasma and urine using coupled achiral-chiral liquid chromatography 665(1995)147

Mexiletine

High-performance liquid chromatographic analysis using a highly sensitive fluorogenic reagent, 2-anthroyl chloride, and stereoselective determination of the enantiomers of mexiletine in human serum 661(1994)271

Determination of plasma mexiletine levels with gas chromatography-mass spectrometry and selected-ion monitoring 662(1994)118

Mibefradil

High-performance liquid chromatographic analysis of mibefradil in dog plasma and urine 669(1995)377

β_{2} -Microglobulin

Removal of β_2 -microglobulin using grafted affinity adsorbents as therapeutic approach for the treatment of hemodialysis patients 656(1994)135

Immunoadsorption procedure as a potential method for the specific β 2-microglobulin removal from plasma of patients with chronic renal failure 664(1995)97

Midazolam

Automated determination of midazolam in human plasma by high-performance liquid chromatography using column switching 654(1994)69

Determination of midazolam and two of its metabolites in human plasma by high-performance liquid chromatography 655(1994)305

Simultaneous determination of midazolam and flumazenil concentrations in human plasma by gas chromatography 665(1995)217

Determination of midazolam and its unconjugated 1-hydroxy metabolite in human plasma by high-performance liquid chromatography 674(1995)138

Mifentidine

Investigation of the *in vitro* metabolism of the H₂-antagonist mifentidine by on-line capillary electrophoresis—mass spectrometry using non-aqueous separation conditions 657(1994)373

Mirosamicin

Determination of mirosamicin in animal tissues by highperformance liquid chromatography 655(1994)47

Mivacurium

High-performance liquid chromatographic assays with fluorometric detection for mivacurium isomers and their metabolites in human plasma 663(1995)297

MK-507

Determination of MK-507, a novel topically effective carbonic anhydrase inhibitor, and its de-ethylated metabolite in human whole blood, plasma, and urine by high-performance liquid chromatography 653(1994)77

MKS 213-492

Determination of a novel xanthine derivative, MKS 213-492, in plasma by high-performance liquid chromatography with electrochemical detection 666(1995)368

Modafinil

Simultaneous determination of modafinil and its acid metabolite by high-performance liquid chromatography in human plasma 654(1994)91

Modafinil, acid metabolite

Simultaneous determination of modafinil and its acid metabolite by high-performance liquid chromatography in human plasma 654(1994)91

Moexipril

Simultaneous determination of moexipril and moexiprilat, its active metabolite, in human plasma by gas chromatography-negative-ion chemical ionization mass spectrometry 670(1995)81

Moexiprilat

Simultaneous determination of moexipril and moexiprilat, its active metabolite, in human plasma by gas chromatography-negative-ion chemical ionization mass spectrometry 670(1995)81

Moguisteine

Assay of moguisteine metabolites in human plasma and urine: conventional and chiral high-performance liquid chromatographic methods 655(1994)243

Monensin

Determination of monensin, salinomycin and narasin in muscle, liver and eggs from domestic fowl using liquid chromatography-electrospray mass spectrometry 675(1996)225

6-Monoacetylmorphine

Simultaneous detection of cocaine and heroin metabolites in urine by solid-phase extraction and gas chromatographymass spectrometry 658(1994)69

Subcritical fluid extraction of opiates in hair of drug addicts 658(1994)75

Determination of 6-monoacetylmorphine and morphine in plasma, whole blood and urine using high-performance liquid chromatography with electrochemical detection 661(1994)245

Analysis of common opiates and heroin metabolites in urine by high-performance liquid chromatography 663(1995)225

Supercritical fluid extraction of drugs in drug addict hair 673(1995)173

Determination of opiates in urine by capillary electrophoresis 675(1996)213

Monoacetylpolyamines

Improved high-performance liquid chromatographic method for the determination of polyamines as their benzoylated derivatives: application to P388 cancer cells 668(1995)189

Monoamine oxidase B

Determination of monoamine oxidase B activity by highperformance liquid chromatography with electrochemical detection 672(1995)138

Monoamines

Rapid assay of the monoamine content in small volumes of rat plasma 653(1994)9

Rapid measurement of the monoamine content in small volumes of rat plasma 654(1994)177

Derivatization reactions for neurotransmitters and their automation 659(1994)157

Simultaneous determination of tryptophan, 5-hydroxytryptophan, 5-hydroxytryptamine, 5-hydroxyindoleacetic acid, 4-hydroxy-3-methoxyphenylacetic acid and 3-methoxy-4-hydroxyphenylglycol in human cerebrospinal fluid 661(1994)143

Monobromobimane

Fluorimetric determination of monobromobimane and ophthalaldehyde adducts of γ -glutamylcysteine and glutathione: application to assay of γ -glutamylcysteinyl synthetase activity and glutathione concentration in liver 672(1995)217

Monoclonal antibodies

see also Antibodies

Application of thiophilic membranes for the purification of monoclonal antibodies from cell culture media 664(1995)69

Investigations on the specificity of thiophilic interaction for monoclonal antibodies of different subclasses 675(1996)197

Monodesbutylhalofantrine

New solid-phase extraction for an improved highperformance liquid chromatographic procedure for the quantitation of halofantrine and monodesbutylhalofantrine in blood or plasma 668(1995)315

N-Monodesmethyldiltiazem

Determination of diltiazem and its main metabolites in human plasma by automated solid-phase extraction and high-performance liquid chromatography: a new method overcoming instability of the compounds and interference problems 657(1994)133

Mono-2,4-dinitrophenylhydrazone

High-performance liquid chromatographic determination of urinary 2,5-hexanedione as mono-2,4-dinitrophenylhydrazone using ultraviolet detection 673(1995)165

Monohydroxymelphalan

High-performance liquid chromatographic assay for the measurement of melphalan and its hydrolysis products in perfusate and plasma and melphalan in tissues from human and rat isolated limb perfusions 673(1995)267

Monomethylarsonate

Evaluation of high-performance liquid chromatography for the separation and determination of arsenic species by online high-performance liquid chromatographic-hydride generation-atomic absorption spectrometry 666(1995)101

Identification of methylated metabolites of inorganic arsenic by thin-layer chromatography 668(1995)21

Moprolol

Enantioselective determination of oxprenolol and its metabolites in human urine by cyclodextrin-modified capillary zone electrophoresis 674(1995)277

Moricizine

Simultaneous determination of moricizine and its sulphoxidation metabolites in biological fluids by high-performance liquid chromatography 663(1995)172

Moricizine sulphone

Simultaneous determination of moricizine and its sulphoxidation metabolites in biological fluids by high-performance liquid chromatography 663(1995)172

Moricizine sulphoxide

Simultaneous determination of moricizine and its sulphoxidation metabolites in biological fluids by high-performance liquid chromatography 663(1995)172

Morphine

Determination of codeine and its metabolites in microsomal incubates by high-performance liquid chromatography 653(1994)106

Hair analysis for drugs of abuse. VIII. Effective extraction and determination of 6-acetylmorphine and morphine in hair with trifluoroacetic acid-methanol for the confirmation of retrospective heroin use by gas chromatography-mass spectrometry 657(1994)93

Simultaneous detection of cocaine and heroin metabolites in urine by solid-phase extraction and gas chromatographymass spectrometry 658(1994)69

Subcritical fluid extraction of opiates in hair of drug addicts 658(1994)75

Determination of 6-monoacetylmorphine and morphine in plasma, whole blood and urine using high-performance liquid chromatography with electrochemical detection 661(1994)245

Analysis of common opiates and heroin metabolites in urine by high-performance liquid chromatography 663(1995)225

High-performance liquid chromatographic-electrospray mass spectrometric determination of morphine and its 3-and 6-glucuronides: application to pharmacokinetic studies 664(1995)329

Supercritical fluid extraction of drugs in drug addict hair 673(1995)173

Determination of codeine and metabolites in plasma and urine using ion-pair high-performance liquid chromatography 674(1995)49

Rapid and highly automated determination of morphine and morphine glucuronides in plasma by on-line solid-phase extraction and column liquid chromatography 674(1995)57

Determination of opiates in urine by capillary electrophoresis 675(1996)213

Morphine glucuronides

High-performance liquid chromatographic-electrospray mass spectrometric determination of morphine and its 3-and 6-glucuronides: application to pharmacokinetic studies 664(1995)329

N^6 -[4-(Morpholinylsulphonyl)benzyl]- N^6 -methyl-2,6-diaminobenz[c,d]indole glucuronate

High-performance liquid chromatographic method for the determination of a novel thymidylate synthase inhibitor, AG 331, in human serum 673(1995)281

Moxidectin

Determination of moxidectin in plasma by highperformance liquid chromatography with automated solidphase extraction and fluorescence detection 674(1995)119

Mucin motif peptide

Combination of high-performance anion-exchange chromatography and electrospray mass spectrometry for analysis of the *in vitro* O-glycosylated mucin motif peptide 658(1994)31

trans,trans-Muconic acid

Determination of urinary trans, trans-muconic acid by gas chromatography-mass spectrometry 666(1995)71

Muramic acid

Determination of muramic acid in organic dust by gas chromatography-mass spectrometry 670(1995)671

Muscarine agent

Determination of the muscarinic agent [(3-(3-1-butylthio)-1,2,5-thiadiazol-4-yl)-1-azabicyclo[2.2.2]octane], in rat, rabbit, and monkey plasma, using high-performance liquid chromatography in conjunction with tandem mass spectrometry 673(1995)67

Mycophenolate mofetil

Determination of a new immunosuppressant, mycophenolate mofetil, and its active metabolite, mycophenolic acid, in rat and human body fluids by high-performance liquid chromatography 654(1994)249

Mycophenolic acid

Determination of a new immunosuppressant, mycophenolate mofetil, and its active metabolite, mycophenolic acid, in rat and human body fluids by high-performance liquid chromatography 654(1994)249

Manual and automated (robotic) high-performance liquid chromatography methods for the determination of mycophenolic acid and its glucuronide conjugate in human plasma 675(1996)119

Mycophenolic acid glucuronide

Manual and automated (robotic) high-performance liquid chromatography methods for the determination of mycophenolic acid and its glucuronide conjugate in human plasma 675(1996)119

Mycotoxins

Determination of aflatoxin Q₁ in urine by automated immunoaffinity column clean-up and liquid chromatography 656(1994)329

Determination of ochratoxin A in bile of swine by high-performance liquid chromatography 668(1995)333

Myelin basic protein

Fractionation of central nervous system myelin proteins by reversed-phase high-performance liquid chromatography 653(1994)155

Myoglobin

Bioseparations with permeable particles 664(1995)233

Myoglobinuria detection by capillary electrophoresis 669(1995)53



Nadolol

Determination of nadolol diastereomers in dog plasma using chiral derivatization and reversed-phase highperformance liquid chromatography with fluorescence detection 661(1994)281

Nadoxolol

Determination of nadoxolol in human plasma using reversed-phase high-performance liquid chromatography 660(1994)409

Nalbuphine

Rapid and sensitive high-performance liquid chromatographic assay for nalbuphine in plasma 663(1995)111

Naphthalenes

Liquid-gel partitioning using Lipidex in the determination of polychlorinated biphenyls, naphthalenes, dibenzo-p-dioxins and dibenzofurans in blood plasma 669(1995)207

1,2-Naphthoquinone-4-sulphonate

Improved amphetamine and methamphetamine determination in urine by normal-phase high-performance liquid chromatography with sodium 1,2-naphthoquinone 4-sulphonate as derivatizing agent and solid-phase extraction for sample clean-up 663(1995)235

Naphthoxyacetic acid

Simplified high-performance liquid chromatographic method for propranolol and five metabolites in liver perfusate, rat serum and dog plasma 655(1994)293

Naphthoxylactic acid

Simplified high-performance liquid chromatographic method for propranolol and five metabolites in liver perfusate, rat serum and dog plasma 655(1994)293

Naproxei

Determination of the total concentration of highly proteinbound drugs in plasma by on-line dialysis and column liquid chromatography: application to non-steroidal antiinflammatory drugs 666(1995)127

Nanagir

Determination of monensin, salinomycin and narasin in muscle, liver and eggs from domestic fowl using liquid chromatography-electrospray mass spectrometry 675(1996)225

Narcotic analgesics

Screening and determination of β -blockers, narcotic analgesics and stimulants in urine by high-performance liquid chromatography with column switching 664(1995)341

NB-506

Simultaneous determination of a new anticancer agent (NB-506) and its active metabolite in human plasma and urine by high-performance liquid chromatography with ultraviolet detection 674(1995)111

Nedocromil sodium

Automated high-performance liquid chromatographic method for the determination of nedocromil sodium in human urine using bimodal column switching 668(1995)59

Neopterin

High-performance liquid chromatographic measurement of cerebrospinal fluid tetrahydrobiopterin, neopterin, homovanillic acid and 5-hydroxindoleacetic acid in neurological diseases 657(1994)61

Assay of neopterin in serum by means of two-dimensional high-performance liquid chromatography with automated column switching using three retention mechanisms 666(1995)223

Simultaneous determination of N²-(3-aminopropyl)biopterin (oncopterin), biopterin and neopterin by high-performance liquid chromatography with fluorescence detection 672(1995)143

Neospiramycin

Determination of spiramycin and neospiramycin in plasma and milk of lactating cows by reversed-phase highperformance liquid chromatography 657(1994)219

Neuraminidase inhibitor

Automated high-performance liquid chromatographic method for the determination of a neuraminidase inhibitor (GG167) in human serum by pre-column fluorescence derivatisation using benzoin 670(1995)279

Neuropeptide growth factor antagonists

Determination of two neuropeptide growth factor antagonists, [D-Arg¹,D-Phe⁵,D-Trp⁻,9,Leu¹¹]-substance P and [Arg⁶,D-Trp⁻,9,N-MePhe⁶]-substance P(6-11), by high-performance liquid chromatography with electrochemical detection 653(1994)195

Neuropeptides

see also Enkephalins

Capillary zone electrophoresis of two synthetic neuropeptides: examination of detectability and resolution as a function of peptide concentration and buffer concentration 655(1994)9

Capillary liquid chromatography-fast atom bombardment mass spectrometry using a high-resolving cation exchanger, based on a continuous chromatographic matrix 664(1995)426

Neurotransmitters

Derivatization reactions for neurotransmitters and their automation 659(1994)157

Neutral endopeptidase

Quantification of a dual angiotensin I-converting enzymeneutral endopeptidase inhibitor and the active thiol metabolite in dog plasma by high-performance liquid chromatography with ultraviolet absorbance detection 670(1995)91

Nicotinamide

High-performance liquid chromatographic determination of nicotinic acid and nicotinamide in biological samples applying post-column derivatization resulting in bathmochrome absorption shifts 665(1995)71

Nicotine

Solid-phase extraction of nicotine and its metabolites for high-performance liquid chromatographic determination in urine 668(1995)187

Nicotinic acid

Simultaneous measurement of nicotinic acid and its major metabolite, nicotinuric acid in urine using high-performance liquid chromatography: application of solid-liquid extraction 661(1994)154

High-performance liquid chromatographic determination of nicotinic acid and nicotinamide in biological samples applying post-column derivatization resulting in bathmochrome absorption shifts 665(1995)71

Nicotinuric acid

Simultaneous measurement of nicotinic acid and its major metabolite, nicotinuric acid in urine using high-performance liquid chromatography: application of solid-liquid extraction 661(1994)154

Nifedipine

Sensitive high-performance liquid chromatographic assay for nifedipine in human plasma utilizing ultraviolet detection 654(1994)146

Determination of nifedipine in human serum by gas chromatography-mass spectrometry: validation of the method and its use in bioavailability studies 660(1994)297

Nisoldipine

Determination of the enantiomers of nisoldipine in human plasma using high-performance liquid chromatography on a chiral stationary phase and gas chromatography with mass-selective detection 655(1994)286

Nitrate

Analysis of nitrate and nitrite in water and urine by capillary zone electrophoresis 657(1994)419

Measurement of nitrite and nitrate levels in biological samples by capillary electrophoresis 660(1994)401

Quantification of nitrite and nitrate in human urine and plasma as pentafluorobenzyl derivatives by gas chromatography-mass spectrometry using their ¹⁵N-labelled analogs 661(1994)185

Nitrazepam

High-performance liquid chromatographic procedure for the measurement of nitrobenzodiazepines and their 7-amino metabolites in blood 667(1995)75

Nitric oxide-cobalamin

Nitritocobalamin and nitrosocobalamin may be confused with sulfitocobalamin using cation-exchange chromatography 660(1994)180

Nitrite

Analysis of nitrate and nitrite in water and urine by capillary zone electrophoresis 657(1994)419

Measurement of nitrite and nitrate levels in biological samples by capillary electrophoresis 660(1994)401

Quantification of nitrite and nitrate in human urine and plasma as pentafluorobenzyl derivatives by gas chromatography-mass spectrometry using their ¹⁵N-labelled analogs 661(1994)185

Nitritocobalamin

Nitritocobalamin and nitrosocobalamin may be confused with sulfitocobalamin using cation-exchange chromatography 660(1994)180

Nitroarenes

Determination of hemoglobin adducts of arylamines in humans 667(1995)75

N^G-Nitro-L-arginine

Determination of N^G-nitro-L-arginine and N^G-nitro-Larginine methyl ester in plasma by high-performance liquid chromatography 660(1994)170

N^G-Nitro-L-arginine methyl ester

Determination of N^G-nitro-L-arginine and N^G-nitro-Larginine methyl ester in plasma by high-performance liquid chromatography 660(1994)170

Nitrobenzodiazepines

High-performance liquid chromatographic procedure for the measurement of nitrobenzodiazepines and their 7-amino metabolites in blood 667(1995)75

Nitrosocobalamin

Nitritocobalamin and nitrosocobalamin may be confused with sulfitocobalamin using cation-exchange chromatography 660(1994)180

NK611

High-performance liquid chromatographic assay for the determination of the novel podophyllotoxin derivative dimethylaminoetoposide (NK611) in human plasma 654(1994)97

High-performance liquid chromatographic assay for the determination of the novel etoposide derivative dimethylaminoetoposide (NK611) and its metabolites in urine of cancer patients 664(1995)409

[Nle⁴-DPhe⁷]α-Melanocyte stimulating hormone

High-performance liquid chromatographic assay for Melanotan-1 ($[Nle^4-DPhe^7]\alpha$ -melanocyte-stimulating hormone) in biological matrices 670(1995)235

Nonapeptides

Solid-phase extraction of arginine vasotocin and isotocin in fish samples and subsequent gradient reversed-phase high-performance liquid chromatographic separation 673(1995)289

Non-esterified fatty acids

Determination of plasma non-esterified fatty acids and triglyceride fatty acids by gas chromatography of their methyl esters after isolation by column chromatography on silica gel 666(1995)1

Non-steroidal anti-inflammatory drugs

Separation of fifteen non-steroidal anti-inflammatory drugs using micellar electrokinetic capillary chromatography 657(1994)173

$l-\alpha$ -Noracetylmethadol

Determination of $l-\alpha$ -acetylmethadol, $l-\alpha$ noracetylmethadol and $l-\alpha$ -dinoracetylmethadol in plasma
by gas chromatography-mass spectrometry 655(1994)201

Noralfentanil

Determination of alfentanil and noralfentanil in human plasma by gas chromatography-mass spectrometry 658(1994)149

Gas chromatographic-mass spectrometric analysis of alfentanil metabolites. Application to human liver microsomal alfentanil biotransformation 660(1994)85

Noradrenatine

see Norepinephrine

Norantipyrine

Highly sensitive and specific gas chromatographic-tandem mass spectrometric method for the determination of trace amounts of antipyrine metabolites in biological material 666(1995)111

Separation and identification of phase I and phase II [14C]antipyrine metabolites in rat and dog urine 666(1995)139

Norbutorphanol

High-performance liquid chromatographic method for the quantitative determination of butorphanol, hydroxybutorphanol, and norbutorphanol in human urine using fluorescence detection 652(1994)171

Norcodeine

Determination of codeine and its metabolites in microsomal incubates by high-performance liquid chromatography 653(1994)106

Determination of codeine and metabolites in plasma and urine using ion-pair high-performance liquid chromatography 674(1995)49

Norcyclizine

Sensitive high-performance liquid chromatographic determination of cyclizine and its demethylated metabolite, norcyclizine, in biological fluids using coulometric detection 672(1995)172

Norephedrine

Two-dimensional gas chromatography for the enantiomeric separation of ephedrine and phenaminum and their metabolites 653(1994)98

Identification of ephedrines as their carbon disulfide derivatives 663(1995)160

Norepinephrine

Quantitation of epinephrine and norepinephrine secretion from individual adrenal medullary cells by microcolumn high-performance liquid chromatography 653(1994)25

Improved assay for plasma dihydroxyphenylacetic acid and other catechols using high-performance liquid chromatography with electrochemical detection 653(1994)131

Determination of free urinary catecholamines by highperformance liquid chromatography with electrochemical detection 655(1994)121

High-performance liquid chromatographic determination of norepinephrine, epinephrine and dopamine in human foetal adrenal gland 656(1994)77

Automated analysis of urinary catecholamines by highperformance liquid chromatography and on-line sample pretreatment 664(1995)287

Stability of 3,4-dihydroxyphenylacetic acid in plasma extracts assayed by high-performance liquid chromatography with electrochemical detection 669(1995)413

Routine high-performance liquid chromatographic determination of myocardial interstitial norepinephrine 670(1995)328

Norethisterone

Simultaneous determination of norethisterone and six metabolites in human plasma by capillary gas chromatography with mass-selective detection 674(1995)155

Norfenfluramine

New chiral high-performance liquid chromatographic methodology used for the pharmacokinetic evaluation of dexfenfluramine 654(1994)231

Norfloxacin

Simultaneous determination of ofloxacin, norfloxacin and ciprofloxacin in human hair by high-performance liquid chromatography and fluorescence detection 653(1994)187

Sensitive high-performance liquid chromatographic assay for norfloxacin utilizing fluorescence detection 663(1995)379

Rapid and economical high-performance liquid chromatographic method for the determination of norfloxacin in serum using a microparticulate C₁₈ guard cartridge 674(1995)306

Normeperidine

Investigation of meperidine and its metabolites in urine of an addict by gas chromatography-flame ionization detection and gas chromatography-mass spectrometry 658(1994)375

Normeperidinic acid

Investigation of meperidine and its metabolites in urine of an addict by gas chromatography-flame ionization detection and gas chromatography-mass spectrometry 658(1994)375

Nornitrogen mustard

Determination of cyclophosphamide metabolites by gas chromatography and thermionic specific detection. Interindividual differences in hepatic biotransformation of cyclophosphamide in man in vitro 673(1995)205

Norpseudoephedrine

Simultaneous quantification of ephedrines in urine by highperformance liquid chromatography 661(1994)357

Identification of ephedrines as their carbon disulfide derivatives 663(1995)160

Norselegiline

Sensitive high-performance liquid chromatographic method for the determination of the three main metabolites of selegiline (1-deprenyl) in human plasma 656(1994)251

11-Nor-Δ⁹-tetrahydrocannabinol-9-carboxylic acid Rapid reversed-phase high-performance liquid chromatographic method for the assay of urinary 11-nor-Δ⁹tetrahydrocannabinol-9-carboxylic acid and confirmation of

use of cannabis derivatives 675(1996)162

Nortriptyline

Quantitative determination of perphenazine and its metabolites in plasma by high-performance liquid chromatography and coulometric detection 668(1995)291

Novel solid-phase extraction strategy for the isolation of basic drugs from whole blood. Preliminary study using commercially available extraction cartridges 669(1995)229

Norverapamil

Stereoselective determination of verapamil and norverapamil by capillary electrophoresis 654(1994)121

Simultaneous analysis of verapamil and norverapamil enantiomers in human plasma by high-performance liquid chromatography 667(1995)349

Novobiocin

Determination of plasma novobiocin levels by a reversedphase high-performance liquid chromatographic assay 652(1994)109

Rapid and sensitive high-performance liquid chromatographic assay for novobiocin in human serum 655(1994)147

Nucleic acids

see also DNA and RNA

Chromatographic properties of cytosine, cytidine and their synthetic analogues 675(1996)9

Nucleobases

Separation and characterization of the main methylated nucleobases from nuclear, cytoplasmic and poly (A)⁺ RNA by high-performance liquid chromatography and mass spectrometry 661(1994)193

Chromatographic properties of cytosine, cytidine and their synthetic analogues 675(1996)9

Nucleoside diphosphate kinase

Measurement of nucleoside diphosphate kinase-Nm23 activity by anion-exchange high-performance liquid chromatography 660(1994)37

Nucleosides

Automated sequential trace enrichment of dialysates combined with high-performance liquid chromatography and automated heart-cutting for the determination of the nucleoside 1-(β -p-arabinofuranosyl)-5-(1-propynyl)uracil and its metabolite 5-propynyluracil in urine 652(1994)15

High-performance liquid chromatographic assay for 2'-deoxy-3'-thiacytidine in human serum 657(1994)227

Capillary electrophoretic separation of nucleotide isomers via complexation with cyclodextrin and borate 657(1994)365

Separation and characterization of the main methylated nucleobases from nuclear, cytoplasmic and poly (A)⁺ RNA by high-performance liquid chromatography and mass spectrometry 661(1994)193

Simultaneous high-performance liquid chromatographic determination of adenosine and dopamine in rat striatal tissue with combined ultraviolet absorbance and electrochemical detection 662(1994)21

Chromatographic properties of cytosine, cytidine and their synthetic analogues 675(1996)9

Nucleotides

High-performance liquid chromatographic analysis of methylation changes of CCGG sequence in brain and liver DNA of mice during pre- and postnatal development 653(1994)211 Capillary electrophoretic separation of nucleotide isomers via complexation with cyclodextrin and borate 657(1994)365

High-performance liquid chromatographic determination of ganciclovir nucleotides in human myocardial tissue 658(1994)173

Measurement of nucleoside diphosphate kinase-Nm23 activity by anion-exchange high-performance liquid chromatography 660(1994)37

Detection of ribose-methylated nucleotides in *Pyrodictium* occultum tRNA by liquid chromatography—frit-fast atom bombardment mass spectrometry 660(1994)223

Determination of adenine nucleotides by fluorescence detection using high-performance liquid chromatography and post-column derivatisation with chloroacetaldehyde 662(1994)15

Determination of thiopurine nucleotides in human lung tissue by high-performance liquid chromatography 665(1995)213



Ochratoxin A

Determination of ochratoxin A at the ppt level in human blood, serum, milk and some foodstuffs by high-performance liquid chromatography with enhanced fluorescence detection and immunoaffinity column cleanup: methodology and Swiss data 666(1995)85

Determination of ochratoxin A in bile of swine by high-performance liquid chromatography 668(1995)333

N⁴-Octadecyl-1-β-D-arabinofuranosylcytosine

Sensitive high-performance liquid chromatographic method for the determination of N⁴-hexadecyl- and N⁴-octadecyl-1-β-D-arabinofuranosylcytosine in plasma and erythrocytes 673(1995)259

Octanoic acid

Influence of octanoic acid on the reversible protein binding of ketorolac enantiomers to human serum albumin (HSA): comparative liquid chromatographic studies using a HSA chiral stationary phase 662(1994)128

n-Octanol

Rapid determination of logarithmic partition coefficients between *n*-octanol and water using micellar electrokinetic capillary chromatography 669(1995)59

Ofloxacin

Simultaneous determination of benofloxacin, danofloxacin, enrofloxacin and ofloxacin in chicken tissues by high-performance liquid chromatography 653(1994)69

Simultaneous determination of ofloxacin, norfloxacin and ciprofloxacin in human hair by high-performance liquid chromatography and fluorescence detection 653(1994)187

Determination of ofloxacin in human plasma using highperformance liquid chromatography and fluorescence detection 673(1995)316

Oestr

see Estr

Olanzapine

Analysis of olanzapine in human plasma utilizing reversedphase high-performance liquid chromatography with electrochemical detection 668(1995)85

Oleate

High-performance liquid chromatography with mercury cathode electrochemical detection: application to lipid hydroperoxide analysis 670(1995)189

Oleic acid

Gas chromatographic-electron impact mass spectrometric screening procedure for unknown hydroxyaldehydic lipid peroxidation products after pentafluorobenzyloxime derivatization 673(1995)1

Oligomers

High-performance liquid chromatographic method for the simultaneous determination of low-molecular-mass oligomers of polyethylene glycol in aqueous skin extracts 657(1994)83

Oligonucleotides

Capillary zone electrophoresis in polymer networks of polymerase chain reaction-amplified oligonucleotides: the case of congenital adrenal hyperplasia 657(1994)201

Quantitative analysis of phosphorothioate oligonucleotides in biological fluids using direct injection fast anionexchange chromatography and capillary gel electrophoresis 662(1994)343

Oligosaccharides

Capillary electrophoretic examination of underivatized O-linked and N-linked oligosaccharide mixtures and immunoglobulin G antibody-released oligosaccharide libraries 657(1994)315

Omeprazole

Enantioselective high-performance liquid chromatographic determination of omeprazole in human plasma 666(1995)323

Oncopterin

Simultaneous determination of N²-(3-aminopropyl)biopterin (oncopterin), biopterin and neopterin by high-performance liquid chromatography with fluorescence detection 672(1995)143

Opiates

Subcritical fluid extraction of opiates in hair of drug addicts 658(1994)75

Analysis of common opiates and heroin metabolites in urine by high-performance liquid chromatography 663(1995)225

High-performance liquid chromatographic resolution of synthetic opiate and "anti-opiate" peptides from human plasma 667(1995)49

Supercritical fluid extraction of drugs in drug addict hair 673(1995)173

Determination of opiates in urine by capillary electrophoresis 675(1996)213

Opioid peptides

Optimization of the loading limit for capillary zone electrophoresis of synthetic opioid and tachykinin peptides: a study of the interactions among the amount of peptide, resolution, saturation, injection volume and capillary diameter 662(1994)35

Organic acids

see also Aromatic acids and Fatty acids

Organic acid profiling by direct treatment of deproteinized plasma with ethyl chloroformate 656(1994)37

Simultaneous profile analysis of plasma amino and organic acids by capillary gas chromatography 669(1995)352

Organic anions

Capillary electrophoresis as a clinical tool. Determination of organic anions in normal and uremic serum using photodiode-array detection 668(1995)241

Organotin compounds

Speciation of organotin compounds by capillary electrophoresis using indirect ultraviolet absorbance detection 669(1995)103

Ormethoprim

Simultaneous determination of ormethoprim and sulphadimethoxine in plasma and muscle of Atlantic salmon (Salmo salar) 660(1994)412

Orosomucoid

Heterogeneity of α_1 -acid glycoprotein in rheumatoid arthritis 661(1994)7

Orotic acid

Determination of orotic acid in urine 653(1994)87

Determination of orotic acid in serum by high-performance liquid chromatography 660(1994)176

Automated screening system for purine and pyrimidine metabolism disorders using high-performance liquid chromatography 672(1995)233

Ovalbumin

Isolation of hen egg white lysozyme, ovotransferrin and ovalbumin, using a quaternary ammonium bound to a highly crosslinked agarose matrix 664(1995)201

Bioseparations with permeable particles 664(1995)233

Ovotransferrin

Isolation of hen egg white lysozyme, ovotransferrin and ovalbumin, using a quaternary ammonium bound to a highly crosslinked agarose matrix 664(1995)201

Oxalate

Amperometric determination of oxalate in plasma and urine by liquid chromatography with immobilized oxalate oxidase 656(1994)29

Determination of oxalate in urine and plasma using reversed-phase ion-pair high-performance liquid chromatography with tris(2,2'-bipyridyl)ruthenium(II)-electrogenerated chemiluminescence detection 665(1995)27

Oxalic acid

Simultaneous determination of oxalic and citric acids in urine by high-performance liquid chromatography 675(1996)147

Oxazepam

Development and preliminary application of highperformance liquid chromatographic assay of urinary metabolites of diazepam in humans 668(1995)77

Oxcarbazepine

Narrow-bore liquid chromatographic assay for oxcarbazepine and its major metabolite in rat brain, liver and blood microdialysates 657(1994)149

Automated microanalysis of oxcarbazepine and its monohydroxy and transdiol metabolites in plasma by liquid chromatography 658(1994)671

Liquid chromatographic assay using a microcolumn coupled to a U-shaped optical cell for high-sensitivity ultraviolet absorbance detection of oxcarbazepine and its major metabolite in microdialysates 672(1995)97

Improved detection and determination of carbamazepine and oxcarbazepine and their metabolites by high-performance liquid chromatography 673(1995)97

Oxidized glutathione

Rapid determination of glutathione status in fish liver using high-performance liquid chromatography and electrochemical detection 656(1994)311

2-Oxo acids

Fast method for the simultaneous determination of 2-oxo acids in biological fluids by high-performance liquid chromatography 662(1994)97

Oxoaldehyde dehydrogenase

Quantitation of the glycation intermediate 3deoxyglucosone by oxidation with rabbit liver oxoaldehyde dehydrogenase to 2-keto-3-deoxygluconic acid followed by high-performance liquid chromatography 660(1994)265

(±)-2-[4-(2-Oxocyclohexylidemethyl)phenyl]propionic acid Quantitative determination of diol metabolites of CS-670, a new antiinflammatory agent, by capillary column gas chromatography-mass spectrometry 665(1995)107

Oxodipine

High-performance liquid chromatographic determination of oxodipine enantiomers, a new 1,4-dihydropyridine, applied to stereoselectivity studies in man and dog 660(1994)341

Oxolinic acid

High-performance liquid chromatographic determination of oxolinic acid residues in fish silage 655(1994)311

L-2-Oxothiazolidine-4-carboxylic acid

Determination of L-2-oxothiazolidine-4-carboxylic acid (Procysteine) in human plasma by high-performance liquid chromatography 654(1994)257

Oxprenolol

Enantioselective determination of oxprenolol and its metabolites in human urine by cyclodextrin-modified capillary zone electrophoresis 674(1995)277

Selective extraction of β -blockers from biological fluids by column-switching high-performance liquid chromatography using an internal-surface phenylboronic acid precolumn 675(1996)168

Direct high-performance liquid chromatography determination of diastereomeric oxprenolol glucuronides 675(1996)251

Oxprenolol glucuronides

Direct high-performance liquid chromatography determination of diastereomeric oxprenolol glucuronides 675(1996)251

Oxytetracycline

Determination of oxytetracycline in the live fish feed *Artemia* using high-performance liquid chromatography with ultraviolet detection 663(1995)671

Oxytocin

Determination of oxytocin in biological samples by isocratic high-performance liquid chromatography with coulometric detection using C_{18} solid-phase extraction and polyclonal antibody-based immunoaffinity column purification 653(1994)139

P

Paclitaxe

High-performance liquid chromatography and micellar electrokinetic chromatography of taxol and related taxanes from bark and needle extracts of *Taxus* species 657(1994)301

High-performance liquid chromatographic procedures for the quantitative determination of paclitaxel (Taxol) in human urine 664(1995)373

Determination of paclitaxel and metabolites in mouse plasma, tissues, urine and faeces by semi-automated reversed-phase high-performance liquid chromatography 664(1995)383

Quantification of paclitaxel metabolites in human plasma by high-performance liquid chromatography 674(1995)261

Palmitate

Fast gas chromatographic-mass spectrometric method for the evaluation of plasma fatty acid turnover using [1-13C]palmitate 657(1994)1

Papain

Use of thiophilic adsorption in the purification of biotinylated Fab fragments 664(1995)79

Papaya proteinases

Fractionation and purification of the thiol proteinases from papaya latex 656(1994)203

Paroxetine

Column liquid chromatographic determination of paroxetine in human serum using solid-phase extraction 661(1994)362

Pazinaclone

Enantioselective determination of pazinaclone, a new isoindoline anxiolytic, and its active metabolite in rat plasma by high-performance liquid chromatography 666(1995)291

PD 147693

Sensitive high-performance liquid chromatographic method for a dopamine receptor agonist, CI-1007, and its metabolite PD 147693 in monkey plasma 665(1995)193

Penciclovir

Comparison of high-performance liquid chromatography and capillary zone electrophoresis in penciclovir biodegradation kinetic studies 669(1995)85

Pentaacetic acid

Assay for the dianhydride of diethylenetriaminepentaacetic acid and its major degradation products by capillary electrophoresis 669(1995)149

Pentafluorobenzyl bromide

Femtomole detection of amino acids and dipeptides by gas chromatography—negative-ion chemical ionization mass spectrometry following alkylation with pentafluorobenzyl bromide 658(1994)213

Pepsin fragments

Antibody fragment separations by capillary zone electrophoresis 675(1996)17

Peptidases

Capillary liquid chromatography-fast atom bombardment mass spectrometry using a high-resolving cation exchanger, based on a continuous chromatographic matrix 664(1995)426

Peptides

Processing of envelope polypeptides of *Herpes simplex* virus type 1 652(1994)234

Capillary zone electrophoresis of two synthetic neuropeptides: examination of detectability and resolution as a function of peptide concentration and buffer concentration 655(1994)9

Determination of angiotensins by capillary electrophoresis 655(1994)127

Capillary zone electrophoresis of peptides: prediction of the electrophoretic mobility and resolution 656(1994)87

Application of capillary and free-flow zone electrophoresis and isotachophoresis to the analysis and preparation of the synthetic tetrapeptide fragment of growth hormone-releasing peptide 656(1994)99

Synthesis and high-performance liquid chromatographic purification of tritiated thyrotrophin-releasing hormone-like peptides 656(1994)115

Immobilized residue-specific endoproteinases for protein sequencing 656(1994)169

High-performance liquid chromatographic determination of intrathecally administered [D-Ala²-D-Leu⁵]-enkephalin concentrations in canine cerebrospinal fluid 657(1994)243

Femtomole detection of amino acids and dipeptides by gas chromatography-negative-ion chemical ionization mass spectrometry following alkylation with pentafluorobenzyl bromide 658(1994)213

Derivatization reactions for neurotransmitters and their automation 659(1994)157

Ultra-rapid preparation of milligram quantities of the purified polypeptide chains of human fibrinogen 660(1994)390

Large-scale chromatofocusing-based method for isolating thymosin β_4 and thymosin β_9 from bovine tissues 662(1994)27

Optimization of the loading limit for capillary zone electrophoresis of synthetic opioid and tachykinin peptides: a study of the interactions among the amount of peptide, resolution, saturation, injection volume and capillary diameter 662(1994)35

Deamidation of asparagine and glutamine residues in proteins and peptides: structural determinants and analytical methodology 662(1994)261

Interaction of cyclosporin A and two cyclosporin analogs with cyclophilin: relationship between structure and binding 662(1994)301

Immunoaffinity measurement of recombinant granulocyte colony stimulating factor in patients with chemotherapy-induced neutropenia 662(1994)307

Chromatographic separation of low-molecular-mass recombinant proteins and peptides on Superdex 30 prep grade 662(1994)325

Retention behaviour of proteins on poly(vinylimidazole)—copper(II) complexes supported on silica: application to the fractionation of desialylated human α_1 -acid glycoprotein variants 664(1995)55

Peptide immobilization on calcium alginate beads: applications to antibody purification and assay 664(1995)127

Affinity purification of polyclonal antibodies using immobilized multimeric peptides 664(1995)175

Analysis of muscle cell culture medium by size-exclusion chromatography 664(1995)185

Rapid determination of the ratios of three aromatic residues in peptides by reversed-phase high-performance liquid chromatography with a high-resolution photodiodearray detector 664(1995)267

Sample preparation, high-performance liquid chromatographic separation and determination of substance P-related peptides 665(1995)233

Purification and characterization of insulin-like growth factor II (IGF II) and an IGF II variant from human placenta 666(1995)203

High-performance liquid chromatographic resolution of synthetic opiate and "anti-opiate" peptides from human plasma 667(1995)49

Extraction of the synthetic lytic peptide, cecropin B, from biological fluid and analysis using reversed-phase high-performance liquid chromatography 672(1995)225

Peptides, dabsylated

High-performance liquid chromatographic assay for farnesyl-protein transferase activity with dabsylated peptide 663(1995)35

Perfluorooctanoyl chloride

Gas chromatographic-mass spectrometric identification and quantitation of ethylene glycol in serum after derivatization with perfluorooctanoyl chloride: a novel derivative 666(1995)63

Perphenazine

Quantitative determination of perphenazine and its metabolites in plasma by high-performance liquid chromatography and coulometric detection 668(1995)291

Perphenazine sulphoxide

Quantitative determination of perphenazine and its metabolites in plasma by high-performance liquid chromatography and coulometric detection 668(1995)291

Pesticides

Derivatization reactions applicable to pesticide determination by high-performance liquid chromatography 659(1994)243

Simple method for analysis of diquat in biological fluids and tissues by high-performance liquid chromatography 674(1995)193

Phenaminum

Two-dimensional gas chromatography for the enantiomeric separation of ephedrine and phenaminum and their metabolites 653(1994)98

Phenazone

Highly sensitive and specific gas chromatographic-tandem mass spectrometric method for the determination of trace amounts of antipyrine metabolites in biological material 666(1995)111

Pheniramine

Determination of loratadine and pheniramine from human serum by gas chromatography-mass spectrometry 673(1995)183

Phenobarbital

Simultaneous determination of antiepileptic drugs and their metabolites, including chiral compounds, via β -cyclodextrin inclusion complexes by a column-switching chromatographic technique 658(1994)385

Phenobarbitone

Automated analysis of free and total concentrations of three antiepileptic drugs in plasma with on-line dialysis and high-performance liquid chromatography 669(1995)281

Phenols

Determination of phenol in urine by high-performance liquid chromatography with on-line precolumn enzymatic hydrolysis of the conjugates 658(1994)87

Separation of the eleven priority pollutant phenols by capillary zone electrophoresis 669(1995)93

Simple high-performance liquid chromatographic analysis of phenol and p-cresol in urine and feces 674(1995)187

Phenols (chlorinated)

Determination of chlorinated phenols and cresols in human urine using solid-phase extraction and gas chromatography 657(1994)103

Phenothiazines

Application of the desulfurization of phenothiazines for a sensitive detection method by high-performance liquid chromatography 661(1994)85

Determination of a cardiac antiarrhythmic, tricyclic antipsychotics and antidepressants in human and animal urine by micellar electrokinetic capillary chromatography using a bile salt 669(1995)331

Phenprocoumon

Determination of the coumarin anticoagulant phenprocoumon and metabolites in human plasma, urine and breast milk by high-performance liquid chromatography after solid-phase extraction 655(1994)63

Phenylacetic acid

Rapid determination of phenylalanine and its related compounds in rumen fluid by high-performance liquid chromatography 663(1995)201

Phenylalanine

Rapid determination of phenylalanine and its related compounds in rumen fluid by high-performance liquid chromatography 663(1995)201

Phenylephrine

High-performance liquid chromatographic determination of phenylephrine in human serum using column switching with fluorescence detection 661(1994)93

B-Phenylethylamine

High-performance liquid chromatographic analysis of β -phenylethylamine for the estimation of in vivo protein synthesis 666(1995)336

Phenyllactic acid

Rapid determination of phenylalanine and its related compounds in rumen fluid by high-performance liquid chromatography 663(1995)201

1-Phenyl-N-methyl-1,2,3,4-tetrahydroisoquinoline

Detection of 1-phenyl-N-methyl-1,2,3,4tetrahydroisoquinoline and 1-phenyl-1,2,3,4tetrahydroisoquinoline in human brain by gas chromatography-tandem mass spectrometry 669(1995)345

N-Phenylpropanamide

Gas chromatographic-mass spectrometric analysis of alfentanil metabolites. Application to human liver microsomal alfentanil biotransformation 660(1994)85

Phenylpropanolamine

Simultaneous quantification of ephedrines in urine by highperformance liquid chromatography 661(1994)357

Phenylpropionic acid

Rapid determination of phenylalanine and its related compounds in rumen fluid by high-performance liquid chromatography 663(1995)201

Phenylpyruvic acid

Rapid determination of phenylalanine and its related compounds in rumen fluid by high-performance liquid chromatography 663(1995)201

1-Phenyl-1,2,3,4-tetrahydroisoquinoline

Detection of 1-phenyl-N-methyl-1,2,3,4tetrahydroisoquinoline and 1-phenyl-1,2,3,4tetrahydroisoquinoline in human brain by gas chromatography-tandem mass spectrometry 669(1995)345

Phenytoin

Simultaneous determination of antiepileptic drugs and their metabolites, including chiral compounds, via β -cyclodextrin inclusion complexes by a column-switching chromatographic technique 658(1994)385

Automated analysis of free and total concentrations of three antiepileptic drugs in plasma with on-line dialysis and high-performance liquid chromatography 669(1995)281

Phenytoin free fraction determination: comparison of an improved direct serum injection high-performance liquid chromatographic method to ultrafiltration coupled with fluorescence polarization immunoassay 670(1995)358

Simultaneous determination of plasma phenytoin and its primary hydroxylated metabolites in carbon tetrachloride-intoxicated rats by high-performance liquid chromatography 673(1995)147

Pholcodine

Analysis of common opiates and heroin metabolites in urine by high-performance liquid chromatography 663(1995)225

Determination of opiates in urine by capillary electrophoresis 675(1996)213

Phosholipid hydroperoxides

High-performance liquid chromatography with mercury cathode electrochemical detection: application to lipid hydroperoxide analysis 670(1995)189

Phosphatidic acid

Quantitation of the fatty acid composition of phosphatidic acid by capillary gas chromatography electron-capture detection with picomole sensitivity 658(1994)233

High-performance liquid chromatography of phosphatidic acid 671(1995)281

Phosphatidylcholine

Improved separation of radioactively labelled cellular phospholipids by high-performance liquid chromatography 656(1994)73

Automatic determination of hydroperoxides of phosphatidylcholine and phosphatidylethanolamine in human plasma 665(1995)37

High-performance liquid chromatography with mercury cathode electrochemical detection: application to lipid hydroperoxide analysis 670(1995)189

Separation of major polar lipids in *Pecten maximus* by high-performance liquid chromatography and subsequent determination of their fatty acids using gas chromatography 673(1995)15

Phosphatidylethanolamine

Automatic determination of hydroperoxides of phosphatidylcholine and phosphatidylethanolamine in human plasma 665(1995)37

Separation of major polar lipids in *Pecten maximus* by high-performance liquid chromatography and subsequent determination of their fatty acids using gas chromatography 673(1995)15

Phosphatidylserine

High-performance liquid chromatographic method for determination of the metabolism of polyunsaturated molecular species of phosphatidylserine labeled in the polar group 660(1994)380

Partial characterization of the molecular species of phosphatidylserine from human plasma by highperformance liquid chromatography and fast atom bombardment mass spectrometry 661(1994)1

Approach to the large-scale preparation of highly pure phosphatidylserine from bovine brain 666(1995)178

Phospholipids

High-performance liquid chromatographic study of the regulation of phospholipid metabolism in cultured adrenocortical cells 652(1994)1

Improved separation of radioactively labelled cellular phospholipids by high-performance liquid chromatography 656(1994)73

Thin-layer chromatographic procedures for lipid separation 671(1995)169

Quantitative chromatographic analysis of inositol phospholipids and related compounds 671(1995)255

Quantitative analysis of pulmonary surfactant phospholipids by high-performance liquid chromatography and lightscattering detection 672(1995)25

Phosphopeptide β -CN(1-25)

Selective determination of phosphopeptide β -CN(1-25) in a β -casein digest by adding iron: characterization by liquid chromatography with on-line electrospray-ionization mass spectrometric detection 664(1995)193

3'-Phosphoramidate

Analysis of a ribonuclease H digestion of N3'→P5' phosphoramidate-RNA duplexes by capillary gel electrophoresis 669(1995)125

Phosphorothioate oligonucleotides

Quantitative analysis of phosphorothioate oligonucleotides in biological fluids using direct injection fast anionexchange chromatography and capillary gel electrophoresis 662(1994)343

Phosphoserine

Separation and quantification of D- and L-phosphoserine in rat brain using N α -(2,4-dinitro-5-fluorophenyl)-L- alaninamide (Marfey's reagent) by high-performance liquid chromatography with ultraviolet detection 672(1995)290

o-Phthalaldehyde

Derivatization of thiol-containing compounds 659(1994)227

Fluorimetric determination of monobromobimane and ophthalaldehyde adducts of γ -glutamylcysteine and glutathione: application to assay of γ -glutamylcysteinyl synthetase activity and glutathione concentration in liver 672(1995)217

Phthalocyanine Pc 4

High-performance liquid chromatographic determination of the silicon phthalocyanine Pc 4 in human blood 673(1995)320

Phylloquinone

Determination of vitamin K₁ in serum using catalyticreduction liquid chromatography with fluorescence detection 670(1995)209

Phytosphingosine

In vivo distribution of free long-chain sphingoid bases in the human stratum corneum by high-performance liquid chromatographic analysis of strippings 656(1994)65

Phytosterols

Simultaneous measurement of phytosterols (campesterol and β -sitosterol) and 7-ketocholesterol in human lipoproteins by capillary column gas chromatography 663(1995)1

Pindolol

High-performance liquid chromatographic analysis of pindolol enantiomers in human serum and urine using a reversed-phase cellulose-based chiral column 668(1995)309

Selective extraction of β -blockers from biological fluids by column-switching high-performance liquid chromatography using an internal-surface phenylboronic acid precolumn 675(1996)168

Piracetam

Determination of piracetam in human plasma and urine by liquid chromatography 663(1995)385

Piretanide

Determination of piretanide and furosemide in pharmaceuticals and human urine by high-performance liquid chromatography with amperometric detection 675(1996)303

Pirlimycin

Identification and determination of pirlimycin residue in bovine milk and liver by high-performance liquid chromatography—thermospray mass spectrometry 674(1995)219

Piroxicam

Extractionless high-performance liquid chromatographic method for the simultaneous determination of piroxicam and 5'-hydroxypiroxicam in human plasma and urine 673(1995)142

Placental protein 12

Use of metal-chelate affinity chromatography and hydrophobic interaction chromatography for purification of placental protein 12 656(1994)432

Plasma lipids

Determination of plasma non-esterified fatty acids and triglyceride fatty acids by gas chromatography of their methyl esters after isolation by column chromatography on silica gel 666(1995)1

Plasmalogens

Separation of major polar lipids in *Pecten maximus* by high-performance liquid chromatography and subsequent determination of their fatty acids using gas chromatography 673(1995)15

Platelet-activating factor antagonists

Determination of the platelet activating factor antagonist 6-(2-chlorophenyl)-9-[(4-methoxyphenyl)thiocarbamoyl]-1-methyl-7,8,9,10-tetrahydro-4H-pyrido[4',3'-4,5]- thieno[3,2-f][1,2,4]triazolo[4,3-a][1,4] diazepine in human plasma by liquid chromatography-thermospray mass spectrometry 657(1994)214

Determination of the anti-platelet-activating factor BN-50727 and its metabolites in human plasma by high-performance liquid chromatography-solid-phase extraction 668(1995)281

Platelet glycoprotein IIb/IIIa receptor antagonist

Determination of DMP 728, a IIb/IIIa receptor antagonist, in rat and dog plasma by high-performance liquid chromatography with fluorimetric detection 657(1994)254

Podophyllotoxin derivative

High-performance liquid chromatographic assay for the determination of the novel podophyllotoxin derivative dimethylaminoetoposide (NK611) in human plasma 654(1994)97

Polyamines

Rapid high-performance liquid chromatographic method for the quantitation of polyamines as their dansyl derivatives: application to plant and animal tissues 666(1995)329

Degradation of dansyl polyamines on high-performance thin-layer chromatographic plates 667(1995)185

Investigation of polyamine metabolism by high-performance liquid chromatographic and gas chromatographic profiling methods 667(1995)189

Improved high-performance liquid chromatographic method for the determination of polyamines as their benzoylated derivatives: application to P388 cancer cells 668(1995)189

Polyamine analysis using N-hydroxysuccinimidyl-6aminoquinoyl carbamate for pre-column derivatization 675(1996)321

Polychlorinated biphenyls

Liquid-gel partitioning using Lipidex in the determination of polychlorinated biphenyls, naphthalenes, dibenzo-p-dioxins and dibenzofurans in blood plasma 669(1995)207

Polychlorinated dibenzo-p-dioxins

Liquid-gel partitioning using Lipidex in the determination of polychlorinated biphenyls, naphthalenes, dibenzo-p-dioxins and dibenzofurans in blood plasma 669(1995)207

Polychlorinated dibenzofurans

Liquid-gel partitioning using Lipidex in the determination of polychlorinated biphenyls, naphthalenes, dibenzo-p-dioxins and dibenzofurans in blood plasma 669(1995)207

Polychlorinated naphthalenes

Liquid-gel partitioning using Lipidex in the determination of polychlorinated biphenyls, naphthalenes, dibenzo-p-dioxins and dibenzofurans in blood plasma 669(1995)207

Polycyclic aromatic hydrocarbons

Coupled-column high-performance liquid chromatographic method for the determination of four metabolites of polycyclic aromatic hydrocarbons, 1-, 4- and 9-hydroxyphenanthrene and 1-hydroxypyrene, in urine 660(1994)67

Improved high-performance liquid chromatographic method for the determination of polycyclic aromatic hydrocarbon metabolites in human urine 665(1995)390

Poly(ethylene glycol)

Effect of some poly(ethylene glycol)-bound and dextranbound affinity ligands on the partition of synaptic membranes in aqueous two-phase systems 652(1994)137

High-performance liquid chromatographic method for the simultaneous determination of low-molecular-mass oligomers of polyethylene glycol in aqueous skin extracts 657(1994)83

Poly(ethylene oxide)

Poly(ethyleneoxide) for high-resolution and high-speed separation of DNA by capillary electrophoresis 669(1995)113

Poly(ethylene vinyl alcohol)

Interaction of human immunoglobulin G with L-histidine immobilized onto poly(ethylene vinyl alcohol) hollow-fiber membranes 674(1995)13

Polyhydroxyethylmethacrylate

DNA-immobilized polyhydroxyethylmethacrylate microbeads for affinity sorption of human immunoglobulin G and anti-DNA antibodies 666(1995)215

Protein A immobilized polyhydroxyethylmethacrylate beads for affinity sorption of human immunoglobulin G 668(1995)13

Polyhydroxyethylmethacrylate microbeads

Heparin-immobilized polyhydroxyethylmethacrylate microbeads for cholesterol removal: a preliminary report 670(1995)157

Polymerase chain reaction products

Quantitation of polymerase chain reaction products by capillary electrophoresis using laser fluorescence 658(1994)271

Polymeric 6-aminoquinoline, activated carbamate reagent

Polymeric 6-aminoquinoline, an activated carbamate reagent for derivatization of amines and amino acids by high-performance liquid chromatography 658(1994)249

Polymer reagents

Solid-phase derivatization reactions for biomedical liquid chromatography 659(1994)19

Polyols

Benzoylation of sugars, polyols and amino acids in biological fluids for high-performance liquid chromatographic analysis 655(1994)105

Polypeptides

Processing of envelope polypeptides of *Herpes simplex* virus type 1 652(1994)234

Ultra-rapid preparation of milligram quantities of the purified polypeptide chains of human fibrinogen 660(1994)390

Polysialogangliosides

Improved thin-layer chromatographic separation of gangliosides by automated multiple development 657(1994)75

Polyunsaturated fatty acids

High-performance liquid chromatography-thermospray mass spectrometry of epoxy polyunsaturated fatty acids and epoxyhydroxy polyunsaturated fatty acids from an incubation mixture of rat tissue homogenate 652(1994)123

High-performance liquid chromatographic method for determination of the metabolism of polyunsaturated molecular species of phosphatidylserine labeled in the polar group 660(1994)380

High-performance liquid chromatograpy-thermospray mass spectrometry of ω -hydroxy polyunsaturated fatty acids from rat brain homogenate 662(1994)91

Analytical technologies for lipid oxidation products analysis 671(1995)223

Poly(vinylimidazole)-copper(II) complexes

Retention behaviour of proteins on poly(vinylimidazole)—copper(II) complexes supported on silica: application to the fractionation of desialylated human α_1 -acid glycoprotein variants 664(1995)55

Porous graphitic carbon

Porous graphitic carbon shows promise for the rapid chromatographic analysis of polar drug metabolites 667(1995)173

Porphyrins

Isolation and photodynamic effects of hematoporphyrin derivative components: a chromatographic analysis of the starting materials 669(1995)295

Potassium

Dependence of electroosmotic flow in capillary electrophoresis on Group I and II metal ions 657(1994)401

Simultaneous determination of urinary creatinine, calcium and other inorganic cations by capillary zone electrophoresis with indirect ultraviolet detection 661(1994)35

Prajmaline

Fatal poisoning with detajmium: identification of detajmium and its metabolites and artifacts by gas chromatography—mass spectrometry and quantification by high-performance liquid chromatography 661(1994)47

Prazosin

High-performance liquid chromatography using electrochemical detection for the determination of prazosin in biological samples 670(1995)177

Prednisolone

Fifteen years of operation of a high-performance liquid chromatographic assay for prednisolone, cortisol and prednisone in plasma 658(1994)47

Simultaneous determination of deflazacort metabolites II and III, cortisol, cortisone, prednisolone and prednisone in human serum by reversed-phase high-performance liquid chromatography 658(1994)55

Simultaneous determination of prednisolone, prednisolone acetate and hydrocortisone in human serum by high-performance liquid chromatography 674(1995)237

Prednisolone acetate

Simultaneous determination of prednisolone, prednisolone acetate and hydrocortisone in human serum by high-performance liquid chromatography 674(1995)237

Prednisone

Fifteen years of operation of a high-performance liquid chromatographic assay for prednisolone, cortisol and prednisone in plasma 658(1994)47

Simultaneous determination of deflazacort metabolites II and III, cortisol, cortisone, prednisolone and prednisone in human serum by reversed-phase high-performance liquid chromatography 658(1994)55

Prilocaine

Simultaneous determination of lidocaine, prilocaine and the prilocaine metabolite o-toluidine in plasma by high-performance liquid chromatography 655(1994)83

Primaquine

Simultaneous determination of primaquine and carboxyprimaquine in plasma using high-performance liquid chromatography with electrochemical detection 655(1994)89

High-performance liquid chromatographic determination of primaquine and carboxyprimaquine concentrations in plasma and blood cells in *Plasmodium vivax* malaria cases following chronic dosage with primaquine 675(1996)93

Probucol

Measurement of plasma probucol levels by highperformance liquid chromatography 654(1994)55

Procysteine

Determination of L-2-oxothiazolidine-4-carboxylic acid (Procysteine) in human plasma by high-performance liquid chromatography 654(1994)257

Programmed temperature vaporizer

Capillary gas chromatography of underivatized fatty acids with a free fatty acid phase column and a programmed temperature vaporizer injector 656(1994)45

Proguanil

Determination of proguanil and metabolites in small sample volumes of whole blood stored on filter paper by high-performance liquid chromatography 674(1995)149

Proinsulin

Recombinant human insulin VI. Determination of recombinant human proinsulin by capillary zone electrophoresis: optimization of efficiency and selectivity 662(1994)357

Prolylcarboxypeptidase

High-performance liquid chromatographic determination of prolylcarboxypeptidase activity in monkey kidney 670(1995)152

Promethazine

Quantification of chlorprothixene, levomepromazine and promethazine in human serum using high-performance liquid chromatography with coulometric electrochemical detection 657(1994)141

Propafenone

Selective extraction of β -blockers from biological fluids by column-switching high-performance liquid chromatography using an internal-surface phenylboronic acid precolumn 675(1996)168

1,2-Propanediol

Determination of 1-methoxy-2-propanol and its metabolite 1,2-propanediol in rat and mouse plasma by gas chromatography 660(1994)291

D,L-Propargylglycine

Determination of D,L-propargylglycine and N-acetylpropargylglycine in urine and several tissues of D,L-propargylglycine-treated rats using liquid chromatographymass spectrometry 660(1994)375

Propionaldehyde

High-performance liquid chromatographic determination of short-chain aliphatic aldehydes using 4-(N,N-dimethylaminosulphonyl)-7-hydrazino-2,1,3-benzoxadiazole as a fluorescence reagent 661(1994)205

Propionic acid

Simple isotope dilution assay for propionic acid and isovaleric acid 673(1995)132

Propionyl coenzyme A

Rapid method for the separation and detection of tissue short-chain coenzyme A esters by reversed-phase highperformance liquid chromatography 667(1995)148

Propofol

Quantitation of propofol in whole blood by gas chromatography-mass spectrometry 669(1995)358

Propranolol

Simplified high-performance liquid chromatographic method for propranolol and five metabolites in liver perfusate, rat serum and dog plasma 655(1994)293

Cyclodextrins as enantioselective mobile phase modifiers for chiral capillary electrophoresis. Effects of pH and cyclodextrin concentration 657(1994)291

High-performance liquid chromatographic determination of (S)- and (R)-propranolol in human plasma and urine with a chiral β -cyclodextrin bonded phase 665(1995)125

Novel solid-phase extraction strategy for the isolation of basic drugs from whole blood. Preliminary study using commercially available extraction cartridges 669(1995)229

Solid-phase extraction on Styrosorb cartridges as a sample pretreatment method in the stereoselective analysis of propranolol in human serum 674(1995)301

Selective extraction of β -blockers from biological fluids by column-switching high-performance liquid chromatography using an internal-surface phenylboronic acid precolumn 675(1996)168

Propranolol glycol

Simplified high-performance liquid chromatographic method for propranolol and five metabolites in liver perfusate, rat serum and dog plasma 655(1994)293

Propylene glycol

Determination of 1-methoxy-2-propanol and its metabolite 1,2-propanediol in rat and mouse plasma by gas chromatography 660(1994)291

Propylene glycol monomethyl ether

Determination of 1-methoxy-2-propanol and its metabolite 1,2-propanediol in rat and mouse plasma by gas chromatography 660(1994)291

S(-)-2-(N-Propyl-N-2-thienylethylamino)-5-hydroxytetralin Development and validation of a gradient reversed-phase high-performance liquid chromatographic assay for S(-)-2-(N-propyl-N-2-thienylethylamino)-5-hydroxytetralin (N-0923) from a transdermal delivery system 670(1995)299

5-Propynyluracil

Automated sequential trace enrichment of dialysates combined with high-performance liquid chromatography and automated heart-cutting for the determination of the nucleoside 1-(β -D-arabinofuranosyl)-5-(1-propynyl)uracil and its metabolite 5-propynyluracil in urine 652(1994)15

Prospidin

Determination of the anticancer drug prospidin in human tissue by high-performance capillary electrophoresis using derivatization 675(1996)313

Prostacyclin

Simplified assay for the quantification of 2,3-dinor-6-keto-prostaglandin $F_{1\alpha}$ by gas chromatography-mass spectrometry 653(1994)117

Prostaglandins

Determination of seven prostanoids in 1 ml of urine by gas chromatography-negative ion chemical ionization triple stage quadrupole mass spectrometry 652(1994)221

Determination of $9\alpha,11\beta$ -prostaglandin F_2 in human urine and plasma by gas chromatography-mass spectrometry 655(1994)173

Microdetermination of 2,3-dinor-6-ketoprostaglandin $F_{1\alpha}$ in human urine using gas chromatography-high-resolution selected-ion monitoring 658(1994)11

Analysis of F₂-isoprostanes as indicators of non-enzymatic lipid peroxidation in vivo by gas chromatography-mass spectrometry: development of a solid-phase extraction procedure 667(1995)199

Prostanoids

Determination of seven prostanoids in 1 ml of urine by gas chromatography-negative ion chemical ionization triple stage quadrupole mass spectrometry 652(1994)221

Analytical technologies for lipid oxidation products analysis 671(1995)223

Protease

Calculation of the molecular masses of two newly synthesized thermostable enzymes isolated from thermophilic microorganisms 666(1995)188

Protein A

Protein A immobilized polyhydroxyethylmethacrylate beads for affinity sorption of human immunoglobulin G 668(1995)13

Protein L

Recombinant proteins L and LG: efficient tools for purification of murine immunoglobulin G fragments 668(1995)209

Protein LG

Recombinant proteins L and LG: efficient tools for purification of murine immunoglobulin G fragments 668(1995)209

Proteinases

Fractionation and purification of the thiol proteinases from papaya latex 656(1994)203

Protein kinase inhibitor

Analytical procedure for the determination of the new antitumour drug N-benzoylstaurosporine and three potential metabolites in human plasma by reversed-phase high-performance liquid chromatography 667(1995)269

Proteins

see also Enzymes

Fractionation of central nervous system myelin proteins by reversed-phase high-performance liquid chromatography 653(1994)155

Improved method for preparation of lipopolysaccharidebinding protein from human serum by electrophoretic and chromatographic separation techniques 654(1994)25

Biomedical applications of capillary electrophoresis 656(1994)3

Procedure for refolding and purification of recombinant proteins from *Escherichia coli* inclusion bodies using a strong anion exchanger 656(1994)123

Production and simple purification of a protein encoded by part of the gag gene of HIV-1 in the Escherichia coli HB101F⁺ expression system inducible by lactose and isopropyl-β-D-thiogalactopyranoside 656(1994)127

Immobilized residue-specific endoproteinases for protein sequencing 656(1994)169

Use of metal-chelate affinity chromatography and hydrophobic interaction chromatography for purification of placental protein 12 656(1994)432

Electrokinetic studies of inorganic coated capillaries 657(1994)285

Capillary electrophoretic examination of underivatized

O-linked and N-linked oligosaccharide mixtures and immunoglobulin G antibody-released oligosaccharide libraries 657(1994)315

Application of capillary isoelectric focusing with absorption imaging detection to the analysis of proteins 657(1994)327

Use of capillary electrophoresis-isoelectric focusing for the determination of bovine hemoglobin variants 657(1994)339

Application of a polyamine-coated capillary to the separation of metallothionein isoforms by capillary zone electrophoresis 657(1994)345

High-performance liquid chromatographic method for the determination of insulin synthesis in biological systems 660(1994)259

Identification and quantitation of human urine proteins by capillary electrophoresis 662(1994)108

Manufacture of recombinant proteins with safe and validated chromatographic sorbents 662(1994)143

Affinity purification of a mannose-binding protein, a sensitive tool in the diagnostics of IgM, via site-directed phosphorylated mannan bound to alumina 662(1994)191

Application of high-performance membrane chromatography for separation of annexins from the plasma membranes of liver and isolation of monospecific polyclonal antibodies 662(1994)217

Deamidation of asparagine and glutamine residues in proteins and peptides: structural determinants and analytical methodology 662(1994)261

Sodium dodecyl sulfate polyacrylamide gel- and replaceable polymer-filled capillary electrophoresis for molecular mass determination of proteins of pharmaceutical interest 662(1994)291

Chromatographic separation of low-molecular-mass recombinant proteins and peptides on Superdex 30 prep grade 662(1994)325

Rapid purification of immunoglobulin G using azaarenophilic chromatography: novel mode of protein-solid phase interactions 662(1994)351

Chromatography in plasma fractionation: benefits and future trends 664(1995)3

Molecular approach to protein-polymer interactions in ionexchange chromatography 664(1995)33

Polyvinyl alcohol-coated macroporous polystyrene particles as stationary phases for the chromatography of proteins 664(1995)39

Synthetic sorbents for removal of factor VIII inhibitors from haemophilic A plasma 664(1995)47

Retention behaviour of proteins on poly(vinylimidazole)–copper(II) complexes supported on silica: application to the fractionation of desialylated human α_1 -acid glycoprotein variants 664(1995)55

Immunoadsorption procedure as a potential method for the specific β 2-microglobulin removal from plasma of patients with chronic renal failure 664(1995)97

Surface properties of crosslinked erythrocytes as studied by counter-current distribution in aqueous polymer two-phase systems 664(1995)137

Study of conformational effects of recombinant interferon γ adsorbed on a non-porous reversed-phase silica support 664(1995)155

Isolation of hen egg white lysozyme, ovotransferrin and ovalbumin, using a quaternary ammonium bound to a highly crosslinked agarose matrix 664(1995)201

Characterization of weak hydrophobic composite sorbents and their application to the isolation of bacterial lectin 664(1995)219

Preparative high-performance liquid chromatographic separation of proteins with HyperD ion-exchange supports 664(1995)225

In vitro toxicity assays for dye ligands used in affinity chromatography 664(1995)241

Intrinsic factor covalently bound to Sepharose as affinity medium for the purification of a soluble intrinsic factor receptor from human urine 664(1995)253

Isolation of the C3 complement component and its C3d subunit from IY-1 fraction of Cohn's fractionation of human plasma 664(1995)261

Capillary gas chromatographic determination of proteins and biological amino acids as N(O)-tert.-butyldimethylsilyl derivatives 665(1995)15

Influence of salts on protein interactions at interfaces of amphiphilic polymers and adsorbents 666(1995)21

Comparison of membrane proteins from benign and malignant human thyroid tissues by two-dimensional polyacrylamide gel electrophoresis 667(1995)153

Protein analysis by isoelectric focusing in a capillary array with an absorption imaging detector 669(1995)39

Myoglobinuria detection by capillary electrophoresis 669(1995)53

Protein-boronic acid conjugates and their binding to low-molecular-mass cis-diols and glycated hemoglobin 670(1995)37

Mass spectrometric analysis of haemoglobin adducts formed by methyl bromide in vitro 670(1995)349

Quantitative analysis of synthetic human calcitonin by liquid chromatography-mass spectrometry 672(1995)17

Evaluation of serum protein separation by capillary electrophoresis: prospective analysis of 1000 specimens 672(1995)241

Separation of three mouse metallothionein isoforms by free-solution capillary electrophoresis 675(1996)317

Proteins, allergenic

Purification of allergenic proteins from peanut for preparation of the reactive solid phase of a specific IgE radioimmunoassay 664(1995)211

Proteolipid protein

Fractionation of central nervous system myelin proteins by reversed-phase high-performance liquid chromatography 653(1994)155

Protoporphyrin

Isolation and photodynamic effects of hematoporphyrin derivative components: a chromatographic analysis of the starting materials 669(1995)295

Pseudoephedrine

Simultaneous quantification of ephedrines in urine by highperformance liquid chromatography 661(1994)357

Identification of ephedrines as their carbon disulfide derivatives 663(1995)160

Determination of ephedrine compounds in nutritional supplements by cyclodextrin-modified capillary electrophoresis 669(1995)133

Pseudouridine

Capillary electrophoresis as a clinical tool. Determination of organic anions in normal and uremic serum using photodiode-array detection 668(1995)241

Automated screening system for purine and pyrimidine metabolism disorders using high-performance liquid chromatography 672(1995)233

Purine nucleoside phosphorylase

Purine enzyme activities in peripheral blood mononuclear cells: comparison of a new non-radiochemical high-performance liquid chromatography procedure and a radiochemical thin-layer chromatography procedure 666(1995)33

Determination of plasma activities of purine nucleoside phosphorylase by high-performance liquid chromatography: estimates of nonparenchymal cell injury after porcine liver transplantation 670(1995)332

Purine 5'-nucleotidase

Purine enzyme activities in peripheral blood mononuclear cells: comparison of a new non-radiochemical high-performance liquid chromatography procedure and a radiochemical thin-layer chromatography procedure 666(1995)33

Purines

see also Nucleobases

Derivatization reactions for neurotransmitters and their automation 659(1994)157

Automated screening system for purine and pyrimidine metabolism disorders using high-performance liquid chromatography 672(1995)233

Putrescine

Rapid high-performance liquid chromatographic method for the quantitation of polyamines as their dansyl derivatives: application to plant and animal tissues 666(1995)329

Improved high-performance liquid chromatographic method for the determination of polyamines as their benzoylated derivatives: application to P388 cancer cells 668(1995)189

Pyrazinamide

Comprehensive assay for pyrazinamide, rifampicin and isoniazid with its hydrazine metabolites in human plasma by column liquid chromatography 658(1994)391

Pyridinium cross-links

Determination of pyridinium crosslinks in plasma and serum by high-performance liquid chromatography 656(1994)303

Pyridinoline

Determination of pyridinium crosslinks in plasma and serum by high-performance liquid chromatography 656(1994)303

Pyrimidine

Automated screening system for purine and pyrimidine metabolism disorders using high-performance liquid chromatography 672(1995)233

Pyruvate

Fast method for the simultaneous determination of 2-oxo acids in biological fluids by high-performance liquid chromatography 662(1994)97

Pyruvic acid

Determination of lactic acid and pyruvic acid in serum and cerebrospinal fluid by ion-exclusion chromatography with a bulk acoustic wave detector 673(1995)153



Qinghaosu

Packed-column supercritical fluid chromatography of artemisinin (qinghaosu) with electron-capture detection 666(1995)183

Quercetin

Determination of quercetin in human plasma using reversed-phase high-performance liquid chromatography 666(1995)149

Selective extraction of quercetrin in vegetable drugs and urine by off-line coupling of boronic acid affinity chromatography and high-performance liquid chromatography 673(1995)223

Ouercetrin

Selective extraction of quercetrin in vegetable drugs and urine by off-line coupling of boronic acid affinity chromatography and high-performance liquid chromatography 673(1995)223

Quinapril

Determination of quinapril and quinaprilat by highperformance liquid chromatography with radiochemical detection, coupled to liquid scintillation counting spectrometry 666(1995)360

Quinaprilat

Determination of quinapril and quinaprilat by highperformance liquid chromatography with radiochemical detection, coupled to liquid scintillation counting spectrometry 666(1995)360

Quinidine

Determination of quinidine, dihydroquinidine, (3S)-3-hydroxyquinidine and quinidine N-oxide in plasma and urine by high-performance liquid chromatography 660(1994)103

Simultaneous determination of diltiazem and quinidine in human plasma by liquid chromatography 672(1995)261

Ouinidine N-oxide

Determination of quinidine, dihydroquinidine, (3S)-3-hydroxyquinidine and quinidine N-oxide in plasma and urine by high-performance liquid chromatography 660(1994)103

Quinine

Novel solid-phase extraction strategy for the isolation of basic drugs from whole blood. Preliminary study using commercially available extraction cartridges 669(1995)229

Quinolone antibacterial agent

High-performance liquid chromatographic determination of the new quinolone antibacterial agent DU-6859a in human serum and urine using solid-phase extraction with photolysis-fluorescence detection 660(1994)365



Ractopamine

Determination of ractopamine in monkey plasma and swine serum by high-performance liquid chromatography with electrochemical detection 675(1996)279

Ranitidine

Determination of cimetidine in human plasma by highperformance liquid chromatography following liquid-liquid extraction 668(1995)117

Rapamycin

Sample clean-up and high-performance liquid chromatographic techniques for measurement of whole blood rapamycin concentrations 654(1994)111

Reactive Blue 2

In vitro toxicity assays for dye ligands used in affinity chromatography 664(1995)241

Reactive Red 120

In vitro toxicity assays for dye ligands used in affinity chromatography 664(1995)241

Recombinant bovine growth hormone

Matrix-assisted laser desorption mass spectrometry for the detection of recombinant bovine growth hormone in sustained-release form 669(1995)366

Recombinant DNA

Application of capillary high-performance liquid chromatography to biotechnology, with reference to the analysis of recombinant DNA-derived human growth hormone 662(1994)335

Recombinant proteins

see also Proteins

Manufacture of recombinant proteins with safe and validated chromatographic sorbents 662(1994)143

Purification of factor VIII and von Willebrand factor from human plasma by anion-exchange chromatography 662(1994)181 Recombinant soluble Fcy receptors: production, purification and biological activities 662(1994)197

Resolution of isoforms of natural and recombinant fibrolase, the fibrinolytic enzyme from Agkistrodon contortrix contortrix snake venom, and comparison of their EDTA sensitivities 662(1994)227

Primary structure control of recombinant proteins using high-performance liquid chromatography, mass spectrometry and microsequencing 662(1994)245

Deamidation of asparagine and glutamine residues in proteins and peptides: structural determinants and analytical methodology 662(1994)261

Sodium dodecyl sulfate polyacrylamide gel- and replaceable polymer-filled capillary electrophoresis for molecular mass determination of proteins of pharmaceutical interest 662(1994)291

Immunoaffinity measurement of recombinant granulocyte colony stimulating factor in patients with chemotherapy-induced neutropenia 662(1994)307

Chromatographic separation of low-molecular-mass recombinant proteins and peptides on Superdex 30 prep grade 662(1994)325

Recombinant proteins L and LG: efficient tools for purification of murine immunoglobulin G fragments 668(1995)209

Recombinant soluble human E-selectin

Biological and biophysical characterization of recombinant soluble human E-selectin purified at large scale by reversed-phase high-performance liquid chromatography 668(1995)219

Reduced cinmetacin

Gas chromatographic-electron-impact chemical ionization mass spectrometric identification of cinmetacin and its metabolites in human urine 660(1994)75

Reduced glutathione

Rapid determination of glutathione status in fish liver using high-performance liquid chromatography and electrochemical detection 656(1994)311

Renin inhibitor

Determination of the renin inhibitor Ro 42-5892 in human plasma by automated pre-column derivatization, reversed-phase high-performance liquid chromatographic separation and electrochemical detection after post-column irradiation 665(1995)373

Retinobenzoic acid benzanilide derivative

Determination of the retinobenzoic acid derivative Am580 in rat plasma by high-performance liquid chromatography 667(1995)301

all-trans-retinoic acid

Determination of orally administered all-trans-retinoic acid in human plasma by high-performance liquid chromatography 656(1994)239

Simultaneous determination of all-trans and 13-cis retinoic acids and their 4-oxo metabolites by adsorption liquid chromatography after solid-phase extraction 666(1995)55

Retinoic acids

Simultaneous determination of 13-cis- and all-trans-retinoic acids and retinol in human serum by high-performance liquid chromatography 657(1994)53

Retinoids

Simultaneous determination of etretinate, acitretin and their metabolites in perfusate, perfusate plasma, bile or hepatic tissue with reversed-phase high-performance liquid chromatography 667(1995)105

Chromatographic and electrophoretic analysis of biomedically important retinoids 671(1995)381

Retinol

Simple determination of retinol, α -tocopherol and carotenoids (lutein, all-trans-lycopene, α - and β -carotenes) in human plasma by isocratic liquid chromatography 654(1994)129

Simultaneous determination of 13-cis- and all-trans-retinoic acids and retinol in human serum by high-performance liquid chromatography 657(1994)53

Determination of vitamin A in dried human blood spots by high-performance capillary electrophoresis with laser-excited fluorescence detection 665(1995)89

Determination of serum retinol by reversed-phase highperformance liquid chromatography 666(1995)342

Simultaneous determination of retinyl esters and retinol in human livers by reversed-phase high-performance liquid chromatography 668(1995)233

Retinyl oleate

Simultaneous determination of retinyl esters and retinol in human livers by reversed-phase high-performance liquid chromatography 668(1995)233

Retinyl palmitate

Simultaneous determination of vitamins D₃, E and K₁ and retinyl palmitate in cattle plasma by liquid chromatography with a narrow-bore column 660(1994)49

Simultaneous determination of retinyl esters and retinol in human livers by reversed-phase high-performance liquid chromatography 668(1995)233

Retinyl stearate

Simultaneous determination of retinyl esters and retinol in human livers by reversed-phase high-performance liquid chromatography 668(1995)233

Reverse transcriptase

Capillary electrophoresis: separation and quantitation of reverse transcriptase polymerase chain reaction products from polio virus 656(1994)159

Laboratory-scale production and purification of recombinant HIV-1 reverse transcriptase 664(1995)107

Rhodamine 6G

Yoctomole detection limit by laser-induced fluorescence in capillary electrophoresis 657(1994)265

Rhoifolin

Determination of rhoifolin and daidzin in human plasma by high-performance liquid chromatography 655(1994)300

Ribonuclease H

Analysis of a ribonuclease H digestion of N3'→P5' phosphoramidate-RNA duplexes by capillary gel electrophoresis 669(1995)125

Ribose-methylated nucleotides

Detection of ribose-methylated nucleotides in *Pyrodictium* occultum tRNA by liquid chromatography—frit-fast atom bombardment mass spectrometry 660(1994)223

Rifampicin

Comprehensive assay for pyrazinamide, rifampicin and isoniazid with its hydrazine metabolites in human plasma by column liquid chromatography 658(1994)391

Ritalinic acid

Simultaneous detection of methylphenidate and its main metabolite, ritalinic acid, in doping control 658(1994)380

RNA

Separation and characterization of the main methylated nucleobases from nuclear, cytoplasmic and poly (A)⁺ RNA by high-performance liquid chromatography and mass spectrometry 661(1994)193

Ro 19-6327

Determination of Ro 19-6327 (Lazabemide) in human plasma and urine by gas chromatography-negative chemical ionization mass spectrometry 665(1995)327

Ro 42-5892

Determination of the renin inhibitor Ro 42-5892 in human plasma by automated pre-column derivatization, reversed-phase high-performance liquid chromatographic separation and electrochemical detection after post-column irradiation 665(1995)373

Rooperol

Studies on hypoxoside and rooperol analogues from *Hypoxis rooperi* and *Hypoxis latifolia* and their biotransformation in man by using high-performance liquid chromatography with in-line sorption enrichment and diode-array detection 662(1994)71

Ropivacaine

Determination of amide-type local anaesthetics by direct injection of plasma in a column-switching high-performance liquid chromatographic system using a pre-column with a semipermeable surface 654(1994)221

Determination of free concentration of ropivacaine and bupivacaine in blood plasma by ultrafiltration and coupledcolumn liquid chromatography 668(1995)91

RP 73163

Assay and single dose pharmacokinetics of a novel systemic acyl coenzyme A cholesterol O-acyltransferase inhibitor, RP 73163, in rat plasma using automated solid-phase extraction with high-performance liquid chromatography 661(1994)119

Rutaecarpine

High-performance liquid chromatographic determination of rutaecarpine in rat plasma: application to a pharmacokinetic study 655(1994)27

S

S12363

Methods for the analysis of the new vinca alkaloid derivative, S 12363, in plasma by high-performance liquid chromatography with fluorescence detection 657(1994)163

Salbutamol

Optimization of a column liquid chromatographic procedure for the determination of plasma salbutamol concentration 654(1994)205

Determination of salbutamol enantiomers in human plasma and urine by chiral high-performance liquid chromatography 672(1995)103

Selective extraction of β -blockers from biological fluids by column-switching high-performance liquid chromatography using an internal-surface phenylboronic acid precolumn 675(1996)168

Salicyl acyl glucuronide

Direct analysis of salicylic acid, salicyl acyl glucuronide, salicyluric acid and gentisic acid in human plasma and urine by high-performance liquid chromatography 675(1996)61

Salicylate

Direct analysis of salicylic acid, salicyl acyl glucuronide, salicyluric acid and gentisic acid in human plasma and urine by high-performance liquid chromatography 675(1996)61

Salicylic acid

Direct gradient reversed-phase high-performance liquid chromatographic determination of salicylic acid, with the corresponding glycine and glucuronide conjugates in human plasma and urine 652(1994)161

Salicyluric acid

Direct gradient reversed-phase high-performance liquid chromatographic determination of salicylic acid, with the corresponding glycine and glucuronide conjugates in human plasma and urine 652(1994)161

Direct analysis of salicylic acid, salicyl acyl glucuronide, salicyluric acid and gentisic acid in human plasma and urine by high-performance liquid chromatography 675(1996)61

Salinomycin

Determination of monensin, salinomycin and narasin in muscle, liver and eggs from domestic fowl using liquid chromatography-electrospray mass spectrometry 675(1996)225

Salmon calcitonin

Reversed-phase high-performance liquid chromatography of salmon calcitonin and its degradation products in biological samples using column switching and flow-through radioisotope detection 673(1995)136

Salsolinol

Determination of total dopamine, R- and S-salsolinol in human plasma by cyclodextrin bonded-phase liquid chromatography with electrochemical detection 660(1994)235

Determination of the (R)- and (S)-enantiomers of salsolinol and N-methylsalsolinol by use of a chiral high-performance liquid chromatographic column 670(1995)47

Resolution of catecholic tetrahydroisoquinoline enantiomers and the determination of *R*- and *S*-salsolinol in biological samples by gas chromatography-mass spectrometry 672(1995)179

Saxitoxin

Method for the identification of saxitoxin in rat urine 657(1994)119

SCH 51866

Determination of a cyclic guanine monophosphate phosphodiesterase inhibitor (SCH 51866) in rat serum using capillary zone electrophoresis 669(1995)141

Schistosoma mansoni antigen

Analysis of the primary structure and post-translational modifications of the *Schistosoma mansoni* antigen *Smp28* by electrospray mass spectrometry 662(1994)279

Schizandrin

Determination of schizandrin in human plasma by gas chromatography-mass spectrometry 674(1995)293

Schizophyllan

Comparison of the carbohydrate biological response modifiers Krestin, schizophyllan and glucan phosphate by aqueous size exclusion chromatography with in-line argonion multi-angle laser light scattering photometry and differential viscometry detectors 666(1995)283

E-Selectin

Biological and biophysical characterization of recombinant soluble human E-selectin purified at large scale by reversed-phase high-performance liquid chromatography 668(1995)219

Selegiline

Sensitive high-performance liquid chromatographic method for the determination of the three main metabolites of selegiline (L-deprenyl) in human plasma 656(1994)251

Selenium

Detection of selenium-containing biological constituents by high-performance liquid chromatography-plasma source mass spectrometry 666(1995)13

Enriched stable isotopes of elements used as tracers: methods of presenting high-performance liquid chromatographic-inductively coupled argon plasma mass spectrometric data 670(1995)63

Sematilide

High-performance liquid chromatographic assay for sematilide in plasma using solid-phase extraction microcolumn technology 660(1994)191

Semicarbazide-sensitive amine oxidase

Determination of semicarbazide-sensitive amine oxidase activity in human plasma by high-performance liquid chromatography with fluorimetric detection 663(1995)43

Serine

Preparative-scale amino acid separation by thermal parametric pumping on an ion-exchange resin 664(1995)17

Rapid and sensitive procedure for the separation and quantitation of D- and L-serine in rat brain using gas chromatography—mass spectrometry 667(1995)223

Separation and quantification of D- and L-phosphoserine in rat brain using N α -(2,4-dinitro-5-fluorophenyl)-L- alaninamide (Marfey's reagent) by high-performance liquid chromatography with ultraviolet detection 672(1995)290

Serotonin

Rapid assay of the monoamine content in small volumes of rat plasma 653(1994)9

Rapid measurement of the monoamine content in small volumes of rat plasma 654(1994)177

Plasma serotonin 655(1994)167

Plasma serotonin 655(1994)169

Plasma serotonin 655(1994)171

Simultaneous determination of tryptophan, 5-hydroxytryptophan, 5-hydroxytryptamine, 5-hydroxyindoleacetic acid, 4-hydroxy-3-methoxyphenylacetic acid and 3-methoxy-4-hydroxyphenylglycol in human cerebrospinal fluid 661(1994)143

Simultaneous determination of histamine and serotonin in mast cells by high-performance liquid chromatography 662(1994)103

Aspirin inhibits collagen-induced platelet serotonin release, as measured by microbore high-performance liquid chromatography with electrochemical detection 669(1995)404

Simultaneous determination of serotonin, N-acetylserotonin and melatonin in the pineal gland of the juvenile golden hamster by high-performance liquid chromatography with electrochemical detection 675(1996)152

Sertindole

Sensitive method for the assay of sertindole in plasma by high-performance liquid chromatography and fluorimetric detection 661(1994)299

Sertraline

Determination of sertraline and desmethylsertraline in human serum using copolymeric bonded-phase extraction, liquid chromatography and gas chromatography-mass spectrometry 655(1994)138

Sevoflurane

Analysis of sevoflurane degradation products in vapor phase samples 668(1995)41

Sialic acid

High-performance affinity chromatography of insulin on coated silica grafted with sialic acid 664(1995)163

Sigma receptor antagonist

Determination of a novel sigma receptor antagonist, DuP 734, in rat plasma by reversed-phase high-performance liquid chromatography with ultraviolet detection 653(1994)221

Silibinin

Two high-performance liquid chromatographic assays for the determination of free and total silibinin diastereomers in plasma using column switching with electrochemical detection and reversed-phase chromatography with ultraviolet detection 670(1995)267

SIM6080

Determination of the calcium antagonist SIM6080 in plasma by high-resolution gas chromatography 652(1994)240

Simmondsin

Extraction and liquid chromatographic method for the determination of simmondsin in plasma 655(1994)281

Sinefungin

Determination of sinefungin in rat plasma by highperformance liquid chromatography 674(1995)247

Single-stranded DNA

On-line melting of double-stranded DNA for analysis of single-stranded DNA using capillary electrophoresis 675(1996)205

β -Sitosterol

Simultaneous measurement of phytosterols (campesterol and β -sitosterol) and 7-ketocholesterol in human lipoproteins by capillary column gas chromatography 663(1995)1

Skatole

Gas chromatographic determination of indole and 3-methylindole (skatole) in bacterial culture media, intestinal contents and faeces 655(1994)275

Rapid high-performance liquid chromatographic method for simultaneous determination of androstenone, skatole and indole in back fat from pigs 661(1994)219

Smp28

Analysis of the primary structure and post-translational modifications of the *Schistosoma mansoni* antigen *Smp28* by electrospray mass spectrometry 662(1994)279

SN-38

Reversed-phase high-performance liquid chromatographic method for the simultaneous quantitation of the carboxylate and lactone forms of the camptothecin derivative irinotecan, CPT-11, and its metabolite SN-38 in plasma 661(1994)133

High-performance liquid chromatographic determination of irinotecan (CPT-11) and its active metabolite (SN-38) in human plasma 670(1995)309

Sodium

Dependence of electroosmotic flow in capillary electrophoresis on Group I and II metal ions 657(1994)401

Simultaneous determination of urinary creatinine, calcium and other inorganic cations by capillary zone electrophoresis with indirect ultraviolet detection 661(1994)35

Sodium dodecyl sulphate

Anionic-zwitterionic mixed micelles in micellar electrokinetic chromatography: sodium dodecyl sulfate-N-dodecyl-N,N-dimethylammonium-3-propane-1-sulfonic acid 657(1994)271

Sodium dodecyl sulfate solution is an effective between-run rinse for capillary electrophoresis of samples in biological matrices 663(1995)400

Sodium mercaptoundecahydrododecaborate

Liquid chromatographic determination of sodium mercaptoundecahydrododecaborate in rat urine and plasma after precolumn derivatization 660(1994)347

High-performance liquid chromatographic assay for sodium mercaptoundecahydrododecaborate in rat tissues 665(1995)155

Sodium 1,2-naphthoquinone 4-sulphonate

Amphetamine and methamphetamine determination in urine by reversed-phase high-performance liquid chromatography with sodium 1,2-naphthoquinone 4-sulfonate as derivatizing agent and solid-phase extraction for sample clean-up 672(1995)81

Sotalo

Enantioselective analysis of sotalol in plasma by reversedphase high-performance liquid chromatography using diastereomeric derivatives 672(1995)89

Enantioselective determination of sotalol enantiomers in biological fluids using high-performance liquid chromatography 674(1995)77

Spectinomycin

High-performance liquid chromatographic determination of spectinomycin in swine, calf and chicken plasma using post-column derivatization 672(1995)165

Spermidine

Improved high-performance liquid chromatographic method for the determination of polyamines as their benzoylated derivatives: application to P388 cancer cells 668(1995)189

Spermine

Rapid high-performance liquid chromatographic method for the quantitation of polyamines as their dansyl derivatives: application to plant and animal tissues 666(1995)329 Improved high-performance liquid chromatographic method for the determination of polyamines as their benzoylated derivatives: application to P388 cancer cells 668(1995)189

Sphinganine

In vivo distribution of free long-chain sphingoid bases in the human stratum corneum by high-performance liquid chromatographic analysis of strippings 656(1994)65

Sphingoid bases

In vivo distribution of free long-chain sphingoid bases in the human stratum corneum by high-performance liquid chromatographic analysis of strippings 656(1994)65

Sphingolipids

In vivo distribution of free long-chain sphingoid bases in the human stratum corneum by high-performance liquid chromatographic analysis of strippings 656(1994)65

Sphingomyelin

Improved separation of radioactively labelled cellular phospholipids by high-performance liquid chromatography 656(1994)73

Sphingosine

In vivo distribution of free long-chain sphingoid bases in the human stratum corneum by high-performance liquid chromatographic analysis of strippings 656(1994)65

Spiramycin

Determination of spiramycin and neospiramycin in plasma and milk of lactating cows by reversed-phase highperformance liquid chromatography 657(1994)219

Spironolactone

High-performance liquid chromatographic determination of spironolactone and its major metabolite canrenone in urine using ultraviolet detection and column-switching 658(1994)303

SR-4554

Development and validation of a solid-phase extraction and high-performance liquid chromatographic assay for a novel fluorinated 2-nitroimidazole hypoxia probe (SR-4554) in Balb/c mouse plasma 672(1995)125

Staurosporine

Development of a high-performance liquid chromatographic method for the analysis of staurosporine 670(1995)125

Steroids

Metabolites of 4-chlorotestosterone acetate in cattle urine as diagnostic markers for its illegal use 654(1994)43

Determination of urinary glucuronide conjugates by highperformance liquid chromatography with pre-column fluorescence derivatization 654(1994)171 Determination of 7α -hydroxy-4-cholesten-3-one level in plasma using isotope-dilution mass spectrometry and monitoring its circadian rhythm in human as an index of bile acid biosynthesis 655(1994)179

Reversed-phase high-performance liquid chromatographic determination of 7α -hydroxy-4-cholesten-3-one in human serum 657(1994)31

Fifteen years of operation of a high-performance liquid chromatographic assay for prednisolone, cortisol and prednisone in plasma 658(1994)47

Picogram determination of finasteride in human plasma and semen by high-performance liquid chromatography with atmospheric-pressure chemical-ionization tandem mass spectrometry 658(1994)281

High-performance liquid chromatographic determination of spironolactone and its major metabolite canrenone in urine using ultraviolet detection and column-switching 658(1994)303

Simultaneous determination of urinary free cortisol and 6β-hydroxycortisol by high-performance liquid chromatography to measure human CYP3A activity 660(1994)23

Measurement of urinary free cortisol by stable isotope dilution mass spectrometry using a new cortisol derivative 660(1994)151

Analysis of corticosterone in rat plasma by highperformance liquid chromatography 661(1994)211

Rapid high-performance liquid chromatographic method for simultaneous determination of androstenone, skatole and indole in back fat from pigs 661(1994)219

Use of ion-exchange and hydrophobic-interaction chromatography for the rapid purification of lysozyme-estrone glucuronide conjugates 662(1994)3

Measurement of plasma testosterone by gas chromatography-negative-ion mass spectrometry using pentafluoropropionic derivatives 663(1995)187

Determination of ergosterol in organic dust by gas chromatography-mass spectrometry 666(1995)77

Simple and specific reversed-phase liquid chromatographic method with diode-array detection for simultaneous determination of serum hydroxychloroquine, chloroquine and some corticosteroids 666(1995)347

Capillary reversed-phase high-performance liquid chromatographic determination of acetyl-methylprednisolone in feline spinal cord 667(1995)259

Rapid and efficient method for extraction and separation of glucocorticosteroids and sex steroids from urines 670(1995)373

Thin-layer chromatographic procedures for lipid separation 671(1995)169

High-performance liquid chromatographic analysis of corticosteroids 671(1995)319

Biocompatible sample pretreatment for immunochemical techniques using micellar liquid chromatography for separation of corticosteroids 672(1995)33

Isocratic high-performance liquid chromatographic method for the separation of testosterone metabolites 672(1995)207

Simultaneous determination of cortisol and cortisone in urine by reversed-phase high-performance liquid chromatography Clinical and doping control applications 673(1995)27

Determination of epitestosterone and testosterone in urine by high-performance liquid chromatography 673(1995)159

Micellar electrokinetic capillary chromatographic separation of steroids in urine by trioctylphosphine oxide and cationic surfactant 674(1995)31

Sterols

Chromatographic methods in the analysis of cholesterol and related lipids 671(1995)341

Stimulants

Screening and determination of β -blockers, narcotic analysis and stimulants in urine by high-performance liquid chromatography with column switching 664(1995)341

Strychnine

Comparison of reversed-phase and ion-pair chromatography for the determination of strychnine in animal tissues 670(1995)73

Suberic acid

Measurements of urinary adipic acid and suberic acid using high-performance liquid chromatography 655(1994)189

Substance P

Determination of two neuropeptide growth factor antagonists, [D-Arg¹,D-Phe⁵,D-Trp^{7,9},Leu¹¹]-substance P and [Arg⁶,D-Trp^{7,9},N-MePhe⁸]-substance P(6-11), by high-performance liquid chromatography with electrochemical detection 653(1994)195

Capillary zone electrophoresis of two synthetic neuropeptides: examination of detectability and resolution as a function of peptide concentration and buffer concentration 655(1994)9

Capillary liquid chromatography-fast atom bombardment mass spectrometry using a high-resolving cation exchanger, based on a continuous chromatographic matrix 664(1995)426

Sample preparation, high-performance liquid chromatographic separation and determination of substance P-related peptides 665(1995)233

Succinimide

Deamidation of asparagine and glutamine residues in proteins and peptides: structural determinants and analytical methodology 662(1994)261

Succinvladenosine

Automated screening system for purine and pyrimidine metabolism disorders using high-performance liquid chromatography 672(1995)233

Succinyl coenzyme A

Rapid method for the separation and detection of tissue short-chain coenzyme A esters by reversed-phase high-performance liquid chromatography 667(1995)148

Sugar phosphates

High-performance liquid chromatographic system for separating sugar phosphates and other intermediary metabolites 669(1995)171

Sugars

see also Carbohydrates

Benzoylation of sugars, polyols and amino acids in biological fluids for high-performance liquid chromatographic analysis 655(1994)105

Sulbactam

Rapid determination of sulbactam and tazobactam in human serum by high-performance liquid chromatography 665(1995)363

Sulfanilamide

High-performance liquid chromatographic determination of primary aromatic amines in urine after derivatization to an azo dye with 2-aminoanthracene 665(1995)209

Sulfitocabolamin

Nitritocobalamin and nitrosocobalamin may be confused with sulfitocobalamin using cation-exchange chromatography 660(1994)180

Sulindac

Determination of sulindac and its metabolites in human serum by reversed-phase high-performance liquid chromatography using on-line post-column ultraviolet irradiation and fluorescence detection 673(1995)91

Sulindac sulfide

Determination of sulindac and its metabolites in human serum by reversed-phase high-performance liquid chromatography using on-line post-column ultraviolet irradiation and fluorescence detection 673(1995)91

Sulindac sulfone

Determination of sulindac and its metabolites in human serum by reversed-phase high-performance liquid chromatography using on-line post-column ultraviolet irradiation and fluorescence detection 673(1995)91

Sulphadiazine

Comparison of the determination of four sulphonamides and their N⁴-acetyl metabolites in swine muscle tissue using liquid chromatography with ultraviolet and mass spectral detection 661(1994)75

Isolation, identification and determination of sulfadiazine and its hydroxy metabolites and conjugates from man and Rhesus monkey by high-performance liquid chromatography 670(1995)111

Determination of sulphonamides in human urine by azo dye precolumn derivatization and micellar liquid chromatography 670(1995)183

Sulphadimethoxine

Simultaneous determination of ormethoprim and sulphadimethoxine in plasma and muscle of Atlantic salmon (Salmo salar) 660(1994)412

Sulphadimidine

Comparison of the determination of four sulphonamides and their N⁴-acetyl metabolites in swine muscle tissue using liquid chromatography with ultraviolet and mass spectral detection 661(1994)75

Sulphaguanidine

Determination of sulphonamides in human urine by azo dye precolumn derivatization and micellar liquid chromatography 670(1995)183

Sulphamerazine

Comparison of the determination of four sulphonamides and their N⁴-acetyl metabolites in swine muscle tissue using liquid chromatography with ultraviolet and mass spectral detection 661(1994)75

Sulphamethizole

Determination of sulphonamides in human urine by azo dye precolumn derivatization and micellar liquid chromatography 670(1995)183

Sulphamethoxazole

Isolation, identification and determination of sulfamethoxazole and its known metabolites in human plasma and urine by high-performance liquid chromatography 658(1994)327

Determination of sulphonamides in human urine by azo dye precolumn derivatization and micellar liquid chromatography 670(1995)183

Sulphamethoxazole-N,-glucuronide

Isolation, identification and determination of sulfamethoxazole and its known metabolites in human plasma and urine by high-performance liquid chromatography 658(1994)327

Sulphamonomethoxine

Simultaneous determination of sulphamonomethoxine and its N^4 -acetyl metabolite in blood serum by high-performance liquid chromatography with direct injection 663(1995)177

Sulphathiazole

Comparison of the determination of four sulphonamides and their N⁴-acetyl metabolites in swine muscle tissue using liquid chromatography with ultraviolet and mass spectral detection 661(1994)75

Determination of sulphonamides in human urine by azo dye precolumn derivatization and micellar liquid chromatography 670(1995)183

Sulphonamides

Comparison of the determination of four sulphonamides and their N⁴-acetyl metabolites in swine muscle tissue using liquid chromatography with ultraviolet and mass spectral detection 661(1994)75

Determination of sulphonamides in human urine by azo dye precolumn derivatization and micellar liquid chromatography 670(1995)183

Sulphur mustard

Solid-phase extraction and reversed-phase high-performance liquid chromatographic determination of sulphur mustard in blood 661(1994)341

Improved methodology for the detection and quantitation of urinary metabolites of sulphur mustard using gas chromatography-tandem mass spectrometry 665(1995)97

Surfactants

Anionic-zwitterionic mixed micelles in micellar electrokinetic chromatography: sodium dodecyl sulfate-N-dodecyl-N,N-dimethylammonium-3-propane-1-sulfonic acid 657(1994)271

β-Sympathomimetics

Determination of beta-sympathomimetics in liver and urine by immunoaffinity chromatography and gas chromatography-mass-selective detection 660(1994)303

${f T}$

Tachykinin peptides

Optimization of the loading limit for capillary zone electrophoresis of synthetic opioid and tachykinin peptides: a study of the interactions among the amount of peptide, resolution, saturation, injection volume and capillary diameter 662(1994)35

Tacrine

Liquid chromatographic determination of tacrine and its metabolites in rat bile microdialysates 655(1994)235

Talinolol

Elucidation of the structure of talinolol metabolites in man. Determination of talinolol and hydroxylated talinolol metabolites in urine and analysis of talinolol in serum 660(1994)353

Tamoxifen

Direct determination of tamoxifen and its four major metabolites in plasma using coupled column highperformance liquid chromatography 655(1994)261

Tamoxifen-ol

Direct determination of tamoxifen and its four major metabolites in plasma using coupled column highperformance liquid chromatography 655(1994)261

Taurine

Rapid assay of dinitrophenyl derivative of taurine by highperformance liquid chromatography 656(1994)81

Determination of taurine in biological samples and isolated hepatocytes by high-performance liquid chromatography with fluorimetric detection 657(1994)37

High-performance liquid chromatographic determination of taurine and hypotaurine using 3,5-dinitrobenzoyl chloride as derivatizing reagent 660(1994)31

High-performance liquid chromatographic determination of hypotaurine and taurine after conversion to 4-dimethylaminoazobenzene-4'-sulfonyl derivatives and its application to the urine of cysteine-administered rats 660(1994)164

Taxanes

Quantification of paclitaxel metabolites in human plasma by high-performance liquid chromatography 674(1995)261

Taxol

Reversed-phase high-performance liquid chromatographic determination of taxol in mouse plasma 655(1994)315

High-performance liquid chromatography and micellar electrokinetic chromatography of taxol and related taxanes from bark and needle extracts of *Taxus* species 657(1994)301

Isocratic high-performance liquid chromatographic assay of taxol in biological fluids and tissues using automated column switching 663(1995)337

High-performance liquid chromatographic procedures for the quantitative determination of paclitaxel (Taxol) in human urine 664(1995)373

Quantification of paclitaxel metabolites in human plasma by high-performance liquid chromatography 674(1995)261

Tazobactam

Rapid determination of sulbactam and tazobactam in human serum by high-performance liquid chromatography 665(1995)363

High-performance liquid chromatographic determination of tazobactam by precolumn derivatization 672(1995)160

TCV-116

Development and validation of column-switching highperformance liquid chromatographic methods for the determination of a potent AII receptor antagonist, TCV-116, and its metabolites in human serum and urine 670(1995)287

Temazepam

Development and preliminary application of highperformance liquid chromatographic assay of urinary metabolites of diazepam in humans 668(1995)77

Temozolomide

Determination of temozolomide in human plasma and urine by high-performance liquid chromatography after solid-phase extraction 667(1995)291

Tenoxicam

Simple method for the analysis of tenoxicam in human plasma using high-performance liquid chromatography 665(1995)410

Terbinafine

Determination of terbinafine and its desmethyl metabolite in human plasma by high-performance liquid chromatography 663(1995)353

Simultaneous determination of terbinafine (Lamisil) and five metabolites in human plasma and urine by high-performance liquid chromatography using on-line solid-phase extraction 664(1995)347

Terbium(III)

Quantitation of the dexrazoxane hydrolysis product ADR-925 by fluorescence detection of its terbium(III) complex after high-performance liquid chromatographic separation 656(1994)451

Terbutaline

Cyclodextrins as enantioselective mobile phase modifiers for chiral capillary electrophoresis. Effects of pH and cyclodextrin concentration 657(1994)291

Terguride

High-performance liquid chromatographic determination of terguride in solid dosage forms and plasma 663(1995)309

Testosterone

Measurement of plasma testosterone by gas chromatography-negative-ion mass spectrometry using pentafluoropropionic derivatives 663(1995)187

Methods for urinary testosterone analysis 671(1995)363

Isocratic high-performance liquid chromatographic method for the separation of testosterone metabolites 672(1995)207

Determination of epitestosterone and testosterone in urine by high-performance liquid chromatography 673(1995)159

Micellar electrokinetic capillary chromatographic separation of steroids in urine by trioctylphosphine oxide and cationic surfactant 674(1995)31

Testosterone-3-glucuronide

Determination of urinary glucuronide conjugates by highperformance liquid chromatography with pre-column fluorescence derivatization 654(1994)171

Testosterone propionate

Micellar electrokinetic capillary chromatographic separation of steroids in urine by trioctylphosphine oxide and cationic surfactant 674(1995)31

1.1.1.2-Tetrafluoroethane

Determination of the chlorofluorocarbon substitute 1,1,1,2-tetrafluoroethane (HFA-134a) in human and animal blood using gas chromatography with headspace analysis 667(1995)85

Tetrahydrobiopterin

High-performance liquid chromatographic measurement of cerebrospinal fluid tetrahydrobiopterin, neopterin, homovanillic acid and 5-hydroxindoleacetic acid in neurological diseases 657(1994)61

Δ^9 -Tetrahydrocannabinol

Rapid reversed-phase high-performance liquid chromatographic method for the assay of urinary 11-nor- Δ^0 -tetrahydrocannabinol-9-carboxylic acid and confirmation of use of cannabis derivatives 675(1996)162

Tetrahydroisoquinolines

Resolution of catecholic tetrahydroisoquinoline enantiomers and the determination of *R*- and *S*-salsolinol in biological samples by gas chromatography-mass spectrometry 672(1995)179

Tetrahydronorethisterone

Simultaneous determination of norethisterone and six metabolites in human plasma by capillary gas chromatography with mass-selective detection 674(1995)155

[[(5,6,7,8-Tetrahydro-5,5,8,8-tetramethyl-2-naphthalenyl)carbonyl]amino]benzoic acid

Determination of the retinobenzoic acid derivative Am580 in rat plasma by high-performance liquid chromatography 667(1995)301

Tetranorvitamin D

Determination of 25-hydroxyvitamin D_3 in human plasma using a non-radioactive tetranorvitamin D analogue as an internal standard 672(1995)63

Thalidomide

Investigation of the in vitro biotransformation and simultaneous enantioselective separation of thalidomide and its neutral metabolites by capillary electrophoresis 674(1995)287

Theobromine

Highly sensitive and rapid determination of theophylline, theobromine and caffeine in human plasma and urine by gradient capillary high-performance liquid chromatography-frit-fast atom bombardment mass spectrometry 667(1995)241

Theophylline

Novel precolumn deproteinization method using a hydroxyapatite cartridge for the determination of theophylline and diazepam in human plasma by high-performance liquid chromatography with ultraviolet detection 655(1994)73

Determination of theophylline and its metabolites in rat liver microsomes and human urine by capillary electrophoresis 665(1995)201

Highly sensitive and rapid determination of theophylline, theobromine and caffeine in human plasma and urine by gradient capillary high-performance liquid chromatography-frit-fast atom bombardment mass spectrometry 667(1995)241

Simultaneous determination of theophylline, enoxacin and ciprofloxacin in human plasma and saliva by high-performance liquid chromatography 669(1995)372

Thia fatty acids

Gas chromatographic measurement of 3- and 4-thia fatty acids incorporated into various classes of rat liver lipids during feeding experiments 658(1994)1

Thiamine

Determination of thiamine and its phosphate esters in human erythrocytes by high-performance liquid chromatography with isocratic elutionNovember 15th, 1993) 653(1994)217

Thiamine phosphates

Determination of thiamine and its phosphate esters in human erythrocytes by high-performance liquid chromatography with isocratic elutionNovember 15th, 1993) 653(1994)217

Thiamylal

Enantioselective determination of thiamylal in human serum by high-performance liquid chromatography 665(1995)133

Thiocyanate

Determination of cyanide and thiocyanate in blood by gas chromatography and gas chromatography-mass spectrometry 675(1996)27

6-Thioguanine

Determination of extracellular and intracellular thiopurines and methylthiopurines by high-performance liquid chromatography 672(1995)53

6-Thioguanosine monophosphate

Determination of thiopurine nucleotides in human lung tissue by high-performance liquid chromatography 665(1995)213

6-Thioinosinic acid

Determination of thiopurine nucleotides in human lung tissue by high-performance liquid chromatography 665(1995)213

Thiol proteinases

Fractionation and purification of the thiol proteinases from papaya latex 656(1994)203

Thiols

Derivatization of thiol-containing compounds 659(1994)227

2-(4-N-Maleimidophenyl)-6-methoxybenzofuran: a superior derivatizing agent for fluorimetric determination of aliphatic thiols by high-performance liquid chromatography 666(1995)45

Determination of thiols and disulfides using highperformance liquid chromatography with electrochemical detection 672(1995)73

Thiopentone

High-performance liquid chromatographic determination of thiopentone enantiomers in sheep plasma 673(1995)245

Determination of (R)-(+)- and (S)-(-)-isomers of thiopentone in plasma by chiral high-performance liquid chromatography 675(1996)174

Thiopurine methyltransferase

High-performance liquid chromatographic assay of human red blood cell thiopurine methyltransferase activity 661(1994)25

Thiopurine nucleotides

Determination of thiopurine nucleotides in human lung tissue by high-performance liquid chromatography 665(1995)213

Thiopurines

Determination of extracellular and intracellular thiopurines and methylthiopurines by high-performance liquid chromatography 672(1995)53

Thioridazine

Determination of the enantiomers of thioridazine, thioridazine 2-sulfone, and of the isomeric pairs of thioridazine 2-sulfoxide and thioridazine 5-sulfoxide in human plasma 669(1995)271

Thioridazine 2-sulphone

Determination of the enantiomers of thioridazine, thioridazine 2-sulfone, and of the isomeric pairs of thioridazine 2-sulfoxide and thioridazine 5-sulfoxide in human plasma 669(1995)271

Thioridazine sulphoxide

Determination of the enantiomers of thioridazine, thioridazine 2-sulfone, and of the isomeric pairs of thioridazine 2-sulfoxide and thioridazine 5-sulfoxide in human plasma 669(1995)271

Thiosulphate

Urinary thiosulfate determined by suppressed ion chromatography with conductimetric detection 672(1995)149

2-Thiothiazolidine-4-carboxylic acid

Liquid chromatographic determination of urinary 2-thiothiazolidine-4-carboxylic acid, a biomarker of carbon disulphide exposure 668(1995)265

Thiouric acid

Determination of extracellular and intracellular thiopurines and methylthiopurines by high-performance liquid chromatography 672(1995)53

Thioxanthenes

Determination of zuclopenthixol and its main N-dealkylated metabolite in biological fluids using high-performance liquid chromatography with post-column photochemical derivatization and fluorescence detection 658(1994)319

Thioxanthine

Determination of extracellular and intracellular thiopurines and methylthiopurines by high-performance liquid chromatography 672(1995)53

Thioxanthone derivative

A column-switching high-performance liquid chromatographic assay for a novel cytotoxic thioxanthone derivative (WIN 33377) in mouse plasma with toxicokinetic results from a mouse LD₁₀ study 670(1995)145

Threonine

Preparative-scale amino acid separation by thermal parametric pumping on an ion-exchange resin 664(1995)17

Thromboxanes

Determination of seven prostanoids in 1 ml of urine by gas chromatography-negative ion chemical ionization triple stage quadrupole mass spectrometry 652(1994)221

Thymidylate synthase inhibitor

Column-switching high-performance liquid chromatographic method for the determination of a thymidylate synthase inhibitor, LY231514, an investigational agent for the treatment of solid tumors, in human plasma 654(1994)297

High-performance liquid chromatographic method for the determination of AG-331, a novel anti-cancer agent, in human serum and urine using solid-phase extraction and photodiode-array detection 666(1995)307

High-performance liquid chromatographic method for the determination of a novel thymidylate synthase inhibitor, AG 331, in human serum 673(1995)281

Thymine

Evaluation of 2-iminoimidazolidin-4-one and thymine as respective internal standards for normal-phase and reversed-phase high-performance liquid chromatographic determination of creatinine in human serum 665(1995)63

Thymosin

Large-scale chromatofocusing-based method for isolating thymosin β_4 and thymosin β_9 from bovine tissues 662(1994)27

Thyroid hormones

Characterization of thyroxine-albumin binding using highperformance affinity chromatography. II. Comparison of the binding of thyroxine, triiodothyronines and related compounds at the warfarin and indole sites of human serum albumin 665(1995)303

Thyrotrophin-releasing hormone

Synthesis and high-performance liquid chromatographic purification of tritiated thyrotrophin-releasing hormone-like peptides 656(1994)115

Thyroxine

Characterization of thyroxine-albumin binding using highperformance affinity chromatography. II. Comparison of the binding of thyroxine, triiodothyronines and related compounds at the warfarin and indole sites of human serum albumin 665(1995)303

Tiaprofenic acid

Stereospecific determination of tiaprofenic acid in plasma: problems with drug degradation 675(1996)77

Tick anticoagulant peptide

Chromatographic separation of low-molecular-mass recombinant proteins and peptides on Superdex 30 prep grade 662(1994)325

Ticlopidine

Determination of ticlopidine in human plasma by highperformance liquid chromatography and ultraviolet absorbance detection 665(1995)404

Timolol

Determination of low plasma timolol concentrations following topical application of timolol eye drops in humans by high-performance liquid chromatography with electrochemical detection 661(1994)351

TNP-470

Assay of the antiangiogenic compound TNP-470, and one of its metabolites, AGM-1883, by reversed-phase high-performance liquid chromatography in plasma 652(1994)187

Tocainide

Assay of tocainide enantiomers in plasma by solid-phase extraction and indirect chiral high-performance liquid chromatography after derivatization with (-)-menthyl chloroformate 670(1995)243

α -Tocopherol

Simple determination of retinol, α -tocopherol and carotenoids (lutein, all-trans-lycopene, α - and β -carotenes) in human plasma by isocratic liquid chromatography 654(1994)129

Determination of MDL 74,405, a synthetic analogue of α -tocopherol, in dog plasma and heart tissue by high-performance liquid chromatography with electrochemical detection 656(1994)359

Determination of α -tocopherol in plasma and erythrocytes by high-performance liquid chromatography 660(1994)395

o-Toluidine

Simultaneous determination of lidocaine, prilocaine and the prilocaine metabolite o-toluidine in plasma by high-performance liquid chromatography 655(1994)83

Topoisomerase I inhibitor

High-performance liquid chromatographic analysis of the lactone and carboxylate forms of a topoisomerase I inhibitor (the antitumor drug GI147211) in plasma 663(1995)119

Topotecan

High-performance liquid chromatographic determination of the novel antitumour drug topotecan and topotecan as the total of the lactone plus carboxylate forms, in human plasma 668(1995)107

Toxins

Non-extractive metabolism study of E and A destruxins in the locust, *Locusta migratoria L*. 656(1994)281

Transferrin

Isolation of the four forms of transferrin with respect to iron by high-performance liquid chromatography: comparison of three mammalian species 653(1994)35

Reversed-phase high-performance liquid chromatography of non-transferrin-bound iron and some hydroxypyridone and hydroxypyrone chelators 658(1994)121

Triacylglycerols

Methods for the analysis of triacylglycerols 671(1995)133

Triazolam

Determination of alprazolam and its major metabolites in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 654(1994)77

Tributyltin

Speciation of organotin compounds by capillary electrophoresis using indirect ultraviolet absorbance detection 669(1995)103

Tricyclic antipsychotics

Determination of a cardiac antiarrhythmic, tricyclic antipsychotics and antidepressants in human and animal urine by micellar electrokinetic capillary chromatography using a bile salt 669(1995)331

Triglyceride fatty acids

Determination of plasma non-esterified fatty acids and triglyceride fatty acids by gas chromatography of their methyl esters after isolation by column chromatography on silica gel 666(1995)1

Triiodothyronines

Characterization of thyroxine-albumin binding using highperformance affinity chromatography. II. Comparison of the binding of thyroxine, triiodothyronines and related compounds at the warfarin and indole sites of human serum albumin 665(1995)303

Trimipramine

Determination of trimipramine and its demethylated and hydroxylated metabolites in plasma by gas chromatography-mass spectrometry 652(1994)97

Trioctylphosphine oxide

Micellar electrokinetic capillary chromatographic separation of steroids in urine by trioctylphosphine oxide and cationic surfactant 674(1995)31

Tripeptides

Femtomole detection of amino acids and dipeptides by gas chromatography-negative-ion chemical ionization mass spectrometry following alkylation with pentafluorobenzyl bromide 658(1994)213

Triphenylmethane dyes

Particle beam liquid chromatography-mass spectrometry of triphenylmethane dyes: application to confirmation of malachite green in incurred catfish tissue 670(1995)55

Tris(2,2'-bipyridyl)ruthenium(II)

Determination of oxalate in urine and plasma using reversed-phase ion-pair high-performance liquid chromatography with tris(2,2'-bipyridyl)ruthenium(II)-electrogenerated chemiluminescence detection 665(1995)27

Trovafloxacin

Determination of trovafloxacin, a new quinolone antibiotic, in biological samples by reversed-phase high-performance liquid chromatography 675(1996)53

Trusopt

Determination of MK-507, a novel topically effective carbonic anhydrase inhibitor, and its de-ethylated metabolite in human whole blood, plasma, and urine by high-performance liquid chromatography 653(1994)77

Tryptophan

Simultaneous determination of tryptophan, 5-hydroxytryptophan, 5-hydroxytryptamine, 5-hydroxyindoleacetic acid, 4-hydroxy-3-methoxyphenylacetic acid and 3-methoxy-4-hydroxyphenylglycol in human cerebrospinal fluid 661(1994)143

Characterization of thyroxine-albumin binding using highperformance affinity chromatography. II. Comparison of the binding of thyroxine, triiodothyronines and related compounds at the warfarin and indole sites of human serum albumin 665(1995)303

Determination of tryptophan and its kynurenine pathway metabolites in human serum by high-performance liquid chromatography with simultaneous ultraviolet and fluorimetric detection 675(1996)157

Tyrosine

Rapid determination of phenylalanine and its related compounds in rumen fluid by high-performance liquid chromatography 663(1995)201



UMF-060

Determination of the antifilarial drug UMF-078 and its metabolites UMF-060 and flubendazole in whole blood using high-performance liquid chromatography 655(1994)269

UMF-078

Determination of the antifilarial drug UMF-078 and its metabolites UMF-060 and flubendazole in whole blood using high-performance liquid chromatography 655(1994)269

Uracil

Automated screening system for purine and pyrimidine metabolism disorders using high-performance liquid chromatography 672(1995)233

Uric acid

Determination of ascorbic acid and uric acid in plasma by high-performance liquid chromatography 657(1994)197

Separation and determination of liver uric acid and allantoin 663(1995)143

Capillary electrophoresis as a clinical tool. Determination of organic anions in normal and uremic serum using photodiode-array detection 668(1995)241

URM-ibus

High-performance liquid chromatographic determination of 3'-hydroxy-5'-(4-isobutyl-1-piperazinyl)benzoxazinorifamycin (KRM-1648) and its deacetyl metabolite in plasma, whole blood, urine and tissue samples in rats 653(1994)177

Ursodeoxycholic acid

Bile acid separation 671(1995)299



Valproic acid

Sensitive capillary gas chromatographic-mass spectrometric method for the therapeutic drug monitoring of valproic acid and seven of its metabolites in human serum 656(1994)343

Determination of valproic acid and its metabolites using gas chromatography with mass-selective detection: application to serum and urine samples from sheep 666(1995)269

Solid-phase microextraction for the determination of the free concentration of valproic acid in human plasma by capillary gas chromatography 673(1995)299

Valpropylcarnitine

Determination of urinary valproylcarnitine by gas chromatography-mass spectrometry with selected-ion monitoring 663(1995)83

Vancomycin

Rapid high-performance liquid chromatographic determination of vancomycin in human plasma 667(1995)277

Comparison of high-performance liquid chromatography with fluorescence polarization immunoassay for the analysis of vancomycin in patients with chronic renal failure 672(1995)295

Vanillic acid

High-performance liquid chromatographic determination of catecholamine metabolites and 5-hydroxyindoleacetic acid in human urine using a mixed-mode column and an eight-channel electrode electrochemical detector 658(1994)63

Improved assay of reaction products to quantitate catechol-O-methyltransferase activity by high-performance liquid chromatography with electrochemical detection 663(1995)137

Vanilmandelic acid

High-performance liquid chromatographic determination of catecholamine metabolites and 5-hydroxyindoleacetic acid in human urine using a mixed-mode column and an eight-channel electrode electrochemical detector 658(1994)63

Automated analysis of urinary catecholamines by highperformance liquid chromatography and on-line sample pretreatment 664(1995)287

Verapamil

Stereoselective determination of verapamil and norverapamil by capillary electrophoresis 654(1994)121

Determination of the stereochemical composition of the major metabolites of verapamil in dog urine with enantioselective liquid chromatographic techniques 663(1995)91

Simultaneous analysis of verapamil and norverapamil enantiomers in human plasma by high-performance liquid chromatography 667(1995)349

Verlukast

Robotic sample preparation and high-performance liquid chromatographic analysis of verlukast in human plasma 661(1994)307

Very-low-density lipoproteins

Complementary use of counter-current chromatography and hydroxyapatite chromatography for the separation of three main classes of lipoproteins from human serum 664(1995)295

Veterinary drugs

Analytical strategies for the screening of veterinary drugs and their residues in edible products 667(1995)1

Vinblastine

Application of high-performance liquid chromatography to the determination of vinblastine in *Catharanthus roseus* 660(1994)405

Vinca alkaloids

Methods for the analysis of the new vinca alkaloid derivative, S 12363, in plasma by high-performance liquid chromatography with fluorescence detection 657(1994)163

Vinorelbine

Determination of vinorelbine in rabbit plasma by highperformance liquid chromatography with coulometric detection 663(1995)390

Determination of vinorelbine in biological fluids by highperformance liquid chromatography 672(1995)314

Sensitive high-performance liquid chromatographic method with fluorescence detection for measurement of vinorelbine plasma concentrations 675(1996)183

Viruses

Chromatography in plasma fractionation: benefits and future trends 664(1995)3

Improved virus safety and purity of a chromatographically produced Factor IX concentrate by nanofiltration 669(1995)187

Vitamin A

Simultaneous determination of 13-cis- and all-trans-retinoic acids and retinol in human serum by high-performance liquid chromatography 657(1994)53

Simultaneous determination of vitamins D_3 , E and K_1 and retinyl palmitate in cattle plasma by liquid chromatography with a narrow-bore column 660(1994)49

Determination of vitamin A in dried human blood spots by high-performance capillary electrophoresis with laserexcited fluorescence detection 665(1995)89

Simultaneous determination of all-trans and 13-cis retinoic acids and their 4-oxo metabolites by adsorption liquid chromatography after solid-phase extraction 666(1995)55

Determination of serum retinol by reversed-phase highperformance liquid chromatography 666(1995)342

Vitamin B₁₂

Intrinsic factor covalently bound to Sepharose as affinity medium for the purification of a soluble intrinsic factor receptor from human urine 664(1995)253

Vitamin C

Measurement of ascorbic acid in human plasma and urine by high-performance liquid chromatography 654(1994)134 Determination of ascorbic acid in human plasma by highperformance liquid chromatography with electrochemical detection using a hydroxyapatite cartridge for precolumn deproteinization 655(1994)195

Determination of ascorbic acid and uric acid in plasma by high-performance liquid chromatography 657(1994)197

Simultaneous determination of ascorbic acid and dehydroascorbic acid in fish tissues by high-performance liquid chromatography 667(1995)355

Vitamin D,

Simultaneous determination of vitamins D_3 , E and K_1 and retinyl palmitate in cattle plasma by liquid chromatography with a narrow-bore column 660(1994)49

Vitamin E

Determination of MDL 74,405, a synthetic analogue of α -tocopherol, in dog plasma and heart tissue by high-performance liquid chromatography with electrochemical detection 656(1994)359

Simultaneous determination of vitamins D₃, E and K₁ and retinyl palmitate in cattle plasma by liquid chromatography with a narrow-bore column 660(1994)49

Vitamin K,

Simultaneous determination of vitamins D_3 , E and K_1 and retinyl palmitate in cattle plasma by liquid chromatography with a narrow-bore column 660(1994)49

Determination of vitamin K_1 in serum using catalyticreduction liquid chromatography with fluorescence detection 670(1995)209

Vitamin K₃

Determination of anticancer drug vitamin K₃ in plasma by high-performance liquid chromatography 666(1995)299

Vitamina

Simple determination of retinol, α -tocopherol and carotenoids (lutein, all-trans-lycopene, α - and β -carotenes) in human plasma by isocratic liquid chromatography 654(1994)129

Thin-layer chromatographic procedures for lipid separation 671(1995)169

Volatile organic compounds

Measurement of volatile organic compounds in exhaled breath as collected in evacuated electropolished canisters 665(1995)271

Von Willebrand factor

Purification of factor VIII and von Willebrand factor from human plasma by anion-exchange chromatography 662(1994)181

Primary structure control of recombinant proteins using high-performance liquid chromatography, mass spectrometry and microsequencing 662(1994)245



Warfarin

Characterization of thyroxine-albumin binding using highperformance affinity chromatography. II. Comparison of the binding of thyroxine, triiodothyronines and related compounds at the warfarin and indole sites of human serum albumin 665(1995)303

Highly sensitive and specific high-performance liquid chromatographic analysis of 7-hydroxywarfarin, a marker for human cytochrome P-4502C9 activity 672(1995)305

Water

Rapid determination of logarithmic partition coefficients between *n*-octanol and water using micellar electrokinetic capillary chromatography 669(1995)59

WIN 33377

A column-switching high-performance liquid chromatographic assay for a novel cytotoxic thioxanthone derivative (WIN 33377) in mouse plasma with toxicokinetic results from a mouse LD_{10} study 670(1995)145

WR 283,605

Quantification of the individual enantiomer plasma concentrations of the candidate antimalarial agent N⁴-[2,6-dimethoxy-4-methyl-5-[(3-trifluoromethyl)phenoxy]-8-quinolinyl]-1,4-pentanediamine (WR 238,605) 670(1995)251



X6882

Simultaneous quantification of an anti-inflammatory compound (DuP 697) and a potential metabolite (X6882) in human plasma and urine by high-performance liquid chromatography 660(1994)143

X9121

Determination of a novel cognitive enhancer, X9121, and its mono N-oxide metabolite, XG696, in dog plasma by reversed-phase high-performance liquid chromatography with ultraviolet detection 665(1995)226

Xanomeline

Determination of xanomeline (LY246708 tartrate), an investigational agent for the treatment of Alzheimer's disease, in rat and monkey plasma by capillary gas chromatography with nitrogen-phosphorus detection 665(1995)337

Determination of xanomeline and active metabolite, N-desmethylxanomeline, in human plasma by liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 668(1995)273

High-performance liquid chromatographic assay for xanomeline, a specific M-1 agonist, and its metabolite in human plasma 669(1995)397

Xanthine

Xanthine analysis in biological fluids by capillary electrophoresis 669(1995)163

Automated determination of hypoxanthine and xanthine in urine by high-performance liquid chromatography with column switching 670(1995)376

Automated screening system for purine and pyrimidine metabolism disorders using high-performance liquid chromatography 672(1995)233

Xanthine derivatives

Determination of a novel xanthine derivative, MKS 213-492, in plasma by high-performance liquid chromatography with electrochemical detection 666(1995)368

Xanthurenic acid, 8-methyl ether

Determination of 8-methyl ether of xanthurenic acid in human urine by high-performance liquid chromatography 661(1994)149

XR510

Determination of XR510, a balanced angiotensin II receptor antagonist, in dog and rat plasma by combined liquid-liquid/solid-phase extraction and high-performance liquid chromatography 675(1996)273



YM529

Sensitive determination of a novel bisphosphonate, YM529, in plasma, urine and bone by high-performance liquid chromatography with fluorescence detection 652(1994)67

Z

Zatebradine

Assay of zatebradine in plasma by fully automated sample clean-up, capillary gas chromatography and ammonia chemical ionisation mass spectrometry 658(1994)93

Zidovudine

Quantification of 3'-amino-3'-deoxythymidine, a toxic catabolite of 3'-azido-3'-deoxythymidine (zidovudine) in human plasma by high-performance liquid chromatography using precolumn derivatization with fluorescamine and fluorescence detection 656(1994)389

Quantification of zidovudine and one of its metabolites in plasma and urine by solid-phase extraction and high-performance liquid chromatography 657(1994)233

Zinc

Determination of metal ions by capillary electrophoresis using on-column complexation with 4-(2-pyridylazo)resorcinol following trace enrichment by peak stacking 657(1994)409

Enriched stable isotopes of elements used as tracers: methods of presenting high-performance liquid chromatographic-inductively coupled argon plasma mass spectrometric data 670(1995)63

Zolpidem

Simultaneous determination of zolpidem and zopiclone in human plasma by gas chromatography-nitrogen-phosphorus detection 675(1996)43

Direct determination of zolpidem and its main metabolites in urine using capillary electrophoresis with laser-induced fluorescence detection 675(1996)131

Zonisamide

Simple and sensitive assay of zonisamide in human serum by high-performance liquid chromatography using a solidphase extraction technique 656(1994)456

Simultaneous determination of antiepileptic drugs and their metabolites, including chiral compounds, via β -cyclodextrin inclusion complexes by a column-switching chromatographic technique 658(1994)385

Zopiclone

Stereospecific high-performance liquid chromatographic assay of zopiclone in human plasma 658(1994)161

Rapid and sensitive detection of benzodiazepines and zopiclone in serum using high-performance thin-layer chromatography 669(1995)408

Simultaneous determination of zolpidem and zopiclone in human plasma by gas chromatography-nitrogen-phosphorus detection 675(1996)43

Enantioselective determination of zopiclone and its metabolites in urine by capillary electrophoresis 675(1996)139

Zopiclone N-oxide

Enantioselective determination of zopiclone and its metabolites in urine by capillary electrophoresis 675(1996)139

Zuclopenthixol

Determination of zuclopenthixol and its main N-dealkylated metabolite in biological fluids using high-performance liquid chromatography with post-column photochemical derivatization and fluorescence detection 658(1994)319