

Author Index Vol. 687

- Aguilera, R., Becchi, M., Grenot, C., Casabianca, H. and Hatton, C.K.
Detection of testosterone misuse: comparison of two chromatographic sample preparation methods for gas chromatographic-combustion/isotope ratio mass spectrometric analysis 687(1996)53
- Ang, C.Y.W., see Luo, W. 687(1996)405
- Arimoto, H., see Fujii, T. 687(1996)395
- Audran, M., see Bressolle, F. 687(1996)303
- Ayotte, C., Goudreault, D. and Charlebois, A.
Testing for natural and synthetic anabolic agents in human urine 687(1996)3
- Baba, Y.
Analysis of disease-causing genes and DNA-based drugs by capillary electrophoresis. Towards DNA diagnosis and gene therapy for human diseases 687(1996)271
- Backlund, P., see Seppänen-Laakso, T. 687(1996)371
- Bailloux, D., see Dehennin, L. 687(1996)85
- Becchi, M., see Aguilera, R. 687(1996)53
- Becerra, A., see González, E. 687(1996)145
- Birner, G., see Bringmann, G. 687(1996)337
- Bissé, E., Huaman-Guillen, P., Hörrth, P., Busse-Grawitz, A., Lizama, M., Krämer-Guth, A., Haehnel, W. and Wieland, H.
Heterogeneity of hemoglobin A_{1d}: assessment and partial characterization of two new minor hemoglobins, A_{1d3a} and A_{1d3b}, increased in uremic and diabetic patients, respectively 687(1996)349
- Björkhem, I., see Garle, M. 687(1996)55
- Borts, D.J., see Bowers, L.D. 687(1996)69
- Botsoglou, N.A., see Fletouris, D.J. 687(1996)427
- Bowers, L.D. and Borts, D.J.
Separation and confirmation of anabolic steroids with quadrupole ion trap tandem mass spectrometry 687(1996)69
- Bowers, L.D., see Liu, C. 687(1996)213
- Bowers, L.D. and Sanaullah,
Direct measurement of steroid sulfate and glucuronide conjugates with high-performance liquid chromatography-mass spectrometry 687(1996)61
- Bressolle, F., Audran, M., Pham, T.-N. and Vallon, J.-J.
Cyclodextrins and enantiomeric separations of drugs by liquid chromatography and capillary electrophoresis: basic principles and new developments 687(1996)303
- Bringmann, G., Friedrich, H., Birner, G., Koob, M., Sontag, K.-H., Heim, C., Kolasiewicz, W., Fähr, S., Stäblein, M., God, R. and Feineis, D.
Endogenous alkaloids in man. XXVI. Determination of the dopaminergic neurotoxin 1-trichloromethyl-1,2,3,4-tetrahydro-β-carboline (TaClo) in biological samples using gas chromatography with selected ion monitoring 687(1996)337
- Bruunshuus, I., Klempel, K., Cowan, D., Hill, G. and Olesen, H.
Transmission of the results of tests for International Olympic Committee-defined drugs of abuse 687(1996)157
- Busse-Grawitz, A., see Bissé, E. 687(1996)349
- Campíns-Falcó, P., Sevillano-Cabeza, A., Molins-Legua, C. and Kohlmann, M.
Amphetamine and methamphetamine determination in urine by reversed-phase high-performance liquid chromatography with simultaneous sample clean-up and derivatization with 1,2-naphthoquinone 4-sulphonate on solid-phase cartridges 687(1996)239
- Cardis, C., see Saugy, M. 687(1996)201
- Carreras, D., see Soriano, C. 687(1996)183
- Casabianca, H., see Aguilera, R. 687(1996)53
- Charlebois, A., see Ayotte, C. 687(1996)3
- Chiu, F.C.K. and Raymond, K.
Validated assay for the determination of celiprolol in plasma using high-performance liquid chromatography and a silanol deactivated reversed-phase support 687(1996)462
- Chmelík, J., see Urbánková, E. 687(1996)449
- Choi, D., Kim, M. and Park, J.
Erythropoietin: physico- and biochemical analysis 687(1996)189
- Chung, B.C., see Kim, T. 687(1996)79
- Compas, D., Touw, D.J. and de Goede, P.N.F.C.
Rapid method for the analysis of itraconazole and hydroxyitraconazole in serum by high-performance liquid chromatography 687(1996)453
- Cortés, R., see Soriano, C. 687(1996)183
- Cowan, D., see Bruunshuus, I. 687(1996)157
- Cuniberti, L.A., see Masnatta, L.D. 687(1996)437
- Dailly, P., see Dehennin, L. 687(1996)85
- De Backer, P., see Delbeke, F.T. 687(1996)247
- De Goede, P.N.F.C., see Compas, D. 687(1996)453
- Dehennin, L., Lafarge, P., Bailloux, D., Dailly, P. and Lafarge, J.-P.
Combined profile of androgen glucuro- and sulfoconjugates in post-competition urine of sportsmen: a simple screening procedure using gas chromatography-mass spectrometry 687(1996)85
- Dehnen, W., see Einig, T. 687(1996)379
- De la Torre, R., see Hemmersbach, P. 687(1996)221
- Delahaut, P., see Schänzer, W. 687(1996)93
- Delbeke, F.T. and De Backer, P.
Threshold level for theophylline in doping analysis 687(1996)247
- Dunemann, L., see Einig, T. 687(1996)379
- Einig, T., Dunemann, L. and Dehnen, W.
Sensitive gas chromatographic method for determination of mercapturic acids in human urine 687(1996)379
- Elghazi, K., see Yap, B.K. 687(1996)117
- Fähr, S., see Bringmann, G. 687(1996)337
- Feineis, D., see Bringmann, G. 687(1996)337
- Fletouris, D.J., Botsoglou, N.A., Psomas, I.E. and Mantis, A.I.
Trace analysis of albendazole and its sulphoxide and sulphone metabolites in milk by liquid chromatography 687(1996)427
- Friedrich, H., see Bringmann, G. 687(1996)337
- Fujii, T., Hatanaka, K., Sato, G., Yasui, Y., Arimoto, H. and Mitsutsuka, Y.
Selective determination of haloperidol in human serum: surface ionization mass spectrometry and gas chromatography with surface ionization detection 687(1996)395

- Garle, M., Ocka, R., Palonek, E. and Björkhem, I.
Increased urinary testosterone/epitestosterone ratios found in Swedish athletes in connection with a national control program. Evaluation of 28 cases 687(1996)55
- Georgakopoulos, C.G. and Kiburis, J.C.
Quantitative structure-retention relationships in doping control 687(1996)151
- Geyer, H., see Schänzer, W. 687(1996)93
- Ghittori, S., see Maestri, L. 687(1996)387
- God, R., see Bringmann, G. 687(1996)337
- González, E., Becerra, A. and Laserna, J.J.
Direct determination of diuretic drugs in urine by capillary zone electrophoresis using fluorescence detection 687(1996)145
- Goudreault, D., see Ayotte, C. 687(1996)3
- Gray, R.D.M., see Plumb, R.S. 687(1996)457
- Grenot, C., see Aguilera, R. 687(1996)53
- Haehnel, W., see Bissé, E. 687(1996)349
- Harker, A.J., see Plumb, R.S. 687(1996)457
- Hasegawa, H., Takahara, E., Yamada, T. and Nagata, O.
Sensitive analytical method for the novel H_1 -receptor antagonist HSR-609 in human plasma and urine by high-performance liquid chromatography with pre-column fluorescent derivatization 687(1996)419
- Hatanaka, K., see Fujii, T. 687(1996)395
- Hatton, C.K., see Aguilera, R. 687(1996)53
- Heim, C., see Bringmann, G. 687(1996)337
- Hemmersbach, P. and De la Torre, R.
Stimulants, narcotics and β -blockers: 25 years of development in analytical techniques for doping control 687(1996)221
- Hemmings, A.M., see Kajiwara, H. 687(1996)443
- Hill, G., see Bruunshuus, I. 687(1996)157
- Hirano, H., see Kajiwara, H. 687(1996)443
- Horning, S., see Schänzer, W. 687(1996)93
- Hörth, P., see Bissé, E. 687(1996)349
- Huaman-Guillen, P., see Bissé, E. 687(1996)349
- Imbriani, M., see Maestri, L. 687(1996)387
- Johnston, G.A.R., see Yap, B.K. 687(1996)117
- Kajiwara, H., Hemmings, A.M. and Hirano, H.
Evidence of metal binding activities of pentadecapeptide from *Panax ginseng* 687(1996)443
- Karila, T., Kosunen, V., Leinonen, A., Tähtelä, R. and Seppälä, T.
High doses of alcohol increase urinary testosterone-to-epitestosterone ratio in females 687(1996)109
- Kazlauskas, R., see Yap, B.K. 687(1996)117
- Kiburis, J.C., see Georgakopoulos, C.G. 687(1996)151
- Kim, M., see Choi, D. 687(1996)189
- Kim, S., see Lho, D.-S. 687(1996)253
- Kim, T., Suh, J.W., Ryu, J.-C., Chung, B.C. and Park, J.
Excretion study of furazabol, an anabolic steroid, in human urine 687(1996)79
- Klempel, K., see Bruunshuus, I. 687(1996)157
- Kohlmann, M., see Campíns-Falcó, P. 687(1996)239
- Kolasiewicz, W., see Bringmann, G. 687(1996)337
- Koob, M., see Bringmann, G. 687(1996)337
- Kosunen, V., see Karila, T. 687(1996)109
- Krämer-Guth, A., see Bissé, E. 687(1996)349
- Laakso, I., see Seppänen-Laakso, T. 687(1996)371
- Lafarge, J.-P., see Dehennin, L. 687(1996)85
- Lafarge, P., see Dehennin, L. 687(1996)85
- Laserna, J.J., see González, E. 687(1996)145
- Lee, J., see Lho, D.-S. 687(1996)253
- Leinonen, A., see Karila, T. 687(1996)109
- Lho, D.-S., Lee, J., Kim, S., Park, J. and Shin, H.-S.
Identification of a pyrovalerone metabolite in the rat by gas chromatography-mass spectrometry and determination of pyrovalerone by gas chromatography-nitrogen-phosphorus detection 687(1996)253
- Lillard, S.J. and Yeung, E.S.
Analysis of single erythrocytes by injection-based capillary isoelectric focusing with laser-induced native fluorescence detection 687(1996)363
- Liu, C. and Bowers, L.D.
Immunoaffinity trapping of urinary human chorionic gonadotropin and its high-performance liquid chromatographic-mass spectrometric confirmation 687(1996)213
- Lizama, M., see Bissé, E. 687(1996)349
- Luo, W., Yin, B., Ang, C.Y.W., Rushing, L. and Thompson Jr, H.C.
Determination of lincomycin residues in salmon tissues by gas chromatography with nitrogen-phosphorus detection 687(1996)405
- Machnik, M., see Schänzer, W. 687(1996)93
- Maestri, L., Ghittori, S. and Imbriani, M.
Determination of urinary mercapturic acids of styrene in man by high-performance liquid chromatography with fluorescence detection 687(1996)387
- Mantis, A.I., see Fletouris, D.J. 687(1996)427
- Masnatta, L.D., Cuniberti, L.A., Rey, R.H. and Werba, J.P.
Determination of bezafibrate, ciprofibrate and fenofibric acid in human plasma by high-performance liquid chromatography 687(1996)437
- Mitsutsuka, Y., see Fujii, T. 687(1996)395
- Molíns-Legua, C., see Campíns-Falcó, P. 687(1996)239
- Muñoz-Guerra, J., see Soriano, C. 687(1996)183
- Müthing, J. and Ziehr, H.
Enhanced thin-layer chromatographic separation of $\text{G}_{\text{M}1b}$ -type gangliosides by automated multiple development 687(1996)357
- Nagata, O., see Hasegawa, H. 687(1996)419
- Ocka, R., see Garle, M. 687(1996)55
- Ohkubo, T., Uno, T. and Sugawara, K.
Liquid chromatographic determination of manidipine in serum with electrochemical detection 687(1996)413
- Olesen, H., see Bruunshuus, I. 687(1996)157
- Palonek, E., see Garle, M. 687(1996)55
- Park, J., see Choi, D. 687(1996)189
- Park, J., see Kim, T. 687(1996)79
- Park, J., see Lho, D.-S. 687(1996)253
- Park, J., see Pyo, H. 687(1996)261
- Park, S.-J., see Pyo, H. 687(1996)261
- Pham, T.-N., see Bressolle, F. 687(1996)303
- Plumb, R.S., Gray, R.D.M., Harker, A.J. and Taylor, S.
High-performance chromatographic assay for the sulphoxide metabolite of 2'-deoxy-3'-thiacytidine in human urine 687(1996)457
- Polettini, A.
Bioanalysis of β_2 -agonists by hyphenated chromatographic and mass spectrometric techniques 687(1996)27
- Psomas, I.E., see Fletouris, D.J. 687(1996)427
- Pyo, H., Park, S.-J., Park, J., Yoo, J.K. and Yoon, B.
Analysis of mesocarb analogues in urine and plasma of rats by high-performance liquid chromatography and thermospray liquid chromatography-mass spectrometry 687(1996)261

- Raymond, K., see Chiu, F.C.K. 687(1996)462
 Rey, R.H., see Masnatta, L.D. 687(1996)437
 Rivier, L., see Saugy, M. 687(1996)201
 Rodríguez, A.F., see Soriano, C. 687(1996)183
 Rodríguez, C., see Soriano, C. 687(1996)183
 Rushing, L., see Luo, W. 687(1996)405
 Ryu, J.-C., see Kim, T. 687(1996)79
 Sanaullah, , see Bowers, L.D. 687(1996)61
 Sato, G., see Fujii, T. 687(1996)395
 Saugy, M., Cardis, C., Schweizer, C., Veuthey, J.-L. and Rivier, L.
 Detection of human growth hormone doping in urine: out of competition tests are necessary 687(1996)201
 Schänzer, W., Delahaut, P., Geyer, H., Machnik, M. and Horning, S.
 Long-term detection and identification of metandienone and stanozolol abuse in athletes by gas chromatography-high-resolution mass spectrometry 687(1996)93
 Schweizer, C., see Saugy, M. 687(1996)201
 Segura, J., see Ventura, R. 687(1996)127
 Seppälä, T., see Karila, T. 687(1996)109
 Seppänen-Laakso, T., Laakso, I., Backlund, P., Vanhanen, H. and Viikari, J.
 Elaidic and *trans*-vaccenic acids in plasma phospholipids as indicators of dietary intake of 18:1 *trans*-fatty acids 687(1996)371
 Sevillano-Cabeza, A., see Campíns-Falcó, P. 687(1996)239
 Shina, H.-S., see Lho, D.-S. 687(1996)253
 Sontag, K.-H., see Bringmann, G. 687(1996)337
 Soriano, C., Muñoz-Guerra, J., Carreras, D., Rodríguez, C., Rodríguez, A.F. and Cortés, R.
 Automated analysis of drugs in urine 687(1996)183
 Stäblein, M., see Bringmann, G. 687(1996)337
 Sugawara, K., see Ohkubo, T. 687(1996)413
 Suh, J.W., see Kim, T. 687(1996)79
 Tähtelä, R., see Karila, T. 687(1996)109
 Takahara, E., see Hasegawa, H. 687(1996)419
 Taylor, S., see Plumb, R.S. 687(1996)457
 Thompson Jr, H.C., see Luo, W. 687(1996)405
 Touw, D.J., see Compas, D. 687(1996)453
 Uno, T., see Ohkubo, T. 687(1996)413
 Urbánková, E., Vacek, A. and Chmelík, J.
 Micropreparation of hemopoietic stem cells from the mouse bone marrow suspension by gravitational field-flow fractionation 687(1996)449
 Vacek, A., see Urbánková, E. 687(1996)449
 Vallon, J.-J., see Bressolle, F. 687(1996)303
 Vanhanen, H., see Seppänen-Laakso, T. 687(1996)371
 Ventura, R. and Segura, J.
 Detection of diuretic agents in doping control 687(1996)127
 Veuthey, J.-L., see Saugy, M. 687(1996)201
 Viikari, J., see Seppänen-Laakso, T. 687(1996)371
 Weatherby, R.P., see Yap, B.K. 687(1996)117
 Werba, J.P., see Masnatta, L.D. 687(1996)437
 Wieland, H., see Bissé, E. 687(1996)349
 Yamada, T., see Hasegawa, H. 687(1996)419
 Yap, B.K., Kazlauskas, R., Elghazi, K., Johnston, G.A.R. and Weatherby, R.P.
 Profiling of urinary testosterone and luteinizing hormone in exercise-stressed male athletes, using gas chromatography-mass spectrometry and enzyme immunoassay techniques 687(1996)117
 Yasui, Y., see Fujii, T. 687(1996)395
 Yeung, E.S., see Lillard, S.J. 687(1996)363
 Yin, B., see Luo, W. 687(1996)405
 Yoo, J.K., see Pyo, H. 687(1996)261
 Yoon, B., see Pyo, H. 687(1996)261
 Ziehr, H., see Müthing, J. 687(1996)357