

Compound Index Vol. 687

Albendazole

Trace analysis of albendazole and its sulphoxide and sulphone metabolites in milk by liquid chromatography 687(1996)427

Albendazole sulphone

Trace analysis of albendazole and its sulphoxide and sulphone metabolites in milk by liquid chromatography 687(1996)427

Albendazole sulphoxide

Trace analysis of albendazole and its sulphoxide and sulphone metabolites in milk by liquid chromatography 687(1996)427

Alcohol

High doses of alcohol increase urinary testosterone-to-epitestosterone ratio in females 687(1996)109

Alkaloids

Endogenous alkaloids in man. XXVI. Determination of the dopaminergic neurotoxin 1-trichloromethyl-1,2,3,4-tetrahydro- β -carboline (TaClo) in biological samples using gas chromatography with selected ion monitoring 687(1996)337

Amiloride

Direct determination of diuretic drugs in urine by capillary zone electrophoresis using fluorescence detection 687(1996)145

Amphetamine

Automated analysis of drugs in urine 687(1996)183

Amphetamine and methamphetamine determination in urine by reversed-phase high-performance liquid chromatography with simultaneous sample clean-up and derivatization with 1,2-naphthoquinone 4-sulphonate on solid-phase cartridges 687(1996)239

Anabolic agents

Testing for natural and synthetic anabolic agents in human urine 687(1996)3

Anabolic androgenic steroids

Long-term detection and identification of metandienone and stanozolol abuse in athletes by gas chromatography-high-resolution mass spectrometry 687(1996)93

Anabolic steroids

Separation and confirmation of anabolic steroids with quadrupole ion trap tandem mass spectrometry 687(1996)69

Excretion study of furazabol, an anabolic steroid, in human urine 687(1996)79

Quantitative structure-retention relationships in doping control 687(1996)151

Androgen

Combined profile of androgen glucuro- and sulfoconjugates in post-competition urine of sportsmen: a simple screening procedure using gas chromatography-mass spectrometry 687(1996)85

Androsterone

Direct measurement of steroid sulfate and glucuronide conjugates with high-performance liquid chromatography-mass spectrometry 687(1996)61

Bendroflumethiazide

Direct determination of diuretic drugs in urine by capillary zone electrophoresis using fluorescence detection 687(1996)145

S-Benzylmercapturic acid

Sensitive gas chromatographic method for determination of mercapturic acids in human urine 687(1996)379

Bezafibrate

Determination of bezafibrate, ciprofibrate and fenofibric acid in human plasma by high-performance liquid chromatography 687(1996)437

 β -Blockers

Stimulants, narcotics and β -blockers: 25 years of development in analytical techniques for doping control 687(1996)221

 β_2 -Agonists

Bioanalysis of β_2 -agonists by hyphenated chromatographic and mass spectrometric techniques 687(1996)27

Bumetanide

Direct determination of diuretic drugs in urine by capillary zone electrophoresis using fluorescence detection 687(1996)145

 β -Carbolines

Endogenous alkaloids in man. XXVI. Determination of the dopaminergic neurotoxin 1-trichloromethyl-1,2,3,4-tetrahydro- β -carboline (TaClo) in biological samples using gas chromatography with selected ion monitoring 687(1996)337

Celiprolol

Validated assay for the determination of celiprolol in plasma using high-performance liquid chromatography and a silanol deactivated reversed-phase support 687(1996)462

Chloral hydrate

Endogenous alkaloids in man. XXVI. Determination of the dopaminergic neurotoxin 1-trichloromethyl-1,2,3,4-tetrahydro- β -carboline (TaClo) in biological samples using gas chromatography with selected ion monitoring 687(1996)337

Chorionic gonadotropin

Immunoaffinity trapping of urinary human chorionic gonadotropin and its high-performance liquid chromatographic-mass spectrometric confirmation 687(1996)213

Ciprofibrate

Determination of bezafibrate, ciprofibrate and fenofibric acid in human plasma by high-performance liquid chromatography 687(1996)437

Clenbuterol

Testing for natural and synthetic anabolic agents in human urine 687(1996)3

Codeine

Automated analysis of drugs in urine 687(1996)183

Cyclodextrins

Cyclodextrins and enantiomeric separations of drugs by liquid chromatography and capillary electrophoresis: basic principles and new developments 687(1996)303

2'-Deoxy-3'-thiacytidine

High-performance chromatographic assay for the sulphoxide metabolite of 2'-deoxy-3'-thiacytidine in human urine 687(1996)457

Diuretics

Detection of diuretic agents in doping control 687(1996)127

DNA-based drugs

Analysis of disease-causing genes and DNA-based drugs by capillary electrophoresis 687(1996)271

Doping

Bioanalysis of β_2 -agonists by hyphenated chromatographic and mass spectrometric techniques 687(1996)27

Doping agents

Analysis of mesocarb analogues in urine and plasma of rats by high-performance liquid chromatography and thermospray liquid chromatography-mass spectrometry 687(1996)261

Drugs

Cyclodextrins and enantiomeric separations of drugs by liquid chromatography and capillary electrophoresis: basic principles and new developments 687(1996)303

Drugs of abuse

Transmission of the results of tests for International Olympic Committee-defined drugs of abuse 687(1996)157

Elaidic acid

Elaidic and *trans*-vaccenic acids in plasma phospholipids as indicators of dietary intake of 18:1 *trans*-fatty acids 687(1996)371

Ephedrine

Automated analysis of drugs in urine 687(1996)183

Epitestosterone

Detection of testosterone misuse: comparison of two chromatographic sample preparation methods for gas chromatographic-combustion/isotope ratio mass spectrometric analysis 687(1996)43

Increased urinary testosterone/epitestosterone ratios found in Swedish athletes in connection with a national control program 687(1996)55

Direct measurement of steroid sulfate and glucuronide conjugates with high-performance liquid chromatography-mass spectrometry 687(1996)61

Combined profile of androgen glucuro- and sulfoconjugates in post-competition urine of sportsmen: a simple screening procedure using gas chromatography-mass spectrometry 687(1996)85

High doses of alcohol increase urinary testosterone-to-epitestosterone ratio in females 687(1996)109

Erythropoietin

Erythropoietin: physico- and biochemical analysis 687(1996)189

Ethylamphetamine

Automated analysis of drugs in urine 687(1996)183

Etiocolanalone

Direct measurement of steroid sulfate and glucuronide conjugates with high-performance liquid chromatography-mass spectrometry 687(1996)61

Fatty acids

Elaidic and *trans*-vaccenic acids in plasma phospholipids as indicators of dietary intake of 18:1 *trans*-fatty acids 687(1996)371

Fencanfamine

Automated analysis of drugs in urine 687(1996)183

Fenofibric acid

Determination of bezafibrate, ciprofibrate and fenofibric acid in human plasma by high-performance liquid chromatography 687(1996)437

Furazabol

Excretion study of furazabol, an anabolic steroid, in human urine 687(1996)79

Gangliosides

Enhanced thin-layer chromatographic separation of G_{M1b} -type gangliosides by automated multiple development 687(1996)357

Glycoproteins

Immunoaffinity trapping of urinary human chorionic gonadotropin and its high-performance liquid chromatographic-mass spectrometric confirmation 687(1996)213

Gonadotropin

Immunoaffinity trapping of urinary human chorionic gonadotropin and its high-performance liquid chromatographic-mass spectrometric confirmation 687(1996)213

Haloperidol

Selective determination of haloperidol in human serum: surface ionization mass spectrometry and gas chromatography with surface ionization detection 687(1996)395

Hemoglobin

Analysis of single erythrocytes by injection-based capillary isoelectric focusing with laser-induced native fluorescence detection 687(1996)363

Hemoglobin A_{1d3a}

Heterogeneity of hemoglobin A_{1d}: assessment and partial characterization of two new minor hemoglobins, A_{1d3a} and A_{1d3b}, increased in uremic and diabetic patients, respectively 687(1996)349

Hemoglobin A_{1d3b}

Heterogeneity of hemoglobin A_{1d}: assessment and partial characterization of two new minor hemoglobins, A_{1d3a} and A_{1d3b}, increased in uremic and diabetic patients, respectively 687(1996)349

H₁-Receptor antagonist

Sensitive analytical method for the novel H₁-receptor antagonist HSR-609 in human plasma and urine by high-performance liquid chromatography with pre-column fluorescent derivatization 687(1996)419

HSR-609

Sensitive analytical method for the novel H₁-receptor antagonist HSR-609 in human plasma and urine by high-performance liquid chromatography with pre-column fluorescent derivatization 687(1996)419

Human chorionic gonadotropin

Immunoaffinity trapping of urinary human chorionic gonadotropin and its high-performance liquid chromatographic-mass spectrometric confirmation 687(1996)213

Human growth hormone

Detection of human growth hormone doping in urine: out of competition tests are necessary 687(1996)201

Hydroxyitraconazole

Rapid method for the analysis of itraconazole and hydroxyitraconazole in serum by high-performance liquid chromatography 687(1996)453

2-Hydroxymesocarb

Analysis of mesocarb analogues in urine and plasma of rats by high-performance liquid chromatography and thermospray liquid chromatography-mass spectrometry 687(1996)261

Itraconazole

Rapid method for the analysis of itraconazole and hydroxyitraconazole in serum by high-performance liquid chromatography 687(1996)453

Lamivudine

High-performance chromatographic assay for the sulphoxide metabolite of 2'-deoxy-3'-thiacytidine in human urine 687(1996)457

Lincomycin

Determination of lincomycin residues in salmon tissues by gas chromatography with nitrogen-phosphorus detection 687(1996)405

Luteinizing hormone

Profiling of urinary testosterone and luteinizing hormone in exercise-stressed male athletes, using gas chromatography-mass spectrometry and enzyme immunoassay techniques 687(1996)117

Manidipine

Liquid chromatographic determination of manidipine in serum with electrochemical detection 687(1996)413

Mercapturic acids

Sensitive gas chromatographic method for determination of mercapturic acids in human urine 687(1996)379

Determination of urinary mercapturic acids of styrene in man by high-performance liquid chromatography with fluorescence detection 687(1996)387

Mesocarb

Analysis of mesocarb analogues in urine and plasma of rats by high-performance liquid chromatography and thermospray liquid chromatography-mass spectrometry 687(1996)261

Metal cations

Evidence of metal binding activities of pentadecapeptide from *Panax ginseng* 687(1996)443

Metandienone

Long-term detection and identification of metandienone and stanozolol abuse in athletes by gas chromatography-high-resolution mass spectrometry 687(1996)93

Methamphetamine

Amphetamine and methamphetamine determination in urine by reversed-phase high-performance liquid chromatography with simultaneous sample clean-up and derivatization with 1,2-naphthoquinone 4-sulphonate on solid-phase cartridges 687(1996)239

Methylephedrine

Automated analysis of drugs in urine 687(1996)183

4-Methyl-2-hydroxymesocarb

Analysis of mesocarb analogues in urine and plasma of rats by high-performance liquid chromatography and thermospray liquid chromatography-mass spectrometry 687(1996)261

Narcotics

Stimulants, narcotics and β -blockers: 25 years of development in analytical techniques for doping control 687(1996)221

Pentadecapeptide

Evidence of metal binding activities of pentadecapeptide from *Panax ginseng* 687(1996)443

Pethidine

Automated analysis of drugs in urine 687(1996)183

Phenmetrazine

Automated analysis of drugs in urine 687(1996)183

S-Phenylmercapturic acid

Sensitive gas chromatographic method for determination of mercapturic acids in human urine 687(1996)379

Phospholipids

Elaidic and *trans*-vaccenic acids in plasma phospholipids as indicators of dietary intake of 18:1 *trans*-fatty acids 687(1996)371

Pyrovalerone

Identification of a pyrovalerone metabolite in the rat by gas chromatography–mass spectrometry and determination of pyrovalerone by gas chromatography–nitrogen–phosphorus detection 687(1996)253

Stanozolol

Long-term detection and identification of metandienone and stanozolol abuse in athletes by gas chromatography–high-resolution mass spectrometry 687(1996)93

Steroid glucuronides

Direct measurement of steroid sulfate and glucuronide conjugates with high-performance liquid chromatography–mass spectrometry 687(1996)61

Steroids

Testing for natural and synthetic anabolic agents in human urine 687(1996)3

Increased urinary testosterone/epitestosterone ratios found in Swedish athletes in connection with a national control program 687(1996)55

Separation and confirmation of anabolic steroids with quadrupole ion trap tandem mass spectrometry 687(1996)69

Excretion study of furazabol, an anabolic steroid, in human urine 687(1996)79

Long-term detection and identification of metandienone and stanozolol abuse in athletes by gas chromatography–high-resolution mass spectrometry 687(1996)93

High doses of alcohol increase urinary testosterone-to-epitestosterone ratio in females 687(1996)109

Quantitative structure–retention relationships in doping control 687(1996)151

Steroid sulfates

Direct measurement of steroid sulfate and glucuronide conjugates with high-performance liquid chromatography–mass spectrometry 687(1996)61

Stimulants

Stimulants, narcotics and β -blockers: 25 years of development in analytical techniques for doping control 687(1996)221

Styrene

Determination of urinary mercapturic acids of styrene in man by high-performance liquid chromatography with fluorescence detection 687(1996)387

Testosterone

Testing for natural and synthetic anabolic agents in human urine 687(1996)3

Detection of testosterone misuse: comparison of two chromatographic sample preparation methods for gas chromatographic-combustion/isotope ratio mass spectrometric analysis 687(1996)43

Increased urinary testosterone/epitestosterone ratios found in Swedish athletes in connection with a national control program 687(1996)55

Direct measurement of steroid sulfate and glucuronide conjugates with high-performance liquid chromatography–mass spectrometry 687(1996)61

Combined profile of androgen glucuro- and sulfoconjugates in post-competition urine of sportsmen: a simple screening procedure using gas chromatography–mass spectrometry 687(1996)85

High doses of alcohol increase urinary testosterone-to-epitestosterone ratio in females 687(1996)109

Profiling of urinary testosterone and luteinizing hormone in exercise-stressed male athletes, using gas chromatography–mass spectrometry and enzyme immunoassay techniques 687(1996)117

Theophylline

Threshold level for theophylline in doping analysis 687(1996)247

***trans*-Vaccenic acid**

Elaidic and *trans*-vaccenic acids in plasma phospholipids as indicators of dietary intake of 18:1 *trans*-fatty acids 687(1996)371

Trenbolone

Testing for natural and synthetic anabolic agents in human urine 687(1996)3

Triamterene

Direct determination of diuretic drugs in urine by capillary zone electrophoresis using fluorescence detection 687(1996)145

1-Trichloromethyl-1,2,3,4-tetrahydro- β -carboline

Endogenous alkaloids in man. XXVI. Determination of the dopaminergic neurotoxin 1-trichloromethyl-1,2,3,4-tetrahydro- β -carboline (TaClo) in biological samples using gas chromatography with selected ion monitoring 687(1996)337

Zeranol

Testing for natural and synthetic anabolic agents in human urine 687(1996)3