

Author Index Vol. 688

- Albet, C., see Rozman, E. 688(1997)107
- Alonso, R.M., see Lalljie, S.P.D. 688(1997)71
- Anderson, D., Kerr, D.J., Blesing, C. and Seymour, L.W.
Simultaneous gas chromatographic-mass spectrophotometric determination of α -fluoro- β -alanine and 5-fluorouracil in plasma 688(1997)87
- Arroyo, C., López-Calull, C., García-Capdevila, L., Gich, I., Barbanoj, M. and Bonal, J.
Determination of captopril in plasma by high-performance liquid chromatography for pharmacokinetic studies 688(1997)339
- Barbanoj, M., see Arroyo, C. 688(1997)339
- Barberi-Heyob, M., Rezzoug, H., Merlin, J.L. and Guillemin, F.
Sensitive isocratic liquid chromatographic assay for the determination of 5,10,15,20-tetra(*m*-hydroxyphenyl)chlorin in plasma and tissue with electrochemical detection 688(1997)331
- Basileo, G., Casati, M., Pianezzola, E. and Strolin Benedetti, M.
Determination of turosteride, a new inhibitor of 5 α -reductase, in human plasma by high-performance liquid chromatography with ultraviolet detection 688(1997)117
- Begoña Barroso, M., see Lalljie, S.P.D. 688(1997)71
- Benčekroun, Y., Dautraix, S., Désage, M. and Brazier, J.L.
Isotopic effects on retention times of caffeine and its metabolites 1,3,7-trimethyluric acid, theophylline, theobromine and paraxanthine 688(1997)245
- Blake, D.A., see Johnson, P.Y. 688(1997)27
- Blaschke, G., see Prien, D. 688(1997)309
- Blesing, C., see Anderson, D. 688(1997)87
- Bonal, J., see Arroyo, C. 688(1997)339
- Bonierbale, E., Debordes, L. and Coppet, L.
Application of capillary gas chromatography to the study of hydrolysis of the nerve agent VX in rat plasma 688(1997)255
- Borromeo, V., see Secchi, C. 688(1997)161
- Brazier, J.L., see Benčekroun, Y. 688(1997)245
- Broersma, R., see Heath, T.G. 688(1997)281
- Brouwer, K.L.R., see Farthing, D. 688(1997)350
- Calero, M., see de la Vieja, A. 688(1997)143
- Casati, M., see Basileo, G. 688(1997)117
- Chroust, K., see Glatz, Z. 688(1997)239
- Chul Chung, B., see Won Suh, J. 688(1997)179
- Coppet, L., see Bonierbale, E. 688(1997)255
- Dautraix, S., see Benčekroun, Y. 688(1997)245
- Dawson, M., see Fryirsa, B. 688(1997)79
- Debordes, L., see Bonierbale, E. 688(1997)255
- DeCaprio, A.P., see Zhu, M. 688(1997)187
- De la Vieja, A., Calero, M., Santisteban, P. and Lamas, L.
Identification and quantitation of iodotyrosines and iodothyronines in proteins using high-performance liquid chromatography by photodiode-array ultraviolet-visible detection 688(1997)143
- Désage, M., see Benčekroun, Y. 688(1997)245
- Dunnett, M.
High-performance liquid chromatographic determination of N- α -acetyl-L-carnosine in equine plasma 688(1997)150
- Dunnett, M. and Harris, R.C.
High-performance liquid chromatographic determination of imidazole dipeptides, histidine, 1-methylhistidine and 3-methylhistidine in equine and camel muscle and individual muscle fibres 688(1997)47
- Dupuy, J.L., see Hoja, H. 688(1997)275
- Edholm, L.-E., see Pálmarsdóttir, S. 688(1997)127
- Elliott, H.G., see Elliott, M.A. 688(1997)229
- Elliott, M.A., Elliott, H.G., Gallagher, K., McGuire, J., Field, M. and Smith, K.D.
Investigation into the Concanavalin A reactivity, fucosylation and oligosaccharide microheterogeneity of α_1 -acid glycoprotein expressed in the sera of patients with rheumatoid arthritis 688(1997)229
- Ensslin, H., see Pisternick, W. 688(1997)63
- Esmail Tabibi, S., see Ikechukwu Ezennia, E. 688(1997)354
- Esteve, M.J., Farré, R., Frigola, A. and Garcia-Cantabella, J.M.
Determination of ascorbic and dehydroascorbic acids in blood plasma and serum by liquid chromatography 688(1997)345
- Fakhry, I., see Farthing, D. 688(1997)350
- Farré, R., see Esteve, M.J. 688(1997)345
- Farthing, D., Brouwer, K.L.R., Fakhry, I. and Sica, D.
Solid-phase extraction and determination of ranitidine in human plasma by a high-performance liquid chromatographic method utilizing midbore chromatography 688(1997)350
- Field, M., see Elliott, M.A. 688(1997)229
- Fouache, F., see Hervé, F. 688(1997)35
- Frigola, A., see Esteve, M.J. 688(1997)345
- Fryirsa, B., Woodhouse, A., Huang, J.L., Dawson, M. and Mather, L.E.
Determination of subnanogram concentrations of fentanyl in plasma by gas chromatography-mass spectrometry: comparison with standard radioimmunoassay 688(1997)79
- Galcerán, M.T., see Rozman, E. 688(1997)107
- Gallagher, K., see Elliott, M.A. 688(1997)229
- Garcia-Cantabella, J.M., see Esteve, M.J. 688(1997)345
- García-Capdevila, L., see Arroyo, C. 688(1997)339
- Garzón, M.J., Rabanal, B., Ortiz, A.I. and Negro, A.
Determination of pentamidine in serum and urine by micellar electrokinetic chromatography 688(1997)135
- Gich, I., see Arroyo, C. 688(1997)339
- Glatz, Z., Psotová, J., Janiczek, O., Chroust, K. and Jowet, T.
Use of thiopropyl Sepharose for the synthesis of an adsorbent for the affinity chromatography of glutathione S-transferase 688(1997)239
- Göbel, Y., Schaffer, C. and Koletzko, B.
Simultaneous determination of low plasma concentrations of retinol and tocopherols in preterm infants by a high-performance liquid chromatographic micromethod 688(1997)57
- Guillemin, F., see Barberi-Heyob, M. 688(1997)331
- Gull Lee, M., see Hee Kim, S. 688(1997)95
- Hall, J.E., see Tuttle, R.H. 688(1997)319
- Harris, R.C., see Dunnett, M. 688(1997)47
- Hauer, C.R., see Zhu, M. 688(1997)187

- Heath, T.G., Mooney, J.P. and Broersma, R.
Narrow-bore liquid chromatography–tandem mass spectrometry with simultaneous radioactivity monitoring for partially characterizing the biliary metabolites of an arginine fluoroalkyl ketone analog of D-MePhe-Pro-Arg, a potent thrombin inhibitor 688(1997)281
- Hee Kim, S., Won Kwon, J., Yang, J. and Gull Lee, M.
Determination of a new carbapenem derivative, DA-1131, in plasma and urine by high-performance liquid chromatography 688(1997)95
- Hervé, F., Fouache, F., Marché, C. and Tillement, J.-P.
Abnormal microheterogeneity detected in one commercial α_1 -acid glycoprotein preparation using chromatography on immobilized metal affinity adsorbent and on hydroxyapatite 688(1997)35
- Hoja, H., Marquet, P., Verneuil, B., Lotfi, H., Dupuy, J.L., Pénicaut, B. and Lachâtre, G.
Determination of haloperidol and its reduced metabolite in human plasma by liquid chromatography–mass spectrometry with electrospray ionization 688(1997)275
- Huang, J.L., see Fryirsa, B. 688(1997)79
- Hubbard, J.W., see Luo, J.-P. 688(1997)303
- Hwa Lee, S., see Won Suh, J. 688(1997)179
- Hynek, R., Kašička, V., Kučerová, Z. and Káš, J.
Fast detection of phosphorylation of human pepsinogen A, human pepsinogen C and swine pepsinogen using a combination of reversed-phase high-performance liquid chromatography and capillary zone electrophoresis for peptide mapping 688(1997)213
- Ikechukwu Ezennia, E., Phillips, L.R., Wolfe, T.L. and Esmail Tabibi, S.
Analysis of perillic acid in plasma by reversed-phase high-performance liquid chromatography with ultraviolet detection 688(1997)354
- Inaba, T., see Kishimoto, M. 688(1997)1
- Inoue, H., Maeno, Y., Iwasa, M., Koyama, H., Sato, Y. and Matoba, R.
Sensitive detection of human globin chains by microbore high-performance liquid chromatography and its forensic application 688(1997)221
- Iwasa, M., see Inoue, H. 688(1997)221
- Janiczek, O., see Glatz, Z. 688(1997)239
- Jiménez, R.M., see Lalljie, S.P.D. 688(1997)71
- Johnson, P.Y. and Blake, D.A.
Rapid size-exclusion chromatography of proteoglycans 688(1997)27
- Jönsson, J., see Pálmarsdóttir, S. 688(1997)127
- Jowet, T., see Glatz, Z. 688(1997)239
- Kai, M., Nakashima, A. and Ohkura, Y.
High-performance liquid chromatographic separation of kyotorphin, a basic Tyr–Arg dipeptide, in rat brain tissue and quantification using fluorimetric detection 688(1997)205
- Kajimoto, Y., see Kishimoto, M. 688(1997)1
- Kamada, T., see Kishimoto, M. 688(1997)1
- Káš, J., see Hynek, R. 688(1997)213
- Kašička, V., see Hynek, R. 688(1997)213
- Kawamori, R., see Kishimoto, M. 688(1997)1
- Kayano, M., see Seki, T. 688(1997)101
- Kerr, D.J., see Anderson, D. 688(1997)87
- Kishimoto, M., Kajimoto, Y., Kubota, M., Watarai, T., Shiba, Y., Kawamori, R., Inaba, T., Kamada, T. and Yamasaki, Y.
Sensitive, selective gas chromatographic–mass spectrometric analysis with trifluoroacetyl derivatives and a stable isotope for studying tissue sorbitol-producing activity 688(1997)1
- Koletzko, B., see Göbel, Y. 688(1997)57
- Kovar, K.-A., see Pisternick, W. 688(1997)63
- Koyama, H., see Inoue, H. 688(1997)221
- Kubota, M., see Kishimoto, M. 688(1997)1
- Kučerová, Z., see Hynek, R. 688(1997)213
- Lachâtre, G., see Hoja, H. 688(1997)275
- Lalljie, S.P.D., Begonia Barroso, M., Steenackers, D., Alonso, R.M., Jiménez, R.M. and Sandra, P.
Micellar electrokinetic chromatography as a fast screening method for the determination of the doping agents furosemide and piretanide in urine 688(1997)71
- Lamas, L., see de la Vieja, A. 688(1997)143
- Li, S., see Xie, D. 688(1997)359
- López-Calull, C., see Arroyo, C. 688(1997)339
- Lotfi, H., see Hoja, H. 688(1997)275
- Lunte, C.E., see Zhao, Y. 688(1997)265
- Luo, J.-P., Hubbard, J.W. and Midha, K.K.
Sensitive method for the simultaneous measurement of fluphenazine decanoate and fluphenazine in plasma by high-performance liquid chromatography with coulometric detection 688(1997)303
- Maeno, Y., see Inoue, H. 688(1997)221
- Marché, C., see Hervé, F. 688(1997)35
- Marquet, P., see Hoja, H. 688(1997)275
- Mather, L.E., see Fryirsa, B. 688(1997)79
- Mathiasson, L., see Pálmarsdóttir, S. 688(1997)127
- Matoba, R., see Inoue, H. 688(1997)221
- McGuire, J., see Elliott, M.A. 688(1997)229
- Meng, L.-J. and Sjövall, J.
Method for combined analysis of profiles of conjugated progesterone metabolites and bile acids in serum and urine of pregnant women 688(1997)11
- Merlin, J.L., see Barberi-Heyob, M. 688(1997)331
- Midha, K.K., see Luo, J.-P. 688(1997)303
- Mooney, J.P., see Heath, T.G. 688(1997)281
- Nakashima, A., see Kai, M. 688(1997)205
- Negro, A., see Garzón, M.J. 688(1997)135
- Ohkura, Y., see Kai, M. 688(1997)205
- Ortiz, A.I., see Garzón, M.J. 688(1997)135
- Pálmarsdóttir, S., Mathiasson, L., Jönsson, J. and Edholm, L.-E.
Determination of a basic drug, bambuterol, in human plasma by capillary electrophoresis using double stacking for large volume injection and supported liquid membranes for sample pretreatment 688(1997)127
- Park, J., see Won Suh, J. 688(1997)179
- Pénicaut, B., see Hoja, H. 688(1997)275
- Phillips, L.R., see Ikechukwu Ezennia, E. 688(1997)354
- Pianezzola, E., see Basileo, G. 688(1997)117
- Pisternick, W., Kovar, K.-A. and Ensslin, H.
High-performance thin-layer chromatographic determination of N-ethyl-3,4-methylenedioxyamphetamine and its major metabolites in urine and comparison with high-performance liquid chromatography 688(1997)63
- Prien, D. and Blaschke, G.
Studies of the metabolism of the antihistaminic drug dimethindene by high-performance liquid chromatography and capillary electrophoresis including enantioselective aspects 688(1997)309

- Psotová, J., see Glatz, Z. 688(1997)239
- Rabanal, B., see Garzón, M.J. 688(1997)135
- Ren, L., see Xie, D. 688(1997)359
- Rezzoug, H., see Barberi-Heyob, M. 688(1997)331
- Rozman, E., Galcerán, M.T. and Albet, C.
Determination of ebrotidine and its metabolites in human urine by reversed-phase ion-pair high-performance liquid chromatography 688(1997)107
- Rushing, L.G. and Thompson Jr, H.C.
Simultaneous determination of malachite green, gentian violet and their leuco metabolites in catfish or trout tissue by high-performance liquid chromatography with visible detection 688(1997)325
- Sandra, P., see Lalljie, S.P.D. 688(1997)71
- Santisteban, P., see de la Vieja, A. 688(1997)143
- Sato, Y., see Inoue, H. 688(1997)221
- Schaffer, C., see Göbel, Y. 688(1997)57
- Secchi, C. and Borromeo, V.
Structure and function of bovine growth hormone. Bovine growth hormone as an experimental model for studies of protein-protein interactions 688(1997)161
- Seki, T., Yamazaki, K. and Kayano, M.
Determination of angiotensin II receptor antagonist (E4177) in human plasma and urine by high-performance liquid chromatography 688(1997)101
- Seymour, L.W., see Anderson, D. 688(1997)87
- Shiba, Y., see Kishimoto, M. 688(1997)1
- Sica, D., see Farthing, D. 688(1997)350
- Simmons, B.R. and Stewart, J.T.
Supercritical fluid extraction of selected pharmaceuticals from water and serum 688(1997)291
- Sjövall, J., see Meng, L.-J. 688(1997)11
- Smith, K.D., see Elliott, M.A. 688(1997)229
- Spink, D.C., see Zhu, M. 688(1997)187
- Steenackers, D., see Lalljie, S.P.D. 688(1997)71
- Stewart, J.T., see Simmons, B.R. 688(1997)291
- Strolin Benedetti, M., see Basileo, G. 688(1997)117
- Takahashi, M. and Tezuka, T.
Quantitative analysis of histidine and *cis* and *trans* isomers of urocanic acid by high-performance liquid chromatography: a new assay method and its application 688(1997)197
- Tanaka, E.
Simultaneous determination of carbamazepine and its metabolites in plasma from carbon tetrachloride-intoxicated rats using a new reversed-phase chromatographic column of 2- μ m porous microspherical silica gel 688(1997)155
- Tezuka, T., see Takahashi, M. 688(1997)197
- Thompson Jr, H.C., see Rushing, L.G. 688(1997)325
- Tidwell, R.R., see Tuttle, R.H. 688(1997)319
- Tillement, J.-P., see Hervé, F. 688(1997)35
- Tuttle, R.H., Hall, J.E. and Tidwell, R.R.
High-performance liquid chromatographic assay detects pentamidine metabolism by Fisher rat liver microsomes 688(1997)319
- Verneuil, B., see Hoja, H. 688(1997)275
- Watarai, T., see Kishimoto, M. 688(1997)1
- Wolfe, T.L., see Ikechukwu Ezennia, E. 688(1997)354
- Won Kwon, J., see Hee Kim, S. 688(1997)95
- Won Suh, J., Hwa Lee, S., Chul Chung, B. and Park, J.
Urinary polyamine evaluation for effective diagnosis of various cancers 688(1997)179
- Woodhouse, A., see Fryirsa, B. 688(1997)79
- Xie, D., Li, S. and Ren, L.
Hydrophobic chromatography of the HL-60 cellular fraction co-binding with hexamethylene bisacetamide 688(1997)359
- Yamasaki, Y., see Kishimoto, M. 688(1997)1
- Yamazaki, K., see Seki, T. 688(1997)101
- Yang, J., see Hee Kim, S. 688(1997)95
- Zhao, Y. and Lunte, C.E.
Determination of caffeine and its metabolites by micellar electrokinetic capillary electrophoresis 688(1997)265
- Zhu, M., DeCaprio, A.P., Hauer, C.R. and Spink, D.C.
Characterization of glutathione conjugates of pyrrolylated amino acids and peptides by liquid chromatography-mass spectrometry and tandem mass spectrometry with electrospray ionization 688(1997)187