

Author Index Vol. 691

- Acworth, I.N., see McCabe, D.R. 691(1997)23
Anspach, F.B., see Legallais, C. 691(1997)33
Asmis, R., Bühler, E., Jelk, J. and Gey, K.F.
Concurrent quantification of cellular cholesterol, cholesteryl esters and triglycerides in small biological samples. Reevaluation of thin layer chromatography using laser densitometry 691(1997)59
Atassi, G., see Tassin, J.P. 691(1997)449
Azuma, R. and Urakawa, A.
Simultaneous determination of a novel anticancer drug, TAS-103, and its N-demethylated metabolite in monkey plasma by high-performance liquid chromatography using solid-phase extraction 691(1997)179
Berger, B.J., Suskin, M., Dai, W.W., Cerami, A. and Ulrich, P.
Studies on the pharmacological properties of novel arylene bis(methylketone) compounds using solid-phase extraction and high-performance liquid chromatography 691(1997)433
Blaas, D., see Morand, M. 691(1997)192
Blaschke, G., see Paris, S. 691(1997)463
Blomhoff, R., see Gundersen, Th.E. 691(1997)43
Borbe, H.O., see Paris, S. 691(1997)463
Boudinot, F.D., see Chen, H. 691(1997)425
Brekelmans, G.J.F., see Saris, L.A. 691(1997)409
Bressolle, F., see Marquer, C. 691(1997)389
Brooks, S.A., Lachno, D.R. and Obermeyer, B.D.
Automated high-performance liquid chromatographic method for the analysis of two novel ergoline compounds in human plasma 691(1997)383
Brückner, H., see Schieber, A. 691(1997)1
Brulez, H.F.H., see Teerlink, T. 691(1997)269
Bueno, S.M.A., see Legallais, C. 691(1997)33
Bühler, E., see Asmis, R. 691(1997)59
Burke, T.G., see Warner, D.L. 691(1997)161
Cai, J. and Henion, J.
Quantitative multi-residue determination of β -agonists in bovine urine using on-line immunoaffinity extraction-coupled column packed capillary liquid chromatography-tandem mass spectrometry 691(1997)357
Cerami, A., see Berger, B.J. 691(1997)433
Chavez-Eng, C.M., Constanzer, M.L. and Matuszewski, B.K.
Picogram determination of a novel dopamine D₄ receptor antagonist in human plasma and urine by liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 691(1997)77
Chen, H., Manouilov, K.K., Chu, C.K., Schinazi, R.F., McClure, H.M. and Boudinot, F.D.
High-performance liquid chromatographic determination of (-)- β -D-2-aminopurine dioxolane and (-)- β -D-2-amino-6-chloropurine dioxolane, and their metabolite (-)- β -D-dioxolane guanine in monkey serum, urine and cerebrospinal fluid 691(1997)425
Chiu, F.C.K., Zhang, J.N., Li, R.C. and Raymond, K.
Efficient assay for the determination of atenolol in human plasma and urine by high-performance liquid chromatography with fluorescence detection 691(1997)473
Chu, C.K., see Chen, H. 691(1997)425
Classen, H.-G., see Schieber, A. 691(1997)1
Coleman, N.L., see Farid, N.A. 691(1997)212
Constanzer, M.L., see Chavez-Eng, C.M. 691(1997)77
Dai, W.W., see Berger, B.J. 691(1997)433
Davies, N.M.
Methods of analysis of chiral non-steroidal anti-inflammatory drugs 691(1997)229
Desiderio, D.M., see Lee, H.G. 691(1997)67
Deutz, N.E.P., see Van Eijk, H.M.H. 691(1997)287
Donker, M., see Sandrenan, N. 691(1997)145
Drewe, J., Rufer, S., Huwyler, J. and Küsters, E.
High-performance liquid chromatographic method for an automated determination of local anaesthetics in human plasma 691(1997)105
Dubois, J., see Tassin, J.P. 691(1997)449
Edelbroek, P.M., see Saris, L.A. 691(1997)409
El-Yazigi, A. and Legayada, E.
Direct liquid chromatographic micro-measurement of tamoxifen in plasma of cancer patients 691(1997)457
Engel, J., see Paris, S. 691(1997)463
Erudin, R., see Timm, U. 691(1997)397
Farid, N.A. and Coleman, N.L.
High-performance liquid chromatographic determination of the enantiomers of the benzoquinolinone LY191704, a human type 1 5α -reductase inhibitor, in plasma 691(1997)212
Feng, Y., Halaris, A.E. and Piletz, J.E.
Determination of agmatine in brain and plasma using high-performance liquid chromatography with fluorescence detection 691(1997)277
Gage, R., see Stopher, D.A. 691(1997)441
Gao, Q., see Manabe, S. 691(1997)197
Gey, K.F., see Asmis, R. 691(1997)59
Godbillon, J., see Sandrenan, N. 691(1997)145
Gundersen, Th.E., Lundanes, E. and Blomhoff, R.
Quantitative high-performance liquid chromatographic determination of retinoids in human serum using on-line solid-phase extraction and column switching. Determination of 9-*cis*-retinoic acid, 13-*cis*-retinoic acid, all-*trans*-retinoic acid, 4-oxo-all-*trans*-retinoic acid and 4-oxo-13-*cis*-retinoic acid 691(1997)43
Halaris, A.E., see Feng, Y. 691(1997)277
Hampl, R., see Hill, M. 691(1997)187
Hanocq, M., see Tassin, J.P. 691(1997)449
Haupt, K., see Legallais, C. 691(1997)33
Heimbecher, S., Lee, Y.-C., Tabibi, S.E. and Yalkowsky, S.H.
Derivatization and high-performance liquid chromatographic analysis of pentaazapentacosane pentahydrochloride 691(1997)173
Hemminki, K., see Koskinen, M. 691(1997)155
Henion, J., see Cai, J. 691(1997)357
Hennekes, M.W.T., see Teerlink, T. 691(1997)269
Hibiya, M., Teradaira, R., Shimpo, K., Matsui, T., Sugimoto, T. and Nagatsu, T.
Interference of a methotrexate derivative with urinary oncopterin [N²-(3-aminopropyl)biopterin] measurement by high-performance liquid chromatography with fluorimetric detection 691(1997)223

- Hill, M., Lapčik, O. and Hampl, R.
Evaluation and separation of steroid-bovine serum albumin conjugates by high-performance liquid chromatography 691(1997)187
- Hubbard, J.W., see Yan, J.-h. 691(1997)151
- Huwylar, J., see Drewe, J. 691(1997)105
- Imamura, T., see Tokunaga, H. 691(1997)203
- Ishida, Y., see Takeuchi, A. 691(1997)313
- Jackson, J., see Kijak, P.J. 691(1997)377
- Jelk, J., see Asmis, R. 691(1997)59
- Jitsufuchi, N., see Tokunaga, H. 691(1997)203
- Jönsson, B.A.G., see Lindh, C.H. 691(1997)331
- Karnes, H.T., see Ramaia, A. 691(1997)119
- Kenndler, E., see Morand, M. 691(1997)192
- Kennedy, D.G., see McCracken, R.J. 691(1997)87
- Kijak, P.J., Jackson, J. and Shaikh, B.
Determination of gentamicin in bovine milk using liquid chromatography with post-column derivatization and fluorescence detection 691(1997)377
- Kimura, A., see Murai, T. 691(1997)13
- Kitamura, R., see Matsushima, E. 691(1997)95
- Kobayashi, T., see Takeuchi, A. 691(1997)313
- Koskinen, M., Rajaniemi, H. and Hemminki, K.
Analysis of tamoxifen-induced DNA adducts by ³²P-postlabelling assay using different chromatographic techniques 691(1997)155
- Kudo, K., see Tokunaga, H. 691(1997)203
- Kurosawa, T., see Murai, T. 691(1997)13
- Küsters, E., see Drewe, J. 691(1997)105
- Lachno, D.R., see Brooks, S.A. 691(1997)383
- Lamprecht, G.
Rapid method for the isolation of hydroxylysylpyridinoline and lysylpyridinoline from concentrated bone hydrolysates by liquid chromatographic techniques 691(1997)297
- Lapčik, O., see Hill, M. 691(1997)187
- Lasch, J., see Zellmer, S. 691(1997)321
- Lee, H.G. and Desiderio, D.M.
Optimization of the capillary zone electrophoresis loading limit and resolution of proteins, using triethylamine, ammonium formate and acidic pH 691(1997)67
- Lee, Y.-C., see Heimbecher, S. 691(1997)173
- Legallais, C., Anspach, F.B., Bueno, S.M.A., Haupt, K. and Vijayalakshmi, M.A.
Strategies for the depyrogenation of contaminated immunoglobulin G solutions by histidine-immobilized hollow fiber membrane 691(1997)33
- Legayada, E., see El-Yazigi, A. 691(1997)457
- Li, R.C., see Chiu, F.C.K. 691(1997)473
- Lindh, C.H. and Jönsson, B.A.G.
Determination of hexahydrophthalic acid and methylhexahydrophthalic acid in plasma after derivatization with pentafluorobenzyl bromide using gas chromatography and mass spectrometric detection 691(1997)331
- Lo Greco, P., see Londero, D. 691(1997)139
- Locher, M., see Paris, S. 691(1997)463
- Londero, D. and Lo Greco, P.
New micromethod for the determination of lamotrigine in human plasma by high-performance liquid chromatography 691(1997)139
- Lundanes, E., see Gundersen, Th.E. 691(1997)43
- Mahara, R., see Murai, T. 691(1997)13
- Maher, T.J., see McCabe, D.R. 691(1997)23
- Manabe, S., Gao, Q., Yuan, J., Takahashi, T. and Ueki, A.
Determination of isatin in urine and plasma by high-performance liquid chromatography 691(1997)197
- Manouilov, K.K., see Chen, H. 691(1997)425
- Marquer, C. and Bressolle, F.
High-performance liquid chromatographic determination of the conjugate metabolites of moxisylyte in human plasma and urine 691(1997)389
- Masuda, S., see Takeuchi, A. 691(1997)313
- Matsuda, I., see Takeuchi, A. 691(1997)313
- Matsui, T., see Hibiya, M. 691(1997)223
- Matsushima, E., Yoshida, K., Kitamura, R. and Yoshida, K.-i.
Determination of S-1 (combined drug of tegafur, 5-chloro-2,4-dihydropyridine and potassium oxonate) and 5-fluorouracil in human plasma and urine using high-performance liquid chromatography and gas chromatography-negative ion chemical ionization mass spectrometry 691(1997)95
- Matuszewski, B.K., see Chavez-Eng, C.M. 691(1997)77
- McCabe, D.R., Maher, T.J. and Acworth, I.N.
Improved method for the estimation of hydroxyl free radical levels in vivo based on liquid chromatography with electrochemical detection 691(1997)23
- McClure, H.M., see Chen, H. 691(1997)425
- McCracken, R.J. and Kennedy, D.G.
Determination of the furazolidone metabolite, 3-amino-2-oxazolidinone, in porcine tissues using liquid chromatography-thermospray mass spectrometry and the occurrence of residues in pigs produced in Northern Ireland 691(1997)87
- McKay, G., see Yan, J.-h. 691(1997)131
- Midha, K.K., see Yan, J.-h. 691(1997)131
- Möller, L., see Zeisig, M. 691(1997)341
- Morand, M., Blaas, D. and Kenndler, E.
Reduction of wall adsorption in capillary zone electrophoresis of a basic single-chain antibody fragment by a cationic polymeric buffer additive 691(1997)192
- Morino, M., see Yoshioka, E. 691(1997)371
- Mulder, C., see Teerlink, T. 691(1997)269
- Murai, T., Mahara, R., Kurosawa, T., Kimura, A. and Tohma, M.
Determination of fetal bile acids in biological fluids from neonates by gas chromatography-negative ion chemical ionization mass spectrometry 691(1997)13
- Nagatsu, T., see Hibiya, M. 691(1997)223
- Naidu, M.U.R., see Ravi, S.K. 691(1997)208
- Netter, C., see Sandrenan, N. 691(1997)145
- Nishiyama, S., see Takeuchi, A. 691(1997)313
- Nowitzki-Grimm, S., see Schieber, A. 691(1997)1
- Obermeyer, B.D., see Brooks, S.A. 691(1997)383
- Ohta, H., Seto, Y. and Tsunoda, N.
Determination of *Aconitum* alkaloids in blood and urine samples. I. High-performance liquid chromatographic separation, solid-phase extraction and mass spectrometric confirmation 691(1997)351
- Ohtsuka, Y., see Tokunaga, H. 691(1997)203
- Okano, T., see Takeuchi, A. 691(1997)313
- Paibir, S.G. and Soine, W.H.
High-performance liquid chromatographic analysis of phenobarbital and phenobarbital metabolites in human urine 691(1997)111

- Paris, S., Blaschke, G., Locher, M., Borbe, H.O. and Engel, J.
Investigation of the stereoselective in vitro metabolism of the chiral antiasthmatic/antiallergic drug fluzelastine by high-performance liquid chromatography and capillary zone electrophoresis 691(1997)463
- Piletz, J.E., see Feng, Y. 691(1997)277
- Rademaker, R.V., see Saris, L.A. 691(1997)409
- Rajaniemi, H., see Koskinen, M. 691(1997)155
- Ramaiya, A. and Karnes, H.T.
Simultaneous measurement of serotonin and paroxetine in rat brain microdialysate by a single-pump column-switching technique 691(1997)119
- Ramzan, I., see Yeganeh, M.H. 691(1997)478
- Rani, P.U., see Ravi, S.K. 691(1997)208
- Rao, T.R.K., see Ravi, S.K. 691(1997)208
- Ravi, S.K., Naidu, M.U.R., Sekhar, E.C., Rao, T.R.K., Shobha, J.C., Rani, P.U. and Surya, K.J.
Rapid and selective analysis of secnidazole in human plasma using high-performance liquid chromatography with ultraviolet detection 691(1997)208
- Raymond, K., see Chiu, F.C.K. 691(1997)473
- Rooyackers, D.R., see Van Eijk, H.M.H. 691(1997)287
- Rufer, S., see Drewe, J. 691(1997)105
- Rupp-Classen, M., see Schieber, A. 691(1997)1
- Sandrenan, N., Sioufi, A., Godbillon, J., Netter, C., Donker, M. and van Valkenburg, C.
Determination of artemether and its metabolite, dihydroartemisinin, in plasma by high-performance liquid chromatography and electrochemical detection in the reductive mode 691(1997)145
- Saris, L.A., Brekelmans, G.J.F., van der Linden, G.J., Rademaker, R.V. and Edelbroek, P.M.
High-performance liquid chromatographic determination of carbamazepine and metabolites in human hair 691(1997)409
- Schieber, A., Brückner, H., Rupp-Classen, M., Specht, W., Nowitzki-Grimm, S. and Classen, H.-G.
Evaluation of D-amino acid levels in rat by gas chromatography–selected ion monitoring mass spectrometry: no evidence for subacute toxicity of orally fed D-proline and D-aspartic acid 691(1997)1
- Schinazi, R.F., see Chen, H. 691(1997)425
- Sekhar, E.C., see Ravi, S.K. 691(1997)208
- Sekimoto, H., see Takeuchi, A. 691(1997)313
- Selley, M.L.
Determination of the lipid peroxidation product (*E*)-4-hydroxy-2-nonenal in clinical samples by gas chromatography–negative-ion chemical ionisation mass spectrometry of the *O*-pentafluorobenzyl oxime 691(1997)263
- Seto, Y., see Ohta, H. 691(1997)351
- Shaikh, B., see Kijak, P.J. 691(1997)377
- Shimpo, K., see Hibiya, M. 691(1997)223
- Shinkai, H., see Yoshioka, E. 691(1997)371
- Shobha, J.C., see Ravi, S.K. 691(1997)208
- Siluveru, M. and Stewart, J.T.
Enantioselective determination of *S*-(+)- and *R*-(-)-ondansetron in human serum using derivatized cyclodextrin-modified capillary electrophoresis and solid-phase extraction 691(1997)217
- Singer, M., see Timm, U. 691(1997)397
- Sioufi, A., see Sandrenan, N. 691(1997)145
- Soeters, P.B., see Van Eijk, H.M.H. 691(1997)287
- Soine, W.H., see Paibir, S.G. 691(1997)111
- Sommadossi, J.-P., see Zhou, X.-J. 691(1997)417
- Specht, W., see Schieber, A. 691(1997)1
- Stankovic, C.J., see Surendran, N. 691(1997)305
- Steiner, B., see Timm, U. 691(1997)397
- Stewart, B.H., see Surendran, N. 691(1997)305
- Stewart, J.T., see Siluveru, M. 691(1997)217
- Stopher, D.A. and Gage, R.
Determination of a new antifungal agent, voriconazole, by multidimensional high-performance liquid chromatography with direct plasma injection onto a size-exclusion column 691(1997)441
- Sugimoto, T., see Hibiya, M. 691(1997)223
- Surendran, N., Stankovic, C.J. and Stewart, B.H.
Development and validation of an ion-pair reversed-phase high-performance liquid chromatographic method for the separation of phosphonodipeptides 691(1997)305
- Surya, K.J., see Ravi, S.K. 691(1997)208
- Suskin, M., see Berger, B.J. 691(1997)433
- Tabibi, S.E., see Heimbecher, S. 691(1997)173
- Takahashi, T., see Manabe, S. 691(1997)197
- Takeuchi, A., Ishida, Y., Sekimoto, H., Masuda, S., Okano, T., Nishiyama, S., Matsuda, I. and Kobayashi, T.
Simplified method for the determination of 25-hydroxy and 1 α ,25-dihydroxy metabolites of vitamins D₂ and D₃ in human plasma. Application to nutritional studies 691(1997)313
- Tanaka, H., see Yoshioka, E. 691(1997)371
- Tassin, J.P., Dubois, J., Atassi, G. and Hanocq, M.
Simultaneous determination of cytotoxic (adriamycin, vincristine) and modulator of resistance (verapamil, S 9788) drugs in human cells by high-performance liquid chromatography and ultraviolet detection 691(1997)449
- Teerlink, T., Henekes, M.W.T., Mulder, C. and Brulez, H.F.H.
Determination of dimethylamine in biological samples by high-performance liquid chromatography 691(1997)269
- Teradaira, R., see Hibiya, M. 691(1997)223
- Timm, U., Zumbunnen, R., Erdin, R., Singer, M. and Steiner, B.
Oral platelet aggregation inhibitor Ro 48-3657: Determination of the active metabolite and its prodrug in plasma and urine by high-performance liquid chromatography using automated column switching 691(1997)397
- Tohma, M., see Murai, T. 691(1997)13
- Tokunaga, H., Kudo, K., Jitsufuchi, N., Ohtsuka, Y. and Imamura, T.
Sensitive determination of sulpiride in human plasma by high-performance liquid chromatography 691(1997)203
- Tsunoda, N., see Ohta, H. 691(1997)351
- Ueki, A., see Manabe, S. 691(1997)197
- Ulrich, P., see Berger, B.J. 691(1997)433
- Urakawa, A., see Azuma, R. 691(1997)179
- Van der Linden, G.J., see Saris, L.A. 691(1997)409
- Van Eijk, H.M.H., Rooyackers, D.R., Wagenmakers, A.J.M., Soeters, P.B. and Deutz, N.E.P.
Isolation and quantitation of isotopically labeled amino acids from biological samples 691(1997)287
- Van Valkenburg, C., see Sandrenan, N. 691(1997)145
- Vijayalakshmi, M.A., see Legallais, C. 691(1997)33
- Wagenmakers, A.J.M., see Van Eijk, H.M.H. 691(1997)287
- Warner, D.L. and Burke, T.G.
Simple and versatile high-performance liquid chromatographic method for the simultaneous quantitation of the lactone and carboxylate forms of camptothecin anticancer drugs 691(1997)161

- Yalkowsky, S.H., see Heimbecher, S. 691(1997)173
- Yan, J.-h., Hubbard, J.W., McKay, G. and Midha, K.K.
Stereoselective and simultaneous measurement of *cis*- and *trans*-isomers of doxepin and N-desmethyldoxepin in plasma or urine by high-performance liquid chromatography 691(1997)131
- Yeganeh, M.H. and Ramzan, I.
Determination of propofol in rat whole blood and plasma by high-performance liquid chromatography 691(1997)478
- Yoshida, K., see Matsushima, E. 691(1997)95
- Yoshida, K.-i., see Matsushima, E. 691(1997)95
- Yoshioka, E., Morino, M., Tanaka, H. and Shinkai, H.
Manual and automatic extraction and high-performance liquid chromatographic determination of a spicamycin derivative, KRN5500, in rat plasma 691(1997)371
- Yuan, J., see Manabe, S. 691(1997)197
- Zeisig, M. and Möller, L.
³²P-Postlabeling high-performance liquid chromatographic improvements to characterize DNA adduct stereoisomers from benzo[*a*]pyrene and benzo[*c*]phenanthrene, and to separate DNA adducts from 7,12-dimethylbenz[*a*]anthracene 691(1997)341
- Zellmer, S. and Lasch, J.
Individual variation of human plantar stratum corneum lipids, determined by automated multiple development of high-performance thin-layer chromatography plates 691(1997)321
- Zhang, J.N., see Chiu, F.C.K. 691(1997)473
- Zhou, X.-J. and Sommadossi, J.-P.
Rapid quantitation of (–)-2'-deoxy-3'-thiacytidine in human serum by high-performance liquid chromatography with ultraviolet detection 691(1997)417
- Zumbrunnen, R., see Timm, U. 691(1997)397