# Compound Index Vol. 691

#### Aconitum alkaloids

Determination of *Aconitum* alkaloids in blood and urine samples. I. High-performance liquid chromatographic separation, solid-phase extraction and mass spectrometric confirmation 691(1997)351

#### Adriamycin

Simultaneous determination of cytotoxic (adriamycin, vincristine) and modulator of resistance (verapamil, S 9788) drugs in human cells by high-performance liquid chromatography and ultraviolet detection 691(1997)449

# Agmatine

Determination of agmatine in brain and plasma using highperformance liquid chromatography with fluorescence detection 691(1997)277

#### **β-Agonists**

Quantitative multi-residue determination of β-agonists in bovine urine using on-line immunoaffinity extraction-coupled column packed capillary liquid chromatography-tandem mass spectrometry 691(1997)357

# Alkaloids

Determination of *Aconitum* alkaloids in blood and urine samples. I. High-performance liquid chromatographic separation, solid-phase extraction and mass spectrometric confirmation 691(1997)351

# Amino acids

Isolation and quantitation of isotopically labeled amino acids from biological samples 691(1997)287

Rapid method for the isolation of hydroxylysylpyridinoline and lysylpyridinoline from concentrated bone hydrolysates by liquid chromatographic techniques 691(1997)297

# D-Amino acids

Evaluation of p-amino acid levels in rat by gas chromatography-selected ion monitoring mass spectrometry: no evidence for subacute toxicity of orally fed p-proline and p-aspartic acid 691(1997)1

# 2-Amino-6-chloropurine dioxolane

High-performance liquid chromatographic determination of (-)- $\beta$ -p-2-aminopurine dioxolane and (-)- $\beta$ -p-2-amino-6-chloropurine dioxolane, and their metabolite (-)- $\beta$ -p-dioxolane guanine in monkey serum, urine and cerebrospinal fluid 691(1997)425

## 2-Amino-2-oxazolidinone

Determination of the furazolidone metabolite, 3-amino-2-oxazolidinone, in porcine tissues using liquid chromatography-thermospray mass spectrometry and the occurrence of residues in pigs produced in Northern Ireland 691(1997)87

## 2-Aminopurine dioxolane

High-performance liquid chromatographic determination of (-)-β-D-2-aminopurine dioxolane and (-)-β-D-2-amino-6-chloropurine dioxolane, and their metabolite (-)-β-D-dioxolane guanine in monkey serum, urine and cerebrospinal fluid 691(1997)425

#### **Ammonium formate**

Optimization of the capillary zone electrophoresis loading limit and resolution of proteins, using triethylamine, ammonium formate and acidic pH 691(1997)67

## Arginine

Determination of agmatine in brain and plasma using highperformance liquid chromatography with fluorescence detection 691(1997)277

#### Artemether

Determination of artemether and its metabolite, dihydroartemisinin, in plasma by high-performance liquid chromatography and electrochemical detection in the reductive mode 691(1997)145

#### Arylene bis(methylketone) compounds

Studies on the pharmacological properties of novel arylene bis(methylketone) compounds using solid-phase extraction and high-performance liquid chromatography 691(1997)433

# **D-Aspartic** acid

Evaluation of p-amino acid levels in rat by gas chromatography-selected ion monitoring mass spectrometry: no evidence for subacute toxicity of orally fed p-proline and p-aspartic acid 691(1997)1

## Atenolol

Efficient assay for the determination of atenolol in human plasma and urine by high-performance liquid chromatography with fluorescence detection 691(1997)473

## Benzo[c]phenanthrene

<sup>32</sup>P-Postlabeling high-performance liquid chromatographic improvements to characterize DNA adduct stereoisomers from benzo[a]pyrene and benzo[c]phenanthrene, and to separate DNA adducts from 7,12-dimethylbenz[a]anthracene 691(1997)341

#### Benzo[a]pyrene

<sup>32</sup>P-Postlabeling high-performance liquid chromatographic improvements to characterize DNA adduct stereoisomers from benzo[a]pyrene and benzo[c]phenanthrene, and to separate DNA adducts from 7,12-dimethylbenz[a]anthracene 691(1997)341

# Benzoquinolinones

High-performance liquid chromatographic determination of the enantiomers of the benzoquinolinone LY191704, a human type  $1.5\alpha$ -reductase inhibitor, in plasma 691(1997)212

# Bile acids

Determination of fetal bile acids in biological fluids from neonates by gas chromatography-negative ion chemical ionization mass spectrometry 691(1997)13

#### Bovine serum albumin

Evaluation and separation of steroid-bovine serum albumin conjugates by high-performance liquid chromatography 691(1997)187

#### Bupivacaine

High-performance liquid chromatographic method for an automated determination of local anaesthetics in human plasma 691(1997)105

#### Camptothecin

Simple and versatile high-performance liquid chromatographic method for the simultaneous quantitation of the lactone and carboxylate forms of camptothecin anticancer drugs 691(1997)161

#### Carbamazepine

High-performance liquid chromatographic determination of carbamazepine and metabolites in human hair 691(1997)409

## 5-Chloro-2,4-dihydroxypyridine

Determination of S-1 (combined drug of tegafur, 5-chloro-2,4-dihydroxypyridine and potassium oxonate) and 5-fluorouracil in human plasma and urine using high-performance liquid chromatography and gas chromatography-negative ion chemical ionization mass spectrometry 691(1997)95

#### Cholesterol

Concurrent quantification of cellular cholesterol, cholesteryl esters and triglycerides in small biological samples 691(1997)59

#### Cholesteryl esters

Concurrent quantification of cellular cholesterol, cholesteryl esters and triglycerides in small biological samples 691(1997)59

## Clenbuterol

Quantitative multi-residue determination of β-agonists in bovine urine using on-line immunoaffinity extraction-coupled column packed capillary liquid chromatography-tandem mass spectrometry 691(1997)357

## Dansylation

Derivatization and high-performance liquid chromatographic analysis of pentaazapentacosane pentahydrochloride 691(1997)173

# Daunorubicin

Simultaneous determination of cytotoxic (adriamycin, vincristine) and modulator of resistance (verapamil, S 9788) drugs in human cells by high-performance liquid chromatography and ultraviolet detection 691(1997)449

# Deacetylmoxisylyte sulphoconjugate

High-performance liquid chromatographic determination of the conjugate metabolites of moxisylyte in human plasma and urine 691(1997)389

# Demethyl-TAS-103

Simultaneous determination of a novel anticancer drug, TAS-103, and its N-demethylated metabolite in monkey plasma by high-performance liquid chromatography using solid-phase extraction 691(1997)179

# (-)-2'-Deoxy-3'-thiacytidine

Rapid quantitation of (-)-2'-deoxy-3'-thiacytidine in human serum by high-performance liquid chromatography with ultraviolet detection 691(1997)417

#### N-Desmethyldoxepin

Stereoselective and simultaneous measurement of *cis*- and *trans*-isomers of doxepin and N-desmethyldoxepin in plasma or urine by high-performance liquid chromatography 691(1997)131

#### Dihydroartemisinin

Determination of artemether and its metabolite, dihydroartemisinin, in plasma by high-performance liquid chromatography and electrochemical detection in the reductive mode 691(1997)145

# Dihydroxybenzoic acid

Improved method for the estimation of hydroxyl free radical levels in vivo based on liquid chromatography with electrochemical detection 691(1997)23

# Dimethylamine

Determination of dimethylamine in biological samples by highperformance liquid chromatography 691(1997)269

# $6-\{[2-(Dimethylamino)ethyl]amino\}-3-hydroxy-7H-indeno[2,1-c]quinolin-7-one dihydrochloride$

Simultaneous determination of a novel anticancer drug, TAS-103, and its N-demethylated metabolite in monkey plasma by high-performance liquid chromatography using solid-phase extraction 691(1997)179

#### 7,12-Dimethylbenz[a]anthracene

<sup>32</sup>P-Postlabeling high-performance liquid chromatographic improvements to characterize DNA adduct stereoisomers from benzo[a]pyrene and benzo[c]phenanthrene, and to separate DNA adducts from 7,12-dimethylbenz[a]anthracene 691(1997)341

# Dioxolane guanine

High-performance liquid chromatographic determination of (-)- $\beta$ -D-2-aminopurine dioxolane and (-)- $\beta$ -D-2-amino-6-chloropurine dioxolane, and their metabolite (-)- $\beta$ -D-dioxolane guanine in monkey serum, urine and cerebrospinal fluid 691(1997)425

# DNA

<sup>32</sup>P-Postlabeling high-performance liquid chromatographic improvements to characterize DNA adduct stereoisomers from benzo[a]pyrene and benzo[c]phenanthrene, and to separate DNA adducts from 7,12-dimethylbenz[a]anthracene 691(1997)341

# **DNA** adducts

Analysis of tamoxifen-induced DNA adducts by <sup>32</sup>P-postlabelling assay using different chromatographic techniques 691(1997)155

# Dopamine D<sub>4</sub> receptor antagonists

Picogram determination of a novel dopamine  $D_4$  receptor antagonist in human plasma and urine by liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 691(1997)77

#### Doxepin

Stereoselective and simultaneous measurement of cis- and transisomers of doxepin and N-desmethyldoxepin in plasma or urine by high-performance liquid chromatography 691(1997)131

#### **Endotoxins**

Strategies for the depyrogenation of contaminated immunoglobulin G solutions by histidine-immobilized hollow fiber membrane 691(1997)33

## **Ergolines**

Automated high-performance liquid chromatographic method for the analysis of two novel ergoline compounds in human plasma 691(1997)383

#### Etidocaine

High-performance liquid chromatographic method for an automated determination of local anaesthetics in human plasma 691(1997)105

#### Fatty acids

Concurrent quantification of cellular cholesterol, cholesteryl esters and triglycerides in small biological samples 691(1997)59

Individual variation of human plantar stratum corneum lipids, determined by automated multiple development of high-performance thin-layer chromatography plates 691(1997)321

#### Flezelastine

Investigation of the stereoselective in vitro metabolism of the chiral antiasthmatic/antiallergic drug flezelastine by high-performance liquid chromatography and capillary zone electrophoresis 691(1997)463

# 5-Fluorouracil

Determination of S-1 (combined drug of tegafur, 5-chloro-2,4-dihydroxypyridine and potassium oxonate) and 5-fluorouracil in human plasma and urine using high-performance liquid chromatography and gas chromatography-negative ion chemical ionization mass spectrometry 691(1997)95

# Furazolidone

Determination of the furazolidone metabolite, 3-amino-2-oxazolidinone, in porcine tissues using liquid chromatography—thermospray mass spectrometry and the occurrence of residues in pigs produced in Northern Ireland 691(1997)87

#### Gentamicin

Determination of gentamicin in bovine milk using liquid chromatography with post-column derivatization and fluorescence detection 691(1997)377

# Hexahydrophthalic acid

Determination of hexahydrophthalic acid and methylhexahydrophthalic acid in plasma after derivatisation with pentafluorobenzyl bromide using gas chromatography and mass spectrometric detection 691(1997)331

# Histidine

Strategies for the depyrogenation of contaminated immunoglobulin G solutions by histidine-immobilized hollow fiber membrane 691(1997)33

### Hydroxyl free radicals

Improved method for the estimation of hydroxyl free radical levels in vivo based on liquid chromatography with electrochemical detection 691(1997)23

#### Hydroxylysylpyridinoline

Rapid method for the isolation of hydroxylysylpyridinoline and lysylpyridinoline from concentrated bone hydrolysates by liquid chromatographic techniques 691(1997)297

#### (E)-4-Hydroxy-2-nonenol

Determination of the lipid peroxidation product (E)-4-hydroxy-2-nonenal in clinical samples by gas chromatography-negative-ion chemical ionisation mass spectrometry of the O-pentafluorobenzyl oxime 691(1997)263

# p-Hydroxyphenobarbital

High-performance liquid chromatographic analysis of phenobarbital and phenobarbital metabolites in human urine 691(1997)111

#### Imidazoline receptors

Determination of agmatine in brain and plasma using highperformance liquid chromatography with fluorescence detection 691(1997)277

# Immunoglobulin G

Strategies for the depyrogenation of contaminated immunoglobulin G solutions by histidine-immobilized hollow fiber membrane 691(1997)33

## Indole-2,3-dione

Determination of isatin in urine and plasma by highperformance liquid chromatography 691(1997)197

#### Isatir

Determination of isatin in urine and plasma by highperformance liquid chromatography 691(1997)197

## **KRN5500**

Manual and automatic extraction and high-performance liquid chromatographic determination of a spicamycin derivative, KRN5500, in rat plasma 691(1997)371

# $\alpha$ -Lactalbumin

Optimization of the capillary zone electrophoresis loading limit and resolution of proteins, using triethylamine, ammonium formate and acidic pH 691(1997)67

## Lamotrigine

New micromethod for the determination of lamotrigine in human plasma by high-performance liquid chromatography 691(1997)139

#### Lipids

Determination of the lipid peroxidation product (E)-4-hydroxy-2-nonenal in clinical samples by gas chromatography-negative-ion chemical ionisation mass spectrometry of the *O*-pentafluorobenzyl oxime 691(1997)263

Individual variation of human plantar stratum corneum lipids, determined by automated multiple development of high-performance thin-layer chromatography plates 691(1997)321

#### LY191704

High-performance liquid chromatographic determination of the enantiomers of the benzoquinolinone LY191704, a human type  $1.5\alpha$ -reductase inhibitor, in plasma 691(1997)212

#### LV300502

High-performance liquid chromatographic determination of the enantiomers of the benzoquinolinone LY191704, a human type  $1.5\alpha$ -reductase inhibitor, in plasma 691(1997)212

#### Lysozyme

Optimization of the capillary zone electrophoresis loading limit and resolution of proteins, using triethylamine, ammonium formate and acidic pH 691(1997)67

## Lysylpyridinoline

Rapid method for the isolation of hydroxylysylpyridinoline and lysylpyridinoline from concentrated bone hydrolysates by liquid chromatographic techniques 691(1997)297

#### Mabuterol

Quantitative multi-residue determination of  $\beta$ -agonists in bovine urine using on-line immunoaffinity extraction-coupled column packed capillary liquid chromatography-tandem mass spectrometry 691(1997)357

#### Mapenterol

Quantitative multi-residue determination of β-agonists in bovine urine using on-line immunoaffinity extraction-coupled column packed capillary liquid chromatography-tandem mass spectrometry 691(1997)357

# Methotrexate

Interference of a methotrexate derivative with urinary oncopterin  $[N^2-(3-aminopropyl)biopterin]$  measurement by high-performance liquid chromatography with fluorimetric detection 691(1997)223

# Methylclenbuterol

Quantitative multi-residue determination of β-agonists in bovine urine using on-line immunoaffinity extraction-coupled column packed capillary liquid chromatography-tandem mass spectrometry 691(1997)357

# Methylhexahydrophthalic acid

Determination of hexahydrophthalic acid and methylhexahydrophthalic acid in plasma after derivatisation with pentafluorobenzyl bromide using gas chromatography and mass spectrometric detection 691(1997)331

## Monomethyldeacetylmoxisylyte sulphoconjugate

High-performance liquid chromatographic determination of the conjugate metabolites of moxisylyte in human plasma and urine 691(1997)389

# Moxisylyte

High-performance liquid chromatographic determination of the conjugate metabolites of moxisylyte in human plasma and urine 691(1997)389

## Myoglobin

Optimization of the capillary zone electrophoresis loading limit and resolution of proteins, using triethylamine, ammonium formate and acidic pH 691(1997)67

#### Non-steroidal anti-inflammatory drugs

Methods of analysis of chiral non-steroidal anti-inflammatory drugs 691(1997)229

## N<sup>2</sup>-(3-Aminopropyl)biopterin

Interference of a methotrexate derivative with urinary oncopterin  $[N^2-(3-aminopropyl)biopterin]$  measurement by high-performance liquid chromatography with fluorimetric detection 691(1997)223

## Oncopterin

Interference of a methotrexate derivative with urinary oncopterin  $[N^2-(3-aminopropyl)biopterin]$  measurement by high-performance liquid chromatography with fluorimetric detection 691(1997)223

#### Ondansetron

Enantioselective determination of S-(+) and R-(-)ondansetron in human serum using derivatized cyclodextrinmodified capillary electrophoresis and solid-phase extraction
691(1997)217

#### Oxoretinoic acid

Quantitative high-performance liquid chromatographic determination of retinoids in human serum using on-line solid-phase extraction and column switching 691(1997)43

#### **Paroxetine**

Simultaneous measurement of serotonin and paroxetine in rat brain microdialysate by a single-pump column-switching technique 691(1997)119

# Pentaazapentacosane pentahydrochloride

Derivatization and high-performance liquid chromatographic analysis of pentaazapentacosane pentahydrochloride 691(1997)173

#### Phenobarbital

High-performance liquid chromatographic analysis of phenobarbital and phenobarbital metabolites in human urine 691(1997)111

## Phenobarbital N-glucosides

High-performance liquid chromatographic analysis of phenobarbital and phenobarbital metabolites in human urine 691(1997)111

# Phenobarbital N-glucuronides

High-performance liquid chromatographic analysis of phenobarbital and phenobarbital metabolites in human urine 691(1997)111

## **Phosphonodipeptides**

Development and validation of an ion-pair reversed-phase highperformance liquid chromatographic method for the separation of phosphonodipeptides 691(1997)305

# **Polyamines**

Derivatization and high-performance liquid chromatographic analysis of pentaazapentacosane pentahydrochloride 691(1997)173

#### Potassium oxonate

Determination of S-1 (combined drug of tegafur, 5-chloro-2,4-dihydroxypyridine and potassium oxonate) and 5-fluorouracil in human plasma and urine using high-performance liquid chromatography and gas chromatography-negative ion chemical ionization mass spectrometry 691(1997)95

#### **p-Proline**

Evaluation of p-amino acid levels in rat by gas chromatography-selected ion monitoring mass spectrometry: no evidence for subacute toxicity of orally fed p-proline and p-aspartic acid 691(1997)1

#### Propofol

Determination of propofol in rat whole blood and plasma by high-performance liquid chromatography 691(1997)478

#### **Proteins**

Optimization of the capillary zone electrophoresis loading limit and resolution of proteins, using triethylamine, ammonium formate and acidic pH 691(1997)67

Reduction of wall adsorption in capillary zone electrophoresis of a basic single-chain antibody fragment by a cationic polymeric buffer additive 691(1997)192

## 5α-Reductase inhibitor

High-performance liquid chromatographic determination of the enantiomers of the benzoquinolinone LY191704, a human type  $1.5\alpha$ -reductase inhibitor, in plasma 691(1997)212

## Retinoic acid

Quantitative high-performance liquid chromatographic determination of retinoids in human serum using on-line solid-phase extraction and column switching 691(1997)43

# Retinoids

Quantitative high-performance liquid chromatographic determination of retinoids in human serum using on-line solid-phase extraction and column switching 691(1997)43

# Ribonuclease A

Optimization of the capillary zone electrophoresis loading limit and resolution of proteins, using triethylamine, ammonium formate and acidic pH 691(1997)67

#### Ro 48-3657

Oral platelet aggregation inhibitor Ro 48-3657: Determination of the active metabolite and its prodrug in plasma and urine by high-performance liquid chromatography using automated column switching 691(1997)397

#### S-1

Determination of S-1 (combined drug of tegafur, 5-chloro-2,4-dihydroxypyridine and potassium oxonate) and 5-fluorouracil in human plasma and urine using high-performance liquid chromatography and gas chromatography-negative ion chemical ionization mass spectrometry 691(1997)95

#### S 9788

Simultaneous determination of cytotoxic (adriamycin, vincristine) and modulator of resistance (verapamil, S 9788) drugs in human cells by high-performance liquid chromatography and ultraviolet detection 691(1997)449

#### Salicylic acid

Improved method for the estimation of hydroxyl free radical levels in vivo based on liquid chromatography with electrochemical detection 691(1997)23

#### Secnidazole

Rapid and selective analysis of secnidazole in human plasma using high-performance liquid chromatography with ultraviolet detection 691(1997)208

#### Sergolexole

Automated high-performance liquid chromatographic method for the analysis of two novel ergoline compounds in human plasma 691(1997)383

#### Serotonin

Simultaneous measurement of serotonin and paroxetine in rat brain microdialysate by a single-pump column-switching technique 691(1997)119

# Single-chain antibody fragments

Reduction of wall adsorption in capillary zone electrophoresis of a basic single-chain antibody fragment by a cationic polymeric buffer additive 691(1997)192

#### Spicamycin derivative

Manual and automatic extraction and high-performance liquid chromatographic determination of a spicamycin derivative, KRN5500, in rat plasma 691(1997)371

# Steroids

Evaluation and separation of steroid-bovine serum albumin conjugates by high-performance liquid chromatography 691(1997)187

# Sulpiride

Sensitive determination of sulpiride in human plasma by high-performance liquid chromatography  $\phantom{0}691(1997)203$ 

#### Tamoxifer

Analysis of tamoxifen-induced DNA adducts by <sup>32</sup>P-postlabelling assay using different chromatographic techniques 691(1997)155

Direct liquid chromatographic micro-measurement of tamoxifen in plasma of cancer patients 691(1997)457

#### **TAS-103**

Simultaneous determination of a novel anticancer drug, TAS-103, and its N-demethylated metabolite in monkey plasma by high-performance liquid chromatography using solid-phase extraction 691(1997)179

#### Tegafur

Determination of S-1 (combined drug of tegafur, 5-chloro-2,4-dihydroxypyridine and potassium oxonate) and 5-fluorouracil in human plasma and urine using high-performance liquid chromatography and gas chromatography-negative ion chemical ionization mass spectrometry 691(1997)95

#### **Tolubuterol**

Quantitative multi-residue determination of β-agonists in bovine urine using on-line immunoaffinity extraction-coupled column packed capillary liquid chromatography-tandem mass spectrometry 691(1997)357

trans-10,11-Dihydro-10,11-dihydroxycarbamazepine
High-performance liquid chromatographic determination of
carbamazepine and metabolites in human hair 691(1997)409

#### Triethylamine

Optimization of the capillary zone electrophoresis loading limit and resolution of proteins, using triethylamine, ammonium formate and acidic pH 691(1997)67

# **Triglycerides**

Concurrent quantification of cellular cholesterol, cholesteryl esters and triglycerides in small biological samples 691(1997)59

#### Trypsinogen

Optimization of the capillary zone electrophoresis loading limit and resolution of proteins, using triethylamine, ammonium formate and acidic pH 691(1997)67

#### Verapamil

Simultaneous determination of cytotoxic (adriamycin, vincristine) and modulator of resistance (verapamil, S 9788) drugs in human cells by high-performance liquid chromatography and ultraviolet detection 691(1997)449

#### Vincristine

Simultaneous determination of cytotoxic (adriamycin, vincristine) and modulator of resistance (verapamil, S 9788) drugs in human cells by high-performance liquid chromatography and ultraviolet detection 691(1997)449

#### Voriconazole

Determination of a new antifungal agent, voriconazole, by multidimensional high-performance liquid chromatography with direct plasma injection onto a size-exclusion column 691(1997)441