

Compound Index Vol. 696

N-Acetylgalactosamine-4-sulfate sulfatase

Improved high-performance liquid chromatographic method for N-acetylgalactosamine-4-sulfate sulfatase (arylsulfatase B) activity determination using uridine diphospho-N-acetylgalactosamine-4-sulfate 696(1997)193

N-Acetyl-S-(2-hydroxycyclohexyl)-L-cysteine

Simultaneous determination of cyclohexene oxide and its metabolites in rat plasma and urine by gas chromatography 696(1997)59

S-Adenosylmethionine

Measuring S-adenosylmethionine in whole blood, red blood cells and cultured cells using a fast preparation method and high-performance liquid chromatography 696(1997)145

Amidox

Simultaneous determination of the new anticancer agent amidox and its metabolites in rat bile and plasma by high-performance liquid chromatography 696(1997)267

Amino acids

Determination of free amino acids in pig plasma by precolumn derivatization with 6-N-aminoquinolyl-N-hydroxysuccinimidyl carbamate and high-performance liquid chromatography 696(1997)1

6-N-aminoquinolyl-N-hydroxysuccinimidyl carbamate

Determination of free amino acids in pig plasma by precolumn derivatization with 6-N-aminoquinolyl-N-hydroxysuccinimidyl carbamate and high-performance liquid chromatography 696(1997)1

Amitriptyline

Solid-phase microextraction with capillary gas-liquid chromatography and nitrogen-phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Arylsulfatase B

Improved high-performance liquid chromatographic method for N-acetylgalactosamine-4-sulfate sulfatase (arylsulfatase B) activity determination using uridine diphospho-N-acetylgalactosamine-4-sulfate 696(1997)193

Atropine

Development and validation of a capillary zone electrophoresis method for the determination of atropine, homatropine and scopolamine in ophthalmic solutions 696(1997)283

Bisphosphonates

Determination of pamidronate in urine by ion-pair liquid chromatography after derivatization with 1-naphthylisothiocyanate 696(1997)137

CGP 61755

Quantitative determination of CGP 61755, a protease inhibitor, in plasma and urine by high-performance liquid chromatography and fluorescence detection 696(1997)123

Cholesterol

Quantitative analysis of vitamin E, cholesterol and phospholipid fatty acids in a single aliquot of human platelets and cultured endothelial cells 696(1997)33

Clenbuterol

Determination of clenbuterol in beef liver and muscle tissue using immunoaffinity chromatographic cleanup and liquid chromatography with ultraviolet absorbance detection 696(1997)291

Clindamycin

High-performance liquid chromatographic determination of clindamycin in human plasma or serum: application to the bioequivalency study of clindamycin phosphate injections 696(1997)298

Clomipramine

Solid-phase microextraction with capillary gas-liquid chromatography and nitrogen-phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Clozapine

Analysis of clozapine and norclozapine by high-performance liquid chromatography 696(1997)253

Corticosteroids

Quantitative determination of several synthetic corticosteroids by gas chromatography-mass spectrometry after purification by immunoaffinity chromatography 696(1997)203

C₆₀ Fullerene

Quantitative analysis of C₆₀ fullerene in blood and tissues by high-performance liquid chromatography with photodiode-array and mass spectrometric detection 696(1997)153

Cyclohexane-1,2-diol-O-glucuronide

Simultaneous determination of cyclohexene oxide and its metabolites in rat plasma and urine by gas chromatography 696(1997)59

Cyclohexanol

Simultaneous determination of cyclohexene oxide and its metabolites in rat plasma and urine by gas chromatography 696(1997)59

Cyclohexene oxide

Simultaneous determination of cyclohexene oxide and its metabolites in rat plasma and urine by gas chromatography 696(1997)59

4-Cyclohexyl-2-hydroxy-3-(3-methylsulfonyl-2-{2-[(morpholine-4-carbonyl)amino]-3-phenylpropionylamino}propionylamino)butyric acid isopropyl ester

Quantitation of 4-cyclohexyl-2-hydroxy-3-(3-methylsulfonyl-2-{2-[(morpholine-4-carbonyl)amino]-3-phenylpropionylamino}propionylamino)butyric acid isopropyl ester (CP-80,794), a renin inhibitor, and its hydrolytic cleavage metabolite 2-[(morpholine-4-carbonyl)amino]-3-phenylpropionic acid (CP-84,364) in dog and human plasma by high-performance liquid chromatography 696(1997)243

Desipramine

Solid-phase microextraction with capillary gas-liquid chromatography and nitrogen-phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Desmethylclomipramine

Solid-phase microextraction with capillary gas-liquid chromatography and nitrogen-phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Dexamethasone

Quantitative determination of several synthetic corticosteroids by gas chromatography-mass spectrometry after purification by immunoaffinity chromatography 696(1997)203

Dextromethorphan

Modified high-performance liquid chromatographic method to measure both dextromethorphan and proguanil for oxidative phenotyping 696(1997)81

Diazolidinyl urea

Determination of diazolidinyl urea in a topical cream by high-performance liquid chromatography 696(1997)303

Dihydropyrimidine dehydrogenase

Semi-automated radioassay for determination of dihydropyrimidine dehydrogenase (DPD) activity. Screening cancer patients for DPD deficiency, a condition associated with 5-fluorouracil toxicity 696(1997)183

3,4-Dihydroxyphenylalanine

Determination of the L-DOPA/L-tyrosine ratio in human plasma by high-performance liquid chromatography. Usefulness as a marker in metastatic malignant melanoma 696(1997)9

[5,6-Dimethyl-2-(4-fluorophenylamino)-4-(1-methyl-1,2,3,4-tetrahydroisoquinolin-2-yl)pyrimidine]

Determination of a new proton pump inhibitor, YH1885, in human plasma and urine by high-performance liquid chromatography 696(1997)312

Dityrosine

Liquid chromatographic assay of dityrosine in human cerebrospinal fluid 696(1997)175

Docetaxel

Bio-analysis of docetaxel and hydroxylated metabolites in human plasma by high-performance liquid chromatography and automated solid-phase extraction 696(1997)89

Doxepine

Solid-phase microextraction with capillary gas-liquid chromatography and nitrogen-phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Enzymes

Purification of lactic acid dehydrogenase from bovine heart crude extract by counter-current chromatography 696(1997)25

Semi-automated radioassay for determination of dihydropyrimidine dehydrogenase (DPD) activity. Screening cancer patients for DPD deficiency, a condition associated with 5-fluorouracil toxicity 696(1997)183

Improved high-performance liquid chromatographic method for N-acetylgalactosamine-4-sulfate sulfatase (arylsulfatase B) activity determination using uridine diphospho-N-acetylgalactosamine-4-sulfate 696(1997)193

Flumethasone

Quantitative determination of several synthetic corticosteroids by gas chromatography-mass spectrometry after purification by immunoaffinity chromatography 696(1997)203

5-Fluorouracil

Semi-automated radioassay for determination of dihydropyrimidine dehydrogenase (DPD) activity. Screening cancer patients for DPD deficiency, a condition associated with 5-fluorouracil toxicity 696(1997)183

Homatropine

Development and validation of a capillary zone electrophoresis method for the determination of atropine, homatropine and scopolamine in ophthalmic solutions 696(1997)283

 α -Hydroxymetoprolol

Efficient high-performance liquid chromatographic assay for the simultaneous determination of metoprolol and two main metabolites in human urine by solid-phase extraction and fluorescence detection 696(1997)69

Hydroxyperhexiline

Method for the analysis of perhexiline and its hydroxy metabolite in plasma using high-performance liquid chromatography with precolumn derivatization 696(1997)75

Hydroxyvitamin D₃

Continuous cleanup/preconcentration procedure of hydroxyvitamin D₃ metabolites in plasma as an alternative to batch solid-phase extraction 696(1997)43

Ibuprofen

Simultaneous quantitative determination of the major phase I and II metabolites of ibuprofen in biological fluids by high-performance liquid chromatography on dynamically modified silica 696(1997)235

Imipramine

Solid-phase microextraction with capillary gas-liquid chromatography and nitrogen-phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Isoflupredone

Quantitative determination of several synthetic corticosteroids by gas chromatography-mass spectrometry after purification by immunoaffinity chromatography 696(1997)203

Ivermectin

Immunoaffinity column cleanup procedure for analysis of ivermectin in swine liver 696(1997)166

Lactic acid dehydrogenase

Purification of lactic acid dehydrogenase from bovine heart crude extract by counter-current chromatography 696(1997)25

Maprotiline

Solid-phase microextraction with capillary gas-liquid chromatography and nitrogen-phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Megazol

Simple high-performance liquid chromatographic method to analyse megazol in human and rat plasma 696(1997)261

Melanoma

Determination of the L-DOPA/L-tyrosine ratio in human plasma by high-performance liquid chromatography. Usefulness as a marker in metastatic malignant melanoma 696(1997)9

Methylprednisolone

Quantitative determination of several synthetic corticosteroids by gas chromatography-mass spectrometry after purification by immunoaffinity chromatography 696(1997)203

Metoprolol

Efficient high-performance liquid chromatographic assay for the simultaneous determination of metoprolol and two main metabolites in human urine by solid-phase extraction and fluorescence detection 696(1997)69

Mianserine

Solid-phase microextraction with capillary gas-liquid chromatography and nitrogen-phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

L-N^G-Monomethylarginine

Use of the ASTED system to determine L-N^G-monomethylarginine (546C88) in human plasma by pre-column *o*-phthalaldehyde derivatization and high-performance liquid chromatography 696(1997)117

2-[(Morpholine-4-carbonyl)amino]-3-phenylpropionic acid

Quantitation of 4-cyclohexyl-2-hydroxy-3-(3-methylsulfonyl-2-[2-[(morpholine-4-carbonyl)amino]-3-phenylpropionylamino]propionylamino)butyric acid isopropyl ester (CP-80,794), a renin inhibitor, and its hydrolytic cleavage metabolite 2-[(morpholine-4-carbonyl)amino]-3-phenylpropionic acid (CP-84,364) in dog and human plasma by high-performance liquid chromatography 696(1997)243

1-Naphthylisothiocyanate

Determination of pamidronate in urine by ion-pair liquid chromatography after derivatization with 1-naphthylisothiocyanate 696(1997)137

Norclozapine

Analysis of clozapine and norclozapine by high-performance liquid chromatography 696(1997)253

Nortriptyline

Solid-phase microextraction with capillary gas-liquid chromatography and nitrogen-phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Oryzalin

Pharmacokinetic studies of the herbicide and antitumor compound oryzalin in mice 696(1997)275

Paclitaxel

Profiling degradants of paclitaxel using liquid chromatography-mass spectrometry and liquid chromatography-tandem mass spectrometry substructural techniques 696(1997)99

Pamidronate

Determination of pamidronate in urine by ion-pair liquid chromatography after derivatization with 1-naphthylisothiocyanate 696(1997)137

Perhexiline

Method for the analysis of perhexiline and its hydroxy metabolite in plasma using high-performance liquid chromatography with precolumn derivatization 696(1997)75

Phospholipids

Quantitative analysis of vitamin E, cholesterol and phospholipid fatty acids in a single aliquot of human platelets and cultured endothelial cells 696(1997)33

Piroxicam

Rapid method for the determination of piroxicam in rat plasma using high-performance liquid chromatography 696(1997)317

Praziquantel

Enantioselective analysis of praziquantel in plasma samples 696(1997)307

Prednisolone

Quantitative determination of several synthetic corticosteroids by gas chromatography–mass spectrometry after purification by immunoaffinity chromatography 696(1997)203

Proguanil

Modified high-performance liquid chromatographic method to measure both dextromethorphan and proguanil for oxidative phenotyping 696(1997)81

Protease

Quantitative determination of CGP 61755, a protease inhibitor, in plasma and urine by high-performance liquid chromatography and fluorescence detection 696(1997)123

Proteins

Serum protein determination by high-performance gel-permeation chromatography 696(1997)19

Quinolinic acid

Concentrations of quinolinic acid in cerebrospinal fluid measured by gas chromatography and electron-impact ionisation mass spectrometry. Age-related changes in a paediatric reference population 696(1997)53

Scopolamine

Development and validation of a capillary zone electrophoresis method for the determination of atropine, homatropine and scopolamine in ophthalmic solutions 696(1997)283

trans-Cyclohexane-1,2-diol

Simultaneous determination of cyclohexene oxide and its metabolites in rat plasma and urine by gas chromatography 696(1997)59

Trimipramine

Solid-phase microextraction with capillary gas–liquid chromatography and nitrogen–phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Tropane alkaloids

Development and validation of a capillary zone electrophoresis method for the determination of atropine, homatropine and scopolamine in ophthalmic solutions 696(1997)283

Tyrosine

Determination of the L-DOPA/L-tyrosine ratio in human plasma by high-performance liquid chromatography. Usefulness as a marker in metastatic malignant melanoma 696(1997)9

Uridine diphospho-N-acetylgalactosamine-4-sulfate

Improved high-performance liquid chromatographic method for N-acetylgalactosamine-4-sulfate sulfatase (arylsulfatase B) activity determination using uridine diphospho-N-acetylgalactosamine-4-sulfate 696(1997)193

Vitamins

Quantitative analysis of vitamin E, cholesterol and phospholipid fatty acids in a single aliquot of human platelets and cultured endothelial cells 696(1997)33

Continuous cleanup/preconcentration procedure of hydroxyvitamin D₃ metabolites in plasma as an alternative to batch solid-phase extraction 696(1997)43

YH1885

Determination of a new proton pump inhibitor, YH1885, in human plasma and urine by high-performance liquid chromatography 696(1997)312

YH439

Identification of YH439 and its metabolites in rat urine by gas chromatography–mass spectrometry and liquid chromatography–mass spectrometry 696(1997)160

Zafirlukast

Determination of zafirlukast, a selective leukotriene antagonist, human plasma by normal-phase high-performance liquid chromatography with fluorescence detection 696(1997)131