

Author Index Vol. 698

- Adam, T., Ševčík, J., Fairbanks, L.D. and Barták, P.
Determination of purine nucleoside phosphorylase activity
in human erythrocytes by capillary electrophoresis
698(1997)308
- Ageta, T., see Yu, S. 698(1997)301
- Alric, R., see Caviglio, M. 698(1997)225
- Andress, L.D. and Guttendorf, R.J.
High-performance liquid chromatographic assay for CI-
1004, a dual-inhibitor antiinflammatory agent, in rat, rabbit,
dog, monkey and human plasma 698(1997)171
- Arboix, M., see Pérez, B. 698(1997)155
- Armand, F., see Loussouarn, S. 698(1997)251
- Aspeslet, L.J., see Urichuk, L.J. 698(1997)103
- Astier, H., Renard, C., Cheminé, V., Soares, O., Mounier, C.,
Peyron, F. and Chaulet, J.F.
Simultaneous determination of pyrimethamine and
sulphadoxine in human plasma by high-performance liquid
chromatography after automated liquid-solid extraction
698(1997)217
- Baker, G.B., see Urichuk, L.J. 698(1997)103
- Balogh-Nemes, K., see Tolokán, A. 698(1997)201
- Barták, P., see Adam, T. 698(1997)308
- Beijnen, J.H., see Hoetelmans, R.M.W. 698(1997)235
- Beijnen, J.H., see van Maanen, R.J. 698(1997)111
- Bialer, M., see Spiegelstein, O. 698(1997)195
- Biederbick, W., see Joseph, G. 698(1997)261
- Blaschke, G., see Hempel, G. 698(1997)287
- Boos, J., see Hempel, G. 698(1997)287
- Breton, B., see Govoroun, M.S. 698(1997)35
- Canali, S., see Giachetti, C. 698(1997)187
- Castells, E., see Pérez, B. 698(1997)155
- Ceccato, A., Chiap, P., Hubert, Ph. and Crommen, J.
Automated determination of tramadol enantiomers in
human plasma using solid-phase extraction in combination
with chiral liquid chromatography 698(1997)161
- Cetta, G., see Grimm, R. 698(1997)47
- Chaulet, J.F., see Astier, H. 698(1997)217
- Cheminé, V., see Astier, H. 698(1997)217
- Chiap, P., see Ceccato, A. 698(1997)161
- Caviglio, M., Hillaire-Buys, D. and Alric, R.
Prevalidation statistical design to assess analytical methods.
Example of a quick liquid chromatographic assay of
itraconazole in serum 698(1997)225
- Coutts, R.T., see Urichuk, L.J. 698(1997)103
- Cramer, H., see Rissler, K. 698(1997)17
- Crommen, J., see Ceccato, A. 698(1997)161
- Cruze, C.A., see Eichhold, T.H. 698(1997)147
- Cummings, J., see MacCallum, J. 698(1997)269
- De Brujin, P., Verweij, J., Loos, W.J., Nooter, K., Stoter, G. and
Sparreboom, A.
Determination of irinotecan (CPT-11) and its active
metabolite SN-38 in human plasma by reversed-phase high-
performance liquid chromatography with fluorescence
detection 698(1997)277
- Denizli, A., Salih, B., Kavaklı, C. and Pişkin, E.
Dye-incorporated poly(EGDMA-HEMA) microspheres as
specific sorbents for aluminum removal 698(1997)89
- Dixon, J.M., see MacCallum, J. 698(1997)269
- Dobson, R.L.M., see Eichhold, T.H. 698(1997)147
- Dohi, S., see Hayakawa, A. 698(1997)27
- Ducharme, J. and Farinotti, R.
Rapid and simple method to determine chloroquine and its
desethylated metabolites in human microsomes by high-
performance liquid chromatography with fluorescence
detection 698(1997)243
- Dupré, S., see Yu, S. 698(1997)301
- Dwivedi, A.K., Kulkarni, D. and Singh, S.
Sensitive high-performance liquid chromatographic assay
method for the determination of picroside I in plasma
698(1997)317
- Dyne, K.M., see Grimm, R. 698(1997)47
- Dzeletović, S., see Olsson, N.U. 698(1997)1
- Eichhold, T.H., Quijano, M., Seibel, W.L., Cruze, C.A., Dobson,
R.L.M. and Wehmeyer, K.R.
Highly sensitive high-performance liquid chromatographic-
tandem mass spectrometric method for the analysis of
dextromethorphan in human plasma 698(1997)147
- Engelmann, P., see Rissler, K. 698(1997)17
- Era, S., see Hayakawa, A. 698(1997)27
- Fairbanks, L.D., see Adam, T. 698(1997)308
- Farinotti, R., see Ducharme, J. 698(1997)243
- Fontana, M., see Yu, S. 698(1997)301
- Gebru W/Michael, D., see Gil del Valle, L. 698(1997)312
- Giachetti, C., Tenconi, A., Canali, S. and Zanollo, G.
Simultaneous determination of atenolol and chlorthalidone
in plasma by high-performance liquid chromatography
Application to pharmacokinetic studies in man
698(1997)187
- Gil del Valle, L., Gebru W/Michael, D., Martínez Rodríguez,
A., Tápanes Peraza, R., Ramos, F. and Pérez Avila, J.
Contribution to the determination of the chemotherapeutic
drug G1 in biological fluids 698(1997)312
- Govoroun, M.S., Huet, J.-C., Pernollet, J.-C. and Breton, B.
Use of immobilized metal ion affinity chromatography and
dye-ligand chromatography for the separation and
purification of rainbow trout pituitary gonadotropins, GTH
I and GTH II 698(1997)35
- Grimm, R., Zanaboni, G., Viglio, S., Dyne, K.M., Cetta, G. and
Iadarola, P.
Effect of different surfactants on the separation by micellar
electrokinetic chromatography of a complex mixture of
dipeptides in urine of prolidase-deficient patients
698(1997)47
- Guttendorf, R.J., see Andress, L.D. 698(1997)171
- Haberland, S., see Hempel, G. 698(1997)287
- Hawthorne, D.J., see Jemal, M. 698(1997)123
- Hayakawa, A., Kuwata, K., Era, S., Sogami, M., Shimonaka,
H., Yamamoto, M., Dohi, S. and Hirose, H.

- Alteration of redox state of human serum albumin in patients under anesthesia and invasive surgery 698(1997)27
- Hempel, G., Haberland, S., Schulze-Westhoff, P., Möhling, N., Blaschke, G. and Boos, J. Determination of idarubicin and idarubicinol in plasma by capillary electrophoresis 698(1997)287
- Hillaire-Buys, D., see Cociglio, M. 698(1997)225
- Hirose, H., see Hayakawa, A. 698(1997)27
- Hoetelmans, R.M.W., van Essenbergh, M., Meenhorst, P.L., Mulder, J.W. and Beijnen, J.H. Determination of saquinavir in human plasma, saliva, and cerebrospinal fluid by ion-pair high-performance liquid chromatography with ultraviolet detection 698(1997)235
- Holt, A., see Urichuk, L.J. 698(1997)103
- Horvai, G., see Tolokán, A. 698(1997)201
- Huang, J.J.Z., Kiang, H. and Tarnowski, T.L. Simultaneous determination of mycophenolic acid and its glucuronide conjugate in human plasma by a single-run ion-pairing method 698(1997)293
- Hubert, Ph., see Ceccato, A. 698(1997)161
- Huet, J.-C., see Govoroun, M.S. 698(1997)35
- Iadarola, P., see Grimm, R. 698(1997)47
- Ikeda, N., see Ise, H. 698(1997)97
- Imamura, T., see Ise, H. 698(1997)97
- Imbert, E., Letourneur, D. and Jozefowicz, M. Fractionation of RNA polymerase II transcription factors from HeLa cell nuclear extracts by affinity chromatography on "DNA-like" phosphorylated polystyrene 698(1997)59
- Ise, H., Kudo, K., Jitsufuchi, N., Imamura, T. and Ikeda, N. Simple and rapid determination of enflurane in human tissues using gas chromatography and gas chromatography-mass spectrometry 698(1997)97
- Jemal, M. and Hawthorne, D.J. Quantitative determination of BMS-186716, a thiol compound, in rat plasma by high-performance liquid chromatography-positive ion electrospray mass spectrometry after hydrolysis of the methyl acrylate adduct by the native esterases 698(1997)123
- Jitsufuchi, N., see Ise, H. 698(1997)97
- John, H. and Schlegel, W. Reversed-phase high-performance liquid chromatographic method for the determination of the 11-hydroxythromboxane B₂ anomers equilibrium 698(1997)9
- Joseph, G., Biederick, W., Woschée, U., Theisohn, M. and Klaus, W. Sensitive and convenient high-performance liquid chromatographic method for the determination of mitomycin C in human plasma 698(1997)261
- Jozefowicz, M., see Imbert, E. 698(1997)59
- Katagi, M., Nishikawa, M., Tatsuno, M. and Tsuchihashi, H. Determination of the main hydrolysis products of organophosphorus nerve agents, methylphosphonic acids, in human serum by indirect photometric detection ion chromatography 698(1997)81
- Kaufmann, P., see Olsson, N.U. 698(1997)1
- Kavaklı, C., see Denizli, A. 698(1997)89
- Kerns, E.H., Rourick, R.A., Volk, K.J. and Lee, M.S. Buspirone metabolite structure profile using a standard liquid chromatographic-mass spectrometric protocol 698(1997)133
- Kiang, H., see Huang, J.J.Z. 698(1997)293
- Klaus, W., see Joseph, G. 698(1997)261
- Klebovich, I., see Tolokán, A. 698(1997)201
- Kodama, H., see Yu, S. 698(1997)301
- Kudo, K., see Ise, H. 698(1997)97
- Kulkarni, D., see Dwivedi, A.K. 698(1997)317
- Kuwata, K., see Hayakawa, A. 698(1997)27
- Labow, R.S., see Wang, G.B. 698(1997)69
- Lee, M.S., see Kerns, E.H. 698(1997)133
- Letourneur, D., see Imbert, E. 698(1997)59
- Linnet, K., see Olesen, O.V. 698(1997)209
- Loos, W.J., see de Bruijn, P. 698(1997)277
- Loussouarn, S., Pouliquen, H. and Armand, F. High-performance liquid chromatographic determination of oxolinic acid in the plasma of seabass (*Dicentrarchus labrax*) anaesthetized with 2-phenoxyethanol 698(1997)251
- MacCallum, J., Cummings, J., Dixon, J.M. and Miller, W.R. Solid-phase extraction and high-performance liquid chromatographic determination of tamoxifen and its major metabolites in breast tumour tissues 698(1997)269
- Martinez Rodríguez, A., see Gil del Valle, L. 698(1997)312
- Meenhorst, P.L., see Hoetelmans, R.M.W. 698(1997)235
- Miller, W.R., see MacCallum, J. 698(1997)269
- Möhling, N., see Hempel, G. 698(1997)287
- Mounier, C., see Astier, H. 698(1997)217
- Mulder, J.W., see Hoetelmans, R.M.W. 698(1997)235
- Nishikawa, M., see Katagi, M. 698(1997)81
- Nooter, K., see de Bruijn, P. 698(1997)277
- Ohkubo, T., see Uno, T. 698(1997)181
- Olesen, O.V. and Linnet, K. Simplified high-performance liquid chromatographic method for determination of risperidone and 9-hydroxyrisperidone in serum from patients comedicated with other psychotropic drugs 698(1997)209
- Olsson, N.U., Kaufmann, P. and Dzeletović, S. Preparation and gas chromatographic-mass spectrometric analysis of N-acetyl-O-trimethylsilyl derivatives of long-chain base residues of natural sphingomyelin 698(1997)1
- Pérez Avila, J., see Gil del Valle, L. 698(1997)312
- Pérez, B., Prats, C., Castells, E. and Arboix, M. Determination of cloxacillin in milk and blood of dairy cows by high-performance liquid chromatography 698(1997)155
- Pernollet, J.-C., see Govoroun, M.S. 698(1997)35
- Peyron, F., see Astier, H. 698(1997)217
- Piškin, E., see Denizli, A. 698(1997)89
- Pouliquen, H., see Loussouarn, S. 698(1997)251
- Prats, C., see Pérez, B. 698(1997)155
- Quijano, M., see Eichhold, T.H. 698(1997)147
- Ramos, F., see Gil del Valle, L. 698(1997)312
- Renard, C., see Astier, H. 698(1997)217
- Rissler, K., Cramer, H. and Engelmann, P. Application of [¹²⁵I]-[Tyr⁸]-substance P prepared by the chloramine-T method to receptor-binding experiments after subsequent reduction with mercaptoethanol and purification by reversed-phase liquid chromatography 698(1997)17
- Rourick, R.A., see Kerns, E.H. 698(1997)133
- Salih, B., see Denizli, A. 698(1997)89
- Santerre, J.P., see Wang, G.B. 698(1997)69
- Schlegel, W., see John, H. 698(1997)9
- Schulze-Westhoff, P., see Hempel, G. 698(1997)287

- Seibel, W.L., see Eichhold, T.H. 698(1997)147
 Ševčík, J., see Adam, T. 698(1997)308
 Shimonaka, H., see Hayakawa, A. 698(1997)27
 Silverstone, P.H., see Urichuk, L.J. 698(1997)103
 Singh, S., see Dwivedi, A.K. 698(1997)317
 Soares, O., see Astier, H. 698(1997)217
 Sogami, M., see Hayakawa, A. 698(1997)27
 Sparreboom, A., see de Bruijn, P. 698(1997)277
 Spiegelstein, O., Bialer, M. and Yagen, B.
 Isolation of N,N-dialkylated derivatives of
 valproylglycinamide from dog plasma by active charcoal
 adsorption and their quantification by high-performance
 liquid chromatography 698(1997)195
 Stoter, G., see de Bruijn, P. 698(1997)277
 Sugahara, K., see Yu, S. 698(1997)301
 Sugawara, K., see Uno, T. 698(1997)181
 Tápanes Peraza, R., see Gil del Valle, L. 698(1997)312
 Tarnowski, T.L., see Huang, J.J.Z. 698(1997)293
 Tatsuno, M., see Katagi, M. 698(1997)81
 Tenconi, A., see Giachetti, C. 698(1997)187
 Theisohn, M., see Joseph, G. 698(1997)261
 Tolokán, A., Klebovich, I., Balogh-Nemes, K. and Horvai, G.
 Automated determination of levodopa and carbidopa in
 plasma by high-performance liquid chromatography–
 electrochemical detection using an on-line flow injection
 analysis sample pretreatment unit 698(1997)201
 Tsuchihashi, H., see Katagi, M. 698(1997)81
 Uno, T., Ohkubo, T. and Sugawara, K.
 Enantioselective high-performance liquid chromatographic
 determination of nicardipine in human plasma
 698(1997)181
 Urichuk, L.J., Aspeslet, L.J., Holt, A., Silverstone, P.H., Coutts,
 R.T. and Baker, G.B.
 Determination of *p*-trifluoromethylphenol, a metabolite of
 fluoxetine, in tissues and body fluids using an electron-
 capture gas chromatographic procedure 698(1997)103
 Van Essenbergh, M., see Hoetelmans, R.M.W. 698(1997)235
 Van Maanen, R.J., van Ooijen, R.D. and Beijnen, J.H.
 Determination of *N,N',N''*-triethylthiophosphoramide in
 biological samples using capillary gas chromatography
 698(1997)111
 Van Ooijen, R.D., see van Maanen, R.J. 698(1997)111
 Verweij, J., see de Bruijn, P. 698(1997)277
 Viglio, S., see Grimm, R. 698(1997)47
 Volk, K.J., see Kerns, E.H. 698(1997)133
 Wang, G.B., Santerre, J.P. and Labow, R.S.
 High-performance liquid chromatographic separation and
 tandem mass spectrometric identification of breakdown
 products associated with the biological hydrolysis of a
 biomedical polyurethane 698(1997)69
 Wehmeyer, K.R., see Eichhold, T.H. 698(1997)147
 Woschée, U., see Joseph, G. 698(1997)261
 Yagen, B., see Spiegelstein, O. 698(1997)195
 Yamamoto, M., see Hayakawa, A. 698(1997)27
 Yu, S., Sugahara, K., Zhang, J., Ageta, T., Kodama, H.,
 Fontana, M. and Duprè, S.
 Simultaneous determination of urinary cystathione,
 lanthionine, *S*-(2-aminoethyl)-L-cysteine and their cyclic
 compounds using liquid chromatography–mass
 spectrometry with atmospheric pressure chemical ionization
 698(1997)301
 Zanaboni, G., see Grimm, R. 698(1997)47
 Zanolò, G., see Giachetti, C. 698(1997)187
 Zhang, J., see Yu, S. 698(1997)301