

Compound Index Vol. 698

Aluminum

Dye-incorporated poly(EGDMA-HEMA) microspheres as specific sorbents for aluminum removal 698(1997)89

S-(2-Aminoethyl)-L-cysteine

Simultaneous determination of urinary cystathionine, lanthionine, S-(2-aminoethyl)-L-cysteine and their cyclic compounds using liquid chromatography-mass spectrometry with atmospheric pressure chemical ionization 698(1997)301

Atenolol

Simultaneous determination of atenolol and chlorthalidone in plasma by high-performance liquid chromatography Application to pharmacokinetic studies in man 698(1997)187

Bisdesethylchloroquine

Rapid and simple method to determine chloroquine and its desethylated metabolites in human microsomes by high-performance liquid chromatography with fluorescence detection 698(1997)243

BMS-186716

Quantitative determination of BMS-186716, a thiol compound, in rat plasma by high-performance liquid chromatography-positive ion electrospray mass spectrometry after hydrolysis of the methyl acrylate adduct by the native esterases 698(1997)123

1-(5-Bromofuran-2-yl)-2-bromo-2-nitroethene

Contribution to the determination of the chemotherapeutic drug G1 in biological fluids 698(1997)312

Buspiron

Buspiron metabolite structure profile using a standard liquid chromatographic-mass spectrometric protocol 698(1997)133

Carbidopa

Automated determination of levodopa and carbidopa in plasma by high-performance liquid chromatography-electrochemical detection using an on-line flow injection analysis sample pretreatment unit 698(1997)201

Charcoal, active

Isolation of N,N-dialkylated derivatives of valproylglycinamide from dog plasma by active charcoal adsorption and their quantification by high-performance liquid chromatography 698(1997)195

Chloroquine

Rapid and simple method to determine chloroquine and its desethylated metabolites in human microsomes by high-performance liquid chromatography with fluorescence detection 698(1997)243

Chlorthalidone

Simultaneous determination of atenolol and chlorthalidone in plasma by high-performance liquid chromatography Application to pharmacokinetic studies in man 698(1997)187

CI-1004

High-performance liquid chromatographic assay for CI-1004, a dual-inhibitor antiinflammatory agent, in rat, rabbit, dog, monkey and human plasma 698(1997)171

Cloxacillin

Determination of cloxacillin in milk and blood of dairy cows by high-performance liquid chromatography 698(1997)155

CPT-11

Determination of irinotecan (CPT-11) and its active metabolite SN-38 in human plasma by reversed-phase high-performance liquid chromatography with fluorescence detection 698(1997)277

Cystathionine

Simultaneous determination of urinary cystathionine, lanthionine, S-(2-aminoethyl)-L-cysteine and their cyclic compounds using liquid chromatography-mass spectrometry with atmospheric pressure chemical ionization 698(1997)301

Desmethyltamoxifen

Solid-phase extraction and high-performance liquid chromatographic determination of tamoxifen and its major metabolites in breast tumour tissues 698(1997)269

Dextromethorphan

Highly sensitive high-performance liquid chromatographic-tandem mass spectrometric method for the analysis of dextromethorphan in human plasma 698(1997)147

N,N-Diethylvalproylglycinamide

Isolation of N,N-dialkylated derivatives of valproylglycinamide from dog plasma by active charcoal adsorption and their quantification by high-performance liquid chromatography 698(1997)195

N,N-Dimethylvalproylglycinamide

Isolation of N,N-dialkylated derivatives of valproylglycinamide from dog plasma by active charcoal adsorption and their quantification by high-performance liquid chromatography 698(1997)195

Dipeptides

Effect of different surfactants on the separation by micellar electrokinetic chromatography of a complex mixture of dipeptides in urine of prolidase-deficient patients 698(1997)47

Enflurane

Simple and rapid determination of enflurane in human tissues using gas chromatography and gas chromatography–mass spectrometry 698(1997)97

Enzymes

Determination of purine nucleoside phosphorylase activity in human erythrocytes by capillary electrophoresis 698(1997)308

Fluoxetine

Determination of *p*-trifluoromethylphenol, a metabolite of fluoxetine, in tissues and body fluids using an electron-capture gas chromatographic procedure 698(1997)103

Gonadotropins

Use of immobilized metal ion affinity chromatography and dye–ligand chromatography for the separation and purification of rainbow trout pituitary gonadotropins, GTH I and GTH II 698(1997)35

Human serum albumin

Alteration of redox state of human serum albumin in patients under anesthesia and invasive surgery 698(1997)27

9-Hydroxyrisperidone

Simplified high-performance liquid chromatographic method for determination of risperidone and 9-hydroxyrisperidone in serum from patients comedicated with other psychotropic drugs 698(1997)209

4-Hydroxytamoxifen

Solid-phase extraction and high-performance liquid chromatographic determination of tamoxifen and its major metabolites in breast tumour tissues 698(1997)269

11-Hydroxythromboxane B₂

Reversed-phase high-performance liquid chromatographic method for the determination of the 11-hydroxythromboxane B₂ anomers equilibrium 698(1997)9

Idarubicin

Determination of idarubicin and idarubicinol in plasma by capillary electrophoresis 698(1997)287

Idarubicinol

Determination of idarubicin and idarubicinol in plasma by capillary electrophoresis 698(1997)287

Imidodipeptides

Effect of different surfactants on the separation by micellar electrokinetic chromatography of a complex mixture of dipeptides in urine of prolidase-deficient patients 698(1997)47

Irinotecan

Determination of irinotecan (CPT-11) and its active metabolite SN-38 in human plasma by reversed-phase high-performance liquid chromatography with fluorescence detection 698(1997)277

Itraconazole

Prevalidation statistical design to assess analytical methods 698(1997)225

Lanthionine

Simultaneous determination of urinary cystathionine, lanthionine, *S*-(2-aminoethyl)-*L*-cysteine and their cyclic compounds using liquid chromatography–mass spectrometry with atmospheric pressure chemical ionization 698(1997)301

Levodopa

Automated determination of levodopa and carbidopa in plasma by high-performance liquid chromatography–electrochemical detection using an on-line flow injection analysis sample pretreatment unit 698(1997)201

Mercaptalbumin

Alteration of redox state of human serum albumin in patients under anesthesia and invasive surgery 698(1997)27

Methyl acrylate

Quantitative determination of BMS-186716, a thiol compound, in rat plasma by high-performance liquid chromatography–positive ion electrospray mass spectrometry after hydrolysis of the methyl acrylate adduct by the native esterases 698(1997)123

Methylphosphonic acids

Determination of the main hydrolysis products of organophosphorus nerve agents, methylphosphonic acids, in human serum by indirect photometric detection ion chromatography 698(1997)81

Mitomycin C

Sensitive and convenient high-performance liquid chromatographic method for the determination of mitomycin C in human plasma 698(1997)261

Monodesethylchloroquine

Rapid and simple method to determine chloroquine and its desethylated metabolites in human microsomes by high-performance liquid chromatography with fluorescence detection 698(1997)243

Mycophenolate mofetil

Simultaneous determination of mycophenolic acid and its glucuronide conjugate in human plasma by a single-run ion-pairing method 698(1997)293

Mycophenolic acid

Simultaneous determination of mycophenolic acid and its glucuronide conjugate in human plasma by a single-run ion-pairing method 698(1997)293

Mycophenolic acid glucuronide

Simultaneous determination of mycophenolic acid and its glucuronide conjugate in human plasma by a single-run ion-pairing method 698(1997)293

Nicardipine

Enantioselective high-performance liquid chromatographic determination of nicardipine in human plasma 698(1997)181

Nonmercaptalbumin

Alteration of redox state of human serum albumin in patients under anesthesia and invasive surgery 698(1997)27

Oxolinic acid

High-performance liquid chromatographic determination of oxolinic acid in the plasma of seabass (*Dicentrarchus labrax*) anaesthetized with 2-phenoxyethanol 698(1997)251

Pentafluorobenzenesulfonyl chloride

Determination of *p*-trifluoromethylphenol, a metabolite of fluoxetine, in tissues and body fluids using an electron-capture gas chromatographic procedure 698(1997)103

Perhydro-1,4-thiazepine-3,5-dicarboxylic acid

Simultaneous determination of urinary cystathionine, lanthionine, *S*-(2-aminoethyl)-*L*-cysteine and their cyclic compounds using liquid chromatography–mass spectrometry with atmospheric pressure chemical ionization 698(1997)301

2-Phenoxyethanol

High-performance liquid chromatographic determination of oxolinic acid in the plasma of seabass (*Dicentrarchus labrax*) anaesthetized with 2-phenoxyethanol 698(1997)251

Picoside I

Sensitive high-performance liquid chromatographic assay method for the determination of picoside I in plasma 698(1997)317

Poly(ethylene glycol dimethacrylate–hydroxyethyl methylacrylate)

Dye-incorporated poly(EGDMA–HEMA) microspheres as specific sorbents for aluminum removal 698(1997)89

Polystyrene

Fractionation of RNA polymerase II transcription factors from Hela cell nuclear extracts by affinity chromatography on “DNA-like” phosphorylated polystyrene 698(1997)59

Polyurethane

High-performance liquid chromatographic separation and tandem mass spectrometric identification of breakdown products associated with the biological hydrolysis of a biomedical polyurethane 698(1997)69

Prolidase

Effect of different surfactants on the separation by micellar electrokinetic chromatography of a complex mixture of dipeptides in urine of prolidase-deficient patients 698(1997)47

Purine nucleoside phosphorylase

Determination of purine nucleoside phosphorylase activity in human erythrocytes by capillary electrophoresis 698(1997)308

Pyrimethamine

Simultaneous determination of pyrimethamine and sulphadoxine in human plasma by high-performance liquid chromatography after automated liquid–solid extraction 698(1997)217

Risperidone

Simplified high-performance liquid chromatographic method for determination of risperidone and 9-hydroxyrisperidone in serum from patients comedicated with other psychotropic drugs 698(1997)209

RNA polymerase II

Fractionation of RNA polymerase II transcription factors from Hela cell nuclear extracts by affinity chromatography on “DNA-like” phosphorylated polystyrene 698(1997)59

Saquinavir

Determination of saquinavir in human plasma, saliva, and cerebrospinal fluid by ion-pair high-performance liquid chromatography with ultraviolet detection 698(1997)235

Sarin

Determination of the main hydrolysis products of organophosphorus nerve agents, methylphosphonic acids, in human serum by indirect photometric detection ion chromatography 698(1997)81

SN-38

Determination of irinotecan (CPT-11) and its active metabolite SN-38 in human plasma by reversed-phase high-performance liquid chromatography with fluorescence detection 698(1997)277

Soman

Determination of the main hydrolysis products of organophosphorus nerve agents, methylphosphonic acids, in human serum by indirect photometric detection ion chromatography 698(1997)81

Sphingomyelin

Preparation and gas chromatographic–mass spectrometric analysis of *N*-acetyl-*O*-trimethylsilyl derivatives of long-chain base residues of natural sphingomyelin 698(1997)1

Substance P

Application of [¹²⁵I]-[Tyr⁸]-substance P prepared by the chloramine-T method to receptor-binding experiments after subsequent reduction with mercaptoethanol and purification by reversed-phase liquid chromatography 698(1997)17

[¹²⁵I]-[Tyr⁸]-substance P

Application of [¹²⁵I]-[Tyr⁸]-substance P prepared by the chloramine-T method to receptor-binding experiments after subsequent reduction with mercaptoethanol and purification by reversed-phase liquid chromatography 698(1997)17

Sulphadoxine

Simultaneous determination of pyrimethamine and sulphadoxine in human plasma by high-performance liquid chromatography after automated liquid–solid extraction 698(1997)217

Tamoxifen

Solid-phase extraction and high-performance liquid chromatographic determination of tamoxifen and its major metabolites in breast tumour tissues 698(1997)269

1,4-Thiomorpholinedicarboxylic acid

Simultaneous determination of urinary cystathionine, lanthionine, S-(2-aminoethyl)-L-cysteine and their cyclic compounds using liquid chromatography–mass spectrometry with atmospheric pressure chemical ionization 698(1997)301

Tramadol

Automated determination of tramadol enantiomers in human plasma using solid-phase extraction in combination with chiral liquid chromatography 698(1997)161

***N,N',N''*-Triethylthiophosphoramidate**

Determination of *N,N',N''*-triethylthiophosphoramidate in biological samples using capillary gas chromatography 698(1997)111

***p*-Trifluoromethylphenol**

Determination of *p*-trifluoromethylphenol, a metabolite of fluoxetine, in tissues and body fluids using an electron-capture gas chromatographic procedure 698(1997)103

Valproylglycinamide

Isolation of N,N-dialkylated derivatives of valproylglycinamide from dog plasma by active charcoal adsorption and their quantification by high-performance liquid chromatography 698(1997)195

VX

Determination of the main hydrolysis products of organophosphorus nerve agents, methylphosphonic acids, in human serum by indirect photometric detection ion chromatography 698(1997)81