

Related articles published in *Journal of Chromatography A*, Vols. 776–780

Volume 776

Kinetic analysis of the interaction between the monoclonal antibody A33 and its colonic epithelial antigen by the use of an optical biosensor. A comparison of immobilisation strategies by B. Catimel and M. Nerrie (Parkville, Australia), F.T. Lee and A.M. Scott (Heidelberg, Australia), G. Ritter, S. Welt and L.J. Old (New York, NY, USA) and A.W. Burgess and E.C. Nice (Parkville, Australia)	15
Study of the binding of antibiotics to human serum albumin by charge-transfer chromatography by T. Cserháti and E. Forgács (Budapest, Hungary)	31
D-Glucose, forskolin and cytochalasin B affinities for the glucose transporter Glut1. Study of pH and reconstitution effects by biomembrane affinity chromatography by L. Lu, A. Lundqvist, C.-M. Zeng, C. Lagerquist and P. Lundahl (Uppsala, Sweden)	81
Glucose affinity for the glucose transporter Glut1 in native or reconstituted lipid bilayers. Temperature-dependence study by biomembrane affinity chromatography by A. Lundqvist and P. Lundahl (Uppsala, Sweden)	87
Size-exclusion chromatographic reconstitution of the bovine brain benzodiazepine receptor. Effects of lipid environment on the binding characteristics by G.T. Viel (Groningen, The Netherlands), Q. Yang (Ibaraki, Japan), P. Lundahl (Uppsala, Sweden) and K. Ensing and R.A. de Zeeuw (Groningen, The Netherlands)	101
Two-dimensional electrophoretic analysis of vesicular and micellar proteins of gallbladder bile by C. He, S. Fischer, G. Meyer, I. Müller and D. Jüngst (Munich, Germany)	109
Mapping of peptides and protein fragments in human urine using liquid chromatography–mass spectrometry by G. Heine, M. Raida and W.-G. Forssmann (Hannover, Germany)	117
Peptide bank generated by large-scale preparation of circulating human peptides by P. Schulz-Knappe, M. Schrader, L. Ständker, R. Richter, R. Hess, M. Jürgens and W.-G. Forssmann (Hannover, Germany)	125
Capillary electrophoresis in the assay of the hydrolysis of glycine-containing peptides by a protease from <i>Pseudomonas aeruginosa</i> by S. Vessillier, J. Bernillon, J. Saulnier and J. Wallach (Villeurbanne, France)	133
Matrix-assisted laser desorption/ionisation mass spectrometry guided purification of human guanylin from blood ultrafiltrate by M. Schrader, M. Jürgens, R. Hess, P. Schulz-Knappe, M. Raida and W.-G. Forssmann (Hannover, Germany)	139
Quantitative analysis of neutral and acidic sugars in whole bacterial cell hydrolysates using high-performance anion-exchange liquid chromatography–electrospray ionization tandem mass spectrometry by D.S. Wunschel, K.F. Fox, A. Fox, M.L. Nagpal and K. Kim (Columbia, SC, USA), G.C. Stewart (Manhattan, KS, USA) and M. Shahgholi (Washington, DC, USA)	205
Capillary zone electrophoresis–mass spectrometry as a tool in the stability research of the luteinising hormone-releasing hormone analogue goserelin by M.A. Hoitink (Utrecht, Netherlands), E. Hop (Nijmegen, Netherlands) and J.H. Beijnen, A. Bult, J.J. Kettenes-van den Bosch and W.J.M. Underberg (Utrecht, Netherlands)	319
Quantitation of total homocysteine in human plasma by derivatization to its N(O,S)-propoxycarbonyl propyl ester and gas chromatography–mass spectrometry analysis by J.O. Sass and W. Endres (Innsbruck, Austria)	342

Volume 777

New procedure for the use of high-performance liquid chromatography–electrospray ionization mass spectrometry for the analysis of nucleotides and oligonucleotides by A. Apffel, J.A. Chakel, S. Fischer, K. Lichtenwalter and W.S. Hancock (Palo Alto, CA, USA)	3
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---

Probing protein structure using biochemical and biophysical methods. Proteolysis, matrix-assisted laser desorption/ionization mass spectrometry, high-performance liquid chromatography and size-exclusion chromatography of p21 ^{Waf1/Cip1/Sdi1}	23
by R.W. Kriwacki, J. Wu, L. Tennant, P.E. Wright and G. Siuzdak (La Jolla, CA, USA)	
Rapid analysis of endogenous LVV-hemorphin-7 in cerebrospinal fluid by size-exclusion chromatography and electrospray ionization mass spectrometry (Short communication)	41
by J. Silberring (Stockholm, Sweden and Cracow, Poland) and F. Nyberg (Uppsala, Sweden)	
Distribution of the total unsaturation in lipid components of plasma as a new differential diagnostic method in clinical analysis (Short communication)	47
by T.I. Poznyak (Mexico, Mexico) and E.V. Kiseleva and T.I. Turkina (Moscow, Russia)	
On-line electrodialysis–capillary zone electrophoresis–mass spectrometry of inositol phosphates in complex matrices	51
by B.A.P. Buscher, A.J.P. Hofte, U.R. Tjaden and J. van der Greef (Leiden, Netherlands)	
Pharmacokinetic screening for the selection of new drug discovery candidates is greatly enhanced through the use of liquid chromatography–atmospheric pressure ionization tandem mass spectrometry	61
by M.S. Bryant, W.A. Korfomacher, S. Wang, C. Nardo, A.A. Nomeir and C.-C. Lin (Kenilworth, NJ, USA)	
Rapid pharmacokinetic screening of salbutamol in plasma samples by column-switching high-performance liquid chromatography–electrospray mass spectrometry	67
by K. Schmeer, T. Sauter and J. Schmid (Biberach a.d. Riss, Germany)	
Liquid chromatography–tandem mass spectrometry applied to a study of the metabolism of pentamidine. Discussion of possibilities and problems (Short communication)	73
by J. Nordin, I. Wikström, U. Bronner, L.L. Gustafsson and Ö. Ericsson (Huddinge, Sweden)	
Determination of barbiturates by solid-phase microextraction (SPME) and ion trap gas chromatography–mass spectrometry	275
by B.J. Hall and J.S. Brodbelt (Austin, TX, USA)	

Volume 778

Hexachlorocyclohexanes in human blood serum	87
by R. Otero, M. Santiago-Silva and J.O. Grimalt (Barcelona, Spain)	
Determination of glutathione, cysteine and N-acetylcysteine in rabbit eye tissues using high-performance liquid chromatography and post-column derivatization with 5,5'-dithiobis(2-nitrobenzoic acid)	347
by M ² .J. Nozal, J.L. Bernal, L. Toribio, P. Marinero, O. Moral, L. Manzanas and E. Rodriguez (Valladolid, Spain)	
Direct determination of prolintane and its metabolite oxoprolintane in human urine by capillary zone electrophoresis and β-cyclodextrin-modified micellar electrokinetic chromatography	355
by A.G. Espartero, J.A. Pérez, A. Zapardiel, E. Bermejo and L. Hernández (Madrid, Spain)	
Separation and quantitation of debrisoquine and 4-hydroxydebrisoquine in human urine by capillary electrophoresis and high-performance liquid chromatography	389
by A. Cifuentes, J. Valencia, E. Sanz, M.J. Sánchez and M.A. Rodríguez-Delgado (La Laguna, Spain)	
Simultaneous determination of vitamins A and E in rat tissues by high-performance liquid chromatography (Short communication)	415
by C. Barbas, M. Castro, B. Bonet, M. Viana and E. Herrera (Madrid, Spain)	
Comparison of two methods for the determination of fatty acid profiles in plasma and erythrocytes (Short communication)	435
by M. Rodríguez-Palmero, M.C. Lopez-Sabater, A.I. Castellote-Bargallo, M.C. De La Torre-Boronat and M. Rivero-Urgell (Barcelona, Spain)	

Volume 779

Microcolumn liquid chromatography: instrumentation, detection and applications	1
by J.P.C. Vissers (Amsterdam, The Netherlands) and H. A. Claessens and C.A. Cramers (Eindhoven, The Netherlands)	
Analysis of gangliosides by capillary zone electrophoresis and capillary zone electrophoresis–electrospray mass spectrometry	195
by D.-D. Ju, C.-C. Lai and G.-R. Her (Taipei, Taiwan)	
Bile salt micellar electrokinetic chromatography of bilirubin and related compounds	205
by M.P. Nittler, R.A. Desai, D.A. Salikof, W.E. Kurtin and M.M. Bushey (San Antonio, TX, USA)	
Separation of ribonucleotides by capillary electrophoresis with multifunctional electrophoretic media of phosphate ammonium salts	215
by T. Wang and S.F.Y. Li (Singapore, Singapore) (Received)	

Separation of cardiac glycosides by micellar electrokinetic chromatography and microemulsion electrokinetic chromatography
by L. Debusschère, C. Demesmay and J.L. Rocca (Villeurbanne, France) and G. Lachatre and H. Lofti (Limoges, France) 227

Use of metal complexation in non-aqueous capillary electrophoresis systems for the separation and improved detection of tetracyclines
by J. Tjørnelund and S.H. Hansen (Copenhagen, Denmark) 235

Volume 780

Pharmaceutical applications of micelles in chromatography and electrophoresis
by H. Nishi (Osaka, Japan) 243

Application of micellar electrokinetic capillary chromatography to the analysis of illicit drug seizures
by I.S. Lurie (McLean, VA, USA) 265