



ELSEVIER

Journal of Chromatography B, 701 (1998) 151–217

JOURNAL OF
CHROMATOGRAPHY B

AUTHOR INDEX

J. CHROMATOGR. B VOLS. 676–700

A

- Aamdal Scheie, A., see Bronz, I. 700(1997)255
- Abbas, S.A., see Polikandritou Lambros, M. 685(1996)135
- Abdelrahim, M., Morris, E., Carver, J., Facchina, S., White, A. and Verma, A.
Liquid chromatographic assay of dityrosine in human cerebrospinal fluid 696(1997)175
- Abdullah, S., see Ducharme, J. 678(1996)113
- Abe, A., see Yamane, M. 678(1996)339
- Abel, M.J., see Venkatakrishnan, A. 676(1996)1
- Abelaira, J.C., see Huddleston, J. 680(1996)31
- Aboleneen, H., Simpson, J. and Backes, D.
Determination of methotrexate in serum by high-performance liquid chromatography 681(1996)317
- Abuín, C.F., see Gigosos, P.G. 677(1996)167
- Ackerman, E.W., see Grouls, R.J.E. 694(1997)421
- Acosta-Gonzalez, P.C., see Gonzalez-Bravo, L. 682(1996)359
- Acworth, I.N., see McCabe, D.R. 691(1997)23
- Adachi, T., Mogi, M., Harada, M. and Kojima, K.
Selective removal of human serum amyloid P component from rat blood by use of an immunoaffinity membrane in an extracorporeal circulation system 682(1996)47
- Adam, M., see Špaček, P. 689(1997)404
- Adam, T., Ševčík, J., Fairbanks, L.D. and Barták, P.
Determination of purine nucleoside phosphorylase activity in human erythrocytes by capillary electrophoresis 698(1997)308
- Adams, D.A., Murray, S., Piers Clifford, C., Rendell, N.B., Davies, D.S. and Taylor, G.W.
Analysis of terfenadine in human plasma using microbore high-performance liquid chromatography–electrospray ionisation mass spectrometry 693(1997)345
- Adamson, N.J. and Reynolds, E.C.
Rules relating electrophoretic mobility, charge and molecular size of peptides and proteins 699(1997)133
- Adelman, S.J., see Chandrasekaran, A. 676(1996)69
- Adi, B., see Janáky, T. 676(1996)7
- Adler, M., see Asermely, K.E. 695(1997)67
- Aebersold, R., see Figeys, D. 695(1997)163
- Affanni, J.M., see Vitale, A.A. 681(1996)381
- Ageta, T., see Yu, S. 698(1997)301
- Aguilera, R., Becchi, M., Grenot, C., Casabianca, H. and Hatton, C.K.
Detection of testosterone misuse: comparison of two chromatographic sample preparation methods for gas chromatographic-combustion/isotope ratio mass spectrometric analysis 687(1996)53
- Ahokas, J.T., see Haritos, V.S. 693(1997)327
- Ahuja, E.S., see Peterson, A.G. 683(1996)15
- Aita, P., see Robieux, I. 686(1996)35
- Åkerman, K.K.
Analysis of clozapine and norclozapine by high-performance liquid chromatography 696(1997)253
- Åkesson, B., see Jönsson, B.A.G. 694(1997)351
- Åkesson, C., see Lindner, K.-J. 679(1996)13
- Akiyama, K., see Mita, H. 692(1997)461
- Akiyama, S., see Al-Dirbashi, O. 695(1997)251
- Akiyama, S., see Wada, M. 678(1996)129
- Akiyama, T., see Takauchi, Y. 693(1997)218
- Alamercery, S., see Guitton, J. 693(1997)59
- Albert, G., see Augey, V. 682(1996)125
- Albertioni, F., see Reichelova, V. 682(1996)115
- Albertsson, P.-Å., see Lu, M. 680(1996)65
- Albet, C., see Rozman, E. 688(1997)107
- Albinánd, N., see Johnson, M.R. 696(1997)183
- Aldana, H., see Vitale, A.A. 681(1996)381
- Al-Dirbashi, O., Kuroda, N., Akiyama, S. and Nakashima, K.
High-performance liquid chromatography of methamphetamine and its related compounds in human urine following derivatization with fluorescein isothiocyanate 695(1997)251
- Alexander, P.W., see Hidayat, A. 693(1997)139
- Alhama, J., see Toribio, F. 684(1996)1
- Ali, S.F., see Wise, C.K. 696(1997)145
- Alianti, J.R., see Lloyd, T.L. 678(1996)261
- Allain, P., see Gamelin, E. 695(1997)409
- Allain, P., see Jobard, E. 695(1997)444
- Allaz, J.L., see Russo, H. 694(1997)239
- Allen, P.G., see Kolesar, J.M. 697(1997)189

- Allen, P.G., see Kolesar, J.M. 697(1997)189
- Allen, M.C., Stafford, C.G. and Nocerini, M.R.
Quantitation of 4-cyclohexyl-2-hydroxy-3-(3-methylsulfanyl-2-[2-[(morpholine-4-carbonyl)amino]-3-phenylpropionylamino]propionylamino)butyric acid isopropyl ester (CP-80,794), a renin inhibitor, and its hydrolytic cleavage metabolite 2-[(morpholine-4-carbonyl)amino]-3-phenylpropionic acid (CP-84,364) in dog and human plasma by high-performance liquid chromatography 696(1997)243
- Almeida, C., see Venâncio, A. 680(1996)131
- Alonso, R.M., see Barroso, M.B. 690(1997)105
- Alonso, R.M., see Lalljie, S.P.D. 688(1997)71
- Alric, R., see Cociglio, M. 686(1996)11
- Alric, R., see Cociglio, M. 698(1997)225
- Altria, K.D., Elgey, J. and Howells, J.S.
Validated capillary electrophoretic method for the quantitative analysis of histamine acid phosphate and/or benzalkonium chloride 686(1996)111
- Altria, K.D., Harkin, P. and Hindson, M.G.
Quantitative determination of tryptophan enantiomers by capillary electrophoresis 686(1996)103
- Alvarez, F.J., see Pérez, M.T. 677(1996)45
- Alvarez, J.G., Slomovic, B. and Ludmir, J.
Analysis of dipalmitoyl phosphatidylcholine in amniotic fluid by high-performance liquid chromatography 690(1997)338
- Amanlou, M. and Dehpour, A.R.
Rapid method for the determination of piroxicam in rat plasma using high-performance liquid chromatography 696(1997)317
- Ameno, K., see Tomita, M. 685(1996)185
- Ameno, S., see Tomita, M. 685(1996)185
- Amet, Y., Berthou, F. and Menez, J.F.
Simultaneous radiometric and fluorimetric detection of lauric acid metabolites using high-performance liquid chromatography following esterification with 4-bromomethyl-6,7-dimethoxycoumarin in human and rat liver microsomes 681(1996)233
- Ameyibor, E. and Stewart, J.T.
Stereoselective determination of apomorphine enantiomers in serum with a cellulose-based high-performance liquid chromatographic chiral column using solid-phase extraction and ultraviolet detection 686(1996)297
- Amici, A., see Emanuelli, M. 676(1996)13
- Amigo, L., see Recio, I. 697(1997)231
- Amizuka, T., see Sato, J. 692(1997)241
- Amsterdam, Ch.V., see Ofner, B. 700(1997)191
- Anastase, S., Letourneur, D. and Jozefonvicz, J.
Affinity chromatography of human anti-dextran antibodies. Isolation of two distinct populations 686(1996)141
- Anderson, D., Kerr, D.J., Blesing, C. and Seymour, L.W.
Simultaneous gas chromatographic-mass spectrophotometric determination of α -fluoro- β -alanine and 5-fluorouracil in plasma 688(1997)87
- Anderson, P., see Logsdon, T.W. 692(1997)472
- Andersson, S. and Forsman, U.
Determination of total iodine in biological material by alkaline ashing and column-switching ion-pair liquid chromatography 692(1997)53
- Andraus, M.H., see Neto, L.M.R. 678(1996)211
- André, D., see Mehmedagic, A. 695(1997)365
- André, F., see Ferchaud, V. 695(1997)269
- Andress, L.D. and Guttendorf, R.J.
High-performance liquid chromatographic assay for CI-1004, a dual-inhibitor antiinflammatory agent, in rat, rabbit, dog, monkey and human plasma 698(1997)171
- Andreux, J.P., see Parsons, R. 686(1996)177
- Andrews, B.A. and Asenjo, J.A.
Protein partitioning equilibrium between the aqueous poly(ethylene glycol) and salt phases and the solid protein phase in poly(ethylene glycol)-salt two-phase systems 685(1996)15
- Andrews, C., see Cwik, M.J. 693(1997)407
- Andriampandry, M., see Leray, C. 696(1997)33
- Ang, C.Y.W., see Luo, W. 687(1996)405
- Ang, C.Y.W., see Luo, W. 694(1997)401
- Angerer, J. and Käßlerlein, H.U.
Gas chromatographic method using electron-capture detection for the determination of musk xylene in human blood samples. Biological monitoring of the general population 693(1997)71
- Angerer, J. and Ritter, A.
Determination of metabolites of pyrethroids in human urine using solid-phase extraction and gas chromatography-mass spectrometry 695(1997)217
- Ängquist, K.-A., see Gineitis, A. 692(1997)303
- Anh, T.K., see Batty, K.T. 677(1996)345
- Anselmi, S., Braghiroli, D., Di Bella, M., Schmid, M.G., Wintersteiger, R. and Gübitz, G.
Chiral resolution of the dansyl derivative of 2-methyltaurine by capillary electrophoresis 681(1996)83
- Anspach, F.B., see Legallais, C. 691(1997)33
- Anspach, F.B., see Petsch, D. 693(1997)79
- Anthonio, R.L., see van Waarde, A. 678(1996)253
- Anzenbacher, P., see Nobilis, M. 681(1996)143
- Anzenbacher, P., see Nobilis, M. 681(1996)177
- Aoki, I., see Monji, H. 690(1997)305
- Aoki, T., see Ueno, R. 682(1996)179
- Aprea, C., Stridori, A. and Sciarra, G.
Analytical method for the determination of urinary 3-phenoxybenzoic acid in subjects occupationally exposed to pyrethroid insecticides 695(1997)227
- Arai, K., see Yoshida, K.-i. 695(1997)439
- Aramayona, J.J., see Garcia, M.A. 693(1997)377
- Arato, T., see Hiraoka, A. 697(1997)141
- Arboix, M., see Pérez, B. 698(1997)155
- Arenas, R., see Martínez de Muñoz, D. 678(1996)377
- Arendt, T., see Singh, A.K. 690(1997)327
- Arendt, T., see Singh, A.K. 696(1997)174
- Arimoto, H., see Fujii, T. 687(1996)395
- Armand, F., see Loussouarn, S. 698(1997)251
- Arnera, V., see Chollet, D. 683(1996)237
- Aromdee, C., Fawcett, J.P. and Ledger, R.
Sensitive high-performance liquid chromatographic assay for pilocarpine in biological fluids using fluorescence derivatisation 677(1996)313
- Arroyo, C., see Garcia-Capdevila, L. 692(1997)127
- Arroyo, C., see López-Calull, C. 693(1997)228

- Arroyo, C., López-Calull, C., García-Capdevila, L., Gich, I., Barbanoj, M. and Bonal, J.
Determination of captopril in plasma by high-performance liquid chromatography for pharmacokinetic studies 688(1997)339
- Ary, K., see Róna, K. 678(1996)63
- Ary, K., see Róna, K. 693(1997)393
- Asano, T., see Miwa, H. 677(1996)217
- Asano, T., see Miwa, H. 679(1996)1
- Ascalone, V., see Malavasi, B. 676(1996)107
- Ascalone, V., Ripamonti, M. and Malavasi, B.
Stereospecific determination of amisulpride, a new benzamide derivative, in human plasma and urine by automated solid-phase extraction and liquid chromatography on a chiral column Application to pharmacokinetics 676(1996)95
- Ascher, G.S., see Walter, H. 680(1996)197
- Asenjo, J.A., see Andrews, B.A. 685(1996)15
- Asemely, K.E., Broomfield, C.A., Nowakowski, J., Courtney, B.C. and Adler, M.
Identification of a recombinant synaptobrevin–thioredoxin fusion protein by capillary zone electrophoresis using laser-induced fluorescence detection 695(1997)67
- Ashton, D.S., Beddell, C.R., Cockerill, G.S., Gohil, K., Gowrie, C., Robinson, J.E., Slater, M.J. and Valko, K.
Binding measurements of indolocarbazole derivatives to immobilised human serum albumin by high-performance liquid chromatography 677(1996)194
- Asmis, R., Bühler, E., Jelk, J. and Gey, K.F.
Concurrent quantification of cellular cholesterol, cholesteryl esters and triglycerides in small biological samples. Reevaluation of thin layer chromatography using laser densitometry 691(1997)59
- Aspeslet, L.J., see Urichuk, L.J. 698(1997)103
- Aspinwall, C.A., see Shen, H. 689(1997)295
- Astier, H., Renard, C., Cheminel, V., Soares, O., Mounier, C., Peyron, F. and Chaulet, J.F.
Simultaneous determination of pyrimethamine and sulphadoxine in human plasma by high-performance liquid chromatography after automated liquid–solid extraction 698(1997)217
- Astre, C., see Grosse, P.Y. 694(1997)219
- Astre, C., see Joulia, J.M. 692(1997)427
- Astre, C., see Pinguet, F. 686(1996)43
- Åström, O., see Persson, K. 697(1997)207
- Aswania, O.A., Corlett, S.A. and Chrystyn, H.
Development and validation of an ion-pair liquid chromatographic method for the quantitation of sodium cromoglycate in urine following inhalation 690(1997)373
- Atassi, G., see Tassin, J.P. 691(1997)449
- Atha, D., see Nackerdien, Z. 683(1996)85
- Atha, D., see Nackerdien, Z. 683(1996)91
- Atherton, J., see Feng, M.R. 693(1997)159
- Au, J.L.-S., see Song, D. 676(1996)165
- Au, J.L.-S., see Song, D. 690(1997)289
- Audran, M., see Augey, V. 682(1996)125
- Audran, M., see Bressolle, F. 686(1996)3
- Audran, M., see Bressolle, F. 687(1996)303
- Audran, M., see de Cazanove, F. 690(1997)203
- Auer, T., see Khoschorur, G. 690(1997)367
- Augey, V., Grosse, P.-Y., Albert, G., Audran, M. and Bressolle, F.
High-performance liquid chromatographic determination of tazobactam and piperacillin in human plasma and urine 682(1996)125
- Ausina, V., see Muñoz, M. 689(1997)341
- Avantaggiato, G., see Solfrizzo, M. 692(1997)87
- Avery, M.J. and Fouda, H.G.
Development of a high-performance liquid chromatographic–atmospheric pressure chemical ionization–tandem mass spectrometric assay for β -tigogenin cellobioside in human serum 689(1997)365
- Aydincioglou, G., see Biederick, W. 685(1996)315
- Aymard, G., Livi, P., Pham, Y.T. and Diquet, B.
Sensitive and rapid method for the simultaneous quantification of five antidepressants with their respective metabolites in plasma using high-performance liquid chromatography with diode-array detection 700(1997)183
- Aymard, N., see Pham-Huy, C. 700(1997)155
- Ayotte, C., Goudreault, D. and Charlebois, A.
Testing for natural and synthetic anabolic agents in human urine 687(1996)3
- Aznar, R., see Guitton, C. 690(1997)211
- Azuma, R., Minami, Y. and Satoh, T.
Simultaneous determination of GTS-21 and its metabolite in rat plasma by high-performance liquid chromatography using solid-phase extraction 686(1996)229
- Azuma, R. and Urakawa, A.
Simultaneous determination of a novel anticancer drug, TAS-103, and its N-demethylated metabolite in monkey plasma by high-performance liquid chromatography using solid-phase extraction 691(1997)179
- Azumaya, C.T., see Bui, K.H. 696(1997)131
- Azzini, E., see Maiani, G. 692(1997)311

B

- Baba, S., see Hasegawa, H. 689(1997)287
- Baba, Y.
Analysis of disease-causing genes and DNA-based drugs by capillary electrophoresis. Towards DNA diagnosis and gene therapy for human diseases 687(1996)271
- Backes, D., see Aboleneen, H. 681(1996)317
- Backlund, P., see Seppänen-Laakso, T. 687(1996)371
- Backman, V., see Pettersson, A. 692(1997)257
- Badiali, A., see Dimitrova, B. 681(1996)153
- Baeyens, V., Varesio, E., Veuthey, J.-L. and Gurny, R.
Determination of dexamethasone in tears by capillary electrophoresis 692(1997)222
- Bagger, M., see Bechgaard, E. 693(1997)237
- Bailloux, D., see Dehennin, L. 687(1996)85

- Baker, G.B., see Fang, J. 682(1996)283
- Baker, G.B., see Urichuk, L.J. 698(1997)103
- Baker, P.R., see Bayliss, M.A.J. 694(1997)199
- Baker, P.R., Bayliss, M.A.J. and Wilkinson, D.
Determination of a major metabolite of tipredane in rat urine by high-performance liquid chromatography with column switching 694(1997)193
- Bakker, M.L., see Chen, X.B. 682(1996)201
- Balant, L.P., see Marzo, A. 678(1996)73
- Balásperi, L., see Janáky, T. 676(1996)7
- Bald, E., Sypniewski, S., Drzewoski, J. and Stępień, M.
Application of 2-halopyridinium salts as ultraviolet derivatization reagents and solid-phase extraction for determination of captopril in human plasma by high-performance liquid chromatography 681(1996)283
- Balestrieri, C., see Servillo, L. 689(1997)281
- Balhon, A.C., see Vollmer, P.A. 685(1996)370
- Ballinger, L.N., see Thompson, M.J. 677(1996)117
- Balogh-Nemes, K., see Horváth, V. 686(1996)211
- Balogh-Nemes, K., see Tolokán, A. 698(1997)201
- Banditt, P., see Martens, J. 692(1997)95
- Bandoh, T., see Kitamura, R. 690(1997)283
- Banmairuroi, V., see Karbwang, J. 690(1997)259
- Bannefeld, K.-H., Stass, H. and Blaschke, G.
Capillary electrophoresis with laser-induced fluorescence detection, an adequate alternative to high-performance liquid chromatography, for the determination of ciprofloxacin and its metabolite desethyleneciprofloxacin in human plasma 692(1997)453
- Banno, K., see Matsuoka, M. 676(1996)117
- Banno, K., see Matsuoka, M. 685(1996)273
- Bao, J., Smith, R.L., Sauer, J.-M., Pillai, U. and Sipes, I.G.
Simultaneous determination of cyclohexene oxide and its metabolites in rat plasma and urine by gas chromatography 696(1997)59
- Bao, J.J.
Capillary electrophoretic immunoassays 699(1997)463
- Bao, J.J., Fujima, J.M. and Danielson, N.D.
Determination of minute enzymatic activities by means of capillary electrophoretic techniques 699(1997)481
- Bao, Y., Silva, T.M.J., Guerrant, R.L., L.ma, A.A.M. and Fox, J.W.
Direct analysis of mannitol, lactulose and glucose in urine samples by high-performance anion-exchange chromatography with pulse amperometric detection. Clinical evaluation of intestinal permeability in human immunodeficiency virus infection 685(1996)105
- Bara, I., see Bock, M.J.H. 700(1997)131
- Barbanoj, M., see Arroyo, C. 688(1997)339
- Barberi, R., Bonvent, J.J., Bartolino, R., Roeraade, J., Capelli, L. and Righetti, P.G.
Probing soft polymeric coatings of a capillary by atomic force microscopy 683(1996)3
- Barberi-Heyob, M., Rezzoug, H., Merlin, J.L. and Guillemin, F.
Sensitive isocratic liquid chromatographic assay for the determination of 5,10,15,20-tetra(*m*-hydroxyphenyl)chlorin in plasma and tissue with electrochemical detection 688(1997)331
- Barbhaiya, R.H., see Marathe, P.H. 678(1996)269
- Barbhaiya, R.H., see Mulvana, D.E. 682(1996)289
- Barditch-Crovo, P., see McPherson, J.L. 677(1996)204
- Bardou, L.G., see Zerilli, A. 677(1996)156
- Barker, I.K., Crawford, S.M. and Fell, A.F.
Determination of plasma concentrations of epirubicin and its metabolites by high-performance liquid chromatography during a 96-h infusion in cancer chemotherapy 681(1996)323
- Barkholt, L., see Svensson, J.-O. 690(1997)363
- Barnett, M.J., see Heggie, J.R. 692(1997)437
- Barrett, D.A., see Erah, P.O. 682(1996)73
- Barrett, D.A., see Jessa, M.J. 677(1996)374
- Barrientos, A., see Pujari, M.P. 694(1997)185
- Barroso, M.B., Meiring, H.D., de Jong, A., Alonso, R.M. and Jiménez, R.M.
Gas chromatographic-mass spectrometric analysis of the loop diuretic torasemide in human urine 690(1997)105
- Barták, P., see Adam, T. 698(1997)308
- Bartels, H. and Bartels, R.
Determination of rifabutin by high-performance liquid chromatography using on-line concentration and column switching 686(1996)235
- Bartels, R., see Bartels, H. 686(1996)235
- Bartolino, R., see Barberi, R. 683(1996)3
- Barua, A.B., see Li, S. 683(1996)155
- Basileo, G., Casati, M., Pianezzola, E. and Strolin Benedetti, M.
Determination of turosteride, a new inhibitor of 5 α -reductase, in human plasma by high-performance liquid chromatography with ultraviolet detection 688(1997)117
- Batista-Viera, F., see Brena, B.M. 684(1996)217
- Battu, C., see Marquet, P. 700(1997)77
- Batty, K.T., Davis, T.M.E., Thu, L.T.A., Binh, T.Q., Anh, T.K. and Ilett, K.F.
Selective high-performance liquid chromatographic determination of artesunate and α - and β -dihydroartemisinin in patients with falciparum malaria 677(1996)345
- Bauer, C.B., see Rogers, R.D. 680(1996)221
- Bauer, C.B., see Rogers, R.D. 680(1996)237
- Baumann, P., see Eap, C.B. 682(1996)265
- Baumann, P., see Eap, C.B. 686(1996)51
- Bauw, G., see Davey, M.W. 697(1997)269
- Bayliss, M.A.J., see Baker, P.R. 694(1997)193
- Bayliss, M.A.J., Baker, P.R. and Wilkinson, D.
Determination of the two major human metabolites of tipredane in human urine by high-performance liquid chromatography with column switching 694(1997)199
- Beach, A.C., see Spencer-Beach, G.G. 677(1996)265
- Beale, S.C., see Krull, I.S. 699(1997)173
- Beale, S.C., see Wang, C.-C. 676(1996)19
- Bean, K.A. and Henion, J.D.
Direct determination of anabolic steroid conjugates in human urine by combined high-performance liquid chromatography and tandem mass spectrometry 690(1997)65
- Bean, K.A. and Henion, J.D.
Erratum to "Direct determination of anabolic steroid conjugates in human urine by combined high-performance liquid chromatography and tandem mass spectrometry" [J. Chromatogr. B, 690 (1997) 65] 700(1997)286
- Beaufort-Krol, G.C.M., see van Waarde, A. 678(1996)253

- Becchi, M., see Aguilera, R. 687(1996)53
- Becerra, A., see González, E. 687(1996)145
- Bechara, E.J.H., see Costa, C.A. 695(1997)245
- Bechgaard, E., Bagger, M., Larsen, R. and Wulff Nielsen, H.
High-performance liquid chromatographic analysis of
Peptide T in rabbit plasma with on-line column enrichment
693(1997)237
- Bechi, P., see Bianchi, L. 694(1997)359
- Becklin, R.R., see Grigoriants, O.O. 695(1997)287
- Beddell, C.R., see Ashton, D.S. 677(1996)194
- Bedoucha, P., see Candito, M. 692(1997)213
- Beeskow, T.C., see Petsch, D. 693(1997)79
- Begoña Barroso, M., see Lalljie, S.P.D. 688(1997)71
- Beijnen, J.H., see Hoetelmans, R.M.W. 693(1997)235
- Beijnen, J.H., see Kaijser, G.P. 686(1996)249
- Beijnen, J.H., see Kaijser, G.P. 690(1997)131
- Beijnen, J.H., see Rosing, H. 696(1997)89
- Beijnen, J.H., see Sparidans, R.W. 696(1997)137
- Beijnen, J.H., see Sparreboom, A. 681(1996)355
- Beijnen, J.H., see van Maanen, R.J. 698(1997)111
- Belgrader, P., Devaney, J.M., Del Rio, S.A., Turner, K.A.,
Weaver, K.R. and Marino, M.A.
Automated polymerase chain reaction product sample
preparation for capillary electrophoresis analysis
683(1996)109
- Bellocchio, A., see Santori, G. 695(1997)427
- Belsner, K. and Büchele, B.
Fluorescence detection of cardenolides in reversed-phase
high-performance liquid chromatography after post-column
derivatization 682(1996)95
- Benazzi, L., see Pietta, P.G. 690(1997)343
- Benchekroun, Y., Dautraix, S., Désage, M. and Brazier, J.L.
Isotopic effects on retention times of caffeine and its
metabolites 1,3,7-trimethyluric acid, theophylline,
theobromine and paraxanthine 688(1997)245
- Benedetti, M.S., see Marrari, P. 677(1996)133
- Benet, L.Z., see Wu, S.T. 692(1997)133
- Benet, L.Z., see Wu, S.T. 692(1997)149
- Bengtsson, I.M. and Lehotay, D.C.
Sample preparation with an automated robotic workstation
for organic acid analysis by gas chromatography–mass
spectrometry 685(1996)1
- Benkestock, K.
Determination of propiomazine in rat plasma by direct
injection on coupled liquid chromatography columns with
electrochemical detection 700(1997)201
- Benson, H.A.E., see Jiang, R. 682(1996)137
- Bereuter, T.L., see Mayer, B.X. 692(1997)11
- Bergenheim, N.
Chromatographic and electrophoretic methods related to the
carbonic anhydrase isozymes 684(1996)289
- Berger, B.J., Suskin, M., Dai, W.W., Cerami, A. and Ulrich, P.
Studies on the pharmacological properties of novel arylene
bis(methylketone) compounds using solid-phase extraction
and high-performance liquid chromatography
691(1997)433
- Bergfeldt, K., see Sivars, U. 680(1996)43
- Berkovsky, A.L. and Potapov, P.P.
Development of a purification procedure for the placental
protein 14 involving metal–chelate affinity chromatography
and hydrophobic interaction chromatography 692(1997)273
- Berna, P.P. and Porath, J.
Salt-independent adsorption of human serum proteins on
cyanocarbon gels 693(1997)277
- Bernard, A., see Parsons, R. 686(1996)177
- Berthault, F., Kintz, P. and Mangin, P.
Simultaneous high-performance liquid chromatographic
analysis of flunitrazepam and four metabolites in serum
685(1996)383
- Berthou, F., see Amet, Y. 681(1996)233
- Berthou, F., see Zerilli, A. 677(1996)156
- Bertino, J.R., see Waltham, M.C. 689(1997)387
- Bertrand, O., see Ibrahim-Granet, O. 684(1996)239
- Bertucci, C., see Lanchote, V.L. 685(1996)281
- Besacier, F., see Elbast, W. 690(1997)115
- Bessard, G., see Fontanille, P. 692(1997)337
- Bessard, G., see Nicolle, E. 690(1997)89
- Bhogte, C.P., Patravale, V.B. and Devarajan, P.V.
Fluorodensitometric evaluation of gentamicin from plasma
and urine by high-performance thin-layer chromatography
694(1997)443
- Bialer, M., see Spiegelstein, O. 698(1997)195
- Bialkowski, K., see Leznicki, A.J. 696(1997)193
- Bian, N., see Wang, Z. 689(1997)195
- Bianchi, L., Colivicchi, M.A., Della Corte, L., Valoti, M.,
Sgaragli, G.P. and Bechi, P.
Measurement of synthetic phenolic antioxidants in human
tissues by high-performance liquid chromatography with
coulometric electrochemical detection 694(1997)359
- Bidouil, S., Dubois, J. and Hanocq, M.
Isocratic high-performance liquid chromatographic method
for the separation of isradipine and its main metabolites.
Application to in vitro metabolization by h3A4/OR cells
693(1997)359
- Biederbick, W., Aydinçioğlu, G., Diefenbach, C. and
Theisohn, M.
Stereoselective high-performance liquid chromatographic
assay with fluorometric detection of the three isomers of
mivacurium and their *cis*- and *trans*-alcohol and ester
metabolites in human plasma 685(1996)315
- Biederbick, W., see Joseph, G. 698(1997)261
- Bieniek, G.
Simultaneous determination of phenol, cresol, xylene
isomers and naphthols in urine by capillary gas
chromatography 682(1996)167
- Biesert, L., see Josić, D. 694(1997)253
- Bigelow, M., see Huang, M. 677(1996)77
- Biggin, M.E., see Hadwiger, M.E. 681(1996)241
- Bihoreau, N., Ramon, C., Lazard, M. and Schmitter, J.M.
Combination of capillary electrophoresis and matrix-
assisted laser desorption ionization mass spectrometry for
glycosylation analysis of a human monoclonal anti-
Rhesus(D) antibody 697(1997)123
- Bílková, Z., Churáček, J., Kučerová, Z. and Turková, J.
Purification of anti-chymotrypsin antibodies for the
preparation of a bioaffinity matrix with oriented
chymotrypsin as immobilized ligand 689(1997)273

- Binder, S.R., see Essien, H. 683(1996)199
- Binh, T.Q., see Batty, K.T. 677(1996)345
- Birkenmeier, G. and Kunath, M.
Ligand interaction of human $\alpha 2$ -macroglobulin- $\alpha 2$ -macroglobulin receptor studied by partitioning in aqueous two-phase systems 680(1996)97
- Birmingham, B.K., see Bui, K.H. 696(1997)131
- Birner, G., see Bringmann, G. 687(1996)337
- Bissé, E., Huaman-Guillen, P., Hörth, P., Busse-Grawitz, A., Lizama, M., Krämer-Guth, A., Haehnel, W. and Wieland, H.
Heterogeneity of hemoglobin A_{1d}: assessment and partial characterization of two new minor hemoglobins, A_{1d3a} and A_{1d3b}, increased in uremic and diabetic patients, respectively 687(1996)349
- Björkhem, I., see Cui, J.-F. 689(1997)349
- Björkhem, I., see Garle, M. 687(1996)55
- Bjorksten, A.R., see Jones, D.J. 694(1997)467
- Blaas, D., see Morand, M. 691(1997)192
- Black, S.B., Stenhouse, A.M. and Hansson, R.C.
Solid-phase extraction and derivatisation methods for β -blockers in human post mortem whole blood, urine and equine urine 685(1996)67
- Blackwell, W., see Dasgupta, A. 689(1997)415
- Blake, D.A., see Johnson, P.Y. 688(1997)27
- Blanchflower, W.J., McCracken, R.J. Haggan, A.S. and Kennedy, D.G.
Confirmatory assay for the determination of tetracycline, oxytetracycline, chlortetracycline and its isomers in muscle and kidney using liquid chromatography-mass spectrometry 692(1997)351
- Blanco, M.D., García, O., Olmo, R., Teijón, J.M. and Katime, I.
Release of 5-fluorouracil from poly(acrylamide-co-monomethyl itaconate) hydrogels 680(1996)243
- Blandini, F., Martignoni, E., Pacchetti, C., Desideri, S., Rivellini, D. and Nappi, G.
Simultaneous determination of L-dopa and 3-O-methyldopa in human platelets and plasma using high-performance liquid chromatography with electrochemical detection 700(1997)278
- Blaschke, G., see Bannefeld, K.-H. 692(1997)453
- Blaschke, G., see Frost, M. 693(1997)313
- Blaschke, G., see Hempel, G. 698(1997)287
- Blaschke, G., see Lanvers, C. 685(1996)233
- Blaschke, G., see Paris, S. 691(1997)463
- Blaschke, G., see Prien, D. 688(1997)309
- Blaschke, G., see Rethfeld, I. 700(1997)249
- Blaschke, G., see Weinz, C. 690(1997)253
- Blesing, C., see Anderson, D. 688(1997)87
- Blessum, C., see Jellum, E. 683(1996)55
- Bloemhard, Y., see Ha, H.R. 694(1997)427
- Blomhoff, R., see Gundersen, Th.E. 691(1997)43
- Blum, W., Faigle, J.W., Pfaar, U. and Sallmann, A.
Characterization of a novel diclofenac metabolite in human urine by capillary gas chromatography-negative chemical ionization mass spectrometry 685(1996)257
- Boček, P., see Křivánková, L. 689(1997)13
- Bock, M.J.H., Bara, I., LeDonne, N., Martz, A. and Dyroff, M.
Validated assay for the quantification of anastrozole in human plasma by capillary gas chromatography-⁶³Ni electron capture detection 700(1997)131
- Bodell, W.J., see Ye, Q. 694(1997)65
- Boege, F., see Knudsen, B.R. 684(1996)307
- Bogan, D.P. and O'Kennedy, R.
Simultaneous determination of coumarin, 7-hydroxycoumarin and 7-hydroxycoumarin glucuronide in human serum and plasma by high-performance liquid chromatography 686(1996)267
- Bogusz, M.J., Maier, R.-D., Schiwy-Bochat, K.-H. and Kohls, U.
Applicability of various brands of mixed-phase extraction columns for opiate extraction from blood and serum 683(1996)177
- Bohnenstengel, F., Eichelbaum, M., Golbs, E. and Kroemer, H.K.
High-performance liquid chromatographic determination of acrolein as a marker for cyclophosphamide bioactivation in human liver microsomes 692(1997)163
- Böhs, B., see Oravcová, J. 677(1996)1
- Boiocchi, M., see Robieux, I. 686(1996)35
- Boisdrón-Celle, M., see Gamelin, E. 695(1997)409
- Boison, J.O., see Sørensen, L.K. 694(1997)383
- Boisvert, J., Caillé, G., McGilveray, I.J. and Qureshi, S.A.
Quantification of ketoprofen enantiomers in human plasma based on solid-phase extraction and enantioselective column chromatography 690(1997)189
- Bökkerink, J.P.M., see Keuzenkamp-Jansen, C.W. 678(1996)15
- Bolling, S.F., see Childs, K.F. 678(1996)181
- Bonal, J., see Arroyo, C. 688(1997)339
- Bonal, J., see García-Capdevila, L. 692(1997)127
- Bonal, J., see López-Calull, C. 693(1997)228
- Bonato, P.S., see Jabor, V.A.P. 696(1997)307
- Bonato, P.S., see Lanchote, V.L. 685(1996)281
- Bond, A.H., see Rogers, R.D. 680(1996)221
- Bonham Carter, S.M., Watson, D.G., Midgley, J.M. and Logan, R.W.
Synthesis and characterisation of acyl glycines. Their measurement in single blood spots by gas chromatography-mass spectrometry to diagnose inborn errors of metabolism 677(1996)29
- Bonierbale, E., Debordes, L. and Coppet, L.
Application of capillary gas chromatography to the study of hydrolysis of the nerve agent VX in rat plasma 688(1997)255
- Bonte, W., see Musshoff, F. 683(1996)163
- Bonvent, J.J., see Barberi, R. 683(1996)3
- Boos, J., see Hempel, G. 698(1997)287
- Boos, J., see Lanvers, C. 685(1996)233
- Boos, K.-S., see Yu, Z. 689(1997)379
- Boothman, D.A., see Glen, V.L. 692(1997)181
- Boppana, V.K., Miller-Stein, C. and Schaefer, W.H.
Direct plasma liquid chromatographic-tandem mass spectrometric analysis of granisetron and its 7-hydroxy metabolite utilizing internal surface reversed-phase guard columns and automated column switching devices 678(1996)227
- Borbe, H.O., see Paris, S. 691(1997)463

- Börchers, T., see Schaap, F.G. 679(1996)61
- Borenstein, M.R., Xue, Y., Cooper, S. and Tzeng, T.-B.
Sensitive capillary gas chromatographic–mass spectrometric–selected-ion monitoring method for the determination of diclofenac concentrations in human plasma 685(1996)59
- Borromeo, V., see Secchi, C. 688(1997)161
- Borts, D.J., see Bowers, L.D. 687(1996)69
- Bose, S., Yang, J. and Hage, D.S.
Guidelines in selecting ligand concentrations for the determination of binding constants by affinity capillary electrophoresis 697(1997)77
- Bosma, E., see Louter, A.J.H. 689(1997)35
- Bossi, A., see Righetti, P.G. 699(1997)77
- Bossi, A., see Righetti, P.G. 699(1997)105
- Botsoglou, N.A., see Fletouris, D.J. 687(1996)427
- Bouaicha, N., Rivasseau, C., Hennion, M.-C. and Sandra, P.
Detection of cyanobacterial toxins (microcystins) in cell extracts by micellar electrokinetic chromatography 685(1996)53
- Boudinot, F.D., see Chen, H. 691(1997)425
- Boudinot, F.D., see Jarugula, V.R. 677(1996)199
- Boudra, H., see Enanga, B. 696(1997)261
- Boukhabza, A., see Ofner, B. 700(1997)191
- Boulet, C.A., see Minami, M. 695(1997)237
- Boulieu, R., Gallant, C. and Silberstein, N.
Determination of acyclovir in human plasma by high-performance liquid chromatography 693(1997)233
- Boulton, A.A., see Durden, D.A. 689(1997)165
- Bourne, D.W.A., see Polikandritou Lambros, M. 685(1996)135
- Bourquin, D., Lehmann, T., Hämmig, R., Bühner, M. and Brenneisen, R.
High-performance liquid chromatographic monitoring of intravenously administered diacetylmorphine and morphine and their metabolites in human plasma 694(1997)233
- Bousquet, B., see Letellier, S. 696(1997)9
- Bouteille, B., see Enanga, B. 696(1997)261
- Boutin, J.A.
Tyrosine protein kinase assays 684(1996)179
- Bowers, L.D. and Borts, D.J.
Separation and confirmation of anabolic steroids with quadrupole ion trap tandem mass spectrometry 687(1996)69
- Bowers, L.D., see Liu, C. 687(1996)213
- Bowers, L.D. and Sanaullah,
Direct measurement of steroid sulfate and glucuronide conjugates with high-performance liquid chromatography–mass spectrometry 687(1996)61
- Bowyer, J.F., see Clausing, P. 692(1997)419
- Braakhuis, B.J.M., see Teerlink, T. 694(1997)83
- Bradford, L., see Rossi, D.T. 677(1996)299
- Braess, J., Pfortner, J., Kaufmann, C.C., Ramsauer, B., Unterhalt, M., Hiddemann, W. and Schleyer, E.
Detection and determination of the major metabolites of [³H]cytosine arabinoside by high-performance liquid chromatography 676(1996)131
- Braghiroli, D., see Anselmi, S. 681(1996)83
- Branch, R.A., see Frye, R.F. 677(1996)178
- Brandissou, S., see Cociglio, M. 686(1996)11
- Bravo, E., see Pérez-Ruiz, T. 692(1997)199
- Brazier, J.L., see Benchekroun, Y. 688(1997)245
- Brazier, J.-L., see Désage, M. 678(1996)205
- Brazier, J.L., see Elbast, W. 686(1996)97
- Brazier, J.L., see Elbast, W. 690(1997)115
- Brazier, J.L., see Guitton, J. 693(1997)59
- Breckenridge, S.M., Yin, X., Rosenfeld, J.M. and Yu, Y.H.
Analytical derivatizations of volatile and hydrophilic carbonyls from aqueous matrix onto a solid phase of a polystyrene–divinylbenzene macroreticular resin 694(1997)289
- Breen, P., see Logsdon, T.W. 692(1997)472
- Bregante, M.A., see Garcia, M.A. 693(1997)377
- Breimer, D.D., see Grouls, R.J.E. 694(1997)421
- Breithaupt, A., see Kraemer, H.-J. 700(1997)147
- Breithaupt, H., see Kraemer, H.-J. 700(1997)147
- Brekelmans, G.J.F., see Saris, L.A. 691(1997)409
- Brena, B.M., Pazos, C., Franco-Fraguas, L. and Batista-Viera, F.
Chromatographic methods for amylases 684(1996)217
- Brennan, J.M., see Chen, S.-H. 692(1997)43
- Brenneisen, R., see Bourquin, D. 694(1997)233
- Brentegani, C., see Lippi, G. 682(1996)225
- Bressolle, F., Audran, M., Pham, T.-N. and Vallon, J.-J.
Cyclodextrins and enantiomeric separations of drugs by liquid chromatography and capillary electrophoresis: basic principles and new developments 687(1996)303
- Bressolle, F., see Augey, V. 682(1996)125
- Bressolle, F., Bromet-Petit, M. and Audran, M.
Validation of liquid chromatographic and gas chromatographic methods. Applications to pharmacokinetics 686(1996)3
- Bressolle, F., see Cociglio, M. 686(1996)11
- Bressolle, F., see de Cazanove, F. 690(1997)203
- Bressolle, F., see Grosse, P.Y. 694(1997)219
- Bressolle, F., see Guitton, C. 690(1997)211
- Bressolle, F., see Joulia, J.M. 692(1997)427
- Bressolle, F., see Marquer, C. 691(1997)389
- Bressolle, F., see Mawa, R. 677(1996)331
- Bressolle, F., see Pinguet, F. 686(1996)43
- Bressolle, F., see Russo, H. 694(1997)239
- Breton, B., see Govoroun, M.S. 698(1997)35
- Breuer, M., see de Jonge, L.H. 677(1996)61
- Bringmann, G., Friedrich, H., Birner, G., Koob, M., Sontag, K.-H., Heim, C., Kolasiewicz, W., Fähr, S., Stäblein, M., God, R. and Feineis, D.
Endogenous alkaloids in man. XXVI. Determination of the dopaminergic neurotoxin 1-trichloromethyl-1,2,3,4-tetrahydro- β -carboline (TaClo) in biological samples using gas chromatography with selected ion monitoring 687(1996)337
- Brinkman, U.A.Th., see Louter, A.J.H. 689(1997)35
- Brodie, M.J., see Forrest, G. 681(1996)421
- Broersma, R., see Heath, T.G. 688(1997)281
- Bromet-Petit, M., see Bressolle, F. 686(1996)3
- Brondz, I., Nordbø, H. and Aamdal Scheie, A.
Detection of microbial-derived fatty acids in carious dentin by gas chromatography and gas chromatography–mass spectrometry 700(1997)255
- Bronner, U., see Ericsson, Ö. 690(1997)243
- Brooks, D.E., see Van Alstine, J.M. 680(1996)145

- Brooks, S.A., Lachno, D.R. and Obermeyer, B.D.
Automated high-performance liquid chromatographic method for the analysis of two novel ergoline compounds in human plasma 691(1997)383
- Broomfield, C.A., see Asermely, K.E. 695(1997)67
- Brøsen, K., see Rasmussen, B.B. 676(1996)169
- Brouillard, J.F., see Malhotra, B.K. 679(1996)167
- Brouwer, D.A.J., van Doormaal, J.J. and Muskiet, F.A.J.
Clinical chemistry of common apolipoprotein E isoforms 678(1996)23
- Brouwer, K.L.R., see Farthing, D. 688(1997)350
- Brown, B., see Zang, L.-Y. 677(1996)209
- Brown, K.F., see Li, Y.N. (Benny) 683(1996)259
- Brown Thomas, J., see Sharpless, K.E. 678(1996)187
- Bru, R., see Núñez-Delgado, E. 680(1996)105
- Brückner, H., see Schieber, A. 691(1997)1
- Brueggemeyer, T.W., see Mulligan, K.J. 686(1996)85
- Bruguerolle, B., see Schreiber-Deturmeny, E. 677(1996)305
- Brulez, H.F.H., see Teerlink, T. 691(1997)269
- Brunner, L.A., see Knoche, B. 695(1997)355
- Bruno, G., see Longo, A. 686(1996)129
- Bruno, M., see Morré, D.M. 680(1996)201
- Brunsvig, A., see Jellum, E. 689(1997)155
- Bruun, C.F., Sletten, K., Mehlum, A. and Marhaug, G.
Isolation of serum amyloid A protein by small-scale hydrophobic interaction chromatography and two-dimensional electrophoresis 685(1996)360
- Bruunshuus, I., Klempel, K., Cowan, D., Hill, G. and Olesen, H.
Transmission of the results of tests for International Olympic Committee-defined drugs of abuse 687(1996)157
- Brzin, J., see Popović, T. 681(1996)251
- Büchele, B., see Belsner, K. 682(1996)35
- Bucheli, F., see Wyss, R. 700(1997)31
- Buckeridge, M.S., see Franco, T.T. 680(1996)255
- Bueno, S.M.A., see Legallais, C. 691(1997)33
- Bühler, E., see Asmis, R. 691(1997)59
- Bührer, M., see Bourquin, D. 694(1997)233
- Bui, K.H., Kennedy, C.M., Azumaya, C.T. and Birmingham, B.K.
Determination of zafirlukast, a selective leukotriene antagonist, human plasma by normal-phase high-performance liquid chromatography with fluorescence detection 696(1997)131
- Bui, K.H., see Xin Gao, C. 695(1997)299
- Bult, A., see Kaijser, G.P. 686(1996)249
- Bult, A., see Kaijser, G.P. 690(1997)131
- Bun, H., see Disdier, B. 683(1996)143
- Buratti, M., Fustinoni, S. and Colombi, A.
Fast liquid chromatographic determination of urinary *trans,trans*-muconic acid 677(1996)257
- Burka, L.T., see Sanders, J.M. 695(1997)181
- Burke, R.A., Hvizd, M.G. and Shockley, T.R.
Direct determination of polyglucose metabolites in plasma using anion-exchange chromatography with pulsed amperometric detection 693(1997)353
- Burke, T.G., see Warner, D.L. 691(1997)161
- Burm, A.G.L., see Vletter, A.A. 678(1996)369
- Burns, E., see Dasgupta, A. 689(1997)415
- Burns, R.B., see Heggie, J.R. 692(1997)437
- Burti, E., see Mazzi, G. 678(1996)165
- Busse-Grawitz, A., see Bissé, E. 687(1996)349
- Buxeraud, J., see Rousseau, A. 693(1997)93

C

- Cabezas Jr, H.
Theory of phase formation in aqueous two-phase systems 680(1996)3
- Caccia, S., see Dimitrova, B. 681(1996)153
- Cai, J. and Henion, J.
Quantitative multi-residue determination of β -agonists in bovine urine using on-line immunoaffinity extraction-coupled column packed capillary liquid chromatography-tandem mass spectrometry 691(1997)357
- Caillé, G., see Boisvert, J. 690(1997)189
- Caillé, G., see Dépôt, M. 693(1997)399
- Cajigas, A., see Steinberg, J.J. 694(1997)333
- Calabrese, C.R. and Loadman, P.M.
Analysis of the imidazoacridinone C1311 by high-performance liquid chromatography 690(1997)275
- Caldwell, J.H., see Link, J.M. 693(1997)31
- Caldwell, K., see Parsons, R. 686(1996)177
- Calero, M., see de la Vieja, A. 688(1997)143
- Campbell, N.F., Hubbard, L.E., Mazenko, R.S. and Medina, M.B.
Development of a chromatographic method for the isolation and detection of hygromycin B in biological fluids 692(1997)367
- Campbell, R.A., see Venkatakrishnan, A. 676(1996)1
- Campillo, N., see Viñas, P. 693(1997)443
- Campíns-Falcó, P., see Herráez-Hernández, R. 679(1996)69
- Campíns-Falcó, P., Sevillano-Cabeza, A., Molíns-Legua, C. and Kohlmann, M.
Amphetamine and methamphetamine determination in urine by reversed-phase high-performance liquid chromatography with simultaneous sample clean-up and derivatization with 1,2-naphthoquinone 4-sulphonate on solid-phase cartridges 687(1996)239
- Camussi, G., see Rizea Savu, S. 682(1996)35
- Camussi, G., see Servillo, L. 689(1997)281
- Canafax, D.M., see Yuan, Z. 692(1997)361
- Canali, S., see Giachetti, C. 698(1997)187
- Candito, M., Bedoucha, P., Mahagne, M.H., Scavini, G. and Chatel, M.
Total plasma homocysteine determination by liquid chromatography before and after methionine loading. Results in cerebrovascular disease 692(1997)213
- Canosa, L.F., see D'Eramo, J.L. 682(1996)219
- Capelli, L., see Barberi, R. 683(1996)3
- Capiod, J.C., see Laboureau, E. 680(1996)189

- Capon, C., see Mizon, C. 692(1997)281
- Cardis, C., see Saugy, M. 687(1996)201
- Cardot, P., see Parsons, R. 686(1996)177
- Carel, B.J., see Lau, Y.Y. 676(1996)125
- Carel, B.J., see Lau, Y.Y. 676(1996)147
- Carless, H.A.J., see Sidelmann, U. 685(1996)113
- Carlin, A. and Simmons, J.
Assay for valproic acid and its E - Δ^2 metabolite in rat plasma by capillary gas chromatography without prior derivatization 694(1997)115
- Carlin, J., see Constanzer, M.L. 693(1997)117
- Carlucci, G. and Mazzeo, P.
Finasteride in biological fluids: extraction and separation by a graphitized carbon black cartridge and quantification by high-performance liquid chromatography 693(1997)245
- Carlucci, G., Mazzeo, P. and Palumbo, G.
Simultaneous determination of rifloxacin, fenbufen and felbinac in human plasma using high-performance liquid chromatography 682(1996)315
- Carpena-Ruiz, R., see Hernández, L.E. 680(1996)171
- Carreras, D., see Soriano, C. 687(1996)183
- Carroll, S., see Hui, Yu.-h. 695(1997)337
- Cartel, N.J.
Purification of human brain metallothionein by organic and reversed-phase high-performance liquid chromatography under acidic conditions 676(1996)159
- Carter, A.J. and Kehr, J.
Microbore high-performance liquid chromatographic method for measuring acetylcholine in microdialysis samples: optimizing performance of platinum electrodes 692(1997)207
- Carunchio, V., Castellano, P., Girelli, A.M. and Messina, A.
Simultaneous assay for aspartate aminotransferase and guanase in human serum by high-performance liquid chromatography 689(1997)305
- Carver, J., see Abdelrahim, M. 696(1997)175
- Casabianca, H., see Aguilera, R. 687(1996)53
- Casademont, G., Pérez, B. and Garcia Regueiro, J.A.
Simultaneous determination, in calf urine, of twelve anabolic agents as heptafluorobutyl derivatives by capillary gas chromatography–mass spectrometry 686(1996)189
- Casati, M., see Basileo, G. 688(1997)117
- Cassiano, L., see Messana, I. 699(1997)149
- Cassidy, J., see Wattanatorn, W. 692(1997)233
- Castagnola, M., see Messana, I. 699(1997)149
- Castella, E., see Chollet, D. 683(1996)237
- Castellano, P., see Carunchio, V. 689(1997)305
- Castells, E., see Pérez, B. 698(1997)155
- Castelnovo, P.
Determination of the calcium antagonist SIM6080 and its N - and O -demethylated metabolites in plasma, urine and tissues by high-performance liquid chromatography 676(1996)77
- Catalin, J., see Disdier, B. 683(1996)143
- Catterick, T., see White, S.A. 689(1997)335
- Causon, R.
Validation of chromatographic methods in biomedical analysis. Viewpoint and discussion 689(1997)175
- Cavadenti, J., see Leray, C. 696(1997)33
- Cavalli, E., see Mignot, B. 700(1997)283
- Cavallini, D., see Matarese, R.M. 683(1996)269
- Cazenave, J.-P., see Leray, C. 696(1997)33
- Cebrian-Pérez, J.A., see Ollero, M. 680(1996)157
- Ceccato, A., Chiap, P., Hubert, Ph. and Crommen, J.
Automated determination of tramadol enantiomers in human plasma using solid-phase extraction in combination with chiral liquid chromatography 698(1997)161
- Cecchin, G., see Marcato, B. 682(1996)147
- Céolin, R., see Moussa, F. 696(1997)153
- Cepeda, A., see González, P. 693(1997)321
- Cerami, A., see Berger, B.J. 691(1997)433
- Cerretani, D., Micheli, L., Fiaschi, A.I. and Giorgi, G.
High-performance liquid chromatography of flufenamic acid in rat plasma 678(1996)365
- Cesarino, E.J., see Lanchote, V.L. 685(1996)281
- Ceska, D.M., see Gu, X. 692(1997)187
- Cetta, G., see Grimm, R. 698(1997)47
- Cetta, G., see Zanaboni, G. 683(1996)97
- Cetta, G., see Zanaboni, G. 695(1997)77
- Cebrián-Pérez, J.A., see García-López, N. 680(1996)137
- Chabenat, C., see Mehmedagic, A. 695(1997)365
- Chae, J.S., see Myung, S.-W. 696(1997)160
- Chai, T.-j., see Hwang, D.-F. 693(1997)23
- Chakel, J.A., Pungor, Jr., E., Hancock, W.S. and Swedberg, S.A.
Analysis of recombinant DNA-derived glycoproteins via high-performance capillary electrophoresis coupled with off-line matrix-assisted laser desorption ionization time-of-flight mass spectrometry 689(1997)215
- Chakravarthy, B.K., see Mody, V.D. 676(1996)175
- Chakravarthy, B.K., see Pandya, K.K. 693(1997)199
- Cham, T.-M., see Tsai, T.-R. 678(1996)151
- Chan, C.L., see Tsang, C.W. 682(1996)185
- Chan, K., see Chen, A.G. 693(1997)153
- Chan, K.C., Muschik, G.M. and Issaq, H.J.
High-speed electrophoretic separation of DNA fragments using a short capillary 695(1997)113
- Chan, K.K., see Lu, H. 678(1996)219
- Chandrasekaran, A., Osman, M., Adelman, S.J., Warsheski, J., Scatina, J. and Sisenwine, S.F.
Determination of 17α -dihydroequilenin in rat, rabbit and monkey plasma by high-performance liquid chromatography with fluorimetric detection 676(1996)69
- Chang, S.-H., see Hwang, D.-F. 693(1997)23
- Chapman, C.M., see Poole, C.F. 689(1997)245
- Charlebois, A., see Ayotte, C. 687(1996)3
- Chatel, M., see Candito, M. 692(1997)213
- Chaulet, J.F., see Astier, H. 698(1997)217
- Chauvière, G., see Enanga, B. 696(1997)261
- Chavez, C.M., see Constanzer, M.L. 693(1997)117
- Chávez González, O., see Martínez de Muñoz, D. 678(1996)377
- Chavez-Eng, C.M., see Constanzer, M.L. 693(1997)131
- Chavez-Eng, C.M., Constanzer, M.L. and Matuszewski, B.K.
Picogram determination of a novel dopamine D_1 receptor antagonist in human plasma and urine by liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 691(1997)77
- Cheminel, V., see Astier, H. 698(1997)217

- Chen, A.G., Wing, Y.K., Chiu, H., Lee, S., Chen, C.N. and Chan, K.
Simultaneous determination of imipramine, desipramine and their 2- and 10-hydroxylated metabolites in human plasma and urine by high-performance liquid chromatography 693(1997)153
- Chen, B.-M., Xia, L.-W. and Zhao, R.-Q.
Determination of N^G, N^G -dimethylarginine in human plasma by high-performance liquid chromatography 692(1997)467
- Chen, C., Jeffery, D., Jorgenson, J.W., Moseley, M.A. and Pollack, G.M.
Sensitive analysis of [D-Pen^{2,5}]enkephalin in rat serum by capillary electrophoresis and laser-induced fluorescence detection 697(1997)149
- Chen, C. and Pollack, G.M.
Development of a capillary zone electrophoresis assay to examine the disposition of [D-pen^{2,5}]enkephalin in rats 681(1996)363
- Chen, C.-F., see Tsai, T.-H. 681(1996)277
- Chen, C.-F., see Tsai, T.-R. 678(1996)151
- Chen, C.-L., see Gu, X. 692(1997)187
- Chen, C.-M., see Ko, W.-C. 685(1996)379
- Chen, C.N., see Chen, A.G. 693(1997)153
- Chen, H., Manouilov, K.K., Chu, C.K., Schinazi, R.F., McClure, H.M. and Boudinot, F.D.
High-performance liquid chromatographic determination of (-)- β -D-2-aminopurine dioxolane and (-)- β -D-2-amino-6-chloropurine dioxolane, and their metabolite (-)- β -D-dioxolane guanine in monkey serum, urine and cerebrospinal fluid 691(1997)425
- Chen, H., Xu, Y., Van Lente, F. and Ip, M.P.C.
Indirect ultraviolet detection of biologically relevant organic acids by capillary electrophoresis 679(1996)49
- Chen, H.-Y., see Xu, D.-K. 694(1997)461
- Chen, K.-C., see Tsai, T.-R. 678(1996)151
- Chen, S.-H., Qian, M., Brennan, J.M. and Gallo, J.M.
Determination of antisense phosphorothioate oligonucleotides and catabolites in biological fluids and tissue extracts using anion-exchange high-performance liquid chromatography and capillary gel electrophoresis 692(1997)43
- Chen, T.-L., see Su, H. 695(1997)401
- Chen, X., see He, X. 681(1996)412
- Chen, X.B., Pagella, J.H., Bakker, M.L. and Parra, O.
Determination of aromatic metabolites in ruminant urine by high-performance liquid chromatography 682(1996)201
- Chen, Y.-K., see Liu, C.-M. 696(1997)298
- Cheng, F.-C., Shih, Y., Liang, Y.-J., Yang, L.-L. and Yang, C.-S.
New dual electrochemical detector for microbore liquid chromatography. Determination of dopamine and serotonin in rat striatum dialysates 682(1996)195
- Cherkaoui, S., Mateus, L., Christen, P. and Veuthey, J.-L.
Development and validation of a capillary zone electrophoresis method for the determination of atropine, homatropine and scopolamine in ophthalmic solutions 696(1997)283
- Chervet, J.-P., see Vissers, J.P.C. 686(1996)119
- Cheung, S., Nolte, H., Otton, S.V., Tyndale, R.F., Wu, P.H. and Sellers, E.M.
Simultaneous gas chromatographic determination of methamphetamine, amphetamine and their *p*-hydroxylated metabolites in plasma and urine 690(1997)77
- Chiang, P.-S., see Ho, S.-T. 678(1996)289
- Chiap, P., see Ceccato, A. 698(1997)161
- Chiba, K., see Tanaka, M. 676(1996)87
- Chikhi-Chorfi, N., see Pham-Huy, C. 700(1997)155
- Childs, K.F., Ning, X.-H. and Bolling, S.F.
Simultaneous detection of nucleotides, nucleosides and oxidative metabolites in myocardial biopsies 678(1996)181
- Ching, M.S., see Haritos, V.S. 693(1997)327
- Chittur, S.V. and Tracy, T.S.
Rapid and sensitive high-performance liquid chromatographic assay for 6-hydroxychlorzoxazone and chlorzoxazone in liver microsomes 693(1997)479
- Chiu, F.C.K., Damani, L.A., Li, R.C. and Tomlinson, B.
Efficient high-performance liquid chromatographic assay for the simultaneous determination of metoprolol and two main metabolites in human urine by solid-phase extraction and fluorescence detection 696(1997)69
- Chiu, F.C.K. and Raymond, K.
Validated assay for the determination of celiprolol in plasma using high-performance liquid chromatography and a silanol deactivated reversed-phase support 687(1996)462
- Chiu, F.C.K., Zhang, J.N., Li, R.C. and Raymond, K.
Efficient assay for the determination of atenolol in human plasma and urine by high-performance liquid chromatography with fluorescence detection 691(1997)473
- Chiu, H., see Chen, A.G. 693(1997)153
- Chmelík, J., see Urbánková, E. 687(1996)449
- Chmurzyński, L.
High-performance liquid chromatographic determination of quinine in rat biological fluids 693(1997)423
- Cho, B.-Y., see Krull, I.S. 699(1997)173
- Cho, B.-Y., Strong, R., Fate, G. and Krull, I.S.
High-performance capillary electrophoresis of a fermentation-derived cyclic peptide analog, animal growth promoter 697(1997)163
- Cho, S.-C.
Facile analysis of ribonucleotides in D,L- α -difluoromethylornithine-treated mouse lymphoid cells by high-performance anion-exchange column chromatography 678(1996)344
- Choi, D., Kim, M. and Park, J.
Erythropoietin: physico- and biochemical analysis 687(1996)189
- Choi, H.-C., see Han, K.S. 696(1997)312
- Choi, Y.-J., Seo, M.-K., Kim, I.-C. and Lee, Y.-H.
High-performance liquid chromatographic assay of bromocriptine in plasma and eye tissue of the rabbit 694(1997)415
- Cholerton, S., see Monkman, S.C. 678(1996)360
- Chollet, D., Castella, E., Combe, P. and Arnera, V.
High-speed liquid chromatographic method for the monitoring of carbamazepine and its active metabolite, carbamazepine-10,11-epoxide, in human plasma 683(1996)237
- Choquette, S., see Nackerdien, Z. 683(1996)91

- Chou, C.-J., see Tsai, T.-H. 681(1996)277
- Chou, S.-T., see Yang, C.-S. 693(1997)257
- Christen, P., see Cherkaoui, S. 696(1997)233
- Christensen, E., see Nadelmann, L. 695(1997)389
- Chroust, K., see Glatz, Z. 688(1997)239
- Chrystyn, H., see Aswania, O.A. 690(1997)373
- Chrystyn, H., see Corlett, S.A. 682(1996)337
- Chu, C.K., see Chen, H. 691(1997)425
- Chu, G., see Hwang, B.J. 686(1996)165
- Chu, Q., Evans, B.T. and Zeece, M.G.
Quantitative separation of 4-hydroxyproline from skeletal muscle collagen by micellar electrokinetic capillary electrophoresis 692(1997)293
- Chul Chung, B., see Won Suh, J. 688(1997)179
- Chung, B.C., see Kim, T. 687(1996)79
- Churáček, J., see Bílková, Z. 689(1997)273
- Church, W.H., Lee, C.S. and Dranchak, K.M.
Capillary electrophoresis of glutamate and aspartate in rat brain dialysate. Improvements in detection and analysis time using cyclodextrins 700(1997)67
- Cifuentes, A., Poppe, H., Kraak, J.C. and Erim, F.B.
Selectivity change in the separation of proteins and peptides by capillary electrophoresis using high-molecular-mass polyethyleneimine 681(1996)21
- Cirimele, V., see Kintz, P. 677(1996)241
- Cirimele, V., Kintz, P. and Ludes, B.
Screening for forensically relevant benzodiazepines in human hair by gas chromatography–negative ion chemical ionization-mass spectrometry 700(1997)119
- Classen, H.-G., see Schieber, A. 691(1997)1
- Claude, J.-R., see Pham-Huy, C. 700(1997)155
- Clausing, P., Rushing, L.G., Newport, G.D. and Bowyer, J.F.
Determination of *D*-fenfluramine, *D*-norfenfluramine and fluoxetine in plasma, brain tissue and brain microdialysate using high-performance liquid chromatography after precolumn derivatization with dansyl chloride 692(1997)419
- Clement, E.M., see Franklin, M. 681(1996)416
- Clothier, Jr, J.G., Daley, L.M. and Tornellini, S.A.
Effects of bile salt structure on chiral separations with mixed micelles of bile salts and polyoxyethylene ethers using micellar electrokinetic capillary chromatography 683(1996)37
- Cociglio, M., Brandissou, S., Alric, R. and Bressolle, F.
High-performance liquid chromatographic determination of fluconazole in plasma 686(1996)11
- Cociglio, M., Hillaire-Buys, D. and Alric, R.
Prevalidation statistical design to assess analytical methods. Example of a quick liquid chromatographic assay of itraconazole in serum 698(1997)225
- Cockerill, G.S., see Ashton, D.S. 677(1996)194
- Cohen, S., see Krull, I.S. 699(1997)173
- Coleman, N.L., see Farid, N.A. 691(1997)212
- Colemonts, Y., see Delahaut, Ph. 696(1997)203
- Colivicchi, M.A., see Bianchi, L. 694(1997)359
- Collombel, C., see Steghens, J.-P. 694(1997)71
- Colombi, A., see Buratti, M. 677(1996)257
- Combe, P., see Chollet, D. 683(1996)237
- Comby, F., see Rousseau, A. 693(1997)93
- Commandeur, J.N.M., see De Rooij, B.M. 685(1996)241
- Commandeur, J.N.M., see De Zwart, L.L. 694(1997)277
- Compadre, C.M., see Logsdon, T.W. 692(1997)472
- Compagnon, P., Thiberville, L., Moore, N., Thuillez, C. and Lacroix, C.
Simple high-performance liquid chromatographic method for the quantitation of 5-fluorouracil in human plasma 677(1996)380
- Compas, D., Touw, D.J. and de Goede, P.N.F.C.
Rapid method for the analysis of itraconazole and hydroxyitraconazole in serum by high-performance liquid chromatography 687(1996)453
- Cone, E.J., see Garside, D. 692(1997)61
- Congpuong, K., see Karbwang, J. 690(1997)259
- Constanzer, M.L., see Chavez-Eng, C.M. 691(1997)77
- Constanzer, M.L., Chavez-Eng, C.M. and Matuszewski, B.K.
Determination of a novel growth hormone secretagogue (MK-677) in human plasma at picogram levels by liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 693(1997)131
- Constanzer, M.L., Chavez, C.M., Matuszewski, B.K., Carlin, J. and Graham, D.
Low level determination of a novel 4-azasteroid and its carboxylic acid metabolite in human plasma and semen using high-performance liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 693(1997)117
- Conti, M., see Righetti, P.G. 699(1997)91
- Cooke, D.T., see Hernández, L.E. 680(1996)171
- Cooney, C.A., see Wise, C.K. 696(1997)145
- Cooper, J.D.H., Shearsby, N. and Fook Sheung, C.T.C.
Use of the ASTED system to determine L-N^G-monomethylarginine (546C88) in human plasma by pre-column *o*-phthalaldehyde derivatisation and high-performance liquid chromatography 696(1997)117
- Cooper, J.D.H., Thadwal, R. and Cooper, M.J.
Determination of vitamin E in human plasma by high-performance liquid chromatography 690(1997)355
- Cooper, M.J., see Cooper, J.D.H. 690(1997)355
- Cooper, S., see Borenstein, M.R. 685(1996)59
- Cooper, T.B., see Xie, S. 677(1996)37
- Copper, M.P., see Teerlink, T. 694(1997)83
- Coppet, L., see Bonierbale, E. 688(1997)255
- Corlett, S.A., see Aswania, O.A. 690(1997)373
- Corlett, S.A. and Chrystyn, H.
High-performance liquid chromatographic determination of the enantiomers of cyclophosphamide in serum 682(1996)337
- Corradini, D.
Buffer additives other than the surfactant sodium dodecyl sulfate for protein separations by capillary electrophoresis 699(1997)221
- Cortés, R., see Soriano, C. 687(1996)183
- Costa, C.A., Trivelato, C.G., Demasi, M. and Bechara, E.J.H.
Determination of 5-aminolevulinic acid in blood plasma, tissues and cell cultures by high-performance liquid chromatography with electrochemical detection 695(1997)245
- Cottalasso, D., see Santori, G. 695(1997)427

- Couper, F.J. and Drummer, O.H.
Gas chromatographic–mass spectrometric determination of β_2 -agonists in postmortem blood: application in forensic medicine 685(1996)265
- Courtney, B.C., see Asermely, K.E. 695(1997)67
- Coutts, R.T., see Fang, J. 682(1996)283
- Coutts, R.T., see Urlichuk, L.J. 698(1997)103
- Cowan, D., see Bruunshuus, I. 687(1996)157
- Cox, C. and Que Hee, S.S.
Synthesis of 2-thiothiazolidine-4-carboxylic acid and its chromatography in rat and human urine 679(1996)85
- Cramer, H., see Rissler, K. 698(1997)17
- Cramers, C.A., see Vissers, J.P.C. 686(1996)119
- Crane, J.N., see Tran, T.C. 690(1997)35
- Crankshaw, D.P., see Jones, D.J. 694(1997)467
- Crawford, S.M., see Barker, I.K. 681(1996)323
- Crockett, D.F., see Mulligan, K.J. 686(1996)85
- Crommen, J., see Ceccato, A. 698(1997)161
- Crooks, S.R.H., Elliott, C.T., Thompson, C.S. and McCaughey, W.J.
Comparison and evaluation of the specificity and binding capacity of commercial and in house affinity columns used in sample preparation for analysis of growth-promoting drugs 690(1997)161
- Cross, S.E., see Thompson, M.J. 677(1996)117
- Croubels, S.M., Vanoosthuize, K.E.I. and Van Peteghem, C.H.
Use of metal chelate affinity chromatography and membrane-based ion-exchange as clean-up procedure for trace residue analysis of tetracyclines in animal tissues and egg 690(1997)173
- Cruze, C.A., see Eichhold, T.H. 698(1997)147
- Cruze, C.A., see Knight, P.M. 700(1997)111
- Cserhádi, T., see Forgács, E. 681(1996)197
- Cserhádi, T. and Forgács, E.
Effect of β -cyclodextrin derivatives on the retention of steroidal drugs 681(1996)205
- Cserhádi, T., see Novaković, J. 681(1996)115
- Cui, J.-F., Björkhem, I. and Eneroth, P.
Gas chromatographic–mass spectrometric determination of 20(S)-protopanaxadiol and 20(S)-protopanaxatriol for study on human urinary excretion of ginsenosides after ingestion of ginseng preparations 689(1997)349
- Cummings, J., see MacCallum, J. 678(1996)317
- Cummings, J., see MacCallum, J. 698(1997)269
- Cummings, J., Meikle, I., Macpherson, J.S. and Smyth, J.F.
Determination of the novel topoisomerase I inhibitor NU/ICRF 505 and its major metabolite in plasma, tissue and tumour by high-performance liquid chromatography 685(1996)159
- Cummins, C.L., O'Neil, W.M., Soo, E.C., Lloyd, D.K. and Wainer, I.W.
Determination of *p*-aminosalicylic acid and its *N*-acetylated metabolite in human urine by capillary zone electrophoresis as a measure of in vivo *N*-acetyltransferase 1 activity 697(1997)283
- Cummins, M.T. and Wells, R.J.
In situ derivatisation and extraction of volatile fatty acids entrapped on anion-exchange resin from aqueous solutions and urine as a test matrix using pentafluorobenzyl bromide in supercritical carbon dioxide 694(1997)11
- Cundy, K.C., see Eisenberg, E.J. 679(1996)119
- Cuniberti, L.A., see Masnatta, L.D. 687(1996)437
- Cunningham, M.L., see Sanders, J.M. 695(1997)181
- Curatolo, M., see Sangiorgi, E. 693(1997)468
- Curti, S., see Longo, A. 686(1996)129
- Cutlip, R.C., see Schmerr, M.J. 697(1997)223
- Cutlip, R.C., see Schmerr, M.J. 681(1996)29
- Cwik, M., see Lu, J. 695(1997)329
- Cwik, M.J., Liang, M., Deyo, K., Andrews, C. and Fischer, J.
Simultaneous rapid high-performance liquid chromatographic determination of phenytoin and its prodrug, fosphenytoin in human plasma and ultrafiltrate 693(1997)407
- ## D
- Dai, W.W., see Berger, B.J. 691(1997)433
- Dailly, P., see Dehennin, L. 687(1996)85
- Daldrup, Th., see Musshoff, F. 683(1996)163
- Dale, C.J., see Walker, S.G. 680(1996)91
- Daley, L.M., see Clothier, Jr, J.G. 683(1996)37
- Damani, L.A., see Chiu, F.C.K. 696(1997)69
- Daniels, V.L., see Wu, E.Y. 695(1997)373
- Danielson, N.D., see Bao, J.J. 699(1997)481
- Darius, J.
On-column gas chromatographic-mass spectrometric assay for metabolic profiling of valproate in brain tissue and serum 682(1996)67
- Dasgupta, A., Blackwell, W. and Burns, E.
Gas chromatographic–mass spectrometric identification and quantitation of urinary phenols after derivatization with 4-carbethoxyhexafluorobutryl chloride, a novel derivative 689(1997)415
- Dasgupta, A. and Hart, A.P.
Lamotrigine analysis in plasma by gas chromatography–mass spectrometry after conversion to a *tert*-butyldimethylsilyl derivative 693(1997)101
- Daud, W.R.W., see Myint, S. 679(1996)193
- Dautraix, S., see Bencheikroun, Y. 688(1997)245
- Dautraix, S., see Guitton, J. 693(1997)59
- Davankov, V.A., Pavlova, L.A., Tsyurupa, M.P. and Tur, D.R.
Novel polymeric solid-phase extraction material for complex biological matrices. Portable and disposable artificial kidney 689(1997)117
- Davatz, A., see Francotte, E. 686(1996)77
- Davey, M.W., Bauw, G. and Van Montagu, M.
Simultaneous high-performance capillary electrophoresis analysis of the reduced and oxidised forms of ascorbate and glutathione 697(1997)269
- David, M., see Sanwald, P. 678(1996)53
- Davies, D.S., see Adams, D.A. 693(1997)345

- Davies, N.M.
Methods of analysis of chiral non-steroidal anti-inflammatory drugs 691(1997)229
- Davis, A.T., see Pauw, J.D. 685(1996)171
- Davis, B.A., see Durden, D.A. 689(1997)165
- Davis, J.J., see Puchala, R. 685(1996)375
- Davis, T.M.E., see Batty, K.T. 677(1996)345
- Dawson, L.A.
Capillary electrophoresis and microdialysis: current technology and applications (Review) 697(1997)89
- Dawson, L.A., Stow, J.M. and Palmer, A.M.
Improved method for the measurement of glutamate and aspartate using capillary electrophoresis with laser induced fluorescence detection and its application to brain microdialysis 694(1997)455
- Dawson, M., see Fryirs, B. 693(1997)51
- Dawson, M., see Fryirs, B. 688(1997)79
- Dawson, M., see Fryirs, B. 695(1997)448
- De Abreu, R.A., see Keuzenkamp-Jansen, C.W. 678(1996)15
- Dean, R.A., see Vollmer, P.A. 685(1996)379
- De Backer, P., see Delbeke, F.T. 687(1996)247
- De Backer, P., see Santos, M.D.F. 682(1995)301
- De Battisti, Z., see Tagliaro, F. 685(1996)165
- De Battisti, Z., see Tagliaro, F. 689(1997)261
- Debordes, L., see Bonierbale, E. 688(1997)255
- De Bruijn, P., Verweij, J., Loos, W.J., Nooter, K., Stoter, G. and Sparreboom, A.
Determination of irinotecan (CPT-11) and its active metabolite SN-38 in human plasma by reversed-phase high-performance liquid chromatography with fluorescence detection 698(1997)277
- DeCaprio, A.P., see Zhu, M. 688(1997)187
- De Cazanove, F., Kinowski, J.-M., Audran, M., Rochette, A. and Bressolle, F.
Determination of nalbuphine in human plasma by high-performance liquid chromatography with electrochemical detection. Application to a pharmacokinetic study 690(1997)203
- Deckwer, W.-D., see Petsch, D. 693(1997)79
- De Fabo, E.C., see Phillips, T.M. 697(1997)101
- De Fluiter, P., see Jansen, E.H.J.M. 684(1996)133
- Degen, P.H., see Flesch, G. 696(1997)123
- Degen, P.H., see Mansor, S.M. 682(1996)321
- Degen, P.H. and Zbinden, P.
Automated quantitative determination of a new polyamine biosynthesis inhibitor (CGP 48 664) and a potential metabolite in human and animal plasma by high-performance liquid chromatography 681(1996)339
- De Goede, P.N.F.C., see Compas, D. 687(1996)453
- De Graeve, J., see Delahaut, Ph. 696(1997)203
- Dehennin, L., Lafarge, P., Bailloux, D., Dailly, P. and Lafarge, J.-P.
Combined profile of androgen glucuro- and sulfoconjugates in post-competition urine of sportsmen: a simple screening procedure using gas chromatography–mass spectrometry 687(1996)85
- Dehnen, W., see Einig, T. 687(1996)379
- De Hoog, E., see Dorhout, B. 700(1997)23
- Dehpour, A.R., see Amanlou, M. 696(1997)317
- De Jong, A., see Barroso, M.B. 690(1997)105
- De Jonge, L.H. and Breuer, M.
Evaluation of systematic errors due to deproteinization, calibration and storage of plasma for amino acid assay by ion-exchange chromatography 677(1996)61
- De la Torre, R., see Hemmersbach, P. 687(1996)221
- De la Vieja, A., Calero, M., Santisteban, P. and Lamas, L.
Identification and quantitation of iodotyrosines and iodothyronines in proteins using high-performance liquid chromatography by photodiode-array ultraviolet-visible detection 688(1997)143
- Delahaut, P., see Schänzer, W. 687(1996)93
- Delahaut, Ph., Jacquemin, P., Colemonts, Y., Dubois, M., De Graeve, J. and Deluyker, H.
Quantitative determination of several synthetic corticosteroids by gas chromatography–mass spectrometry after purification by immunoaffinity chromatography 696(1997)203
- Delbeke, F.T. and De Backer, P.
Threshold level for theophylline in doping analysis 687(1996)247
- De Leenheer, A.P., see Lambert, W.E. 689(1997)45
- Delgado, C., Malmsten, M. and Van Alstine, J.M.
Analytical partitioning of poly(ethylene glycol)-modified proteins 692(1997)263
- Della Corte, L., see Bianchi, L. 694(1997)359
- Dellacherie, E., see Görner, T. 694(1997)39
- Del Rio, S.A., see Belgrader, P. 683(1996)109
- DeLuca, P.P., see Lee, K.C. 694(1997)31
- Deluyker, H., see Delahaut, Ph. 696(1997)203
- Demasi, M., see Costa, C.A. 695(1997)245
- Demetriades, J.L., see DePuy, M.E. 700(1997)165
- Den Hartigh, J., see Sparidans, R.W. 696(1997)137
- Deng, Y., Maruyama, W., Kawai, M., Dostert, P., Yamamura, H., Takahashi, T. and Naoi, M.
Assay for the (*R*)- and (*S*)-enantiomers of salsolinols in biological samples and foods with ion-pair high-performance liquid chromatography using β -cyclodextrin as a chiral mobile phase additive 689(1997)313
- Dengler, H.J., see Paar, W.D. 686(1996)221
- Denizli, A., see Kocakulak, M. 693(1997)271
- Denizli, A., Salih, B., Kavakli, C. and Pişkin, E.
Dye-incorporated poly(EGDMA–HEMA) microspheres as specific sorbents for aluminum removal 698(1997)89
- Denton, K.A. and Tate, S.A.
Capillary electrophoresis of recombinant proteins 697(1997)111
- De Nucci, G., see Muscará, M.N. 686(1996)157
- Dépôt, M., Leroux, S. and Caillé, G.
High-resolution liquid chromatographic method using ultraviolet detection for determination of ondansetron in human plasma 693(1997)399
- DePuy, M.E., Demetriades, J.L., Musson, D.G. and Rogers, J.D.
Stereoselective determination of *R*-(+)- and *S*-(-)-remoxipride, a dopamine D_2 -receptor antagonist, in human plasma by chiral high-performance liquid chromatography 700(1997)165

- D'Eramo, J.L., Somoza, G.M., Stefano, A., Canosa, L.F. and Fridman, O.
Rapid separation of gonadotropin-releasing hormone molecular forms by isocratic high-performance liquid chromatography on an ion-exchange column 682(1996)219
- De Rooij, B.M., Commandeur, J.N.M., Ramcharan, J.R., Schuilenburg, H.C.P., Van Baar, B.L.M. and Vermeulen, N.P.E.
Identification and quantitative determination of 3-chloro-2-hydroxypropylmercapturic acid and α -chlorohydrin in urine of rats treated with epichlorohydrin 685(1996)241
- Deruaz, D., see Elbast, W. 686(1996)97
- Deruaz, D., see Elbast, W. 690(1997)115
- Désage, M., see Benckekroun, Y. 688(1997)245
- Desage, M., see Elbast, W. 686(1996)97
- Désage, M., see Guitton, J. 693(1997)59
- Désage, M., Schaal, B., Soubeyrand, J., Orgeur, P. and Brazier, J.-L.
Gas chromatographic-mass spectrometric method to characterise the transfer of dietary odorous compounds into plasma and milk 678(1996)205
- Desager, J.P., see Leclercq, I. 681(1996)227
- De Schepper, P.J., see Verbesselt, R. 683(1996)231
- Desideri, S., see Blandini, F. 700(1997)278
- Desiderio, D.M., see Grigoriants, O.O. 695(1997)287
- Desiderio, D.M., see Lee, H.G. 691(1997)67
- Dessaint, C., see Laboureau, E. 680(1996)189
- Destá, Z., see Kerbusch, T. 694(1997)163
- Deutsch, J.C.
Determination of *p*-hydroxyphenylpyruvate, *p*-hydroxyphenyllactate and tyrosine in normal human plasma by gas chromatography-mass spectrometry isotope-dilution assay 690(1997)1
- Deutsch, J.C. and Santhosh-Kumar, C.R.
Quantitation of homogentisic acid in normal human plasma 677(1996)147
- Deutz, N.E.P., see Van Eijk, H.M.H. 691(1997)287
- Devaney, J.M., see Belgrader, P. 683(1996)109
- Devarajan, P.V., see Bhogte, C.P. 694(1997)443
- Devarajan, P.V., see Dhavse, V.V. 694(1997)449
- Devarajan, P.V., see Save, T.K. 690(1997)315
- Deyl, Z., see Mikšík, I. 699(1997)311
- Deyl, Z. and Mikšík, I.
Post-translational non-enzymatic modification of proteins. I. Chromatography of marker adducts with special emphasis to glycation reactions 699(1997)287
- Deyl, Z., see Novotná, J. 681(1996)77
- Deyl, Z., Novotná, J., Mikšík, I., Jelínková, D., Uhrová, M. and Suchánek, M.
Quantitation of collagen types I, III and V in tissue slices by capillary electrophoresis after cyanogen bromide solubilization 689(1997)181
- Deyl, Z., see Uhrová, M. 681(1996)99
- Deyl, Z., see Vomastová, L. 681(1996)107
- Deyo, K., see Cwik, M.J. 693(1997)407
- De Zeeuw, D., see Haas, M. 693(1997)484
- De Zeeuw, D., see Kok, R.J. 693(1997)181
- De Zeeuw, R.A.
Drug screening in biological fluids. The need for a systematic approach 689(1997)71
- DeZwaan, J., see Scholl, J.P. 695(1997)147
- De Zwart, L.L., Venhorst, J., Groot, M., Commandeur, J.N.M., Hermanns, R.C.A., Meerman, J.H.M., Van Baar, B.L.M. and Vermeulen, N.P.E.
Simultaneous determination of eight lipid peroxidation degradation products in urine of rats treated with carbon tetrachloride using gas chromatography with electron-capture detection 694(1997)277
- Dhavse, V.V., Parmar, D.V. and Devarajan, P.V.
High-performance thin-layer chromatographic determination of flurbiprofen in plasma 694(1997)449
- Diasio, R.B., see Johnson, M.R. 696(1997)183
- Diasio, R.B., see Yan, J. 690(1997)295
- Di Bella, M., see Anselmi, S. 681(1996)83
- Dickerson, R.N., see Kuhl, D.A. 681(1996)390
- Diefenbach, C., see Biederick, W. 685(1996)315
- Di Eugenio, P., see Lämmerhofer, M. 689(1997)123
- Dijkstra, D., see Haas, M. 693(1997)484
- Dills, R.L. and Shen, D.D.
Methods to reduce background interferences in electron-capture gas chromatographic analysis of valproic acid and its unsaturated metabolites after derivatization with pentafluorobenzyl bromide 690(1997)139
- Dimitrova, B., Poyrè, M., Guiso, G., Badiali, A. and Caccia, S.
Isocratic reversed-phase liquid chromatography of all-*trans*-retinoic acid and its major metabolites in new potential supplementary test systems for developmental toxicology 681(1996)153
- Diquet, B., see Aymard, G. 700(1997)183
- Dirmhofer, R., see Miki, A. 692(1997)319
- Disdier, B., Bun, H., Catalin, J. and Durand, A.
Simultaneous determination of all-*trans*-, 13-*cis*-, 9-*cis*-retinoic acid and their 4-oxo-metabolites in plasma by high-performance liquid chromatography 683(1996)143
- Dixon, J.M., see MacCallum, J. 678(1996)317
- Dixon, J.M., see MacCallum, J. 698(1997)269
- Dobbie, M.S. and Surtees, R.A.H.
Concentrations of quinolinic acid in cerebrospinal fluid measured by gas chromatography and electron-impact ionisation mass spectrometry. Age-related changes in a paediatric reference population 696(1997)53
- Dobson, R.L.M., see Eichhold, T.H. 698(1997)147
- Dohi, S., see Hayakawa, A. 698(1997)27
- Doisi, A., see Guyonnet, J. 679(1996)177
- Dollekamp, H., see Jellum, E. 683(1996)55
- Dollekamp, H., see Jellum, E. 689(1997)155
- Domenicotti, C., see Santori, G. 695(1997)427
- Donahue, E.P., see Venkatakrishnan, A. 676(1996)1
- Donker, M., see Sandrenan, N. 691(1997)145
- Döppenschmitt, S.A., Scheidel, B., Harrison, F. and Surmann, J.P.
Simultaneous determination of triamcinolone acetonide and hydrocortisone in human plasma by high-performance liquid chromatography 682(1996)79
- Doran, C.M., see Kolesar, J.M. 697(1997)189
- Dorhout, B., Kingma, A.W., de Hoog, E. and Muskiet, F.A.J.
Simultaneous determination of polyamines, *N*-acetylated polyamines and the polyamine analogues BE-3-3-3 and BE-4-4-4-4 by capillary gas chromatography with nitrogen-phosphorus detection 700(1997)23

- Doroshov, J.H., see Synold, T.W. 683(1996)245
- Dorr, R.T., see Dvorakova, K. 696(1997)275
- Dostert, P., see Deng, Y. 689(1997)313
- Dostert, P., see La Croix, R. 681(1996)185
- Dow, J., see Sanwald, P. 678(1996)53
- Dowrie, R.H., Ebling, W.F., Mandema, J.W. and Stanski, D.R.
High-performance liquid chromatographic assay of propofol in human and rat plasma and fourteen rat tissues using electrochemical detection 678(1996)279
- Dowty, H., see O'Connor, P. 700(1997)49
- Dranchak, K.M., see Church, W.H. 700(1997)67
- Dreossi, S.A.C., see Lanchote, V.L. 685(1996)281
- Drewe, J., Rufer, S., Huwyler, J. and Küsters, E.
High-performance liquid chromatographic method for an automated determination of local anaesthetics in human plasma 691(1997)105
- Drummer, O.H., see Couper, F.J. 685(1996)265
- Drzewoski, J., see Bald, E. 681(1996)283
- Dubois, J., see Bidouil, S. 693(1997)359
- Dubois, J., see Tassin, J.P. 691(1997)449
- Dubois, M., see Delahaut, Ph. 696(1997)203
- Ducatelle, R., see Santos, M.D.F. 682(1996)301
- Ducharme, J., Abdullah, S. and Wainer, I.W.
Dextromethorphan as an *in vivo* probe for the simultaneous determination of CYP2D6 and CYP3A activity 678(1996)113
- Ducharme, J. and Farinotti, R.
Rapid and simple method to determine chloroquine and its desethylated metabolites in human microsomes by high-performance liquid chromatography with fluorescence detection 698(1997)243
- Ducharme, J., Fernandez, C., Gimenez, F. and Farinotti, R.
Critical issues in chiral drug analysis in biological fluids by high-performance liquid chromatography 686(1996)65
- Duché, J.-C., see Hervé, F. 678(1996)1
- Dufek, P., see Hradec, J. 681(1996)55
- Dumas, M., see Enanga, B. 696(1997)261
- Duncan, G.F., see Marathe, P.H. 678(1996)269
- Duncan, G.F., see Mulvana, D.E. 682(1996)289
- Dunemann, L., see Einig, T. 687(1996)379
- Dunn, J.A. and Savina, P.M.
Validation of a high-performance liquid chromatographic-mass spectrometric method for the measurement of 5-chloro-2',3'-dideoxy-3'-fluorouridine (935U83) in human plasma 686(1996)241
- Dunnett, M.
High-performance liquid chromatographic determination of N- α -acetyl-L-carnosine in equine plasma 688(1997)150
- Dunnett, M. and Harris, R.C.
High-performance liquid chromatographic determination of imidazole dipeptides, histidine, 1-methylhistidine and 3-methylhistidine in equine and camel muscle and individual muscle fibres 688(1997)47
- Duprè, S., see Yu, S. 698(1997)301
- Dupuy, J.L., see Hoja, H. 688(1997)275
- Dupuy, J.-L., see Hoja, H. 692(1997)329
- Durand, A., see Disdier, B. 683(1996)143
- Durden, D.A., Davis, B.A. and Boulton, A.A.
Enantioselective gas chromatographic assay of 2-alkylamines using N-(trifluoroacetyl)propyl derivatives and a chiral capillary column 689(1997)165
- Dutruch, L., see Guitton, J. 693(1997)59
- Dvorakova, K., Dorr, R.T., Gallegos, A., McClure, T. and Powis, G.
Pharmacokinetic studies of the herbicide and antitumor compound oryzalin in mice 696(1997)275
- Dwivedi, A.K., Kulkarni, D. and Singh, S.
Sensitive high-performance liquid chromatographic assay method for the determination of picoside I in plasma 698(1997)317
- Dyne, K.M., see Grimm, R. 698(1997)47
- Dyne, K.M., see Zanaboni, G. 683(1996)97
- Dyne, K.M., see Zanaboni, G. 695(1997)77
- Dyr, J.E., see Fořtová, H. 694(1997)49
- Dyroff, M., see Bock, M.J.H. 700(1997)131
- Dyroff, M.C., see Xin Gao, C. 695(1997)299
- Dzeletović, S., see Olsson, N.U. 698(1997)1

E

- Eap, C.B. and Baumann, P.
Analytical methods for the quantitative determination of selective serotonin reuptake inhibitors for therapeutic drug monitoring purposes in patients 686(1996)51
- Eap, C.B., Gaillard, N., Powell, K. and Baumann, P.
Simultaneous determination of plasma levels of fluvoxamine and of the enantiomers of fluoxetine and norfluoxetine by gas chromatography-mass spectrometry 682(1996)265
- Eap, C.B., see Hervé, F. 678(1996)1
- Ebert, U., see Oertel, R. 682(1996)259
- Ebete, K.O. and Koundourellis, J.E.
Determination of diphenylpyraline in plasma and urine by high-performance liquid chromatography 677(1996)319
- Ebinger, G., see Thorré, K. 694(1997)297
- Ebling, W.F., see Dowrie, R.H. 678(1996)279
- Edelbroek, P.M., see Saris, L.A. 691(1997)409
- Edholm, L.-E., see Pálmarsdóttir, S. 688(1997)127
- Eertman, R.H.M., see Sandee, B. 685(1996)176
- Egestad, B., Green, G., Sjöberg, P., Klasson-Wehler, E. and Gustafsson, J.
Chromatographic fractionation and analysis by mass spectrometry of conjugated metabolites of bis(2-ethylhexyl)phthalate in urine 677(1996)99
- Egge, H., see Kunz, C. 685(1996)211
- Egginger, G., see Fernandez, C. 677(1996)363
- Eguchi, N., see Hiraoka, A. 697(1997)141
- Ehnholm, C., see Uusi-Oukari, M. 682(1996)233

- Eibl, M.M., see Leibl, H. 678(1996)173
- Eichelbaum, M., see Bohnenstengel, F. 692(1997)163
- Eichhold, T.H., Quijano, M., Seibel, W.L., Cruze, C.A., Dobson, R.L.M. and Wehmeyer, K.R.
Highly sensitive high-performance liquid chromatographic-tandem mass spectrometric method for the analysis of dextromethorphan in human plasma 698(1997)147
- Einig, T., Dunemann, L. and Dehnen, W.
Sensitive gas chromatographic method for determination of mercapturic acids in human urine 687(1996)379
- Eisenberg, E.J. and Cundy, K.C.
High-performance liquid chromatographic determination of cytosine-containing compounds by precolumn fluorescence derivatization with phenacyl bromide: application to antiviral nucleosides and nucleotides 679(1996)119
- Eisenhofer, G., see Hooper, D. 694(1997)317
- Eitel, J., see Mueller, H.W. 678(1996)137
- Elbast, W., Besacier, F., Deruaz, D. and Brazier, J.L.
Gas chromatography-atomic emission detection for the measurement of isotopes. Application to bioequivalence studies 690(1997)115
- Elbast, W., Guitton, J., Desage, M., Deruaz, D., Manchon, M. and Brazier, J.L.
Comparison between gas chromatography-atomic emission detection and gas chromatography-mass spectrometry for the assay of propofol 686(1996)97
- Elfort, H.L., see Vielnascher, E. 696(1997)267
- Elgey, J., see Altria, K.D. 686(1996)111
- Elghazi, K., see Yap, B.K. 687(1996)117
- Elkhaïli, H., Linger, L., Monteil, H. and Jehl, F.
High-performance liquid chromatographic assay for cefepime in serum 690(1997)181
- Elkhaïli, H., Niedergang, S., Pompei, D., Linger, L., Leveque, D. and Jehl, F.
High-performance liquid chromatographic assay for meropenem in serum 686(1996)19
- Elliott, C.T., see Crooks, S.R.H. 690(1997)161
- Elliott, H.G., see Elliott, M.A. 688(1997)229
- Elliott, M.A., Elliott, H.G., Gallagher, K., McGuire, J., Field, M. and Smith, K.D.
Investigation into the Concanavalin A reactivity, fucosylation and oligosaccharide microheterogeneity of α_1 -acid glycoprotein expressed in the sera of patients with rheumatoid arthritis 688(1997)229
- Elliott, S.P. and Hale, K.A.
Development of a high-performance liquid chromatography retention index scale for toxicological drug screening 694(1997)99
- Ellis, J.S., see Monkman, S.C. 678(1996)360
- Elo, H., see Koskinen, M. 685(1996)141
- Elsinga, P.H., see van Waarde, A. 678(1996)253
- El-Waziry, A.M., Tomita, Y., Ling, J.R. and Onodera, R.
Measurement of total and separate stereoisomers of diaminopimelic acid in rumen bacteria by high-performance liquid chromatography 677(1996)53
- El-Yazigi, A. and Legayada, E.
Direct liquid chromatographic micro-measurement of tamoxifen in plasma of cancer patients 691(1997)457
- Elzinga, L., see Van Kuilenburg, A.B.P. 693(1997)287
- Emanuelli, M., Raffaelli, N., Amici, A., Fanelli, M., Ruggieri, S. and Magni, G.
Three-minute high-performance liquid chromatographic assay for NMN adenylyltransferase using a 20-mm-long reversed-phase column 676(1996)13
- Embree, L., see Heggie, J.R. 692(1997)437
- Enanga, B., Labat, C., Boudra, H., Chauvière, G., Keita, M., Bouteille, B., Dumas, M. and Houin, G.
Simple high-performance liquid chromatographic method to analyse megazol in human and rat plasma 696(1997)261
- Endo, T., Miyagi, M. and Ujiie, A.
Simultaneous determination of glycyl-L-histidyl-L-lysine and its metabolite, L-histidyl-L-lysine, in rat plasma by high-performance liquid chromatography with post-column derivatization 692(1997)37
- Eneroeth, P., see Cui, J.-F. 689(1997)349
- Engel, G., Hofmann, U. and Kroemer, H.K.
Prediction of CYP2D6-mediated polymorphic drug metabolism (sparteine type) based on in vitro investigations 678(1996)93
- Engel, J., see Paris, S. 691(1997)463
- Engelmann, P., see Rissler, K. 679(1996)21
- Engelmann, P., see Rissler, K. 698(1997)17
- Ensslin, H., see Pisternick, W. 688(1997)63
- Ensslin, H.K., Kovar, K.-A. and Maurer, H.H.
Toxicological detection of the designer drug 3,4-methylenedioxyethylamphetamine (MDE, "Eve") and its metabolites in urine by gas chromatography-mass spectrometry and fluorescence polarization immunoassay 683(1996)189
- Era, S., see Hayakawa, A. 698(1997)27
- Erah, P.O., Barrett, D.A. and Shaw, P.N.
Ion-pair high-performance liquid chromatographic assay method for the assessment of clarithromycin stability in aqueous solution and in gastric juice 682(1996)73
- Ercal, N., Oztezcan, S., Hammond, T.C., Matthews, R.H. and Spitz, D.R.
High-performance liquid chromatography assay for *N*-acetylcysteine in biological samples following derivatization with *N*-(1-pyrenyl)maleimide 685(1996)329
- Erdin, R., see Timm, U. 691(1997)397
- Erdin, R., see Zell, M. 694(1997)135
- Erickson, N.B., see Vollmer, P.A. 685(1996)370
- Ericsson, Ö., Schweda, E.K.H., Bronner, U., Rombo, L., Fridén, M. and Gustafsson, L.L.
Determination of melarsoprol in biological fluids by high-performance liquid chromatography and characterisation of two stereoisomers by nuclear magnetic resonance spectroscopy 690(1997)243
- Eriguchi, Y., see Shibusawa, Y. 696(1997)25
- Eriksson, K. and Levin, J.-O.
Gas chromatographic-mass spectrometric identification of metabolites from α -pinene in human urine after occupational exposure to sawing fumes 677(1996)85
- Erim, F.B., see Cifuentes, A. 681(1996)21
- Ervik, M., see Fakt, C. 700(1997)93
- Esmaeli-Azad, B., see George, K.S. 695(1997)93
- Esmail Tabibi, S., see Ikechukwu Ezennia, E. 688(1997)354
- Esmans, E.L., see Witters, E. 694(1997)55

- Essien, H., Lai, S.J., Binder, S.R. and King, D.L.
Use of direct-probe mass spectrometry as a toxicology confirmation method for demoxepam in urine following high-performance liquid chromatography 683(1996)199
- Esteve, M.J., Farré, R., Frigola, A. and Garcia-Cantabella, J.M.
Determination of ascorbic and dehydroascorbic acids in blood plasma and serum by liquid chromatography 688(1997)345
- Eto, S., see Ono, Y. 677(1996)339
- Eto, S., Tanaka, N., Noda, H. and Noda, A.
Chiral separation of 10,11-dihydro-10,11-*trans*-dihydroxycarbamazepine, a metabolite of carbamazepine with two asymmetric carbons, in human serum 677(1996)325
- Eulitz, K., see Simat, T. 685(1996)41
- Evangelista Dyr, J. and Suttnar, J.
Separation used for purification of recombinant proteins 699(1997)383
- Evans, B.T., see Chu, Q. 692(1997)293
- F**
- Facchina, S., see Abdelrahim, M. 696(1997)175
- Fähr, S., see Bringmann, G. 687(1996)337
- Faigle, J.W., see Blum, W. 685(1996)257
- Fairbanks, L.D., see Adam, T. 698(1997)308
- Fakhry, I., see Farthing, D. 688(1997)350
- Fakt, C. and Ervik, M.
Determination of low levels of poly(ethylene glycol) 400 in plasma and urine by capillary gas chromatography–selected ion-monitoring mass spectrometry after solid-phase extraction 700(1997)93
- Fanelli, M., see Emanuelli, M. 676(1996)13
- Fang, J., Baker, G.B. and Coutts, R.T.
Determination of 4-(4-chlorophenyl)-4-hydroxypiperidine, a metabolite of haloperidol, by gas chromatography with electron-capture detection 682(1996)283
- Farah, N., see Steinberg, J.J. 694(1997)333
- Farid, N.A. and Coleman, N.L.
High-performance liquid chromatographic determination of the enantiomers of the benzoquinolinone LY191704, a human type 1 5 α -reductase inhibitor, in plasma 691(1997)212
- Farinotti, R., see Ducharme, J. 686(1996)65
- Farinotti, R., see Ducharme, J. 698(1997)243
- Farré, R., see Esteve, M.J. 688(1997)345
- Farsam, H., see Souri, E. 700(1997)215
- Farthing, D., Brouwer, K.L.R., Fakhry, I. and Sica, D.
Solid-phase extraction and determination of ranitidine in human plasma by a high-performance liquid chromatographic method utilizing midbore chromatography 688(1997)350
- Fate, G., see Cho, B.-Y. 697(1997)163
- Faubert, H., see Marquet, P. 700(1997)77
- Fawcett, J.P., see Aromdee, C. 677(1996)313
- Fazio, S.D., see Huang, W.X. 695(1997)157
- Fedeniuk, R.W., Ramamurthi, S. and McCurdy, A.R.
Application of reversed-phase liquid chromatography and prepacked C₁₈ cartridges for the analysis of oxytetracycline and related compounds 677(1996)291
- Feineis, D., see Bringmann, G. 687(1996)337
- Fekkes, D.
State-of-the-art of high-performance liquid chromatographic analysis of amino acids in physiological samples 682(1996)3
- Fell, A.F., see Barker, I.K. 681(1996)323
- Fell, A.F., see Wsól, V. 689(1997)205
- Feng, J.-l., see Liu, F. 679(1996)113
- Feng, M.R., Atherton, J., Knoll, S., Strenkoski, C.A. and Wright, D.S.
Determination of two CI-1007 sulfate metabolites in monkey plasma and urine 693(1997)159
- Feng, Y., Halaris, A.E. and Piletz, J.E.
Determination of agmatine in brain and plasma using high-performance liquid chromatography with fluorescence detection 691(1997)277
- Feng, Y., Halaris, A.E. and Piletz, J.E.
Erratum to “Determination of agmatine in brain and plasma using high-performance liquid chromatography with fluorescence detection” [J. Chromatogr. B, 691 (1997) 277] 696(1997)173
- Fenske, M.
Clean-up and re-use of kieselguhr (Extrelut) for liquid–liquid extraction of urinary cortisol 692(1997)238
- Fente, C.A., see González, P. 693(1997)321
- Ferchaud, V., Le Bizec, B., Montrade, M.-P., Maume, D., Monteau, F. and André, F.
Gas chromatographic–mass spectrometric identification of main metabolites of stanozolol in cattle after oral and subcutaneous administration 695(1997)269
- Fernandez, C., see Ducharme, J. 686(1996)65
- Fernandez, C., Egginger, G., Wainer, I.W. and Lloyd, D.K.
Separation of testosterone metabolites in microsomal incubates using a new capillary electrophoresis assay 677(1996)363
- Fernández, T.F., see Gigosos, P.G. 677(1996)167
- Fernández-Romero, J.M., see Ortiz-Boyer, F. 696(1997)43
- Ferrara, G., see Marcato, B. 682(1996)147
- Ferrari, C.C., see Vitale, A.A. 681(1996)381
- Ferretti, A. and Flanagan, V.P.
Isolation and measurement of urinary 8-iso-prostaglandin F_{2 α} by high-performance liquid chromatography and gas chromatography–mass spectrometry 694(1997)271
- Ferro-Luzzi, A., see Maiani, G. 692(1997)311
- Fiaschi, A.I., see Cerretani, D. 678(1996)365
- Field, M., see Elliott, M.A. 688(1997)229
- Fiene, J.A., see Xu, A.S. 682(1996)249

- Fievet, M.-H., see Menet, M.-C. 692(1997)79
- Figeys, D. and Aebersold, R.
Capillary electrophoresis of peptides and proteins at neutral pH in capillaries covalently coated with polyethyleneimine 695(1997)163
- Fineberg, N.S., see Mohler III, E.R. 685(1996)201
- Fioravanzo, F., see Mazzi, G. 678(1996)165
- Fischer, J., see Cwik, M.J. 693(1997)407
- Fischer, J. and Jandera, P.
Chromatographic behaviour in reversed-phase high-performance liquid chromatography with micellar and submicellar mobile phases. effects of the organic modifier 681(1996)3
- Flakoll, P.J., see Venkatakrishnan, A. 676(1996)1
- Flanagan, V.P., see Ferretti, A. 694(1997)271
- Flath, B., Rolinski, B. and Roscher, A.A.
Simple high-performance liquid chromatographic method for the detection of phenylpropionylglycine in urine as a diagnostic tool in inherited medium-chain acyl-coenzyme A dehydrogenase deficiency 694(1997)227
- Flesch, G., Mann, Ch. and Degen, P.H.
Quantitative determination of CGP 61755, a protease inhibitor, in plasma and urine by high-performance liquid chromatography and fluorescence detection 696(1997)123
- Fletouris, D.J., Botsoglou, N.A., Psomas, I.E. and Mantis, A.I.
Trace analysis of albendazole and its sulphoxide and sulphone metabolites in milk by liquid chromatography 687(1996)427
- Floate, K.D., Taylor, W.G. and Spooner, R.W.
Thin-layer chromatographic detection of ivermectin in cattle dung 694(1997)246
- Flockhart, D.A., see Kerbusch, T. 694(1997)163
- Foglia, J.P., Sorisio, D., Kirshner, M. and Pollock, B.G.
Quantitative determination of paroxetine in plasma by high-performance liquid chromatography and ultraviolet detection 693(1997)147
- Foley, J.P., see Peterson, A.G. 683(1996)15
- Foley, J.P., see Peterson, A.G. 695(1997)131
- Foley, J.P., see Roddy, T.P. 695(1997)45
- Follath, F., see Ha, H.R. 694(1997)427
- Fontana, M., see Yu, S. 698(1997)301
- Fontanille, P., Jourdil, N., Villier, C. and Bessard, G.
Direct analysis of fluoxetine and norfluoxetine in plasma by gas chromatography with nitrogen-phosphorus detection 692(1997)337
- Fook Sheung, C.T.C., see Cooper, J.D.H. 696(1997)117
- Ford, H., see Hegedus, L. 692(1997)169
- Forgács, E. and Cserháti, T.
Effect of physicochemical parameters on the retention of some monoamine oxidase inhibitory drugs on a porous graphitized carbon column 681(1996)197
- Forgács, E., see Cserháti, T. 681(1996)205
- Forrest, G., Sills, G.J., Leach, J.P. and Brodie, M.J.
Determination of gabapentin in plasma by high-performance liquid chromatography 681(1996)421
- Forsman, U., see Andersson, S. 692(1997)53
- Fořtová, H., Suttar, J., Dyr, J.E. and Pristach, J.
Simultaneous isolation of protein C activator, fibrin clot promoting enzyme (fibrinogenase) and phospholipase A₂ from the venom of the southern copperhead snake 694(1997)49
- Fouache, F., see Hervé, F. 688(1997)35
- Fouda, H.G., see Avery, M.J. 689(1997)365
- Foulds, I.S., see Sadhra, S. 700(1997)101
- Fox, J.W., see Bao, Y. 685(1996)105
- Fraile, L.J., see Garcia, M.A. 693(1997)377
- Franco, C., see González, P. 693(1997)321
- Franco, T.T., Rodrigues, N.R., Serra, G.E., Panegassi, V.R. and Buckeridge, M.S.
Characterization of storage cell wall polysaccharides from Brazilian legume seeds and the formation of aqueous two-phase systems 680(1996)255
- Franco-Fraguas, L., see Brena, B.M. 684(1996)217
- Francotte, E., Davatz, A. and Richert, P.
Development and validation of chiral high-performance liquid chromatographic methods for the quantitation of valsartan and of the tosylate of valinebenzyl ester 686(1996)77
- Franěk, F., see Hradec, J. 681(1996)55
- Franklin, M. and Odontiadis, J.
Determination of naloxone in human plasma by high-performance liquid chromatography with coulometric detection 679(1996)199
- Franklin, M., Odontiadis, J. and Clement, E.M.
Determination of sumatriptan succinate in human plasma by high-performance liquid chromatography with coulometric detection and utilization of solid-phase extraction 681(1996)416
- Frankus, P., see Paar, W.D. 686(1996)221
- Frantzen, F.
Chromatographic and electrophoretic methods for modified hemoglobins 699(1997)269
- Fremont, S., see O'Connor, P. 700(1997)49
- Fridén, M., see Ericsson, Ö. 690(1997)243
- Fridman, O., see D'Eramo, J.L. 682(1996)219
- Fried, K. and Wainer, I.W.
Column-switching techniques in the biomedical analysis of stereoisomeric drugs: why, how and when 689(1997)91
- Friedberg, M. and Shihabi, Z.K.
Analysis of urinary *N*-acetyl- β -glucosaminidase by capillary zone electrophoresis 695(1997)187
- Friedberg, M. and Shihabi, Z.K.
Ketoprofen analysis in serum by capillary electrophoresis 695(1997)193
- Friedrich, H., see Bringmann, G. 687(1996)337
- Frigola, A., see Esteve, M.J. 688(1997)345
- Frost, M., Köhler, H. and Blaschke, G.
Determination of LSD in blood by capillary electrophoresis with laser-induced fluorescence detection 693(1997)313
- Frye, R.F. and Branch, R.A.
Improved high-performance liquid chromatographic determination of debrisoquine and 4-hydroxydebrisoquine in human urine following direct injection 677(1996)178
- Frye, R.F. and Stiff, D.D.
Determination of chlorzoxazone and 6-hydroxychlorzoxazone in human plasma and urine by high-performance liquid chromatography 686(1996)291
- Fryirs, B., Dawson, M. and Mather, L.E.
Highly sensitive gas chromatographic-mass spectrometric method for morphine determination in plasma that is suitable for pharmacokinetic studies 693(1997)51

- Fryirs, B., Woodhouse, A., Huang, J.L., Dawson, M. and Mather, L.E.
Determination of subnanogram concentrations of fentanyl in plasma by gas chromatography–mass spectrometry: comparison with standard radioimmunoassay 688(1997)79
- Fryirs, B., Woodhouse, A., Li Huang, J., Dawson, M. and Mather, L.E.
Erratum to 'Determination of subnanogram concentrations of fentanyl in plasma by gas chromatography–mass spectrometry: comparison with standard radioimmunoassay'. [J. Chromatogr. B, 688 (1997) 79–85] 695(1997)448
- Fuchs, M., see Schmalzing, D. 697(1997)175
- Fuerst, T.R., see McAtee, C.P. 685(1996)91
- Fuh, M.S., see Wang, T.K. 686(1996)285
- Fujii, T., Hatanaka, K., Sato, G., Yasui, Y., Arimoto, H. and Mitsutsuka, Y.
Selective determination of haloperidol in human serum: surface ionization mass spectrometry and gas chromatography with surface ionization detection 687(1996)395
- Fujima, H., see Katagi, M. 676(1996)35
- Fujima, J.M., see Bao, J.J. 699(1997)481
- Fukamachi, A., see Takayasu, T. 679(1996)161
- Fukushima, T., see Koga, D. 690(1997)7
- Fung, H.C., see Heggie, J.R. 692(1997)437
- Fung, H.-L., see Tabrizi-Fard, M.A. 679(1996)7
- Furlan, B., see Lukša, J. 693(1997)367
- Fürtös-Matei, A., Li, J. and Waldron, K.C.
Micellar electrokinetic chromatographic study of the interaction between enkephalin peptide analogs and charged micelles 695(1997)39
- Furusawa, M., see Kiba, N. 689(1997)393
- Furuta, T., see Ishii, K. 683(1996)225
- Furuta, T., see Shibasaki, H. 692(1997)7
- Fushiki, T., see Shibata, K. 695(1997)434
- Fustinoni, S., see Buratti, M. 677(1996)257
- Futagami, K., see Makino, K. 695(1997)417
- Futata, T., see Miwa, H. 677(1996)217
- Futata, T., see Miwa, H. 679(1996)1
- G**
- Gabriel, J., Věková, J. and Vosáhlo, J.
High-performance liquid chromatographic study of the aromatic nitrile metabolism in soil bacteria 681(1996)191
- Gachályi, B., see Róna, K. 678(1996)63
- Gachályi, B., see Róna, K. 693(1997)393
- Gachet, C., see Leray, C. 696(1997)33
- Gage, R., see Stopher, D.A. 691(1997)441
- Gagnieu, M.C., see Mawa, R. 677(1996)331
- Gaillard, N., see Eap, C.B. 682(1996)265
- Galcerán, M.T., see Rozman, E. 688(1997)107
- Gallagher, K., see Elliott, M.A. 688(1997)229
- Gallahan, D., see George, K.S. 695(1997)93
- Gallant, C., see Bouliou, R. 693(1997)233
- Gallegos, A., see Dvorakova, K. 696(1997)275
- Gallion-Renault, C., see Levêque, D. 697(1997)67
- Gallo, J.M., see Chen, S.-H. 692(1997)43
- Galons, H., see Pham-Huy, C. 700(1997)155
- Gamelin, E., Boisdron-Celle, M., Turcant, A., Larra, F., Allain, P. and Robert, J.
Rapid and sensitive high-performance liquid chromatographic analysis of halogenopyrimidines in plasma 695(1997)409
- Gandhi, T.P., see Mody, V.D. 676(1996)175
- Gandhi, T.P., see Pandya, K.K. 693(1997)199
- Gann, L., see Logsdon, T.W. 692(1997)472
- Gao, Q., see Manabe, S. 691(1997)197
- García, M.A., Aramayona, J.J., Bregante, M.A., Fraile, L.J. and Solans, C.
Simultaneous determination of verapamil and norverapamil in biological samples by high-performance liquid chromatography using ultraviolet detection 693(1997)377
- García, O., see Blanco, M.D. 680(1996)243
- García Regueiro, J.A., see Casademont, G. 686(1996)189
- García-Barceló, M., see Muñoz, M. 689(1997)341
- García-Cantabella, J.M., see Esteve, M.J. 688(1997)345
- García-Capdevila, L., see Arroyo, C. 688(1997)339
- García-Capdevila, L., see López-Calull, C. 693(1997)228
- García-Capdevila, L., López-Calull, C., Arroyo, C., Moral, M.A., Mangues, M.A. and Bonal, J.
Determination of imipenem in plasma by high-performance liquid chromatography for pharmacokinetic studies in patients 692(1997)127
- García-Carmona, F., see Núñez-Delgado, E. 680(1996)105
- García-López, N., Ollero, M., Cebrián-Pérez, J.A. and Muiño-Blanco, T.
Reversion of thermic-shock effect on ram spermatozoa by adsorption of seminal plasma proteins revealed by partition in aqueous two-phase systems 680(1996)137
- García-Pérez, A.-I., see Pérez, M.T. 677(1996)45
- García-Pérez, A.I., see Pérez, M.T. 680(1996)183
- Gardana, C., see Pietta, P.G. 690(1997)343
- Gardana, C., see Pietta, P.G. 693(1997)249
- Garle, M., Ocka, R., Palonek, E. and Björkhem, I.
Increased urinary testosterone/epitestosterone ratios found in Swedish athletes in connection with a national control program. Evaluation of 28 cases 687(1996)55
- Garnier, J.P., see Letellier, S. 696(1997)9
- Garnier, P., Grosclaude, J.-M., Goudey-Perrière, F., Gervat, V., Gayral, P., Jacquot, C. and Perrière, C.
Presence of norepinephrine and other biogenic amines in stonefish venom 685(1996)364
- Garside, D., Goldberger, B.A., Preston, K.L. and Cone, E.J.
Rapid liquid–liquid extraction of cocaine from urine for gas chromatographic–mass spectrometric analysis 692(1997)61
- Garvey, W.T., see Morré, D.M. 680(1996)201

- Garzón, M.J., Rabanal, B., Ortiz, A.I. and Negro, A.
Determination of pentamidine in serum and urine by micellar electrokinetic chromatography 688(1997)135
- Gattavecchia, E., see Tonelli, D. 700(1997)59
- Gauducheau, N., see Pommier, F. 678(1996)354
- Gavaghan, C., see Sidelmann, U. 685(1996)113
- Gayral, P., see Garnier, P. 685(1996)364
- Gebru W/Michael, D., see Gil del Valle, L. 698(1997)312
- Gee, W.L., see Wu, S.T. 692(1997)133
- Gehrke, R., see Kraemer, H.-J. 700(1997)147
- Gelfi, C., see Righetti, P.G. 697(1997)195
- Gelfi, C., see Righetti, P.G. 699(1997)63
- Gelfi, C., see Righetti, P.G. 699(1997)91
- Genin, E., see Moussa, F. 696(1997)153
- Gentile, M., see Tagliaro, F. 685(1996)165
- Georgakopoulos, C.G. and Kiburis, J.C.
Quantitative structure–retention relationships in doping control 687(1996)151
- George, K.S., Zhao, X., Gallahan, D., Shirkey, A., Zareh, A. and Esmaeli-Azad, B.
Capillary electrophoresis methodology for identification of cancer related gene expression patterns of fluorescent differential display polymerase chain reaction 695(1997)93
- Germadnik, D., Pilger, A. and Rüdiger, H.W.
Assay for the determination of urinary 8-hydroxy-2'-deoxyguanosine by high-performance liquid chromatography with electrochemical detection 689(1997)399
- Gerson, S.L., see Stefan, T.L. 681(1996)331
- Gervat, V., see Garnier, P. 685(1996)364
- Gey, K.F., see Asmis, R. 691(1997)59
- Geyer, H., see Schänzer, W. 687(1996)93
- Ghabrial, H., see Haritos, V.S. 693(1997)327
- Ghahary, A., see Tredget, E.E. 694(1997)1
- Ghahramani, P. and Lennard, M.S.
Quantitative analysis of amitriptyline and nortriptyline in human plasma and liver microsomal preparations by high-performance liquid chromatography 685(1996)307
- Ghittori, S., see Maestri, L. 687(1996)387
- Giachetti, C., Tenconi, A., Canali, S. and Zanolo, G.
Simultaneous determination of atenolol and chlorthalidone in plasma by high-performance liquid chromatography. Application to pharmacokinetic studies in man 698(1997)187
- Giardina, B., see Messana, I. 699(1997)149
- Gibson, T.J. and Sepaniak, M.J.
Examination of band dispersion during size-selective capillary electrophoresis separations of DNA fragments 695(1997)103
- Gich, I., see Arroyo, C. 688(1997)339
- Giese, R.W., see Wang, Z. 689(1997)195
- Gigosos, P.G., Fernández, T.F., Maríz, C.C., Sampayo, C.A.F., Abuín, C.F. and Sáez, A.C.
Rapid and simple determination of clenbuterol residues in retina by high-performance liquid chromatography with ultraviolet detection 677(1996)167
- Gil del Valle, L., Gebru W/Michael, D., Martínez Rodríguez, A., Tápanes Peraza, R., Ramos, F. and Pérez Avila, J.
Contribution to the determination of the chemotherapeutic drug G1 in biological fluids 698(1997)312
- Gilar, M., Uhrová, M. and Tesařová, E.
Enantiomer separation of dihydropyridine calcium antagonists with cyclodextrins as chiral selectors: structural correlation 681(1996)133
- Gilly, H., see Weindlmayr-Goettel, M. 685(1996)123
- Gimenez, F., see Ducharme, J. 686(1996)65
- Gineitis, A., Petersen, E., Ängquist, K.-A. and Stigbrand, T.
Two-dimensional high-resolution electrophoresis of elastin-derived peptides 692(1997)303
- Giorgi, G., see Cerretani, D. 678(1996)365
- Giovane, A., see Servillo, L. 689(1997)281
- Girelli, A.M., see Carunchio, V. 689(1997)305
- Gislefoss, R., see Jellum, E. 689(1997)155
- Gissinger, P., see Görner, T. 694(1997)39
- Glatz, J.F.C., see Schaap, F.G. 679(1996)161
- Glatz, Z., Psotová, J., Janiczek, O., Chroust, K. and Jowet, T.
Use of thiopropyl Sepharose for the synthesis of an adsorbent for the affinity chromatography of glutathione S-transferase 688(1997)239
- Glen, V.L., Hutson, P.R., Kehrl, N.J., Boothman, D.A. and Wilding, G.
Quantitation of β -lapachone and 3-hydroxy- β -lapachone in human plasma samples by reversed-phase high-performance liquid chromatography 692(1997)181
- Göbel, Y., Schaffer, C. and Koletzko, B.
Simultaneous determination of low plasma concentrations of retinol and tocopherols in preterm infants by a high-performance liquid chromatographic micromethod 688(1997)57
- God, R., see Bringmann, G. 687(1996)337
- Godbillon, J., see Marfil, F. 683(1996)251
- Godbillon, J., see Pommier, F. 678(1996)354
- Godbillon, J., see Sandrenan, N. 691(1997)145
- Gödörházy, L., see Horváth, V. 686(1996)211
- Gohil, K., see Ashton, D.S. 677(1996)194
- Göker, E., see Waltham, M.C. 689(1997)387
- Golbs, E., see Bohnenstengel, F. 692(1997)163
- Goldberger, B.A., see Garside, D. 692(1997)61
- Gonçalves, P.V.B., see Lanchote, V.L. 685(1996)281
- González, E., Becerra, A. and Laserna, J.J.
Direct determination of diuretic drugs in urine by capillary zone electrophoresis using fluorescence detection 687(1996)145
- González, P., Fente, C.A., Franco, C., Vázquez, B., Quinto, E. and Cepeda, A.
Determination of residues of the β -agonist clenbuterol in liver of medicated farm animals by gas chromatography–mass spectrometry using diphasic dialysis as an extraction procedure 693(1997)321
- Gonzalez-Bravo, L., Magraner-Hernandez, J., Acosta-Gonzalez, P.C. and Perez-Souto, N.
Analytical procedure for the determination of 1-octacosanol in plasma by solvent extraction and capillary gas chromatography 682(1996)359
- González Porto, E., see Valdes Santurio, J.R. 682(1996)364
- Gooding, A.E., see Lloyd, T.L. 678(1996)261
- Goodwin, K.R., see Schmerr, M.J. 681(1996)29
- Görner, T., Gissinger, P., Léonard, M. and Dellacherie, E.
New support for the affinity chromatography of hemoglobin 694(1997)39

- Gorski, J.C., see Jones, D.R. 678(1996)105
- Goto, Y., see Makino, K. 695(1997)417
- Goudey-Perrière, F., see Garnier, P. 685(1996)364
- Goudreaux, D., see Ayotte, C. 687(1996)3
- Govoroun, M.S., Huet, J.-C., Pernollet, J.-C. and Breton, B.
Use of immobilized metal ion affinity chromatography and dye–ligand chromatography for the separation and purification of rainbow trout pituitary gonadotropins, GTH I and GTH II 698(1997)35
- Gowrie, C., see Ashton, D.S. 677(1996)194
- Graham, D., see Constanzer, M.L. 693(1997)117
- Grancher, D., see Mawa, R. 677(1996)331
- Gray, C.N., see Sadhra, S. 700(1997)101
- Gray, R.D.M., see Plumb, R.S. 687(1996)457
- Gray, R.D.M., see Plumb, R.S. 694(1997)123
- Green, G., see Egestad, B. 677(1996)99
- Greene, D.S., see Marathe, P.H. 678(1996)269
- Grefslie, H., see Krogh, M. 689(1997)357
- Grenot, C., see Aguilera, R. 687(1996)53
- Grgurinovich, N.
Method for the analysis of perhexiline and its hydroxy metabolite in plasma using high-performance liquid chromatography with precolumn derivatization 696(1997)75
- Griffin, S.T., see Rogers, R.D. 680(1996)221
- Grigoriants, O.O., Tseng, J.-L., Becklin, R.R. and Desiderio, D.M.
Mass spectrometric quantification of the mu opioid receptor agonist Tyr-D-Arg-Phe-Lys-NH₂ (DALDA) in high-performance liquid chromatography-purified ovine plasma 695(1997)287
- Grimm, R., see Zanaboni, G. 683(1996)97
- Grimm, R., see Zanaboni, G. 695(1997)77
- Grimm, R., Zanaboni, G., Viglio, S., Dyne, K.M., Cetta, G. and Iadarola, P.
Effect of different surfactants on the separation by micellar electrokinetic chromatography of a complex mixture of dipeptides in urine of prolidase-deficient patients 698(1997)47
- Grimonprez, B. and Johansson, G.
Liquid–liquid partitioning of some enzymes, especially phosphofructokinase, from *Saccharomyces cerevisiae* at sub-zero temperature 680(1996)55
- Gritsman, H., see Waltham, M.C. 689(1997)387
- Grobecker, H., see Kees, F. 677(1996)172
- Groen, K., see Vletter, A.A. 678(1996)369
- Groot, M., see De Zwart, L.L. 694(1997)277
- Groppe, S., see Knoche, B. 695(1997)355
- Grosclaude, J.-M., see Garnier, P. 685(1996)364
- Gross, A.S., see Hoskins, J.M. 696(1997)81
- Grosse, P.-Y., see Augéy, V. 682(1996)125
- Grosse, P.Y., see Joulia, J.M. 692(1997)427
- Grosse, P.Y., see Pinguet, F. 686(1996)43
- Grosse, P.Y., Pinguet, F., Joulia, J.M., Astre, C. and Bressolle, F.
High-performance liquid chromatographic assay for methyl-β-cyclodextrin in plasma and cell lysate 694(1997)219
- Grouls, R.J.E., Ackerman, E.W., Korsten, H.H.M., Hellebrekers, L.J. and Breimer, D.D.
Partition coefficients (*n*-octanol/water) of *N*-butyl-*p*-aminobenzoate and other local anesthetics measured by reversed-phase high-performance liquid chromatography 694(1997)421
- Grubb, M.F., Robinson, C.A., White, S.J., Krauthauser, C.L. and Shum, L.
Determination of a HIV protease inhibitor (DMP 450) in animal and human plasma by solid-phase extraction and high-performance liquid chromatography 678(1996)303
- Grubb, N.G., Rudy, D.W. and Hall, S.D.
Stereoselective high-performance liquid chromatographic analysis of ketoprofen and its acyl glucuronides in chronic renal insufficiency 678(1996)237
- Grune, T., see Ullrich, O. 697(1997)243
- Gu, X., Meleka-Boules, M., Chen, C.-L., Ceska, D.M. and Tiffany, D.M.
Determination of flunixin in equine urine and serum by capillary electrophoresis 692(1997)187
- Gübitz, G., see Anselmi, S. 681(1996)83
- Guerin, M.D., see Jenkins, M.A. 682(1996)23
- Guerin, M.D., see Jenkins, M.A. 699(1997)257
- Guerant, R.L., see Bao, Y. 685(1996)105
- Gueylard, D., see Menet, M.-C. 692(1997)79
- Guidi, G., see Lippi, G. 682(1996)225
- Guillaume, Y., see Mignot, B. 700(1997)283
- Guillemin, F., see Barberi-Heyob, M. 688(1997)331
- Guimier, C., see Nicolle, E. 690(1997)89
- Guinchard, C., see Mignot, B. 700(1997)283
- Guiso, G., see Dimitrova, B. 681(1996)153
- Guitton, C., Kinowski, J.-M., Aznar, R. and Bressolle, F.
Determination of clozapine and its major metabolites in human plasma and red blood cells by high-performance liquid chromatography with ultraviolet absorbance detection 690(1997)211
- Guitton, J., Désage, M., Alamercery, S., Dutruch, L., Dautraix, S., Perdrix, J.P. and Brazier, J.L.
Gas chromatographic–mass spectrometry and gas chromatographic–Fourier transform infrared spectroscopy assay for the simultaneous identification of fentanyl metabolites 693(1997)59
- Guitton, J., see Elbast, W. 686(1996)97
- Gull Lee, M., see Hee Kim, S. 688(1997)95
- Gunawan, S., see Jiang, Q. 683(1996)276
- Gundersen, Th.E., Lundanes, E. and Blomhoff, R.
Quantitative high-performance liquid chromatographic determination of retinoids in human serum using on-line solid-phase extraction and column switching. Determination of 9-*cis*-retinoic acid, 13-*cis*-retinoic acid, all-*trans*-retinoic acid, 4-oxo-all-*trans*-retinoic acid and 4-oxo-13-*cis*-retinoic acid 691(1997)43
- Gündüz, U.
Evaluation of viscosities of polymer–water solutions used in aqueous two-phase systems 680(1996)263
- Gupta, R.C., see Spencer-Beach, G.G. 677(1996)265
- Gupta, R.N. and Hansebout, R.R.
Optimization of the determination of 4-aminopyridine in human serum and urine by column liquid chromatography 677(1996)183

- Gupta, S.K., see Lloyd, T.L. 678(1996)261
 Gurny, R., see Baeyens, V. 692(1997)222
 Gustafsson, J., see Egestad, B. 677(1996)99
 Gustafsson, L.L., see Ericsson, Ö. 690(1997)243
 Gustafsson, L.L., see Svensson, J.-O. 678(1996)373
 Gutbier, G., see Leray, C. 696(1997)33
 Guttendorf, R.J., see Andress, L.D. 698(1997)171
 Guyonnet, J., Pacaud, M., Richard, M., Doisi, A., Spavone, F. and Hellings, P.
 Routine determination of flumequine in kidney tissue of pig using automated liquid chromatography 679(1996)177
 Guzman, N.A., Park, S.S., Schaufelberger, D., Hernandez, L., Paez, X., Rada, P., Tomlinson, A.J. and Naylor, S.
 New approaches in clinical chemistry: on-line analyte concentration and microreaction capillary electrophoresis for the determination of drugs, metabolic intermediates, and biopolymers in biological fluids (Review) 697(1997)37

H

- Ha, H.R., Follath, F., Bloemhard, Y. and Krähenbühl, S.
 Determination of saquinavir in human plasma by high-performance liquid chromatography 694(1997)427
 Haas, M., Moolenaar, F., Kluppel, A.C.A., Dijkstra, D., Meijer, D.K.F. and de Zeeuw, D.
 Determination of dopaminergic prodrugs by high-performance liquid chromatography followed by post-column ion-pair extraction 693(1997)484
 Haberland, S., see Hempel, G. 698(1997)287
 Hadwiger, M.E., Torchia, S.R., Park, S., Biggin, M.E. and Lunte, C.E.
 Optimization of the separation and detection of the enantiomers of isoproterenol in microdialysis samples by cyclodextrin-modified capillary electrophoresis using electrochemical detection 681(1996)241
 Haegele, K.D., see Huebert, N.D. 685(1996)291
 Haehnel, W., see Bissé, E. 687(1996)349
 Haesebrouck, F., see Santos, M.D.F. 682(1996)301
 Hage, D.S., see Bose, S. 697(1997)77
 Hage, D.S. and Tweed, S.A.
 Recent advances in chromatographic and electrophoretic methods for the study of drug-protein interactions 699(1997)499
 Hagen, J.J., Washco, K.A. and Monnig, C.A.
 Determination of retinoids by reversed-phase capillary liquid chromatography with amperometric electrochemical detection 677(1996)225
 Haggan, A.S., see Blanchflower, W.J. 692(1997)351
 Hahn-Hägerdal, B., see Lantz, P.-G. 680(1996)165
 Hais, I.M., see Wsól, V. 681(1996)169
 Hais, I.M., see Wsól, V. 689(1997)205
 Hakusui, H., see Tanaka, M. 676(1996)87
 Halaris, A.E., see Feng, Y. 691(1997)277
 Halaris, A.E., see Feng, Y. 696(1997)173
 Hale, K.A., see Elliott, S.P. 694(1997)99
 Hall, J.E., see Tuttle, R.H. 688(1997)319
 Hall, S.D., see Grubb, N.G. 678(1996)237
 Hall, S.D., see Jones, D.R. 678(1996)105
 Hall, T.W., see Taylor, W.G. 690(1997)123
 Hallak, H., see Rossi, D.T. 677(1996)299
 Hamamoto, K., Koike, R., Shirakura, A., Sasaki, N. and Machida, Y.
 Rapid and sensitive determination of amprolium in chicken plasma by high-performance liquid chromatography with post-column reaction 693(1997)489
 Hamman, M.A., see Jones, D.R. 678(1996)105
 Hammen, H.-W., see Schadewaldt, P. 682(1996)209
 Hämmig, R., see Bourquin, D. 694(1997)233
 Hammond, T.C., see Ercal, N. 685(1996)329
 Hampl, R., see Hill, M. 691(1997)187
 Hamzeh, F.M., see McPherson, J.L. 677(1996)204
 Han, K.S., Choi, H.-C., Yoo, J.-K., Lee, J.W. and Lee, M.G.
 Determination of a new proton pump inhibitor, YH1885, in human plasma and urine by high-performance liquid chromatography 696(1997)312
 Hanada, E., Ohtani, H., Kotaki, H., Sawada, Y. and Iga, T.
 Determination of erythromycin concentrations in rat plasma and liver by high-performance liquid chromatography with amperometric detection 692(1997)478
 Hancock, W.S., see Chakel, J.A. 689(1997)215
 Hankins, D.C. and Kharasch, E.D.
 Determination of the halothane metabolites trifluoroacetic acid and bromide in plasma and urine by ion chromatography 692(1997)413
 Hannan, S.L., Ridout, G.A. and Jones, A.E.
 Determination of the potent antiprotozoal compound atovaquone in plasma using liquid-liquid extraction followed by reversed-phase high-performance liquid chromatography with ultraviolet detection 678(1996)297
 Hanocq, M., see Bidouil, S. 693(1997)359
 Hanocq, M., see Tassin, J.P. 691(1997)449
 Hansebout, R.R., see Gupta, R.N. 677(1996)183
 Hänseler, E., see Rentsch, K.M. 679(1996)185
 Hansen Jr., E.B., see Rushing, L.G. 700(1997)223
 Hansen, S.H., see Kepp, D.R. 696(1997)235
 Hansen, S.H., see Nadelmann, L. 695(1997)389
 Hansen, S.H., see Sidemann, U. 685(1996)113
 Hanson, G.D., see Lau, Y.Y. 676(1996)125
 Hanson, G.D., see Lau, Y.Y. 676(1996)147
 Hanson, G.D., see Lau, Y.Y. 683(1996)209
 Hanson, G.D., see Lau, Y.Y. 683(1996)217
 Hansson, R.C., see Black, S.B. 685(1996)67
 Hansson, U.-B., see Wingren, C. 680(1996)113
 Harada, J.-i., see Ume, M. 682(1996)157
 Harada, K.-i., see Oka, H. 693(1997)337
 Harada, M., see Adachi, T. 682(1996)47
 Harding, A.J., see Olsson, N.U. 681(1996)213
 Harenberg, J., see Malsch, R. 685(1996)223

- Haritos, V.S., Ching, M.S., Ghabrial, H. and Ahokas, J.T.
Measurement of dexfenfluramine metabolism in rat liver microsomes by gas chromatography–mass spectrometry 693(1997)327
- Harker, A.J., see Plumb, R.S. 687(1996)457
- Harkin, P., see Altria, K.D. 686(1996)103
- Harper, C., see Olsson, N.U. 681(1996)213
- Harris, R.C., see Dunnett, M. 688(1997)47
- Harrison, F., see Döppenschmitt, S.A. 682(1996)79
- Harrison, M.E., see White, S.A. 689(1997)335
- Harry, P., see Jobard, E. 695(1997)444
- Hart, A.P., see Dasgupta, A. 693(1997)101
- Härtl, A., see Mrestani, Y. 690(1997)321
- Hartman, N.R., see Hegedus, L. 692(1997)169
- Hartonen, K. and Riekkola, M.-L.
Detection of β -blockers in urine by solid-phase extraction–supercritical fluid extraction and gas chromatography–mass spectrometry 676(1996)45
- Hartvig, P., see Lindner, K.-J. 679(1996)13
- Harty, D.C., see Vollmer, P.A. 685(1996)370
- Hasegawa, H., Nakamura, A., Shinohara, Y. and Baba, S.
Determination of [D -Ala², D -Leu⁵]enkephalin and the metabolites containing C-terminal D -leucine by high-performance liquid chromatography 689(1997)287
- Hasegawa, H., Takahara, E., Yamada, T. and Nagata, O.
Sensitive analytical method for the novel H₁-receptor antagonist HSR-609 in human plasma and urine by high-performance liquid chromatography with pre-column fluorescent derivatization 687(1996)419
- Hashizume, Y., see Maruyama, W. 676(1996)153
- Hata, S., see Ochiai, H. 694(1997)211
- Hata, S., see Takano, T. 676(1996)141
- Hatanaka, K., see Fujii, T. 687(1996)395
- Hathaway, D.R., see Mohler III, E.R. 685(1996)201
- Hatton, C.K., see Aguilar, R. 687(1996)53
- Hattori, A., see Itoh, M.T. 692(1997)217
- Hauer, C.R., see Zhu, M. 688(1997)187
- Haupt, D.
Determination of citalopram enantiomers in human plasma by liquid chromatographic separation on a Chiral-AGP column 685(1996)299
- Haupt, K., see Legallais, C. 691(1997)33
- Hausheer, F.H., see Su, H. 695(1997)401
- Havel, J.A., see Xu, A.S. 682(1996)249
- Hawthorne, D.J., see Jemal, M. 693(1997)109
- Hawthorne, D.J., see Jemal, M. 698(1997)123
- Hayakawa, A., Kuwata, K., Era, S., Sogami, M., Shimonaka, H., Yamamoto, M., Dohi, S. and Hirose, H.
Alteration of redox state of human serum albumin in patients under anesthesia and invasive surgery 698(1997)27
- Hayakawa, J., see Oka, H. 693(1997)337
- Hayakawa, K., Masuko, M., Mineta, M., Yoshikawa, K., Yamauchi, K., Hirano, M., Katsumata, N. and Tanaka, T.
Serum protein determination by high-performance gel-permeation chromatography 696(1997)19
- Hayakawa, K., see Yoshikawa, K. 679(1996)41
- Hayden, C.G.J., see Jiang, R. 682(1996)137
- Hayes, J.D. and Malik, A.
Sol–gel chemistry-based Ucon-coated columns for capillary electrophoresis 695(1997)3
- He, H., see Li, L.-C. 695(1997)85
- He, X., Wang, J., Liu, X. and Chen, X.
High-performance liquid chromatography assay of rifapentine in human serum 681(1996)412
- Heath, T.G., Mooney, J.P. and Broersma, R.
Narrow-bore liquid chromatography–tandem mass spectrometry with simultaneous radioactivity monitoring for partially characterizing the biliary metabolites of an arginine fluoroalkyl ketone analog of D -MePhe-Pro-Arg, a potent thrombin inhibitor 688(1997)281
- Hee Kim, S., Won Kwon, J., Yang, J. and Gull Lee, M.
Determination of a new carbapenem derivative, DA-1131, in plasma and urine by high-performance liquid chromatography 688(1997)95
- Heene, D.L., see Malsch, R. 685(1996)223
- Hegedus, L., Ford, Jr, H., Hartman, N.R. and Kelley, J.A.
Reversed-phase high-performance liquid chromatographic determination of the new antitumor agent cyclopentenyl cytosine in biological fluids 692(1997)169
- Heggie, J.R., Wu, M., Burns, R.B., Ng, C.S., Fung, H.C., Knight, G., Barnett, M.J., Spinelli, J.J. and Embree, L.
Validation of a high-performance liquid chromatographic assay method for pharmacokinetic evaluation of busulfan 692(1997)437
- Heim, C., see Bringmann, G. 687(1996)337
- Heimbecher, S., Lee, Y.-C., Tabibi, S.E. and Yalkowsky, S.H.
Derivatization and high-performance liquid chromatographic analysis of pentaazapentacosane pentahydrochloride 691(1997)173
- Hellebrekers, L.J., see Grouls, R.J.E. 694(1997)421
- Hellings, P., see Guyonnet, J. 679(1996)177
- Hemmersbach, P. and de la Torre, R.
Stimulants, narcotics and β -blockers: 25 years of development in analytical techniques for doping control 687(1996)221
- Hemmings, A.M., see Kajiwar, H. 687(1996)443
- Hemminki, K., see Koskinen, M. 691(1997)155
- Hempel, G., Haberland, S., Schulze-Westhoff, P., Möhling, N., Blaschke, G. and Boos, J.
Determination of idarubicin and idarubicinol in plasma by capillary electrophoresis 698(1997)287
- Hempel, G., see Lanvers, C. 685(1996)233
- Henion, J., see Cai, J. 691(1997)357
- Henion, J., see Wachs, T. 685(1996)335
- Henion, J.D., see Bean, K.A. 690(1997)65
- Henion, J.D., see Bean, K.A. 700(1997)286
- Hennekes, M.W.T., see Teerlink, T. 691(1997)269
- Hennion, M.-C., see Bouaïcha, N. 685(1996)53
- Herderich, M., see Kleinschnitz, M. 676(1996)61
- Hermanns, R.C.A., see De Zwart, L.L. 694(1997)277
- Hernandez, L., see Guzman, N.A. 697(1997)37
- Hernandez, L., see Tucci, S. 694(1997)343
- Hernández, L.E., Rojas-Ojeda, P., Cooke, D.T. and Carpena-Ruiz, R.
Purification of pea nodule symbiosomes using an aqueous polymer two-phase system 680(1996)171
- Hernández-Córdoba, M., see Viñas, P. 693(1997)443

- Herold, M.L., see Lee, L.L. 685(1996)323
- Héron, A., see Mizon, C. 692(1997)281
- Herráez-Hernández, R., Campíns-Falcó, P. and Sevillano-Cabeza, A.
Determination of amphetamine and related compounds in urine using on-line derivatization in octadecyl silica columns with 9-fluorenylmethyl chloroformate and liquid chromatography 679(1996)69
- Herre, S. and Pragst, F.
Shift of the high-performance liquid chromatographic retention times of metabolites in relation to the original drug on an RP8 column with acidic mobile phase 692(1997)111
- Hervé, F., Fouache, F., Marché, C. and Tillement, J.-P.
Abnormal microheterogeneity detected in one commercial α_1 -acid glycoprotein preparation using chromatography on immobilized metal affinity adsorbent and on hydroxyapatite 688(1997)35
- Hervé, F., Millot, M.-C., Eap, C.B., Duché, J.-C. and Tillement, J.-P.
Two-step chromatographic purification of human plasma α_1 -acid glycoprotein. Its application to the purification of rare phenotype samples of the protein and their study by chromatography on immobilized metal chelate affinity adsorbent 678(1996)1
- Hibbert, D.B., see Hidayat, A. 693(1997)139
- Hibiya, M., Teradaira, R., Shimpō, K., Matsui, T., Sugimoto, T. and Nagatsu, T.
Interference of a methotrexate derivative with urinary oncopterin [N^2 -(3-aminopropyl)biopterin] measurement by high-performance liquid chromatography with fluorimetric detection 691(1997)223
- Hidaka, K., see Tomita, M. 685(1996)185
- Hidayat, A., Hibbert, D.B. and Alexander, P.W.
Amperometric detection of organic thiols at a tungsten wire electrode following their separation by liquid chromatography 693(1997)139
- Hiddemann, W., see Braess, J. 676(1996)131
- Higashino, K., see Yamamoto, T. 681(1996)395
- Higuchi, S., see Matsushima, H. 695(1997)317
- Hill, G., see Bruunshuus, I. 687(1996)157
- Hill, M., Lapčík, O. and Hampl, R.
Evaluation and separation of steroid-bovine serum albumin conjugates by high-performance liquid chromatography 691(1997)187
- Hill, S.E., see Volk, K.J. 696(1997)99
- Hillaire-Buys, D., see Cociglio, M. 698(1997)225
- Hiller, C., see Logsdon, T.W. 692(1997)472
- Hindson, M.G., see Altria, K.D. 686(1996)103
- Hino, H., see Tanaka, T. 700(1997)1
- Hinsdale, M.E., see Shihabi, Z.K. 683(1996)115
- Hintelmann, A., see Kunz, C. 685(1996)211
- Hinton, R.H., see Matthews, D.B. 695(1997)279
- Hirai, T., Matsumoto, S. and Kishi, I.
Determination of methotrexate and its main metabolite 7-hydroxymethotrexate in human urine by high-performance liquid chromatography with normal solid-phase extraction 690(1997)267
- Hirai, T., Matsumoto, S. and Kishi, I.
Simultaneous analysis of several non-steroidal anti-inflammatory drugs in human urine by high-performance liquid chromatography with normal solid-phase extraction 692(1997)375
- Hirano, H., see Kajiwara, H. 687(1996)443
- Hirano, M., see Hayakawa, K. 696(1997)19
- Hiraoka, A., Arato, T., Tominaga, I., Eguchi, N., Oda, H. and Urade, Y.
Analysis of low-molecular-mass proteins in cerebrospinal fluid by sodium dodecyl sulfate capillary gel electrophoresis 697(1997)141
- Hiroishi, K., see Yamamoto, T. 681(1996)395
- Hirose, H., see Hayakawa, A. 698(1997)27
- Hirose, T., see Iwata, T. 695(1997)201
- Hjerpe, A., see Karamanos, N.K. 697(1997)277
- Ho, S.-T., Wang, J.-J., Hu, O.Y.-P., Chiang, P.-S. and Lee, S.-C.
Determination of nalbuphine by high-performance liquid chromatography with ultraviolet detection: application to human and rabbit pharmacokinetic studies 678(1996)289
- Hoekstra-Oussoren, S.J.F., see Lingeman, H. 689(1997)221
- Hoetelmans, R.M.W., van Essenberg, M., Meenhorst, P.L., Mulder, J.W. and Beijnen, J.H.
Determination of saquinavir in human plasma, saliva, and cerebrospinal fluid by ion-pair high-performance liquid chromatography with ultraviolet detection 698(1997)235
- Hoffer, L., see Josić, D. 694(1997)253
- Hoffman, B., see Hooper, D. 694(1997)317
- Hofmann, U., see Engel, G. 678(1996)93
- Hoja, H., Marquet, P., Verneuil, B., Lotfi, H., Dupuy, J.L., Pénicaut, B. and Lachâtre, G.
Determination of haloperidol and its reduced metabolite in human plasma by liquid chromatography–mass spectrometry with electrospray ionization 688(1997)275
- Hoja, H., Marquet, P., Verneuil, B., Lotfi, H., Dupuy, J.-L. and Lachâtre, G.
Determination of LSD and *N*-demethyl-LSD in urine by liquid chromatography coupled to electrospray ionization mass spectrometry 692(1997)329
- Holt, A., see Urichuk, L.J. 698(1997)103
- Holt-Larkin, S., see Horne, T. 695(1997)259
- Homma, H., see Koga, D. 690(1997)7
- Homma, M., see Kouno, Y. 695(1997)349
- Homma, M., see Li, C. 693(1997)191
- Honda, M., see Yoshida, K.-i. 695(1997)439
- Hoogmartens, J., see Van Schepdael, A. 697(1997)251
- Hooper, D., Kawamura, M., Hoffman, B., Kopin, I.J., Hunyady, B., Mezey, E. and Eisenhofer, G.
Tyrosine hydroxylase assay for detection of low levels of enzyme activity in peripheral tissues 694(1997)317
- Hopfgartner, G., see Zell, M. 694(1997)135
- Hoppel, C.L., see Stefan, T.L. 681(1996)331
- Hordijk, M.L., see Verweij, A.M.A. 686(1996)27
- Horie, T., see Naitoh, T. 694(1997)153
- Horne, T. and Holt-Larkin, S.
Solid-phase extraction of phospholipids from hemoglobin solutions using Empore styrene–divinylbenzene disks 695(1997)259
- Horning, S., see Schänzer, W. 687(1996)93
- Hörnsten, L., see Oliw, E.H. 690(1997)332

- Horrocks, L.A., see Murphy, E.J. 685(1996)9
- Horsmans, Y., see Leclercq, I. 681(1996)227
- Hörth, P., see Bissé, E. 687(1996)349
- Horvai, G., see Horváth, V. 686(1996)211
- Horvai, G., see Tolokán, A. 698(1997)201
- Horváth, V., Hrabéczy-Páll, A., Niegreis, Z., Kocsi, E., Horvai, G., Gödörházy, L., Tolokán, A., Klebovich, I. and Balogh-Nemes, K.
Sensitive high-performance liquid chromatographic determination of nifedipine in dog plasma using an automated sample preparation system with laboratory robot 686(1996)211
- Hoshita, T., see Une, M. 682(1996)157
- Hoskins, J.M., Shenfield, G.M. and Gross, A.S.
Modified high-performance liquid chromatographic method to measure both dextromethorphan and proganil for oxidative phenotyping 696(1997)81
- Hosoya, Y., see Yoshida, K.-i. 695(1997)439
- Houin, G., see Enanga, B. 696(1997)261
- Howard, G.M. and Schwende, F.J.
Sensitive reversed-phase high-performance liquid chromatographic method for the determination of atevirdine and its N-desethyl metabolite in human saliva or cerebrospinal fluid using solid-phase extraction 693(1997)431
- Howells, J.S., see Altria, K.D. 686(1996)111
- Hoyt, A.M., see Stebbins, M.A. 683(1996)77
- Hrabéczy-Páll, A., see Horváth, V. 686(1996)211
- Hradec, J., Franěk, F. and Dufek, P.
Purification of cholesterol-esterifying enzymes from rat liver cytosol by high-performance liquid chromatography 681(1996)55
- Hrubý, K., see Nobilis, M. 681(1996)143
- Hsieh, S.-Y., see Liu, C.-M. 696(1997)298
- Hsu, K.-Y., see Song, D.-J. 677(1996)69
- Hu, H.B., see Li, J.S. 696(1997)166
- Hu, O.Y.-P., see Ho, S.-T. 678(1996)289
- Hu, X.-y., see Liu, F. 679(1996)113
- Hua, L., see Xu, D.-K. 694(1997)461
- Huaman-Guillen, P., see Bissé, E. 687(1996)349
- Huang, J.J.Z., Kiang, H. and Tarnowski, T.L.
Simultaneous determination of mycophenolic acid and its glucuronide conjugate in human plasma by a single-run ion-pairing method 698(1997)293
- Huang, J.L., see Fryirs, B. 688(1997)79
- Huang, M., Mitchell, D. and Bigelow, M.
Highly efficient protein separations in high-performance capillary electrophoresis, using hydrophilic coatings on polysiloxane-bonded columns 677(1996)77
- Huang, T.-L., see Richards, M.P. 690(1997)43
- Huang, W.X., Xu, H., Fazio, S.D. and Vivilecchia, R.V.
Chiral separation of primary amino compounds using a non-chiral crown ether with β -cyclodextrin by capillary electrophoresis 695(1997)157
- Hubbard, J.W., see Luo, J.-P. 688(1997)303
- Hubbard, J.W., see Yan, J.-h. 691(1997)131
- Hubbard, L.E., see Campbell, N.F. 692(1997)367
- Hubert, Ph., see Ceccato, A. 698(1997)161
- Huddleston, J., Abelaira, J.C., Wang, R. and Lyddiatt, A.
Protein partition between the different phases comprising poly(ethylene glycol)-salt aqueous two-phase systems, hydrophobic interaction chromatography and precipitation: a generic description in terms of salting-out effects 680(1996)31
- Huebert, N.D., Schwartz, J.-J., Zeidler, L., Schwach, V. and Haegele, K.D.
Simultaneous measurement of dolasetron and its major metabolite, MDL 74,156, in human plasma and urine 685(1996)291
- Huet, J.-C., see Govoroun, M.S. 698(1997)35
- Hufschmid, E., Theurillat, R., Wilder-Smith, C.H. and Thormann, W.
Characterization of the genetic polymorphism of dihydrocodeine O-demethylation in man via analysis of urinary dihydrocodeine and dihydromorphine by micellar electrokinetic capillary chromatography 678(1996)43
- Hughes, M.F., see Styblo, M. 677(1996)161
- Huh, S., see Myung, S.-W. 696(1997)160
- Huhle, G., see Malsch, R. 685(1996)223
- Hui, D.-M., see Minami, M. 695(1997)237
- Hui, K.P., see Qiu, D.W. 677(1996)152
- Hui, Yu.-h., Carroll, S. and Marsh, K.C.
Development of a sensitive method for quantitation of ABT-089 in plasma using fluorescence labeling with 7-fluoro-4-nitrobenzo-2-oxa-1,3-diazole 695(1997)337
- Huizing, M.T., see Sparreboom, A. 681(1996)355
- Hulejová, H., see Špaček, P. 689(1997)404
- Hulse, J.D., see Xu, A.S. 682(1996)249
- Hulst, W.P., see Vissers, J.P.C. 686(1996)119
- Hung, M.-H., see Liu, C.-M. 696(1997)298
- Hunyady, B., see Hooper, D. 694(1997)317
- Huq, T.A., see Tran, T.C. 690(1997)35
- Hurlburt, B.K., see Stebbins, M.A. 683(1996)77
- Hušek, P. and Matucha, P.
Simple approach for analysis of plasma oxo-, hydroxy- and dicarboxylic acids 693(1997)499
- Huselton, C.A., see Li, S. 683(1996)155
- Husser, C., see Zell, M. 694(1997)135
- Hutson, P.R., see Glen, V.L. 692(1997)181
- Hutto, T., see Reeves Huie, W. 693(1997)451
- Huwylar, J., see Drewe, J. 691(1997)105
- Hvizd, M.G., see Burke, R.A. 693(1997)353
- Hwa Lee, S., see Won Suh, J. 688(1997)179
- Hwang, B.J., Smith, A.J. and Chu, G.
Internal sequence analysis of proteins eluted from polyacrylamide gels 686(1996)165
- Hwang, D.-F., Chang, S.-H., Shiu, C.-Y. and Chai, T.-j.
High-performance liquid chromatographic determination of biogenic amines in fish implicated in food poisoning 693(1997)23
- Hynek, R., Kašička, V., Kučerová, Z. and Kaš, J.
Application of reversed-phase high-performance liquid chromatography and capillary zone electrophoresis to the peptide mapping of pepsin isoenzymes 681(1996)37

- Hynek, R., Kašička, V., Kučerová, Z. and Káš, J.
Fast detection of phosphorylation of human pepsinogen A, human pepsinogen C and swine pepsinogen using a combination of reversed-phase high-performance liquid chromatography and capillary zone electrophoresis for peptide mapping 688(1997)213
- I**
- Iadarola, P., see Grimm, R. 698(1997)47
Iadarola, P., see Zanaboni, G. 683(1996)97
Iadarola, P., see Zanaboni, G. 695(1997)77
Iberer, F., see Khoschorur, G. 690(1997)367
Ibrahim-Granet, O. and Bertrand, O.
Separation of proteases: old and new approaches 684(1996)239
Ichhpurani, N., see Lau, Y.Y. 683(1996)209
Ichhpurani, N., see Lau, Y.Y. 683(1996)217
Ichimura, S., see Tanabe, T. 692(1997)23
Ide, T.
Simple high-performance liquid chromatographic method for assaying cysteinesulfinic acid decarboxylase activity in rat tissue 694(1997)325
Idle, J.R., see Monkman, S.C. 678(1996)360
Iga, T., see Hanada, E. 692(1997)478
Iga, T., see Ohtani, H. 683(1996)281
Iguchi, T., see Imai, J. 679(1996)204
Inuma, F., see Mawatari, K.-i. 679(1996)155
Ijiri, I., see Tomita, M. 685(1996)185
Ikai, Y., see Oka, H. 693(1997)337
Ikechukwu Ezennia, E., Phillips, L.R., Wolfe, T.L. and Esmail Tabibi, S.
Analysis of perillic acid in plasma by reversed-phase high-performance liquid chromatography with ultraviolet detection 688(1997)354
Ikeda, H., see Moriyama, T. 684(1996)201
Ikeda, N., see Ise, H. 698(1997)97
Ilett, K.F., see Batty, K.T. 677(1996)345
Imagaki, K., see Ochiai, H. 694(1997)211
Imai, J., Yoshida, I., Murayama, K., Sakai, Y., Shimizu, H., Sumi, T., Iguchi, T., Kawai, M. and Yamaguchi, S.
Determination of the 8-methyl ether of xanthurenic acid in human serum by high-performance liquid chromatography with fluorescence detection 679(1996)204
Imai, K., see Koga, D. 690(1997)7
Imai, K., see Wada, M. 678(1996)129
Imamura, T., see Ise, H. 698(1997)97
Imamura, T., see Jitsufuchi, N. 690(1997)153
Imamura, T., see Tokunaga, H. 691(1997)203
Imamura, T., see Zhang, X.X. 677(1996)111
Imbert, E., Letourneur, D. and Jozefowicz, M.
Fractionation of RNA polymerase II transcription factors from HeLa cell nuclear extracts by affinity chromatography on "DNA-like" phosphorylated polystyrene 698(1997)59
Imbriani, M., see Maestri, L. 687(1996)387
Inaba, T., see Kishimoto, M. 688(1997)1
Inagaki, H., see Minami, M. 695(1997)237
Ingalls, S.T., see Stefan, T.L. 681(1996)331
Inoue, H., Maeno, Y., Iwasa, M., Koyama, H., Sato, Y. and Matoba, R.
Sensitive detection of human globin chains by microbore high-performance liquid chromatography and its forensic application 688(1997)221
Iorio, E.L., see Servillo, L. 689(1997)281
Ip, M.P.C., see Chen, H. 679(1996)49
Ise, H., Kudo, K., Jitsufuchi, N., Imamura, T. and Ikeda, N.
Simple and rapid determination of enflurane in human tissues using gas chromatography and gas chromatography-mass spectrometry 698(1997)97
Isensee, T., see Ulrich, S. 685(1996)81
Ishida, J., Takada, M. and Yamaguchi, M.
3,4-Dimethoxybenzylamine as a sensitive pre-column fluorescence derivatization reagent for the determination of serotonin in human platelet-poor plasma 692(1997)31
Ishida, M., see Li, Y.-H. 694(1997)145
Ishida, Y., see Takeuchi, A. 691(1997)313
Ishii, K., Furuta, T. and Kasuya, Y.
Determination of naringin and naringenin in human plasma by high-performance liquid chromatography 683(1996)225
Ishikura, C., see Kouno, Y. 695(1997)349
Ishioka, N., Kogure, T. and Kurosu, Y.
Detection of a genetic variant, lysine → glutamic acid at position 372 of human serum albumin, by capillary electrophoresis and structural identification 697(1997)135
Ishizaki, T., see Tanaka, M. 676(1996)87
Ismail, S., see Jayaraman, S.D. 690(1997)253
Issaq, H.J., see Chan, K.C. 695(1997)113
Issaq, H.J., see Janini, G.M. 683(1996)29
Ito, K., see Sato, J. 692(1997)241
Ito, T., see Sakai, T. 685(1996)196
Ito, Y., see Oka, H. 693(1997)337
Ito, Y., see Shibusawa, Y. 696(1997)25
Itoh, M., see Suzuki, K.T. 692(1997)15
Itoh, M.T., Hattori, A. and Sumi, Y.
Hydroxyindole-*O*-methyltransferase activity assay using high-performance liquid chromatography with fluorometric detection: determination of melatonin enzymatically formed from *N*-acetylserotonin and *S*-adenosyl-L-methionine 692(1997)217
Itoh, T., see Kamisaki, Y. 685(1996)343
Itoh, T., see Li, Y.-H. 694(1997)145
Iwasa, M., see Inoue, H. 688(1997)221
Iwashina, T., see Tredget, E.E. 694(1997)1
Iwata, T., Hirose, T. and Yamaguchi, M.
Direct determination of estriol 3- and 16-glucuronides in pregnancy urine by column-switching high-performance liquid chromatography with fluorescence detection 695(1997)201
Izawa, K., see Miyabayashi, T. 677(1996)123

J

- Jabor, V.A.P., Rocha, G.M. and Bonato, P.S.
Enantioselective analysis of praziquantel in plasma samples 696(1997)307
- Jackson, J., see Kijak, P.J. 691(1997)377
- Jackson, L.L., see Zang, L.-Y. 677(1996)209
- Jacquemin, P., see Delahaut, Ph. 696(1997)203
- Jacquot, C., see Garnier, P. 685(1996)364
- Jacqz-Aigrain, E., see Medard, Y. 700(1997)275
- Jaeger, M., see O'Connor, P. 700(1997)49
- Jäger, W., see Vielnascher, E. 696(1997)267
- Jamali, F., see Lovlin, R. 679(1996)196
- Jamali, F., see Soury, E. 700(1997)215
- Jamdar, S., see Virag, L. 681(1996)263
- Janáky, T., Szabó, E., Balásperi, L., Adi, B. and Penke, B.
High-performance separation methods in the analysis of a new peptide family: the galanins 676(1996)7
- Jandera, P., see Fischer, J. 681(1996)3
- Janiczek, O., see Glatz, Z. 688(1997)239
- Janini, G.M., Muschik, G.M. and Issaq, H.J.
Micellar electrokinetic chromatography in zero-electroosmotic flow environment 683(1996)29
- Jankowski, A., Skorek-Jankowska, A. and Lamparczyk, H.
Determination and pharmacokinetics of a furosemide-amiloride drug combination 693(1997)383
- Jansen, E.H.J.M., Laan, C.A. and de Fluiter, P.
Advances in sample preparation, electrophoretic separation and detection methods for rat cytochrome P450 enzymes 684(1996)133
- Jarugula, V.R. and Boudinot, F.D.
High-performance liquid chromatographic determination of 5-fluorouracil and its prodrugs, tegafur and 4-deoxy-5-fluorouracil, in rat plasma 677(1996)199
- Jauhainen, M., see Uusi-Oukari, M. 682(1996)233
- Jayaraman, S.D., Ismail, S., Nair, N.K. and Navaratnam, V.
Determination of pyronaridine in blood plasma by high-performance liquid chromatography for application in clinical pharmacological studies 690(1997)253
- Jefferson Williams, L., see Wu, E.Y. 695(1997)373
- Jeffery, D., see Chen, C. 697(1997)149
- Jehl, F., see Elkhaili, H. 686(1996)19
- Jehl, F., see Elkhaili, H. 690(1997)181
- Jehl, F., see Levêque, D. 697(1997)67
- Jehnich, D., see Kees, F. 677(1996)172
- Jelínková, D., see Deyl, Z. 689(1997)181
- Jelk, J., see Asmis, R. 691(1997)59
- Jellum, E., Dollekamp, H. and Blessum, C.
Capillary electrophoresis for clinical problem solving: analysis of urinary diagnostic metabolites and serum proteins 683(1996)55
- Jellum, E., Dollekamp, H., Brunsvig, A. and Gislefoss, R.
Diagnostic applications of chromatography and capillary electrophoresis 689(1997)155
- Jemal, M. and Hawthorne, D.J.
Quantitative determination of BMS186716, a thiol compound, in dog plasma by high-performance liquid chromatography-positive ion electrospray mass spectrometry after formation of the methyl acrylate adduct 693(1997)109
- Jemal, M. and Hawthorne, D.J.
Quantitative determination of BMS-186716, a thiol compound, in rat plasma by high-performance liquid chromatography-positive ion electrospray mass spectrometry after hydrolysis of the methyl acrylate adduct by the native esterases 698(1997)123
- Jemnitz, K. and Vereczkey, L.
Ion-pair high-performance liquid chromatographic separation of two thyroxine glucuronides formed by rat liver microsomes 681(1996)385
- Jenkins, M.A. and Guerin, M.D.
Capillary electrophoresis as a clinical tool 682(1996)23
- Jenkins, M.A. and Guerin, M.D.
Capillary electrophoresis procedures for serum protein analysis: comparison with established techniques 699(1997)257
- Jenny, A., see Schmerr, M.J. 697(1997)223
- Jenny, A.L., see Schmerr, M.J. 681(1996)29
- Jessa, M.J., Barrett, D.A., Shaw, P.N. and Spiller, R.C.
Rapid and selective high-performance liquid chromatographic method for the determination of metronidazole and its active metabolite in human plasma, saliva and gastric juice 677(1996)374
- Jiang, Q., Walton, N.Y., Gunawan, S. and Treiman, D.M.
High-performance liquid chromatographic determination of midazolam in rat brain 683(1996)276
- Jiang, R., Hayden, C.G.J., Prankerd, R.J., Roberts, M.S. and Benson, H.A.E.
High-performance liquid chromatographic assay for common sunscreens in cosmetic products, bovine serum albumin solution and human plasma 682(1996)137
- Jiang, Y., see Singh, A.K. 690(1997)327
- Jiang, Y., see Singh, A.K. 696(1997)174
- Jiménez, R.M., see Barroso, M.B. 690(1997)105
- Jiménez, R.M., see Lalljie, S.P.D. 688(1997)71
- Jitsufuchi, N., see Ise, H. 698(1997)97
- Jitsufuchi, N., Kudo, K., Tokunaga, H. and Imamura, T.
Selective determination of sultopride in human plasma using high-performance liquid chromatography with ultraviolet detection and particle beam mass spectrometry 690(1997)153
- Jitsufuchi, N., see Ono, Y. 677(1996)339
- Jitsufuchi, N., see Tokunaga, H. 691(1997)203
- Jitsufuchi, N., see Zhang, X.X. 677(1996)111
- Jobard, E., Turcant, A., Harry, P., Le Bouil, A. and Allain, P.
High-performance liquid chromatographic determination of 4-methylpyrazole in plasma and in dialysate 695(1997)444
- Johansen, K., Krogh, M. and Rasmussen, K.E.
Automated on-line dialysis, trace enrichment and high-performance liquid chromatography Inhibition of interaction with the dialysis membrane and disruption of protein binding in the determination of clozapine in human plasma 690(1997)223

- Johansson, G.
Aqueous two-phase systems with a liquid protein (bovine serum albumin) phase for partitioning of enzymes 680(1996)123
- Johansson, G., see Grimonprez, B. 680(1996)55
- Johansson, G., see Lu, M. 680(1996)65
- Johansson, G., see Truust, H. 680(1996)71
- John, H. and Schlegel, W.
Reversed-phase high-performance liquid chromatographic method for the determination of the 11-hydroxythromboxane B₂ anomers equilibrium 698(1997)9
- Johnson, M.R., Yan, J., Shao, L., Albinánd, N. and Diasio, R.B.
Semi-automated radioassay for determination of dihydropyrimidine dehydrogenase (DPD) activity. Screening cancer patients for DPD deficiency, a condition associated with 5-fluorouracil toxicity 696(1997)183
- Johnson, P.Y. and Blake, D.A.
Rapid size-exclusion chromatography of proteoglycans 688(1997)27
- Johnston, D.E., see White, S.A. 689(1997)335
- Johnston, G.A.R., see Yap, B.K. 687(1996)117
- Jones, A.E., see Hannan, S.L. 678(1996)297
- Jones, C.M., see Plumb, R.S. 694(1997)123
- Jones, D.J., Bjorksten, A.R. and Crankshaw, D.P.
Determination of eltanolone in human plasma by high-performance liquid chromatography 694(1997)467
- Jones, D.R., Gorski, J.C., Hamman, M.A. and Hall, S.D.
Quantification of dextromethorphan and metabolites: a dual phenotypic marker for cytochrome P450 3A4/5 and 2D6 activity 678(1996)105
- Jönsson, B.A.G. and Åkesson, B.
Determination of 5-hydroxy-N-methylpyrrolidone and 2-hydroxy-N-methylsuccinimide in human urine 694(1997)351
- Jönsson, B.A.G., see Lindh, C.H. 691(1997)331
- Jönsson, J., see Palmarsdóttir, S. 688(1997)127
- Jorgenson, J.W., see Chen, C. 697(1997)149
- Joseph, G., Biederick, W., Woschéc, U., Theisohn, M. and Klaus, W.
Sensitive and convenient high-performance liquid chromatographic method for the determination of mitomycin C in human plasma 698(1997)261
- Josić, D., see Löster, K. 699(1997)439
- Josić, D., Schulz, P., Biesert, L., Hoffer, L., Schwinn, H., Kordis-Krapez, M. and Strancar, A.
Issues in the development of medical products based on human plasma 694(1997)253
- Josić, Dj., see Lukša, J. 693(1997)367
- Joullia, J.M., see Grosse, P.Y. 694(1997)219
- Joullia, J.M., see Pinguet, F. 686(1996)43
- Joullia, J.M., Pinguet, F., Grosse, P.Y., Astre, C. and Bressolle, F.
Determination of 5-fluorouracil and its main metabolites in plasma by high-performance liquid chromatography. Application to a pharmacokinetic study 692(1997)427
- Jourdil, N., see Fontanille, P. 692(1997)337
- Jowet, T., see Glatz, Z. 688(1997)239
- Jozefonvicz, J., see Anastase, S. 686(1996)141
- Jozefonvicz, J., see Serres, A. 681(1996)219
- Jozefowicz, M., see Imbert, E. 698(1997)59
- Julián, E., see Muñoz, M. 689(1997)341
- ## K
- Kadhun, A.A.H., see Myint, S. 679(1996)193
- Käfferlein, H.U., see Angerer, J. 693(1997)71
- Kagei, Y., see Naitoh, T. 694(1997)153
- Kai, M., Nakashima, A. and Ohkura, Y.
High-performance liquid chromatographic separation of kyotorphin, a basic Tyr-Arg dipeptide, in rat brain tissue and quantification using fluorimetric detection 688(1997)205
- Kajiser, G.P., Beijnen, J.H., Rozendom, E., Bult, A. and Underberg, W.J.M.
Analysis of ifosforamide mustard, the active metabolite of ifosfamide, in plasma 686(1996)249
- Kajiser, G.P., Beijnen, J.H., Bult, A., Keizer, H.J. and Underberg, W.J.M.
Chromatographic analysis of the enantiomers of ifosfamide and some of its metabolites in plasma and urine 690(1997)131
- Kajimoto, Y., see Kishimoto, M. 688(1997)1
- Kajiwara, H., Hemmings, A.M. and Hirano, H.
Evidence of metal binding activities of pentadecapeptide from *Panax ginseng* 687(1996)443
- Kakiki, M., see Naitoh, T. 694(1997)153
- Kakubari, I., see Takayasu, T. 679(1996)161
- Kalbach, H.L., see Zang, L.-Y. 677(1996)209
- Kaloostian, M., see Tsina, I. 681(1996)347
- Kamada, T., see Kishimoto, M. 688(1997)1
- Kamanikom, B., see Na-Bangchang, K. 689(1997)433
- Kamei, T., see Ochiai, H. 694(1997)211
- Kamel, A. and Prakash, C.
Determination of the substance P receptor antagonist CP-122,721 in plasma by narrow-bore high-performance liquid chromatography–ionspray tandem mass spectrometry 700(1997)139
- Kamimura, H., see Matsushima, H. 695(1997)317
- Kamisaki, Y., Wada, K., Nakamoto, K., Kishimoto, Y., Kitano, M. and Itoh, T.
Sensitive determination of nitrotyrosine in human plasma by isocratic high-performance liquid chromatography 685(1996)343
- Kan, K., see Miwa, H. 677(1996)217
- Kan, K., see Miwa, H. 679(1996)1
- Kaneko, S., see Tanaka, M. 676(1996)87
- Kanfer, I., see Vuma, V. 678(1996)245
- Kang, T.S., see Lee, K.C. 694(1997)31
- Kang, Y.-K., see Shin, H.-S. 677(1996)369
- Kanno, S., see Ono, I. 678(1996)384
- Kanno, S., see Ono, I. 692(1997)397

- Kantes, H.L., see Tran, T.C. 690(1997)35
- Kanyok, T., see Lu, J. 695(1997)329
- Karamanos, N.K. and Hjerpe, A.
High-performance capillary electrophoretic analysis of hyaluronan in effusions from human malignant mesothelioma 697(1997)277
- Karbwang, J., see Na-Bangchang, K. 689(1997)433
- Karbwang, J., Na-Bangchang, K., Molunto, P., Banmairuroi, V. and Congpuong, K.
Determination of artemether and its major metabolite, dihydroartemisinin, in plasma using high-performance liquid chromatography with electrochemical detection 690(1997)259
- Karila, T., Kosunen, V., Leinonen, A., Tähtelä, R. and Seppälä, T.
High doses of alcohol increase urinary testosterone-to-epitestosterone ratio in females 687(1996)109
- Karnes, H.T., see Ramaiya, A. 691(1997)119
- Káš, J., see Hynek, R. 681(1996)37
- Káš, J., see Hynek, R. 688(1997)213
- Kašička, V., see Hynek, R. 681(1996)37
- Kašička, V., see Hynek, R. 688(1997)213
- Kassack, M. and Nickel, P.
Rapid, highly sensitive gradient narrow-bore high-performance liquid chromatographic determination of suramin and its analogues 686(1996)275
- Kasuya, Y., see Ishii, K. 683(1996)225
- Kasuya, Y., see Shibasaki, H. 692(1997)7
- Katagi, M., see Miki, A. 692(1997)319
- Katagi, M., Nishikawa, M., Tatsuno, M. and Tsuchihashi, H.
Determination of the main hydrolysis product of *O*-ethyl *S*-2-diisopropylaminoethyl methylphosphonothiolate, ethyl methylphosphonic acid, in human serum 689(1997)327
- Katagi, M., Nishikawa, M., Tatsuno, M. and Tsuchihashi, H.
Determination of the main hydrolysis products of organophosphorus nerve agents, methylphosphonic acids, in human serum by indirect photometric detection ion chromatography 698(1997)81
- Katagi, M., Nishioka, H., Nakajima, K., Tsuchihashi, H., Fujima, H., Wada, H., Nakamura, K. and Makino, K.
Direct high-performance liquid chromatographic and high-performance liquid chromatographic–thermospray-mass spectrometric determination of enantiomers of methamphetamine and its main metabolites amphetamine and *p*-hydroxymethamphetamine in human urine 676(1996)35
- Kataoka, H., see Matsumura, S. 681(1996)375
- Kataoka, Y., see Makino, K. 695(1997)417
- Katime, I., see Blanco, M.D. 680(1996)243
- Kato, K., see Tanaka, M. 676(1996)87
- Kato, T., Liu, J.K., Yamamoto, K., Osborne, P.G. and Niwa, O.
Detection of basal acetylcholine release in the microdialysis of rat frontal cortex by high-performance liquid chromatography using a horseradish peroxidase–osmium redox polymer electrode with pre-enzyme reactor 682(1996)162
- Katsumata, M., see Minami, M. 695(1997)237
- Katsumata, N., see Hayakawa, K. 696(1997)19
- Katsumata, N., see Yoshikawa, K. 679(1996)41
- Katsumata, Y., see Kobayashi, K. 677(1996)275
- Kaufmann, C.C., see Braess, J. 676(1996)131
- Kaufmann, M.
Unstable proteins: how to subject them to chromatographic separations for purification procedures 699(1997)347
- Kaufmann, P., see Olsson, N.U. 698(1997)1
- Kavakli, C., see Denizli, A. 698(1997)89
- Kawada, T., see Shibata, K. 695(1997)434
- Kawada, T., see Takauchi, Y. 693(1997)218
- Kawaguchi, S., see Naitoh, T. 694(1997)153
- Kawai, M., see Deng, Y. 689(1997)313
- Kawai, M., see Imai, J. 679(1996)204
- Kawamori, R., see Kishimoto, M. 688(1997)1
- Kawamura, M., see Hooper, D. 694(1997)317
- Kawasaki, M., see Shimada, K. 689(1997)409
- Kayama, M., see Tanaka, T. 700(1997)1
- Kayano, M., see Seki, T. 688(1997)101
- Kazlauskas, R., see Lisi, A.M. 692(1997)67
- Kazlauskas, R., see Yap, B.K. 687(1996)117
- Kees, F., Jehnich, D. and Grobecker, H.
Simultaneous determination of acetylsalicylic acid and salicylic acid in human plasma by high-performance liquid chromatography 677(1996)172
- Kehr, J., see Carter, A.J. 692(1997)207
- Kehrli, N.J., see Glen, V.L. 692(1997)181
- Keita, M., see Enanga, B. 696(1997)261
- Keizer, H.J., see Kaijser, G.P. 690(1997)131
- Keller, T., see Miki, A. 692(1997)319
- Kelley, J.A., see Hegedus, L. 692(1997)169
- Kelm, G.R., see Tulich, L.J. 682(1996)273
- Kelm, M., see Preik-Steinhoff, H. 685(1996)348
- Kempf, C., see Stucki, M. 700(1997)241
- Kendle, K.E., see Wattanatorn, W. 692(1997)233
- Keng, L., see Sørensen, L.K. 694(1997)383
- Kennedler, E., see Morand, M. 691(1997)192
- Kennedy, C.M., see Bui, K.H. 696(1997)131
- Kennedy, D.G., see Blanchflower, W.J. 692(1997)351
- Kennedy, D.G., see McCracken, R.J. 691(1997)87
- Kennedy, L.M., see Phillips, T.M. 697(1997)101
- Kennedy, R.T., see Shen, H. 689(1997)295
- Kenyon, R.S., see Vaughan, G.T. 678(1996)197
- Kepp, D.R., Sidelmann, U.G., Tjørnelund, J. and Hansen, S.H.
Simultaneous quantitative determination of the major phase I and II metabolites of ibuprofen in biological fluids by high-performance liquid chromatography on dynamically modified silica 696(1997)235
- Kerbusch, T., Desta, Z., Soukhova, N.V., Thacker, D. and Flockhart, D.A.
Sensitive assay for pimozone in human plasma using high-performance liquid chromatography with fluorescence detection: application to pharmacokinetic studies 694(1997)163
- Kerns, E.H., Rourick, R.A., Volk, K.J. and Lee, M.S.
Buspirone metabolite structure profile using a standard liquid chromatographic–mass spectrometric protocol 698(1997)133
- Kerns, E.H., see Volk, K.J. 696(1997)99
- Kerr, D.J., see Anderson, D. 688(1997)87

- Keuzenkamp-Jansen, C.W., Leegwater, P.A.J., De Abreu, R.A., Lambooy, M.A.H., Bökkerink, J.P.M. and Trijbels, J.M.F.
Thiopurine methyltransferase: a review and a clinical pilot study 678(1996)15
- Khalil, D.A., see Wu, E.Y. 695(1997)373
- Kharasch, E.D., see Hankins, D.C. 692(1997)413
- Khoschsorur, G., Semmelrock, H.J., Rödl, S., Auer, T., Petek, W., Iberer, F. and Tscheliessnigg, K.H.
Rapid, sensitive high-performance liquid chromatographic method for the determination of cyclosporin A and its metabolites M1, M17 and M21 690(1997)367
- Khuhawar, M.Y., Lanjwani, S.N. and Memon, S.A.
High-performance liquid chromatographic determination of cisplatin as platinum(II) in a pharmaceutical preparation and blood samples of cancer patients 693(1997)175
- Kiang, H., see Huang, J.J.Z. 698(1997)293
- Kiba, N., Saegusa, K. and Furusawa, M.
Post-column enzyme reactors for chemiluminometric detection of glucose, 1,5-anhydroglucitol and 3-hydroxybutyrate in an anion-exchange chromatographic system 689(1997)393
- Kiburis, J.C., see Georgakopoulos, C.G. 687(1996)151
- Kijak, P.J., Jackson, J. and Shaikh, B.
Determination of gentamicin in bovine milk using liquid chromatography with post-column derivatization and fluorescence detection 691(1997)377
- Kikura, R., see Nakahara, Y. 700(1997)83
- Kim, H.-J., see Shin, H.-S. 677(1996)369
- Kim, H.-K., see Lin, C.-c. 682(1996)309
- Kim, I.-C., see Choi, Y.-J. 694(1997)415
- Kim, K.-R. and Yoon, H.-R.
Rapid screening for acidic non-steroidal anti-inflammatory drugs in urine by gas chromatography–mass spectrometry in the selected-ion monitoring mode 682(1996)55
- Kim, M., see Choi, D. 687(1996)189
- Kim, M., see Myung, S.-W. 696(1997)160
- Kim, S., see Lho, D.-S. 687(1996)253
- Kim, S.H., see Shim, H.J. 689(1997)422
- Kim, T., Suh, J.W., Ryu, J.-C., Chung, B.C. and Park, J.
Excretion study of furazabol, an anabolic steroid, in human urine 687(1996)79
- Kim, W.B., see Shim, H.J. 689(1997)422
- Kimura, A., see Murai, T. 691(1997)13
- Kimura, A., see Suzuki, M. 693(1997)11
- Kimura, K. and Kobayashi, H.
RNA partitioning accompanied by adsorption: high-molecular-mass RNA adsorbed at the interface like a particle 680(1996)213
- Kimura, M., see Minami, T. 685(1996)353
- Kimura, T., see Yoshikawa, K. 679(1996)41
- King, D.L., see Essien, H. 683(1996)199
- King, L.A.
Reaction of ephedrine with carborane disulphide 686(1996)211
- King, L.E. and Vieth, R.
Extraction and measurement of parindronate from bone samples using automated pre-column derivatization, high-performance liquid chromatography and fluorescence detection 678(1996)325
- Kingma, A.W., see Dorhout, B. 700(1997)23
- Kinowski, J.-M., see de Cazanove, F. 690(1997)203
- Kinowski, J.-M., see Guitton, C. 690(1997)211
- Kintz, P., see Berthault, F. 685(1996)383
- Kintz, P., see Cirimele, V. 700(1997)119
- Kintz, P., Cirimele, V., Vayssette, F. and Mangin, P.
Hair analysis for nordiazepam and oxazepam by gas chromatography–negative-ion chemical ionization mass spectrometry 677(1996)241
- Kintz, P., see Tracqui, A. 692(1997)101
- Kirch, W., see Oertel, R. 682(1996)259
- Kirchberger, J., see Kopperschläger, G. 684(1996)25
- Kircher, V. and Parlar, H.
Determination of Δ^9 -tetrahydrocannabinol from human saliva by tandem immunoaffinity chromatography–high-performance liquid chromatography 677(1996)245
- Kirshner, M., see Foglia, J.P. 693(1997)147
- Kishi, I., see Hirai, T. 690(1997)267
- Kishi, I., see Hirai, T. 692(1997)375
- Kishimoto, M., Kajimoto, Y., Kubota, M., Watarai, T., Shiba, Y., Kawamori, R., Inaba, T., Kamada, T. and Yamasaki, Y.
Sensitive, selective gas chromatographic–mass spectrometric analysis with trifluoroacetyl derivatives and a stable isotope for studying tissue sorbitol-producing activity 688(1997)1
- Kishimoto, Y., see Kamisaki, Y. 685(1996)343
- Kishino, S. and Miyazaki, K.
Separation methods for glycoprotein analysis and preparation 699(1997)371
- Kissinger, P.T., see Ridlen, J.S. 694(1997)393
- Kitagawa, H., see Takauchi, Y. 693(1997)218
- Kitahara, S., see Yoshida, K.-i. 695(1997)439
- Kitama, N., see Shimada, K. 689(1997)409
- Kitamura, R., Bandoh, T., Tsuda, M. and Satoh, T.
Determination of a new podophyllotoxin derivative, TOP-53, and its metabolite in rat plasma and urine by high-performance liquid chromatography with electrochemical detection 690(1997)283
- Kitamura, R., see Matsushima, E. 691(1997)95
- Kitano, M., see Kamisaki, Y. 685(1996)343
- Klaassen, I., see Teerlink, T. 694(1997)83
- Klasson-Wehler, E., see Egestad, B. 677(1996)99
- Klaus, W., see Joseph, G. 698(1997)261
- Klebovich, I., see Horváth, V. 686(1996)211
- Klebovich, I., see Róna, K. 678(1996)63
- Klebovich, I., see Róna, K. 693(1997)393
- Klebovich, I., see Tolokán, A. 698(1997)201
- Klein, T.L., see Weber, P.L. 697(1997)263
- Kleinschnitz, M., Herderich, M. and Schreier, P.
Determination of 1,4-benzodiazepines by high-performance liquid chromatography–electrospray tandem mass spectrometry 676(1996)61
- Klein-Soyer, C., see Leray, C. 696(1997)33
- Klempel, K., see Bruunshuus, I. 687(1996)157
- Klíma, J., see Macek, J. 689(1997)239
- Klíma, J., see Ptáček, P. 694(1997)409
- Kluppel, A.C.A., see Haas, M. 693(1997)484
- Knight, G., see Heggie, J.R. 692(1997)437

- Knight, P.M., Scherz, M.W., Cruze, C.A. and Wehmeyer, K.R.
Analysis of a novel antiinflammatory agent, 1-(7-*tert*-butyl-2,3-dihydro-3,3-dimethylbenzo[*b*]furan-5-yl)-4-cyclopropylbutan-1-one (PGV-20229), in plasma matrices by stable-isotope-dilution gas chromatography–mass spectrometry 700(1997)111
- Knight, P.M., see Wehmeyer, K.R. 676(1996)53
- Knobel, H.H., see Li, D. 695(1997)169
- Knoche, B., Milosavljev, S., Gropper, S., Brunner, L.A. and Powell, M.L.
Enantioselective determination of selfotel in human urine by high-performance liquid chromatography on a chiral stationary phase after derivatization with 9-fluorenylmethyl chloroformate 695(1997)355
- Knoll, S., see Feng, M.R. 693(1997)159
- Knudsen, B.R., Straub, T. and Boege, F.
Separation and functional analysis of eukaryotic DNA topoisomerases by chromatography and electrophoresis 684(1996)307
- Ko, W.-C., Yang, J.-Y. and Chen, C.-M.
Determination of *Z*-butylidenephthalide in plasma by high-performance liquid chromatography 685(1996)379
- Kobayashi, H., see Kimura, K. 680(1996)213
- Kobayashi, J., see Shirao, M.K. 693(1997)463
- Kobayashi, K., Sato, K., Mizuno, Y. and Katsumata, Y.
Capillary high-performance liquid chromatography–fast atom bombardment mass spectrometry of 24 cephem antibiotics 677(1996)275
- Kobayashi, M., see Mita, H. 692(1997)461
- Kobayashi, T., see Takeuchi, A. 691(1997)313
- Kobylińska, K., see Kobylińska, M. 685(1996)191
- Kobylińska, M., Kobylińska, K. and Sobik, B.
High-performance liquid chromatographic analysis for the determination of miconazole in human plasma using solid-phase extraction 685(1996)191
- Kocakulak, M., Denizli, A., Rad, A.Y. and Pişkin, E.
New sorbent for bilirubin removal from human plasma: Cibacron Blue F3GA-immobilized poly(EGDMA–HEMA) microbeads 693(1997)271
- Kocsi, E., see Horváth, V. 686(1996)211
- Koda, R.T., see Pujari, M.P. 694(1997)185
- Kodama, H., see Yu, S. 698(1997)301
- Koezuka, K., Ozaki, H., Matsubara, N. and Terabe, S.
Separation and detection of closely related peptides by micellar electrokinetic chromatography coupled with electrospray ionization mass spectrometry using the partial filling technique 689(1997)3
- Koga, D., Santa, T., Fukushima, T., Homma, H. and Imai, K.
Liquid chromatographic–atmospheric pressure chemical ionization mass spectrometric determination of anandamide and its analogs in rat brain and peripheral tissues 690(1997)7
- Kogure, T., see Ishioka, N. 697(1997)135
- Köhler, H., see Frost, M. 693(1997)313
- Kohlhof, K., see Song, D. 686(1996)199
- Kohlmann, M., see Campíns-Falcó, P. 687(1996)239
- Kohls, U., see Bogusz, M.J. 683(1996)177
- Koike, R., see Hamamoto, K. 693(1997)489
- Kojima, K., see Adachi, T. 682(1996)47
- Kok, R.J., Visser, J., Moolenaar, F., de Zeeuw, D. and Meijer, D.K.F.
Bioanalysis of captopril: two sensitive high-performance liquid chromatographic methods with pre- or postcolumn fluorescent labeling 693(1997)181
- Kolasiewicz, W., see Bringmann, G. 687(1996)337
- Kolesar, J.M., Allen, P.G. and Doran, C.M.
Direct quantification of HIV-1 RNA by capillary electrophoresis with laser-induced fluorescence 697(1997)189
- Koletzko, B., see Göbel, Y. 688(1997)57
- Koob, M., see Bringmann, G. 687(1996)337
- Koopman, F.P., see Rosing, H. 696(1997)89
- Kopecký, J., see Nobilis, M. 681(1996)177
- Kopin, I.J., see Hooper, D. 694(1997)317
- Kopperschläger, G. and Kirchberger, J.
Methods for the separation of lactate dehydrogenases and clinical significance of the enzyme 684(1996)25
- Kordis-Krapez, M., see Josić, D. 694(1997)253
- Korst, A.E.C., Vermorken, J.B. and van der Vijgh, W.J.F.
High-performance liquid chromatographic assay using electrochemical detection for the combined measurement of amifostine, WR 1065 and the disulfides in plasma 693(1997)167
- Korsten, H.H.M., see Grouls, R.J.E. 694(1997)421
- Koskinen, M., Elo, H., Lukkari, P. and Riekkola, M.-L.
Determination of the antileukemic drug mitoguanzone and seven other closely related bis(amidinohydrazones) in human blood serum by high-performance liquid chromatography 685(1996)141
- Koskinen, M., Rajaniemi, H. and Hemminki, K.
Analysis of tamoxifen-induced DNA adducts by ³²P-postlabelling assay using different chromatographic techniques 691(1997)155
- Kostel, K.L. and Lunte, S.M.
Evaluation of capillary electrophoresis with post-column derivatization and laser-induced fluorescence detection for the determination of substance P and its metabolites 695(1997)27
- Kosunen, V., see Karila, T. 687(1996)109
- Kotaki, H., see Hanada, E. 692(1997)478
- Kotaki, H., see Ohtani, H. 683(1996)281
- Koundourellis, J.E., see Ebete, K.O. 677(1996)319
- Kouno, Y., Ishikura, C., Homma, M. and Oka, K.
Extrashot-ODS, a syringe-type minicolumn sample injector for a reversed-phase high-performance liquid chromatographic column. Application to antiepileptics in human sera 695(1997)349
- Koutny, L.B., see Schmalzing, D. 697(1997)175
- Kovar, K.-A., see Ensslin, H.K. 683(1996)189
- Kovar, K.-A., see Pisternick, W. 688(1997)63
- Kowalski, P., see Lamparczyk, H. 692(1997)483
- Koyama, H., see Inoue, H. 688(1997)221
- Koyama, T. and Terauchi, K.-i.
Synthesis and application of boronic acid-immobilized porous polymer particles: a novel packing for high-performance liquid affinity chromatography 679(1996)31
- Kraak, J.C., see Cifuentes, A. 681(1996)21

- Kraemer, H.-J., Gehrke, R., Breithaupt, A. and Breithaupt, H.
Simultaneous quantification of cefotaxime, desacetylcefotaxime, ofloxacin and ciprofloxacin in ocular aqueous humor and in plasma by high-performance liquid chromatography 700(1997)147
- Kraemer, T., see Maurer, H.H. 689(1997)81
- Krähenbühl, S., see Ha, H.R. 694(1997)427
- Krämer-Guth, A., see Bissé, E. 687(1996)349
- Krauthauser, C.L., see Grubb, M.F. 678(1996)303
- Krauwinkel, W.J.J. and Volkers-Kamerlings, N.J.
Determination of penicillin-V in human plasma by high-performance liquid chromatography and solid-phase extraction 679(1996)129
- Kremser, M., see Lukša, J. 693(1997)367
- Kress, H.G., see Weindlmayr-Goettel, M. 685(1996)123
- Kreuter, J., see Langer, K. 692(1997)345
- Křivánková, L. and Boček, P.
Synergism of capillary isotachopheresis and capillary zone electrophoresis 689(1997)13
- Kroemer, H.K., see Bohnenstengel, F. 692(1997)163
- Kroemer, H.K., see Engel, G. 678(1996)93
- Kroemer, H.K., see Sperker, B. 685(1996)181
- Krogh, M., Grefslie, H. and Rasmussen, K.E.
Solvent-modified solid-phase microextraction for the determination of diazepam in human plasma samples by capillary gas chromatography 689(1997)357
- Krogh, M., see Johansen, K. 690(1997)223
- Krohn, K.A., see Link, J.M. 693(1997)31
- Krstulovic, A.M. and Lee, C.R.
Defining drug purity through chromatographic and related methods: current status and perspectives 689(1997)137
- Krull, I.S., see Cho, B.-Y. 697(1997)163
- Krull, I.S., Strong, R., Susic, Z., Cho, B.-Y., Beale, S.C., Wang, C.-C. and Cohen, S.
Labeling reactions applicable to chromatography and electrophoresis of minute amounts of proteins 699(1997)173
- Kubo, K.
Separation of components of human globulins by capillary zone electrophoresis using a linear polyacrylamide-coated capillary 697(1997)217
- Kubo, K., see Minami, T. 685(1996)353
- Kubota, M., see Kishimoto, M. 688(1997)1
- Kučerová, Z., see Bílková, Z. 689(1997)273
- Kučerová, Z., see Hynek, R. 681(1996)37
- Kučerová, Z., see Hynek, R. 688(1997)213
- Kudo, K., see Ise, H. 698(1997)97
- Kudo, K., see Jitsufuchi, N. 690(1997)153
- Kudo, K., see Tokunaga, H. 691(1997)203
- Kudo, K., see Zhang, X.X. 677(1996)111
- Kuhl, D.A., Methvin, J.T. and Dickerson, R.N.
Standardization of acid hydrolysis procedure for urinary 3-methylhistidine determination by high-performance liquid chromatography 681(1996)390
- Kulkarni, D., see Dwivedi, A.K. 698(1997)317
- Kunath, M., see Birkenmeier, G. 680(1996)97
- Kunz, C., Rudloff, S., Hintelmann, A., Pohlentz, G. and Egge, H.
High-pH anion-exchange chromatography with pulsed amperometric detection and molar response factors of human milk oligosaccharides 685(1996)211
- Kuo, J.-S., see Tsai, P.-J. 686(1996)151
- Kuo, J.-S., see Yang, C.-S. 693(1997)257
- Kuroda, N., see Al-Dirbashi, O. 695(1997)251
- Kuroda, N., see Wada, M. 678(1996)129
- Kurono, M., Suzuki, K., Yoshida, K. and Naruto, S.
Simultaneous determination of a novel calcium entry blocker, monatepil maleate, and its metabolites in rat plasma by means of solid-phase extraction and reversed-phase liquid chromatography with electrochemical detection 689(1997)427
- Kurosawa, T., see Murai, T. 691(1997)13
- Kurosawa, T., see Suzuki, M. 693(1997)11
- Kurosu, Y., see Ishioka, N. 697(1997)135
- Küstners, E., see Drewe, J. 691(1997)105
- Kute, T.E., see Shihabi, Z.K. 683(1996)125
- Kuwata, K., see Hayakawa, A. 698(1997)27
- Kvasničková, E., see Wsól, V. 681(1996)169
- Kvasničková, E., see Wsól, V. 689(1997)205
- Květina, J., see Nobilis, M. 681(1996)143

L

- La Croix, R., Dostert, P. and Strolin Benedetti, M.
Sensitive high-performance liquid chromatographic method for the determination of 2-phenylethylamine in human urine 681(1996)185
- Laakso, I., see Seppänen-Laakso, T. 687(1996)371
- Laan, C.A., see Jansen, E.H.J.M. 684(1996)133
- Labat, C., see Enanga, B. 696(1997)261
- Laboureau, E., Capiod, J.C., Dessaint, C., Prin, L. and Vijayalakshmi, M.A.
Study of human cord blood lymphocytes by immobilized metal ion affinity partitioning 680(1996)189
- Labow, R.S., see Wang, G.B. 698(1997)69
- Lacassie, E., see Marquet, P. 700(1997)77
- Lachâtre, G., see Hoja, H. 688(1997)275
- Lachâtre, G., see Hoja, H. 692(1997)329
- Lachâtre, G., see Marquet, P. 700(1997)77
- Lachâtre, G., see Rousseau, A. 693(1997)93
- Lachno, D.R., see Brooks, S.A. 691(1997)383
- LaCourse, W.R., see Owens, G.S. 695(1997)15
- Lacroix, C., see Compagnon, P. 677(1996)380
- Läer, S., Neumann, J., Scholz, H., Uebeler, P. and Zimmermann, N.
Determination of sotalol in human cardiac tissue by high-performance liquid chromatography 681(1996)291

- Lafarge, J.-P., see Dehennin, L. 687(1996)85
 Lafarge, P., see Dehennin, L. 687(1996)85
 Lafont, O., see Mehmedagic, A. 695(1997)365
 Lagerström, P.-O., see Svennberg, H. 689(1997)371
 Lai, S.J., see Essien, H. 683(1996)199
 Laitinen, J., Liesivuori, J. and Savolainen, H.
 Biological monitoring of occupational exposure to 1-methoxy-2-propanol 694(1997)93
 Laizure, S.C., see Williams, C.L. 681(1996)271
 Lalljie, S.P.D., Begoña Barroso, M., Steenackers, D., Alonso, R.M., Jiménez, R.M. and Sandra, P.
 Micellar electrokinetic chromatography as a fast screening method for the determination of the doping agents furosemide and pirtetanide in urine 688(1997)71
 Lamas, L., see de la Vieja, A. 688(1997)143
 Lambert, W.E., Van Bocxlaer, J.F. and De Leenheer, A.P.
 Potential of high-performance liquid chromatography with photodiode array detection in forensic toxicology 689(1997)45
 Lambooy, M.A.H., see Keuzenkamp-Jansen, C.W. 678(1996)15
 Lambrecht, G., see Langer, K. 692(1997)345
 Lämmerhofer, M., Di Eugenio, P., Molnar, I. and Lindner, W.
 Computerized optimization of the high-performance liquid chromatographic enantioseparation of a mixture of 4-dinitrophenyl amino acids on a quinine carbamate-type chiral stationary phase using DRYLAB 689(1997)123
 Lamparczyk, H., see Jankowski, A. 693(1997)383
 Lamparczyk, H., Kowalski, P., Rajzer, D. and Nowakowska, J.
 Determination of piracetam in human plasma by capillary electrophoresis 692(1997)483
 Lamprecht, G.
 Rapid method for the isolation of hydroxylysylpyridinoline and lysylpyridinoline from concentrated bone hydrolysates by liquid chromatographic techniques 691(1997)297
 Lanchote, V.L., Bonato, P.S., Dreossi, S.A.C., Gonçalves, P.V.B., Cesarino, E.J. and Bertucci, C.
 High-performance liquid chromatographic determination of mexiletine enantiomers in plasma using direct and indirect enantioselective separations 685(1996)281
 Langer, K., Lambrecht, G., Moser, U., Mutschler, E. and Kreuter, J.
 Quantitative colorimetric and gas chromatographic determination of arecaidine propargyl ester 692(1997)345
 Lanjwani, S.N., see Khuhawar, M.Y. 693(1997)175
 Lantz, P.-G., Tjerneld, F., Hahn-Hägerdal, B. and Rådström, P.
 Use of aqueous two-phase systems in sample preparation for polymerase chain reaction-based detection of microorganisms 680(1996)165
 Lanvers, C., Hempel, G., Blaschke, G. and Boos, J.
 Simultaneous determination of all-*trans*-, 13-*cis*- and 9-*cis*-retinoic acid, their 4-oxo metabolites and all-*trans*-retinol in human plasma by high-performance liquid chromatography 685(1996)233
 Lapčík, O., see Hill, M. 691(1997)187
 Laqueille, X., see Pham-Huy, C. 700(1997)155
 Larkin, K.D., see Marathe, P.H. 678(1996)269
 Larra, F., see Gamelin, E. 695(1997)409
 Larsen, R., see Bechgaard, E. 693(1997)237
 Lasch, J., see Zellmer, S. 691(1997)321
 Laserna, J.J., see González, E. 687(1996)145
 Lau, C.E., see Ma, F. 682(1996)109
 Lau, C.E., see Ma, F. 693(1997)307
 Lau, Y.Y., Hanson, G.D. and Carel, B.J.
 Determination of rifabutin in human plasma by high-performance liquid chromatography with ultraviolet detection 676(1996)125
 Lau, Y.Y., Hanson, G.D. and Carel, B.J.
 Determination of rifampin in human plasma by high-performance liquid chromatography with ultraviolet detection 676(1996)147
 Lau, Y.Y., Hanson, G.D. and Ichhpurani, N.
 Determination of pramipexole (U-98,528) in human plasma and urine by high-performance liquid chromatography with electrochemical and ultraviolet detection 683(1996)217
 Lau, Y.Y., Selenka, J.M., Hanson, G.D., Talaat, R. and Ichhpurani, N.
 Determination of pramipexole (U-98,528) in human plasma by high-performance liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 683(1996)209
 Lavergne, O., see Pruñonosa, J. 677(1996)388
 Lawrence, J.F. and Ménard, C.
 Determination of clenbuterol in beef liver and muscle tissue using immunoaffinity chromatographic cleanup and liquid chromatography with ultraviolet absorbance detection 696(1997)291
 Lazard, M., see Bihoreau, N. 697(1997)123
 Långström, B., see Lindner, K.-J. 679(1996)13
 Le Bizec, B., see Ferchaud, V. 695(1997)269
 Le Bouil, A., see Jobard, E. 695(1997)444
 Leach, J.P., see Forrest, G. 681(1996)421
 Leclercq, I., Desager, J.P., Vandenplas, C. and Horsmans, Y.
 Fast determination of low-level cytochrome P-450 1A1 activity by high-performance liquid chromatography with fluorescence or visible absorbance detection 681(1996)227
 Ledger, R., see Aromdee, C. 677(1996)313
 LeDonne, N., see Bock, M.J.H. 700(1997)131
 LeDonne, N.C., see Xin Gao, C. 695(1997)299
 Ledvinka, O., see Maurer, H.H. 689(1997)81
 Lee, C. and Tannock, I.
 Pharmacokinetic studies of amiloride and its analogs using reversed-phase high-performance liquid chromatography 685(1996)151
 Lee, C.R., see Krstulovic, A.M. 689(1997)137
 Lee, C.S., see Church, W.H. 700(1997)67
 Lee, C.W., see Qiu, D.W. 677(1996)152
 Lee, H.G. and Desiderio, D.M.
 Optimization of the capillary zone electrophoresis loading limit and resolution of proteins, using triethylamine, ammonium formate and acidic pH 691(1997)67
 Lee, H.S., see Lee, K.C. 694(1997)31
 Lee, J., see Lho, D.-S. 687(1996)253
 Lee, J.J., see Shim, H.J. 689(1997)422
 Lee, J.T., see Lee, K.C. 694(1997)31
 Lee, J.W., see Han, K.S. 696(1997)312
 Lee, J.W., see Myung, S.-W. 696(1997)160
 Lee, K.C., Kang, T.S., Woo, B.H., Lee, J.T., Lee, H.S. and DeLuca, P.P.
 Reversed-phase high-performance liquid chromatography of radioiodinated salmon calcitonins 694(1997)31

- Lee, L.L., Herold, M.L. and Zacchei, A.G.
High-performance liquid chromatographic method for the determination of an HIV-1 non-nucleoside reverse transcriptase inhibitor (L-696,229) in plasma samples from animals 685(1996)323
- Lee, M.G., see Han, K.S. 696(1997)312
- Lee, M.G., see Shim, H.J. 689(1997)422
- Lee, M.-L., see Márquez, C.D. 700(1997)9
- Lee, M.S., see Kerns, E.H. 698(1997)133
- Lee, M.S., see Volk, K.J. 696(1997)99
- Lee, S., see Chen, A.G. 693(1997)153
- Lee, S.-C., see Ho, S.-T. 678(1996)289
- Lee, S.D., see Shim, H.J. 689(1997)422
- Lee, T., see Tsina, I. 681(1996)347
- Lee, W.-C.
Protein separation using non-porous sorbents 699(1997)29
- Lee, Y.-C., see Heimbecher, S. 691(1997)173
- Lee, Y.-H., see Choi, Y.-J. 694(1997)415
- Lee, Y.-H. and Lin, T.-I.
Determination of carbohydrates by high-performance capillary electrophoresis with indirect absorbance detection 681(1996)87
- Leegwater, P.A.J., see Keuzenkamp-Jansen, C.W. 678(1996)15
- Legallais, C., Anspach, F.B., Bueno, S.M.A., Haupt, K. and Vijayalakshmi, M.A.
Strategies for the depyrogenation of contaminated immunoglobulin G solutions by histidine-immobilized hollow fiber membrane 691(1997)33
- Legayada, E., see El-Yazigi, A. 691(1997)457
- Legendre, E., see Serres, A. 681(1996)219
- Lehmann, R., Voelter, W. and Liebich, H.M.
Capillary electrophoresis in clinical chemistry (Review) 697(1997)3
- Lehmann, T., see Bourquin, D. 694(1997)233
- Lehotay, D.C., see Bengtsson, I.M. 685(1996)1
- Leibl, H., Tomasits, R., Wolf, H.M., Eibl, M.M. and Mannhalter, J.W.
Method for the isolation of biologically active monomeric immunoglobulin A from a plasma fraction 678(1996)173
- Leinonen, A., see Karila, T. 687(1996)109
- Leitner, A., see Musshoff, F. 683(1996)163
- Lemaire, M., see Malhotra, B.K. 679(1996)167
- Lennard, M.S., see Ghahramani, P. 685(1996)307
- Leonard, M.
New packing materials for protein chromatography 699(1997)3
- Léonard, M., see Görner, T. 694(1997)39
- Leray, C., Andriamampandry, M., Gutbier, G., Cavadenti, J., Klein-Soyer, C., Gachet, C. and Cazenave, J.-P.
Quantitative analysis of vitamin E, cholesterol and phospholipid fatty acids in a single aliquot of human platelets and cultured endothelial cells 696(1997)33
- Lerch, P.G., see Stucki, M. 700(1997)2-1
- Leroux, S., see Dépôt, M. 693(1997)399
- Lesch, O.M., see Musshoff, F. 683(1996)163
- Letellier, S., Garnier, J.P., Spy, J. and Bousquet, B.
Determination of the L-DOPA/L-tyrosine ratio in human plasma by high-performance liquid chromatography. Usefulness as a marker in metastatic malignant melanoma 696(1997)9
- Letourneur, D., see Anastase, S. 686(1996)141
- Letourneur, D., see Imbert, E. 698(1997)59
- Leveque, D., see Elkhaili, H. 686(1996)19
- Levêque, D., Gallion-Renault, C., Monteil, H. and Jehl, F.
Capillary electrophoresis for pharmacokinetic studies (Review) 697(1997)67
- Levin, J.-O., see Eriksson, K. 677(1996)85
- Leznicki, A.J. and Bialkowski, K.
Improved high-performance liquid chromatographic method for N-acetylgalactosamine-4-sulfate sulfatase (arylsulfatase B) activity determination using uridine diphospho-N-acetylgalactosamine-4-sulfate 696(1997)193
- Lho, D.-S., Lee, J., Kim, S., Park, J. and Shin, H.-S.
Identification of a pyrovalerone metabolite in the rat by gas chromatography-mass spectrometry and determination of pyrovalerone by gas chromatography-nitrogen-phosphorus detection 687(1996)253
- Li, B., see Lin, S.-X. 684(1996)99
- Li, C., Homma, M. and Oka, K.
Chromatographic identification of phenolic compounds in human urine following oral administration of the herbal medicines *Daisaiko-to* and *Shosaiko-to* 693(1997)191
- Li, D., Knobel, H.H. and T. Remcho, V.
Capillary zone electrophoresis and ion-exchange capillary electrochromatography: analytical tools for probing the Hanford nuclear site environment 695(1997)169
- Li Huang, J., see Fryirs, B. 695(1997)448
- Li, J., see Fürtös-Matei, A. 695(1997)39
- Li, J., see Waldron, K.C. 683(1996)47
- Li, J.S., Li, X.W. and Hu, H.B.
Immunoaffinity column cleanup procedure for analysis of ivermectin in swine liver 696(1997)166
- Li, L.-C., He, H., Nunnally, B.K. and McGown, L.B.
On-the-fly fluorescence lifetime detection of labeled DNA primers 695(1997)85
- Li, P., see Tsang, C.W. 682(1996)185
- Li, R.C., see Chiu, F.C.K. 691(1997)473
- Li, R.C., see Chiu, F.C.K. 696(1997)69
- Li, S., Barua, A.B. and Huselton, C.A.
Quantification of retinoyl- β -glucuronides in rat urine by reversed-phase high-performance liquid chromatography with ultraviolet detection 683(1996)155
- Li, S., see Xie, D. 688(1997)359
- Li, W.-W., see Waltham, M.C. 689(1997)387
- Li, X.W., see Li, J.S. 696(1997)166
- Li, Y.-H., Itoh, T., Tsuda, Y., Ishida, M., Watanabe, N., Shimada, H. and Yamada, H.
Determination of ticarcillin epimers in plasma and urine with high-performance liquid chromatography 694(1997)145
- Li, Y.N. (Benny), Tattam, B., Brown, K.F. and Seale, J.P.
Determination of epimers 22R and 22S of budesonide in human plasma by high-performance liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 683(1996)259

- Li, Yu-F. and Zhang, R.
Reversed-phase high-performance liquid chromatography method for the simultaneous quantitation of the lactone and carboxylate forms of the novel natural product anticancer agent 10-hydroxycamptothecin in biological fluids and tissues 686(1996)257
- Li, Z.-M., see Xu, D.-K. 694(1997)461
- Liang, M., see Cwik, M.J. 693(1997)407
- Liang, Y.-J., see Cheng, F.-C. 682(1996)195
- Liao, J., see Zeng, M.-Y. 681(1996)299
- Liebich, H.M., see Lehmann, R. 697(1997)3
- Liesivuori, J., see Laitinen, J. 694(1997)93
- Liliemark, J., see Reichelova, V. 682(1996)115
- Lillard, S.J. and Yeung, E.S.
Analysis of single erythrocytes by injection-based capillary isoelectric focusing with laser-induced native fluorescence detection 687(1996)363
- Lilley, K.A. and Wheat, T.E.
Drug identification in biological matrices using capillary electrophoresis and chemometric software 683(1996)67
- Lim, B.C., see Sim, M.K. 697(1997)259
- Lim, T.K., see Qiu, D.W. 677(1996)152
- Lima, A.A.M., see Bao, Y. 685(1996)105
- Lima, J.J., see Williams, C.L. 681(1996)271
- Lin, C.-c., Kim, H.-K. and Parker, D.
Sensitive high-performance liquid chromatographic method for the determination of a benzonaphthazepine antipsychotic agent, SCH 39166, and its active metabolite, SCH 40853, in human plasma and its cross-validation with a gas chromatographic method 682(1996)309
- Lin, E.T., see Liu, C.-M. 696(1997)298
- Lin, E.T., see Wu, S.T. 692(1997)133
- Lin, E.T., see Wu, S.T. 692(1997)149
- Lin, N.-N., see Tsai, P.-J. 686(1996)151
- Lin, N.-N., see Yang, C.-S. 693(1997)257
- Lin, S., see Waltham, M.C. 689(1997)387
- Lin, S.-X., Xie, B., Li, B. and Zhou, M.
Chromatography of hydroxysteroid dehydrogenases 684(1996)99
- Lin, T.-I., see Lee, Y.-H. 681(1996)87
- Lindberg, J.E., see Reverter, M. 696(1997)1
- Lindh, C.H. and Jönsson, B.A.G.
Determination of hexahydrophthalic acid and methylhexahydrophthalic acid in plasma after derivatisation with pentafluorobenzyl bromide using gas chromatography and mass spectrometric detection 691(1997)331
- Lindner, K.-J., Hartvig, P., Åkesson, C., Tyrefors, N., Sundin, A. and Långström, B.
Analysis of L-[methyl-¹⁴C]methionine and metabolites in human plasma by an automated solid-phase extraction and a high-performance liquid chromatographic procedure 679(1996)13
- Lindner, W., see Lämmerhofer, M. 689(1997)123
- Lindner, W., see Oravcová, J. 677(1996)1
- Lindner, W., see Oravcova, J. 682(1996)349
- Lindner, W. and Wainer, I.W.
From the Editors 682(1996)1
- London, J.C., see Sidelmann, U. 685(1996)113
- Ling, J.R., see El-Waziry, A.M. 677(1996)53
- Lingeman, H. and Hoekstra-Oussoren, S.J.F.
Particle-loaded membranes for sample concentration and/or clean-up in bioanalysis 689(1997)221
- Linger, L., see Elkhaïli, H. 686(1996)19
- Linger, L., see Elkhaïli, H. 690(1997)181
- Link, J.M., Synovec, R.E., Krohn, K.A. and Caldwell, J.H.
High speed liquid chromatography of phenylethanolamines for the kinetic analysis of [¹⁴C]-meta-hydroxyephedrine and metabolites in plasma 693(1997)31
- Linnert, K., see Olesen, O.V. 698(1997)209
- Lipman, P.J.L., see Verweij, A.M.A. 686(1996)27
- Lippi, G., Lo Cascio, C., Ruzzenente, O., Poli, G., Brentegani, C. and Guidi, G.
Simple and rapid procedure for the purification of lipoprotein(a) 682(1996)225
- Lipsky, J.J., see Van Os, E.C. 679(1996)147
- Lisi, A.M., Kazlauskas, R. and Trout, G.J.
Gas chromatographic-mass spectrometric quantitation of urinary buprenorphine and norbuprenorphine after derivatization by direct extractive alkylation 692(1997)67
- Liu, C. and Bowers, L.D.
Immunoaffinity trapping of urinary human chorionic gonadotropin and its high-performance liquid chromatographic-mass spectrometric confirmation 687(1996)213
- Liu, C.-M., Chen, Y.-K., Yang, T.-H., Hsieh, S.-Y., Hung, M.-H. and Lin, E.T.
High-performance liquid chromatographic determination of clindamycin in human plasma or serum: application to the bioequivalency study of clindamycin phosphate injections 696(1997)298
- Liu, F., Luo, Y., Feng, J.-I. and Hu, X.-y.
Determination of dihydroetorphine in biological fluids by gas chromatography-mass spectrometry using selected-ion monitoring 679(1996)113
- Liu, J. and Stewart, J.T.
High-performance liquid chromatography determination of praziquantel enantiomers in human serum using a reversed-phase cellulose-based chiral stationary phase and disc solid-phase extraction 692(1997)141
- Liu, J. and Stewart, J.T.
High-performance liquid chromatographic analysis of ondansetron enantiomers in human serum using a reversed-phase cellulose-based chiral stationary phase and solid-phase extraction 694(1997)179
- Liu, J. and Stewart, J.T.
Quantitation of trimipramine enantiomers in human serum by enantioselective high-performance liquid chromatography and mixed-mode disc solid-phase extraction 700(1997)175
- Liu, J.K., see Kato, T. 682(1996)162
- Liu, S.-L., see Zeng, M.-Y. 681(1996)299
- Liu, X., see He, X. 681(1996)412
- Liu, Yu.-Y., see Sabbioni, G. 682(1996)243
- Livi, P., see Aymard, G. 700(1997)183
- Lizama, M., see Bissé, E. 687(1996)349
- Lloyd, D.K., see Cummins, C.L. 697(1997)283
- Lloyd, D.K., see Fernandez, C. 677(1996)363

- Lloyd, T.L., Gupta, S.K., Gooding, A.E. and Alianti, J.R.
Determination of alosetron in human plasma or serum by high-performance liquid chromatography with robotic sample preparation 678(1996)261
- Lo Cascio, C., see Lippi, G. 682(1996)225
- Lo Greco, P., see Londero, D. 691(1997)139
- Loadman, P.M., see Calabrese, C.R. 690(1997)275
- Locatelli, M., see Malavasi, B. 676(1996)107
- Loch, C., see Wang, R.F. 693(1997)265
- Locher, M., see Paris, S. 691(1997)463
- Logan, R.W., see Bonham Carter, S.M. 677(1996)29
- Logsdon, T.W., Zhou, X., Breen, P., Anderson, P., Gann, L., Hiller, C. and Compadre, C.M.
Determination of albuterol in plasma after aerosol inhalation by gas chromatography–mass spectrometry with selected-ion monitoring 692(1997)472
- Lombard, A., see Rossetti, V. 681(1996)63
- Londero, D. and Lo Greco, P.
New micromethod for the determination of lamotrigine in human plasma by high-performance liquid chromatography 691(1997)139
- Longo, A., Bruno, G., Curti, S., Mancinelli, A. and Miotto, G.
Determination of L-carnitine, acetyl-L-carnitine and propionyl-L-carnitine in human plasma by high-performance liquid chromatography after pre-column derivatization with 1-aminoanthracene 686(1996)129
- Loos, W.J., see de Bruijn, P. 698(1997)277
- Loos, W.J., Sparreboom, A., Verweij, J., Nooter, K., Stoter, G. and Schellens, J.H.M.
Determination of the lactone and lactone plus carboxylate forms of 9-aminocamptothecin in human plasma by sensitive high-performance liquid chromatography with fluorescence detection 694(1997)435
- Loos, W.J., Stoter, G., Verweij, J. and Schellens, J.H.M.
Sensitive high-performance liquid chromatographic fluorescence assay for the quantitation of topotecan (SKF 104864-A) and its lactone ring-opened product (hydroxy acid) in human plasma and urine 678(1996)309
- Loos, W.J., Verweij, J., Nooter, K., Stoter, G. and Sparreboom, A.
Sensitive determination of docetaxel in human plasma by liquid–liquid extraction and reversed-phase high-performance liquid chromatography 693(1997)437
- López-Barea, J., see Toribio, F. 684(1996)1
- López-Barea, J., see Toribio, F. 684(1996)77
- López-Calull, C., see Arroyo, C. 688(1997)339
- López-Calull, C., see García-Capdevila, L. 692(1997)127
- López-Calull, C., García-Capdevila, L., Arroyo, C. and Bonal, J.
Simple and robust high-performance liquid chromatographic method for the determination of ranitidine in microvolumes of human serum 693(1997)228
- López-Erroz, C., see Viñas, P. 693(1997)443
- López-Fandiño, R., see Recio, I. 697(1997)231
- López-Pérez, M.J., see Ollero, M. 680(1996)157
- Löster, K. and Josić, D.
Analysis of protein aggregates by combination of cross-linking reactions and chromatographic separations 699(1997)439
- Lotfi, H., see Hoja, H. 688(1997)275
- Lotfi, H., see Hoja, H. 692(1997)329
- Lotz, R., see Piperopoulos, G. 695(1997)309
- Loussouarn, S., Pouliquen, H. and Armand, F.
High-performance liquid chromatographic determination of oxolinic acid in the plasma of seabass (*Dicentrarchus labrax*) anaesthetized with 2-phenoxyethanol 698(1997)251
- Louter, A.J.H., Bosma, E., Schipperen, J.C.A., Vreuls, J.J. and Brinkman, U.A.Th.
Automated on-line solid-phase extraction–gas chromatography with nitrogen–phosphorus detection: determination of benzodiazepines in human plasma 689(1997)35
- Lovlin, R., Vakily, M. and Jamali, F.
Rapid, sensitive and direct chiral high-performance liquid chromatographic method for ketoprofen enantiomers 679(1996)196
- Lu, H. and Chan, K.K.
Gas chromatographic–mass spectrometric assay for N-2-chloroethylaziridine, a volatile cytotoxic metabolite of cyclophosphamide, in rat plasma 678(1996)219
- Lu, J., Cwik, M. and Kanyok, T.
Determination of paromomycin in human plasma and urine by reversed-phase high-performance liquid chromatography using 2,4-dinitrofluorobenzene derivatization 695(1997)329
- Lu, M., Albertsson, P.-Å., Johansson, G. and Tjerneld, F.
Ucon–benzoyl dextran aqueous two-phase systems: protein purification with phase component recycling 680(1996)65
- Lu, Z., see Yan, J. 690(1997)295
- Lu, Z.-L., see Zeng, M.-Y. 681(1996)299
- Lucas, D., see Zerilli, A. 677(1996)156
- Lucas, L., see Pérez, M.T. 677(1996)45
- Lucas, L., see Pérez, M.T. 680(1996)183
- Ludes, B., see Cirimele, V. 700(1997)119
- Ludes, B., see Tracqui, A. 692(1997)101
- Ludmir, J., see Alvarez, J.G. 690(1997)338
- Lukkari, P., see Koskinen, M. 685(1996)141
- Lukša, J., Josić, Dj., Podobnik, B., Furlan, B. and Kremser, M.
Semi-preparative chromatographic purification of the enantiomers S-(–)-amlodipine and R-(+)-amlodipine 693(1997)367
- Lundahl, P., see Lundqvist, A. 699(1997)209
- Lundanes, E., see Gundersen, Th.E. 691(1997)43
- Lundh, T., see Reverter, M. 696(1997)1
- Lundqvist, A. and Lundahl, P.
Chromatography on cells and biomolecular assemblies 699(1997)209
- Lunte, C.E., see Hadwiger, M.E. 681(1996)241
- Lunte, C.E., see Zhao, Y. 688(1997)265
- Lunte, S.M., see Kostel, K.L. 695(1997)27
- Lunte, S.M., see Weber, P.L. 697(1997)263
- Luo, J.-P., Hubbard, J.W. and Midha, K.K.
Sensitive method for the simultaneous measurement of fluphenazine decanoate and fluphenazine in plasma by high-performance liquid chromatography with coulometric detection 688(1997)303
- Luo, W., Ang, C.Y.W. and Thompson Jr, H.C.
Rapid method for the determination of ampicillin residues in animal muscle tissues by high-performance liquid chromatography with fluorescence detection 694(1997)401

- Luo, W., Yin, B., Ang, C.Y.W., Rushing, L. and Thompson Jr, H.C.
Determination of lincomycin residues in salmon tissues by gas chromatography with nitrogen–phosphorus detection 687(1996)405
- Luo, Y., see Liu, F. 679(1996)113
- Lupia, E., see Rizea Savu, S. 682(1996)35
- Luque de Castro, M.D., see Ortiz-Boyer, F. 696(1997)43
- Luquin, M., see Muñoz, M. 689(1997)341
- Lustig, V., see Rosing, H. 696(1997)89
- Lyddiatt, A., see Huddleston, J. 680(1996)31
- Lyddiatt, A., see Rito-Palomares, M. 680(1996)81
- Lyddiatt, A., see Walker, S.G. 680(1996)91

M

- Ma, F. and Lau, C.E.
Determination of midazolam and its metabolites in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 682(1996)109
- Ma, F., Zhang, J. and Lau, C.E.
Determination of cocaine and its metabolites in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 693(1997)307
- MacCallum, J., Cummings, J., Dixon, J.M. and Miller, W.R.
Solid-phase extraction and high-performance liquid chromatographic determination of tamoxifen and its major metabolites in plasma 678(1996)317
- MacCallum, J., Cummings, J., Dixon, J.M. and Miller, W.R.
Solid-phase extraction and high-performance liquid chromatographic determination of tamoxifen and its major metabolites in breast tumour tissues 598(1997)269
- Macek, J., Ptáček, P. and Klíma, J.
Determination of omeprazole in human plasma by high-performance liquid chromatography 689(1997)239
- Macek, J., see Ptáček, P. 694(1997)409
- Machida, R., see Tanabe, T. 692(1997)25
- Machida, Y., see Hamamoto, K. 693(1997)489
- Machnik, M., see Schänzer, W. 687(1996)93
- Maccone, A., see Matarese, R.M. 683(1996)269
- Macpherson, J.S., see Cummings, J. 685(1996)159
- Madden, T., see Reeves Huie, W. 693(1997)451
- Maeda, K., see Oka, H. 693(1997)337
- Maeda, K., see Takai, I. 685(1996)21
- Maeno, Y., see Inoue, H. 688(1997)221
- Maestri, L., Ghittori, S. and Imbriani, M.
Determination of urinary mercapturic acids of styrene in man by high-performance liquid chromatography with fluorescence detection 687(1996)387
- Mafune, E., see Takayasu, T. 679(1996)161
- Maggio, A., see Matarese, R.M. 683(1996)269
- Magni, G., see Emanuelli, M. 676(1996)13
- Magraner-Hernandez, J., see Gonzalez-Bravo, L. 682(1996)359
- Mahagne, M.H., see Candito, M. 692(1997)213
- Mahaguna, V., see Williams, III, R.O. 696(1997)303
- Mahara, R., see Murai, T. 691(1997)13
- Maher, T.J., see McCabe, D.R. 691(1997)23
- Maiani, G., Serafini, M., Salucci, M., Azzini, E. and Ferro-Luzzi, A.
Application of a new high-performance liquid chromatographic method for measuring selected polyphenols in human plasma 692(1997)311
- Maianu, L., see Morré, D.M. 680(1996)201
- Maier, R.-D., see Bogusz, M.J. 683(1996)177
- Maki, T., see Matsuoka, M. 685(1996)273
- Makino, K., Goto, Y., Sueyasu, M., Futagami, K., Kataoka, Y. and Oishi, R.
Micellar electrokinetic capillary chromatography for therapeutic drug monitoring of zonisamide 695(1997)417
- Makino, K., see Katagi, M. 676(1996)35
- Makita, M., see Matsumura, S. 681(1996)375
- Makki, S., see Mignot, B. 700(1997)283
- Malavasi, B., see Ascalone, V. 676(1996)95
- Malavasi, B., Locatelli, M., Ripamonti, M. and Ascalone, V.
Determination of amisulpride, a new benzamide derivative, in human plasma and urine by liquid–liquid extraction or solid-phase extraction in combination with high-performance liquid chromatography and fluorescence detection Application to pharmacokinetics 676(1996)107
- Malhotra, B.K., Lemaire, M., Brouillard, J.F. and Sawchuk, R.J.
High-performance liquid chromatographic analysis of (*S*)- α -amino-5-phosphonomethyl[1,1'-biphenyl]-3-propanoic acid (EAB 515) in brain and blood microdialysate (on-line) and in plasma ultrafiltrate of freely moving rats 679(1996)167
- Malik, A., see Hayes, J.D. 695(1997)3
- Malis, M., see Weber, P.L. 697(1997)263
- Malmsten, M., see Delgado, C. 692(1997)263
- Malmsten, M., see Van Alstine, J.M. 680(1996)145
- Malsch, R., Harenberg, J., Piazolo, L., Huhle, G. and Heene, D.L.
Chromatographic and electrophoretic applications for the analysis of heparin and dermatan sulfate 685(1996)223
- Malspeis, L., see Supko, J.G. 677(1996)351
- Mamer, O.A.
Stable isotope dilution techniques 682(1996)182
- Manabe, S., Gao, Q., Yuan, J., Takahashi, T. and Ueki, A.
Determination of isatin in urine and plasma by high-performance liquid chromatography 691(1997)197
- Manchon, M., see Elbast, W. 686(1996)97
- Mancinelli, A., see Longo, A. 686(1996)129
- Mandema, J.W., see Dowrie, R.H. 678(1996)279
- Manetto, G., see Tagliaro, F. 689(1997)261
- Mangin, P., see Berthault, F. 685(1996)383
- Mangin, P., see Kintz, P. 677(1996)241
- Mangin, P., see Tracqui, A. 692(1997)101
- Mangues, M.A., see Garcia-Capdevila, L. 692(1997)127
- Manka, A.M., see Walters, A.E. 690(1997)99
- Mann, Ch., see Flesch, G. 696(1997)123

- Mannhalter, J.W., see Leibl, H. 678(1996)173
- Manoharan, M. and Schwille, P.O.
Measurement of oxalate in human plasma ultrafiltrate by ion chromatography 700(1997)261
- Manouilov, K.K., see Chen, H. 691(1997)425
- Mansor, S.M., Navaratnam, V., Yahaya, N., Nair, N.K., Wernsdorfer, W.H. and Degen, P.H.
Determination of a new antimalarial drug, benflumetol, in blood plasma by high-performance liquid chromatography 682(1996)321
- Mansor, S.M., see Navaratnam, V. 692(1997)157
- Mansor, S.M., see Selvamuniandy, T.S. 700(1997)209
- Mantis, A.I., see Fletouris, D.J. 687(1996)427
- Marathe, P.H., Larkin, K.D., Duncan, G.F., Greene, D.S. and Barbhayia, R.H.
Determination of a novel indolylpiperazine anti-migraine agent in rat, monkey, mouse and rabbit plasma by high-performance liquid chromatography with electrochemical detection 678(1996)269
- Marcato, B., Paganetto, G., Ferrara, G. and Cecchin, G.
High-performance liquid chromatographic determination of some of the hydrolytic decomposition products of poly(α -hydroxyacid)s 682(1996)147
- Marché, C., see Hervé, F. 688(1997)35
- Marfil, F., Pineau, V., Sioufi, A. and Godbillon, J.
High-performance liquid chromatography of the aromatase inhibitor, letrozole, and its metabolite in biological fluids with automated liquid–solid extraction and fluorescence detection 683(1996)251
- Margolis, S.A. and Schapira, R.M.
Liquid chromatographic measurement of L-ascorbic acid and D-ascorbic acid in biological samples 690(1997)25
- Marhaug, G., see Bruun, C.F. 685(1996)360
- Marigo, M., see Tagliaro, F. 689(1997)261
- Marinari, U.M., see Santori, G. 695(1997)427
- Marino, M.A., see Belgrader, P. 683(1996)109
- Mariot, R. and Zangirolami, L.
Quantitative determination of imidazenil, a novel imidazobenzodiazepine carboxamide derivative, by normal-phase high-performance liquid chromatography 677(1996)190
- Maríz, O.C., see Gigosos, P.G. 677(1996)167
- Markoglou, N. and Wainer, I.W.
Determination of the anticancer agent CI-980 in plasma by achiral liquid chromatography on a Pirkle-type stationary phase 693(1997)493
- Markowicz, J., see Trocewicz, J. 685(1996)129
- Marquer, C. and Bressolle, F.
High-performance liquid chromatographic determination of the conjugate metabolites of moxislyte in human plasma and urine 691(1997)389
- Marquet, P., see Hoja, H. 688(1997)275
- Marquet, P., see Hoja, H. 692(1997)329
- Marquet, P., Lacassie, E., Battu, C., Faubert, H. and Lachâtre, G.
Simultaneous determination of amphetamine and its analogs in human whole blood by gas chromatography–mass spectrometry 700(1997)77
- Marquet, P., see Rousseau, A. 693(1997)93
- Márquez, C.D., Lee, M.-L., Weintraub, S.T. and Smith, P.C.
Quantitative analysis of exogenous peptides in plasma using immobilized enzyme cleavage and gas chromatography–mass spectrometry with negative ion chemical ionization 700(1997)9
- Márquez, C.D., Weintraub, S.T. and Smith, P.C.
Quantitative analysis of two opioid peptides in plasma by liquid chromatography–electrospray ionization tandem mass spectrometry 694(1997)21
- Marrari, P., Pianezzola, E. and Benedetti, M.S.
Determination of tallimustine in human plasma by high-performance liquid chromatography 677(1996)133
- Marsch, G.A., see Mauthe, R.J. 679(1996)91
- Marsh, K.C., see Hui, Yu.-h. 695(1997)337
- Martel, P., see Pinguet, F. 686(1996)43
- Martens, J.
Determination of the terfenadine metabolite azacyclonol in human serum using gas chromatography–mass spectrometry 678(1996)349
- Martens, J. and Banditt, P.
Simultaneous determination of midazolam and its metabolites 1-hydroxymidazolam and 4-hydroxymidazolam in human serum using gas chromatography–mass spectrometry 692(1997)95
- Martens, J., see Ulrich, S. 696(1997)217
- Martignoni, E., see Blandini, F. 700(1997)278
- Martínez de Muñoz, D., Arenas, R. and Chávez González, O.
Liquid chromatographic assay in plasma of one of the members of a new series of anticonvulsants: D,L-3-hydroxy-3-ethyl-3-phenylpropionamide 678(1996)377
- Martínez Rodríguez, A., see Gil del Valle, L. 698(1997)312
- Martínez-Lara, E., see Toribio, F. 684(1996)77
- Martínez-Lozano, C., see Pérez-Ruiz, T. 692(1997)199
- Martini, E., see Romeijn, S.G. 692(1997)227
- Martz, A., see Bock, M.J.H. 700(1997)131
- Martz, A.S., see Xin Gao, C. 695(1997)299
- Maruyama, W., see Deng, Y. 689(1997)313
- Maruyama, W., Hashizume, Y., Matsubara, K. and Naoi, M.
Identification of 3-nitro-L-tyrosine, a product of nitric oxide and superoxide, as an indicator of oxidative stress in the human brain 676(1996)153
- Marzo, A. and Balant, L.P.
Investigation of xenobiotic metabolism by CYP2D6 and CYP2C19: importance of enantioselective analytical methods 678(1996)73
- Mascher, W.G., see Strege, M.A. 697(1997)255
- Masnatta, L.D., Cuniberti, L.A., Rey, R.H. and Werba, J.P.
Determination of bezafibrate, ciprofibrate and fenofibric acid in human plasma by high-performance liquid chromatography 687(1996)437
- Massicot, F., see Pham-Huy, C. 700(1997)155
- Masuda, S., see Takeuchi, A. 691(1997)313
- Masuko, M., see Hayakawa, K. 696(1997)19
- Masur, S., see Podkowik, B.-I. 681(1996)405
- Matarese, R.M., Maccone, A., Maggio, A. and Cavallini, D.
Aminoethylcysteine ketimine decarboxylated dimer detected in normal human urine by gas–liquid chromatography, selected-ion monitoring and mass spectrometry 683(1996)269
- Mateus, L., see Cherkaoui, S. 696(1997)283

- Mather, L.E., see Fryirs, B. 693(1997)51
Mather, L.E., see Fryirs, B. 688(1997)79
Mather, L.E., see Fryirs, B. 695(1997)448
Mathiasson, L., see Pálmarsdóttir, S. 688(1997)127
Matoba, R., see Inoue, H. 688(1997)221
Matsubara, H., see Minami, T. 685(1996)353
Matsubara, K., see Maruyama, W. 676(1996)153
Matsubara, N., see Koezuka, K. 689(1997)3
Matsuda, I., see Takeuchi, A. 691(1997)313
Matsuda, K., see Ono, I. 678(1996)384
Matsuda, K., see Ono, I. 692(1997)397
Matsui, T., see Hibiya, M. 691(1997)223
Matsumoto, S., see Hirai, T. 690(1997)267
Matsumoto, S., see Hirai, T. 692(1997)375
Matsumura, S., Kataoka, H. and Makita, M.
Determination of amino acids in human serum by capillary gas chromatography 681(1996)375
Matsuoka, M., Banno, K. and Sato, T.
Analytical chiral separation of a new quinolone compound in biological fluids by high-performance liquid chromatography 676(1996)117
Matsuoka, M., Maki, T., Banno, K. and Sato, T.
Liquid chromatographic analysis of penem antibiotic FCE22101 in biological fluids with a liquid–liquid extraction procedure 685(1996)273
Matsuoka, M., see Okumura, T. 694(1997)305
Matsushima, E., Yoshida, K., Kitamura, R. and Yoshida, K.-i.
Determination of S-1 (combined drug of tegafur, 5-chloro-2,4-dihydropyridine and potassium oxonate) and 5-fluorouracil in human plasma and urine using high-performance liquid chromatography and gas chromatography–negative ion chemical ionization mass spectrometry 691(1997)95
Matsushima, H., Takanuki, K.-i., Kamimura, H., Watanabe, T. and Higuchi, S.
Highly sensitive method for the determination of tamsulosin hydrochloride in human plasma dialysate, plasma and urine by high-performance liquid chromatography–electrospray tandem mass spectrometry 695(1997)317
Matthews, D.B., Hinton, R.H., Wright, B., Wilson, I.D. and Stevenson, D.
Bioanalysis of *p*-trifluoromethylmandelic acid and Mosher's acid by chiral gas chromatography and fluorine nuclear magnetic resonance to study chiral inversion: application to rat urine samples 695(1997)279
Matthews, R.H., see Ercal, N. 685(1996)329
Matucha, P., see Hušek, P. 693(1997)499
Matuszewski, B.K., see Chavez-Eng, C.M. 691(1997)77
Matuszewski, B.K., see Constanzer, M.L. 693(1997)117
Matuszewski, B.K., see Constanzer, M.L. 693(1997)131
Maume, D., see Ferchaud, V. 695(1997)269
Maurer, H.H., see Ensslin, H.K. 683(1996)189
Maurer, H.H., Kraemer, T., Ledvinka, O., Schmitt, C.J. and Weber, A.A.
Gas chromatography–mass spectrometry (GC–MS) and liquid chromatography–mass spectrometry (LC–MS) in toxicological analysis. Studies on the detection of clobenzorex and its metabolites within a systematic toxicological analysis procedure by GC–MS and by immunoassay and studies on the detection of α - and β -amanitin in urine by atmospheric pressure ionization electrospray LC–MS 689(1997)81
Mauri, P.L., see Pietta, P.G. 690(1997)343
Mauri, P.L., see Pietta, P.G. 693(1997)249
Mauthe, R.J., Marsch, G.A. and Turteltaub, K.W.
Improved high-performance liquid chromatography analysis of 32 P-postlabeled 2-amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine–DNA adducts using in-line precolumn purification 679(1996)91
Mawa, R., Mis, D., Gagnieu, M.C., Grancher, D., Petit-Ramel, M., Bressolle, F. and Vallon, J.-J.
Simple high-performance liquid chromatographic separation of oxazepam and its diastereoisomeric glucuronides in serum Applications in a pharmacokinetic study in sheep 677(1996)331
Mawatari, K.-i., Nakamura, Y., Shimizu, R., Sate, S., Iinuma, F. and Watanabe, M.
Fluorimetric determination of nicorandil in human plasma by a high-performance liquid chromatographic–postcolumn ultraviolet detection system equipped with on-line back-pressure tubing 679(1996)155
Mayer, B.X., Reiter, C. and Bereuter, T.L.
Investigation of the triacylglycerol composition of iceman's mummified tissue by high-temperature gas chromatography 692(1997)1
Mays, D.C., see Van Os, E.C. 679(1996)147
Mazenko, R.S., see Campbell, N.F. 692(1997)367
Mazière, B., see Wang, R.F. 693(1997)265
Mazzella, G., see Tonelli, D. 700(1997)59
Mazzeo, P., see Carlucci, G. 682(1996)315
Mazzeo, P., see Carlucci, G. 693(1997)245
Mazzi, G., Fioravanzo, F. and Burti, E.
New marker of bone resorption: hydroxyproline-containing peptide. High-performance liquid chromatographic assay without hydrolysis as an alternative to hydroxyproline determination: a preliminary report 678(1996)165
Mberu, E.K., Muhia, D.K., Minyiri, G.O., Njonge, E.W. and Watkins, W.M.
Measurement of physiological concentrations of dapsone and its monoacetyl metabolite: a miniaturised assay for liquid or filter paper-absorbed samples 677(1996)385
McAtee, C.P., Zhang, Y., Yarbough, P.O., Fuerst, T.R., Stone, K.L., Samander, S. and Williams, K.R.
Purification and characterization of a recombinant hepatitis E protein vaccine candidate by liquid chromatography–mass spectrometry 685(1996)91
McCabe, D.R., Maher, T.J. and Acworth, I.N.
Improved method for the estimation of hydroxyl free radical levels in vivo based on liquid chromatography with electrochemical detection 691(1997)23
McCann, W.P., see Wang, C.-C. 676(1996)19
McCaughy, W.J., see Crooks, S.R.H. 690(1997)161

- McClure, H.M., see Chen, H. 691(1997)425
- McClure, T., see Dvorakova, K. 696(1997)275
- McCracken, R.J., see Blanchflower, W.J. 692(1997)351
- McCracken, R.J. and Kennedy, D.G.
Determination of the furazolidone metabolite, 3-amino-2-oxazolidinone, in porcine tissues using liquid chromatography-thermospray mass spectrometry and the occurrence of residues in pigs produced in Northern Ireland 691(1997)87
- McCurdy, A.R., see Fedeniuk, R.W. 677(1996)291
- McGilveray, I.J., see Boisvert, J. 690(1997)189
- McGown, L.B., see Li, L.-C. 695(1997)85
- McGrath, G. and Smyth, W.F.
Large-volume sample stacking of selected drugs of forensic significance by capillary electrophoresis 681(1996)125
- McGuire, J., see Elliott, M.A. 688(1997)229
- McKay, G., see Yan, J.-h. 691(1997)131
- McKean, R.E., see Roddy, T.P. 695(1997)49
- McKinney, J.A., see Van Os, E.C. 679(1996)147
- McLeod, H.L., see Wattanatorn, W. 692(1997)233
- McPherson, J.L., Nichols, J.H., Barditch-Crovo, P. and Hamzeh, F.M.
Determination of the spermicide nonoxonyl-9 in vaginal lavage by high-performance liquid chromatography 677(1996)204
- Medard, Y., Nafa, S. and Jacqz-Aigrain, E.
Thiopurine methyltransferase activity: new high-performance liquid chromatographic assay conditions 700(1997)275
- Medina, M.B., see Campbell, N.F. 692(1997)367
- Meenhorst, P.L., see Hoetelmans, R.M.W. 698(1997)235
- Meerman, J.H.M., see De Zwart, L.L. 694(1997)277
- Mehlum, A., see Bruun, C.F. 685(1996)360
- Mehmedagic, A., Vêrité, P., Ménager, S., Tharasse, C., Chabenat, C., André, D. and Lafont, O.
Determination of pyrazinamide and its main metabolites in rat urine by high-performance liquid chromatography 695(1997)365
- Meijer, D.K.F., see Haas, M. 693(1997)484
- Meijer, D.K.F., see Kok, R.J. 693(1997)181
- Meikle, I., see Cummings, J. 685(1996)159
- Meinhardt, A., see Wilhelm, B. 684(1996)163
- Meiring, H.D., see Barroso, M.B. 690(1997)105
- Meiselman, H.J., see Walter, H. 680(1996)197
- Meleka-Boules, M., see Gu, X. 692(1997)187
- Memon, S.A., see Khuhawar, M.Y. 693(1997)175
- Ménager, S., see Mehmedagic, A. 695(1997)365
- Ménard, C., see Lawrence, J.F. 696(1997)291
- Menet, M.-C., Gueylard, D., Fievet, M.-H. and Thuillier, A.
Fast specific separation and sensitive quantification of bactericidal and sporicidal aldehydes by high-performance liquid chromatography: example of glutaraldehyde determination 692(1997)79
- Menez, J.F., see Amet, Y. 681(1996)233
- Ménez, J.-F., see Zerilli, A. 677(1996)156
- Meng, L.-J. and Sjövall, J.
Method for combined analysis of profiles of conjugated progesterone metabolites and bile acids in serum and urine of pregnant women 688(1997)11
- Merkus, F.W.H.M., see Romeijn, S.G. 692(1997)227
- Merlin, J.L., see Barberi-Heyob, M. 688(1997)331
- Merslavič, M. and Zupančič-Kralj, L.
Determination of tramadol in human plasma by capillary gas chromatography-mass spectrometry using solid-phase extraction 693(1997)222
- Messana, I., Rossetti, D.V., Cassiano, L., Misiti, F., Giardina, B. and Castagnola, M.
Peptide analysis by capillary (zone) electrophoresis 699(1997)149
- Messina, A., see Carunchio, V. 689(1997)305
- Methvin, J.T., see Kuhl, D.A. 681(1996)390
- Mets, B., see Virag, L. 681(1996)263
- Meulemans, A.
Determination of N-nitroso-L-arginine in rat brain extracts by capillary electrophoresis using photodiode-array detection 683(1996)273
- Mezey, E., see Hooper, D. 694(1997)317
- Michalski, C., see Mizon, C. 692(1997)281
- Michalski, W.P.
Chromatographic and electrophoretic methods for analysis of superoxide dismutases 684(1996)59
- Micheli, L., see Cerretani, D. 678(1996)365
- Michotte, Y., see Thorré, K. 694(1997)297
- Midgley, J.M., see Bonham Carter, S.M. 677(1996)29
- Midha, K.K., see Luo, J.-P. 688(1997)303
- Midha, K.K., see Yan, J.-h. 691(1997)131
- Mignon, B., Guillaume, Y., Makki, S., Murret, E., Cavalli, E., Truong, T.T., Thomassin, M. and Guinchard, C.
High-performance thin-layer chromatographic determination of 5-methoxypsoralen in serum from patients 700(1997)283
- Mikami, T., see Une, M. 682(1996)157
- Miki, A., Keller, T., Regenscheit, P., Dirnhofer, R., Tatsuno, M., Katagi, M., Nishikawa, M. and Tsuchihashi, H.
Application of ion mobility spectrometry to the rapid screening of methamphetamine incorporated in hair 692(1997)319
- Miki, Y., see Oguri, S. 686(1996)205
- Mikšík, I., see Deyl, Z. 689(1997)181
- Mikšík, I., see Deyl, Z. 699(1997)287
- Mikšík, I. and Deyl, Z.
Post-translational non-enzymatic modification of proteins. II. Separation of selected protein species after glycation and other carbonyl-mediated modifications 699(1997)311
- Mikšík, I., see Novotná, J. 681(1996)77
- Mikšík, I., see Vomastová, L. 681(1996)107
- Miller, W.R., see MacCallum, J. 678(1996)317
- Miller, W.R., see MacCallum, J. 698(1997)269
- Miller-Stein, C., see Boppana, V.K. 678(1996)227
- Millot, M.-C., see Hervé, F. 678(1996)11
- Milosavljev, S., see Knoche, B. 695(1997)355
- Minami, M., Hui, D.-M., Katsumata, M., Inagaki, H. and Boulet, C.A.
Method for the analysis of the methylphosphonic acid metabolites of sarin and its ethanol-substituted analogue in urine as applied to the victims of the Tokyo sarin disaster 695(1997)237

- Minami, T., Matsubara, H., O-higashi, M., Otaki, N., Kimura, M., Kubo, K., Okabe, N. and Okazaki, Y.
Identification of metallothionein isoforms with capillary zone electrophoresis using a polyacrylamide-coated tube 685(1996)353
- Minami, Y., see Azuma, R. 686(1996)229
- Mineta, M., see Hayakawa, K. 696(1997)19
- Minyiri, G.O., see Mberu, E.K. 677(1996)385
- Miotto, G., see Longo, A. 686(1996)129
- Mis, D., see Mawa, R. 677(1996)331
- Misawa, S., see Tanaka, E. 682(1996)173
- Misawa, S., see Tanaka, E. 692(1997)405
- Misiti, F., see Messana, I. 699(1997)149
- Mita, H., Oosaki, R., Mizushima, Y., Kobayashi, M. and Akiyama, K.
Efficient method for the quantitation of urinary leukotriene E₃: extraction using an Empore C₁₈ disk cartridge 692(1997)461
- Mitamura, K., see Shimada, K. 689(1997)409
- Mitamura, K., see Shimada, K. 690(1997)348
- Mitchell, D., see Huang, M. 677(1996)77
- Mitsutsuka, Y., see Fujii, T. 687(1996)395
- Miwa, H., Yamamoto, M., Futata, T., Kan, K. and Asano, T.
Thin-layer chromatography and high-performance liquid chromatography for the assay of fatty acid compositions of individual phospholipids in platelets from non-insulin-dependent diabetes mellitus patients: effect of eicosapentaenoic acid ethyl ester administration 677(1996)217
- Miwa, H., Yamamoto, M., Kan, K., Futata, T. and Asano, T.
High-performance liquid chromatographic measurements of urinary hydroxycarboxylic acids as an index of the metabolic control in non-insulin-dependent diabetic patients 679(1996)1
- Miyabayashi, T., Okuda, T., Motohashi, M., Izawa, K. and Yashiki, T.
Quantitation of a new potent angiotensin II receptor antagonist, TC_V-116, and its metabolites in human serum and urine 677(1996)123
- Miyagi, M., see Endo, T. 692(1997)37
- Miyazaki, K., see Kishino, S. 699(1997)271
- Mizon, C., Héron, A., Capon, C., Sautière, P., Michalski, C., Sesboué, R. and Mizon, J.
Human pre- α -inhibitor: isolation from a by-product of industrial scale plasma fractionation and structural analysis of its H3 heavy chain 692(1997)281
- Mizon, J., see Mizon, C. 692(1997)281
- Mizo-oku, Y., see Tanigawa, T. 683(1996)135
- Mizuno, Y., see Kobayashi, K. 677(1996)275
- Mizushima, Y., see Mita, H. 692(1997)461
- Mochizuki, E., see Shirao, M.K. 693(1997)463
- Modi, I.A., see Mody, V.D. 676(1996)175
- Modi, I.A., see Pandya, K.K. 693(1997)199
- Modi, R.I., see Mody, V.D. 676(1996)175
- Modi, R.I., see Pandya, K.K. 693(1997)199
- Mody, V.D., see Pandya, K.K. 693(1997)199
- Mody, V.D., Satia, M.C., Gandhi, T.P., Modi, I.A., Modi, R.I. and Chakravarthy, B.K.
Sensitive high-performance thin-layer chromatography method for detection and determination of ranitidine in plasma samples 676(1996)175
- Moffa, M., see Tagliaro, F. 685(1996)165
- Mogi, M., see Adachi, T. 682(1996)47
- Mohamad, A.B., see Myint, S. 679(1996)193
- Mohamed, N., see Selvamuniandy, T.S. 700(1997)209
- Mohler III, E.R., Reaven, P., Stegner, J.E., Fineberg, N.S. and Hathaway, D.R.
Gas chromatographic method using photoionization detection for the determination of breath pentane 685(1996)201
- Möhling, N., see Hempel, G. 698(1997)287
- Molíns-Legua, C., see Campíns-Falcó, P. 687(1996)239
- Möller, L., see Zeisig, M. 691(1997)341
- Molnar, I., see Lämmerhofer, M. 689(1997)123
- Molnar, T.E., see Roddy, T.P. 695(1997)49
- Molunto, P., see Karbwang, J. 690(1997)259
- Monji, H., Yamaguchi, M., Aoki, I. and Ueno, H.
Highly sensitive high-performance liquid chromatographic determination method for a new erythromycin derivative, EM523, and its major metabolites in human plasma and urine using post-column tris(2,2'-bipyridine) ruthenium(III) chemiluminescence detection 690(1997)305
- Monkman, S.C., Ellis, J.S., Cholerton, S., Thomason, J.M., Seymour, R.A. and Idle, J.R.
Automated gas chromatographic assay for amlodipine in plasma and gingival crevicular fluid 678(1996)360
- Monnig, C.A., see Hagen, J.J. 677(1996)225
- Monteau, F., see Ferchaud, V. 695(1997)269
- Monteil, H., see Elkhaïli, H. 690(1997)181
- Monteil, H., see Levêque, D. 697(1997)67
- Montrade, M.-P., see Ferchaud, V. 695(1997)269
- Montrucchio, G., see Rizea Savu, S. 682(1996)35
- Moolenaar, F., see Haas, M. 693(1997)484
- Moolenaar, F., see Kok, R.J. 693(1997)181
- Moon, D.H., Paik, N.W. and Shim, Y.-B.
Analysis of some metabolites of organic solvents in urine by high-performance liquid chromatography with β -cyclodextrin 694(1997)367
- Mooney, J.P., see Heath, T.G. 688(1997)281
- Moore, N., see Compagnon, P. 677(1996)380
- Moral, M.A., see Garcia-Capdevila, L. 692(1997)127
- Morand, M., Blaas, D. and Kenndler, E.
Reduction of wall adsorption in capillary zone electrophoresis of a basic single-chain antibody fragment by a cationic polymeric buffer additive 691(1997)192
- Mordi, M.N., see Navaratnam, V. 692(1997)157
- Moriguchi, H., see Yoshida, K.-i. 695(1997)439
- Moriguchi, K., see Tanigawa, T. 683(1996)135
- Morino, M., see Yoshioka, E. 691(1997)371
- Moriwaki, Y., see Yamamoto, T. 681(1996)395
- Moriyama, T. and Ikeda, H.
Hydrolases acting on glycosidic bonds: chromatographic and electrophoretic separations 684(1996)201
- Morré, D.J., see Morré, D.M. 680(1996)201

- Morré, D.M., Sammons, D.W., Yim, J., Bruno, M., Snyder, T., Reust, T., Maianu, L., Garvey, W.T. and Morré, D.J. Isolation by preparative free-flow electrophoresis and aqueous two-phase partition from rat adipocytes of an insulin-responsive small vesicle fraction with glucose transport activity 680(1996)201
- Morris, E., see Abdelrahim, M. 696(1997)175
- Morris, S., see Nackerdien, Z. 683(1996)91
- Moseley, M.A., see Chen, C. 697(1997)149
- Moser, U., see Langer, K. 692(1997)345
- Motohashi, M., see Miyabayashi, T. 677(1996)123
- Motohashi, M., see Okuda, T. 682(1996)343
- Motohashi, M., see Yamashita, K. 677(1996)141
- Moudry, R., see Stucki, M. 700(1997)241
- Mounier, C., see Astier, H. 698(1997)217
- Moussa, F., Pressac, M., Genin, E., Roux, S., Trivin, F., Rassat, A., Céolin, R. and Szwarc, H. Quantitative analysis of C₆₀ fullerene in blood and tissues by high-performance liquid chromatography with photodiode-array and mass spectrometric detection 696(1997)153
- Mrestani, Y., Neubert, R., Schiewe, J. and Härtl, A. Application of capillary zone electrophoresis in cephalosporin analysis 690(1997)321
- Mueller, H.W. Diazomethane as a highly selective fatty acid methylating reagent for use in gas chromatographic analysis 679(1996)208
- Mueller, H.W. and Eitel, J. Quality control in the determination of cortisol in plasma/serum by using, on every sample, two different three-step separation methods including ultrafiltration, restricted-access high-performance liquid chromatography and reversed-phase high-performance liquid chromatography, and contrasting results to immunoassays 678(1996)137
- Muggia, F.M., see Pujari, M.P. 694(1997)185
- Muggia, F.M., see Synold, T.W. 683(1996)245
- Muhia, D.K., see Mberu, E.K. 677(1996)385
- Muñoz-Blanco, T., see García-López, N. 680(1996)137
- Muñoz Blanco, T., see Ollero, M. 680(1996)157
- Mulder, C., see Teerlink, T. 691(1997)269
- Mulder, J.W., see Hoetelmans, R.M.W. 698(1997)235
- Muller, D., see Serres, A. 681(1996)219
- Mulligan, K.J., Brueggemeyer, T.W., Crockett, D.F. and Schepman, J.B. Analysis of organic volatile impurities as a forensic tool for the examination of bulk pharmaceuticals 686(1996)85
- Mulvana, D.E., Duncan, G.F., Shyu, W.C., Tay, L.K. and Barbhuiya, R.H. Quantitative determination of butorphanol and its metabolites in human plasma by gas chromatography–electron capture negative-ion chemical ionization mass spectrometry 682(1996)289
- Muñoz, M., Julián, E., Garcia-Barceló, M., Ausina, V. and Luquin, M. Easy differentiation of *Mycobacterium mucogenicum* from other species of the *Mycobacterium fortuitum* complex by thin-layer and gas chromatography of fatty esters and alcohols 689(1997)341
- Muñoz-Guerra, J., see Soriano, C. 687(1996)183
- Murai, T., Mahara, R., Kurosawa, T., Kimura, A. and Tohma, M. Determination of fetal bile acids in biological fluids from neonates by gas chromatography–negative ion chemical ionization mass spectrometry 691(1997)13
- Murai, T., see Suzuki, M. 693(1997)11
- Murakami, H., see Yamashita, K. 677(1996)141
- Murashita, T., see Tanaka, T. 700(1997)1
- Murata, H., see Sakai, T. 685(1996)196
- Murayama, K., see Imai, J. 679(1996)204
- Murayama, N. and Sudo, K.-i. High-performance liquid chromatographic method for determination of DX-9065a, a novel anticoagulant, in human urine and feces using cation-exchange solid-phase extraction 692(1997)389
- Murphy, E.J., Rosenberger, T.A. and Horrocks, L.A. Separation of neutral lipids by high-performance liquid chromatography: quantification by ultraviolet, light scattering and fluorescence detection 685(1996)9
- Murray, G.M., see Preston, L.M. 695(1997)175
- Murray, S., see Adams, D.A. 693(1997)345
- Murret, E., see Mignot, B. 700(1997)283
- Muscará, M.N. and de Nucci, G. Simultaneous determination of nitrite and nitrate anions in plasma, urine and cell culture supernatants by high-performance liquid chromatography with post-column reactions 686(1996)157
- Muschik, G.M., see Chan, K.C. 695(1997)113
- Muschik, G.M., see Janini, G.M. 683(1996)29
- Muskiet, F.A.J., see Brouwer, D.A.J. 678(1996)23
- Muskiet, F.A.J., see Dorhout, B. 700(1997)23
- Musshoff, F., Daldrup, Th., Bonte, W., Leitner, A. and Lesch, O.M. Formaldehyde-derived tetrahydroisoquinolines and tetrahydro- β -carboline in human urine 683(1996)163
- Musson, D.G., see DePuy, M.E. 700(1997)165
- Müthing, J. and Ziehr, H. Enhanced thin-layer chromatographic separation of G_{M1b}-type gangliosides by automated multiple development 687(1996)357
- Mutschler, E., see Langer, K. 692(1997)345
- Myint, S., Daud, W.R.W., Mohamad, A.B. and Kadhum, A.A.H. Gas chromatographic determination of eugenol in ethanol extract of cloves 679(1996)193
- Myrdal, P.B., see Walters, A.E. 690(1997)99
- Myung, S.-W., Huh, S., Kim, M., Park, J., Yoo, J.K., Chae, J.S. and Lee, J.W. Identification of YH439 and its metabolites in rat urine by gas chromatography–mass spectrometry and liquid chromatography–mass spectrometry 696(1997)160

N

- Na-Bangchang, K., see Karbwang, J. 690(1997)259
- Na-Bangchang, K., Tan-ariya, P., Ubalee, R., Kamanikom, B. and Karbwang, J.
Alternative method for determination of pyrimethamine in plasma by high-performance liquid chromatography 689(1997)433
- Nackerdien, Z. and Atha, D.
Measurement of ⁶⁰Co-γ ray-induced DNA damage by capillary electrophoresis 683(1996)85
- Nackerdien, Z., Morris, S., Choquette, S., Ramos, B. and Atha, D.
Analysis of laser-induced plasmid DNA photolysis by capillary electrophoresis 683(1996)91
- Nadelmann, L., Tjørnelund, J., Christensen, E. and Hansen, S.H.
High-performance liquid chromatographic determination of licochalcone A and its metabolites in biological fluids 695(1997)389
- Nafa, S., see Medard, Y. 700(1997)275
- Nagai, T., see Takayasu, T. 679(1996)161
- Nagata, O., see Hasegawa, H. 687(1996)419
- Nagata, T., see Zhang, X.X. 677(1996)111
- Nagatsu, T., see Hibiya, M. 691(1997)223
- Naidu, M.U.R., see Ravi, S.K. 691(1997)208
- Nair, N.K., see Jayaraman, S.D. 690(1997)253
- Nair, N.K., see Mansor, S.M. 682(1996)321
- Nair, N.K., see Selvamuniandy, T.S. 700(1997)209
- Naitoh, T., Kakiki, M., Kawaguchi, S., Kagei, Y. and Horie, T.
Stereoselective determination of a new antidepressant, E2011, and its diastereoisomer as a metabolite by high-performance liquid chromatography 694(1997)153
- Nakahara, Y. and Kikura, R.
Hair analysis for drugs of abuse XIX. Determination of ephedrine and its homologs in rat hair and human hair 700(1997)83
- Nakajima, K., see Katagi, M. 676(1996)35
- Nakajima, Y., see Okumura, T. 694(1997)305
- Nakamoto, K., see Kamisaki, Y. 685(1996)343
- Nakamura, A., see Hasegawa, H. 689(1997)287
- Nakamura, K., see Katagi, M. 676(1996)35
- Nakamura, T., see Tanaka, E. 692(1997)405
- Nakamura, Y., see Mawatari, K.-i. 679(1996)155
- Nakashima, A., see Kai, M. 688(1997)205
- Nakashima, K., see Al-Dirbashi, O. 695(1997)251
- Nakashima, K., see Wada, M. 678(1996)129
- Nakatani, I., see Shimada, K. 690(1997)348
- Nakazawa, H., see Shirao, M.K. 693(1997)463
- Naoui, M., see Deng, Y. 689(1997)313
- Naoui, M., see Maruyama, W. 676(1996)153
- Nappi, G., see Blandini, F. 700(1997)278
- Naret, D.G., see Wu, E.Y. 695(1997)373
- Narita, S., see Yasuda, M. 693(1997)211
- Naruto, S., see Kurono, M. 689(1997)427
- Nasako, Y., see Yamamoto, T. 681(1996)395
- Nash, G.B., see Walter, H. 680(1996)197
- Nashabeh, W., see Schmalzing, D. 697(1997)175
- Navaratnam, V., see Jayaraman, S.D. 690(1997)253
- Navaratnam, V., see Mansor, S.M. 682(1996)321
- Navaratnam, V., Mordi, M.N. and Mansor, S.M.
Simultaneous determination of artesunic acid and dihydroartemisinin in blood plasma by high-performance liquid chromatography for application in clinical pharmacological studies 692(1997)157
- Navaratnam, V., see Selvamuniandy, T.S. 700(1997)209
- Naylor, S., see Guzman, N.A. 697(1997)37
- Negro, A., see Garzón, M.J. 688(1997)135
- Neto, L.M.R., Andraus, M.H. and Salvadori, M.C.
Determination of phenylbutazone and oxyphenbutazone in plasma and urine samples of horses by high-performance liquid chromatography and gas chromatography–mass spectrometry 678(1996)211
- Netter, C., see Sandrenan, N. 691(1997)145
- Neubert, R., see Mrestani, Y. 690(1997)321
- Neumann, J., see Læer, S. 681(1996)291
- Newbold, R.R., see Sanders, J.M. 695(1997)181
- Newman, E.M., see Synold, T.W. 683(1996)245
- Newman, R.A., see Reeves Huie, W. 693(1997)451
- Newport, G.D., see Clausing, P. 692(1997)419
- Ng, C.S., see Heggie, J.R. 692(1997)437
- Nicholls, A.W., see Sidelmann, U. 685(1996)113
- Nichols, J.H., see McPherson, J.L. 677(1996)204
- Nicholson, J.K., see Sidelmann, U. 685(1996)113
- Nickel, P., see Kassack, M. 686(1996)275
- Nicolas, A.
Analytical strategies for the screening of veterinary drugs and their residues in edible products (Review), by Aerts et al.: an addendum 679(1996)210
- Nicolle, E., Veitl, S., Guimier, C. and Bessard, G.
Modified method of nalbuphine determination in plasma: validation and application to pharmacokinetics of the rectal route 690(1997)89
- Nicot, T., see Simon, P. 679(1996)103
- Nie, L.-H., see Yu, B.-S. 693(1997)43
- Niedergang, S., see Elkhaili, H. 686(1996)119
- Niegreisz, Z., see Horváth, V. 686(1996)211
- Nielsen, H.W., see Bechgaard, E. 693(1997)237
- Nieman, T.A., see Ridlen, J.S. 694(1997)393
- Niida, Y., see Sato, J. 692(1997)241
- Ning, X.-H., see Childs, K.F. 678(1996)181
- Nishikawa, M., see Katagi, M. 689(1997)327
- Nishikawa, M., see Katagi, M. 698(1997)81
- Nishikawa, M., see Miki, A. 692(1997)319
- Nishioka, H., see Katagi, M. 676(1996)35
- Nishioka, R.
Determination of triazolam in serum by deactivated metal capillary gas chromatography with electron-capture detection 681(1996)401
- Nishioka, Y., see Shibata, K. 695(1997)434
- Nishiyama, S., see Takeuchi, A. 691(1997)313
- Niwa, O., see Kato, T. 682(1996)162
- Njonge, E.W., see Mberu, E.K. 677(1996)385

- Nobilis, M., Anzenbacher, P., Pastera, J., Svoboda, Z., Hrubý, K., Květnina, J., Ubík, K. and Trejtnar, F.
Study of the biotransformation of a potential benzo[*c*]fluorene antineoplastic using high-performance liquid chromatography with high-speed-scanning ultraviolet detection 681(1996)143
- Nobilis, M., Pastera, J., Anzenbacher, P., Svoboda, D., Kopecký, J. and Perlík, F.
High-performance liquid chromatographic determination of tramadol in human plasma 681(1996)177
- Nocerini, M.R., see Allen, M.C. 696(1997)243
- Noda, A., see Eto, S. 677(1996)325
- Noda, A., see Ono, Y. 677(1996)339
- Noda, H., see Eto, S. 677(1996)325
- Noda, H., see Ono, Y. 677(1996)339
- Nolte, H., see Cheung, S. 690(1997)77
- Nooijen, W.J., see Sparreboom, A. 681(1996)355
- Nooter, K., see de Bruijn, P. 698(1997)277
- Nooter, K., see Loos, W.J. 693(1997)437
- Nooter, K., see Loos, W.J. 694(1997)435
- Nordbø, H., see Brondz, I. 700(1997)255
- Novaković, J., Pacáková, V., Ševčík, J. and Cserhádi, T.
Quantitative structure-chromatographic retention relationship study of six underivatized equine estrogens 681(1996)115
- Novotná, J., see Deyl, Z. 689(1997)181
- Novotná, J., Deyl, Z. and Mikšík, I.
Capillary zone electrophoresis of collagen type I CNBr peptides in acid buffers 681(1996)77
- Novotný, L., see Vielnascher, E. 696(1997)267
- Novotny, M.V.
Capillary biomolecular separations 689(1997)55
- Nowakowska, J., see Lamparczyk, H. 692(1997)483
- Nowakowski, J., see Asermely, K.E. 695(1997)67
- Nowitzki-Grimm, S., see Schieber, A. 691(1997)1
- Núñez-Delicado, E., Bru, R., Sánchez-Ferrer, A. and García-Carmona, F.
Triton X-114-aided purification of latent tyrosinase 680(1996)105
- Nunnally, B.K., see Li, L.-C. 695(1997)85
- Nyoni, E.C., Sitaram, B.R. and Taylor, D.A.
Determination of Δ^9 -tetrahydrocannabinol levels in brain tissue using high-performance liquid chromatography with electrochemical detection 679(1996)79
- Ochiai, H., Uchiyama, N., Imagaki, K., Hata, S. and Kamei, T.
Determination of simvastatin and its active metabolite in human plasma by column-switching high-performance liquid chromatography with fluorescence detection after derivatization with 1-bromoacetylpyrene 694(1997)211
- Ocka, R., see Garle, M. 687(1996)55
- O'Connor, P., Fremont, S., Schneider, J., Dowty, H., Jaeger, M., Talaska, G. and Warshawsky, D.
Combination of high-performance liquid chromatography and thin-layer chromatography separation of five adducted nucleotides isolated from liver resulting from intraperitoneal administration with 7H-dibenzo[*c,g*]carbazole to mice 700(1997)49
- O'Connor, R., O'Sullivan, J.F. and O'Kennedy, R.
Determination of serum and tissue levels of phenazines including clofazimine 681(1996)307
- Oda, H., see Hiraoka, A. 697(1997)141
- Oda, O., see Takai, I. 685(1996)21
- Odani, H., see Oka, H. 693(1997)337
- Odomi, M., see Tanigawa, T. 683(1996)135
- Odontiadis, J., see Franklin, M. 679(1996)199
- Odontiadis, J., see Franklin, M. 681(1996)416
- Oertel, R., Richter, K., Ebert, U. and Kirch, W.
Determination of scopolamine in human serum by gas chromatography-ion trap tandem mass spectrometry 682(1996)259
- Ofner, B., Boukhabza, A., Pacha, W., Amsterdam, Ch.V. and Wintersteiger, R.
Determination of SDZ ICM 567 in blood and muscle microdialysis samples by microbore liquid chromatography with ultraviolet and fluorescence detection 700(1997)191
- Oguri, S. and Miki, Y.
Determination of amikacin in human plasma by high-performance capillary electrophoresis with fluorescence detection 686(1996)205
- Ohata, H., Otsuka, M. and Ohmori, S.
Determination of acetaldehyde in biological samples by gas chromatography with electron-capture detection 693(1997)297
- Ohbayashi, K., see Takai, I. 685(1996)21
- O-higashi, M., see Minami, T. 685(1996)353
- Ohkubo, T., see Tanaka, M. 676(1996)87
- Ohkubo, T., see Uno, T. 698(1997)181
- Ohkubo, T., Uno, T. and Sugawara, K.
Liquid chromatographic determination of manidipine in serum with electrochemical detection 687(1996)413
- Ohkura, Y., see Kai, M. 688(1997)205
- Ohmori, S., see Ohata, H. 693(1997)297
- Oh-Shin, Y.-S., see Shin, H.-S. 677(1996)369
- Ohta, H., Seto, Y. and Tsunoda, N.
Determination of *Aconitum* alkaloids in blood and urine samples. I. High-performance liquid chromatographic separation, solid-phase extraction and mass spectrometric confirmation 691(1997)351
- Ohtani, H., see Hanada, E. 692(1997)478
- Ohtani, H., Kotaki, H., Sawada, Y. and Iga, T.
Quantitative determination of epinastine in plasma by high-performance liquid chromatography 683(1996)281
- Ohtsuka, Y., see Tokunaga, H. 691(1997)203
- Oishi, R., see Makino, K. 695(1997)417

O

- Oka, H., Ikai, Y., Ito, Y., Hayakawa, J., Harada, K.-i., Suzuki, M., Odani, H. and Maeda, K.
Improvement of chemical analysis of antibiotics. XXIII. Identification of residual tetracyclines in bovine tissues by electrospray high-performance liquid chromatography–tandem mass spectrometry 693(1997)337
- Oka, K., see Kouno, Y. 695(1997)349
- Oka, K., see Li, C. 693(1997)191
- Okabe, N., see Minami, T. 685(1996)353
- Okano, T., see Takeuchi, A. 691(1997)313
- Okawa, E., see Tanabe, T. 692(1997)23
- Okazaki, Y., see Minami, T. 685(1996)353
- O’Kennedy, R., see Bogan, D.P. 686(1996)267
- O’Kennedy, R., see O’Connor, R. 681(1996)307
- Okuda, T., see Miyabayashi, T. 677(1996)123
- Okuda, T., see Yamashita, K. 677(1996)141
- Okuda, T., Yamashita, K. and Motohashi, M.
High-performance liquid chromatography using on-line solid-phase extraction: determination of furosemide in human serum 682(1996)343
- Okumura, T., Nakajima, Y., Matsuoka, M. and Takamatsu, T.
Study of salivary catecholamines using fully automated column-switching high-performance liquid chromatography 694(1997)305
- Okuyama, T., see Tomita, M. 678(1996)331
- Okuyama, T., see Tomita, M. 685(1996)185
- Oles, K.S., see Shihabi, Z.K. 683(1996)119
- Olesen, H., see Bruunshuus, I. 687(1996)157
- Olesen, O.V. and Linnet, K.
Simplified high-performance liquid chromatographic method for determination of risperidone and 9-hydroxyrisperidone in serum from patients comedicated with other psychotropic drugs 698(1997)209
- Olieman, W., see Vletter, A.A. 678(1996)369
- Oliver Jr, G.W., see Steinberg, J.J. 694(1997)333
- Oliw, E.H., Hörnsten, L. and Sprecher, H.
Oxygenation of 5,8,11-eicosatrienoic acid by prostaglandin H synthase-2 of ovine placental cotyledons: isolation of 13-hydroxy-5,8,11-eicosatrienoic and 11-hydroxy-5,8,12-eicosatrienoic acids 690(1997)332
- Ollero, M., see García-López, N. 680(1996)137
- Ollero, M., Muñoz Blanco, T., López-Pérez, M.J. and Cebrían-Pérez, J.A.
Surface changes associated with ram sperm cryopreservation revealed by counter-current distribution in an aqueous two-phase system. Effect of different cryoprotectants 680(1996)157
- Olmo, R., see Blanco, M.D. 680(1996)243
- Olsson, N.U., Harding, A.J., Harper, C. and Salem Jr, N.
High-performance liquid chromatography method with light-scattering detection for measurements of lipid class composition: analysis of brains from alcoholics 681(1996)213
- Olsson, N.U., Kaufmann, P. and Dzeletović, S.
Preparation and gas chromatographic–mass spectrometric analysis of N-acetyl-O-trimethylsilyl derivatives of long-chain base residues of natural sphingomyelin 698(1997)1
- Olsson, N.U. and Salem Jr, N.
Molecular species analysis of phospholipids 692(1997)245
- Omar, A., see Stucki, M. 700(1997)241
- O’Neil, W.M., see Cummins, C.L. 697(1997)283
- Ono, I., Matsuda, K. and Kanno, S.
Determination of N-(*trans*-4-isopropylcyclohexylcarbonyl)-D-phenylalanine in human plasma by solid-phase extraction and column-switching high-performance liquid chromatography with ultraviolet detection 678(1996)384
- Ono, I., Matsuda, K. and Kanno, S.
Determination of N-(*trans*-4-isopropylcyclohexanecarbonyl)-D-phenylalanine and its metabolites in human plasma and urine by column-switching high-performance liquid chromatography with ultraviolet detection 692(1997)397
- Ono, Y., Noda, A., Zaima, Y., Jitsufuchi, N., Eto, S. and Noda, H.
Determination of isonicotinic acid in the presence of isoniazid and acetylisoniazid. Studies on isonicotinic acid formation from isoniazid in isolated rat hepatocytes 677(1996)339
- Onodera, R., see El-Waziry, A.M. 677(1996)53
- Oosaki, R., see Mita, H. 692(1997)461
- Oravcová, J., Böhs, B. and Lindner, W.
Drug-protein binding studies. New trends in analytical and experimental methodology 677(1996)1
- Oravcova, J., Sojkova, D. and Lindner, W.
Comparison of the Hummel–Dreyer method in high-performance liquid chromatography and capillary electrophoresis conditions for study of the interaction of (*RS*)-, (*R*)- and (*S*)-carvedilol with isolated plasma proteins 682(1996)349
- Orgeur, P., see Désage, M. 678(1996)205
- Orsini, G., see Righetti, P.G. 699(1997)105
- Ortiz, A.I., see Garzón, M.J. 688(1997)135
- Ortiz-Boyer, F., Fernández-Romero, J.M., Luque de Castro, M.D. and Quesada, J.M.
Continuous cleanup/preconcentration procedure of hydroxyvitamin D₃ metabolites in plasma as an alternative to batch solid-phase extraction 696(1997)43
- Osborne, P.G., see Kato, T. 682(1996)162
- Oscarsson, S.
Factors affecting protein interaction at sorbent interfaces 699(1997)117
- Osman, M., see Chandrasekaran, A. 676(1996)69
- O’Sullivan, J.F., see O’Connor, R. 681(1996)307
- Osumi, T., see Tanigawa, T. 683(1996)135
- Otaki, N., see Minami, T. 685(1996)353
- Otani, K., see Tanaka, M. 676(1996)87
- Otsuka, M., see Ohata, H. 693(1997)297
- Otton, S.V., see Cheung, S. 690(1997)77
- Owens, G.S. and LaCourse, W.R.
Pulsed electrochemical detection of thiols and disulfides following capillary electrophoresis 695(1997)15
- Owens, J.W., Robins, M., Robinson, R. and Smith, R.
Chromatographic analysis of photodynamically significant porphyrin dimers and trimers 682(1996)327
- Ozaki, H., see Koezuka, K. 689(1997)3
- Oztecan, S., see Ercal, N. 685(1996)329

P

- Paans, A.M.J., see van Waarde, A. 678(1996)253
- Paar, W.D., Frankus, P. and Dengler, H.J.
High-performance liquid chromatographic assay for the simultaneous determination of tramadol and its metabolites in microsomal fractions of human liver 686(1996)221
- Paauw, J.D., Van Wyk, L. and Davis, A.T.
Assay for taurine conjugates of bile acids in serum by reversed-phase high-performance liquid chromatography 685(1996)171
- Pacáková, V., see Novaković, J. 681(1996)115
- Pacáková, V., Pechancová, J. and Štulík, K.
Size-exclusion liquid chromatography and capillary electrophoresis of pollen allergens 681(1996)47
- Pacáková, V., Štulík, K. and Tichá, M.
High-performance separations in isolation and characterization of allergens 699(1997)403
- Pacáková, V., Suchánková, J. and Štulík, K.
Separation of biologically active peptides by capillary electrophoresis and high-performance liquid chromatography 681(1996)69
- Pacaud, M., see Guyonnet, J. 679(1996)177
- Pacchetti, C., see Blandini, F. 700(1997)278
- Pacha, W., see Ofner, B. 700(1997)191
- Paez, X., see Guzman, N.A. 697(1997)37
- Paganetto, G., see Marcato, B. 682(1996)147
- Pagella, J.H., see Chen, X.B. 682(1996)201
- Paibir, S.G. and Soine, W.H.
High-performance liquid chromatographic analysis of phenobarbital and phenobarbital metabolites in human urine 691(1997)111
- Paik, N.W., see Moon, D.H. 694(1997)367
- Pálmarsdóttir, S., Mathiasson, L., Jönsson, J. and Edholm, L.-E.
Determination of a basic drug, bambuterol, in human plasma by capillary electrophoresis using double stacking for large volume injection and supported liquid membranes for sample pretreatment 688(1997)127
- Palmer, A.M., see Dawson, L.A. 694(1997)455
- Palmer, S.D., see Weber, P.L. 697(1997)263
- Palonek, E., see Garle, M. 687(1996)55
- Palumbo, G., see Carlucci, G. 682(1996)315
- Pandya, K.K., Mody, V.D., Satia, M.C., Modi, I.A., Modi, R.I., Chakravarthy, B.K. and Gandhi, T.P.
High-performance thin-layer chromatographic method for the detection and determination of lansoprazole in human plasma and its use in pharmacokinetic studies 693(1997)199
- Panegassi, V.R., see Franco, T.T. 680(1996)255
- Pang, S.F., see Tsang, C.W. 682(1996)185
- Paris, S., Blaschke, G., Locher, M., Borse, H.O. and Engel, J.
Investigation of the stereoselective in vitro metabolism of the chiral antiasthmatic/antiallergic drug fexofenadine by high-performance liquid chromatography and capillary zone electrophoresis 691(1997)463
- Park, J., see Choi, D. 687(1996)189
- Park, J., see Kim, T. 687(1996)79
- Park, J., see Lho, D.-S. 687(1996)253
- Park, J., see Myung, S.-W. 696(1997)160
- Park, J., see Pyo, H. 687(1996)261
- Park, J., see Won Suh, J. 688(1997)179
- Park, S., see Hadwiger, M.E. 681(1996)241
- Park, S.-J., see Pyo, H. 687(1996)261
- Park, S.S., see Guzman, N.A. 697(1997)37
- Parker, D., see Lin, C.-c. 682(1996)309
- Parker, R.B., see Williams, C.L. 681(1996)271
- Parlar, H., see Kircher, V. 677(1996)245
- Parmar, D.V., see Dhavse, V.V. 694(1997)449
- Parmar, D.V., see Save, T.K. 690(1997)315
- Parra, O., see Chen, X.B. 682(1996)201
- Parry, R.C., see Wehmeyer, K.R. 676(1996)53
- Parsons, R., Yue, V., Tong, X., Cardot, P., Bernard, A., Andreux, J.P. and Caldwell, K.
Comparative study of human red blood cell analysis with three different field-flow fractionation systems 686(1996)177
- Pascual, P., see Toribio, F. 684(1996)77
- Pastera, J., see Nobilis, M. 681(1996)143
- Pastera, J., see Nobilis, M. 681(1996)177
- Patravale, V.B., see Bhogte, C.P. 694(1997)443
- Pauwels, R.A., see Rosseel, M.T. 689(1997)438
- Pavlova, L.A., see Davankov, V.A. 689(1997)117
- Pazos, C., see Brena, B.M. 684(1996)217
- Pechancová, J., see Pacáková, V. 681(1996)47
- Pedersen-Bjergaard, S., Sannes, E., Rasmussen, K.E. and Tønnesen, F.
Determination of psilocybin in *Psilocybe semilanceata* by capillary zone electrophoresis 694(1997)375
- Peh, K.-K. and Yuen, K.-H.
Simple high-performance liquid chromatographic method for the determination of acyclovir in human plasma using fluorescence detection 693(1997)241
- Peleman, R., see Rosseel, M.T. 689(1997)438
- Peng, L.L., see Xu, A.S. 682(1996)249
- Pénicaut, B., see Hoja, H. 688(1997)275
- Penck, B., see Janáky, T. 676(1996)7
- Peraire, C., see Pruñonosa, J. 677(1996)388
- Perdrix, J.P., see Guitton, J. 693(1997)59
- Pérez Avila, J., see Gil del Valle, L. 698(1997)312
- Pérez, B., see Casademont, G. 686(1996)189
- Pérez, B., Prats, C., Castells, E. and Arboix, M.
Determination of cloxacillin in milk and blood of dairy cows by high-performance liquid chromatography 698(1997)155
- Pérez, M.T., Alvarez, F.J., García-Pérez, A.-I., Lucas, L., Tejedor, M.C. and Sancho, P.
Heterogeneity of hypotonically loaded rat erythrocyte populations as detected by counter-current distribution in aqueous polymer two-phase systems 677(1996)45
- Pérez, M.T., García-Pérez, A.I., Lucas, L. and Sancho, P.
A single partitioning step in aqueous polymer two-phase systems reduces hypotonized rat erythrocyte heterogeneity 680(1996)183

- Pérez-Ruiz, T., Martínez-Lozano, C., Sanz, A. and Bravo, E.
Determination of bromhexine and ambroxol in pharmaceutical dosage forms, urine and blood serum 692(1997)199
- Perez-Souto, N., see Gonzalez-Bravo, L. 682(1996)359
- Perlík, F., see Nobilis, M. 681(1996)177
- Pernollet, J.-C., see Govoroun, M.S. 698(1997)35
- Perrière, C., see Garnier, P. 685(1996)364
- Persson, K. and Åström, O.
Fractional factorial design optimization of the separation of pilocarpine and its degradation products by capillary electrophoresis 697(1997)207
- Pester, U., see Ulrich, S. 685(1996)81
- Petek, W., see Khoschorur, G. 690(1997)367
- Petersen, E., see Gineitis, A. 692(1997)303
- Petersen, M.E., see Xu, A.S. 682(1996)249
- Peterson, A.G., Ahuja, E.S. and Foley, J.P.
Enantiomeric separations of basic pharmaceutical drugs by micellar electrokinetic chromatography using a chiral surfactant, N-dodecoxy carbonylvaline 683(1996)15
- Peterson, A.G. and Foley, J.P.
Influence of the inorganic counterion on the chiral micellar electrokinetic separation of basic drugs using the surfactant N-dodecoxy carbonylvaline 695(1997)131
- Peterson, C.B., see Stebbins, M.A. 697(1997)181
- Petit-Ramel, M., see Mawa, R. 677(1996)331
- Petsch, D., Beeskow, T.C., Anspach, F.B. and Deckwer, W.-D.
Membrane adsorbers for selective removal of bacterial endotoxin 693(1997)79
- Pettersson, A., Uggla, L. and Backman, V.
Determination of dimethylated arginines in human plasma by high-performance liquid chromatography 692(1997)257
- Peyron, F., see Astier, H. 698(1997)217
- Pfaar, U., see Blum, W. 685(1996)257
- Pförtner, J., see Braess, J. 676(1996)131
- Pham, T.-N., see Bressolle, F. 687(1996)303
- Pham, Y.T., see Aymard, G. 700(1997)183
- Pham-Huy, C., Chikhi-Chorfi, N., Galons, H., Sadeg, N., Laqueille, X., Aymard, N., Massicot, F., Warnet, J.-M. and Claude, J.-R.
Enantioselective high-performance liquid chromatography determination of methadone enantiomers and its major metabolite in human biological fluids using a new derivatized cyclodextrin-bonded phase 700(1997)155
- Phillips, L.R., see Ikechukwu Ezennia, E. 688(1997)354
- Phillips, L.R., see Supko, J.G. 677(1996)351
- Phillips, T.M., Kennedy, L.M. and De Fabo, E.C.
Microdialysis-immunoaffinity capillary electrophoresis studies on neuropeptide-induced lymphocyte secretion 697(1997)101
- Pianezzola, E., see Basileo, G. 688(1997)117
- Pianezzola, E., see Marrari, P. 677(1996)33
- Piazolo, L., see Malsch, R. 685(1996)223
- Piculell, L., see Sivars, U. 680(1996)43
- Piers Clifford, C., see Adams, D.A. 693(1997)345
- Pietta, P.G., Gardana, C. and Mauri, P.L.
Identification of *Ginkgo biloba* flavonol metabolites after oral administration to humans 693(1997)249
- Pietta, P.G., Mauri, P.L., Gardana, C. and Benazzi, L.
Assay of soluble guanylate cyclase activity by isocratic high-performance liquid chromatography 690(1997)343
- Piletz, J.E., see Feng, Y. 691(1997)277
- Piletz, J.E., see Feng, Y. 696(1997)173
- Pilger, A., see Germadnik, D. 689(1997)399
- Pillai, U., see Bao, J. 696(1997)59
- Pineau, V., see Marfil, F. 683(1996)251
- Pineau, V., see Pommier, F. 678(1996)354
- Ping Chang, Yu., see Wu, S.T. 692(1997)133
- Pinguet, F., see Grosse, P.Y. 694(1997)219
- Pinguet, F., Joulia, J.M., Martel, P., Grosse, P.Y., Astre, C. and Bressolle, F.
High-performance liquid chromatographic assay for melphalan in human plasma. Application to pharmacokinetic studies 686(1996)43
- Pinguet, F., see Joulia, J.M. 692(1997)427
- Pinsuwan, S., see Walters, A.E. 690(1997)99
- Piperopoulos, G., Lotz, R., Wixforth, A., Schmierer, T. and Zeller, K.-P.
Determination of naphthodianthrones in plant extracts from *Hypericum perforatum* L. by liquid chromatography–electrospray mass spectrometry 695(1997)309
- Pişkin, E., see Denizli, A. 698(1997)89
- Pişkin, E., see Kocakulak, M. 693(1997)271
- Pisternick, W., Kovar, K.-A. and Ensslin, H.
High-performance thin-layer chromatographic determination of N-ethyl-3,4-methylenedioxyamphetamine and its major metabolites in urine and comparison with high-performance liquid chromatography 688(1997)63
- Pla, F., see Pruñonosa, J. 677(1996)388
- Plumb, R.S., Gray, R.D.M., Harker, A.J. and Taylor, S.
High-performance chromatographic assay for the sulphoxide metabolite of 2'-deoxy-3'-thiacytidine in human urine 687(1996)457
- Plumb, R.S., Gray, R.D.M. and Jones, C.M.
Use of reduced sorbent bed and disk membrane solid-phase extraction for the analysis of pharmaceutical compounds in biological fluids, with applications in the 96-well format 694(1997)123
- Podkowiak, B.-I. and Masur, S.
Gas chromatographic determination of midazolam in low-volume plasma samples 681(1996)405
- Podobnik, B., see Lukša, J. 693(1997)367
- Pohlentz, G., see Kunz, C. 685(1996)211
- Poirier, L.A., see Wise, C.K. 696(1997)145
- Polettini, A.
Bioanalysis of β_2 -agonists by hyphenated chromatographic and mass spectrometric techniques 687(1996)27
- Poli, G., see Lippi, G. 682(1996)225
- Polikandritou Lambros, M., Abbas, S.A. and Bourne, D.W.A.
New high-performance liquid chromatographic method for amphotericin B analysis using an internal standard 685(1996)135
- Pollack, G.M., see Chen, C. 681(1996)363
- Pollack, G.M., see Chen, C. 697(1997)149
- Pollock, B.G., see Foglia, J.P. 693(1997)147

- Pommier, F., Gauducheau, N., Pineau, V., Sioufi, A. and Godbillon, J.
Simultaneous determination of isosorbide dinitrate and its mononitrate metabolites in human plasma by capillary gas chromatography with electron-capture detection 678(1996)354
- Pompei, D., see Elkhaili, H. 686(1996)19
- Poole, C.F., Poole, S.K., Seibert, D.S. and Chapman, C.M.
Determination of kinetic and retention properties of cartridge and disk devices for solid-phase extraction 689(1997)245
- Poole, S.K., see Poole, C.F. 689(1997)245
- Popović, T., Puizdar, V., Ritonja, A. and Brzin, J.
Simultaneous isolation of human kidney cathepsins B, H, L and C and their characterisation 681(1996)251
- Poppe, H., see Cifuentes, A. 681(1996)21
- Porath, J., see Berna, P.P. 693(1997)277
- Posthumus, H., see van Waarde, A. 678(1996)253
- Potapov, P.P., see Berkovsky, A.L. 692(1997)273
- Pouliquen, H., see Loussouarn, S. 698(1997)251
- Powell, K., see Eap, C.B. 682(1996)265
- Powell, M.L., see Knoche, B. 695(1997)355
- Powis, G., see Dvorakova, K. 696(1997)275
- Poyrè, M., see Dimitrova, B. 681(1996)153
- Pragst, F., see Herre, S. 692(1997)111
- Prakash, C., see Kamel, A. 700(1997)139
- Pranker, R.J., see Jiang, R. 682(1996)137
- Prats, C., see Pérez, B. 698(1997)155
- Pravda, M., see Thorré, K. 694(1997)297
- Preik-Steinhoff, H. and Kelm, M.
Determination of nitrite in human blood by combination of a specific sample preparation with high-performance anion-exchange chromatography and electrochemical detection 685(1996)348
- Pressac, M., see Moussa, F. 696(1997)153
- Preston, K.L., see Garside, D. 692(1997)61
- Preston, L.M., Weber, M.L. and Murray, G.M.
Micellar electrokinetic capillary chromatography with laser-induced fluorimetric detection of amines in beer 695(1997)175
- Prien, D. and Blaschke, G.
Studies of the metabolism of the antihistaminic drug dimethindene by high-performance liquid chromatography and capillary electrophoresis including enantioselective aspects 688(1997)309
- Prin, L., see Laboureau, E. 680(1996)189
- Pristach, J., see Fořtová, H. 694(1997)49
- Priston, M.J. and Sewell, G.J.
Novel liquid chromatographic assay for the low-level determination of apomorphine in plasma 681(1996)161
- Pronzato, M.A., see Santori, G. 695(1997)427
- Pruñonosa, J., Solà, J., Paire, C., Pla, F., Lavergne, O. and Obach, R.
Determination of the anti-platelet-activating factor BN-50727 and metabolites in human urine by high-performance liquid chromatography using solid-phase extraction 677(1996)388
- Psomas, I.E., see Fletouris, D.J. 687(1996)427
- Psotová, J., see Glatz, Z. 688(1997)239
- Ptáček, P., see Macek, J. 689(1997)239
- Ptáček, P., Macek, J. and Klíma, J.
Rapid and simple method for the determination of zolpidem in human plasma by high-performance liquid chromatography 694(1997)409
- Puchala, R., Davis, J.J. and Sahlu, T.
Determination of mimosine and 3,4-dihydropyridine in milk and plasma of goats 685(1996)375
- Puizdar, V., see Popović, T. 681(1996)251
- Pujari, M.P., Barrientos, A., Muggia, F.M. and Koda, R.T.
Determination of hydroxyurea in plasma and peritoneal fluid by high-performance liquid chromatography using electrochemical detection 694(1997)185
- Pungor, Jr., E., see Chakel, J.A. 689(1997)215
- Pyo, H., Park, S.-J., Park, J., Yoo, J.K. and Yoon, B.
Analysis of mesocarb analogues in urine and plasma of rats by high-performance liquid chromatography and thermospray liquid chromatography-mass spectrometry 687(1996)261
- ## Q
- Qian, M., see Chen, S.-H. 692(1997)43
- Qiu, D.W., Hui, K.P., Lee, C.W., Lim, T.K. and Tan, W.C.
Simplified method for measuring urinary leukotriene E₄ 677(1996)152
- Quagliuolo, L., see Servillo, L. 689(1997)281
- Que Hee, S.S., see Cox, C. 679(1996)85
- Quesada, J.M., see Ortiz-Boyer, F. 696(1997)43
- Quijano, M., see Eichhold, T.H. 698(1997)147
- Quinto, E., see González, P. 693(1997)321
- Qureshi, S.A., see Boisvert, J. 690(1997)189
- ## R
- Rabanal, B., see Garzón, M.J. 688(1997)135
- Raby, C., see Rousseau, A. 693(1997)93
- Rad, A.Y., see Kocakulak, M. 693(1997)271
- Rada, P., see Guzman, N.A. 697(1997)37
- Rada, P., see Tucci, S. 694(1997)343
- Rademaker, R.V., see Saris, L.A. 691(1997)409
- Raffaelli, N., see Emanuelli, M. 676(1996)13
- Rajaniemi, H., see Koskinen, M. 691(1997)155

- Rajzer, D., see Lamparczyk, H. 692(1997)483
- Ralapati, S.
Capillary electrophoresis as an analytical tool for monitoring nicotine in ATF regulated tobacco products 695(1997)117
- Ramaiya, A. and Karnes, H.T.
Simultaneous measurement of serotonin and paroxetine in rat brain microdialysate by a single-pump column-switching technique 691(1997)119
- Ramamurthi, S., see Fedeniuk, R.W. 677(1996)291
- Ramcharan, J.R., see De Rooij, B.M. 685(1996)241
- Ramon, C., see Bihoreau, N. 697(1997)123
- Ramos, B., see Nackerdien, Z. 683(1996)91
- Ramos, F., see Gil del Valle, L. 698(1997)312
- Ramsauer, B., see Braess, J. 676(1996)131
- Ramzan, I., see Yeganeh, M.H. 691(1997)478
- Randall, J.L., see Tulich, L.J. 682(1996)273
- Rani, P.U., see Ravi, S.K. 691(1997)208
- Rao, T.R.K., see Ravi, S.K. 691(1997)208
- Rasmussen, B.B. and Brøsen, K.
Determination of theophylline and its metabolites in human urine and plasma by high-performance liquid chromatography 676(1996)169
- Rasmussen, B.M., see Sørensen, L.K. 694(1997)383
- Rasmussen, K.E., see Johansen, K. 690(1997)223
- Rasmussen, K.E., see Krogh, M. 689(1997)357
- Rasmussen, K.E., see Pedersen-Bjerggaard, S. 694(1997)375
- Raspi, G.
Kallikrein and kallikrein-like proteinases: purification and determination by chromatographic and electrophoretic methods 684(1996)265
- Rassat, A., see Moussa, F. 696(1997)153
- Ratanabangkoon, K., see Saetang, T. 700(1997)233
- Ravi, S.K., Naidu, M.U.R., Sekhar, E.C., Rao, T.R.K., Shobha, J.C., Rani, P.U. and Surya, K.J.
Rapid and selective analysis of secnidazole in human plasma using high-performance liquid chromatography with ultraviolet detection 691(1997)208
- Raymond, K., see Chiu, F.C.K. 687(1996)462
- Raymond, K., see Chiu, F.C.K. 691(1997)473
- Rådström, P., see Lantz, P.-G. 680(1996)165
- Reaven, P., see Mohler III, E.R. 685(1996)201
- Recio, I., Amigo, L. and López-Fandiño, R.
Assessment of the quality of dairy products by capillary electrophoresis of milk proteins 697(1997)231
- Reed, G.D., see White, S.A. 689(1997)335
- Reeves Huie, W., Newman, R.A., Hutto, T. and Madden, T.
High-performance capillary electrophoresis measurement of dolastatin-10 693(1997)451
- Regenscheit, P., see Miki, A. 692(1997)319
- Reichelova, V., Albertioni, F. and Liliemarck, J.
Determination of 2-chloro-2'-deoxyadenosine nucleotides in leukemic cells by ion-pair high-performance liquid chromatography 682(1996)115
- Reiter, C., see Mayer, B.X. 692(1997)1
- Remcho, V.T., see Li, D. 695(1997)169
- Remon, J.P., see Santos, M.D.F. 682(1996)301
- Ren, L., see Xie, D. 688(1997)359
- Renard, C., see Astier, H. 698(1997)217
- Rendell, N.B., see Adams, D.A. 693(1997)345
- Rentsch, K.M., Schwendener, R.A. and Hänseler, E.
Determination of mitoxantrone in mouse whole blood and different tissues by high-performance liquid chromatography 679(1996)185
- Rethfeld, I. and Blaschke, G.
Analysis of the antidiabetic drug acarbose by capillary electrophoresis 700(1997)249
- Reust, T., see Morré, D.M. 680(1996)201
- Reverter, M., Lundh, T. and Lindberg, J.E.
Determination of free amino acids in pig plasma by precolumn derivatization with 6-*N*-aminoquinoly-*N*-hydroxysuccinimidyl carbamate and high-performance liquid chromatography 696(1997)1
- Rey, R.H., see Masnatta, L.D. 687(1996)437
- Reynolds, E.C., see Adamson, N.J. 699(1997)133
- Rezzoug, H., see Barberi-Heyob, M. 688(1997)331
- Riboli, E., see Steghens, J.-P. 694(1997)71
- Richard, M., see Guyonnet, J. 679(1996)177
- Richards, M.P. and Huang, T.-L.
Metalloprotein analysis by capillary isoelectric focusing 690(1997)43
- Richards, R.M.E., see Stead, D.A. 693(1997)415
- Richert, P., see Francotte, E. 686(1996)77
- Richter, K., see Oertel, R. 682(1996)259
- Ridlen, J.S., Skotty, D.R., Kissinger, P.T. and Nieman, T.A.
Determination of erythromycin in urine and plasma using microbore liquid chromatography with tris(2,2'-bipyridyl)ruthenium(II) electrogenerated chemiluminescence detection 694(1997)393
- Ridout, G.A., see Hannan, S.L. 678(1996)297
- Riekkola, M.-L., see Hartonen, K. 676(1996)45
- Riekkola, M.-L., see Koskinen, M. 685(1996)141
- Righetti, P.G., see Barberi, R. 683(1996)3
- Righetti, P.G. and Bossi, A.
Isoelectric focusing in immobilized pH gradients: an update 699(1997)77
- Righetti, P.G., Bossi, A., Wenisch, E. and Orsini, G.
Protein purification in multicompartiment electrolyzers with isoelectric membranes 699(1997)105
- Righetti, P.G. and Gelfi, C.
Non-isocratic capillary electrophoresis for detection of DNA point mutations (Review) 697(1997)195
- Righetti, P.G. and Gelfi, C.
Electrophoresis gel media: the state of the art 699(1997)63
- Righetti, P.G., Gelfi, C. and Conti, M.
Current trends in capillary isoelectric focusing of proteins 699(1997)91
- Ripamonti, M., see Ascalone, V. 676(1996)95
- Ripamonti, M., see Malavasi, B. 676(1996)107
- Rissler, K., Cramer, H. and Engelmann, P.
Application of [¹²⁵I]-[Tyr³]-substance P prepared by the chloramine-T method to receptor-binding experiments after subsequent reduction with mercaptoethanol and purification by reversed-phase liquid chromatography 698(1997)17
- Rissler, K. and Engelmann, P.
Labeling of insulin with non-radioactive ¹²⁷I and application to incorporation of radioactive ¹²⁵I for use in receptor-binding experiments by high-performance liquid chromatography 679(1996)21

- Ritonja, A., see Popovič, T. 681(1996)251
- Rito-Palomares, M. and Lyddiatt, A.
Impact of cell disruption and polymer recycling upon aqueous two-phase processes for protein recovery 680(1996)81
- Ritter, A., see Angerer, J. 695(1997)217
- Rivasseau, C., see Bouaïcha, N. 685(1996)53
- Rivellini, D., see Blandini, F. 700(1997)278
- Rivier, L., see Saugy, M. 687(1996)201
- Rizea Savu, S., Silvestro, L., Sörgel, F., Montrucchio, G., Lupia, E. and Camussi, G.
Determination of 1-O-acyl-2-acetyl-*sn*-glyceryl-3-phosphorylcholine, platelet-activating factor and related phospholipids in biological samples by high-performance liquid chromatography–tandem mass spectrometry 682(1996)35
- Robert, J., see Gamelin, E. 695(1997)409
- Roberts, M.S., see Jiang, R. 682(1996)137
- Roberts, M.S., see Thompson, M.J. 677(1996)117
- Robieux, I., Aita, P., Sorio, R., Toffoli, G. and Boiocchi, M.
Determination of unbound etoposide concentration in ultrafiltered plasma by high-performance liquid chromatography with fluorimetric detection 686(1996)35
- Robins, M., see Owens, J.W. 682(1996)327
- Robinson, C.A., see Grubb, M.F. 678(1996)303
- Robinson, J.E., see Ashton, D.S. 677(1996)194
- Robinson, R., see Owens, J.W. 682(1996)327
- Rocha, G.M., see Jabor, V.A.P. 696(1997)307
- Rochette, A., see de Cazanove, F. 690(1997)203
- Roda, A., see Tonelli, D. 700(1997)59
- Roddy, T.P., Molnar, T.E., McKean, R.E. and Foley, J.P.
Method of analysis of recombinant acidic fibroblast growth factor by capillary electrophoresis 695(1997)49
- Rodgers, J.P., see Stanley, S.M.R. 690(1997)55
- Rödl, S., see Khoschorur, G. 690(1997)367
- Rodrigues, A.E.
Permeable packings and perfusion chromatography in protein separation 699(1997)47
- Rodrigues, N.R., see Franco, T.T. 680(1996)255
- Rodríguez, A.F., see Soriano, C. 687(1996)183
- Rodríguez, C., see Soriano, C. 687(1996)183
- Roeraade, J., see Barberi, R. 683(1996)3
- Rogers, J.D., see DePuy, M.E. 700(1997)165
- Rogers, R.D. and Bauer, C.B.
Partitioning behavior of Group 1 and 2 cations in poly(ethylene glycol)-based aqueous biphasic systems 680(1996)237
- Rogers, R.D., Bond, A.H., Bauer, C.B., Zhang, J. and Griffin, S.T.
Metal ion separations in polyethylene glycol-based aqueous biphasic systems: correlation of partitioning behavior with available thermodynamic hydration data 680(1996)221
- Rogers, R.D. and Zhang, J.
Effects of increasing polymer hydrophobicity on distribution ratios of TcO_4^- in polyethylene/poly(propylene glycol)-based aqueous biphasic systems 680(1996)231
- Rojas-Ojeda, P., see Hernández, L.E. 680(1996)171
- Rolinski, B., see Flath, B. 694(1997)227
- Romanová, D., see Vielnascher, E. 696(1997)267
- Rombo, L., see Ericsson, Ö. 690(1997)243
- Romeijn, S.G., Marttin, E., Verhoef, J.C. and Merkus, F.W.H.M.
Simplified solid-phase extraction method for determination of dihydroergotamine in rabbit and human serum using high-performance liquid chromatography with fluorescence detection 692(1997)227
- Róna, K., Ary, K., Gachályi, B. and Klebovich, I.
Liquid chromatographic method for the determination of ticlopidine in human plasma 693(1997)393
- Róna, K., Ary, K., Gachályi, B., Klebovich, I. and Tomori, É.
Simultaneous determination of nerisopam, a novel anxiolytic agent showing polymorphic metabolism, and its N-acetyl metabolite from human plasma by a validated high-performance liquid chromatographic method 678(1996)63
- Roos, P.H.
Chromatographic separation and behavior of microsomal cytochrome P450 and cytochrome b_5 684(1996)107
- Rooyackers, D.R., see Van Eijk, H.M.H. 691(1997)287
- Roscher, A.A., see Flath, B. 694(1997)227
- Rosenberger, T.A., see Murphy, E.J. 685(1996)9
- Rosenfeld, J.M., see Breckenridge, S.M. 694(1997)289
- Rosing, H., Lustig, V., Koopman, F.P., ten Bokkel Huinink, W.W. and Beijnen, J.H.
Bio-analysis of docetaxel and hydroxylated metabolites in human plasma by high-performance liquid chromatography and automated solid-phase extraction 696(1997)89
- Rosseel, M.T., Peleman, R., Van Hoorebeke, H. and Pauwels, R.A.
Measurement of cefuroxime in human bronchoalveolar lavage fluid by high-performance liquid chromatography after solid-phase extraction 689(1997)438
- Rossetti, D.V., see Messana, I. 699(1997)149
- Rossetti, V. and Lombard, A.
Determination of glutamate decarboxylase by high-performance liquid chromatography 681(1996)63
- Rossi, A., see Zanaboni, G. 683(1996)97
- Rossi, D.T., Hallak, H. and Bradford, L.
Liquid chromatographic assay for a butenolide endothelin antagonist (PD 156707) in plasma 677(1996)299
- Rourick, R.A., see Kerns, E.H. 698(1997)133
- Rousseau, A., Marquet, P., Comby, F., Buxeraud, J., Raby, C. and Lachâtre, G.
Sensitive microanalysis of imipramine and desipramine in single rat thyroids by gas chromatography–mass spectrometry 693(1997)93
- Roux, S., see Moussa, F. 696(1997)153
- Rowinsky, E.K., see Su, H. 695(1997)401
- Rozendom, E., see Kaijser, G.P. 686(1996)249
- Rozman, E., Galcerán, M.T. and Albet, C.
Determination of ebrotidine and its metabolites in human urine by reversed-phase ion-pair high-performance liquid chromatography 688(1997)107
- Rüdiger, H.W., see Germadnik, D. 689(1997)399
- Rudloff, S., see Kunz, C. 685(1996)211
- Rudy, D.W., see Grubb, N.G. 678(1996)237
- Rufer, S., see Drewe, J. 691(1997)105
- Ruggieri, S., see Emanuelli, M. 676(1996)13
- Rupp-Classen, M., see Schieber, A. 691(1997)1
- Rushing, L., see Luo, W. 687(1996)405
- Rushing, L.G., see Clausing, P. 692(1997)419

- Rushing, L.G. and Hansen Jr, E.B.
Confirmation of malachite green, gentian violet and their leuco analogs in catfish and trout tissue by high-performance liquid chromatography utilizing electrochemistry with ultraviolet-visible diode array detection and fluorescence detection 700(1997)223
- Rushing, L.G. and Thompson Jr, H.C.
Simultaneous determination of malachite green, gentian violet and their leuco metabolites in catfish or trout tissue by high-performance liquid chromatography with visible detection 688(1997)325
- Russlie, H.Q., see Yuan, Z. 692(1997)361
- Russo, H., Allaz, J.L. and Bressolle, F.
High-performance liquid chromatographic assay for thiopental in human plasma. Application to pharmacokinetic studies 694(1997)239
- Ruzzenente, O., see Lippi, G. 682(1996)225
- Ryu, J.-C., see Kim, T. 687(1996)79
- Sabbioni, G., Wei, J. and Liu, Yu.-Y.
Determination of hemoglobin adducts in workers exposed to 2,4,6-trinitrotoluene 682(1996)243
- Sadeg, N., see Pham-Huy, C. 700(1997)155
- Sadhra, S., Gray, C.N. and Foulds, I.S.
High-performance liquid chromatography of unmodified rosin and its applications in contact dermatology 700(1997)101
- Saegusa, K., see Kiba, N. 689(1997)393
- Saetang, T., Treamwattana, N., Suttijitpaisal, P. and Ratanabankoon, K.
Quantitative comparison on the refinement of horse antivenom by salt fractionation and ion-exchange chromatography 700(1997)233
- Sáez, A.C., see Gigosos, P.G. 677(1996)167
- Sahlu, T., see Puchala, R. 685(1996)375
- Sakai, T., Murata, H. and Ito, T.
High-performance liquid chromatographic analysis of ascorbyl-2-phosphate in fish tissues 685(1996)196
- Sakai, Y., see Imai, J. 679(1996)204
- Salado C., S. and Vera-Avila, L.E.
On-line solid-phase extraction and high-performance liquid chromatographic determination of chlorthalidone in urine 690(1997)195
- Salem Jr, N., see Olsson, N.U. 681(1996)213
- Salem Jr, N., see Olsson, N.U. 692(1997)245
- Salih, B., see Denizli, A. 698(1997)89
- Sallmann, A., see Blum, W. 685(1996)257
- Salucci, M., see Maiani, G. 692(1997)311
- Salvadori, M.C., see Neto, L.M.R. 678(1996)211
- Samander, S., see McAtee, C.P. 685(1996)91
- Sammons, D.W., see Morré, D.M. 680(1996)201
- Sampayo, C.A.F., see Gigosos, P.G. 677(1996)167
- Sanallah, , see Bowers, L.D. 687(1996)61
- Sánchez-Ferrer, A., see Núñez-Delicado, E. 680(1996)105
- Sancho, P., see Pérez, M.T. 677(1996)45
- Sancho, P., see Pérez, M.T. 680(1996)183
- Sandborn, W.J., see Van Os, E.C. 679(1996)147
- Sandee, B., Schipper, C.A. and Eertman, R.H.M.
High-performance liquid chromatographic determination of the imino acids (opines) *meso*-alanopine and *D*-strombine in muscle extract of invertebrates 685(1996)176
- Sander, L.C., see Sharpless, K.E. 678(1996)187
- Sanders, J.M., Burka, L.T., Shelby, M.D., Newbold, R.R. and Cunningham, M.L.
Determination of tamoxifen and metabolites in serum by capillary electrophoresis using a nonaqueous buffer system 695(1997)181
- Sandra, P., see Bouaïcha, N. 685(1996)53
- Sandra, P., see Lalljie, S.P.D. 688(1997)71
- Sandrenan, N., Sioufi, A., Godbillon, J., Netter, C., Donker, M. and van Valkenburg, C.
Determination of artemether and its metabolite, dihydroartemisinin, in plasma by high-performance liquid chromatography and electrochemical detection in the reductive mode 691(1997)145
- Sangiorgi, E. and Curatolo, M.
Application of a sequential analytical procedure for the detection of the β -agonist brombuterol in bovine urine samples 693(1997)468
- Sannes, E., see Pedersen-Bjerggaard, S. 694(1997)375
- Santa, T., see Koga, D. 690(1997)7
- Santerre, J.P., see Wang, G.B. 698(1997)69
- Santhosh-Kumar, C.R., see Deutsch, J.C. 677(1996)147
- Santisteban, P., see de la Vieja, A. 688(1997)143
- Santori, G., Domenicotti, C., Bellocchio, A., Pronzato, M.A., Marinari, U.M. and Cottalasso, D.
Different efficacy of iodoacetic acid and N-ethylmaleimide in high-performance liquid chromatographic measurement of liver glutathione 695(1997)427
- Santos, M.D.F., Vermeersch, H., Remon, J.P., Schelkens, M., De Backer, P., Ducatelle, R. and Haesebrouck, F.
Validation of a high-performance liquid chromatographic method for the determination of doxycycline in turkey plasma 682(1996)301
- Sanwald, P., David, M. and Dow, J.
Use of electrospray ionization liquid chromatography-mass spectrometry to study the role of CYP2D6 in the in vitro metabolism of 5-hydroxytryptamine receptor antagonists 678(1996)53
- Sanz, A., see Pérez-Ruiz, T. 692(1997)199
- Saris, L.A., Brekelmans, G.J.F., van der Linden, G.J., Rademaker, R.V. and Edelbroek, P.M.
High-performance liquid chromatographic determination of carbamazepine and metabolites in human hair 691(1997)409
- Sarre, S., see Thorré, K. 694(1997)297
- Sasaki, N., see Hamamoto, K. 693(1997)489
- Sate, S., see Mawatari, K.-i. 679(1996)155
- Satia, M.C., see Mody, V.D. 676(1996)175

S

- Satia, M.C., see Pandya, K.K. 693(1997)199
- Sato, G., see Fujii, T. 687(1996)395
- Sato, J., Amizuka, T., Niida, Y., Umetsu, M. and Ito, K.
Simple, rapid and sensitive method for the determination of indomethacin in plasma by high-performance liquid chromatography with ultraviolet detection 692(1997)241
- Sato, K., see Kobayashi, K. 677(1996)275
- Sato, T., see Matsuoka, M. 676(1996)117
- Sato, T., see Matsuoka, M. 685(1996)273
- Sato, Y., see Inoue, H. 688(1997)221
- Satoh, T., see Azuma, R. 686(1996)229
- Satoh, T., see Kitamura, R. 690(1997)283
- Satouchi, K., see Tanaka, T. 700(1997)1
- Sauer, J.-M., see Bao, J. 696(1997)59
- Saugy, M., Cardis, C., Schweizer, C., Veuthey, J.-L. and Rivier, L.
Detection of human growth hormone doping in urine: out of competition tests are necessary 687(1996)201
- Sautière, P., see Mizon, C. 692(1997)281
- Save, T.K., Parmar, D.V. and Devarajan, P.V.
High-performance thin-layer chromatographic determination of ibuprofen in plasma 690(1997)315
- Savina, P.M., see Dunn, J.A. 686(1996)241
- Savolainen, H., see Laitinen, J. 694(1997)93
- Sawada, Y., see Hanada, E. 692(1997)478
- Sawada, Y., see Ohtani, H. 683(1996)281
- Sawchuk, R.J., see Malhotra, B.K. 679(1996)167
- Säwe, J., see Svensson, J.-O. 690(1997)363
- Scatina, J., see Chandrasekaran, A. 676(1996)69
- Scavini, G., see Candido, M. 692(1997)213
- Schaal, B., see Désage, M. 678(1996)205
- Schaap, F.G., Specht, B., van der Vusse, G.J., Borchers, T. and Glaz, J.F.C.
One-step purification of rat heart-type fatty acid-binding protein expressed in *Escherichia coli* 679(1996)61
- Schadewaldt, P., Wendel, U. and Hammen, H.-W.
Determination of *R*- and *S*-3-methyl-2-oxopentanoate enantiomers in human plasma: suitable method for label enrichment analysis 682(1996)209
- Schaefer, W.H., see Boppana, V.K. 678(1996)227
- Schaffer, C., see Göbel, Y. 688(1997)57
- Schänzer, W., Delahaut, P., Geyer, H., Machnik, M. and Horning, S.
Long-term detection and identification of metandienone and stanozolol abuse in athletes by gas chromatography–high-resolution mass spectrometry 687(1996)93
- Schapira, R.M., see Margolis, S.A. 690(1997)25
- Schar, C.R., see Stebbins, M.A. 697(1997)181
- Schäufelberger, D., see Guzman, N.A. 697(1997)37
- Scheidel, B., see Döppenschmitt, S.A. 682(1996)79
- Schelkens, M., see Santos, M.D.F. 682(1996)301
- Schellens, J.H.M., see Loos, W.J. 678(1996)309
- Schellens, J.H.M., see Loos, W.J. 694(1997)435
- Schepman, J.B., see Mulligan, K.J. 686(1996)85
- Scherz, M.W., see Knight, P.M. 700(1997)111
- Schick, M., see Sperker, B. 685(1996)181
- Schiebel, H.-M., see Weinz, C. 690(1997)233
- Schieber, A., Brückner, H., Rupp-Classen, M., Specht, W., Nowitzki-Grimm, S. and Classen, H.-G.
Evaluation of *D*-amino acid levels in rat by gas chromatography–selected ion monitoring mass spectrometry: no evidence for subacute toxicity of orally fed *D*-proline and *D*-aspartic acid 691(1997)1
- Schiewe, J., see Mrestani, Y. 690(1997)321
- Schinazi, R.F., see Chen, H. 691(1997)425
- Schipper, C.A., see Sandee, B. 685(1996)176
- Schipperen, J.C.A., see Louter, A.J.H. 689(1997)35
- Schiwy-Bochat, K.-H., see Bogusz, M.J. 683(1996)177
- Schlegel, A., see Stucki, M. 700(1997)241
- Schlegel, W., see John, H. 698(1997)9
- Schleyer, E., see Braess, J. 676(1996)131
- Schmalzing, D., Koutny, L.B., Taylor, T.A., Nashabeh, W. and Fuchs, M.
Immunoassay for thyroxine (T4) in serum using capillary electrophoresis and micromachined devices 697(1997)175
- Schmerr, M.J., Goodwin, K.R., Cutlip, R.C. and Jenny, A.L.
Improvements in a competition assay to detect scrapie prion protein by capillary electrophoresis 681(1996)29
- Schmerr, M.J., Jenny, A. and Cutlip, R.C.
Use of capillary sodium dodecyl sulfate gel electrophoresis to detect the prion protein extracted from scrapie-infected sheep 697(1997)223
- Schmid, M.G., see Anselmi, S. 681(1996)83
- Schmierer, T., see Piperopoulos, G. 695(1997)309
- Schmitt, C.J., see Maurer, H.H. 689(1997)81
- Schmitter, J.M., see Bihoreau, N. 697(1997)123
- Schneider, J., see O'Connor, P. 700(1997)49
- Scholl, J.P. and DeZwaan, J.
Micellar electrokinetic chromatography as a generalized alternative to high-performance liquid chromatography for purity determination of a class of investigational antibacterial drugs 695(1997)147
- Scholz, H., see Lær, S. 681(1996)291
- Schreiber-Deturmeny, E. and Bruguerolle, B.
Simultaneous high-performance liquid chromatographic determination of caffeine and theophylline for routine drug monitoring in human plasma 677(1996)305
- Schreier, P., see Kleinschnitz, M. 676(1996)61
- Schriver, Z.H., see Van Os, E.C. 679(1996)147
- Schuilenburg, H.C.P., see De Rooij, B.M. 685(1996)241
- Schulz, P., see Josić, D. 694(1997)253
- Schulze-Westhoff, P., see Hempel, G. 698(1997)287
- Schwach, V., see Huebert, N.D. 685(1996)291
- Schwartz, J.-J., see Huebert, N.D. 685(1996)291
- Schweda, E.K.H., see Ericsson, Ö. 690(1997)243
- Schweizer, C., see Saugy, M. 687(1996)201
- Schwende, F.J., see Howard, G.M. 693(1997)431
- Schwendener, R.A., see Rentsch, K.M. 679(1996)185
- Schwille, P.O., see Manoharan, M. 700(1997)261
- Schwinn, H., see Josić, D. 694(1997)253
- Sciarrà, G., see Aprea, C. 695(1997)227
- Scott, P.G., see Tredget, E.E. 694(1997)1
- Seale, J.P., see Li, Y.N. (Benny) 683(1996)259
- Secchi, C. and Borromeo, V.
Structure and function of bovine growth hormone. Bovine growth hormone as an experimental model for studies of protein–protein interactions 688(1997)161

- Segura, J., see Ventura, R. 687(1996)127
- Seibel, W.L., see Eichhold, T.H. 698(1997)147
- Seibert, D.S., see Poole, C.F. 689(1997)2-5
- Seitz, J., see Wilhelm, B. 684(1996)163
- Sekhar, E.C., see Ravi, S.K. 691(1997)208
- Seki, T., Yamazaki, K. and Kayano, M.
Determination of angiotensin II receptor antagonist (E4177) in human plasma and urine by high-performance liquid chromatography 688(1997)101
- Sekimoto, H., see Takeuchi, A. 691(1997)313
- Selenka, J.M., see Lau, Y.Y. 683(1996)209
- Sellers, E.M., see Cheung, S. 690(1997)77
- Selley, M.L.
Determination of the lipid peroxidation product (*E*)-4-hydroxy-2-nonenal in clinical samples by gas chromatography–negative-ion chemical ionisation mass spectrometry of the *O*-pentafluorobenzyl oxime 691(1997)263
- Selvamuniandy, T.S., Mohamed, N., Mansor, S.M., Nair, N.K. and Navaratnam, V.
Determination of 6,4'-bis-(2-imidazolyl)hydrazono)-2-phenylimidazo[1,2-*a*]pyridine in plasma and whole blood by high-performance liquid chromatography 700(1997)209
- Semmelrock, H.J., see Khoshsorur, G. 690(1997)367
- Seo, M.-K., see Choi, Y.-J. 694(1997)415
- Sepaniak, M.J., see Gibson, T.J. 695(1997)103
- Sepaniak, M.J., see Stebbins, M.A. 683(1996)77
- Sepaniak, M.J., see Stebbins, M.A. 697(1997)181
- Seppälä, T., see Karila, T. 687(1996)109
- Seppänen-Laakso, T., Laakso, I., Backlund, P., Vanhanen, H. and Viikari, J.
Elaidic and *trans*-vaccenic acids in plasma phospholipids as indicators of dietary intake of 18:1 *trans*-fatty acids 687(1996)371
- Sepúlveda, M.J., see Tucci, S. 694(1997)343
- Serafini, M., see Maiani, G. 692(1997)311
- Serjeant, B.E., see Sweeting, I. 700(1997)269
- Serjeant, G.R., see Sweeting, I. 700(1997)269
- Serra, G.E., see Franco, T.T. 680(1996)255
- Serres, A., Legendre, E., Jozefonvicz, J. and Muller, D.
Affinity of mouse immunoglobulin G subclasses for sialic acid derivatives immobilized on dextran-coated supports 681(1996)219
- Servillo, L., Iorio, E.L., Quagliuolo, L., Camussi, G., Balestrieri, C. and Giovane, A.
Simultaneous determination of lysophospholipids by high-performance liquid chromatography with fluorescence detection 689(1997)281
- Sesboué, R., see Mizon, C. 692(1997)281
- Seto, Y., see Ohta, H. 691(1997)351
- Ševčík, J., see Adam, T. 698(1997)308
- Ševčík, J., see Novaković, J. 681(1996)115
- Sevillano-Cabeza, A., see Campíns-Falcó, P. 687(1996)239
- Sevillano-Cabeza, A., see Herráez-Hernández, R. (1996)
- Sewell, G.J., see Priston, M.J. 681(1996)161
- Seymour, L.W., see Anderson, D. 688(1997)87
- Seymour, R.A., see Monkman, S.C. 678(1996)360
- Sgaragli, G.P., see Bianchi, L. 694(1997)259
- Shaikh, B., see Kijak, P.J. 691(1997)377
- Shao, L., see Johnson, M.R. 696(1997)183
- Sharpless, K.E., Brown Thomas, J., Sander, L.C. and Wise, S.A.
Liquid chromatographic determination of carotenoids in human serum using an engineered C₃₀ and a C₁₈ stationary phase 678(1996)187
- Shaw, P.N., see Erah, P.O. 682(1996)73
- Shaw, P.N., see Jessa, M.J. 677(1996)374
- Shearer, G., see Stubbings, G. 679(1996)137
- Shearsby, N., see Cooper, J.D.H. 696(1997)117
- Shelby, M.D., see Sanders, J.M. 695(1997)181
- Shen, D.D., see Dills, R.L. 690(1997)139
- Shen, H., Aspinwall, C.A. and Kennedy, R.T.
Dual microcolumn immunoassay applied to determination of insulin secretion from single islets of Langerhans and insulin in serum 689(1997)295
- Shenfield, G.M., see Hoskins, J.M. 696(1997)81
- Sheppard, R.L., see Wachs, T. 685(1996)335
- Shetty, B.V., see Wu, E.Y. 695(1997)373
- Shiba, Y., see Kishimoto, M. 688(1997)1
- Shibasaki, H., Furuta, T. and Kasuya, Y.
Quantification of corticosteroids in human plasma by liquid chromatography–thermospray mass spectrometry using stable isotope dilution 692(1997)7
- Shibata, K., Nishioka, Y., Kawada, T., Fushiki, T. and Sugimoto, E.
High-performance liquid chromatographic measurement of urocanic acid isomers and their ratios in naturally light-exposed skin and naturally shielded skin 695(1997)434
- Shibata, K., see Tanaka, T. 700(1997)1
- Shibusawa, Y.
Lipoproteins: comparison of different separation strategies 699(1997)419
- Shibusawa, Y., Eriguchi, Y. and Ito, Y.
Purification of lactic acid dehydrogenase from bovine heart crude extract by counter-current chromatography 696(1997)25
- Shih, Y., see Cheng, F.-C. 682(1996)195
- Shihabi, Z.K., see Friedberg, M. 695(1997)187
- Shihabi, Z.K., see Friedberg, M. 695(1997)193
- Shihabi, Z.K. and Hinsdale, M.E.
Analysis of ibuprofen in serum by capillary electrophoresis 683(1996)115
- Shihabi, Z.K. and Kute, T.E.
Analysis of cathepsin D from breast tissues by capillary electrophoresis 683(1996)125
- Shihabi, Z.K. and Oles, K.S.
Serum lamotrigine analysis by capillary electrophoresis 683(1996)119
- Shim, H.J., Lee, J.J., Lee, S.D., Kim, W.B., Yang, J., Kim, S.H. and Lee, M.G.
Determination of a new non-narcotic analgesic, DA-5018, in plasma, urine and bile by high-performance liquid chromatography 689(1997)422
- Shim, Y.-B., see Moon, D.H. 694(1997)367
- Shimada, H., see Li, Y.-H. 694(1997)145
- Shimada, K., Mitamura, K., Kitama, N. and Kawasaki, M.
Determination of 25-hydroxyvitamin D₃ in human plasma by reversed-phase high-performance liquid chromatography with ultraviolet detection 689(1997)409

- Shimada, K., Mitamura, K. and Nakatani, I.
Characterization of monoglucuronides of vitamin D₂ and 25-hydroxyvitamin D₂ in rat bile using high-performance liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 690(1997)348
- Shimizu, H., see Imai, J. 679(1996)204
- Shimizu, M., Wang, X. and Yamada, S.
Fluorimetric assay of 1 α ,25-dihydroxyvitamin D₃ in human plasma 690(1997)15
- Shimizu, R., see Mawatari, K.-i. 679(1996)155
- Shimonaka, H., see Hayakawa, A. 698(1997)27
- Shimpo, K., see Hibiya, M. 691(1997)223
- Shin, H.-S., see Lho, D.-S. 687(1996)253
- Shin, H.-S., Oh-Shin, Y.-S., Kim, H.-J. and Kang, Y.-K.
Sensitive assay for verapamil in plasma using gas-liquid chromatography with nitrogen-phosphorus detection 677(1996)369
- Shinkai, H., see Yoshioka, E. 691(1997)371
- Shinohara, Y., see Hasegawa, H. 689(1997)287
- Shinzato, T., see Takai, I. 685(1996)21
- Shirakura, A., see Hamamoto, K. 693(1997)489
- Shirao, M.K., Suzuki, S., Kobayashi, J., Nakazawa, H. and Mochizuki, E.
Analysis of creatinine, vanilmandelic acid, homovanillic acid and uric acid in urine by micellar electrokinetic chromatography 693(1997)463
- Shirkey, A., see George, K.S. 695(1997)93
- Shiua, C.-Y., see Hwang, D.-F. 693(1997)23
- Shobha, J.C., see Ravi, S.K. 691(1997)208
- Shockley, T.R., see Burke, R.A. 693(1997)353
- Shum, L., see Grubb, M.F. 678(1996)303
- Shyu, W.C., see Mulvana, D.E. 682(1996)289
- Sica, D., see Farthing, D. 688(1997)350
- Sidelmann, U., Hansen, S.H., Gavaghan, C., Nicholls, A.W., Carless, H.A.J., Lindon, J.C., Wilson, I.D. and Nicholson, J.K.
Development of a simple liquid chromatographic method for the separation of mixtures of positional isomers and anomers of synthetic 2-, 3- and 4-fluorobenzoic acid glucuronides formed via acyl migration reactions 685(1996)113
- Sidelmann, U.G., see Kepp, D.R. 696(1997)235
- Silberstein, N., see Bouliou, R. 693(1997)233
- Sills, G.J., see Forrest, G. 681(1996)421
- Siluveru, M. and Stewart, J.T.
Determination of fenbufen and its metabolites in serum by reversed-phase high-performance liquid chromatography using solid-phase extraction and on-line post-column ultraviolet irradiation and fluorescence detection 682(1996)89
- Siluveru, M. and Stewart, J.T.
Stereoselective determination of mepivacaine in human serum using a brush-type chiral stationary phase and solid-phase extraction 690(1997)359
- Siluveru, M. and Stewart, J.T.
Enantioselective determination of S-(+)- and R-(-)-ondansetron in human serum using derivatized cyclodextrin-modified capillary electrophoresis and solid-phase extraction 691(1997)217
- Siluveru, M. and Stewart, J.T.
Stereoselective determination of R-(-)- and S-(+)-prilocaine in human serum by capillary electrophoresis using a derivatized cyclodextrin and ultraviolet detection 693(1997)205
- Silva, T.M.J., see Bao, Y. 685(1996)105
- Silverstone, P.H., see Urichuk, L.J. 698(1997)103
- Silvestro, L., see Rizea Savu, S. 682(1996)35
- Sim, M.K. and Lim, B.C.
Determination of aminopeptidase X activity in tissues of normo- and hypertensive rats by capillary electrophoresis 697(1997)259
- Simat, T., van Wickern, B., Eulitz, K. and Steinhart, H.
Contaminants in biotechnologically manufactured L-tryptophan 685(1996)41
- Simmons, B.R. and Stewart, J.T.
Supercritical fluid extraction of selected pharmaceuticals from water and serum 688(1997)291
- Simmons, J., see Carlin, A. 694(1997)115
- Simon, P. and Nicot, T.
Capillary electrophoresis and supercritical chromatography, complementary and alternative techniques for the determination of urinary metabolites of styrene 679(1996)103
- Simoni, P., see Steinberg, J.J. 694(1997)333
- Simpson, J., see Aboleneen, H. 681(1996)317
- Singer, M., see Timm, U. 691(1997)397
- Singh, A.K., White, T., Arendt, T. and Jiang, Y.
Analysis of selenium in bovine liver by gas chromatography with mass-selective, electron-capture and nitrogen-phosphorus detection 690(1997)327
- Singh, A.K., White, T., Arendt, T. and Jiang, Y.
Erratum to "Analysis of selenium in bovine liver by gas chromatography with mass-selective, electron-capture and nitrogen-phosphorus detection". [J. Chromatogr. B, 690 (1997) 327-331] 696(1997)174
- Singh, S., see Dwivedi, A.K. 698(1997)317
- Sioufi, A., see Marfil, F. 683(1996)251
- Sioufi, A., see Pommier, F. 678(1996)354
- Sioufi, A., see Sandrenan, N. 691(1997)145
- Sipes, I.G., see Bao, J. 696(1997)59
- Sisenwine, S.F., see Chandrasekaran, A. 676(1996)69
- Sitaram, B.R., see Nyoni, E.C. 679(1996)79
- Sivars, U., Bergfeldt, K., Piculell, L. and Tjerneld, F.
Protein partitioning in weakly charged polymer-surfactant aqueous two-phase systems 680(1996)43
- Sjöberg, P., see Egestad, B. 677(1996)99
- Sjövall, J., see Meng, L.-J. 688(1997)11
- Skorek-Jankowska, A., see Jankowski, A. 693(1997)383
- Skotty, D.R., see Ridlen, J.S. 694(1997)393
- Slater, M.J., see Ashton, D.S. 677(1996)194
- Sletten, K., see Bruun, C.F. 685(1996)360
- Slingerland, R.J., see Van Kuilenburg, A.B.P. 693(1997)287
- Slomovic, B., see Alvarez, J.G. 690(1997)338
- Smith, A.J., see Hwang, B.J. 686(1996)165
- Smith, F.P., see Tagliaro, F. 685(1996)165
- Smith, F.P., see Tagliaro, F. 689(1997)261
- Smith, K.D., see Elliott, M.A. 688(1997)229
- Smith, L., see Stanley, S.M.R. 690(1997)55
- Smith, P.C., see Márquez, C.D. 694(1997)21

- Smith, P.C., see Márquez, C.D. 700(1997)9
- Smith, R., see Owens, J.W. 682(1996)327
- Smith, R.L., see Bao, J. 696(1997)59
- Smyth, J.F., see Cummings, J. 685(1996)159
- Smyth, W.F., see McGrath, G. 681(1996)125
- Snijders, H.M.J., see Vissers, J.P.C. 686(1996)119
- Snyder, L.R.
Changing reversed-phase high performance liquid chromatography selectivity. Which variables should be tried first? 689(1997)105
- Snyder, T., see Morré, D.M. 680(1996)201
- Soares, O., see Astier, H. 698(1997)217
- Sobik, B., see Kobylińska, M. 685(1996)191
- Soeters, P.B., see Van Eijk, H.M.H. 691(1997)287
- Sogami, M., see Hayakawa, A. 698(1997)27
- Soine, W.H., see Paibir, S.G. 691(1997)111
- Sojkova, D., see Oravcova, J. 682(1996)349
- Solà, J., see Pruñonosa, J. 677(1996)388
- Solans, C., see García, M.A. 693(1997)377
- Solfrizzo, M., Avantaggiato, G. and Visconti, A.
Rapid method to determine sphinganine/sphingosine in human and animal urine as a biomarker for fumonisin exposure 692(1997)87
- Sommadossi, J.-P., see Zhou, X.-J. 691(1997)417
- Sommerburg, O., Zang, L.-Y. and Van Kuijk, F.J.G.M.
Simultaneous detection of carotenoids and vitamin E in human plasma 695(1997)209
- Somoza, G.M., see D'Eramo, J.L. 682(1996)219
- Song, D. and Au, J.L.-S.
Direct injection isocratic high-performance liquid chromatographic analysis of mitomycin C in plasma 676(1996)165
- Song, D., Wientjes, M.G. and Au, J.L.-S.
Isocratic high-performance liquid chromatographic determination of thiacetazone by direct injection of plasma into an internal surface reversed-phase column 690(1997)289
- Song, D., Zhang, S. and Kohlhof, K.
Quantitative determination of clonazepam in plasma by gas chromatography–negative ion chemical ionization mass spectrometry 686(1996)199
- Song, D.-J. and Hsu, K.-Y.
Determination of *p*-aminobenzoic acid and its metabolites in rabbit plasma by high-performance liquid chromatography with fluorescence detection 677(1996)69
- Song, J.-Z., Wu, X.-J., Sun, Z.-P., Tian, S.J., Wang, M.-L. and Wang R.-L.
Determination of thiamphenicol in human plasma by micellar electrokinetic capillary chromatography 692(1997)445
- Sontag, K.-H., see Bringmann, G. 687(1996)337
- Soo, E.C., see Cummins, C.L. 697(1997)283
- Sørensen, L.K., Rasmussen, B.M., Boison, J.O. and Keng, L.
Simultaneous determination of six penicillins in cows' raw milk by a multiresidue high-performance liquid chromatographic method 694(1997)383
- Sörgel, F., see Rizea Savu, S. 682(1996)35
- Soriano, C., Muñoz-Guerra, J., Carreras, D., Rodríguez, C., Rodríguez, A.F. and Cortés, R.
Automated analysis of drugs in urine 687(1996)183
- Sorio, R., see Robieux, I. 686(1996)35
- Soriso, D., see Foglia, J.P. 693(1997)147
- Sosic, Z., see Krull, I.S. 699(1997)173
- Soubeyrand, J., see Désage, M. 678(1996)205
- Soukhova, N.V., see Kerbusch, T. 694(1997)163
- Souri, E., Farsam, H. and Jamali, F.
Stereospecific determination of mefloquine in biological fluids by high-performance liquid chromatography 700(1997)215
- Špaček, P., Hulejová, H. and Adam, M.
Determination of pyridinium crosslinks in serum. An optimization of sample preparation 689(1997)404
- Sparidans, R.W., den Hartigh, J., Beijnen, J.H. and Vermeij, P.
Determination of pamidronate in urine by ion-pair liquid chromatography after derivatization with 1-naphthylisothiocyanate 696(1997)137
- Sparreboom, A., see de Bruijn, P. 698(1997)277
- Sparreboom, A., see Loos, W.J. 693(1997)437
- Sparreboom, A., see Loos, W.J. 694(1997)435
- Sparreboom, A., van Tellingen, O., Huizing, M.T., Nooijen, W.J. and Beijnen, J.H.
Determination of polyoxyethyleneglycerol triricinoleate 35 (Cremophor EL) in plasma by pre-column derivatization and reversed-phase high-performance liquid chromatography 681(1996)355
- Spavone, F., see Guyonnet, J. 679(1996)177
- Specht, B., see Schaap, F.G. 679(1996)61
- Specht, W., see Schieber, A. 691(1997)1
- Spencer-Beach, G.G., Beach, A.C. and Gupta, R.C.
High-resolution anion-exchange and partition thin-layer chromatography for complex mixtures of ³²P-postlabeled DNA adducts 677(1996)265
- Sperker, B., Schick, M. and Kroemer, H.K.
High-performance liquid chromatographic quantification of 4-methylumbelliferyl- β -D-glucuronide as a probe for human β -glucuronidase activity in tissue homogenates 685(1996)181
- Spiegelstein, O., Bialer, M. and Yagen, B.
Isolation of N,N-dialkylated derivatives of valproylglycinamide from dog plasma by active charcoal adsorption and their quantification by high-performance liquid chromatography 698(1997)195
- Spiller, R.C., see Jessa, M.J. 677(1996)374
- Spinelli, J.J., see Heggie, J.R. 692(1997)437
- Spink, D.C., see Zhu, M. 688(1997)187
- Spitz, D.R., see Ercal, N. 685(1996)329
- Spooner, R.W., see Floate, K.D. 694(1997)246
- Sprecher, H., see Oliw, E.H. 690(1997)332
- Spy, J., see Letellier, S. 696(1997)9
- Sriwongjanya, M., see Williams, III, R.O. 696(1997)303
- Stäblein, M., see Bringmann, G. 687(1996)337
- Stafford, C.G., see Allen, M.C. 696(1997)243
- Stankovic, C.J., see Surendran, N. 691(1997)305
- Stanley, S.M.R., Smith, L. and Rodgers, J.P.
Biotransformation of 17-alkylsteroids in the equine: gas chromatographic–mass spectral identification of ten intermediate metabolites of methyltestosterone 690(1997)55
- Stanski, D.R., see Dowrie, R.H. 678(1996)279
- Stass, H., see Bannefeld, K.-H. 692(1997)453

- Stead, D.A. and Richards, R.M.E.
Sensitive high-performance liquid chromatographic assay for aminoglycosides in biological matrices enables the direct estimation of bacterial drug uptake 693(1997)415
- Stebbins, M.A., Hoyt, A.M., Sepaniak, M.J. and Hurlburt, B.K.
Design and optimization of a capillary electrophoretic mobility shift assay involving *trp* repressor–DNA complexes 683(1996)77
- Stebbins, M.A., Schar, C.R., Peterson, C.B. and Sepaniak, M.J.
Temporal analysis of DNA restriction digests by capillary electrophoresis 697(1997)181
- Steenackers, D., see Lalljie, S.P.D. 688(1997)71
- Stefan, T.L., Ingalls, S.T., Gerson, S.L., Willson, J.K.V. and Hoppel, C.L.
Determination of O⁶-benzylguanine in human plasma by reversed-phase high-performance liquid chromatography 681(1996)331
- Stefano, A., see D'Eramo, J.L. 682(1996)219
- Steghens, J.-P., van Kappel, A.L., Riboli, E. and Collombel, C.
Simultaneous measurement of seven carotenoids, retinol and α -tocopherol in serum by high-performance liquid chromatography 694(1997)71
- Stegner, J.E., see Mohler III, E.R. 685(1996)201
- Steinberg, J.J., Oliver Jr, G.W., Farah, N., Simoni, P., Winiarsky, R. and Cajigas, A.
In vivo determination of 5-bromo-2'-deoxyuridine incorporation into DNA tumor tissue by a new ³²P-postlabelling thin-layer chromatographic method 694(1997)333
- Steiner, B., see Timm, U. 691(1997)397
- Steinhart, H., see Simat, T. 685(1996)41
- Stenhouse, A.M., see Black, S.B. 685(1996)67
- Stępień, M., see Bald, E. 681(1996)283
- Stevenson, D., see Matthews, D.B. 695(1997)279
- Stewart, B.H., see Surendran, N. 691(1997)305
- Stewart, J.T., see Ameyibor, E. 686(1996)297
- Stewart, J.T., see Liu, J. 692(1997)141
- Stewart, J.T., see Liu, J. 694(1997)179
- Stewart, J.T., see Liu, J. 700(1997)175
- Stewart, J.T., see Siluveru, M. 682(1996)89
- Stewart, J.T., see Siluveru, M. 690(1997)359
- Stewart, J.T., see Siluveru, M. 691(1997)217
- Stewart, J.T., see Siluveru, M. 693(1997)205
- Stewart, J.T., see Simmons, B.R. 688(1997)291
- Stiff, D.D., see Frye, R.F. 686(1996)291
- Stigbrand, T., see Gineitis, A. 692(1997)303
- Stone, K.L., see McAtee, C.P. 685(1996)91
- Stopher, D.A. and Gage, R.
Determination of a new antifungal agent, voriconazole, by multidimensional high-performance liquid chromatography with direct plasma injection onto a size-exclusion column 691(1997)441
- Stoter, G., see de Bruijn, P. 698(1997)277
- Stoter, G., see Loos, W.J. 678(1996)309
- Stoter, G., see Loos, W.J. 693(1997)437
- Stoter, G., see Loos, W.J. 694(1997)435
- Stow, J.M., see Dawson, L.A. 694(1997)455
- Strancar, A., see Josić, D. 694(1997)253
- Stratford, R.E., see Zornes, L.L. 695(1997)381
- Straub, T., see Knudsen, B.R. 684(1996)307
- Strege, M.A. and Mascher, W.G.
Analysis of trifluoroacetic acid in lyophilized natural products by capillary electrophoresis 697(1997)255
- Strein, T.G., see Tran, T.C. 690(1997)35
- Strenkoski, C.A., see Feng, M.R. 693(1997)159
- Stridori, A., see Aprea, C. 695(1997)227
- Strolin Benedetti, M., see Basileo, G. 688(1997)117
- Strolin Benedetti, M., see La Croix, R. 681(1996)185
- Strong, R., see Cho, B.-Y. 697(1997)163
- Strong, R., see Krull, I.S. 699(1997)173
- Stubbings, G., Tarbin, J.A. and Shearer, G.
On-line metal chelate affinity chromatography clean-up for the high-performance liquid chromatographic determination of tetracycline antibiotics in animal tissues 679(1996)137
- Stucki, M., Moudry, R., Kempf, C., Omar, A., Schlegel, A. and Lerch, P.G.
Characterisation of a chromatographically produced anti-D immunoglobulin product 700(1997)241
- Štulík, K., see Pacáková, V. 681(1996)47
- Štulík, K., see Pacáková, V. 681(1996)69
- Štulík, K., see Pacáková, V. 699(1997)403
- Stybło, M., Hughes, M.F. and Thomas, D.J.
Liberation and analysis of protein-bound arsenicals 677(1996)161
- Su, H., Chen, T.-L., Hausheer, F.H. and Rowinsky, E.K.
Novel high-performance liquid chromatographic assay using fluorescence detection for the quantitation of plasma γ -methylene-10-deazaaminopterin and its major metabolite, 7-hydroxy- γ -methylene-10-deazaaminopterin, in patients with solid cancers in a phase I trial 695(1997)401
- Suchánek, M., see Deyl, Z. 689(1997)181
- Suchánek, M., see Uhrová, M. 681(1996)99
- Suchánková, J., see Pacáková, V. 681(1996)69
- Suckow, R.F., see Xie, S. 677(1996)37
- Sudo, K.-i., see Murayama, N. 692(1997)389
- Sudo, K.-i., see Tanaka, M. 676(1996)87
- Sueyasu, M., see Makino, K. 695(1997)417
- Sugahara, K., see Yu, S. 698(1997)301
- Sugawara, K., see Ohkubo, T. 687(1996)413
- Sugawara, K., see Tanaka, M. 676(1996)87
- Sugawara, K., see Uno, T. 698(1997)181
- Sugimoto, E., see Shibata, K. 695(1997)434
- Sugimoto, T., see Hibiya, M. 691(1997)223
- Suh, J.W., see Kim, T. 687(1996)79
- Sumi, S., see Yoshida, K.-i. 695(1997)439
- Sumi, T., see Imai, J. 679(1996)204
- Sumi, Y., see Itoh, M.T. 692(1997)217
- Sun, W.-P., see Song, J.-Z. 692(1997)445
- Sundin, A., see Lindner, K.-J. 679(1996)13
- Supko, J.G., Phillips, L.R. and Malspeis, L.
Specific high-performance liquid chromatographic assay with ultraviolet detection for the determination of 1-(2-chloroethyl)-3-sarcosinamide-1-nitrosourea in plasma 677(1996)351
- Suprynowicz, Z., see Trociewicz, J. 685(1996)129
- Surendran, N., Stankovic, C.J. and Stewart, B.H.
Development and validation of an ion-pair reversed-phase high-performance liquid chromatographic method for the separation of phosphonodipeptides 691(1997)305
- Surmann, J.P., see Döppenschmitt, S.A. 682(1996)79

- Surtees, R.A.H., see Dobbie, M.S. 696(1997)53
- Surya, K.J., see Ravi, S.K. 691(1997)208
- Suskin, M., see Berger, B.J. 691(1997)433
- Suttijitpaisal, P., see Saetang, T. 700(1997)233
- Suttnar, J., see Evangelista Dyr, J. 699(1997)383
- Suttnar, J., see Fořtová, H. 694(1997)49
- Suzuki, K., see Kurono, M. 689(1997)427
- Suzuki, K.T. and Itoh, M.
Metabolism of selenite labelled with enriched stable isotope in the bloodstream 692(1997)15
- Suzuki, M., Murai, T., Yoshimura, T., Kimura, A., Kurosawa, T. and Tohma, M.
Determination of 3-oxo- Δ^4 - and 3-oxo- $\Delta^{4,6}$ -bile acids and related compounds in biological fluids of infants with cholestasis by gas chromatography–mass spectrometry 693(1997)11
- Suzuki, M., see Oka, H. 693(1997)337
- Suzuki, S., see Shirao, M.K. 693(1997)463
- Suzuki, T., see Tanabe, T. 692(1997)23
- Suzuki, T., see Tanigawa, T. 683(1996)135
- Svennberg, H. and Lagerström, P.-O.
Evaluation of an on-line solid-phase extraction method for determination of almokalant, an antiarrhythmic drug, by liquid chromatography 689(1997)371
- Svensson, J.-O., Barkholt, L. and Säwe, J.
Determination of acyclovir and its metabolite 9-carboxymethoxymethylguanine in serum and urine using solid-phase extraction and high-performance liquid chromatography 690(1997)363
- Svensson, J.-O. and Gustafsson, L.L.
Determination of ketamine and norketamine enantiomers in plasma by solid-phase extraction and high-performance liquid chromatography 678(1996)373
- Svoboda, D., see Nobilis, M. 681(1996)177
- Svoboda, Z., see Nobilis, M. 681(1996)143
- Swedberg, S.A., see Chakel, J.A. 689(1997)215
- Sweeting, I., Serjeant, B.E., Thomas, P.W. and Serjeant, G.R.
Microchromatographic quantitation of hemoglobin A levels in phenotypes of sickle cell- β^+ thalassemia 700(1997)269
- Synold, T.W., Xi, B., Newman, E.M., Muggia, F.M. and Doroshow, J.H.
Simple and sensitive method for the quantitative analysis of lometrexol in plasma using high-performance liquid chromatography with electrochemical detection 683(1996)245
- Synovec, R.E., see Link, J.M. 693(1997)31
- Sypniewski, S., see Bald, E. 681(1996)283
- Szabó, E., see Janáky, T. 676(1996)17
- Szekeres, T., see Vielnascher, E. 696(1997)267
- Szotáková, B., see Wsól, V. 681(1996)169
- Szwarc, H., see Moussa, F. 696(1997)153
- T**
- Tabibi, S.E., see Heimbecher, S. 691(1997)173
- Tabrizi-Fard, M.A. and Fung, H.-L.
Reversed-phase high-performance liquid chromatography method for the analysis of nitro-arginine in rat plasma and urine 679(1996)7
- Tagliaro, F., Moffa, M., De Battisti, Z., Smith, F.P. and Gentile, M.
High-performance liquid chromatographic determination of levodropropizine in human plasma with fluorometric detection 685(1996)165
- Tagliaro, F., Smith, F.P., De Battisti, Z., Manetto, G. and Marigo, M.
Hair analysis, a novel tool in forensic and biomedical sciences: new chromatographic and electrophoretic/electrokinetic analytical strategies (Review) 689(1997)261
- Tähtelä, R., see Karila, T. 687(1996)109
- Tajima, S., see Tanabe, T. 692(1997)23
- Takada, M., see Ishida, J. 692(1997)31
- Takahara, E., see Hasegawa, H. 687(1996)419
- Takahashi, M. and Tezuka, T.
Quantitative analysis of histidine and *cis* and *trans* isomers of urocanic acid by high-performance liquid chromatography: a new assay method and its application 688(1997)197
- Takahashi, S., see Yamamoto, T. 681(1996)395
- Takahashi, T., see Deng, Y. 689(1997)313
- Takahashi, T., see Manabe, S. 691(1997)197
- Takai, I., Oda, O., Shinzato, T., Ohbayashi, K., Yamanaka, N. and Maeda, K.
Effective method for purification of lysozyme from human urine 685(1996)21
- Takamatsu, T., see Okumura, T. 694(1997)305
- Takano, T. and Hata, S.
High-performance liquid chromatographic determination of finasteride in human plasma using direct injection with column switching 676(1996)141
- Takanuki, K.-i., see Matsushima, H. 695(1997)317
- Takasugi, N., see Takayasu, T. 679(1996)161
- Takauchi, Y., Kitagawa, H., Kawada, T., Akiyama, T. and Yamazaki, T.
High-performance liquid chromatographic determination of myocardial interstitial dihydroxyphenylglycol 693(1997)218
- Takayama, K., see Takayasu, T. 679(1996)161
- Takayasu, T., Kakubari, I., Fukamachi, A., Mafune, E., Takasugi, N., Takayama, K. and Nagai, T.
Determination of timiperone in rat plasma by high-performance liquid chromatography with electrochemical detection 679(1996)161

- Takeuchi, A., Ishida, Y., Sekimoto, H., Masuda, S., Okano, T., Nishiyama, S., Matsuda, I. and Kobayashi, T.
Simplified method for the determination of 25-hydroxy and 1 α ,25-dihydroxy metabolites of vitamins D₂ and D₃ in human plasma. Application to nutritional studies 691(1997)313
- Talaat, R., see Lau, Y.Y. 683(1996)209
- Talaska, G., see O'Connor, P. 700(1997)49
- Tan, W.C., see Qiu, D.W. 677(1996)152
- Tanabe, T., Tajima, S., Suzuki, T., Okawa, E., Machida, R., Ichimura, S. and Yabuuchi, M.
Quantification of 1,5-anhydro-D-glucitol in urine by automated borate complex anion-exchange chromatography with an immobilized enzyme reactor 692(1997)23
- Tanaka, E.
Simultaneous determination of carbamazepine and its metabolites in plasma from carbon tetrachloride-intoxicated rats using a new reversed-phase chromatographic column of 2- μ m porous microspherical silica gel 688(1997)155
- Tanaka, E., Terada, M., Misawa, S. and Wakasugi, C.
Simultaneous determination of twelve benzodiazepines in human serum using a new reversed-phase chromatographic column on a 2- μ m porous microspherical silica gel 682(1996)173
- Tanaka, E., Terada, M., Nakamura, T., Misawa, S. and Wakasugi, C.
Forensic analysis of eleven cyclic antidepressants in human biological samples using a new reversed-phase chromatographic column of 2 μ m porous microspherical silica gel 692(1997)405
- Tanaka, H., see Yoshioka, E. 691(1997)371
- Tanaka, M., Kato, K., Sudo, K.-i., Hakusui, H., Ohkubo, T., Sugawara, K., Kaneko, S., Otani, K., Chiba, K. and Ishizaki, T.
Simple and selective assay of 4-hydroxymephenytoin in human urine using solid-phase extraction and high-performance liquid chromatography with electrochemical detection and its preliminary application to phenotyping test 676(1996)87
- Tanaka, N., see Eto, S. 677(1996)325
- Tanaka, T., see Hayakawa, K. 696(1997)19
- Tanaka, T., Shibata, K., Hino, H., Murashita, T., Kayama, M. and Satouchi, K.
Purification and gas chromatographic-mass spectrometric characterization of non-methylene interrupted fatty acid incorporated in rat liver 700(1997)1
- Tanaka, T., see Yoshikawa, K. 679(1996)41
- Tan-ariya, P., see Na-Bangchang, K. 689(1997)433
- Tanigawa, T., Mizo-oku, Y., Moriguchi, K., Suzuki, T., Osumi, T. and Odomi, M.
Simple and rapid quantitative assay of ¹³C-labelled urea in human serum using liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 683(1996)135
- Tannock, I., see Lee, C. 685(1996)151
- Tápanes Peraza, R., see Gil del Valle, L. 698(1997)312
- Tarbin, J.A., see Stubbings, G. 679(1996)137
- Tarnowski, T., see Tsina, I. 681(1996)347
- Tarnowski, T.L., see Huang, J.J.Z. 698(1997)293
- Tassin, J.P., Dubois, J., Atassi, G. and Hanocq, M.
Simultaneous determination of cytotoxic (adriamycin, vincristine) and modulator of resistance (verapamil, S 9788) drugs in human cells by high-performance liquid chromatography and ultraviolet detection 691(1997)449
- Tate, S.A., see Denton, K.A. 697(1997)111
- Tatsuno, M., see Katagi, M. 689(1997)327
- Tatsuno, M., see Katagi, M. 698(1997)81
- Tatsuno, M., see Miki, A. 692(1997)319
- Tattam, B., see Li, Y.N. (Benny) 683(1996)259
- Tay, L.K., see Mulvana, D.E. 682(1996)289
- Taylor, D.A., see Nyoni, E.C. 679(1996)79
- Taylor, G.W., see Adams, D.A. 693(1997)345
- Taylor, S., see Plumb, R.S. 687(1996)457
- Taylor, T.A., see Schmalzing, D. 697(1997)175
- Taylor, W.G., see Floate, K.D. 694(1997)246
- Taylor, W.G., Vedres, D.D. and Hall, T.W.
Capillary gas chromatographic determination of permethrin insecticide by transesterification 690(1997)123
- Teerlink, T., Copper, M.P., Klaassen, I. and Braakhuis, B.J.M.
Simultaneous analysis of retinol, all-*trans*- and 13-*cis*-retinoic acid and 13-*cis*-4-oxoretinoic acid in plasma by liquid chromatography using on-column concentration after single-phase fluid extraction 694(1997)83
- Teerlink, T., Hennekes, M.W.T., Mulder, C. and Brulez, H.F.H.
Determination of dimethylamine in biological samples by high-performance liquid chromatography 691(1997)269
- Teijón, J.M., see Blanco, M.D. 680(1996)243
- Teixeira, J.A., see Venâncio, A. 680(1996)131
- Tejedor, M.C., see Pérez, M.T. 677(1996)45
- Ten Bokkel Huinink, W.W., see Rosing, H. 696(1997)89
- Tenconi, A., see Giachetti, C. 698(1997)187
- Teng, X.-H., see Zeng, M.-Y. 681(1996)299
- Terabe, S., see Koezuka, K. 689(1997)3
- Terada, M., see Tanaka, E. 682(1996)173
- Terada, M., see Tanaka, E. 692(1997)405
- Teradaira, R., see Hibiya, M. 691(1997)223
- Terauchi, K.-i., see Koyama, T. 679(1996)31
- Tesařová, E., see Gilar, M. 681(1996)133
- Tezuka, T., see Takahashi, M. 688(1997)197
- Thacker, D., see Kerbusch, T. 694(1997)163
- Thadwal, R., see Cooper, J.D.H. 690(1997)355
- Thalhammer, T., see Vielnascher, E. 696(1997)267
- Tharasse, C., see Mehmedagic, A. 695(1997)365
- Theisohn, M., see Biederbick, W. 685(1996)315
- Theisohn, M., see Joseph, G. 698(1997)261
- Theurillat, R., see Hufschmid, E. 678(1996)43
- Thiberville, L., see Compagnon, P. 677(1996)380
- Thomas, D.J., see Styblo, M. 677(1996)161
- Thomas, P.W., see Sweeting, I. 700(1997)269
- Thomason, J.M., see Monkman, S.C. 678(1996)360
- Thomassin, M., see Mignot, B. 700(1997)283
- Thompson, C.S., see Crooks, S.R.H. 690(1997)161
- Thompson Jr, H.C., see Luo, W. 687(1996)405
- Thompson Jr, H.C., see Luo, W. 694(1997)401
- Thompson Jr, H.C., see Rushing, L.G. 688(1997)325

- Thompson, M.J., Ballinger, L.N., Cross, S.E. and Roberts, M.S.
High-performance liquid chromatographic determination of phenol, 4-nitrophenol, β -naphthol and a number of their glucuronide and sulphate conjugates in organ perfusate 677(1996)117
- Thormann, W., see Hufschmid, E. 678(1996)43
- Thorré, K., Pravda, M., Sarre, S., Ebinger, G. and Michotte, Y.
New antioxidant mixture for long term stability of serotonin, dopamine and their metabolites in automated microbore liquid chromatography with dual electrochemical detection 694(1997)297
- Thu, L.T.A., see Batty, K.T. 677(1996)345
- Thuillez, C., see Compagnon, P. 677(1996)380
- Thuillier, A., see Menet, M.-C. 692(1997)79
- Tian, S.-J., see Song, J.-Z. 692(1997)445
- Tichá, M., see Pacáková, V. 699(1997)403
- Tidwell, R.R., see Tuttle, R.H. 688(1997)319
- Tiffany, D.M., see Gu, X. 692(1997)187
- Tilgmann, C. and Ulmanen, I.
Purification methods of mammalian catechol-O-methyltransferases 684(1996)147
- Tillement, J.-P., see Hervé, F. 678(1996)1
- Tillement, J.-P., see Hervé, F. 688(1997)35
- Timm, U., Zumbrennen, R., Erdin, R., Singer, M. and Steiner, B.
Oral platelet aggregation inhibitor Ro 48-3657: Determination of the active metabolite and its prodrug in plasma and urine by high-performance liquid chromatography using automated column switching 691(1997)397
- Tjandramaga, T.B., see Verbesselt, R. 683(1996)231
- Tjerneld, F., see Lantz, P.-G. 680(1996)165
- Tjerneld, F., see Lu, M. 680(1996)165
- Tjerneld, F., see Sivar, U. 680(1996)43
- Tjørnelund, J., see Kepp, D.R. 696(1997)235
- Tjørnelund, J., see Nadelmann, L. 695(1997)389
- Toffoli, G., see Robieux, I. 686(1996)35
- Tohma, M., see Murai, T. 691(1997)13
- Tohma, M., see Suzuki, M. 693(1997)11
- Tokunaga, H., see Jitsufuchi, N. 690(1997)153
- Tokunaga, H., Kudo, K., Jitsufuchi, N., Ohtsuka, Y. and Imamura, T.
Sensitive determination of sulpiride in human plasma by high-performance liquid chromatography 691(1997)203
- Tolokán, A., see Horváth, V. 686(1996)211
- Tolokán, A., Klebovich, I., Balogh-Nemes, K. and Horvai, G.
Automated determination of levodopa and carbidopa in plasma by high-performance liquid chromatography–electrochemical detection using an on-line flow injection analysis sample pretreatment unit 698(1997)201
- Tomasits, R., see Leibl, H. 678(1996)173
- Tomellini, S.A., see Clothier, Jr, J.G. 683(1996)37
- Tominaga, I., see Hiraoka, A. 697(1997)141
- Tomita, M. and Okuyama, T.
Application of capillary electrophoresis to the simultaneous screening and quantitation of benzodiazepines 678(1996)331
- Tomita, M., Okuyama, T., Hidaka, K., Ameno, S., Ameno, K. and Ijiri, I.
Application of capillary gel electrophoresis to the diagnosis of the aldehyde dehydrogenase 2 genotype 685(1996)185
- Tomita, Y., see El-Waziry, A.M. 677(1996)53
- Tomlinson, A.J., see Guzman, N.A. 697(1997)37
- Tomlinson, B., see Chiu, F.C.K. 696(1997)69
- Tomori, É., see Róna, K. 678(1996)63
- Tonelli, D., Gattavecchia, E., Mazzella, G. and Roda, A.
Bile acid kinetics in man studied by radio thin-layer chromatography and densitometry coupling 700(1997)59
- Tong, W. and Yeung, E.S.
Determination of insulin in single pancreatic cells by capillary electrophoresis and laser-induced native fluorescence 685(1996)35
- Tong, W. and Yeung, E.S.
Monitoring single-cell pharmacokinetics by capillary electrophoresis and laser-induced native fluorescence 689(1997)321
- Tong, W.P., see Waltham, M.C. 689(1997)387
- Tong, X., see Parsons, R. 686(1996)177
- Tønnesen, F., see Pedersen-Bjergaard, S. 694(1997)375
- Torchia, S.R., see Hadwiger, M.E. 681(1996)241
- Toribio, F., Alhama, J. and López-Barea, J.
Methods for chromatographic and electrophoretic separation and assay of NADP⁺ oxidoreductases 684(1996)1
- Toribio, F., Martínez-Lara, E., Pascual, P. and López-Barea, J.
Methods for purification of glutathione peroxidase and related enzymes 684(1996)77
- Touw, D.J., see Compas, D. 687(1996)453
- Tracqui, A., Kintz, P., Ludes, B. and Mangin, P.
High-performance liquid chromatography–ionspray mass spectrometry for the specific determination of digoxin and some related cardiac glycosides in human plasma 692(1997)101
- Tracy, T.S., see Chittur, S.V. 693(1997)479
- Tran, T.C., Huq, T.A., Kantes, H.L., Crane, J.N. and Strein, T.G.
Determination of creatinine and other uremic toxins in human blood sera with micellar electrokinetic capillary electrophoresis 690(1997)35
- Treamwattana, N., see Saetang, T. 700(1997)233
- Tredget, E.E., Iwashina, T., Scott, P.G. and Ghahary, A.
Determination of plasma N⁷-methylhistamine in vivo by isotope dilution using benchtop gas chromatography–mass spectrometry 694(1997)1
- Treiman, D.M., see Jiang, Q. 683(1996)276
- Trejtner, F., see Nobilis, M. 681(1996)143
- Trijbels, J.M.F., see Keuzenkamp-Jansen, C.W. 678(1996)15
- Trivelato, G.C., see Costa, C.A. 695(1997)245
- Trivin, F., see Moussa, F. 696(1997)153
- Trocewicz, J., Supryniewicz, Z. and Markowicz, J.
Determination of diprivan in urine by a supported liquid membrane technique and liquid chromatography–electrochemical detection 685(1996)129
- Trout, G.J., see Lisi, A.M. 692(1997)67
- Truong, T.T., see Mignot, B. 700(1997)283

- Traust, H. and Johansson, G.
 Fractionation of wheat proteins by counter-current distribution using aqueous two-phase systems containing propionic acid 680(1996)71
- Tsai, P.-J., Wu, J.-P., Lin, N.-N., Kuo, J.-S. and Yang, C.-S.
 In vivo, continuous and automatic monitoring of extracellular ascorbic acid by microdialysis and on-line liquid chromatography 686(1996)151
- Tsai, P.-J., see Yang, C.-S. 693(1997)257
- Tsai, T.-H., see Tsai, T.-R. 678(1996)151
- Tsai, T.-H., Tsai, T.-R., Chou, C.-J. and Chen, C.-F.
 Determination of dicentrine in rat plasma by high-performance liquid chromatography and its application to pharmacokinetics 681(1996)277
- Tsai, T.-R., Cham, T.-M., Chen, K.-C., Chen, C.-F. and Tsai, T.-H.
 Determination of acetylcholine by on-line microdialysis coupled with pre- and post-microbore column enzyme reactors with electrochemical detection 678(1996)151
- Tsai, T.-R., see Tsai, T.-H. 681(1996)277
- Tsang, C.W., Chan, C.L., Li, P. and Pang, S.F.
 Analysis of 5-methoxytryptamine at the femtomole level in the rat and quail brain by gas chromatography–electron-capture negative-ion chemical ionization mass spectrometry 682(1996)185
- Tscheliessnigg, K.H., see Khoschsorur, G. 690(1997)367
- Tseng, J.-L., see Grigoriants, O.O. 695(1997)287
- Tsina, I., Kaloustian, M., Lee, R., Tarnowski, T. and Wong, B.
 High-performance liquid chromatographic method for the determination of mycophenolate mofetil in human plasma 681(1996)347
- Tsuchihashi, H., see Katagi, M. 676(1995)35
- Tsuchihashi, H., see Katagi, M. 689(1997)327
- Tsuchihashi, H., see Katagi, M. 698(1997)81
- Tsuchihashi, H., see Miki, A. 692(1997)319
- Tsuda, M., see Kitamura, R. 690(1997)283
- Tsuda, Y., see Li, Y.-H. 694(1997)145
- Tsunoda, N., see Ohta, H. 691(1997)351
- Tsutsumi, Z., see Yamamoto, T. 681(1996)395
- Tsyurupa, M.P., see Davankov, V.A. 689(1997)117
- Tucci, S., Rada, P., Sepúlveda, M.J. and Hernandez, L.
 Glutamate measured by 6-s resolution brain microdialysis: capillary electrophoretic and laser-induced fluorescence detection application 694(1997)343
- Tulich, L.J., Randall, J.L., Kelm, G.R. and Wehmeyer, K.R.
 Determination of two mebeverine metabolites, mebeverine alcohol and desmethylmebeverine alcohol, in human plasma by a dual stable isotope-based gas chromatographic–mass spectrometric method 682(1996)273
- Tur, D.R., see Davankov, V.A. 689(1997)117
- Turcant, A., see Gamelin, E. 695(1997)409
- Turcant, A., see Jobard, E. 695(1997)444
- Turková, J., see Bílková, Z. 689(1997)273
- Turner, K.A., see Belgrader, P. 683(1996)109
- Turteltaub, K.W., see Mauthe, R.J. 679(1996)91
- Tuttle, R.H., Hall, J.E. and Tidwell, R.R.
 High-performance liquid chromatographic assay detects pentamidine metabolism by Fisher rat liver microsomes 688(1997)319
- Tweed, S.A., see Hage, D.S. 699(1997)499
- Tyndale, R.F., see Cheung, S. 690(1997)77
- Tyrefors, N., see Lindner, K.-J. 679(1996)13
- Tzeng, T.-B., see Borenstein, M.R. 685(1996)59
- ## U
- Ubalee, R., see Na-Bangchang, K. 689(1997)433
- Ubik, K., see Nobilis, M. 681(1996)143
- Uchiyama, N., see Ochiai, H. 694(1997)211
- Uebeler, P., see Läer, S. 681(1996)291
- Ueda, Y., see Yoshida, K.-i. 695(1997)439
- Ueki, A., see Manabe, S. 691(1997)197
- Ueno, H., see Monji, H. 690(1997)305
- Ueno, R. and Aoki, T.
 High-performance liquid chromatographic method for the rapid and simultaneous determination of sulfamonomethoxine, miloxacin and oxolinic acid in serum and muscle of cultured fish 682(1996)179
- Uggla, L., see Pettersson, A. 692(1997)257
- Uhrová, M., see Deyl, Z. 689(1997)181
- Uhrová, M., Deyl, Z. and Suchánek, M.
 Separation of common nucleotides, mono-, di- and triphosphates, by capillary electrophoresis 681(1996)99
- Uhrová, M., see Gilar, M. 681(1996)133
- Ujtie, A., see Endo, T. 692(1997)37
- Ullrich, O. and Grune, T.
 Detection of 8-hydroxydeoxyguanosine in K562 human hematopoietic cells by high-performance capillary electrophoresis 697(1997)243
- Ulmanen, I., see Tilgmann, C. 684(1996)147
- Ulrich, P., see Berger, B.J. 691(1997)433
- Ulrich, S., Isensee, T. and Pester, U.
 Simultaneous determination of amitriptyline, nortriptyline and four hydroxylated metabolites in serum by capillary gas–liquid chromatography with nitrogen–phosphorus-selective detection 685(1996)81
- Ulrich, S. and Martens, J.
 Solid-phase microextraction with capillary gas–liquid chromatography and nitrogen–phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217
- Umetsu, M., see Sato, J. 692(1997)241
- Underberg, W.J.M., see Kaijser, G.P. 686(1996)249
- Underberg, W.J.M., see Kaijser, G.P. 690(1997)131
- Une, M., Harada, J.-i., Mikami, T. and Hoshita, T.
 High-performance liquid chromatographic separation of ultraviolet-absorbing bile alcohol derivatives 682(1996)157
- Uno, T., see Ohkubo, T. 687(1996)413

- Uno, T., Ohkubo, T. and Sugawara, K.
Enantioselective high-performance liquid chromatographic determination of nicardipine in human plasma 698(1997)181
- Unterhalt, M., see Braess, J. 676(1996)131
- Urade, Y., see Hiraoka, A. 697(1997)141
- Urakawa, A., see Azuma, R. 691(1997)179
- Urbánková, E., Vacek, A. and Chmelík, J.
Micropreparation of hemopoietic stem cells from the mouse bone marrow suspension by gravitational field-flow fractionation 687(1996)449
- Urichuk, L.J., Aspeslet, L.J., Holt, A., Silverstone, P.H., Coutts, R.T. and Baker, G.B.
Determination of *p*-trifluoromethylphenol, a metabolite of fluoxetine, in tissues and body fluids using an electron-capture gas chromatographic procedure 698(1997)103
- Useton, T.C., see Venkatakrishnan, A. 676(1996)1
- Uusi-Oukari, M., Ehnholm, C. and Jauhainen, M.
Inhibition of hepatic lipase by *m*-aminophenylboronate. Application of phenylboronate affinity chromatography for purification of human postheparin plasma lipases 682(1996)233
- Uyanik, A.
Gas chromatography in anaesthesia. I. A brief review of analytical methods and gas chromatographic detector and column systems 693(1997)1
- V**
- Vaalburg, W., see van Waarde, A. 678(1996)253
- Vacek, A., see Urbánková, E. 687(1996)449
- Vakily, M., see Lovlin, R. 679(1996)196
- Valdes Santurio, J.R. and González Porto, E.
Determination of glibenclamide in human plasma by solid-phase extraction and high-performance liquid chromatography 682(1996)364
- Valko, K., see Ashton, D.S. 677(1996)194
- Valli, M., see Zanaboni, G. 695(1997)77
- Vallon, J.-J., see Bressolle, F. 687(1996)303
- Vallon, J.-J., see Mawa, R. 677(1996)331
- Valoti, M., see Bianchi, L. 694(1997)359
- Van Alstine, J.M., see Delgado, C. 692(1997)263
- Van Alstine, J.M., Malmsten, M. and Brooks, D.E.
Poly(ethylene glycol) amphiphile adsorption and liposome partition 680(1996)145
- Van Baar, B.L.M., see De Rooij, B.M. 685(1996)241
- Van Baar, B.L.M., see De Zwart, L.L. 694(1997)277
- Van Bocxlaer, J.F., see Lambert, W.E. 689(1997)45
- Van den Berg, A.A., see Van Kuilenburg, A.B.P. 693(1997)287
- Vandenplas, C., see Leclercq, I. 681(1996)227
- Van der Linden, G.J., see Saris, L.A. 691(1997)409
- Van der Vijgh, W.J.F., see Korst, A.E.C. 693(1997)167
- Van der Vusse, G.J., see Schaap, F.G. 679(1996)61
- Van Dongen, W., see Witters, E. 694(1997)55
- Van Doormaal, J.J., see Brouwer, D.A.J. 678(1996)23
- Van Eijk, H.M.H., Rooyackers, D.R., Wagenmakers, A.J.M., Soeters, P.B. and Deutz, N.E.P.
Isolation and quantitation of isotopically labeled amino acids from biological samples 691(1997)287
- Van Essenberg, M., see Hoetelmans, R.M.W. 698(1997)235
- Van Gennip, A.H., see Van Kuilenburg, A.B.P. 693(1997)287
- Vanhnen, H., see Seppänen-Laakso, T. 687(1996)371
- Van Hoorebeke, H., see Rosseel, M.T. 689(1997)438
- Van Kappel, A.L., see Steghens, J.-P. 694(1997)71
- Van Kleef, J.W., see Vletter, A.A. 678(1996)369
- Van Kuijk, F.J.G.M., see Sommerburg, O. 695(1997)209
- Van Kuijk, F.J.G.M., see Zang, L.-Y. 677(1996)209
- Van Kuilenburg, A.B.P., Elzinga, L., Verschuur, A.C., Van den Berg, A.A., Slingerland, R.J. and Van Gennip, A.H.
Determination of CTP synthetase activity in crude cell homogenates by a fast and sensitive non-radiochemical assay using anion-exchange high-performance liquid chromatography 693(1997)287
- Van Lente, F., see Chen, H. 679(1996)49
- Van Loenen-Weemaes, A.-M.A., see van Waarde, A. 678(1996)253
- Van Maanen, R.J., van Ooijen, R.D. and Beijnen, J.H.
Determination of *N,N',N''*-triethylthiophosphoramidate in biological samples using capillary gas chromatography 698(1997)111
- Van Montagu, M., see Davey, M.W. 697(1997)269
- Van Nerom, C., see Van Schepdael, A. 697(1997)251
- Van Onckelen, H.A., see Witters, E. 694(1997)55
- Van Ooijen, R.D., see van Maanen, R.J. 698(1997)111
- Vanoosthuize, K.E.I., see Croubels, S.M. 690(1997)173
- Van Os, E.C., McKinney, J.A., Zins, B.J., Mays, D.C., Schriver, Z.H., Sandborn, W.J. and Lipsky, J.J.
Simultaneous determination of azathioprine and 6-mercaptopurine by high-performance liquid chromatography 679(1996)147
- Van Peteghem, C.H., see Croubels, S.M. 690(1997)173
- Van Schepdael, A., Verbeke, K., Van Nerom, C., Hoogmartens, J. and Verbruggen, A.
Capillary electrophoretic analysis of ethylene dicysteine, a precursor of the radiopharmaceutical ^{99m}Tc ethylene dicysteine 697(1997)251
- Van Tellingen, O., see Sparreboom, A. 681(1996)355
- Van Valkenburg, C., see Sandrenan, N. 691(1997)145
- Van Waarde, A., Visser, T.J., Posthumus, H., Elsinga, P.H., Anthonio, R.L., Van Loenen-Weemaes, A.-M.A., Visser, G.M., Beaufort-Krol, G.C.M., Paans, A.M.J. and Vaalburg, W.
Quantification of the β -adrenoceptor ligand S-1'-[¹⁸F]fluorocarazolol in plasma of humans, rats and sheep 678(1996)253
- Van Wickern, B., see Simat, T. 685(1996)41
- Van Wyk, L., see Paauw, J.D. 685(1996)171
- Varesio, E., see Baeyens, V. 692(1997)222

- Vaughan, G.T. and Kenyon, R.S.
Monitoring for occupational exposure to 4,4'-methylenebis(2-chloroaniline) by gas chromatographic-mass spectrometric analysis of haemoglobin adducts, blood, plasma and urine 678(1996)197
- Vayssette, F., see Kintz, P. 677(1996)241
- Vázquez, B., see González, P. 693(1997)321
- Vedres, D.D., see Taylor, W.G. 690(1997)123
- Veitl, S., see Nicolle, E. 690(1997)89
- Věková, J., see Gabriel, J. 681(1996)191
- Venâncio, A., Almeida, C. and Teixeira, J.A.
Enzyme purification with aqueous two-phase systems: comparison between systems composed of pure polymers and systems composed of crude polymers 680(1996)131
- Venhorst, J., see De Zwart, L.L. 694(1997)277
- Venkatakrishnan, A., Abel, M.J., Campbell, R.A., Donahue, E.P., Usselton, T.C. and Flakoll, P.J.
Whole blood analysis of gluconeogenic amino acids for estimation of de novo gluconeogenesis using pre-column *o*-phthalaldehyde derivatization and high-performance liquid chromatography 676(1996)1
- Ventura, R. and Segura, J.
Detection of diuretic agents in doping control 687(1996)127
- Vera-Avila, L.E., see Salado C., S. 690(1997)195
- Verbeke, K., see Van Schepdael, A. 697(1997)251
- Verbesselt, R., Zugravu, A., Tjandramaga, T.B. and De Schepper, P.J.
Liquid chromatographic determination of total celioprolol or (*S*)-celioprolol and (*R*)-celioprolol simultaneously in human plasma 683(1996)231
- Verbruggen, A., see Van Schepdael, A. 697(1997)251
- Vereczkey, L., see Jemnitz, K. 681(1995)385
- Verhoef, J.C., see Romeijn, S.G. 692(1997)227
- Vérité, P., see Mehmedagic, A. 695(1997)365
- Verma, A., see Abdelrahim, M. 696(1997)175
- Vermeersch, H., see Santos, M.D.F. 682(1996)301
- Vermeij, P., see Sparidans, R.W. 696(1997)137
- Vermeulen, N.P.E., see De Rooij, B.M. 685(1996)241
- Vermeulen, N.P.E., see De Zwart, L.L. 694(1997)277
- Vermorken, J.B., see Korst, A.E.C. 693(1997)167
- Verneuil, B., see Hoja, H. 688(1997)275
- Verneuil, B., see Hoja, H. 692(1997)329
- Verschuur, A.C., see Van Kuilenburg, A.B.P. 693(1997)287
- Verweij, A.M.A., Hordijk, M.L. and Lipman, P.J.L.
Liquid chromatographic–thermospray tandem mass spectrometric quantitative analysis of some drugs with hypnotic, sedative and tranquillising properties in whole blood 686(1996)27
- Verweij, J., see de Bruijn, P. 698(1997)277
- Verweij, J., see Loos, W.J. 678(1996)309
- Verweij, J., see Loos, W.J. 693(1997)437
- Verweij, J., see Loos, W.J. 694(1997)435
- Veuthey, J.-L., see Baeyens, V. 692(1997)222
- Veuthey, J.-L., see Cherkaoui, S. 696(1997)283
- Veuthey, J.-L., see Saugy, M. 687(1996)201
- Vielnascher, E., Romanová, D., Novotný, L., Szekeres, T., Elfort, H.L., Thalhammer, T. and Jäger, W.
Simultaneous determination of the new anticancer agent amidox and its metabolites in rat bile and plasma by high-performance liquid chromatography 696(1997)267
- Vieth, R., see King, L.E. 678(1996)325
- Viglio, S., see Grimm, R. 698(1997)47
- Viglio, S., see Zanaboni, G. 695(1997)77
- Viikari, J., see Seppänen-Laakso, T. 687(1996)371
- Vijayalakshmi, M.A., see Laboureau, E. 680(1996)189
- Vijayalakshmi, M.A., see Legallais, C. 691(1997)33
- Villier, C., see Fontanille, P. 692(1997)337
- Viñas, P., Campillo, N., López-Erroz, C. and Hernández-Córdoba, M.
Use of post-column fluorescence derivatization to develop a liquid chromatographic assay for ranitidine and its metabolites in biological fluids 693(1997)443
- Virag, L., Mets, B. and Jamdar, S.
Determination of cocaine, norcocaine, benzoylecgonine and ecgonine methyl ester in rat plasma by high-performance liquid chromatography with ultraviolet detection 681(1996)263
- Visconti, A., see Solfrizzo, M. 692(1997)87
- Visser, G.M., see van Waarde, A. 678(1996)253
- Visser, J., see Kok, R.J. 693(1997)181
- Visser, T.J., see van Waarde, A. 678(1996)253
- Vissers, J.P.C., Hulst, W.P., Chervet, J.-P., Snijders, H.M.J. and Cramers, C.A.
Automated on-line ionic detergent removal from minute protein/peptide samples prior to liquid chromatography–electrospray mass spectrometry 686(1996)119
- Vitale, A.A., Ferrari, C.C., Aldana, H. and Affanni, J.M.
Highly sensitive method for the determination of melatonin by normal-phase high-performance liquid chromatography with fluorometric detection 681(1996)381
- Viviecchia, R.V., see Huang, W.X. 695(1997)157
- Vletter, A.A., Olieman, W., Burm, A.G.L., Groen, K. and van Kleef, J.W.
High-performance liquid chromatographic assay of mepivacaine enantiomers in human plasma in the nanogram per milliliter range 678(1996)369
- Voelter, W., see Lehmann, R. 697(1997)3
- Volk, K.J., Hill, S.E., Kerns, E.H. and Lee, M.S.
Profiling degradants of paclitaxel using liquid chromatography–mass spectrometry and liquid chromatography–tandem mass spectrometry substructural techniques 696(1997)99
- Volk, K.J., see Kerns, E.H. 698(1997)133
- Volkers-Kamermans, N.J., see Krauwinkel, W.J.J. 679(1996)129
- Vollmer, P.A., Harty, D.C., Erickson, N.B., Balhon, A.C. and Dean, R.A.
Serum ethylene glycol by high-performance liquid chromatography 685(1996)370
- Volpi, N.
Purification of heparin, dermatan sulfate and chondroitin sulfate from mixtures by sequential precipitation with various organic solvents 685(1996)27
- Vomastová, L., Mikšik, I. and Deyl, Z.
Microemulsion and micellar electrokinetic chromatography of steroids 681(1996)107

Vosáhlo, J., see Gabriel, J. 681(1996)191
 Vreuls, J.J., see Louter, A.J.H. 689(1997)35
 Vuma, V. and Kanfer, I.

High-performance liquid chromatographic determination of phenylephrine in human serum with coulometric detection 678(1996)245

W

Wachs, T., Sheppard, R.L. and Henion, J.

Design and applications of a self-aligning liquid junction–electrospray interface for capillary electrophoresis–mass spectrometry 685(1996)335

Wachter, H., see Werner, E.R. 684(1996)51

Wada, H., see Katagi, M. 676(1996)35

Wada, K., see Kamisaki, Y. 685(1996)343

Wada, M., Nakashima, K., Kuroda, N., Akiyama, S. and Imai, K.

Sensitive flow-injection method with peroxyoxalate chemiluminescence detection combined with preparative high-performance liquid chromatography for determination of choline-containing phospholipids in human serum 678(1996)129

Wagenmakers, A.J.M., see Van Eijk, H.M.H. 691(1997)287

Wainer, I.W., see Cummins, C.L. 697(1997)283

Wainer, I.W., see Ducharme, J. 678(1996)113

Wainer, I.W., see Fernandez, C. 677(1996)363

Wainer, I.W., see Fried, K. 689(1997)91

Wainer, I.W., see Lindner, W. 682(1996)1

Wainer, I.W., see Markoglou, N. 693(1997)493

Wakasugi, C., see Tanaka, E. 682(1996)173

Wakasugi, C., see Tanaka, E. 692(1997)405

Waldron, K.C., see Fürtös-Matei, A. 695(1997)39

Waldron, K.C. and Li, J.

Investigation of a pulsed-laser thermo-optical absorbance detector for the determination of food preservatives separated by capillary electrophoresis 683(1996)47

Walker, S.G., Dale, C.J. and Lyddiatt, A.

Aqueous two-phase partition of complex protein feedstocks derived from brain tissue homogenates 680(1996)91

Walsh, G.M., see Yan, J. 690(1997)295

Walter, H., Nash, G.B., Ascher, G.S. and Meiselman, H.J.

Surface properties of irreversibly sickled cells differ from those of the bulk of sickle cells. Studies by partitioning in aqueous phase systems 680(1996)197

Walters, A.E., Myrdal, P.B., Pinsuwan, S., Manka, A.M. and Yalkowsky, S.H.

Determination of melanotan II in rabbit urine using solid-phase extraction sample preparation followed by reversed-phase high-performance liquid chromatography 690(1997)99

Waltham, M.C., Lin, S., Li, W.-W., Göker, E., Gritsman, H., Tong, W.P. and Bertino, J.R.

Capillary electrophoresis of methotrexate polyglutamates and its application in evaluation of γ -glutamyl hydrolase activity 689(1997)387

Walton, N.Y., see Jiang, Q. 683(1996)276

Wang, C.-C., see Krull, I.S. 699(1997)173

Wang, C.-C., McCann, W.P. and Beale, S.C.

Measurement of adenosine by capillary zone electrophoresis with on-column isotachopheretic preconcentration 676(1996)19

Wang, G.B., Santerre, J.P. and Labow, R.S.

High-performance liquid chromatographic separation and tandem mass spectrometric identification of breakdown products associated with the biological hydrolysis of a biomedical polyurethane 698(1997)69

Wang, J., see He, X. 681(1996)412

Wang, J.-J., see Ho, S.-T. 678(1996)289

Wang, M.-L., see Song, J.-Z. 692(1997)445

Wang, R., see Huddleston, J. 680(1996)31

Wang, R.F., Loc'h, C. and Mazière, B.

Determination of unchanged [18 F]dopamine in human and non-human primate plasma during positron emission tomography studies: a new solid-phase extraction method comparable to radio-thin-layer chromatography analysis 693(1997)265

Wang, R.-L., see Song, J.-Z. 692(1997)445

Wang, T.K. and Fuh, M.S.

Determination of amphetamine in human urine by dansyl derivatization and high-performance liquid chromatography with fluorescence detection 686(1996)285

Wang, X., see Shimizu, M. 690(1997)15

Wang, Z., Bian, N. and Giese, R.W.

Electron-capture detection: difluorobenzyl and related electrophores 689(1997)195

Wang, Z. and Yeung, E.S.

Dual-enzyme assay of glutamate in single cells based on capillary electrophoresis 695(1997)59

Warner, D.L. and Burke, T.G.

Simple and versatile high-performance liquid chromatographic method for the simultaneous quantitation of the lactone and carboxylate forms of camptothecin anticancer drugs 691(1997)161

Warnet, J.-M., see Pham-Huy, C. 700(1997)155

Warshawsky, D., see O'Connor, P. 700(1997)49

Warsheski, J., see Chandrasekaran, A. 676(1996)69

Washco, K.A., see Hagen, J.J. 677(1996)225

Watanabe, M., see Mawatari, K.-i. 679(1996)155

Watanabe, N., see Li, Y.-H. 694(1997)145

Watanabe, T., see Matsushima, H. 695(1997)317

Watarai, T., see Kishimoto, M. 688(1997)1

Watkins, W.M., see Mberu, E.K. 677(1996)385

Watson, D.G., see Bonham Carter, S.M. 677(1996)29

Wattananorn, W., McLeod, H.L., Cassidy, J. and Kendle, K.E.

High-performance liquid chromatographic assay of 5-fluorouracil in human erythrocytes, plasma and whole blood 692(1997)233

Weatherby, R.P., see Yap, B.K. 687(1996)117

Weaver, K.R., see Belgrader, P. 683(1996)109

Webb, K.S., see White, S.A. 689(1997)335

- Weber, A.A., see Maurer, H.H. 689(1997)81
- Weber, M.L., see Preston, L.M. 695(1997)175
- Weber, P.L., Malis, M., Palmer, S.D., Klein, T.L. and Lunte, S.M.
Capillary zone electrophoresis separation of tryptophan and its metabolites, including quinolinic acid 697(1997)263
- Weberhofer, G., see Weindlmayr-Goettel, M. 685(1996)123
- Wehmeyer, K.R., see Eichhold, T.H. 698(1997)147
- Wehmeyer, K.R., see Knight, P.M. 700(1997)111
- Wehmeyer, K.R., Knight, P.M. and Parry, R.C.
Evaluation of a benchtop ion trap gas chromatographic–tandem mass spectrometric instrument for the analysis of a model drug, tebufelone, in plasma using a stable-isotope internal standard 676(1996)53
- Wehmeyer, K.R., see Tulich, L.J. 682(1996)273
- Wei, J., see Sabbioni, G. 682(1996)243
- Weindlmayr-Goettel, M., Weberhofer, G., Gilly, H. and Kress, H.G.
Determination of mivacurium in plasma by high-performance liquid chromatography 685(1996)123
- Weintraub, S.T., see Márquez, C.D. 694(1997)21
- Weintraub, S.T., see Márquez, C.D. 700(1997)9
- Weinz, C., Blaschke, G. and Schiebel, H.-M.
Investigation of the stereoselective *in vitro* biotransformation of glutethimide by high-performance liquid chromatography and capillary electrophoresis 690(1997)233
- Wells, R.J., see Cummins, M.T. 694(1997)11
- Wendel, U., see Schadewaldt, P. 682(1996)209
- Wenisch, E., see Righetti, P.G. 699(1997)105
- Werba, J.P., see Masnatta, L.D. 687(1996)437
- Werner, E.R., Werner-Felmayer, G. and Wachter, H.
High-performance liquid chromatographic methods for the quantification of tetrahydrobiopterin biosynthetic enzymes 684(1996)51
- Werner-Felmayer, G., see Werner, E.R. 684(1996)51
- Wernsdorfer, W.H., see Mansor, S.M. 682(1996)321
- Westerlund, D., see Yu, Z. 689(1997)379
- Wheat, T.E., see Lilley, K.A. 683(1996)67
- Wheeler, R.H., see Yan, J. 690(1997)295
- White, A., see Abdelrahim, M. 696(1997)175
- White, S.A., Catterick, T., Harrison, M.E., Johnston, D.E., Reed, G.D. and Webb, K.S.
Determination of lysergide in urine by high-performance liquid chromatography combined with electrospray ionisation mass spectrometry 689(1997)335
- White, S.J., see Grubb, M.F. 678(1996)303
- White, T., see Singh, A.K. 690(1997)327
- White, T., see Singh, A.K. 696(1997)174
- Wieland, H., see Bissé, E. 687(1996)349
- Wientjes, M.G., see Song, D. 690(1997)289
- Wilder-Smith, C.H., see Hufschmid, E. 678(1996)43
- Wilding, G., see Glen, V.L. 692(1997)181
- Wilhelm, B., Meinhardt, A. and Seitz, J.
Transglutaminases: purification and activity assays 684(1996)163
- Wilkinson, D., see Baker, P.R. 694(1997)193
- Wilkinson, D., see Bayliss, M.A.J. 694(1997)199
- Wilkinson II, J.M., see Wu, E.Y. 695(1997)373
- Williams, C.L., Laizure, S.C., Parker, R.B. and Lima, J.J.
Quantitation of cocaine and cocaethylene in canine serum by high-performance liquid chromatography 681(1996)271
- Williams, K.R., see McAtee, C.P. 685(1996)91
- Williams, M.G. and Zhong, W.-Z.
Stereospecific determination of an HIV aspartyl protease inhibitor, PNU-103017, in rat, dog and human plasma using a Pirkle-concept high-performance liquid chromatographic column 694(1997)169
- Williams, III, R.O., Mahaguna, V. and Sriwongjanya, M.
Determination of diazolidinyl urea in a topical cream by high-performance liquid chromatography 696(1997)303
- Willson, J.K.V., see Stefan, T.L. 681(1996)331
- Wilson, I.D., see Matthews, D.B. 695(1997)279
- Wilson, I.D., see Sidemann, U. 685(1996)113
- Wing, Y.K., see Chen, A.G. 693(1997)153
- Wingren, C. and Hansson, U.-B.
Enzyme conformational alterations detected by partition column chromatography 680(1996)113
- Winiarsky, R., see Steinberg, J.J. 694(1997)333
- Wintersteiger, R., see Anselmi, S. 681(1996)83
- Wintersteiger, R., see Ofner, B. 700(1997)191
- Wise, C.K., Cooney, C.A., Ali, S.F. and Poirier, L.A.
Measuring S-adenosylmethionine in whole blood, red blood cells and cultured cells using a fast preparation method and high-performance liquid chromatography 696(1997)145
- Wise, S.A., see Sharpless, K.E. 678(1996)187
- Witters, E., Van Dongen, W., Esmans, E.L. and Van Onckelen, H.A.
Ion-pair liquid chromatography–electrospray mass spectrometry for the analysis of cyclic nucleotides 694(1997)55
- Wixforth, A., see Piperopoulos, G. 695(1997)309
- Wolf, H.M., see Leibl, H. 678(1996)173
- Wolfe, T.L., see Ikechukwu Ezennia, E. 688(1997)354
- Won Kwon, J., see Hee Kim, S. 688(1997)95
- Won Suh, J., Hwa Lee, S., Chul Chung, B. and Park, J.
Urinary polyamine evaluation for effective diagnosis of various cancers 688(1997)179
- Wong, B., see Tsina, I. 681(1996)347
- Woo, B.H., see Lee, K.C. 694(1997)31
- Woodhouse, A., see Fryirs, B. 688(1997)79
- Woodhouse, A., see Fryirs, B. 695(1997)448
- Wosché, U., see Joseph, G. 698(1997)261
- Wright, B., see Matthews, D.B. 695(1997)279
- Wright, D.S., see Feng, M.R. 693(1997)159
- Wroński, M.
Separation of urinary thiols as tributyltinmercaptides and determination using capillary isotachopheresis 676(1996)29
- Wsól, V., Fell, A.F., Kvasničková, E. and Hais, I.M.
Separation of the stereoisomers of the main metabolite of a non-steroidal anti-inflammatory drug, flobufen, by chiral high-performance liquid chromatography 689(1997)205
- Wsól, V., Kvasničková, E., Szotáková, B. and Hais, I.M.
High-performance liquid chromatographic assay for the separation and characterization of metabolites of the potential cytostatic drug oracine 681(1996)169

- Wu, E.Y., Wilkinson, II, J.M., Naret, D.G., Daniels, V.L., Jefferson Williams, L., Khalil, D.A. and Shetty, B.V. High-performance liquid chromatographic method for the determination of nelfinavir, a novel HIV-1 protease inhibitor, in human plasma 695(1997)373
- Wu, J.-P., see Tsai, P.-J. 686(1996)151
- Wu, J.-P., see Yang, C.-S. 693(1997)257
- Wu, M., see Heggie, J.R. 692(1997)437
- Wu, P.H., see Cheung, S. 690(1997)77
- Wu, S.T., Benet, L.Z. and Lin, E.T. Determination of amiprilose in human plasma by high-performance liquid chromatography with fluorimetric detection 692(1997)149
- Wu, S.T., Ping Chang, Yu., Gee, W.L., Benet, L.Z. and Lin, E.T. Stereoselective high-performance liquid chromatography determination of propranolol and 4-hydroxypropranolol in human plasma after pre-column derivatization 692(1997)133
- Wu, X.-J., see Song, J.-Z. 692(1997)445
- Wyss, R. and Bucheli, F. Determination of endogenous levels of 13-*cis*-retinoic acid (isotretinoin), all-*trans*-retinoic acid (tretinoin) and their 4-oxo metabolites in human and animal plasma by high-performance liquid chromatography with automated column switching and ultraviolet detection 700(1997)31

X

- Xi, B., see Synold, T.W. 683(1996)245
- Xia, L.-W., see Chen, B.-M. 692(1997)467
- Xie, B., see Lin, S.-X. 684(1996)99
- Xie, D., Li, S. and Ren, L. Hydrophobic chromatography of the HL-60 cellular fraction co-binding with hexamethylene bisacetamide 688(1997)359
- Xie, S., Suckow, R.F. and Cooper, T.B. Determination of 3,4-dihydroxyphenyl glycol in plasma by gas chromatography–mass spectrometry and high-performance liquid chromatography methods 677(1996)37
- Xin Gao, C., Bui, K.H., Martz, A.S., LeDonne, N.C. and Dyroff, M.C. Determination of ZD9583, a thromboxane receptor antagonist, in human plasma and urine by liquid chromatography atmospheric pressure chemical ionization tandem mass spectrometry 695(1997)299

- Xu, A.S., Peng, L.L., Havel, J.A., Petersen, M.E., Fiene, J.A. and Hulse, J.D. Determination of nicotine and cotinine in human plasma by liquid chromatography–tandem mass spectrometry with atmospheric-pressure chemical ionization interface 682(1996)249
- Xu, D.-K., Hua, L., Li, Z.-M. and Chen, H.-Y. Identification and quantitative determination of uric acid in human urine and plasma by capillary electrophoresis with amperometric detection 694(1997)461
- Xu, H., see Huang, W.X. 695(1997)157
- Xu, Y., see Chen, H. 679(1996)49
- Xue, Q. and Yeung, E.S. Determination of lactate dehydrogenase isoenzymes in single lymphocytes from normal and leukemia cell lines 677(1996)233
- Xue, Y., see Borenstein, M.R. 685(1996)59

Y

- Yabuuchi, M., see Tanabe, T. 692(1997)23
- Yagen, B., see Spiegelstein, O. 698(1997)195
- Yahaya, N., see Mansor, S.M. 682(1996)321
- Yalkowsky, S.H., see Heimbecher, S. 691(1997)173
- Yalkowsky, S.H., see Walters, A.E. 690(1997)99
- Yamada, H., see Li, Y.-H. 694(1997)145
- Yamada, S., see Shimizu, M. 690(1997)15
- Yamada, T., see Hasegawa, H. 687(1996)419
- Yamaguchi, M., see Ishida, J. 692(1997)31
- Yamaguchi, M., see Iwata, T. 695(1997)201
- Yamaguchi, M., see Monji, H. 690(1997)305
- Yamaguchi, S., see Imai, J. 679(1996)204
- Yamakita, J.-i., see Yamamoto, T. 681(1996)395
- Yamamoto, K., see Kato, T. 682(1996)162
- Yamamoto, M., see Hayakawa, A. 698(1997)27
- Yamamoto, M., see Miwa, H. 677(1996)217
- Yamamoto, M., see Miwa, H. 679(1996)11
- Yamamoto, T., Moriwaki, Y., Takahashi, S., Tsutsumi, Z., Yamakita, J.-i., Nasako, Y., Hiroishi, K. and Higashino, K. Determination of human plasma xanthine oxidase activity by high-performance liquid chromatography 681(1996)395
- Yamamura, H., see Deng, Y. 689(1997)313
- Yamanaka, N., see Takai, I. 685(1996)21
- Yamane, M. and Abe, A. High-performance liquid chromatography–thermospray mass spectrometry of 5,6-dihydroxyeicosatrienoate-1,5-lactone from tissue homogenates 678(1996)339
- Yamasaki, Y., see Kishimoto, M. 688(1997)1

- Yamashita, K., Murakami, H., Okuda, T. and Motohashi, M.
High-performance liquid chromatographic determination of pioglitazone and its metabolites in human serum and urine 677(1996)141
- Yamashita, K., see Okuda, T. 682(1996)343
- Yamauchi, K., see Hayakawa, K. 696(1997)19
- Yamauchi, K., see Yoshikawa, K. 679(1996)41
- Yamazaki, K., see Seki, T. 688(1997)101
- Yamazaki, T., see Takauchi, Y. 693(1997)218
- Yan, J., see Johnson, M.R. 696(1997)183
- Yan, J., Lu, Z., Walsh, G.M., Wheeler, R.H. and Diasio, R.B.
High-performance liquid chromatographic determination of 9-(3-pyridylmethyl)-9-deazaguanine (BCX-34) in biological fluids 690(1997)295
- Yan, J.-h., Hubbard, J.W., McKay, G. and Midha, K.K.
Stereoselective and simultaneous measurement of *cis*- and *trans*-isomers of doxepin and N-desmethyldoxepin in plasma or urine by high-performance liquid chromatography 691(1997)131
- Yang, C.-S., see Cheng, F.-C. 682(1996)195
- Yang, C.-S., see Tsai, P.-J. 686(1996)151
- Yang, C.-S., Tsai, P.-J., Wu, J.-P., Lin, N.-N., Chou, S.-T. and Kuo, J.-S.
Evaluation of extracellular lipid peroxidation in brain cortex of anaesthetized rats by microdialysis perfusion and high-performance liquid chromatography with fluorimetric detection 693(1997)257
- Yang, J., see Bose, S. 697(1997)77
- Yang, J., see Hee Kim, S. 688(1997)95
- Yang, J., see Shim, H.J. 689(1997)422
- Yang, J.-Y., see Ko, W.-C. 685(1996)379
- Yang, L.-L., see Cheng, F.-C. 682(1996)195
- Yang, S.-C., see Zeng, M.-Y. 681(1996)299
- Yang, T.-H., see Liu, C.-M. 696(1997)298
- Yao, S.-Z., see Yu, B.-S. 693(1997)43
- Yap, B.K., Kazlauskas, R., Elghazi, K., Johnston, G.A.R. and Weatherby, R.P.
Profiling of urinary testosterone and luteinizing hormone in exercise-stressed male athletes, using gas chromatography-mass spectrometry and enzyme immunoassay techniques 687(1996)117
- Yarbough, P.O., see McAtee, C.P. 685(1996)91
- Yashiki, T., see Miyabayashi, T. 677(1996)123
- Yasuda, M. and Narita, S.
Simultaneous determination of phospholipid hydroperoxides and cholesteryl ester hydroperoxides in human plasma by high-performance liquid chromatography with chemiluminescence detection 693(1997)211
- Yasui, Y., see Fujii, T. 687(1996)395
- Ye, Q. and Bodell, W.J.
Detection of N7-(2-hydroxyethyl)guanine adducts in DNA and 9L cells treated with 1-(2-chloroethyl)-1-nitrosourea 694(1997)65
- Yeganeh, M.H. and Ramzan, I.
Determination of propofol in rat whole blood and plasma by high-performance liquid chromatography 691(1997)478
- Yeung, E.S., see Lillard, S.J. 682(1996)363
- Yeung, E.S., see Tong, W. 685(1996)35
- Yeung, E.S., see Tong, W. 689(1997)321
- Yeung, E.S., see Wang, Z. 695(1997)59
- Yeung, E.S., see Xue, Q. 677(1996)233
- Yim, J., see Morr , D.M. 680(1996)201
- Yin, B., see Luo, W. 687(1996)405
- Yin, X., see Breckenridge, S.M. 694(1997)289
- Yoo, J.-K., see Han, K.S. 696(1997)312
- Yoo, J.K., see Myung, S.-W. 696(1997)160
- Yoo, J.K., see Pyo, H. 687(1996)261
- Yoon, B., see Pyo, H. 687(1996)261
- Yoon, H.-R., see Kim, K.-R. 682(1996)55
- Yoshida, I., see Imai, J. 679(1996)204
- Yoshida, K., see Kurono, M. 689(1997)427
- Yoshida, K., see Matsushima, E. 691(1997)95
- Yoshida, K.-i., Honda, M., Arai, K., Hosoya, Y., Moriguchi, H., Sumi, S., Ueda, Y. and Kitahara, S.
Serial lectin affinity chromatography with concanavalin A and wheat germ agglutinin demonstrates altered asparagine-linked sugar-chain structures of prostatic acid phosphatase in human prostate carcinoma 695(1997)439
- Yoshida, K.-i., see Matsushima, E. 691(1997)95
- Yoshida, T.
Determination of reduced and oxidized glutathione in erythrocytes by high-performance liquid chromatography with ultraviolet absorbance detection 678(1996)157
- Yoshikawa, K., see Hayakawa, K. 696(1997)19
- Yoshikawa, K., Hayakawa, K., Katsumata, N., Tanaka, T., Kimura, T. and Yamauchi, K.
High-performance liquid chromatographic determination of lipoamidase (lipoyl-X hydrolase) activity with a novel substrate, lipoyl-6-aminoquinoline 679(1996)41
- Yoshimura, T., see Suzuki, M. 693(1997)11
- Yoshioka, E., Morino, M., Tanaka, H. and Shinkai, H.
Manual and automatic extraction and high-performance liquid chromatographic determination of a spicamycin derivative, KRN5500, in rat plasma 691(1997)371
- Yu, B.-S., Nie, L.-H. and Yao, S.-Z.
Ion chromatographic study of sodium, potassium and ammonium in human body fluids with bulk acoustic wave detection 693(1997)43
- Yu, S., Sugahara, K., Zhang, J., Ageta, T., Kodama, H., Fontana, M. and Dupr , S.
Simultaneous determination of urinary cystathionine, lanthionine, S-(2-aminoethyl)-L-cysteine and their cyclic compounds using liquid chromatography-mass spectrometry with atmospheric pressure chemical ionization 698(1997)301
- Yu, Y.H., see Breckenridge, S.M. 694(1997)289
- Yu, Z., Westerlund, D. and Boos, K.-S.
Determination of methotrexate and its metabolite 7-hydroxymethotrexate by direct injection of human plasma into a column-switching liquid chromatographic system using post-column photochemical reaction with fluorimetric detection 689(1997)379
- Yuan, J., see Manabe, S. 691(1997)197
- Yuan, Z., Russlie, H.Q. and Canafax, D.M.
High-performance liquid chromatographic analysis of amoxicillin in human and chinchilla plasma, middle ear fluid and whole blood 692(1997)361
- Yue, V., see Parsons, R. 686(1996)177
- Yuen, K.-H., see Peh, K.-K. 693(1997)241

Z

- Zacchei, A.G., see Lee, L.L. 685(1996)323
- Zaima, Y., see Ono, Y. 677(1996)339
- Zanaboni, G., see Grimm, R. 698(1997)47
- Zanaboni, G., Grimm, R., Dyne, K.M., Rossi, A., Cetta, G. and Iadarola, P.
Use of capillary zone electrophoresis for analysis of imidodipeptides in urine of prolidase-deficient patients 683(1996)97
- Zanaboni, G., Viglio, S., Dyne, K.M., Grimm, R., Valli, M., Cetta, G. and Iadarola, P.
Direct monitoring of prolidase activity in cultured skin fibroblasts using capillary electrophoresis 695(1997)77
- Zang, L.-Y., Kalbach, H.L., Brown, B., Jackson, L.L. and Van Kuijk, F.J.G.M.
Elimination of *n*-butylated hydroxytoluene methylation during fatty acid analysis by gas chromatography 677(1996)209
- Zang, L.-Y., see Sommerburg, O. 695(1997)209
- Zangirolami, L., see Mariot, R. 677(1996)190
- Zanolo, G., see Giachetti, C. 698(1997)187
- Zareh, A., see George, K.S. 695(1997)93
- Zbinden, P., see Degen, P.H. 681(1996)339
- Zeece, M.G., see Chu, Q. 692(1997)293
- Zeidler, L., see Huebert, N.D. 685(1996)291
- Zeisig, M. and Möller, L.
³²P-Postlabeling high-performance liquid chromatographic improvements to characterize DNA adduct stereoisomers from benzo[*a*]pyrene and benzo[*c*]phenanthrene, and to separate DNA adducts from 7,12-dimethylbenz[*a*]anthracene 691(1997)341
- Zell, M., Husser, C., Erdin, R. and Hopfgartner, G.
Simultaneous determination of a potassium channel opener and its metabolite in rat plasma with column-switching liquid chromatography using atmospheric pressure chemical ionisation 694(1997)135
- Zeller, K.-P., see Piperopoulos, G. 695(1997)309
- Zellmer, S. and Lasch, J.
Individual variation of human plantar stratum corneum lipids, determined by automated multiple development of high-performance thin-layer chromatography plates 691(1997)321
- Zeng, M.-Y., Lu, Z.-L., Yang, S.-C., Zhang, M., Liao, J., Liu, S.-L. and Teng, X.-H.
Determination of benflumetol in human plasma by reversed-phase high-performance liquid chromatography with ultraviolet detection 681(1996)299
- Zerilli, A., Lucas, D., Berthou, F., Bardou, L.G. and Ménez, J.-F.
Determination of cytochrome P450 2E1 activity in microsomes by thin-layer chromatography using [2-¹⁴C]chlorzoxazone 677(1996)156
- Zhang, J., see Ma, F. 693(1997)307
- Zhang, J., see Rogers, R.D. 680(1996)221
- Zhang, J., see Rogers, R.D. 680(1996)231
- Zhang, J., see Yu, S. 698(1997)301
- Zhang, J.N., see Chiu, F.C.K. 691(1997)473
- Zhang, M., see Zeng, M.-Y. 681(1996)299
- Zhang, R., see Li, Yu.-F. 686(1996)257
- Zhang, S., see Song, D. 686(1996)199
- Zhang, X.X., Kudo, K., Imamura, T., Jitsufuchi, N. and Nagata, T.
Sensitive determination of bromazepam in human tissues using capillary gas chromatography–mass spectrometry 677(1996)111
- Zhang, Y., see McAtee, C.P. 685(1996)91
- Zhao, R.-Q., see Chen, B.-M. 692(1997)467
- Zhao, X., see George, K.S. 695(1997)93
- Zhao, Y. and Lunte, C.E.
Determination of caffeine and its metabolites by micellar electrokinetic capillary electrophoresis 688(1997)265
- Zhong, W.-Z., see Williams, M.G. 694(1997)169
- Zhou, M., see Lin, S.-X. 684(1996)99
- Zhou, X., see Logsdon, T.W. 692(1997)472
- Zhou, X.-J. and Sommadossi, J.-P.
Rapid quantitation of (–)-2'-deoxy-3'-thiacytidine in human serum by high-performance liquid chromatography with ultraviolet detection 691(1997)417
- Zhu, M., DeCaprio, A.P., Hauer, C.R. and Spink, D.C.
Characterization of glutathione conjugates of pyrrolylated amino acids and peptides by liquid chromatography–mass spectrometry and tandem mass spectrometry with electrospray ionization 688(1997)187
- Ziehr, H., see Müthing, J. 687(1996)357
- Zimmermann, N., see Läer, S. 681(1996)291
- Zins, B.J., see Van Os, E.C. 679(1996)147
- Zornes, L.L. and Stratford, R.E.
Development of a plasma high-performance liquid chromatographic assay for LY303366, a lipopeptide antifungal agent, and its application in a dog pharmacokinetic study 695(1997)381
- Zugravu, A., see Verbesselt, R. 683(1996)231
- Zumbrunnen, R., see Timm, U. 691(1997)397
- Zupančič-Kralj, L., see Merslavič, M. 693(1997)222