



ELSEVIER

Journal of Chromatography B, 701 (1998) 219–232

JOURNAL OF
CHROMATOGRAPHY B

SUBJECT INDEX

J. CHROMATOGR. B VOLS. 676–700

A

Acyl migration reactions

Development of a simple liquid chromatographic method for the separation of mixtures of positional isomers and anomers of synthetic 2-, 3- and 4-fluorobenzoic acid glucuronides formed via acyl migration reactions 685(1996)113

Adsorption chromatography, salt-promoted

Salt-independent adsorption of human serum proteins on cyanocarbon gels 693(1997)277

Alkaline ashing

Determination of total iodine in biological material by alkaline ashing and column-switching ion-pair liquid chromatography 692(1997)53

Amino acid sequencing

Internal sequence analysis of proteins eluted from polyacrylamide gels 686(1996)165

ANOVA

Prevalidation statistical design to assess analytical methods. Example of a quick liquid chromatographic assay of itraconazole in serum 698(1997)225

Aqueous two-phase systems

see also Special Issue Index

Liquid–liquid partitioning of some enzymes, especially phosphofructokinase, from *Saccharomyces cerevisiae* at sub-zero temperature 680(1996)55

Aqueous two-phase systems with a liquid protein (bovine serum albumin) phase for partitioning of enzymes 680(1996)123

Protein partitioning equilibrium between the aqueous poly(ethylene glycol) and salt phases and the solid protein phase in poly(ethylene glycol)–salt two-phase systems 685(1996)15

Analytical partitioning of poly(ethylene glycol)-modified proteins 692(1997)263

Artificial kidney

Novel polymeric solid-phase extraction material for complex biological matrices. Portable and disposable artificial kidney 689(1997)117

Atomic force microscopy

Probing soft polymeric coatings of a capillary by atomic force microscopy 683(1996)3

Automated multiple development

Enhanced thin-layer chromatographic separation of G_{M1b}-type gangliosides by automated multiple development 687(1996)357

Individual variation of human plantar stratum corneum lipids, determined by automated multiple development of high-performance thin-layer chromatography plates 691(1997)321

Automated robotic workstation

Sample preparation with an automated robotic workstation for organic acid analysis by gas chromatography–mass spectrometry 685(1996)1

B

Bacterial overgrowth

Determination of dimethylamine in biological samples by high-performance liquid chromatography 691(1997)269

Band dispersion

Examination of band dispersion during size-selective capillary electrophoresis separations of DNA fragments 695(1997)103

Binding constants

Guidelines in selecting ligand concentrations for the determination of binding constants by affinity capillary electrophoresis 697(1997)77

Biomedical analysis

Validation of chromatographic methods in biomedical analysis. Viewpoint and discussion 689(1997)175

Brain microdialysis

Glutamate measured by 6-s resolution brain microdialysis: capillary electrophoretic and laser-induced fluorescence detection application 694(1997)343

Bulk acoustic wave detection

Ion chromatographic study of sodium, potassium and ammonium in human body fluids with bulk acoustic wave detection 693(1997)43

C**Capillary electrophoresis**

see also Micellar electrokinetic chromatography and Special Issue Index

Capillary electrophoresis for pharmacokinetic studies 697(1997)67

Capillary isotachopheresis

Synergism of capillary isotachopheresis and capillary zone electrophoresis 689(1997)13

Cells

Chromatography on cells and biomolecular assemblies 699(1997)209

Central nervous system disease

Analysis of low-molecular-mass proteins in cerebrospinal fluid by sodium dodecyl sulfate capillary gel electrophoresis 697(1997)141

Chiral surfactants

Enantiomeric separations of basic pharmaceutical drugs by micellar electrokinetic chromatography using a chiral surfactant. N-dodecoxy-carbonylvaline 683(1996)15

Chloramine-T method

Application of [¹²⁵I]-[Tyr⁸]-substance P prepared by the chloramine-T method to receptor-binding experiments after subsequent reduction with mercaptoethanol and purification by reversed-phase liquid chromatography 698(1997)17

Coating methods

Highly efficient protein separations in high-performance capillary electrophoresis, using hydrophilic coatings on polysiloxane-bonded columns 677(1996)77

Column technology

Sol-gel chemistry-based Ucon-coated columns for capillary electrophoresis 695(1997)3

Counter-current distribution

Surface properties of irreversibly sickled cells differ from those of the bulk of sickle cells. Studies by partitioning in aqueous phase systems 680(1996)197

Coupled columns

Determination of propiomazine in rat plasma by direct injection on coupled liquid chromatography columns with electrochemical detection 700(1997)201

Critical micellar concentration

Chromatographic behaviour in reversed-phase high-performance liquid chromatography with micellar and submicellar mobile phases: effects of the organic modifier 681(1996)3

Cross-linking reactions

Analysis of protein aggregates by combination of cross-linking reactions and chromatographic separations 699(1997)439

D**Dairy products**

Assessment of the quality of dairy products by capillary electrophoresis of milk proteins 697(1997)231

Dentin

Detection of microbial-derived fatty acids in carious dentin by gas chromatography and gas chromatography-mass spectrometry 700(1997)255

Depyrogenation

Strategies for the depyrogenation of contaminated immunoglobulin G solutions by histidine-immobilized hollow fiber membrane 691(1997)33

Derivatization, GC

On-column gas chromatographic-mass spectrometric assay for metabolic profiling of valproate in brain tissue and serum 682(1996)67

Derivatization, LC

Analytical chiral separation of a new quinolone compound in biological fluids by high-performance liquid chromatography 676(1996)117

Sensitive high-performance liquid chromatographic assay for pilocarpine in biological fluids using fluorescence derivatisation 677(1996)313

Application of 2-halopyridinium salts as ultraviolet derivatization reagents and solid-phase extraction for determination of captopril in human plasma by high-performance liquid chromatography 681(1996)283

Sensitive analytical method for the novel H₁-receptor antagonist HSR-609 in human plasma and urine by high-performance liquid chromatography with pre-column fluorescent derivatization 687(1996)419

Isolation and quantitation of isotopically labeled amino acids from biological samples 691(1997)287

Simultaneous determination of glycyl-L-histidyl-L-lysine and its metabolite, L-histidyl-L-lysine, in rat plasma by high-performance liquid chromatography with post-column derivatization 692(1997)37

Detergents

Automated on-line ionic detergent removal from minute protein/peptide samples prior to liquid chromatography–electrospray mass spectrometry 686(1996)119

Daisaiko-to

Chromatographic identification of phenolic compounds in human urine following oral administration of the herbal medicines *Daisaiko-to* and *Shosaiko-to* 693(1997)191

Dietary indicators

Elaidic and *trans*-vaccenic acids in plasma phospholipids as indicators of dietary intake of 18:1 *trans*-fatty acids 687(1996)371

Doping

Bioanalysis of β_2 -agonists by hyphenated chromatographic and mass spectrometric techniques 687(1996)27

DNA photolysis

Analysis of laser-induced plasmid DNA photolysis by capillary electrophoresis 683(1996)91

DNA sequencing

Analysis of disease-causing genes and DNA-based drugs by capillary electrophoresis. Towards DNA diagnosis and gene therapy for human diseases 687(1996)271

Drug oxidation

Prediction of CYP2D6-mediated polymorphic drug metabolism (sparteine type) based on in vitro investigations 678(1996)93

Drug–protein interactions

Recent advances in chromatographic and electrophoretic methods for the study of drug–protein interactions 699(1997)499

Drug purity

Defining drug purity through chromatographic and related methods: current status and perspectives 689(1997)137

Drug screening

Drug screening in biological fluids. The need for a systematic approach 689(1997)71

E**Electrochromatography**

Capillary zone electrophoresis and ion-exchange capillary electrochromatography: analytical tools for probing the Hanford nuclear site environment 695(1997)169

Electron donor acceptor gels

Salt-independent adsorption of human serum proteins on cyanocarbon gels 693(1997)277

Electrophoretically mediated microanalysis

Determination of minute enzymatic activities by means of capillary electrophoretic techniques 699(1997)481

Elution–digestion–sequencing method

Internal sequence analysis of proteins eluted from polyacrylamide gels 686(1996)165

Enantiomer separation

Direct high-performance liquid chromatographic and high-performance liquid chromatographic–thermospray-mass spectrometric determination of enantiomers of methamphetamine and its main metabolites amphetamine and *p*-hydroxymethamphetamine in human urine 676(1996)35

Stereospecific determination of amisulpride, a new benzamide derivative, in human plasma and urine by automated solid-phase extraction and liquid chromatography on a chiral column. Application to pharmacokinetics 676(1996)95

Analytical chiral separation of a new quinolone compound in biological fluids by high-performance liquid chromatography 676(1996)117

Chiral separation of 10,11-dihydro-10,11-*trans*-dihydroxycarbamazepine, a metabolite of carbamazepine with two asymmetric carbons, in human serum 677(1996)325

- Stereoselective high-performance liquid chromatographic analysis of ketoprofen and its acyl glucuronides in chronic renal insufficiency 678(1996)237
- Rapid, sensitive and direct chiral high-performance liquid chromatographic method for ketoprofen enantiomers 679(1996)196
- Chiral resolution of the dansyl derivative of 2-methyltaurine by capillary electrophoresis 681(1996)83
- Enantiomer separation of dihydropyridine calcium antagonists with cyclodextrins as chiral selectors: structural correlation 681(1996)133
- Optimization of the separation and detection of the enantiomers of isoproterenol in microdialysis samples by cyclodextrin-modified capillary electrophoresis using electrochemical detection 681(1996)241
- Determination of *R*- and *S*-3-methyl-2-oxopentanoate enantiomers in human plasma: suitable method for label enrichment analysis 682(1996)209
- Simultaneous determination of plasma levels of fluvoxamine and of the enantiomers of fluoxetine and norfluoxetine by gas chromatography–mass spectrometry 682(1996)265
- Comparison of the Hummel–Dreyer method in high-performance liquid chromatography and capillary electrophoresis conditions for study of the interaction of (*RS*)-, (*R*)- and (*S*)-carvedilol with isolated plasma proteins 682(1996)349
- Enantiomeric separations of basic pharmaceutical drugs by micellar electrokinetic chromatography using a chiral surfactant, *N*-dodecoxy-carbonylvaline 683(1996)15
- Liquid chromatographic determination of total celi-prolol or (*S*)-celiprolol and (*R*)-celiprolol simultaneously in human plasma 683(1996)231
- High-performance liquid chromatographic determination of mexiletine enantiomers in plasma using direct and indirect enantioselective separations 685(1996)281
- Determination of citalopram enantiomers in human plasma by liquid chromatographic separation on a Chiral-AGP column 685(1996)299
- Stereoselective high-performance liquid chromatographic assay with fluorometric detection of the three isomers of mivacurium and their *cis*- and *trans*-alcohol and ester metabolites in human plasma 685(1996)315
- Critical issues in chiral drug analysis in biological fluids by high-performance liquid chromatography 686(1996)65
- Development and validation of chiral high-performance liquid chromatographic methods for the quantitation of valsartan and of the tosylate of valinebenzyl ester 686(1996)77
- Quantitative determination of tryptophan enantiomers by capillary electrophoresis 686(1996)103
- Stereoselective determination of apomorphine enantiomers in serum with a cellulose-based high-performance liquid chromatographic chiral column using solid-phase extraction and ultraviolet detection 686(1996)297
- Cyclodextrins and enantiomeric separations of drugs by liquid chromatography and capillary electrophoresis: basic principles and new developments 687(1996)303
- Column-switching techniques in the biomedical analysis of stereoisomeric drugs: why, how and when 689(1997)91
- Computerized optimization of the high-performance liquid chromatographic enantioseparation of a mixture of 4-dinitrophenyl amino acids on a quinine carbamate-type chiral stationary phase using DRYLAB 689(1997)123
- Enantioselective gas chromatographic assay of 2-alkylamines using *N*-(trifluoroacetyl)propyl derivatives and a chiral capillary column 689(1997)165
- Separation of the stereoisomers of the main metabolite of a non-steroidal anti-inflammatory drug, flufenenol, by chiral high-performance liquid chromatography 689(1997)205
- Assay for the (*R*)- and (*S*)-enantiomers of salicylic acid in biological samples and foods with ion-pair high-performance liquid chromatography using β -cyclodextrin as a chiral mobile phase additive 689(1997)313
- Chromatographic analysis of the enantiomers of ifosfamide and some of its metabolites in plasma and urine 690(1997)131
- Quantification of ketoprofen enantiomers in human plasma based on solid-phase extraction and enantioselective column chromatography 690(1997)189
- Investigation of the stereoselective in vitro biotransformation of glutethimide by high-performance liquid chromatography and capillary electrophoresis 690(1997)233
- Stereoselective determination of mepivacaine in human serum using a brush-type chiral stationary phase and solid-phase extraction 690(1997)359
- Stereoselective and simultaneous measurement of *cis*- and *trans*-isomers of doxepin and *N*-desmethyldoxepin in plasma or urine by high-performance liquid chromatography 691(1997)131
- Enantioselective determination of *S*-(+)- and *R*-(-)-ondansetron in human serum using derivatized cyclodextrin-modified capillary electrophoresis and solid-phase extraction 691(1997)217
- Investigation of the stereoselective in vitro metabolism of the chiral antiasthmatic/antiallergic drug flezastine by high-performance liquid chromatography and capillary zone electrophoresis 691(1997)463

High-performance liquid chromatography determination of praziquantel enantiomers in human serum using a reversed-phase cellulose-based chiral stationary phase and disc solid-phase extraction 692(1997)141

Stereoselective determination of *R*-(-) and *S*-(+)-prilocaine in human serum by capillary electrophoresis using a derivatized cyclodextrin and ultraviolet detection 693(1997)205

Semi-preparative chromatographic purification of the enantiomers *S*-(-)-amlodipine and *R*-(+)-amlodipine 693(1997)367

Determination of ticarcillin epimers in plasma and urine with high-performance liquid chromatography 694(1997)145

Stereoselective determination of a new antidepressant, E2011, and its diastereoisomer as a metabolite by high-performance liquid chromatography 694(1997)153

Stereospecific determination of an HIV aspartyl protease inhibitor, PNU-103017, in rat, dog and human plasma using a Pirkle-concept high-performance liquid chromatographic column 694(1997)169

High-performance liquid chromatographic analysis of ondansetron enantiomers in human serum using a reversed-phase cellulose-based chiral stationary phase and solid-phase extraction 694(1997)179

Influence of the inorganic counterion on the chiral micellar electrokinetic separation of basic drugs using the surfactant *N*-dodecoxycarbonylvaline 695(1997)131

Chiral separation of primary amino compounds using a non-chiral crown ether with β -cyclodextrin by capillary electrophoresis 695(1997)157

Bioanalysis of *p*-trifluoromethylmandelic acid and Mosher's acid by chiral gas chromatography and fluorine nuclear magnetic resonance to study chiral inversion: application to rat urine samples 695(1997)279

Enantioselective determination of selfotel in human urine by high-performance liquid chromatography on a chiral stationary phase after derivatization with 9-fluorenylmethyl chloroformate 695(1997)355

Enantioselective analysis of praziquantel in plasma samples 696(1997)307

Automated determination of tramadol enantiomers in human plasma using solid-phase extraction in combination with chiral liquid chromatography 698(1997)161

Enantioselective high-performance liquid chromatographic determination of nifedipine in human plasma 698(1997)181

Enantioselective high-performance liquid chromatography determination of methadone enantiomers and its major metabolite in human biological fluids using a new derivatized cyclodextrin-bonded phase 700(1997)155

Stereoselective determination of *R*-(+)- and *S*-(-)-remoxipride, a dopamine D_2 -receptor antagonist, in human plasma by chiral high-performance liquid chromatography 700(1997)165

Quantitation of trimipramine enantiomers in human serum by enantioselective high-performance liquid chromatography and mixed-mode disc solid-phase extraction 700(1997)175

Stereospecific determination of mefloquine in biological fluids by high-performance liquid chromatography 700(1997)215

Enriched stable isotope

Metabolism of selenite labelled with enriched stable isotope in the bloodstream 692(1997)15

Eosinophilia–myalgia syndrome (EMS)

Contaminants in biotechnologically manufactured L-tryptophan 685(1996)41

Equilibrium constants

Guidelines in selecting ligand concentrations for the determination of binding constants by affinity capillary electrophoresis 697(1997)77

Erythrocytes

Analysis of single erythrocytes by injection-based capillary isoelectric focusing with laser-induced native fluorescence detection 687(1996)363

Extrashot-ODS sample injector

Extrashot-ODS, a syringe-type minicolumn sample injector for a reversed-phase high-performance liquid chromatographic column. Application to antiepileptics in human sera 695(1997)349

F

Fibrate monitoring

Determination of bezafibrate, ciprofibrate and fenofibric acid in human plasma by high-performance liquid chromatography 687(1996)437

Field-flow fractionation

Comparative study of human red blood cell analysis with three different field-flow fractionation systems 686(1996)177

Micropreparation of hemopoietic stem cells from the mouse bone marrow suspension by gravitational field-flow fractionation 687(1996)449

Fluorescence lifetime

On-the-fly fluorescence lifetime detection of labeled DNA primers 695(1997)85

Fluorescence polarization immunoassay

Toxicological detection of the designer drug 3,4-methylenedioxyethylamphetamine (MDE, "Eve") and its metabolites in urine by gas chromatography–mass spectrometry and fluorescence polarization immunoassay 683(1996)189

Fluorescent differential display polymerase chain reaction

Capillary electrophoresis methodology for identification of cancer related gene expression patterns of fluorescent differential display polymerase chain reaction 695(1997)93

Food preservatives

Investigation of a pulsed-laser thermo-optical absorbance detector for the determination of food preservatives separated by capillary electrophoresis 683(1996)47

Forensic analysis

Large-volume sample stacking of selected drugs of forensic significance by capillary electrophoresis 681(1996)125

Analysis of organic volatile impurities as a forensic tool for the examination of bulk pharmaceuticals 686(1996)85

Forensic analysis of eleven cyclic antidepressants in human biological samples using a new reversed-phase chromatographic column of 2 μm porous microspherical silica gel 692(1997)405

Fractional factorial design

Fractional factorial design optimization of the separation of pilocarpine and its degradation products by capillary electrophoresis 697(1997)207

G**Gel media**

Electrophoresis gel media: the state of the art 699(1997)63

Gene quantification

Direct quantification of HIV-1 RNA by capillary electrophoresis with laser-induced fluorescence 697(1997)189

Genetic polymorphism

see also Special Issue Index

Characterization of the genetic polymorphism of dihydrocodeine O-demethylation in man via analysis of urinary dihydrocodeine and dihydromorphine by micellar electrokinetic capillary chromatography 678(1996)43

Prediction of CYP2D6-mediated polymorphic drug metabolism (sparteine type) based on in vitro investigations 678(1996)93

Genetic variants

Abnormal microheterogeneity detected in one commercial α_1 -acid glycoprotein preparation using chromatography on immobilized metal affinity adsorbent and on hydroxyapatite 688(1997)35

Ginkgo biloba

Identification of *Ginkgo biloba* flavonol metabolites after oral administration to humans 693(1997)249

Gluconeogenesis

Whole blood analysis of gluconeogenic amino acids for estimation of de novo gluconeogenesis using pre-column *o*-phthalaldehyde derivatization and high-performance liquid chromatography 676(1996)1

Glyceric aciduria

Diagnostic applications of chromatography and capillary electrophoresis 689(1997)155

GP IIb–IIIa receptor

Oral platelet aggregation inhibitor Ro 48-3657. Determination of the active metabolite and its prodrug in plasma and urine by high-performance liquid chromatography using automated column switching 691(1997)397

H**Hair**

Hair analysis, a novel tool in forensic and biomedical sciences: new chromatographic and electrophoretic/electrokinetic analytical strategies 689(1997)261

High-performance liquid chromatographic determination of carbamazepine and metabolites in human hair 691(1997)409

Hair analysis for drugs of abuse. XIX. Determination of ephedrine and its homologs in rat hair and human hair 700(1997)83

Screening for forensically relevant benzodiazepines in human hair by gas chromatography–negative ion chemical ionization–mass spectrometry 700(1997)119

h3A4/OR cells

Isocratic high-performance liquid chromatographic method for the separation of isradipine and its main metabolites. Application to in vitro metabolization by h3A4/OR cells 693(1997)359

HeLa cells

In vivo determination of 5-bromo-2'-deoxyuridine incorporation into DNA tumor tissue by a new ³²P-postlabelling thin-layer chromatographic method 694(1997)333

Hemopoietic stem cells

Micropreparation of hemopoietic stem cells from the mouse bone marrow suspension by gravitational field-flow fractionation 687(1996)449

Histidine-immobilized hollow fiber membrane

Strategies for the depyrogenation of contaminated immunoglobulin G solutions by histidine-immobilized hollow fiber membrane 691(1997)33

Homozygous sickle cells

Surface properties of irreversibly sickled cells differ from those of the bulk of sickle cells. Studies by partitioning in aqueous phase systems 680(1996)197

Horseradish peroxidase–osmium redox polymer electrode

Detection of basal acetylcholine release in the microdialysis of rat frontal cortex by high-performance liquid chromatography using a horseradish peroxidase–osmium redox polymer electrode with pre-enzyme reactor 682(1996)162

Human genome project

Analysis of disease-causing genes and DNA-based drugs by capillary electrophoresis. Towards DNA diagnosis and gene therapy for human diseases 687(1996)271

Hummel–Dreyer method

Comparison of the Hummel–Dreyer method in high-performance liquid chromatography and capillary electrophoresis conditions for study of the interaction of (*RS*)-, (*R*)- and (*S*)-carvedilol with isolated plasma proteins 682(1996)349

Hydrogels

Release of 5-fluorouracil from poly(acrylamide–co-monopropyl itaconate) hydrogels 680(1996)243

Hydrophilic coatings

Highly efficient protein separations in high-performance capillary electrophoresis, using hydrophilic coatings on polysiloxane-bonded columns 677(1996)77

Hydroxyapatite

Abnormal microheterogeneity detected in one commercial α_1 -acid glycoprotein preparation using chromatography on immobilized metal affinity adsorbent and on hydroxyapatite 688(1997)35

Hypericum perforatum

Determination of naphthodianthrones in plant extracts from *Hypericum perforatum* L. by liquid chromatography–electrospray mass spectrometry 695(1997)309

I**Iceman**

Investigation of the triacylglycerol composition of iceman's mummified tissue by high-temperature gas chromatography 692(1997)1

Imidazoline receptors

Determination of agmatine in brain and plasma using high-performance liquid chromatography with fluorescence detection 691(1997)277

Immobilized pH gradients

Isoelectric focusing in immobilized pH gradients: an update 699(1997)77

Internal amino acid sequencing

Internal sequence analysis of proteins eluted from polyacrylamide gels 686(1996)165

Ionic detergent removal

Automated on-line ionic detergent removal from minute protein/peptide samples prior to liquid chromatography–electrospray mass spectrometry 686(1996)119

Ion mobility spectrometry

Application of ion mobility spectrometry to the rapid screening of methamphetamine incorporated in hair 692(1997)319

Ion trap GC–MS–MS instrument

Evaluation of a benchtop ion trap gas chromatographic–tandem mass spectrometric instrument for the analysis of a model drug, tebufelone, in plasma using a stable-isotope internal standard 676(1996)53

Isoelectric membranes

Protein purification in multicompartiment electrolyzers with isoelectric membranes 699(1997)105

K**Kieselguhr**

Clean-up and re-use of kieselguhr (Extrelut) for liquid–liquid extraction of urinary cortisol 692(1997)238

Kinetics

Bile acid kinetics in man studied by radio thin-layer chromatography and densitometry coupling 700(1997)59

L

Ligand concentrations

Guidelines in selecting ligand concentrations for the determination of binding constants by affinity capillary electrophoresis 697(1997)77

Lipid peroxidation

Gas chromatographic method using photoionization detection for the determination of breath pentane 685(1996)201

Simultaneous determination of eight lipid peroxidation degradation products in urine of rats treated with carbon tetrachloride using gas chromatography with electron-capture detection 694(1997)277

Liver, perfused

Study of the biotransformation of a potential benzo[c]fluorene antineoplastic using high-performance liquid chromatography with high-speed-scanning ultraviolet detection 681(1996)143

Lymphocyte secretion

Microdialysis-immunoaffinity capillary electrophoresis studies on neuropeptide-induced lymphocyte secretion 697(1997)101

Lysinuric protein intolerance

Diagnostic applications of chromatography and capillary electrophoresis 689(1997)155

M

Matrix-assisted laser desorption ionization

Analysis of recombinant DNA-derived glycoproteins via high-performance capillary electrophoresis coupled with off-line matrix-assisted laser desorption ionization time-of-flight mass spectrometry 689(1997)215

Membrane interaction

Automated on-line dialysis, trace enrichment and high-performance liquid chromatography. Inhibition of interaction with the dialysis membrane and disruption of protein binding in the determination of clozapine in human plasma 690(1997)223

Metabolic disorders

Diagnostic applications of chromatography and capillary electrophoresis 689(1997)155

Metabolization

Shift of the high-performance liquid chromatographic retention times of metabolites in relation to the original drug on an RP8 column with acidic mobile phase 692(1997)111

Metal affinity adsorbent

Abnormal microheterogeneity detected in one commercial α_1 -acid glycoprotein preparation using chromatography on immobilized metal affinity adsorbent and on hydroxyapatite 688(1997)35

Metal binding activity

Evidence of metal binding activities of pentadecapeptide from *Panax ginseng* 687(1996)443

Methylmalonic aciduria

Diagnostic applications of chromatography and capillary electrophoresis 689(1997)155

Mevalonic aciduria

Diagnostic applications of chromatography and capillary electrophoresis 689(1997)155

Micellar electrokinetic chromatography

see also Capillary electrophoresis

Characterization of the genetic polymorphism of dihydrocodeine O-demethylation in man via analysis of urinary dihydrocodeine and dihydromorphine by micellar electrokinetic capillary chromatography 678(1996)43

Enantiomeric separations of basic pharmaceutical drugs by micellar electrokinetic chromatography using a chiral surfactant, N-dodecoylcarbonylvaline 683(1996)15

Micellar electrokinetic chromatography in zero-electroosmotic flow environment 683(1996)29

Microdialysis

New dual electrochemical detector for microbore liquid chromatography. Determination of dopamine and serotonin in rat striatum dialysates 682(1996)195

In vivo, continuous and automatic monitoring of extracellular ascorbic acid by microdialysis and on-line liquid chromatography 686(1996)151

Evaluation of extracellular lipid peroxidation in brain cortex of anaesthetized rats by microdialysis perfusion and high-performance liquid chromatography with fluorimetric detection 693(1997)257

New antioxidant mixture for long term stability of serotonin, dopamine and their metabolites in automated microbore liquid chromatography with dual electrochemical detection 694(1997)297

Capillary electrophoresis and microdialysis: current technology and applications 697(1997)89

Determination of SDZ ICM 567 in blood and muscle microdialysis samples by microbore liquid chromatography with ultraviolet and fluorescence detection 700(1997)191

Mobile phase composition

Chromatographic behaviour in reversed-phase high-performance liquid chromatography with micellar and submicellar mobile phases: effects of the organic modifier 681(1996)3

Monoclonal bands

Capillary electrophoresis procedures for serum protein analysis: comparison with established techniques 699(1997)257

Multicompartment electrolyzers

Protein purification in multicompartment electrolyzers with isoelectric membranes 699(1997)105

Mummified tissue

Investigation of the triacylglycerol composition of iceman's mummified tissue by high-temperature gas chromatography 692(1997)1

Myelomatosis

Diagnostic applications of chromatography and capillary electrophoresis 689(1997)155

N

Nanofiltration

Characterisation of a chromatographically produced anti-D immunoglobulin product 700(1997)241

O

On-the-fly detection

On-the-fly fluorescence lifetime detection of labeled DNA primers 695(1997)85

Organic modifier

Chromatographic behaviour in reversed-phase high-performance liquid chromatography with micellar and submicellar mobile phases: effects of the organic modifier 681(1996)3

P

Packing materials

New packing materials for protein chromatography 699(1997)3

Panax ginseng

Evidence of metal binding activities of pentadecapeptide from *Panax ginseng* 687(1996)443

Partial filling method

Separation and detection of closely related peptides by micellar electrokinetic chromatography coupled with electrospray ionization mass spectrometry using the partial filling technique 689(1997)3

Particle-loaded membranes

Particle-loaded membranes for sample concentration and/or clean-up in bioanalysis 689(1997)221

Partition coefficient

Partition coefficients (*n*-octanol/water) of *N*-butyl-*p*-aminobenzoate and other local anesthetics measured by reversed-phase high-performance liquid chromatography 694(1997)421

Partitioning

see also Special Issue Index

Liquid-liquid partitioning of some enzymes, especially phosphofructokinase, from *Saccharomyces cerevisiae* at sub-zero temperature 680(1996)55

Aqueous two-phase systems with a liquid protein (bovine serum albumin) phase for partitioning of enzymes 680(1996)123

Surface properties of irreversibly sickled cells differ from those of the bulk of sickle cells. Studies by partitioning in aqueous phase systems 680(1996)197

Partitioning behavior of Group 1 and 2 cations in poly(ethylene glycol)-based aqueous biphasic systems 680(1996)237

Protein partitioning equilibrium between the aqueous poly(ethylene glycol) and salt phases and the solid protein phase in poly(ethylene glycol)-salt two-phase systems 685(1996)15

Analytical partitioning of poly(ethylene glycol)-modified proteins 692(1997)263

Peptide mapping

Application of reversed-phase high-performance liquid chromatography and capillary zone electrophoresis to the peptide mapping of pepsin isoenzymes 681(1996)37

Fast detection of phosphorylation of human pepsinogen A, human pepsinogen C and swine pepsinogen using a combination of reversed-phase high-performance liquid chromatography and capillary zone electrophoresis for peptide mapping 688(1997)213

Combination of capillary electrophoresis and matrix-assisted laser desorption ionization mass spectrometry for glycosylation analysis of a human monoclonal anti-Rhesus(D) antibody 697(1997)123

Pharmacokinetics

Validation of liquid chromatographic and gas chromatographic methods. Applications to pharmacokinetics 686(1996)3

High-performance liquid chromatographic assay for melphalan in human plasma. Application to pharmacokinetic studies 686(1996)43

Capillary electrophoresis for pharmacokinetic studies 697(1997)67

Phenotyping

Simple and selective assay of 4-hydroxymephenytoin in human urine using solid-phase extraction and high-performance liquid chromatography with electrochemical detection and its preliminary application to phenotyping test 676(1996)87

Phosphorylation

Fast detection of phosphorylation of human pepsinogen A, human pepsinogen C and swine pepsinogen using a combination of reversed-phase high-performance liquid chromatography and capillary zone electrophoresis for peptide mapping 688(1997)213

Plasma-based medical products

Issues in the development of medical products based on human plasma 694(1997)253

Platelet inhibitor

Oral platelet aggregation inhibitor Ro 48-3657. Determination of the active metabolite and its prodrug in plasma and urine by high-performance liquid chromatography using automated column switching 691(1997)397

Platinum electrodes

Microbore high-performance liquid chromatographic method for measuring acetylcholine in microdialysis samples: optimizing performance of platinum electrodes 692(1997)207

Point mutations

Non-isocratic capillary electrophoresis for detection of DNA point mutations 697(1997)195

Polyacrylamide-coated tube

Identification of metallothionein isoforms with capillary zone electrophoresis using a polyacrylamide-coated tube 685(1996)353

Polyacrylamide coatings

Probing soft polymeric coatings of a capillary by atomic force microscopy 683(1996)3

Poly(EGDMA–HEMA) microbeads

New sorbent for bilirubin removal from human plasma: Cibacron Blue F3GA-immobilized poly(EGDMA–HEMA) microbeads 693(1997)271

Polymerase chain reaction

Use of aqueous two-phase systems in sample preparation for polymerase chain reaction-based detection of microorganisms 680(1996)165

Automated polymerase chain reaction product sample preparation for capillary electrophoresis analysis 683(1996)109

Analysis of disease-causing genes and DNA-based drugs by capillary electrophoresis. Towards DNA diagnosis and gene therapy for human diseases 687(1996)271

Polymer coatings

Probing soft polymeric coatings of a capillary by atomic force microscopy 683(1996)3

Porous graphitized carbon columns

Effect of physicochemical parameters on the retention of some monoamine oxidase inhibitory drugs on a porous graphitized carbon column 681(1996)197

³²P-Postlabelling

Improved high-performance liquid chromatography analysis of ³²P-postlabeled 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine–DNA adducts using in-line precolumn purification 679(1996)91

Analysis of tamoxifen-induced DNA adducts by ³²P-postlabelling assay using different chromatographic techniques 691(1997)155

Combination of high-performance liquid chromatography and thin-layer chromatography separation of five adducted nucleotides isolated from liver resulting from intraperitoneal administration with 7H-dibenzo[c,g]carbazole to mice 700(1997)49

Protein binding

Automated on-line dialysis, trace enrichment and high-performance liquid chromatography. Inhibition of interaction with the dialysis membrane and disruption of protein binding in the determination of clozapine in human plasma 690(1997)223

Protein sequencing

Internal sequence analysis of proteins eluted from polyacrylamide gels 686(1996)165

Pulsed-laser thermo-optical absorbance detection

Investigation of a pulsed-laser thermo-optical absorbance detector for the determination of food preservatives separated by capillary electrophoresis 683(1996)47

Q

Quantitative structure-retention relationships

Quantitative structure–chromatographic retention relationship study of six underivatized equine estrogens 681(1996)115

Quantitative structure-retention relationships in doping control 687(1996)151

R

Radio thin-layer chromatography

Bile acid kinetics in man studied by radio thin-layer chromatography and densitometry coupling 700(1997)59

Red blood cells

Comparative study of human red blood cell analysis with three different field-flow fractionation systems 686(1996)177

Relative retention

Changing reversed-phase high performance liquid chromatography selectivity. Which variables should be tried first? 689(1997)105

Renal failure

Determination of dimethylamine in biological samples by high-performance liquid chromatography 691(1997)269

Residual solvents

Analysis of organic volatile impurities as a forensic tool for the examination of bulk pharmaceuticals 686(1996)85

Retention

Determination of kinetic and retention properties of cartridge and disk devices for solid-phase extraction 689(1997)245

Reviews

Drug-protein binding studies. New trends in analytical and experimental methodology (Review) 677(1996)1

Clinical chemistry of common apolipoprotein E isoforms (Review) 678(1996)23

Investigation of xenobiotic metabolism by CYP2D6 and CYP2C19: importance of enantioselective analytical methods (Review) 678(1996)73

Prediction of CYP2D6-mediated polymorphic drug metabolism (sparteine type) based on in vitro investigations (Review) 678(1996)93

State-of-the-art of high-performance liquid chromatographic analysis of amino acids in physiological samples (Review) 682(1996)3

Capillary electrophoresis as a clinical tool (Review) 682(1996)23

Methods for chromatographic and electrophoretic separation and assay of NADP⁺ oxidoreductases (Review) 684(1996)1

High-performance liquid chromatographic methods for the quantification of tetrahydrobiopterin biosynthetic enzymes (Review) 684(1996)51

Chromatographic and electrophoretic methods for analysis of superoxide dismutases (Review) 684(1996)59

Methods for purification of glutathione peroxidase and related enzymes (Review) 684(1996)77

Chromatography of hydroxysteroid dehydrogenases (Review) 684(1996)99

Chromatographic separation and behavior of microsomal cytochrome P450 and cytochrome b₅ (Review) 684(1996)107

Advances in sample preparation, electrophoretic separation and detection methods for rat cytochrome P450 enzymes (Review) 684(1996)133

Purification methods of mammalian catechol-O-methyltransferases (Review) 684(1996)147

Transglutaminases: purification and activity assays (Review) 684(1996)163

Tyrosine protein kinase assays (Review) 684(1996)179

Hydrolases acting on glycosidic bonds: chromatographic and electrophoretic separations (Review) 684(1996)201

Chromatographic methods for amylases (Review) 684(1996)217

Separation of proteases: old and new approaches (Review) 684(1996)239

Kallikrein and kallikrein-like proteinases: purification and determination by chromatographic and electrophoretic methods (Review) 684(1996)265

Chromatographic and electrophoretic methods related to the carbonic anhydrase isozymes (Review) 684(1996)289

Separation and functional analysis of eukaryotic DNA topoisomerases by chromatography and electrophoresis (Review) 684(1996)307

- Analysis of organic volatile impurities as a forensic tool for the examination of bulk pharmaceuticals (Review) 686(1996)85
- Detection of diuretic agents in doping control (Review) 687(1996)127
- Erythropoietin: physico- and biochemical analysis (Review) 687(1996)189
- Analysis of disease-causing genes and DNA-based drugs by capillary electrophoresis. Towards DNA diagnosis and gene therapy for human diseases (Review) 687(1996)271
- Cyclodextrins and enantiomeric separations of drugs by liquid chromatography and capillary electrophoresis: basic principles and new developments (Review) 687(1996)303
- Structure and function of bovine growth hormone. Bovine growth hormone as an experimental model for studies of protein–protein interactions (Review) 688(1997)161
- Particle-loaded membranes for sample concentration and/or clean-up in bioanalysis (Review) 689(1997)221
- Hair analysis, a novel tool in forensic and biomedical sciences: new chromatographic and electrophoretic/electrokinetic analytical strategies (Review) 689(1997)261
- Methods of analysis of chiral non-steroidal anti-inflammatory drugs (Review) 691(1997)229
- Molecular species analysis of phospholipids (Review) 692(1997)245
- Capillary electrophoresis in clinical chemistry (Review) 697(1997)3
- New approaches in clinical chemistry: on-line analyte concentration and microreaction capillary electrophoresis for the determination of drugs, metabolic intermediates, and biopolymers in biological fluids (Review) 697(1997)37
- Capillary electrophoresis for pharmacokinetic studies (Review) 697(1997)67
- Capillary electrophoresis and microdialysis: current technology and applications (Review) 697(1997)89
- Capillary electrophoresis of recombinant proteins (Review) 697(1997)111
- Non-isocratic capillary electrophoresis for detection of DNA point mutations (Review) 697(1997)195
- New packing materials for protein chromatography (Review) 699(1997)3
- Protein separation using non-porous sorbents (Review) 699(1997)29
- Protein purification in multicompartement electrolyzers with isoelectric membranes (Review) 699(1997)105
- Factors affecting protein interaction at sorbent interfaces (Review) 699(1997)117
- Rules relating electrophoretic mobility, charge and molecular size of peptides and proteins (Review) 699(1997)133
- Peptide analysis by capillary (zone) electrophoresis (Review) 699(1997)149
- Labeling reactions applicable to chromatography and electrophoresis of minute amounts of proteins (Review) 699(1997)173
- Chromatography on cells and biomolecular assemblies (Review) 699(1997)209
- Buffer additives other than the surfactant sodium dodecyl sulfate for protein separations by capillary electrophoresis (Review) 699(1997)221
- Capillary electrophoresis procedures for serum protein analysis: comparison with established techniques (Review) 699(1997)257
- Chromatographic and electrophoretic methods for modified hemoglobins (Review) 699(1997)269
- Post-translational non-enzymatic modification of proteins. I. Chromatography of marker adducts with special emphasis to glycation reactions (Review) 699(1997)287
- Permeable packings and perfusion chromatography in protein separation (Review) 699(1997)47
- Electrophoresis gel media: the state of the art (Review) 699(1997)63
- Isoelectric focusing in immobilized pH gradients: an update (Review) 699(1997)77
- Current trends in capillary isoelectric focusing of proteins (Review) 699(1997)91
- Post-translational non-enzymatic modification of proteins. II. Separation of selected protein species after glycation and other carbonyl-mediated modifications (Review) 699(1997)311
- Unstable proteins: how to subject them to chromatographic separations for purification procedures (Review) 699(1997)347
- Separation methods for glycoprotein analysis and preparation (Review) 699(1997)371
- Separation used for purification of recombinant proteins (Review) 699(1997)383

High-performance separations in isolation and characterization of allergens (Review) 699(1997)403

Lipoproteins: comparison of different separation strategies (Review) 699(1997)419

Analysis of protein aggregates by combination of cross-linking reactions and chromatographic separations (Review) 699(1997)439

Capillary electrophoretic immunoassays (Review) 699(1997)463

Determination of minute enzymatic activities by means of capillary electrophoretic techniques (Review) 699(1997)481

Recent advances in chromatographic and electrophoretic methods for the study of drug–protein interactions (Review) 699(1997)499

Robotic sample preparation

Determination of alosetron in human plasma or serum by high-performance liquid chromatography with robotic sample preparation 678(1996)261

Robotic workstation

Sample preparation with an automated robotic workstation for organic acid analysis by gas chromatography–mass spectrometry 685(1996)1

S

Saccharomyces cerevisiae

Liquid–liquid partitioning of some enzymes, especially phosphofructokinase, from *Saccharomyces cerevisiae* at sub-zero temperature 680(1996)55

Sample preparation

Determination of nitrite in human blood by combination of a specific sample preparation with high-performance anion-exchange chromatography and electrochemical detection 685(1996)348

Selectivity

Changing reversed-phase high performance liquid chromatography selectivity. Which variables should be tried first? 689(1997)105

Self-aligning liquid junction–electrospray interface

Design and applications of a self-aligning liquid junction–electrospray interface for capillary electrophoresis–mass spectrometry 685(1996)335

Shosaiko-to

Chromatographic identification of phenolic compounds in human urine following oral administration of the herbal medicines *Daisaiko-to* and *Shosaiko-to* 693(1997)191

Sickle cells

Surface properties of irreversibly sickled cells differ from those of the bulk of sickle cells. Studies by partitioning in aqueous phase systems 680(1996)197

Sol–gel chemistry

Sol–gel chemistry-based Ucon-coated columns for capillary electrophoresis 695(1997)3

Solid-phase extraction

Determination of kinetic and retention properties of cartridge and disk devices for solid-phase extraction 689(1997)245

Use of reduced sorbent bed and disk membrane solid-phase extraction for the analysis of pharmaceutical compounds in biological fluids, with applications in the 96-well format 694(1997)123

Solid-phase scintillation detection

Detection and determination of the major metabolites of [³H]cytosine arabinoside by high-performance liquid chromatography 676(1996)131

Spermatozoa

Reversion of thermic-shock effect on ram spermatozoa by adsorption of seminal plasma proteins revealed by partition in aqueous two-phase systems 680(1996)137

Stable-isotope dilution

Analysis of a novel antiinflammatory agent, 1-(7-*tert*-butyl-2,3-dihydro-3,3-dimethylbenzo[*b*]furan-5-yl)-4-cyclopropylbutan-1-one (PGV-20229), in plasma matrices by stable-isotope-dilution gas chromatography–mass spectrometry 700(1997)111

Statistical techniques

Analysis of organic volatile impurities as a forensic tool for the examination of bulk pharmaceuticals 686(1996)85

Stratum corneum

Individual variation of human plantar stratum corneum lipids, determined by automated multiple development of high-performance thin-layer chromatography plates 691(1997)321

Structure–retention relationship

Shift of the high-performance liquid chromatographic retention times of metabolites in relation to the original drug on an RP8 column with acidic mobile phase 692(1997)111

T**Tobacco products**

Capillary electrophoresis as an analytical tool for monitoring nicotine in ATF regulated tobacco products 695(1997)117

Toxicological analysis

Gas chromatography–mass spectrometry (GC–MS) and liquid chromatography–mass spectrometry (LC–MS) in toxicological analysis. Studies on the detection of clobenzorex and its metabolites within a systematic toxicological analysis procedure by GC–MS and by immunoassay and studies on the detection of α - and β -amanitin in urine by atmospheric pressure ionization electrospray LC–MS 689(1997)81

Tungsten wire electrode

Amperometric detection of organic thiols at a tungsten wire electrode following their separation by liquid chromatography 693(1997)139

U**Ucon-coated capillaries**

Sol–gel chemistry-based Ucon-coated columns for capillary electrophoresis 695(1997)3

Ultraviolet detection, high-speed scanning

Study of the biotransformation of a potential benzo[*c*]fluorene antineoplastic using high-performance liquid chromatography with high-speed-scanning ultraviolet detection 681(1996)143

V**Validation**

see also Special Issue Index

Validation of chromatographic methods in biomedical analysis. Viewpoint and discussion 689(1997)175

Virus-inactivated plasma

Issues in the development of medical products based on human plasma 694(1997)253