

# Author Index Vol. 702

---

- Aguilera, R., Becchi, M., Mateus, L., Popot, M.A., Bonnaire, Y., Casabianca, H. and Hatton, C.K.  
Detection of exogenous hydrocortisone in horse urine by gas chromatography–combustion–carbon isotope ratio mass spectrometry 702(1997)85
- Attali, L., see Pepin, X. 702(1997)181
- Bailey, E., see Farooq, S. 702(1997)49
- Bailey, E., see Pauwels, W. 702(1997)77
- Becchi, M., see Aguilera, R. 702(1997)85
- Beck, M.-A., see Boonen, G. 702(1997)240
- Berger, G., see Jung, M. 702(1997)193
- Blache, D., Rustan, I., Durand, P., Lesgards, G. and Loreau, N.  
Gas chromatographic analysis of resveratrol in plasma, lipoproteins and cells after in vitro incubations 702(1997)103
- Blobner, M., see Probst, R. 702(1997)111
- Bodde, H.E., see Van der Geest, R. 702(1997)131
- Bonnaire, Y., see Aguilera, R. 702(1997)85
- Boonen, G., Beck, M.-A. and Häberlein, H.  
Contribution to the quantitative and enantioselective determination of kavapyrones by high-performance liquid chromatography on ChiraSpher NT material 702(1997)240
- Buffalini, M., see Ceccaroli, P. 702(1997)41
- Buhr, H.J., see Jung, M. 702(1997)193
- Burnette, J., see Cox, S.K. 702(1997)175
- Cardoni, P., see Ceccaroli, P. 702(1997)41
- Cardot, P.J.P., see Pepin, X. 702(1997)181
- Carlsson, B. and Norlander, B.  
Solid-phase extraction with end-capped C<sub>2</sub> columns for the routine measurement of racemic citalopram and metabolites in plasma by high-performance liquid chromatography 702(1997)234
- Casabianca, H., see Aguilera, R. 702(1997)85
- Ceccaroli, P., Cardoni, P., Buffalini, M., De Bellis, R., Piccoli, G. and Stocchi, V.  
Separation of hexokinase activity using different hydrophobic interaction supports 702(1997)41
- Chang, S.-Y., Whigan, D.B., Vachharajani, N.N. and Patel, R.  
High-performance liquid chromatographic assay for the quantitation of irbesartan (SR 47436/BMS-186295) in human plasma and urine 702(1997)149
- Clifford, A.J., see Ebeler, S.E. 702(1997)211
- Cooper, J.D.H., Shearsby, N.J., Taylor, J.E. and Fook Sheung, C.T.C.  
Simultaneous determination of lamotrigine and its glucuronide and methylated metabolites in human plasma by automated sequential trace enrichment of dialysates and gradient high-performance liquid chromatography 702(1997)227
- Cordero, R., see Pauwels, W. 702(1997)77
- Couvreur, P., see Pepin, X. 702(1997)181
- Cox, S.K., Orosz, S., Burnette, J. and Frazier, D.  
Microassay for determination of itraconazole and hydroxyitraconazole in plasma and tissue biopsies 702(1997)175
- Creer, M.H., see McHowat, J. 702(1997)21
- Curti, S., see Marzo, A. 702(1997)1
- Dalhoff, A., see Stass, H. 702(1997)163
- Danhof, M., see Van der Geest, R. 702(1997)131
- De Bellis, R., see Ceccaroli, P. 702(1997)41
- Deng, Y., see Minami, C. 702(1997)245
- Domrault, C., see Pepin, X. 702(1997)181
- Drencka, A., see Vatsova, M. 702(1997)221
- Dubernet, C., see Pepin, X. 702(1997)181
- Durand, P., see Blache, D. 702(1997)103
- Ebeler, S.E., Clifford, A.J. and Shibamoto, T.  
Quantitative analysis by gas chromatography of volatile carbonyl compounds in expired air from mice and human 702(1997)211
- Farmer, P.B., see Farooq, S. 702(1997)49
- Farmer, P.B., see Pauwels, W. 702(1997)77
- Farooq, S., Bailey, E., Farmer, P.B., Jukes, R., Lamb, J.H., Hernández, H., Sram, R. and Topinka, J.  
Determination of *cis*-thymine glycol in DNA by gas chromatography–mass spectrometry with selected ion recording and multiple reaction monitoring 702(1997)49
- Fauconnet, V., see Pouliquen, H. 702(1997)143
- Fook Sheung, C.T.C., see Cooper, J.D.H. 702(1997)227
- Frazier, D., see Cox, S.K. 702(1997)175
- Gallet, S., see Pepin, X. 702(1997)181
- Gambertoglio, J.G., see Jayewardene, A.L. 702(1997)203
- Goranscheva, J., see Vatsova, M. 702(1997)221
- Gouelo, D., see Pouliquen, H. 702(1997)157
- Gubbens-Stibbe, J.M., see Van der Geest, R. 702(1997)131
- Häberlein, H., see Boonen, G. 702(1997)240
- Hatton, C.K., see Aguilera, R. 702(1997)85
- Hay, M. and Mormède, P.  
Improved determination of urinary cortisol and cortisone, or corticosterone and 11-dehydrocorticosterone by high-performance liquid chromatography with ultraviolet absorbance detection 702(1997)33
- Hernández, H., see Farooq, S. 702(1997)49
- Hoogmartens, J., see Khan, K. 702(1997)69
- Imalalen, M., see Pepin, X. 702(1997)181
- Jayewardene, A.L., Santoro, J.E. and Gambertoglio, J.G.  
High-performance liquid chromatographic determination of pyrazoloacridine, a nitro-9-methoxyacridine anticancer agent, in human plasma 702(1997)203
- Jones, J.H., see McHowat, J. 702(1997)21
- Jukes, R., see Farooq, S. 702(1997)49
- Jung, M., Berger, G., Pohlen, U., Päuser, S., Reszka, R. and Buhr, H.J.  
Simultaneous determination of 5-fluorouracil and its active metabolites in serum and tissue by high-performance liquid chromatography 702(1997)193
- Kaiya, T., see Minami, C. 702(1997)245

- Kawai, M., see Minami, C. 702(1997)245
- Khan, K., Liekens, K., Van Aerschot, A., Van Schepdael, A. and Hoogmartens, J.  
Stability measurement of oligonucleotides in serum samples using capillary electrophoresis 702(1997)69
- Knebel, N.G. and Winkler, M.  
Rapid and automated determination of the  $\beta_2$ -agonist reprotofen in human plasma by atmospheric pressure chemical ionisation high-performance liquid chromatography-tandem mass spectrometry 702(1997)119
- Kohda, K., see Minami, C. 702(1997)245
- Kraemer, T., Vernaleken, I. and Maurer, H.H.  
Studies on the metabolism and toxicological detection of the amphetamine-like anorectic mefenorex in human urine by gas chromatography-mass spectrometry and fluorescence polarization immunoassay 702(1997)93
- Kruger, P., see Van der Geest, R. 702(1997)131
- Lamb, J.H., see Farooq, S. 702(1997)49
- Larhantec, M., see Pouliquen, H. 702(1997)157
- Lesgards, G., see Blache, D. 702(1997)103
- Liekens, K., see Khan, K. 702(1997)69
- Loreau, N., see Blache, D. 702(1997)103
- Luppa, P., see Probst, R. 702(1997)111
- Marzo, A. and Curti, S.  
 $\alpha$ -Carnitine moiety assay: an up-to-date reappraisal covering the commonest methods for various applications 702(1997)1
- Mateus, L., see Aguilera, R. 702(1997)85
- Maurer, H.H., see Kraemer, T. 702(1997)93
- McHowat, J., Jones, J.H. and Creer, M.H.  
Gradient elution reversed-phase chromatographic isolation of individual glycerophospholipid molecular species 702(1997)21
- Metreau, J.M., see Pepin, X. 702(1997)181
- Minami, C., Deng, Y., Urano, F., Kaiya, T., Kohda, K., Kawai, M. and Naoi, M.  
Preparation of (*R*)-*N*-methylsalsolinol via reversed-phase high-performance liquid chromatography using  $\beta$ -cyclodextrin as a mobile-phase additive 702(1997)245
- Mormède, P., see Hay, M. 702(1997)33
- Morvan, M.-L., see Pouliquen, H. 702(1997)143
- Naoi, M., see Minami, C. 702(1997)245
- Neumeier, D., see Probst, R. 702(1997)111
- Norlander, B., see Carlsson, B. 702(1997)234
- Orosz, S., see Cox, S.K. 702(1997)175
- Osterman-Golkar, S., see Pauwels, W. 702(1997)77
- Patel, R., see Chang, S.-Y. 702(1997)149
- Päuser, S., see Jung, M. 702(1997)193
- Pauwels, W., Farmer, P.B., Osterman-Golkar, S., Severi, M., Cordero, R., Bailey, E. and Veulemans, H.  
Ring test for the determination of N-terminal valine adducts of styrene 7,8-oxide with haemoglobin by the modified Edman degradation technique 702(1997)77
- Pepin, X., Attali, L., Domrault, C., Gallet, S., Metreau, J.M., Reault, Y., Cardot, P.J.P., Imalalen, M., Dubernet, C., Soma, E. and Couvreur, P.  
On the use of ion-pair chromatography to elucidate doxorubicin release mechanism from polyalkylcyanoacrylate nanoparticles at the cellular level 702(1997)181
- Piccoli, G., see Ceccaroli, P. 702(1997)41
- Pilet, N., see Pouliquen, H. 702(1997)157
- Pinault, L., see Pouliquen, H. 702(1997)143
- Pinault, L., see Pouliquen, H. 702(1997)157
- Pohlen, U., see Jung, M. 702(1997)193
- Popot, M.A., see Aguilera, R. 702(1997)85
- Pouliquen, H., Fauconnet, V., Morvan, M.-L. and Pinault, L.  
Determination of warfarin in the yolk and the white of hens' eggs by reversed-phase high-performance liquid chromatography 702(1997)143
- Pouliquen, H., Gouelo, D., Larhantec, M., Pilet, N. and Pinault, L.  
Rapid and simple determination of oxolinic acid and oxytetracycline in the shell of the blue mussel (*Mytilus edulis*) by high-performance liquid chromatography 702(1997)157
- Probst, R., Blobner, M., Luppa, P. and Neumeier, D.  
Quantification of the neuromuscular blocking agent rocuronium and its putative metabolite 17-desacetylrocuronium in heparinized plasma by capillary gas chromatography using a nitrogen sensitive detector 702(1997)111
- Reault, Y., see Pepin, X. 702(1997)181
- Reszka, R., see Jung, M. 702(1997)193
- Rubsam, L.Z. and Shewach, D.S.  
Improved method to prepare RNA-free DNA from mammalian cells 702(1997)61
- Rustan, I., see Blache, D. 702(1997)103
- Santoro, J.E., see Jayewardene, A.L. 702(1997)203
- Severi, M., see Pauwels, W. 702(1997)77
- Shearsby, N.J., see Cooper, J.D.H. 702(1997)227
- Shewach, D.S., see Rubsam, L.Z. 702(1997)61
- Shibamoto, T., see Ebeler, S.E. 702(1997)211
- Soma, E., see Pepin, X. 702(1997)181
- Sram, R., see Farooq, S. 702(1997)49
- Stass, H. and Dalhoff, A.  
Determination of BAY 12-8039, a new 8-methoxyquinolone, in human body fluids by high-performance liquid chromatography with fluorescence detection using on-column focusing 702(1997)163
- Stocchi, V., see Ceccaroli, P. 702(1997)41
- Taylor, J.E., see Cooper, J.D.H. 702(1997)227
- Topinka, J., see Farooq, S. 702(1997)49
- Tyutyulkova, N., see Vatsova, M. 702(1997)221
- Tzvetanov, S., see Vatsova, M. 702(1997)221
- Urano, F., see Minami, C. 702(1997)245
- Vachharajani, N.N., see Chang, S.-Y. 702(1997)149
- Van Aerschot, A., see Khan, K. 702(1997)69
- Van der Geest, R., Kruger, P., Gubbens-Stibbe, J.M., van Laar, T., Bodde, H.E. and Danhof, M.  
Assay of *R*-apomorphine, *S*-apomorphine, apocodeine, isoapocodeine and their glucuronide and sulfate conjugates in plasma and urine of patients with Parkinson's disease 702(1997)131
- Van Laar, T., see van der Geest, R. 702(1997)131
- Van Schepdael, A., see Khan, K. 702(1997)69

- Vatsova, M., Tzvetanov, S., Drenská, A., Goranscheva, J. and Tyutyulkova, N.  
Improved gas chromatographic-mass spectrometric method for the quantitative determination of vincristine in human plasma 702(1997)221
- Vernaleken, I., see Kraemer, T. 702(1997)93
- Veulermans, H., see Pauwels, W. 702(1997)77
- Whigan, D.B., see Chang, S.-Y. 702(1997)149
- Winkler, M., see Knebel, N.G. 702(1997)119
- Xiong, Z.  
Simple one-step procedure for the separation of apolipoproteins A1 and A2 by high-performance liquid chromatography 702(1997)216