



ELSEVIER

Journal of Chromatography B, 724 (1999) 203–204

JOURNAL OF
CHROMATOGRAPHY B

Erratum

Erratum to: “Poly(ethylene glycol)-salt aqueous two-phase systems with easily recyclable volatile salts”

[J. Chromatogr. B, 711 (1998) 61–68]¹

Mos van Berlo, Karel Ch.A.M. Luyben, Luuk A.M. van der Wielen*

Kluyver Laboratory for Biotechnology, Delft University of Technology, Julianalaan 67, 2628 BC Delft, The Netherlands

The symbols used in Figs. 1, 2, and 6 do not correspond correctly to those given in the respective captions. In the captions, the squares should be replaced by the circles, and vice versa. The figures with corrected corresponding captions are given below.




Fig. 1. Density differences of PEG+ammonium carbamate+water systems as a function of tie-line length and for different PEG molecular masses. (diamond) PEG 2000; (circle) PEG 4000; (square) PEG 10000.

*Corresponding author. Tel.: +31-15-278-2361; fax: +31-15-278-2355.

¹PII of original article: S0378-4347(97)00627-0.




Fig. 2. Viscosity of the top phase of PEG+ammonium carbamate+water systems as a function of tie-line length for different PEG molecular masses. (diamond) PEG 2000; (circle) PEG 4000; (square) PEG 10000.




Fig. 6. Binodals of PEG+ammonium carbamate+water systems for different PEG molecular masses. (diamond) PEG 2000; (circle) PEG 4000; (square) PEG 10000.