



ELSEVIER

**JOURNAL OF
CHROMATOGRAPHY B**

Journal of Chromatography B, 725 (1999) 139–196

AUTHOR INDEX**J. CHROMATOGR. B VOLS. 701–725****A**

- Abbas, S., see Khan, P. 721(1999)279
- Abe, T., Kurozumi, Y., Yao, W.-B. and Ubuka, T.
High-performance liquid chromatographic determination of β -alanine, β -aminoisobutyric acid and γ -aminobutyric acid in tissue extracts and urine of normal and (aminoxy)acetate-treated rats 712(1998)43
- Åberg, F., see Olsson, J. 707(1998)51
- Abernethy, D.R., see Thacker, D.L. 710(1998)149
- Abidi, S.L.
Separation procedures for phosphatidylserines 717(1998)279
- Abou-Auda, H.S., Al-Yamani, M.J., Morad, A.M., Bawazir, S.A., Khan, S.Z. and Al-Khamis, K.I.
High-performance liquid chromatographic determination of furosemide in plasma and urine and its use in bioavailability studies 710(1998)121
- Abraham, I., Fawcett, J.P., Kennedy, J., Kumar, A. and Ledger, R.
Simultaneous analysis of lignocaine and bupivacaine enantiomers in plasma by high-performance liquid chromatography 703(1997)203
- Abrahm, M., see Bentley, M.C. 723(1999)185
- Adas, F., Picart, D., Berthou, F., Simon, B. and Amet, Y.
Liquid chromatography–mass spectrometry and gas chromatography–mass spectrometry of ω - and (ω -1)-hydroxylated metabolites of elaidic and oleic acids in human and rat liver microsomes 714(1998)133
- Addison, R.S., see Franklin, M.E. 705(1998)47
- Addison, R.S., Franklin, M.E. and Hooper, W.D.
Sensitive, high-throughput gas chromatographic–mass spectrometric assay for fluoxetine and norfluoxetine in human plasma and its application to pharmacokinetic studies 716(1998)153
- Advenier, C., see Alvarez, J.-C. 707(1998)175
- Agarwal, R.
Chromatographic estimation of iothalamate and *p*-aminohippuric acid to measure glomerular filtration rate and effective renal plasma flow in humans 705(1998)3
- Agasøster, T.
Aqueous two-phase partitioning sample preparation prior to liquid chromatography of hydrophilic drugs in blood 716(1998)293
- Ageland, H., see Persson, J. 711(1998)97
- Aguilera, R., Becchi, M., Mateus, L., Popot, M.A., Bonnaire, Y., Casabianca, H. and Hatton, C.K.
Detection of exogenous hydrocortisone in horse urine by gas chromatography–combustion–carbon isotope ratio mass spectrometry 702(1997)85
- Aguinaga, M.d.P., see Iyamu, E.W. 709(1998)119
- Ahlmark, M., see Niemi, R. 701(1997)97
- Ahmed, F., Vyas, V., Saleem, A., Li, X.-G., Zamek, R., Cornfield, A., Haluska, P., Ibrahim, N., Rubin, E.H. and Gupta, E.
High-performance liquid chromatographic quantitation of total and lactone 20(S)camptothecin in patients receiving oral 20(S)camptothecin 707(1998)227
- Ahmed, L.S., Moorehead, H., Leitch, C.A. and Liechty, E.A.
Determination of the specific activity of sheep plasma amino acids using high-performance liquid chromatography: comparison study between liquid scintillation counter and on-line flow-through detector 710(1998)27
- Ahr, G., see Dankers, J. 710(1998)115
- Aiache, J.M., see Galmier, M.J. 720(1998)239
- Aichholz, R., see Blum, W. 720(1998)171
- Aires-Barros, M.R., see Almeida, M.C. 711(1998)151
- Aires-Barros, M.R., see Cunha, M.T. 711(1998)53
- Ajiki, S.-i., see Yang, Q. 707(1998)131
- Aijan, R.A., see Hussain, F.N. 716(1998)257
- Akane, A., see Yoshida, M. 718(1998)55
- Åkesson, B., see Jönsson, B.A.G. 704(1997)151
- Akiba, Y., see Lin, B. 704(1997)99
- Akimoto, S., see Hanada, K. 710(1998)129
- Akiyama, T., see Kawada, T. 714(1998)375
- Albers, L., see Vu, R.L. 703(1997)195
- Albert, K., see Dachtler, M. 720(1998)211
- Alberts, D., see Batta, A.K. 706(1998)337

- Al-Dirbashi, O., Qvarnstrom, J., Irgum, K. and Nakashima, K.
Simple and sensitive high-performance liquid chromatographic determination of methamphetamines in human urine as derivatives of 4-(4,5-diphenyl-1H-imidazol-2-yl) benzoyl chloride, a new fluorescence derivatization reagent 712(1998)105
- Aletras, A., see Makatsori, E. 712(1998)23
- Alexander Jr., J., see Kawada, T. 714(1998)375
- Ali, H.M., see Azzam, R.M. 708(1998)304
- Ali, S.M., see Handley, M.K. 716(1998)239
- Alkatheeri, N.A., see Wasfi, I.A. 709(1998)209
- Al-Khamis, K.I., see Abou-Auda, H.S. 710(1998)121
- Alling, C., see Gunnarsson, T. 705(1998)243
- Allmaier, G., see Roos, M. 705(1998)183
- Almeida, M.C., Venâncio, A., Teixeira, J.A. and Aires-Barros, M.R.
Cutinase purification on poly(ethylene glycol)-hydroxypropyl starch aqueous two-phase systems 711(1998)151
- Almenoff, P.L., see Brooks, J.B. 712(1998)1
- Almond, R., see Jemal, M. 703(1997)167
- Almstead, N.G., see Peng, S.X. 724(1999)181
- Alonso, R.M., see Ceniceros, C. 705(1998)97
- Alonso, R.M., see Prieto, J.A. 714(1998)285
- Alric, R., see Cociglio, M. 705(1998)79
- Altieri, I., see Ricciarello, R. 707(1998)219
- Altria, K.D., Smith, N.W. and Turnbull, C.H.
Analysis of acidic compounds using capillary electrochromatography 717(1998)341
- Altria, K.D., Wallberg, M. and Westerlund, D.
Separation of a range of cations by nonaqueous capillary electrophoresis using indirect and direct detection 714(1998)99
- Alvarez, J.-C., Bothua, D., Collignon, I., Advenier, C. and Spreux-Varoquaux, O.
Determination of fluoxetine and its metabolite norfluoxetine in serum and brain areas using high-performance liquid chromatography with ultraviolet detection 707(1998)175
- Álvarez-Cedrón, L., Sayalero, M. and Lanao, J.M.
High-performance liquid chromatographic validated assay of doxorubicin in rat plasma and tissues 721(1999)271
- Al-Yamani, M.J., see Abou-Auda, H.S. 710(1998)121
- Amano, T., see Nagao, M. 701(1997)9
- Amano, T., see Ohta, R. 704(1997)325
- Amatschek, K., see Necina, R. 715(1998)191
- Ambrose, D.L. and Fritz, J.S.
High-performance liquid chromatographic determination of drugs and metabolites in human serum and urine using direct injection and a unique molecular sieve 709(1998)89
- Amet, Y., see Adas, F. 714(1998)133
- Amey, M., see Kosel, M. 719(1998)234
- Ameyibor, E. and Stewart, J.T.
Resolution and quantitation of pentazocine enantiomers in human serum by reversed-phase high-performance liquid chromatography using sulfated β -cyclodextrin as chiral mobile phase additive and solid-phase extraction 703(1997)273
- Amin, M.R., see Khan, R.I. 710(1998)17
- Anderegg, G., see Chollet, D.F. 707(1998)334
- Anderson, C.J., see Poch, G.K. 724(1999)23
- Anderson, J.C., see Hussain, F.N. 716(1998)257
- Anderson, M.K., see Homan, R. 708(1998)21
- Andersson, B.S., see Chow, D.S.-L. 704(1997)277
- Andraus, M.H. and Siqueira, M.E.P.B.
Determination of butorphanol in horse race urine by immunoassay and gas chromatography-mass spectrometry 704(1997)143
- André, F., see Le Bizec, B. 723(1999)157
- Andrews, A.T., see Isgrove, F.H. 711(1998)91
- Andrews, B.A., see Asenjo, J.A. 711(1998)1
- Andrews, B.A., see Merchuk, J.C. 711(1998)285
- Andrews, B.A., see Salamanca, M.H. 711(1998)319
- Andrieux, K., Lesieur, S., Ollivon, M. and Grabielle-Madelmont, C.
Methodology for vesicle permeability study by high-performance gel exclusion chromatography 706(1998)141
- Angelo, H.A., Beck, N. and Kristensen, K.
Enantioselective high-performance liquid chromatographic method for the determination of methadone and its main metabolite in urine using an AGP and a C₈ column coupled serially 724(1999)35
- Anger, P., see Vial, J. 708(1998)131
- Angerer, J., see Bader, M. 710(1998)91
- Angerer, J., see Hardt, J. 723(1999)139
- Angerer, J. and Weismantel, A.
Biological monitoring of dinitrotoluene by gas chromatographic-mass spectrometric analysis of 2,4-dinitrobenzoic acid in human urine 713(1998)313
- Angermaier, L., see Deinl, I. 704(1997)251
- Ansari, G.A.S., see Kaphalia, B.S. 705(1998)269
- Anspach, F.B., see Petsch, D. 707(1998)121
- Antoniazzi, F., see Tagliaro, F. 716(1998)77
- Anwer, M.K., see Lawless, M.K. 707(1998)213
- Appenzeller, M., see Decosterd, L.A. 703(1997)25
- Arai, T.
Chiral separation of pharmaceuticals possessing a carboxy moiety 717(1998)295
- Arakawa, H., Nakashiro, S., Tsuji, A. and Maeda, M.
Analysis of polymerase chain reaction products by high-performance liquid chromatography with fluorimetric detection and its application to DNA diagnosis 716(1998)119
- Araki, H., see Moriyama, M. 723(1999)301
- Araki, T., see Sakai, T. 704(1997)77
- Arboix, M., see Cristòfol, C. 709(1998)310
- Arbughi, T., Bertani, F., Celeste, R., Grotti, A. and Tirone, P.
High-performance liquid chromatographic determination of the X-ray imaging contrast agent, iofratol, in plasma and urine 701(1997)103
- Arbughi, T., Bertani, F., Celeste, R., Grotti, A., Sillari, S. and Tirone, P.
High-performance liquid chromatographic determination of the magnetic resonance imaging contrast agent gadobenate ion in plasma, urine, faeces, bile and tissues 713(1998)415
- Arcelloni, C., see Fermo, I. 719(1998)31
- Argoudelis, C.J.
Identification of the vitamers of vitamin B₆ excreted by a yeast mutant growing in a glucose minimal culture medium 721(1998)21

- Arlt, J.W., see Maurer, H.H. 714(1998)181
 Arnera, V., see Chollet, D.F. 701(1997)81
 Arnera, V., see Chollet, D.F. 707(1998)334
 Arnera, V., see Chollet, D.F. 718(1998)163
 Arrebolá, F.J., see Martínez Vidal, J.L. 719(1998)71
 Arroyo, C., see García-Capdevila, L. 708(1998)169
 Arvidsson, T., see Eklund, E. 708(1998)195
 Arvidsson, T., see Engman, M. 709(1998)57
 Asafu-Adjaye, E.B. and Shiu, G.K.
 Solid-phase extraction–high-performance liquid chromatography determination of verapamil and norverapamil enantiomers in urine 707(1998)161
 Asenjo, J.A., Andrews, B.A., Treffry, T.E.
 Preface 711(1998)1
 Asenjo, J.A., see Merchuk, J.C. 711(1998)285
 Asenjo, J.A., see Salamanca, M.H. 711(1998)319
 Asoh, Y., see Ishigai, M. 706(1998)261
 Assidjo, E., Chianéa, T., Dreyfuss, M.-F. and Cardot, P.J.P.
 Validation procedures of sedimentation field-flow fractionation techniques for biological applications 709(1998)197
 Aswania, O.A., Corlett, S.A. and Chrystyn, H.
 Validation of a high-performance liquid chromatography assay for urinary nedocromil sodium following oral and inhaled administration 718(1998)290
 Athanasis, S., see Kidwell, D.A. 713(1998)111
 Athanasis, S., see Kidwell, D.A. 721(1999)333
 Atlán, A., see Braud, C. 706(1998)73
 Attali, L., see Pepin, X. 702(1997)181
 Audran, M., see Farenc, C. 724(1999)117
 Auriola, S., Frith, J., Rogers, M.J., Koivuniemi, A. and Mönkkönen, J.
 Identification of adenine nucleotide-containing metabolites of bisphosphonate drugs using ion-pair liquid chromatography–electrospray mass spectrometry 704(1997)187
 Auriola, S., see Ranta, V.-P. 709(1998)1
 Authier, N., see Couderé, F. 721(1999)317
 Avenoso, A., Facciolà, G., Campo, G.M., Fazio, A. and Spina, E.
 Determination of clozapine, desmethylclozapine and clozapine *N*-oxide in human plasma by reversed-phase high-performance liquid chromatography with ultraviolet detection 714(1998)299
 Awadé, A.C. and Efstatithou, T.
 Comparison of three liquid chromatographic methods for egg-white protein analysis 723(1999)69
 Aweeka, F.T., see Jayewardene, A.L. 707(1998)203
 Aymard, G., Legrand, M., Comets, E., Mentré, F. and Diquet, B.
 Rapid and simple micromethod for the quantification of fluindione in human plasma using high-performance liquid chromatography 707(1998)169
 Ayrton, J., Dear, G.J., Leavens, W.J., Mallett, D.N. and Plumb, R.S.
 Use of generic fast gradient liquid chromatography–tandem mass spectroscopy in quantitative bioanalysis 709(1998)243
 Ananza, J.R., see Campanero, M.A. 706(1998)311
 Azzam, R.M., Notarianni, L.J. and Ali, H.M.
 Rapid and simple chromatographic method for the determination of diazepam and its major metabolites in human plasma and urine 708(1998)304
 Azzolini, C.B.F., see Lino, C.M. 716(1998)147
- ## B
- Ba, B., see Frappier, S. 714(1998)384
 Ba, B.B., Corniot, A.-G., Ducint, D., Breih, D., Grellet, J. and Saux, M.-C.
 Determination of phosphonoformate (fosfomycin) in calf and human serum by automated solid-phase extraction and high-performance liquid chromatography with amperometric detection 724(1999)127
 Ba, B.B., Ducint, D., Fourtillan, M. and Saux, M.-C.
 Fully automated high-performance liquid chromatography of ciprofloxacin with direct injection of plasma and Mueller–Hinton broth for pharmacokinetic/pharmacodynamic studies 714(1998)317
 Bach, G.A. and Henion, J.
 Quantitative capillary electrophoresis–ion-trap mass spectrometry determination of methylphenidate in human urine 707(1998)275
 Bader, M., Göen, T., Müller, J. and Angerer, J.
 Analysis of nitroaromatic compounds in urine by gas chromatography–mass spectrometry for the biological monitoring of explosives 710(1998)91
 Baert, K., see Delbeke, F.T. 704(1997)207
 Bailey, E., see Farooq, S. 702(1997)49
 Bailey, E., see Pauwels, W. 702(1997)77
 Baker, G.B., see Lai, C.-T. 704(1997)175
 Baker, P.R., see Cooper, J.D.H. 701(1997)87
 Baker, P.V., see Franklin, M.E. 705(1998)47
 Baker, W.L., see Chen, X.P. 709(1998)19
 Baldwin, D., see Ward, H. 707(1998)295
 Balland, A., see Gaillard, Y. 703(1997)85
 Balta, Y., see Kaplan, B. 704(1997)69
 Baltes, M.R.H., Dubois, J.G. and Hanocq, M.
 Ethyl acetate extraction procedure and isocratic high-performance liquid chromatographic assay for testosterone metabolites in cell microsomes 706(1998)201
 Bangchang, K.N., see Gorichon, E. 712(1998)259
 Bank, R.A., Beekman, B., Tenni, R. and TeKoppele, J.M.
 Pre-column derivatisation method for the measurement of glycosylated hydroxylysines of collagenous proteins 703(1997)267
 Bank, R.A., Beekman, B., Verzijl, N., de Roos, J.A.D.M., Sakkee, A.N. and TeKoppele, J.M.
 Sensitive fluorimetric quantitation of pyridinium and pentosidine crosslinks in biological samples in a single high-performance liquid chromatographic run 703(1997)37

- Banks, P.R., see Paquette, D.M. 714(1998)47
- Bannon, P., Yu, P., Cook, J.M., Roy, L. and Villeneuve, J.-P. Identification of quinine metabolites in urine after oral dosing in humans 715(1998)387
- Bao, J.J., Parekh, N.J. and Shuja, A. Separation and quantitation of azimilide and its putative metabolites by capillary electrophoresis 720(1998)129
- Baraldini, M., see Roda, A. 717(1998)263
- Baranowska, I., see Baranowski, J. 707(1998)317
- Baranowski, J., Pochopień, G. and Baranowska, I. Determination of nicotine, cotinine and caffeine in meconium using high-performance liquid chromatography 707(1998)317
- Baratova, L.A., see Fedorova, N.V. 706(1998)83
- Barclay, D., see van Dael, P. 715(1998)341
- Barder, T.J., see Paasch, B.D. 704(1997)231
- Bareggi, S.R., see Pirola, R. 705(1998)309
- Barezaiq, I.M., see Wasfi, I.A. 709(1998)209
- Barington, K.A., see Kaersgaard, P. 715(1998)357
- Barnes, C., see Goil, S. 705(1998)203
- Barrett, D.A., see Erah, P.O. 705(1998)63
- Barrón, L.J.R., see Perona, J.S. 706(1998)173
- Barry, C., see Buick, R.K. 720(1998)71
- Bartels, H. and Bartels, R. Simple, rapid and sensitive determination of protonamide in human serum by high-performance liquid chromatography 707(1998)338
- Bartels, M.J., Brzak, K.A. and Bormett, G.A. Determination of *ortho*-phenylphenol in human urine by gas chromatography–mass spectrometry 703(1997)97
- Bartels, R., see Bartels, H. 707(1998)338
- Barten, M., see Gummert, J.F. 721(1999)321
- Barteri, M., see Pala, A. 704(1997)25
- Bartlett, M.G., see Srinivasan, K. 703(1997)289
- Barua, A.B. and Olson, J.A. Reversed-phase gradient high-performance liquid chromatographic procedure for simultaneous analysis of very polar to nonpolar retinoids, carotenoids and tocopherols in animal and plant samples 707(1998)69
- Basileo, G., Breda, M. and James, C.A. Determination of PNU 157706, a new dual inhibitor of 5 α -reductase, in rat plasma by high-performance liquid chromatography with ultraviolet detection 719(1998)191
- Bastide, M., see Galmier, M.J. 720(1998)239
- Bateson, A.N., see Lai, C.-T. 704(1997)175
- Batta, A.K. and Salen, G. Gas chromatography of bile acids 723(1999)1
- Batta, A.K., Salen, G., Rapole, K.R., Batta, M., Earnest, D. and Alberts, D. Capillary gas chromatographic analysis of serum bile acids as the *n*-butyl ester–trimethylsilyl ether derivatives 706(1998)337
- Batta, M., see Batta, A.K. 706(1998)337
- Baudin, B., see Mario, N. 706(1998)123
- Bauer, J., see Canut, H. 722(1999)121
- Bauer, J. Advances in cell separation: recent developments in counterflow centrifugal elutriation and continuous flow cell separation 722(1999)55
- Bauer, S., see Walter, S. 720(1998)231
- Baumann, P., see Kosel, M. 719(1998)234
- Baune, B., see Iglarz, M. 714(1998)335
- Bautista, D.L., see Chao, H. 715(1998)307
- Bawazir, S.A., see Abou-Auda, H.S. 710(1998)121
- Bayne, W.F., see Birk, K.L. 719(1998)93
- Béal, A., see Couderé, F. 721(1999)317
- Beal, J.L. and Tett, S.E. Determination of pindolol enantiomers in human plasma and urine by simple liquid–liquid extraction and high-performance liquid chromatography 715(1998)409
- Beaumier-Gallon, G., Lanfranchi, J., Vergnes, M.-F., Lairon, D., Pastor, J., Pauli, A.M. and Portugal, H. Method for simultaneous measurements of traces of heptadeuterated cholesterol and cholesterol by gas chromatography–mass spectrometry: application in humans 718(1998)23
- Becchi, M., see Aguilera, R. 702(1997)85
- Bechgaard, E., Lindhardt, K. and Martinsen, L. High-performance liquid chromatographic analysis of melatonin in human plasma and rabbit serum with on-line column enrichment 712(1998)177
- Beck, M.-A., see Boonen, G. 702(1997)240
- Beck, N., see Angelo, H.A. 724(1999)35
- Beck, T., see Heil, M. 714(1998)119
- Beckmann, A., Gebhardt, F. and Brandt, B.H. Direct quantification of polymerase chain reaction fragments using field-amplified sample injection in capillary zone electrophoresis for gene dosage estimation 710(1998)75
- Bedford, C.T. Glucuronic acid conjugates 717(1998)313
- Beekman, B., see Bank, R.A. 703(1997)37
- Beekman, B., see Bank, R.A. 703(1997)267
- Behrman, E.J. and Dean, D.H. Sodium peroxydisulfate is a stable and cheap substitute for ammonium peroxydisulfate (persulfate) in polyacrylamide gel electrophoresis 723(1999)325
- Beier, T. and Höltje, H.-D. Modified cyclodextrins as chiral selectors: molecular modelling investigations on the enantioselective binding properties of heptakis(2,3-di-O-methyl-6-O-*tert*-butyldimethylsilyl)- β -cyclodextrin 708(1998)1
- Beijnen, J.H., see Hoetelmans, R.M.W. 705(1998)119
- Beijnen, J.H., see Hoetelmans, R.M.W. 713(1998)387
- Beijnen, J.H., see Huitema, A.D.R. 716(1998)177
- Beijnen, J.H., see Huizing, M.T. 709(1998)161
- Beijnen, J.H., see Kerbusch, T. 716(1998)275
- Beijnen, J.H., see Rosing, H. 710(1998)183
- Beijnen, J.H., see Sparidans, R.W. 705(1998)331
- Beijnen, J.H., see van Asperen, J. 712(1998)129
- Beijnen, J.H., see Van Heeswijk, R.P.G. 713(1998)395
- Beijnen, J.H., see Van Heeswijk, R.P.G. 719(1998)159
- Beijnen, J.H., see Van Maanen, R.J. 719(1998)103
- Beijnen, J.H., see Van Tellingen, O. 719(1998)251
- Bektaş, S., see Ibrahim, E.-H. 720(1998)217
- Bélaz, N., see Decosterd, L.A. 703(1997)25
- Belenky, A., see Gilar, M. 714(1998)13
- Bellamy, G.M., see Dills, R.L. 703(1997)105
- Belliardo, F., see Petro, M. 718(1998)187
- Benagiano, G., see Pala, A. 704(1997)25

- Benagiano, M., see Pala, A. 704(1997)25
 Benet, L.Z., see Mizuma, T. 718(1998)153
 Benet, L.Z., see Segarra, I. 720(1998)179
 Bennett, T.L., see Maguire, M.H. 707(1998)33
 Bentley, M.C., Abrar, M., Kelk, M., Cook, J. and Phillips, K.
 Validation of an assay for the determination of cotinine and
 3-hydroxycotinine in human saliva using automated solid-
 phase extraction and liquid chromatography with tandem
 mass spectrometric detection 723(1999)185
 Benzing, A., see Mueller, W. 716(1998)27
 Berek, D., see Petro, M. 718(1998)187
 Berg, D.E., see McAtee, C.P. 714(1998)325
 Berger, G., see Jung, M. 702(1997)193
 Bergés, R., Segura, J., De la Torre, X. and Ventura, R.
 Analytical methodology for enantiomers of salbutamol in
 human urine for application in doping control
 723(1999)173
 Bergqvist, Y., Funding, L., Kaneko, A., Krysén, B. and Leek, T.
 Improved method for the simultaneous determination of
 proguanil and its metabolites by high-performance liquid
 chromatography and solid-phase extraction of 100- μ l
 capillary blood samples dried on sampling paper
 719(1998)141
 Bernard-Gallon, D.J., see Hizel, C. 721(1999)163
 Bertani, F., see Arbughi, T. 701(1997)103
 Bertani, F., see Arbughi, T. 713(1998)415
 Berthou, F., see Adas, F. 714(1998)133
 Bertin, S., see Boutin, J.A. 725(1999)17
 Beyer, M., see Roos, M. 705(1998)183
 Beyssac, E., see Galmier, M.J. 720(1998)239
 Bhagwatwar, H.P., see Chow, D.S.-L. 704(1997)277
 Bhanger, M.I., see Khuhawar, M.Y. 723(1999)17
 Bhat, R.V., see Shetty, P.H. 705(1998)171
 Bheema Rao, P., see Jajoo, H.K. 707(1998)241
 Bhushan, R. and Thuku Thiongo, G.
 Direct enantioseparation of some β -adrenergic blocking
 agents using impregnated thin-layer chromatography
 708(1998)330
 Bhushan, V., see Jajoo, H.K. 707(1998)241
 Bianchi, L., Della Corte, L. and Tipton, K.F.
 Simultaneous determination of basal and evoked output
 levels of aspartate, glutamate, taurine and 4-aminobutyric
 acid during microdialysis and from superfused brain slices
 723(1999)47
 Bibas, P., see Chollet, D.F. 707(1998)334
 Bicanic, D., see Franko, M. 718(1998)47
 Biddlecombe, R.A., see Callejas, S.L. 718(1998)243
 Bignon, Y.-J., see Hizel, C. 721(1999)163
 Billa, N., see Peh, K.K. 701(1997)140
 Biollaz, J., see Decosterd, L.A. 703(1997)25
 Birk, K.L., Dru, J.D.-Y., Hsieh, J.Y.-K., Demetriades, J.L.,
 Matuszewski, B.K., Bayne, W.F., Woolf, E.J., Cairns, A.M.,
 Rogers, J.D. and Musson, D.G.
 Determination of pilocarpic acid in human plasma by
 capillary gas chromatography with mass-selective detection
 719(1998)93
 Birk, K.L., see Musson, D.G. (1998)99
 Birkenmeier, G. and Dietze, H.
 Separation of paraproteins from human plasma by
 membrane chromatography 704(1997)63
 Bishop, J., see Rivory, L.P. 714(1998)355
 Bitsch, I., see Shahrazad, S. 705(1998)87
 Blache, D., Rustan, I., Durand, P., Lesgards, G. and Loreau, N.
 Gas chromatographic analysis of resveratrol in plasma,
 lipoproteins and cells after *in vitro* incubations
 702(1997)103
 Blachon, M.F., see Martin, N. 709(1998)281
 Bladier, D., see Caron, M. 715(1998)153
 Bladier, D., see Fouillat, M. 706(1998)167
 Blankschtein, D., see Liu, C.-I. 711(1998)127
 Blaschke, G., see Gausepohl, C. 713(1998)443
 Blaschke, G., see Heitmeier, S. 721(1998)93
 Blaschke, G., see Heitmeier, S. 721(1998)109
 Blaschke, G., see Lerch, C. 708(1998)267
 Blaschke, G., see Meyring, M. 723(1999)255
 Blaschke, G., see Möller, J.-G. 716(1998)325
 Blaschke, G., see Szczesny, F. 718(1998)177
 Bleeker, C.P., see Vree, T.B. 721(1999)217
 Bleeker, E.A.J., see De Voogt, P. 724(1999)265
 Bleha, M., see Tishchenko, G.A. 706(1998)157
 Blobner, M., see Probst, R. 702(1997)111
 Blond, P., see Dancette, O.P. 723(1999)61
 Blum, W., Aichholz, R., Ramstein, P., Fetz, A. and Raschdorf,
 F.
 Determination of 2-hydroxypropyl- γ -cyclodextrin in plasma
 of cynomolgus monkeys after oral administration by gas
 chromatography-mass spectrometry 720(1998)171
 Blum, W., Pfaar, U. and Kühnöl, J.
 Rapid characterization of artemether and its *in vitro*
 metabolites on incubation with bovine hemoglobin, rat
 blood and dog blood by capillary gas chromatography-
 chemical ionization mass spectrometry 710(1998)101
 Blume, H., see Fieger-Büsches, H. 724(1999)281
 Blume, H., see Larsimont, V. 719(1998)222
 Boaz, K.R., see Huddleston, J.G. 711(1998)237
 Boccazzì, F.O., see D'Eramo, J.L. 720(1998)205
 Bochner, F., see Coller, J.K. 719(1998)87
 Bodde, H.E., see Van der Geest, R. 702(1997)131
 Bodis, M., see Geisel, J. 724(1999)239
 Bodlaender, J.M., see Slingerland, R.J. 716(1998)65
 Boehme, C.L. and Strobel, H.W.
 High-performance liquid chromatographic methods for the
 analysis of haloperidol and chlorpromazine metabolism in
 vitro by purified cytochrome P450 isoforms 718(1998)259
 Boffi, A., see Chiancone, E. 715(1998)81
 Bogusz, M.J., Maier, R.-D., Erkens, M. and Driessen, S.
 Determination of morphine and its 3- and 6-glucuronides,
 codeine, codeine-glucuronide and 6-monoacetylmorphine in
 body fluids by liquid chromatography atmospheric pressure
 chemical ionization mass spectrometry 703(1997)115
 Bogusz, M.J., Maier, R.-D., Krüger, K.-D. and Früchtlicht, W.
 Determination of flunitrazepam and its metabolites in blood
 by high-performance liquid chromatography-atmospheric
 pressure chemical ionization mass spectrometry
 713(1998)361
 Boháčová, V., Dočolomanský, P., Breier, A., Gemeiner, P. and
 Ziegelhöffer, A.
 Interaction of lactate dehydrogenase with anthraquinone
 dyes: characterization of ligands for dye-ligand
 chromatography 715(1998)273

- Bohle, J.F., see Van de Merbel, N.C. 708(1998)103
 Böhles, H., see Heil, M. 714(1998)119
 Bohnenstengel, F., Kroemer, H.K. and Sperker, B.
 In vitro cleavage of paracetamol glucuronide by human liver and kidney β -glucuronidase: determination of paracetamol by capillary electrophoresis 721(1999)295
- Boje, K.M.K., see Jaworowicz, D.J. 723(1999)293
 Bojesen, G., see Weimann, A. 721(1998)47
 Bolás-Fernández, F., see García, J.J. 723(1999)265
 Bonal, J., see García-Capdevila, L. 708(1998)169
 Bonato, P.S., see de Gaitani, C.M. 708(1998)177
 Bonato, P.S., see Lanchote, V.L. 709(1998)273
 Bondesson, U., see Engman, M. 709(1998)57
 Boni, N.S., see Wasfi, I.A. 709(1998)209
 Bonnaire, Y., see Aguilera, R. 702(1997)85
 Bonnaire, Y., see Dehenmin, L. 721(1999)301
 Bonnefoy, M., see Guitton, J. 719(1998)151
 Boonen, G., Beck, M.-A. and Häberlein, H.
 Contribution to the quantitative and enantioselective determination of kavapyrones by high-performance liquid chromatography on ChiraSpher NT material 702(1997)240
- Boos, J., see Szczesny, F. 718(1998)177
 Boos, K.-S., see Yu, Z. 704(1997)53
 Bootsma, A.H., see Vreken, P. 713(1998)281
 Boraston, A., see Tomme, P. 715(1998)283
 Borg, L., see Koch, C. 718(1998)41
 Börjesson, E., Sundin, A., Leeming, R. and Torstensson, L.
 New method for determination of fecal sterols in urine using non-chlorinated solvents 713(1998)438
- Borlak, J., see Tomori, É. 705(1998)105
 Bormett, G.A., see Bartels, M.J. 703(1997)97
 Bos, R.P., see Van Bekkum, Y.M. 701(1997)19
 Bosch-Reig, F., see Gallo Martinez, L. 718(1998)143
 Bosoni, T., see Rizzo, V. 706(1998)209
 Bosslet, K., see Mürdter, T.E. 709(1998)289
 Boštík, T., see Tishchenko, G.A. 706(1998)157
 Bothua, D., see Alvarez, J.-C. 707(1998)175
 Bouguen, A., see Rabiller-Baudry, M. 706(1998)23
 Boulton, D.W., see Dakers, J.M. 704(1997)215
 Boutin, J.A., Lambert, P.H., Bertin, S., Volland, J.P. and Fauchère, J.L.
 Physico-chemical and biological analysis of true combinatorial libraries 725(1999)17
- Bowman, K., see van Emon, J.M. 715(1998)211
 Bradbury, E.M., see Gurley, L.R. 712(1998)211
 Brakenhoff, J.P.G., see Hempenius, J. 714(1998)361
 Brambilla, G., see Buratti, M. 723(1999)95
 Brandt, B.H., see Beckmann, A. 710(1998)75
 Brätter, P., see Raab, A. 707(1998)17
 Braud, C., Devarieux, R., Atlan, A., Ducos, C. and Vert, M.
 Capillary zone electrophoresis in normal or reverse polarity separation modes for the analysis of hydroxy acid oligomers in neutral phosphate buffer 706(1998)73
- Bravo, E., see Pérez-Ruiz, T. 708(1998)249
 Bravo, E., see Pérez-Ruiz, T. 724(1999)319
 Braza, A.J., Modamio, P. and Mariño, E.L.
 Determination of celiprolol and oxprenolol in human plasma by high-performance liquid chromatography and the analytical error function 718(1998)267
- Brazelton, T.R., see Segarra, I. 720(1998)179
- Breda, M., see Basileo, G. 719(1998)191
 Breidbach, A., see Machnik, M. 723(1999)147
 Breier, A., see Boháčová, V. 715(1998)273
 Breilh, D., see Ba, B.B. 724(1999)127
 Breilh, D., see Frappier, S. 714(1998)384
 Breithaupt, H., see Kraemer, H.-J. 706(1998)319
 Breithaupt, H., see Kraemer, H.-J. 710(1998)191
 Brendel, E., see Dankers, J. 710(1998)115
 Brenneisen, R., see Ortuño, J. 723(1999)221
 Bressolle, F., see Farenc, C. 724(1999)117
 Bressolle, F., see Lagorce, P. (1998)107
 Breteau, M., see Le Guellec, C. 719(1998)227
 Brewin, N.J., see Rojas-Ojeda, P. 711(1998)139
 Brinkman, U.A.Th., see Veraart, J.R. 719(1998)199
 Brockmöller, J., see Walter, S. 720(1998)231
 Brocks, D.R., see Maboudian-Esfahani, M. 715(1998)417
 Brodfuehrer, J.I., Priebe, S. and Guttendorf, R.
 Achiral and chiral high-performance liquid chromatographic methods for clinafloxacin, a fluoroquinolone antibacterial, in human plasma 709(1998)265
- Brooks, J.B., Syriopoulou, V., Butler, W.R., Saroglou, G., Karydis, K. and Almenoff, P.L.
 Development of a quantitative chemical ionization gas chromatography-mass spectrometry method to detect tuberculostearic acid in body fluids 712(1998)1
- Brøsen, K., see Hansen, L.L. 712(1998)183
 Brown, A., see Noble, M. 711(1998)31
 Brun, A., see Mourier, P. 704(1997)197
 Brun, A., see Vial, J. 708(1998)131
 Brunnenberg, M., Lindenblatt, H., Gouzoulis-Mayfrank, E. and Kovar, K.-A.
 Quantitation of *N*-ethyl-3,4-methylenedioxymphetamine and its major metabolites in human plasma by high-performance liquid chromatography and fluorescence detection 719(1998)79
- Bruno, A., see Euli, D. 724(1999)373
 Bruns, K., see Fligge, T.A. 706(1998)91
 Brusini, G., see Ferrara, D.S. 713(1998)227
 Bruzeau, J., see Guitton, J. 719(1998)151
 Bruzzoniti, M.C., Mentasti, E. and Sarzanini, C.
 Carboxylic acids: prediction of retention data from chromatographic and electrophoretic behaviours 717(1998)3
- Brzak, K.A., see Bartels, M.J. 703(1997)97
 Bu, H.-Z., Khan, J.K., Poglod, M. and Micetich, R.G.
 Liquid chromatographic-electrospray tandem mass spectrometric determination of novel antifungal agents in plasma 724(1999)311
- Buclin, T., see Decosterd, L.A. 703(1997)25
 Budman, Y., see Gilar, M. 714(1998)13
 Buffalini, M., see Ceccaroli, P. 702(1997)41
 Buhr, H.J., see Jung, M. 702(1997)193
 Buck, R.K., Barry, C., Traynor, I.M., McCaughey, W.J. and Elliott, C.T.
 Determination of thyrostat residues from bovine matrices using high-performance liquid chromatography 720(1998)71
- Bult, A., see Rosing, H. 710(1998)183
 Buratti, M., see Fustinoni, S. 723(1999)105

- Buratti, M., Pellegrino, O., Valla, C., Fustinoni, S., Brambilla, G. and Colombi, A.
Gas chromatography-electron-capture detection of urinary methylhippuric acid isomers as biomarkers of environmental exposure to xylene 723(1999)95
- Buratti, M., see Perbellini, L. 724(1999)257
- Burbaud, L., see Vial, J. 708(1998)131
- Bureau, J., see Guitton, J. 719(1998)151
- Burestedt, E., see Norberg, J. 701(1997)39
- Burger, D.M., de Graaff, M., Wuis, E.W., Koopmans, P.P. and Hekster, Y.A.
Determination of indinavir, an HIV-protease inhibitor, in human plasma by reversed-phase high-performance liquid chromatography 703(1997)235
- Burgmann, H., see El Menyawi, I. 706(1998)347
- Burgmann, H., see El-Menyawi, I. 715(1998)445
- Burke, R.A. and Shockley, T.R.
Quantitation of dextran 70 in peritoneal dialysate from patients administered 7.5% polyglucose 718(1998)115
- Burnat, P., Robles, F. and Do, B.
High-performance liquid chromatographic determination of modafinil and its two metabolites in human plasma using solid-phase extraction 706(1998)295
- Burnette, J., see Cox, S.K. 702(1997)175
- Burnette, J.D., see Cox, S.K. 705(1998)145
- Burnouf, T., Goubran, H. and Radosevich, M.
Application of bioaffinity technology in therapeutic extracorporeal plasmapheresis and large-scale fractionation of human plasma 715(1998)65
- Burton, D.E., see Peng, S.X. 709(1998)157
- Busch, U. and Nitschko, H.
Methods for the differentiation of microorganisms 722(1999)263
- Bustamante, J., see Haro, L.S. 720(1998)39
- Butler, W.R., see Brooks, J.B. 712(1998)1
- Butter, J.J., see Portier, E.J.G. 723(1999)313
- C**
- Cabanis, J.-C., see Carando, S. 707(1998)195
- Cabral, J.M.S., see Cunha, M.T. 711(1998)53
- Cabral, J.M.S., see Marcos, J.C. 711(1998)295
- Caccialanza, G., see Massolini, G. 712(1998)83
- Cadet, J., see D'Ham, C. 710(1998)67
- Cadet, J., see Ravanat, J.-L. 715(1998)349
- Cairns, A.M., see Birk, K.L. 719(1998)93
- Cairns, A.M., see Musson, D.G. (1998)99
- Caldarera, C.M., see Muscari, C. 707(1998)301
- Callejas, S.L., Biddlecombe, R.A., Jones, A.E., Joyce, K.B., Pereira, A.I. and Pleasance, S.
Determination of the glucocorticoid fluticasone propionate in plasma by automated solid-phase extraction and liquid chromatography-tandem mass spectrometry 718(1998)243
- Calvo, R., see Valle, M. 724(1999)83
- Cameron, L., see Rosing, H. 710(1998)183
- Camí, J., see Ortúño, J. 723(1999)221
- Camilot, M., see Tagliaro, F. 716(1998)77
- Campanero, M.A., Sadaba, B., García-Quetglas, E. and Azanza, J.R.
Development and validation of a sensitive method for the determination of ganciclovir in human plasma samples by reversed-phase high-performance liquid chromatography 706(1998)311
- Campanero, M.A., see Valle, M. 724(1999)83
- Campbell, D.A., see Wieboldt, R. 708(1998)121
- Campestrini, J., Lecaillon, J.B. and Godbillon, J.
Automated and sensitive method for the determination of formoterol in human plasma by high-performance liquid chromatography and electrochemical detection 704(1997)221
- Campíns-Falcó, P., see Gallo Martinez, L. 718(1998)143
- Campo, G.M., see Avenoso, A. 714(1998)299
- Candiano, G., see Musante, L. 705(1998)351
- Cannavan, A., Haggan, S.A. and Kennedy, D.G.
Simultaneous determination of thiabendazole and its major metabolite, 5-hydroxythiabendazole, in bovine tissues using gradient liquid chromatography with thermospray and atmospheric pressure chemical ionisation mass spectrometry 718(1998)103
- Cann-Moisan, C., see Duine, J.M. 716(1998)350
- Cantor, C.R., see Sano, T. 715(1998)85
- Canut, H., Bauer, J. and Weber, G.
Separation of plant membranes by electromigration techniques 722(1999)121
- Capanni, C., see Muscari, C. 707(1998)301
- Caraco, Y., see He, H. 708(1998)185
- Carando, S., Teissedre, P.-L. and Cabanis, J.-C.
Comparison of (+)-catechin determination in human plasma by high-performance liquid chromatography with two types of detection: fluorescence and ultraviolet 707(1998)195
- Cardoni, P., see Ceccaroli, P. 702(1997)41
- Cardot, P.J.P., see Assidjo, E. 709(1998)197
- Cardot, P.J.P., see Pepin, X. 702(1997)181
- Carey, M.E., see Soblosky, J.S. 712(1998)31
- Carlson, M.G., see Mehta, A. 719(1998)9
- Carlsson, B. and Norlander, B.
Solid-phase extraction with end-capped C₂ columns for the routine measurement of racemic citalopram and metabolites in plasma by high-performance liquid chromatography 702(1997)234
- Carlton, R.A., see Hsu, B.H. 725(1999)103
- Caroff, J., see Duine, J.M. 716(1998)350
- Caron, M., see Fouillit, M. 706(1998)167
- Caron, M., Sève, A.-P., Bladier, D. and Joubert-Caron, R.
Glycoaffinity chromatography and biological recognition 715(1998)153
- Carpena-Ruiz, R., see Rojas-Ojeda, P. 711(1998)139

- Carrera, A., see Pons, B. 716(1998)139
- Carreras, D., see Muñoz-Guerra, J. 704(1997)129
- Carson, M.C. and Heller, D.N.
Confirmation of spectinomycin in milk using ion-pair solid-phase extraction and liquid chromatography-electrospray ion trap mass spectrometry 718(1998)95
- Carson, M.C., Ngoh, M.A. and Hadley, S.W.
Confirmation of multiple tetracycline residues in milk and oxytetracycline in shrimp by liquid chromatography-particle beam mass spectrometry 712(1998)113
- Casabianca, H., see Aguilera, R. 702(1997)85
- Cassagne, C., see Santarelli, X. 706(1998)13
- Casteel, D.A., see Lee, S. 704(1997)181
- Castegnaro, M., Garren, L., Galendo, D., Gelderblom, W.C.A., Chelule, P., Dutton, M.F. and Wild, C.P.
Analytical method for the determination of sphinganine and sphingosine in serum as a potential biomarker for fumonisins exposure 720(1998)15
- Castillo, R., see del Rivero, L.M. 712(1998)237
- Catalin, J., see Martin, N. 709(1998)281
- Ceccaroli, P., Cardoni, P., Buffalini, M., De Bellis, R., Piccoli, G. and Stocchi, V.
Separation of hexokinase activity using different hydrophobic interaction supports 702(1997)41
- Ceccato, A., see Streel, B. (1998)119
- Celeste, R., see Arboghi, T. 701(1997)103
- Celeste, R., see Arboghi, T. 713(1998)415
- Ceniceros, C., Maguregui, M.I., Jiménez, R.M. and Alonso, R.M.
Quantitative determination of the β -blocker labetalol in pharmaceuticals and human urine by high-performance liquid chromatography with amperometric detection 705(1998)97
- Cert, A., see Pacheco, Y.M. 714(1998)127
- Cetta, G., see Viglio, S. 714(1998)87
- Cha, I.-J., see Shin, J.-G. 713(1998)452
- Cha, K.-S., see Park, H.-M. 719(1998)217
- Chabenat, C., see Ferranti, V. 718(1998)199
- Chai, T.-j., see Hwang, D.-F. 716(1998)397
- Chan, E.C.Y. and Ho, P.C.
Enantiomeric separation of tramadol hydrochloride and its metabolites by cyclodextrin-mediated capillary zone electrophoresis 707(1998)287
- Chan, J., see Colangeli, R. 714(1998)223
- Chandy, M., see Quernin, M.-H. 709(1998)47
- Chandy, M., see Quernin, M.-H. 721(1998)147
- Chaney, S.G., see Luo, F.R. 724(1999)345
- Chang, S.-H., see Hwang, D.-F. 716(1998)397
- Chang, S.-Y., see Kang, S.H. 712(1998)153
- Chang, S.-Y., Whigan, D.B., Vachharajani, N.N. and Patel, R.
High-performance liquid chromatographic assay for the quantitation of irbesartan (SR 47436/BMS-186295) in human plasma and urine 702(1997)149
- Chang, W.-I., see Joo, E.-H. 723(1999)239
- Chankvetadze, B., see Meyring, M. 723(1999)255
- Chantegrel, B., see Thévenon, C. 708(1998)39
- Chanut, E., Nguyen-Legros, J., Versaux-Botteri, C., Trouvin, J.-H. and Launay, J.-M.
Determination of melatonin in rat pineal, plasma and retina by high-performance liquid chromatography with electrochemical detection 709(1998)11
- Chao, C.-K., see Yu, L.-L. 724(1999)287
- Chao, H., Bautista, D.L., Litowski, J., Irvin, R.T. and Hodges, R.S.
Use of a heterodimeric coiled-coil system for biosensor application and affinity purification 715(1998)307
- Chapel, A.M., see Delmas, J.M. 712(1998)263
- Charcosset, C., see Dancette, O.P. 723(1999)61
- Chassagne, J., see Hizel, C. 721(1999)163
- Chassaing, C., Marshall, J.L. and Wainer, I.W.
Determination of the antitumor agent depsipeptide in plasma by liquid chromatography on serial octadecyl stationary phases 719(1998)169
- Chattaraj, S.C., see Laloo, A.K. 704(1997)333
- Chattopadhyay, A., Tian, T., Kortum, L. and Hage, D.S.
Development of tryptophan-modified human serum albumin columns for site-specific studies of drug-protein interactions by high-performance affinity chromatography 715(1998)183
- Chaufer, B., see Rabiller-Baudry, M. 706(1998)23
- Chavez-Eng, C.M., see Constanzer, M.L. 713(1998)371
- Chavez-Eng, C.M., see Matuszewski, B.K. 716(1998)195
- Chavez-Eng, C.M., Schwartz, M., Constanzer, M.L. and Matuszewski, B.K.
Determination of a cyclic hexapeptide, a novel antifungal agent, in human plasma by high-performance liquid chromatography with ion spray and turbo ion spray tandem mass spectrometric detection 721(1999)229
- Chayen, R., see Neufeld, E. 718(1998)273
- Cheeseman, S., see Khan, P. 721(1999)279
- Chelule, P., see Castegnaro, M. 720(1998)15
- Chen, A., see Gounaris, J.S. 725(1999)79
- Chen, C.-C., see Lee, M.-R. 707(1998)91
- Chen, C.-F., see Huang, C.-T. 716(1998)251
- Chen, C.-F., see Liang, C.-C. 724(1999)303
- Chen, C.F., see Peng, H.W. 714(1998)369
- Chen, C.-F., see Tsai, T.-H. 720(1998)165
- Chen, C.-L., Chen, H., Zhu, D.-M. and Uckun, F.M.
Quantitative high-performance liquid chromatography-based detection method for calphostin C, a naturally occurring perylenequinone with potent antileukemic activity 724(1999)157
- Chen, H., see Chen, C.-L. 724(1999)157
- Chen, H., see Zhang, L. 707(1998)59
- Chen, H.-F., see Song, J.-Z. 708(1998)277
- Chen, K.-C., see Huang, C.-T. 716(1998)251
- Chen, P.-F., see Lin, W.-J. 714(1998)263
- Chen, R.-K., see Hung, I.-F. 706(1998)352
- Chen, R.R.-L., see Lin, W.-J. 714(1998)263
- Chen, S.-H., see Cheng, F.-C. 723(1999)31
- Chen, X., see Zhong, D. 721(1998)67
- Chen, X.P., Cross, R.F., Clark, A.G. and Baker, W.L.
Chromatographic separation of fluorescent thiol adducts of 4-chloro-7-sulphobenzofurazan Use as substrates for enzymes of the mercapturic acid xenobiotic pathway 709(1998)19

- Chenevier, P., Massias, L., Gueylard, D. and Farinotti, R.
Determination of ethambutol in plasma by high-performance liquid chromatography after pre-column derivatization 708(1998)310
- Cheng, F.C., see Peng, H.W. 714(1998)369
- Cheng, F.-C., see Tsai, T.-H. 720(1998)165
- Cheng, F.-C., Yang, D.-Y., Wu, T.-F. and Chen, S.-H.
Rapid on-line microdialysis hyphenated technique for the dynamic monitoring of extracellular pyruvate, lactic acid and ascorbic acid during cerebral ischemia 723(1999)31
- Cheng, J., see Zhang, L. 707(1998)59
- Cheng, K.N., see Pawula, M. 719(1998)113
- Cheung, A.T., see Meng, Q.C. 718(1998)121
- Chevanne, F., see Reif, S. 719(1998)239
- Chevrot, L., Collicet-Jouault, S., Foucault, A., Ratiskol, J. and Sinquin, C.
Preliminary report on fractionation of fucans by ion-exchange displacement centrifugal partition chromatography 706(1998)43
- Chi, J.D. and Franklin, M.
Determination of hypericin in plasma by high-performance liquid chromatography 724(1999)195
- Chi, S.-C., see Kang, S.H. 712(1998)153
- Chiancone, E., Gattoni, M. and Boffi, A.
Immobilized human hemoglobin, a versatile matrix for analytical and biotechnological applications 715(1998)81
- Chianéa, T., see Assidjo, E. 709(1998)197
- Chiavarino, B., Crestoni, M.E., Di Marzio, A. and Fornarini, S.
Determination of sulfonamide antibiotics by gas chromatography coupled with atomic emission detection 706(1998)269
- Chikhi-Chorfi, N., Pham-Huy, C., Galons, H., Manuel, N., Lowenstein, W., Warnez, J.-M. and Claude, J.-R.
Rapid determination of methadone and its major metabolite in biological fluids by gas-liquid chromatography with thermionic detection for maintenance treatment of opiate addicts 718(1998)278
- Chikuma, T., Kishii, M., Taguchi, K., Yajima, R., Kato, T., Loh, Y.P., Ishii, Y. and Tanaka, A.
High-performance liquid chromatographic-colorimetric assay for glycine carboxypeptidase activity 703(1997)45
- Chimonczyk, Z., Ksycińska, H. and Poleć, I.
Application of chiral chromatographic parameters in quantitative structure-activity relationship analysis of homologous malathion derivatives 720(1998)65
- Chimirri, A., see Rizzo, M. 705(1998)149
- Chinaka, S., Takayama, N., Michigami, Y. and Ueda, K.
Simultaneous determination of cyanide and thiocyanate in blood by ion chromatography with fluorescence and ultraviolet detection 713(1998)353
- Cho, J.-B., see Myung, S.-W. 716(1998)359
- Choi, J., Kim, C. and Choi, M.J.
Immunological analysis of methamphetamine antibody and its use for the detection of methamphetamine by capillary electrophoresis with laser-induced fluorescence 705(1998)277
- Choi, M.J., see Choi, J. 705(1998)277
- Choi, Y.-J., see Jeong, Y.-N. 703(1997)284
- Choi, Y.-J., see Lee, S.-H. 714(1998)379
- Chollet, D.F., Bibas, P., Anderegg, G., Arnera, V. and Lanz, R.
Determination of dimethindene in human tears by high-performance liquid chromatography 707(1998)334
- Chollet, D.F., Goumaz, L., Renard, A., Montay, G., Vernillet, L., Arnera, V. and Mazzo, D.J.
Simultaneous determination of the lactone and carboxylate forms of the camptothecin derivative CPT-11 and its metabolite SN-38 in plasma by high-performance liquid chromatography 718(1998)163
- Chollet, D.F., Ruols, C. and Arnera, V.
Determination of noscapine in human plasma using solid-phase extraction and high-performance liquid chromatography 701(1997)81
- Chopin, C., see Galland, A.V. 706(1998)63
- Chow, D.S.-L., Bhagwatwar, H.P., Phadungpojna, S. and Andersson, B.S.
Stability-indicating high-performance liquid chromatographic assay of busulfan in aqueous and plasma samples 704(1997)277
- Chow, T.P., see McAtee, C.P. 714(1998)325
- Chrambach, A., see Radko, S.P. 722(1999)1
- Christians, U., see Gummert, J.F. 721(1999)321
- Christians, U., see Kirchner, G.I. 721(1999)285
- Christians, U., see Segarra, I. 720(1998)179
- Christman, B., see He, H. 701(1997)115
- Chrystyn, H., see Aswania, O.A. 718(1998)290
- Chu, S.-y., see Ong, V.S. 710(1998)173
- Chua, H.C., Stewart, B., Lim, B.H. and Lee, H.K.
Screening of chlorpropamide in horse plasma by high-performance liquid chromatography with ultraviolet absorbance detection, and confirmation by gas chromatography-mass spectrometry 712(1998)243
- Chung, B.C., see Lee, S.H. 719(1998)1
- Chung, D.S., see Kang, S.H. 712(1998)153
- Chung, M.-K., see Shin, H.-C. 718(1998)61
- Cimpan, G., Irimie, F., Gocan, S. and Claessens, H.A.
Role of stationary phase and eluent composition on the determination of log *P* values of *N*-hydroxyethylamide of aryloxyalkylenes and pyridine carboxylic acids by reversed-phase high-performance liquid chromatography 714(1998)247
- Cipriano, A., see Maniara, W.M. 706(1998)287
- Cirimele, V., see Kintz, P. 705(1998)357
- Cisternino, S., Schlatter, J. and Saulnier, J.L.
Determination of cisapride and norcisapride in human plasma using high-performance liquid chromatography with ultraviolet detection 714(1998)395
- Claessens, H.A., see Cimpan, G. 714(1998)247
- Claessens, H.A., see Coufal, P. 720(1998)197
- Clairbois, A.-S., Letourneur, D., Muller, D. and Jozefonvicz, J.
High-performance affinity chromatography for the purification of heparin-binding proteins from detergent-solubilized smooth muscle cell membranes 706(1998)55
- Clark, A.G., see Chen, X.P. 709(1998)19
- Clarke, S., see Rivory, L.P. 714(1998)355
- Claude, J.-R., see Chikhi-Chorfi, N. 718(1998)278

- Clement, E.M., Odontiadis, J. and Franklin, M.
Simultaneous measurement of venlafaxine and its major metabolite, oxydesmethylvenlafaxine, in human plasma by high-performance liquid chromatography with coulometric detection and utilisation of solid-phase extraction
705(1998)303
- Clifford, A.J., see Ebeler, S.E. 702(1997)211
- Clofent-Sanchez, G., see Santarelli, X. 706(1998)13
- Cociglio, M., Peyrière, H., Hillaire-Buys, D. and Alric, R.
Application of a standardized coextractive cleanup procedure to routine high-performance liquid chromatography assays of teicoplanin and ganciclovir in plasma
705(1998)79
- Cohen, A.S., see Gilar, M. 714(1998)13
- Cohen, D.E., see Liu, H. 703(1997)53
- Cohen, E., Maxwell, R.J. and Donoghue, D.J.
Automated multi-residue isolation of fluoroquinolone antimicrobials from fortified and incurred chicken liver using on-line microdialysis and high-performance liquid chromatography with programmable fluorescence detection
724(1999)137
- Colangeli, R., Heijbel, A., Williams, A.M., Manca, C., Chan, J., Lyashchenko, K. and Gennaro, M.L.
Three-step purification of lipopolysaccharide-free, polyhistidine-tagged recombinant antigens of *Mycobacterium tuberculosis*
714(1998)223
- Cole, M.J., see Needham, S.R. 718(1998)87
- Cole, R.B., see Lu, W. 714(1998)69
- Colgin, L.L., see Soblosky, J.S. 712(1998)31
- Coller, J.K., Somogyi, A.A. and Bochner, F.
Quantification of flunitrazepam's oxidative metabolites, 3-hydroxyflunitrazepam and desmethylflunitrazepam, in hepatic microsomal incubations by high-performance liquid chromatography
719(1998)87
- Colliec-Jouault, S., see Chevrolot, L. 706(1998)43
- Collignon, I., see Alvarez, J.-C. 707(1998)175
- Colombi, A., see Buratti, M. 723(1999)95
- Colombi, A., see Floridia, L. 724(1999)325
- Colombi, A., see Fustinoni, S. 723(1999)105
- Colombo, L., see Euli, D. 724(1999)373
- Comets, E., see Aymard, G. 707(1998)169
- Communal, Y., see Hizel, C. 721(1999)163
- Congpuong, K., see Na-Bangchang, K. 708(1998)201
- Connor, J.D., see Holland, D.T. 707(1998)105
- Constanzer, M.L., Chavez-Eng, C.M. and Matuszewski, B.K.
Determination of a novel selective inhibitor of type 1 5 α -reductase in human plasma by liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry
713(1998)371
- Constanzer, M.L., see Chavez-Eng, C.M. 721(1999)229
- Constanzer, M.L., see Matuszewski, B.K. 716(1998)195
- Conte, J.E., see Delahunty, T. 705(1998)323
- Conway, W.D., see Ferron, G.M. 703(1997)243
- Cook, J., see Bentley, M.C. 723(1999)185
- Cook, J.M., see Bannon, P. 715(1998)387
- Coolen, S.A.J., Huf, F.A. and Reijenga, J.C.
Determination of free radical reaction products and metabolites of salicylic acid using capillary electrophoresis and micellar electrokinetic chromatography
717(1998)119
- Coombs, M.A., see Neubecker, T.A. 718(1998)225
- Cooper, J.D.H., Muirhead, D.C., Taylor, J.E. and Baker, P.R.
Development of an assay for the simultaneous determination of sildenafil (Viagra) and its metabolite (UK-103,320) using automated sequential trace enrichment of dialysates and high-performance liquid chromatography
701(1997)87
- Cooper, J.D.H., Shearsby, N.J., Taylor, J.E. and Fook Sheung, C.T.C.
Simultaneous determination of lamotrigine and its glucuronide and methylated metabolites in human plasma by automated sequential trace enrichment of dialysates and gradient high-performance liquid chromatography
702(1997)227
- Cordero, R., see Pauwels, W. 702(1997)77
- Corlett, S.A., see Aswania, O.A. 718(1998)290
- Cornfield, A., see Ahmed, F. 707(1998)227
- Corniot, A.-G., see Ba, B.B. 724(1999)127
- Corrêa, C.L. and Pedroso, R.C.
Headspace gas chromatography with capillary column for urine alcohol determination
704(1997)365
- Costa, P.M.P., see Riedstra, S. 705(1998)213
- Cotton, F., see Lin, C. 719(1998)47
- Coudoré, F., Authier, N., Guillaume, D., Béal, A., Duroux, E. and Fialip, J.
High-performance liquid chromatographic determination of paclitaxel in rat serum: application to a toxicokinetic study
721(1999)317
- Couedor, P., see Verdon, E. 705(1998)71
- Coufal, P., Šulík, K., Claessens, H.A., Hardy, M.J. and Webb, M.
Determination of the dissociation constants of ropinirole and some impurities and their quantification using capillary zone electrophoresis
720(1998)197
- Couture, J., see Varin, F. 723(1999)319
- Couvreur, P., see Pepin, X. 702(1997)181
- Covaci, A., see Pauwels, A. 723(1999)117
- Cowley, E.A., see Govindaraju, K. 705(1998)223
- Cox, S.K., Burnette, J.D., Huss, B.T. and Frazier, D.
Determination of cefoxitin in serum and tissue
705(1998)145
- Cox, S.K., Orosz, S., Burnette, J. and Frazier, D.
Microassay for determination of itraconazole and hydroxyitraconazole in plasma and tissue biopsies
702(1997)175
- Cramond, T., see Wright, A.W.E. 712(1998)169
- Creagh, A.L., see Tomme, P. 715(1998)283
- Creer, M.H., see McHowat, J. 702(1997)21
- Crestoni, M.E., see Chiavarino, B. 706(1998)269
- Cristófol, C., Pérez, B., Pons, M., Valladares, J.E., Martí, G. and Arboix, M.
Determination of indomethacin residues in poultry by high-performance liquid chromatography
709(1998)310
- Cross, R.F., see Chen, X.P. 709(1998)19
- Croubels, S., Vermeersch, H., De Backer, P., Santos, M.D.F., Remon, J.P. and Van Peteghem, C.
Liquid chromatographic separation of doxycycline and 4-epidoxydoxycycline in a tissue depletion study of doxycycline in turkeys
708(1998)145
- Crowell, J.A., see Negrusz, A. 718(1998)193
- Crowther, D., see Khan, P. 709(1998)113

- Cruze, C.A., see Neubecker, T.A. 718(1998)225
- Cserháti, T. and Forgács, E.
Phenoxyacetic acids: separation and quantitative determination 717(1998)157
- Cubriel, A., see Haro, L.S. 720(1998)39
- Cui, Y., see Lin, B. 704(1997)99
- Cundy, K.C., see Eisenberg, E.J. 716(1998)267
- Cunha, M.T., Tjerneld, F., Cabral, J.M.S. and Aires-Barros, M.R.
Effect of electrolytes and surfactants on the thermoseparation of an ethylene oxide-propylene oxide random copolymer in aqueous solution 711(1998)53
- Curti, S., see Marzo, A. 702(1997)1
- Cwik, M., see Lu, J. 701(1997)135
- Cyronak, M.J., see Lundberg, Jr., D.E. 707(1998)328
- Czarny, R.J., see Poch, G.K. 724(1999)23
- Czauderna, M. and Kowalczyk, J.
Simultaneous measurement of allantoin, uric acid, xanthine and hypoxanthine in blood by high-performance liquid chromatography 70(1997)89
- D**
- Da Silva, C.P., Potter, B.V.L., Mayr, G.W. and Guse, A.H.
Quantification of intracellular levels of cyclic ADP-ribose by high-performance liquid chromatography 707(1998)43
- Da Silveira, M., see Lino, C.M. 716(1998)147
- Da Silveira, M.I.N., see Ramos, F. 716(1998)366
- Dabadie, M., see Santarelli, X. 706(1998)13
- Dabek-Zlotorzynska, E. and Maruszak, W.
Determination of dimethylamine and other low-molecular-mass amines using capillary electrophoresis with laser-induced fluorescence detection 714(1998)77
- Dachtler, M., Kohler, K. and Albert, K.
Reversed-phase high-performance liquid chromatographic identification of lutein and zeaxanthin stereoisomers in bovine retina using a C₃₀ bonded phase 720(1998)211
- Dakers, J.M., Boulton, D.W. and Fawcett, J.P.
Sensitive chiral high-performance liquid chromatographic assay for labetalol in biological fluids 704(1997)215
- Daldrup, Th., see Musshoff, F. 713(1998)245
- Dalhoff, A., see Stass, H. 702(1997)163
- Dall'Amico, R., see Marsilio, R. 704(1997)359
- Damani, L.A., Tsai, M.-C., Lin, Ge., Mitterhauser, M. and Zolle, I.
Simultaneous analysis of 2-methoxyphenylmetyrapone and its seven potential metabolites by high-performance liquid chromatography 704(1997)315
- Dancette, O.P., Taboureau, J.-L., Tournier, E., Charcosset, C. and Blond, P.
Purification of immunoglobulins G by protein A/G affinity membrane chromatography 723(1999)61
- Dandeu, J.-P., see Goubran Botros, H. 710(1998)57
- D'Angelo, A., see Fermo, I. 719(1998)31
- Danhof, M., see Van der Geest, R. 702(1997)131
- Danison, T.H., see Emmons, G.T. 716(1998)161
- Dankers, J., van den Elshout, J., Ahr, G., Brendel, E. and van der Heiden, C.
Determination of nifedipine in human plasma by flow-injection tandem mass spectrometry 710(1998)115
- D'Arbigny, P., see Hoizey, G. 704(1997)167
- Dasgupta, A.
Gas chromatographic-mass spectrometric identification and quantification of aniline after extraction from serum and derivatization with 2,2,2-trichloroethyl chloroformate, a novel derivative 716(1998)354
- Dasgupta, A. and Humphrey, P.E.
Gas chromatographic-mass spectrometric identification and quantitation of benzyl alcohol in serum after derivatization with perfluoroctanoyl chloride: a new derivative 708(1998)299
- Dasgupta, A. and Yousef, O.
Gas chromatographic-mass spectrometric determination of serum mexiletine concentration after derivatization with perfluoroctanoyl chloride, a new derivative 705(1998)283
- David, B., see Goubran Botros, H. 710(1998)57
- Davidson, J.F., see Soblosky, J.S. 712(1998)31
- Davoli, E., Stramare, L., Fanelli, R., Diomede, L. and Salmona, M.
Rapid solid-phase extraction method for automated gas chromatographic-mass spectrometric determination of nicotine in plasma 707(1998)312
- Dawson, M.J., see Khan, P. 709(1998)113
- Dean, D.H., see Behrman, E.J. 723(1999)325
- Dear, G.J., see Ayrton, J. 709(1998)243
- De Backer, P., see Croubels, S. 708(1998)145
- De Backer, P., see Delbeke, F.T. 704(1997)207
- De Battisti, Z., see Tagliaro, F. 723(1999)195
- De Bellis, R., see Ceccaroli, P. 702(1997)41
- De Belval, S., le Breton, B., Huddleston, J. and Lyddiatt, A.
Influence of temperature upon protein partitioning in poly(ethylene glycol)-salt aqueous two-phase systems close to the critical point with some observations relevant to the partitioning of particles 711(1998)19
- De Benedictis, G., see Pirola, R. 705(1998)309
- De Blok, K., see Portier, E.J.G. 723(1999)313
- De Brujin, P., see Sparreboom, A. 705(1998)159
- De Brujin, P., see Sparreboom, A. 712(1998)225
- De Carvalho, R., see Lanchote, V.L. 709(1998)273
- Deckwer, W.-D., see Petsch, D. 707(1998)121
- Decosterd, L.A., Karagiannis, A., Roulet, J.-M., Bélaz, N., Appenzeller, M., Buclin, T., Vogel, P. and Biollaz, J.
High-performance liquid chromatography of the renal blood flow marker *p*-aminohippuric acid (PAH) and its metabolite N-acetyl PAH improves PAH clearance measurements 703(1997)25

- De Gaitani, C.M., Lanchote, V.L. and Bonato, P.S.
Enantioselective analysis of propafenone in plasma using a polysaccharide-based chiral stationary phase under reversed-phase conditions 708(1998)177
- De Graaff, M., see Burger, D.M. 703(1997)235
- De Gregorio, M.W., see Taras, T.L. 724(1999)163
- De Grood, P.M.R.M., see Vree, T.B. 721(1999)217
- Dehennin, L., Bonnaire, Y. and Plou, Ph.
Urinary excretion of 19-norandrosterone of endogenous origin in man: quantitative analysis by gas chromatography-mass spectrometry 721(1999)301
- Deinl, I., Angermaier, L., Franzelius, C. and Machbert, G.
Simple high-performance liquid chromatographic column-switching technique for the on-line immunoaffinity extraction and analysis of flunitrazepam and its main metabolites in urine 704(1997)251
- De Jonge, M.J.A., see Sparreboom, A. 712(1998)225
- De Kraker, J., see Kerbusch, T. 716(1998)275
- Del Bubba, M., see Lepri, L. 704(1997)1
- Del Rivero, L.M., Jung, H., Castillo, R. and Hernández-Campos, A.
High-performance liquid chromatographic assay for a new fasciolicide agent, α BIOF10, in biological fluids 712(1998)237
- De la Torre, R., see Ortúñoz, J. 723(1999)221
- De la Torre, X., see Bergés, R. 723(1999)173
- Delabar, U., see Luippold, G. 724(1999)231
- Delahaut, P., see Machnik, M. 723(1999)147
- Delahunty, T., Lee, B. and Conte, J.E.
Sensitive liquid chromatographic technique to measure isoniazid in alveolar cells, bronchoalveolar lavage and plasma in HIV-infected patients 705(1998)323
- Delbeke, F.T., Baert, K. and De Backer, P.
Disposition of human drug preparations in the horse. VI.
Tiacprofenic acid 704(1997)207
- De Leenheer, A.P., see Huo, J.Z. 724(1999)249
- Della Corte, L., see Bianchi, L. 723(1999)47
- Delmas, J.M., Chapel, A.M. and Sanders, P.
Determination of flumequine and 7-hydroxyflumequine in plasma of sheep by high-performance liquid chromatography 712(1998)263
- Delobbe, E., see Lin, C. 719(1998)47
- De Lorenzi, E., see Massolini, G. 712(1998)83
- Delsaut, P., see Simon, P. 712(1998)95
- De Meer, K., see Kulik, W. 710(1998)37
- Demetriades, J.L., see Birk, K.L. 719(1998)93
- Den Hartigh, J., see Sparidans, R.W. 705(1998)331
- Den Hollander, J.L., Stribos, B.I., Van Buel, M.J., Luyben, K.Ch.A.M. and Van der Wielen, L.A.M.
Centrifugal partition chromatographic reaction for the production of chiral amino acids 711(1998)223
- Deneer, V.H.M., see Knibbe, C.A.J. 706(1998)305
- Deng, Y., see Minami, C. 702(1997)245
- Denizli, A., see Ibrahim, E.-H. 720(1998)217
- Denizli, A., Kocakulak, M. and Pişkin, E.
Bilirubin removal from human plasma in a packed-bed column system with dye-affinity microbeads 707(1998)25
- Dennis, M.F., see Stratford, M.R.L. 721(1998)77
- Dennison, D., see Quernin, M.-H. 709(1998)47
- Dennison, D., see Quernin, M.-H. 721(1998)147
- D'Eramo, J.L., Finkelstein, A.E., Boccazz, F.O. and Fridman, O.
Total homocysteine levels in plasma: high-performance liquid chromatographic determination with electrochemical detection and glassy carbon electrode 720(1998)205
- De Roos, J.A.D.M., see Bank, R.A. 703(1997)37
- Desager, J.-P., see Eeckhoudt, S.L. 710(1998)165
- De Sarro, G., see Rizzo, M. 705(1998)149
- Descorps, V., see Pasternyk Di Marco, M. 715(1998)379
- Desiderio, C., see Meyring, M. 723(1999)255
- Devarajan, P.V. and Dhavse, V.V.
High-performance thin-layer chromatographic determination of diltiazem hydrochloride as bulk drug and in pharmaceutical preparations 706(1998)362
- Devarieux, R., see Braud, C. 706(1998)73
- De Veau, E.J.I.
Determination of non-protein bound phenylbutazone in bovine plasma using ultrafiltration and liquid chromatography with ultraviolet detection 721(1998)141
- De Voogt, P., Bleeker, E.A.J., van Vlaardingen, P.L.A., Fernández, A., Slobodník, J., Wever, H. and Kraak, M.H.S.
Formation and identification of azaarene transformation products from aquatic invertebrate and algal metabolism 724(1999)265
- Dewey, M.J., see Holladay, J.W. 704(1997)259
- De Winne, A.J., see Eeckhoudt, S.L. 710(1998)165
- De Zeeuw, R.A., see Franke, J.P. 713(1998)51
- De Zeeuw, R.A., see Koole, A. 724(1999)41
- D'Ham, C., Ravanat, J.-L. and Cadet, J.
Gas chromatography-mass spectrometry with high-performance liquid chromatography prepurification for monitoring the endonuclease III-mediated excision of 5-hydroxy-5,6-dihydrothymine and 5,6-dihydrothymine from γ -irradiated DNA 710(1998)67
- Dhavse, V.V., see Devarajan, P.V. 706(1998)362
- Di Marzio, A., see Chiavarino, B. 706(1998)269
- Diarte, E., see Frappier, S. 714(1998)384
- Dietze, H., see Birkenmeier, G. 704(1997)63
- Dills, R.L., Bellamy, G.M. and Kalman, D.A.
Quantitation of *o*-, *m*- and *p*-cresol and deuterated analogs in human urine by gas chromatography with electron capture detection 703(1997)105
- Dingler, E., see Maris, F.A. 721(1999)309
- Diomede, L., see Davoli, E. 707(1998)312
- Diquet, B., see Aymard, G. 707(1998)169
- Dittrich, P., see Radhofer-Welte, S. 707(1998)151
- Do, B., see Burnat, P. 706(1998)295
- Do, K.-C., see Kang, S.H. 712(1998)153
- Do, K.S., see Lee, H.S. 716(1998)371
- Dobson, R.L.M., see Neubecker, T.A. 718(1998)225
- Dočolomanský, P., see Boháčová, V. 715(1998)273
- Dollo, G., see Reif, S. 719(1998)239
- Domergue, F., see Santarelli, X. 706(1998)13
- Dominguez, N., see López-Calull, C. 724(1999)393
- Domoto, H., see Moriyama, M. 723(1999)301
- Domrault, C., see Pepin, X. 702(1997)181
- Donati, F., see Gao, H. 718(1998)129
- Donoghue, D.J., see Cohen, E. 724(1999)137
- Donzelli, G.P., see Lepri, L. 704(1997)1
- Dory, D., see Galland, A.V. 706(1998)63

- Doucet, F., see Gaillard, Y. 703(1997)85
- Douki, T., see Ravanat, J.-L. 715(1998)349
- Dowling, T.C., Frye, R.F. and Zemaitis, M.A.
- Simultaneous determination of *p*-aminohippuric acid, acetyl-*p*-aminohippuric acid and iothalamate in human plasma and urine by high-performance liquid chromatography 716(1998)305
- Doyle, J.M. and McCord, B.R.
- Novel electrolyte for the analysis of cations in low explosive residue by capillary electrophoresis 714(1998)105
- Dragsted, L.O., see Nielsen, S.E. 707(1998)81
- Dragsted, L.O., see Nielsen, S.E. 713(1998)379
- Drenska, A., see Vatsova, M. 702(1997)221
- Dreyfuss, M.-F., see Assidjo, E. 709(1998)197
- Driessens, S., see Bogusz, M.J. 703(1997)115
- Dru, J.D.-Y., see Birk, K.L. 719(1998)93
- Drummer, O.H.
- Methods for the measurement of benzodiazepines in biological samples 713(1998)201
- Dua, V.K., Sarin, R., Gupta, N.C. and Sharma, V.P.
- Sulfalene concentrations in plasma and blood cells of *Plasmodium falciparum* malaria cases after treatment with metakelfin using high-performance liquid chromatography 714(1998)390
- Dua, V.K., Sinha, S.N. and Sharma, V.P.
- Chromatographic studies on the isolation of peroxydisulphate oxidation products of primaquine 708(1998)316
- Dubé, J.Y., see Frenette, G. 713(1998)297
- Dubernet, C., see Pepin, X. 702(1997)181
- Dubois, J.G., see Baltes, M.R.H. 706(1998)201
- Ducharme, M.P., see Pasternyk Di Marco, M. 715(1998)379
- Duché, J.-C., Hervé, F. and Tillement, J.-P.
- Study of the expression of the genetic variants of human α_1 -acid glycoprotein in healthy subjects using isoelectric focusing and immunoblotting 715(1998)103
- Duché, J.-C., see Hervé, F. 715(1998)111
- Ducint, D., see Ba, B.B. 714(1998)317
- Ducint, D., see Ba, B.B. 724(1999)127
- Ducint, D., see Frappier, S. 714(1998)384
- Ducos, C., see Braud, C. 706(1998)73
- Dufek, P., see Hradec, J. 703(1997)259
- Dufek, P., see Hradec, J. 714(1998)145
- Duffield, D.A., see Hayteas, D.L. 705(1998)362
- Duine, J.M., Floch, F., Cann-Moisan, C., Mialon, P. and Caroff, J.
- Simultaneous measurement of monoamines, their metabolites and 2,3- and 2,5-dihydroxybenzoates by high-performance liquid chromatography with electrochemical detection. Application to rat brain dialysates 716(1998)350
- Duléry, B.D., Verne-Mismer, J., Wolf, E., Kugel, C. and Van Hijfte, L.
- Analyses of compound libraries obtained by high-throughput parallel synthesis: strategy of quality control by high-performance liquid chromatography, mass spectrometry and nuclear magnetic resonance techniques 725(1999)39
- Durán Merás, I., Galeano Díaz, T., Salinas López, F. and Rodríguez Cacéres, M.I.
- Determination of piromidic acid residues in trout muscle tissue and in urine by liquid chromatography with post-column modification of pH and fluorimetric detection 718(1998)135
- Durand, A., see Martin, N. 709(1998)281
- Durand, P., see Blache, D. 702(1997)103
- Duretz, B., see Ravanat, J.-L. 715(1998)349
- Duroux, E., see Coudoré, F. 721(1999)317
- Dutton, M.F., see Castegnaro, M. 720(1998)15

E

- Eap, C.B., see Kosel, M. 719(1998)234
- Eap, C.B., Schmyder, C. and Savary, L.
- Determination of chloroxazole and 6-hydroxychloroxazole in plasma by gas chromatography-mass spectrometry 705(1998)139
- Earnest, D., see Batta, A.K. 706(1998)337
- Ebeler, S.E., Clifford, A.J. and Shibamoto, T.
- Quantitative analysis by gas chromatography of volatile carbonyl compounds in expired air from mice and human 702(1997)211
- Ebner, T., see Ludwig, E. 707(1998)347
- Echizen, H., see Takahashi, H. 701(1997)71
- Edelbroek, P.M., see Vermeij, T.A.C. 716(1998)233
- Edlund, P.O., see Tjernberg, A. 715(1998)395
- Eeckhout, S.L., Desager, J.-P., Horsmans, Y., De Winne, A.J. and Verbeeck, R.K.
- Sensitive assay for midazolam and its metabolite 1'-hydroxymidazolam in human plasma by capillary high-performance liquid chromatography 710(1998)165
- Efstathiou, T., see Awadé, A.C. 723(1999)69
- Eichhold, T.H., see Peng, S.X. 724(1999)181
- Eidelman, D.H., see Govindaraju, K. 705(1998)223
- Eiden, E., see Marsh, K.C. 704(1997)307
- Eisenberg, E.J. and Cundy, K.C.
- High-performance liquid chromatographic determination of GS4071, a potent inhibitor of influenza neuraminidase, in plasma by precolumn fluorescence derivatization with naphthalenedialdehyde 716(1998)267
- Eklund, E., Norsten-Höög, C. and Arvidsson, T.
- Determination of free concentration of sameridine in blood plasma by ultrafiltration and coupled-column liquid chromatography 708(1998)195
- El Bawab, S., see Thévenon, C. 708(1998)39
- El Menyawi, I., Looareesuwan, S., Knapp, S., Thalhammer, F., Stoiser, B. and Burgmann, H.
- Measurement of serum nitrite/nitrate concentrations using high-performance liquid chromatography 706(1998)347

- ElGhazali, M., see Wasfi, I.A. 709(1998)209
- Elliott, C.T., see Buick, R.K. 720(1998)71
- El-Menyawi, I., Wögerbauer, M., Stoiser, B. and Burgmann, H. Reply to "Measure of nitrite and nitrate in plasma serum and urine of humans by HPLC, the Griess assay, chemiluminescence and GC-MS", by Tsikas et al 715(1998)445
- Emmer, Å., see Sjödahl, J. 705(1998)231
- Emmons, G.T., Danison, T.H., Steele, D. and Sproles, G.D. Determination of a specific 5-HT_{2a} antagonist (M100907) in rat and dog plasma at the femtomole/milliliter level by gas chromatography-mass spectrometry 716(1998)161
- Emnéus, J., see Norberg, J. 701(1997)39
- Engman, M., Neidenström, P., Norsten-Höög, C., Wiklund, S.-J., Bondesson, U. and Arvidsson, T. Determination of ropivacaine and [²H₃]ropivacaine in biological samples by gas chromatography with nitrogen-phosphorus detection or mass spectrometry 709(1998)57
- Eo, Y.-W., see Park, H.-M. 719(1998)217
- Erah, P.O., Barrett, D.A. and Shaw, P.N. Reversed-phase high-performance liquid chromatographic assay methods for the analysis of a range of penicillins in *in vitro* permeation studies 705(1998)63
- Ericsson, Ö., see Mirghani, R.A. 708(1998)209
- Erim, F.B. and Kraak, J.C. Vacancy affinity capillary electrophoresis to study competitive protein-drug binding 710(1998)205
- Erkens, M., see Bogusz, M.J. 703(1997)115
- Esaka, Y., see Torimura, M. 721(1998)31
- Eškinja, M., Lamprecht, G., Scherer, G. and Schmid, E.R. Assay of S-ethyl-N-acetyl-l-cysteine in urine by high-performance liquid chromatography using post-column reaction detection 704(1997)159
- Estrada, V., see Rustum, A.M. 705(1998)111
- Euli, D., Colombo, L., Bruno, A. and Mussini, E. Assay for 5-hydroxylysine and L-lysine in human and rat urine and in bone by gas chromatography 724(1999)373
- Ezawa, M., see Mishima, K. 711(1998)313
- F**
- Facciola, G., see Avenoso, A. 714(1998)299
- Fadnis, L., see Handley, M.K. 716(1998)239
- Faircloth, G., see Rosing, H. 710(1998)183
- Fakhry, I., see Farthing, D. 704(1997)374
- Fakt, C. and Stenhoff, H. Determination of an ultrashort-acting antihypertensive dihydropyridine, clevipipine, in blood using capillary gas chromatography-mass spectrometry and of the primary metabolite using liquid chromatography and fluorescence detection 723(1999)211
- Falcón, V., see Tleugabulova, D. 716(1998)209
- Falcón, V., see Tleugabulova, D. 720(1998)153
- Fanali, S., see Meyring, M. 723(1999)255
- Fanelli, R., see Davoli, E. 707(1998)312
- Farenc, C., Audran, M., Lefrant, J.-Y., Mazerm, I. and Bressolle, F. High-performance liquid chromatographic method for the determination of atracurium and laudanosine in human plasma Application to pharmacokinetics 724(1999)117
- Farinotti, R., see Chenevier, P. 708(1998)310
- Farinotti, R., see Gorichon, E. 712(1998)259
- Farinotti, R., see Iglarz, M. 714(1998)335
- Fariss, M.W., see Tirmenstein, M.A. 707(1998)308
- Farmer, P.B., see Farooq, S. 702(1997)49
- Farmer, P.B., see Pauwels, W. 702(1997)77
- Farooq, S., Bailey, E., Farmer, P.B., Jukes, R., Lamb, J.H., Hernández, H., Sram, R. and Topinka, J. Determination of *cis*-thymine glycol in DNA by gas chromatography-mass spectrometry with selected ion recording and multiple reaction monitoring 702(1997)49
- Farré, M., see Ortúñoz, J. 723(1999)221
- Farthing, D., Sica, D., Fakhry, I., Pedro, A. and Gehrt, T.W.B. Simple high-performance liquid chromatographic method for determination of losartan and E-3174 metabolite in human plasma, urine and dialysate 704(1997)374
- Fassina, G., see Palombo, G. 715(1998)137
- Fattorossi, A., see Ricciarello, R. 707(1998)219
- Fauchère, J.L., see Boutin, J.A. 725(1999)17
- Fauconnet, V., see Pouliquen, H. 702(1997)143
- Fauler, J., see Tsikas, D. 708(1998)55
- Fauler, J., see Tsikas, D. 716(1998)7
- Favy, D., see Hizel, C. 721(1999)163
- Fawcett, J.P., see Abraham, I. 703(1997)203
- Fawcett, J.P., see Dakers, J.M. 704(1997)215
- Fay, L.B., see van Dael, P. 715(1998)341
- Fazio, A., see Avenoso, A. 714(1998)299
- Fedorova, N.V., Ksenofontov, A.L., Viryasov, M.B., Baratova, L.A., Timofeeva, T.A. and Zhirnov, O.P. Covalent chromatography of influenza virus membrane M1 protein on activated thiopropyl Sepharose-6B 706(1998)83
- Felix, G., see Pasternyk Di Marco, M. 715(1998)379
- Feltkamp, U., see Kraemer, H.-J. 706(1998)319
- Fengas, D., see Whelpton, R. 716(1998)95
- Fennell, M.A., see Luo, Y. 714(1998)269
- Fermani, K., see Makatsori, E. 712(1998)23
- Fermo, I., Arcelloni, C., Mazzola, G., D'Angelo, A. and Paroni, R. High-performance liquid chromatographic method for measuring total plasma homocysteine levels 719(1998)31
- Fernández, A., see De Voogt, P. 724(1999)265
- Fernández-Gutiérrez, A., see Martínez Vidal, J.L. 719(1998)71
- Ferranti, V., Chabenat, C., Ménager, S. and Lafont, O. Simultaneous determination of primidone and its three major metabolites in rat urine by high-performance liquid chromatography using solid-phase extraction 718(1998)199
- Ferrara, D.S., Tedeschi, L., Frison, G. and Brusini, G. Quality control in toxicological analysis 713(1998)227
- Ferrari, D., see Muscari, C. 707(1998)301
- Ferreira, J.P.M., see Riedstra, S. 705(1998)213

- Ferretti, R., Gallinella, B., La Torre, F. and Turchetto, L.
Validated chiral high-performance liquid chromatographic method for the determination of *trans*-(-)-paroxetine and its enantiomer in bulk and pharmaceutical formulations 710(1998)157
- Ferron, G.M., Conway, W.D. and Jusko, W.J.
Lipophilic benzamide and anilide derivatives as high-performance liquid chromatography internal standards: application to sirolimus (rapamycin) determination 703(1997)243
- Ferslew, K.E., see Panus, P.C. 705(1998)295
- Fetz, A., see Blum, W. 720(1998)171
- Feuerstein, T.J., see Knörle, R. 714(1998)171
- Fialip, J., see Coudoré, F. 721(1999)317
- Fialka, I., see Pasquali, C. 722(1999)89
- Feiger-Büsches, H., see Larsimont, V. 719(1998)222
- Feiger-Büsches, H., Schüßler, G., Larsimont, V. and Blume, H.
Determination of clindamycin in human plasma by high-performance liquid chromatography using coupled columns 724(1999)281
- Filipowski, M.T., see Jaworowicz, D.J. 723(1999)293
- Findlay, M., see Rivory, L.P. 714(1998)355
- Finkelstein, A.E., see D'Eramo, J.L. 720(1998)205
- Finley, B.E., see Maguire, M.H. 707(1998)33
- Fioravanti, A., Flaviani, M., Gambelunghe, C., Micheletti, A.,
Sposito, M. and Rufini, S.
High-performance liquid chromatographic determination of orotic acid as its methyl derivative in human urine 703(1997)263
- Fiorentino, M.L., see Perbellini, L. 724(1999)257
- Fitzgerald, D.J., see McMahon, G.P. 707(1998)322
- Flaviani, M., see Fioravanti, A. 703(1997)263
- Fleckenstein, L., see Lee, S. 704(1997)181
- Fleurence, J., see Galland, A.V. 706(1998)63
- Fligge, T.A., Bruns, K. and Przybylski, M.
Analytical development of electrospray and nanoelectrospray mass spectrometry in combination with liquid chromatography for the characterization of proteins 706(1998)91
- Floch, F., see Duine, J.M. 716(1998)350
- Flockhart, D.A., see Thacker, D.L. 710(1998)149
- Flores, R., see Haro, L.S. 720(1998)39
- Floriano, P., see Rosing, H. 710(1998)183
- Florida, L., Pietropaolo, A.M., Tavazzani, M., Rubino, F.M.
and Colombi, A.
Measurement of surface contamination from nucleoside analogue antineoplastic drugs by high-performance liquid chromatography in occupational hygiene studies of oncologic hospital departments 724(1999)325
- Flouvat, B., see Laroche, N. 716(1998)375
- Foisy, M.L. and Sommadossi, J.-P.
Rapid quantification of indinavir in human plasma by high-performance liquid chromatography with ultraviolet detection 721(1999)239
- Foker, J.E., see Ward, H. 707(1998)295
- Fonseca, L.P., see Marcos, J.C. 711(1998)295
- Fook Sheung, C.T.C., see Cooper, J.D.H. 702(1997)227
- Ford, Jr., H., see Roth, J.S. 712(1998)199
- Forgács, E., see Cserháti, T. 717(1998)157
- Fornarini, S., see Chiavarino, B. 706(1998)269
- Foucault, A., see Chevrolot, L. 706(1998)43
- Fouda, H.G., see Needham, S.R. 718(1998)87
- Fouillat, M., Lévi-Strauss, M., Giudicelli, V., Lutomski, D.,
Bladier, D., Caron, M. and Joubert-Caron, R.
Affinity purification and characterization of recombinant human galectin-1 706(1998)167
- Fourtillan, M., see Ba, B.B. 714(1998)317
- Frank, S., Renner, T., Ruppert, T. and Scherer, G.
Determination of albumin adducts of (+)-anti-benzo[*a*]pyrene-diol-epoxide using an high-performance liquid chromatographic column switching technique for sample preparation and gas chromatography-mass spectrometry for the final detection 713(1998)331
- Franke, J.P. and de Zeeuw, R.A.
Solid-phase extraction procedures in systematic toxicological analysis 713(1998)51
- Franke, J.-P., see Koole, A. 724(1999)41
- Franklin, M., see Chi, J.D. 724(1999)195
- Franklin, M., see Clement, E.M. 705(1998)303
- Franklin, M.E., Addison, R.S., Baker, P.V. and Hooper, W.D.
Improved analytical procedure for the measurement of captopril in human plasma by gas chromatography-mass spectrometry and its application to pharmacokinetic studies 705(1998)47
- Franklin, M.E., see Addison, R.S. 716(1998)153
- Franko, M., Van de Bovenkamp, P. and Bicanic, D.
Determination of *trans*-β-carotene and other carotenoids in blood plasma using high-performance liquid chromatography and thermal lens detection 718(1998)47
- Franzelius, C., see Deinl, I. 704(1997)251
- Franzke, A., see Kirchner, G.I. 721(1999)285
- Frappier, S., Breilh, D., Diarte, E., Ba, B., Ducint, D., Pellegrin, J.L. and Saux, M.C.
Simultaneous determination of ritonavir and saquinavir, two human immunodeficiency virus protease inhibitors, in human serum by high-performance liquid chromatography 714(1998)384
- Frasey, A.M., see Galmier, M.J. 720(1998)239
- Frazier, D., see Cox, S.K. 702(1997)175
- Frazier, D., see Cox, S.K. 705(1998)145
- Freitag, R.
Utilization of enzyme-substrate interactions in analytical chemistry 722(1999)279
- Frenette, G., Tremblay, R.R. and Dubé, J.Y.
Simple purification procedure for human prostatic kallikrein hK2 in its active form 713(1998)297
- Fridman, O., see D'Eramo, J.L. 720(1998)205
- Frijters, C.M.G., Tuijn, C.J., Hoek, F.J., Groen, A.K., Oude Elferink, R.P.J. and N. Zegers, B.
Reversed-phase liquid chromatographic method for the determination of 7-nitrobenz-2-oxa-1,3-diazol-4-yl-labelled lipid analogues 710(1998)9
- Frison, G., see Ferrara, D.S. 713(1998)227
- Frith, J., see Auriola, S. 704(1997)187
- Fritzsche, J., Steinhart, H., Mossoba, M.M., Yurawecz, M.P.,
Sehat, N. and Ku, Y.
Rapid determination of *trans*-fatty acids in human adipose tissue. Comparison of attenuated total reflection infrared spectroscopy and gas chromatography 705(1998)177
- Fritz, J.S., see Ambrose, D.L. 709(1998)89

G

- Fritz, P., see Mürdter, T.E. 709(1998)289
 Frölich, J.C., see Tsikas, D. 708(1998)55
 Frölich, J.C., see Tsikas, D. 709(1998)79
 Frölich, J.C., see Tsikas, D. 715(1998)441
 Frölich, J.C., see Tsikas, D. 716(1998)7
 Frölich, J.C., see Tsikas, D. 724(1999)199
 Froloff, N., see Van Hijfte, L. 725(1999)3
 Früchtlicht, W., see Bogusz, M.J. 713(1998)361
 Fry, K., see McAtee, C.P. 714(1998)325
 Frye, R.F., see Dowling, T.C. 716(1998)305
 Fryirs, B., see Gu, X.Q. 719(1998)135
 Fu, S., Zou, X., Wang, X. and Liu, X.
 Determination of polyamines in human prostate by high-performance liquid chromatography with fluorescence detection 709(1998)297
 Fuchs, I., see Tsikas, D. 715(1998)441
 Fujinami, A., see Tagawa, N. 723(1999)39
 Fujino, H., see Kojima, J. 724(1999)173
 Fujita, N., see Sakura, N. 719(1998)209
 Fujita, T., see Yamamoto, T. 719(1998)55
 Fujito, K., see Sueyasu, M. 723(1999)307
 Funayama, K., see Hagiwara, T. 708(1998)67
 Funding, L., see Bergqvist, Y. 719(1998)141
 Fung, K., see McAtee, C.P. 714(1998)325
 Furuno, K., see Moriyama, M. 723(1999)301
 Furuta, T., see Ishii, K. 704(1997)299
 Furuta, T., Namekawa, T., Shibusaki, H. and Kasuya, Y.
 Simultaneous determination of tetrahydrocortisol and tetrahydrocortisone in human plasma and urine by stable isotope dilution mass spectrometry 706(1998)181
 Fuse, E., see Kurata, N. 708(1998)223
 Fuse, E., see Yamaguchi, K. 713(1998)447
 Fustinoni, S., see Buratti, M. 723(1999)95
 Fustinoni, S., Giampiccolo, R., Pulvirenti, S., Buratti, M. and Colombi, A.
 Headspace solid-phase microextraction for the determination of benzene, toluene, ethylbenzene and xylenes in urine 723(1999)105
 Fustinoni, S., see Perbellini, L. 724(1999)257
 Futagami, K., Narazaki, C., Kataoka, Y., Shuto, H. and Oishi, R.
 Application of high-performance thin-layer chromatography for the detection of organophosphorus insecticides in human serum after acute poisoning 704(1997)369
 Galandruik, S., see Wrightson, W.R. 706(1998)358
 Galeano Díaz, T., see Durán Merás, I. 718(1998)135
 Galendo, D., see Castegnaro, M. 720(1998)15
 Gallard, Y., Balland, A., Doucet, F. and Pépin, G.
 On-column formation of arsenic–glutathione species detected by size-exclusion chromatography in conjunction with arsenic-specific detectors 716(1998)83
 Gaillard, Y., Balland, A., Doucet, F. and Pépin, G.
 Detection of illegal clenbuterol use in calves using hair analysis. Application in meat quality control 703(1997)85
 Gaillard, Y. and Pépin, G.
 Gas chromatographic–mass spectrometric quantitation of dextropropoxyphene and norpropoxyphene in hair and whole blood after automated on-line solid-phase extraction. Application in twelve fatalities 709(1998)69
 Gallet, S., see Pepin, X. 702(1997)181
 Gallinella, B., see Ferretti, R. 710(1998)157
 Gallo Martinez, L., Campíns-Falcó, P., Sevillano-Cabeza, A. and Bosch-Reig, F.
 New spectrophotometric procedure for determining cefotaxime based on derivatization with 1,2-naphthoquinone-4-sulphonate into solid-phase extraction cartridges — application to pharmaceutical and urine samples 718(1998)143
 Galmier, M.J., Frasey, A.M., Bastide, M., Beyssac, E., Petit, J., Aiache, J.M. and Lartigue-Mattei, C.
 Simple and sensitive method for determination of metronidazole in human serum by high-performance liquid chromatography 720(1998)239
 Galons, H., see Chikhi-Chorfi, N. 718(1998)278
 Galvan, P., see Lepri, L. 704(1997)1
 Gambelunghe, C., see Fioravanti, A. 703(1997)263
 Gambertoglio, J.G., see Jayewardene, A.L. 702(1997)203
 Gambertoglio, J.G., see Jayewardene, A.L. 707(1998)203
 Ganju, N., see Mou, C. 703(1997)217
 Gantier, J.C., see Iglesias, M. 714(1998)335
 Gao, H., Roy, S., Donati, F. and Varin, F.
 Determination of succinylcholine in human plasma by high-performance liquid chromatography with electrochemical detection 718(1998)129
 Gao, H., see Varin, F. 723(1999)319
 Garcia, J.J., Bolás-Fernández, F. and Torrado, J.J.
 Quantitative determination of albendazole and its main metabolites in plasma 723(1999)265

- García-Capdevila, L., López-Calull, C., Pompermayer, S., Arroyo, C., Molins-Pujol, A.M. and Bonal, J. High-performance liquid chromatography analysis of Bobel-24 in biological samples for pharmacokinetic, metabolic and tissue distribution studies 708(1998)169
- García-Pérez, A.-I., Sancho, P. and Pinilla, M. Surface and metabolic properties of microcytic and macrocytic human anaemic red blood cells detected in polymer aqueous two-phase systems 711(1998)301
- García-Quetglas, E., see Campanero, M.A. 706(1998)311
- Garren, L., see Castegnaro, M. 720(1998)15
- Gartaganis, S., see Lamari, F. 709(1998)173
- Gartner, C.A., see Regal, K.A. 708(1998)75
- Gattoni, M., see Chiancone, E. 715(1998)81
- Gaube, J., see Pfennig, A. 711(1998)45
- Gaudet, M.L., see Le Guellec, C. 719(1998)227
- Gaudiano, M.C., see Pala, A. 704(1997)25
- Gaudin, I., see Le Bizec, B. 723(1999)157
- Gausepohl, C. and Blaschke, G. Stereoselective determination of clenbuterol in human urine by capillary electrophoresis 713(1998)443
- Gauthier, M., see Raymond, F. 706(1998)113
- Gebhardt, F., see Beckmann, A. 710(1998)75
- Gehr, T.W.B., see Farthing, D. 704(1997)374
- Gehring, T., see Thompson Jr., H.C. 723(1999)287
- Geiger, K., see Mueller, W. 716(1998)27
- Geisel, J., Walz, T., Bodis, M., Nauck, M., Oette, K. and Herrmann, W. Fluorescence-based single-strand conformation polymorphism analysis of the low density lipoprotein receptor gene by capillary electrophoresis 724(1999)239
- Geissbuesler, St., see Klockow-Beck, A. 720(1998)141
- Gelderblom, W.C.A., see Castegnaro, M. 720(1998)15
- Gemeiner, P., see Boháčová, V. 715(1998)273
- Gemeiner, P., Polakovič, M., Mislovičová, D. and Štefuć, V. Cellulose as a (bio)affinity carrier: properties, design and applications 715(1998)245
- Genç, Ö., see Ibrahim, E.-H. 720(1998)217
- Gennaro, M.L., see Colangeli, R. 714(1998)223
- Gerlach, C.L., see Van Emon, J.M. 715(1998)211
- Gerson, S.L., see Stefan, T.L. 704(1997)289
- Gesele, E., see Lieblich, H.M. 713(1998)427
- Geyer, H., see Machnik, M. 723(1999)147
- Ghiggeri, G.M., see Musante, L. 705(1998)351
- Giampiccolo, R., see Fustinoni, S. 723(1999)105
- Giboudeau, J., see Mario, N. 706(1998)123
- Gilar, M., Belenky, A., Budman, Y., Smisek, D.L. and Cohen, A.S. Study of phosphorothioate-modified oligonucleotide resistance to 3'-exonuclease using capillary electrophoresis 714(1998)13
- Gilkes, N.R., see Tomme, P. 715(1998)283
- Gimenez, F., see Gorichon, E. 712(1998)259
- Gimenez, F., see Hiép, B.T. 707(1998)235
- Giordano, E., see Muscare, C. 707(1998)301
- Gitto, R., see Rizzo, M. 705(1998)149
- Giudicelli, V., see Fouillat, M. 706(1998)167
- Glässgen, W., see Oosterkamp, A.J. 715(1998)331
- Gmeiner, G., Krassnig, C., Schmid, E. and Tausch, H. Fast screening method for the profile analysis of polycyclic aromatic hydrocarbon metabolites in urine using derivatisation–solid-phase microextraction 705(1998)132
- Gocan, S., see Cimpan, G. 714(1998)247
- Godbillon, J., see Campestrini, J. 704(1997)221
- Godbillon, J., see Pommier, F. 703(1997)145
- Godfredsen, K.A., see Holland, D.T. 707(1998)105
- Göen, T., see Bader, M. 710(1998)91
- Goil, S., Barnes, C., Thibeault, D. and Truog, W.E. Simplified method for purification of colostrum to obtain secretory component of immunoglobulin A, using secretory component as a reference protein in tracheal aspirate fluid 705(1998)203
- Gómez, A., see Rosing, H. 710(1998)183
- Gomez, F.A., see Kawaoka, J. 715(1998)203
- Gomita, Y., see Moriyama, M. 723(1999)301
- González, G., see Segura, J. 724(1999)9
- Goodman, D.W., see Zhu, Z. 724(1999)389
- Gooijer, C., see Veraart, J.R. 719(1998)199
- Goranscheva, J., see Vatsova, M. 702(1997)221
- Gordon, B.G., see Manouilov, K.K. 707(1998)342
- Gorichon, E., Martin, C., Bangchang, K.N., Karbwang, J., Thuillier, A., Farinotti, R. and Gimenez, F. Chiral chromatographic method to determine the enantiomers of halofantrine and its main chiral desbutyl metabolite in erythrocytes 712(1998)259
- Goto, Y., Makino, K., Kataoka, Y., Shuto, H. and Oishi, R. Determination of salicylic acid in human serum with capillary zone electrophoresis 706(1998)329
- Gottschalk, I., see Lundahl, P. 722(1999)103
- Goubran Botros, H., Rabillon, J., Grégoire, C., David, B. and Dandeu, J.-P. Thiophilic adsorption chromatography: purification of Equ c2 and Equ c3, two horse allergens from horse sweat 710(1998)57
- Goubran, H., see Burnouf, T. 715(1998)65
- Gouelo, D., see Pouliquen, H. 702(1997)157
- Goumaz, L., see Chollet, D.F. 718(1998)163
- Gounarides, J.S., Chen, A. and Shapiro, M.J. Nuclear magnetic resonance chromatography: applications of pulse field gradient diffusion NMR to mixture analysis and ligand–receptor interactions 725(1999)79
- Gourdier, B., see Hoizey, G. 704(1997)167
- Gouzoulis-Mayfrank, E., see Lindenblatt, H. 709(1998)255
- Gouzoulis-Mayfrank, E., see Brunnenberg, M. 719(1998)79
- Govindaraju, K., Cowley, E.A., Eidelman, D.H. and Lloyd, D.K. Analysis of proteins in microsamples of rat airway surface fluid by capillary electrophoresis 705(1998)223
- Gowik, P., Jülicher, B. and Uhlig, S. Multi-residue method for non-steroidal anti-inflammatory drugs in plasma using high-performance liquid chromatography–photodiode-array detection. Method description and comprehensive in-house validation 716(1998)221
- Grabielle-Madelenmont, C., see Andrieux, K. 706(1998)141
- Grégoire, C., see Goubran Botros, H. 710(1998)57
- Greijer, E., see Lundahl, P. 722(1999)103
- Greipel, J., see Tsikas, D. 709(1998)79
- Grellet, J., see Ba, B.B. 724(1999)127

- Gremlich, H.-U., see Yan, B. 725(1999)91
- Grieb, S., see Knebel, N.G. 721(1999)257
- Griess, G.A., see Serwer, P. 722(1999)179
- Griffin, S.T., see Rogers, R.D. 711(1998)255
- Griffin, S.T., see Rogers, R.D. 711(1998)277
- Grimm, R., see Viglio, S. 714(1998)87
- Grissely, R., see Santarelli, X. 706(1998)13
- Groen, A.K., see Frijters, C.M.G. 710(1998)9
- Groppi, A., see Polettini, A. 713(1998)265
- Groppi, A., see Tagliaro, F. 723(1999)195
- Grotti, A., see Arboghi, T. 701(1997)103
- Grotti, A., see Arboghi, T. 713(1998)415
- Grover, M., Gulati, M. and Singh, S.
Stability-indicating analysis of isoxazolyl penicillins using dual wavelength high-performance liquid chromatography 708(1998)153
- Gu, X.Q., Fryirs, B. and Mather, L.E.
High-performance liquid chromatographic separation and nanogram quantitation of bupivacaine enantiomers in blood 719(1998)135
- Guan, F., Watanabe, K., Ishii, A., Seno, H., Kumazawa, T.,
Hattori, H. and Suzuki, O.
Headspace solid-phase microextraction and gas chromatographic determination of dinitroaniline herbicides in human blood, urine and environmental water 714(1998)205
- Guarnieri, C., see Muscari, C. 707(1998)301
- Gubbens-Stibbe, J.M., see Van der Geest, R. 702(1997)131
- Guchelaar, H.-J., see Sastre Toraño, J. (1998)89
- Guéant, J.L., see Galland, A.V. 706(1998)63
- Guéant, J.-L., see Guy, M. 706(1998)149
- Guéant, J.-L., see Pons, L. 706(1998)131
- Gueylard, D., see Chenevier, P. 708(1998)310
- Guh, H.Y., see Micheel, A.P. 709(1998)166
- Guillaume, D., see Coudoré, F. 721(1999)317
- Guiller, A., see Ravanat, J.-L. 715(1998)349
- Guitton, J., Laffont, A., Bruzeau, J., Rochet-Mingret, L.,
Bonnefoy, M. and Bureau, J.
Determination of ceftazidime in plasma using high-performance liquid chromatography and electrochemical detection. Application for individualizing dosage regimens in elderly patients 719(1998)151
- Gulati, M., see Grover, M. 708(1998)153
- Gulbis, B., see Lin, C. 719(1998)47
- Gummert, J.F., Christians, U., Barten, M., Silva, H. and Morris, R.E.
High-performance liquid chromatographic assay with a simple extraction procedure for sensitive quantification of mycophenolic acid in rat and human plasma 721(1999)321
- Gunnarsson, T., Karlsson, A., Hansson, P., Johnson, G., Alling, C. and Odham, G.
Determination of phosphatidylethanol in blood from alcoholic males using high-performance liquid chromatography and evaporative light scattering or electrospray mass spectrometric detection 705(1998)243
- Gupta, E., see Ahmed, F. 707(1998)227
- Gupta, G., see Henne, K.R. 710(1998)143
- Gupta, N.C., see Dua, V.K. 714(1998)390
- Gupta, R.C., see Issar, M. 724(1999)147
- Gupta, R.C., see Verma, N. 708(1998)243
- Gurley, L.R., Umberger, K.O., Kim, J.M., Bradbury, E.M. and Lehnert, B.E.
High-performance liquid chromatographic analysis of staurosporine in vivo. Its translocation and pharmacokinetics in rats 712(1998)211
- Guse, A.H., see Da Silva, C.P. 707(1998)43
- Gustafsson, L.L., see Mirghani, R.A. 708(1998)209
- Guterman, N., see Segarra, I. 720(1998)179
- Guttendorf, R., see Brodfuehrer, J.I. 709(1998)265
- Gutzki, F.-M., see Tsikas, D. 709(1998)79
- Gutzki, F.-M., see Tsikas, D. 715(1998)441
- Gutzki, F.-M., see Tsikas, D. 716(1998)7
- Guvakov, D., see Meng, Q.C. 718(1998)121
- Guy, M., Olszewski, A., Monhoven, N., Namour, F., Guéant, J.-L. and Plénat, F.
Evaluation of coupling of cobalamin to antisense oligonucleotides by thin-layer and reversed-phase liquid chromatography 706(1998)149
- Guzman, N.A., see Heegaard, N.H.H. 715(1998)29
- Gwilt, P.R., see Manouilov, K.K. 707(1998)342
- Gwilt, P.R., see Manouilov, K.K. 708(1998)321
- Gysler, J., Schunack, W. and Jaehde, U.
Monitoring of chemotherapy-induced proteinuria using capillary zone electrophoresis 721(1999)207
- H**
- Haar, N.C., see Tirmenstein, M.A. 707(1998)308
- Häberlein, H., see Boonen, G. 702(1997)240
- Hadi, A.A.A., see Wasfi, I.A. 709(1998)209
- Hadley, S.W., see Carson, M.C. 712(1998)113
- Hage, D.S.
Survey of recent advances in analytical applications of immunoaffinity chromatography 715(1998)3
- Hage, D.S., see Chattopadhyay, A. 715(1998)183
- Hage, D.S. and Sengupta, A.
Characterisation of the binding of digitoxin and acetyldigitoxin to human serum albumin by high-performance affinity chromatography 724(1999)91
- Hageman, G., see Krul, C. 709(1998)27
- Haggan, S.A., see Cannavan, A. 718(1998)103
- Hagimoto, T., Okada, J., Motohashi, M. and Yoshimura, Y.
Double column-switching high-performance liquid chromatographic method for the determination of TAK-603 and its metabolites in human serum 712(1998)161
- Haginaka, J., see Yamaguchi, Y. 716(1998)57
- Hagino, M., see Yamamoto, K. 720(1998)251

- Hagiwara, T., Yasuno, T., Funayama, K. and Suzuki, S.
Determination of lycopene, α -carotene and β -carotene in serum by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry with selected-ion monitoring 708(1998)67
- Hahn-Hägerdal, B., see Planas, J. 711(1998)265
- Hajós, P. and Nagy, L.
Retention behaviours and separation of carboxylic acids by ion-exchange chromatography 717(1998)27
- Hakala, M., see Tuomola, M. 719(1998)25
- Hall, D.R. and Winzor, D.J.
Potential of biosensor technology for the characterization of interactions by quantitative affinity chromatography 715(1998)163
- Hallare, D.A., see Poch, G.K. 724(1999)23
- Hallensleben, K., see Kirchner, G.I. 721(1999)285
- Haluska, P., see Ahmed, F. 707(1998)227
- Hamachi, Y., Nakashima, M.N. and Nakashima, K.
High-performance liquid chromatography with peroxyoxalate chemiluminescence determination of propentofylline concentrations in rat brain microdialysate 724(1999)189
- Hämäläinen, K.M., see Ranta, V.-P. 709(1998)1
- Han, K.S., Woo, S.-J., Koo, C.H. and Lee, M.G.
Determination of a chemoprotective agent, 2-(allylthio)pyrazine, in plasma, urine and tissue homogenates by high-performance liquid chromatography 710(1998)239
- Han, S.-S., see Shin, H.-C. 718(1998)61
- Hanada, K., Akimoto, S., Mitsui, K., Hashiguchi, M. and Ogata, H.
Quantitative determination of disopyramide, verapamil and flecainide enantiomers in rat plasma and tissues by high-performance liquid chromatography 710(1998)129
- Hanai, T., see Inamoto, Y. 707(1998)111
- Handley, M.K., Hirth, W.W., Phillips, J.G., Ali, S.M., Khan, A., Fadnis, L. and Tedford, C.E.
Development of a sensitive and quantitative analytical method for 1*H*-4-substituted imidazole histamine H₃-receptor antagonists utilizing high-performance liquid chromatography and dabsyl derivatization 716(1998)239
- Hanes, S.D., Herring, V.L. and Wood, G.C.
Alternative method for determination of ceftazidime in plasma by high-performance liquid chromatography 719(1998)245
- Hanocq, M., see Baltes, M.R.H. 706(1998)201
- Hansen, L.L., Larsen, J.T. and Brøsen, K.
Determination of tacrine and its metabolites in human plasma and urine by high-performance liquid chromatography and fluorescence detection 712(1998)183
- Hansson, P., see Gunnarsson, T. 705(1998)243
- Hara, K.-i., see Ochiai, H. 713(1998)409
- Hara, M., see Yang, Q. 707(1998)131
- Harada, H., see Tsuda, T. 723(1999)273
- Hardcastle, J.E. and Jano, I.
Determination of dissociation constants of polyprotic acids from chromatographic data 717(1998)39
- Hardieck, M., see Slater, C. 716(1998)1
- Hardt, J. and Angerer, J.
Gas chromatographic method with mass-selective detection for the determination of 2-isopropoxyphenol in human urine 723(1999)139
- Hardy, M.J., see Coufal, P. 720(1998)197
- Harjula, P., see Kuutilainen, J. 705(1998)111
- Harms, R., see Van Heeswijk, R.P.G. 719(1998)159
- Haro, L.S., Cubriel, A., Bustamante, J., Flores, R. and Martinez, A.O.
Divalent metal cation chelators enhance chromatographic separation of structurally similar macromolecules: separation of human growth hormone isoforms 720(1998)39
- Hartmann, S. and Steinhart, H.
Simultaneous determination of anabolic and catabolic steroid hormones in meat by gas chromatography–mass spectrometry 704(1997)105
- Härtter, S., Jensen, B., Hiemke, C., Leal, M., Weigmann, H. and Unger, K.
Micellar electrokinetic capillary chromatography for therapeutic drug monitoring of carbamazepine and its main metabolites 712(1998)253
- Härtter, S., see Weigmann, H. 710(1998)227
- Hasebe, K., see Tateda, N. 718(1998)235
- Hashiguchi, M., see Hanada, K. 710(1998)129
- Hatase, O., see Inamoto, Y. 707(1998)111
- Hatton, C.K., see Aguilera, R. 702(1997)85
- Hattori, H., see Guan, F. 714(1998)205
- Hattori, H., Iwai, M., Kurono, S., Yamada, T., Watanabe-Suzuki, K., Ishii, A., Seno, H. and Suzuki, O.
Sensitive determination of xylenes in whole blood by capillary gas chromatography with cryogenic trapping 718(1998)285
- Hauer, M.J., see Zhong, W.Z. 705(1998)39
- Hausen, B., see Segarra, I. 720(1998)179
- Haux, C., see Silversand, C. 703(1997)7
- Hay, M. and Mormède, P.
Improved determination of urinary cortisol and cortisone, or corticosterone and 11-dehydrocorticosterone by high-performance liquid chromatography with ultraviolet absorbance detection 702(1997)33
- Hay, M. and Mormède, P.
Determination of catecholamines and methoxycatecholamines excretion patterns in pig and rat urine by ion-exchange liquid chromatography with electrochemical detection 703(1997)15
- Hayakawa, T., see Kawasaki, N. 705(1998)193
- Hayakawa, T., see Shibata, N. 706(1998)191
- Hayamizu, T., Kudoh, S. and Nakamura, H.
Methylated *N*_ε-dansyl-L-lysine as a fluorogenic reagent for the chiral separation of carboxylic acids 710(1998)211
- Hayashi, Y., see Yomota, C. 703(1997)139
- Haynes, C.A., see Johansson, H.-O. 711(1998)3
- Haynes, C.A., see Tomme, P. 715(1998)283
- Hayteas, D.L. and Duffield, D.A.
Use of high-performance liquid chromatography for the estimation of polychlorinated biphenyls and *p,p*-DDE residues in marine mammals 705(1998)362

- He, H., Shay, S.D., Caraco, Y., Wood, M. and Wood, A.J.J.
Simultaneous determination of codeine and its seven metabolites in plasma and urine by high-performance liquid chromatography with ultraviolet and electrochemical detection 708(1998)185
- He, H., Stein, C.M., Christman, B. and Wood, A.J.J.
Determination of catecholamines in sheep plasma by high-performance liquid chromatography with electrochemical detection: comparison of deoxyepinephrine and 3,4-dihydroxybenzylamine as internal standard 701(1997)115
- Hedaya, M.A., see Pan, W.-j. 703(1997)129
- Heegaard, N.H.H., Nilsson, S. and Guzman, N.A.
Affinity capillary electrophoresis: important application areas and some recent developments 715(1998)29
- Heijbel, A., see Colangeli, R. 714(1998)223
- Heil, M., Podebrad, F., Beck, T., Mosandl, A., Sewell, A.C. and Böhles, H.
Enantioselective multidimensional gas chromatography-mass spectrometry in the analysis of urinary organic acids 714(1998)119
- Heinig, R., see Möller, J.-G. 716(1998)325
- Heitmann, D., Ziehr, H. and Müthing, J.
Large scale purification of gangliosides G_{M3}(Neu5Ac) and G_{M3}(Neu5Gc) by trimethylaminoethyl-Fractogel high-performance liquid chromatography 710(1998)1
- Heitmeier, S. and Blaschke, G.
Direct determination of paracetamol and its metabolites in urine and serum by capillary electrophoresis with ultraviolet and mass spectrometric detection 721(1998)93
- Heitmeier, S. and Blaschke, G.
Direct assay of nonopiod analgesics and their metabolites in human urine by capillary electrophoresis and capillary electrophoresis-mass spectrometry 721(1998)109
- Hekster, Y.A., see Burger, D.M. 703(1997)235
- Heller, D.N., see Carson, M.C. 718(1998)95
- Hellmann-Blumberg, U., see Taras, T.L. 724(1999)163
- Helmeste, D., see Vu, R.L. 703(1997)195
- Hempel, G., see Sczesny, F. 718(1998)177
- Hempenius, J., Wieling, J., Brakenhoff, J.P.G., Maris, F.A. and Jonkman, J.H.G.
High-throughput solid-phase extraction for the determination of cimetidine in human plasma 714(1998)361
- Henderson, G.N., see Yan, Z. 703(1997)75
- Henion, J., see Bach, G.A. 707(1998)275
- Henion, J., see Wieboldt, R. 708(1998)121
- Henley, C.M., see Mills, C.D. 701(1997)65
- Henne, K.R., Gaedigk, A., Gupta, G., Leeder, J.S. and Rettie, A.E.
Chiral phase analysis of warfarin enantiomers in patient plasma in relation to CYP2C9 genotype 710(1998)143
- Henrar, R.E.C., see Rosing, H. 710(1998)183
- Henrich, A., see Kintz, P. 705(1998)357
- Her, S.-J., see Lin, W.-J. 714(1998)263
- Herman, V.K., see Wright, D.H. 709(1998)97
- Hernández, H., see Farooq, S. 702(1997)49
- Hernández, L., see Páez, X. 720(1998)33
- Hernández, L.E., see Rojas-Ojeda, P. 711(1998)139
- Hernandez, M., see Rito-Palomares, M. 711(1998)81
- Hernández-Campos, A., see del Rivero, L.M. 712(1998)237
- Herring, V.L., see Hanes, S.D. 719(1998)245
- Herrmann, W., see Geisel, J. 724(1999)239
- Hervé, F., see Duché, J.-C. 715(1998)103
- Hervé, F., Duché, J.-C. and Jaurand, M.-C.
Changes in expression and microheterogeneity of the genetic variants of human α_1 -acid glycoprotein in malignant mesothelioma 715(1998)111
- Hesse, A., see Von Unruh, G.E. 716(1998)343
- Hesse, M., see Lausecker, B. 718(1998)1
- Hiemke, C., see Härtter, S. 712(1998)253
- Hiemke, C., see Weigmann, H. 710(1998)227
- Hiep, B.T., Khanh, V., Hung, N.K., Thuillier, A. and Gimenez, F.
Determination of the enantiomers of chlorpheniramine and its main monodesmethyl metabolite in urine using achiral-chiral liquid chromatography 707(1998)235
- Higashino, K., see Yamamoto, T. 719(1998)55
- Higgins, D.L., see Kauvar, L.M. 715(1998)93
- Higuchi, S., see Kikuchi, Y. (1998)81
- Higuchi, S., see Pawula, M. 719(1998)113
- Hiki, Y., see Iwase, H. 709(1998)145
- Hiki, Y., see Iwase, H. 724(1999)1
- Hillaire-Buys, D., see Cociglio, M. 705(1998)79
- Hillebrand, M.J.X., see Rosing, H. 710(1998)183
- Hirata, K., see Inagaki, H. 707(1998)9
- Hirata, R., see Toyoda, H. 704(1997)19
- Hirayama, C., Sakata, M., Nakamura, M., Ihara, H., Kunitake, M. and Todokoro, M.
Preparation of poly(ϵ -lysine) adsorbents and application to selective removal of lipopolysaccharides 721(1999)187
- Hiroi, Y., see Ohshita, T. 716(1998)107
- Hirth, W.W., see Handley, M.K. 716(1998)239
- Hizel, C., Maurizis, J.-C., Rio, P., Communal, Y., Chassagne, J., Favy, D., Bignon, Y.-J. and Bernard-Gallon, D.J.
Isolation, purification and quantification of BRCA1 protein from tumour cells by affinity perfusion chromatography 721(1999)163
- Ho, H.-O., see Yeh, G.-C. 723(1999)247
- Ho, P.C., see Chan, E.C.Y. 707(1998)287
- Ho, S.-T., see Liaw, W.-J. 714(1998)237
- Hobara, N., Kameya, H., Hokama, N., Ohshiro, S. and Sakanashi, M.
Rapid and simple determination of fleroxacin in rat plasma using a solid-phase extraction column 703(1997)279
- Hocquemiller, R., see Iglarz, M. 714(1998)335
- Hodges, R.S., see Chao, H. 715(1998)307
- Hoek, F.J., see Frijters, C.M.G. 710(1998)9
- Hoetelmans, R.M.W., Profijt, M., Meenhorst, P.L., Mulder, J.W. and Beijnen, J.H.
Quantitative determination of (−)-2'-deoxy-3'-thiacytidine (lamivudine) in human plasma, saliva and cerebrospinal fluid by high-performance liquid chromatography with ultraviolet detection 713(1998)387
- Hoetelmans, R.M.W., Van Essenbergh, M., Profijt, M., Meenhorst, P.L., Mulder, J.W. and Beijnen, J.H.
High-performance liquid chromatographic determination of ritonavir in human plasma, cerebrospinal fluid and saliva 705(1998)119
- Hoetelmans, R.M.W., see Van Heeswijk, R.P.G. 713(1998)395
- Hoetelmans, R.M.W., see Van Heeswijk, R.P.G. 719(1998)159

- Hofmann, U., see Schänzle, G. 721(1998)55
- Hoizey, G., Vistelle, R., Lamiable, D., Millart, H., Gourdier, B. and d'Arbigny, P.
Determination of gacyclidine enantiomers in human plasma by gas chromatography–mass spectrometry using selected-ion monitoring 704(1997)167
- Hokama, N., see Hobara, N. 703(1997)279
- Holladay, J.W., Dewey, M.J. and Yoo, S.D.
Quantification of fluoxetine and norfluoxetine serum levels by reversed-phase high-performance liquid chromatography with ultraviolet detection 704(1997)259
- Holland, D.T., Godfredsen, K.A., Page, T. and Connor, J.D.
Simple high-performance liquid chromatography method for the simultaneous determination of serum caffeine and paraxanthine following rapid sample preparation 707(1998)105
- Holland, J.C., see Kidwell, D.A. 713(1998)111
- Holland, J.C., see Kidwell, D.A. 721(1999)333
- Höltje, H.-D., see Beier, T. 708(1998)1
- Holzmann-Erens, P., see Lindenblatt, H. 709(1998)255
- Homan, R. and Anderson, M.K.
Rapid separation and quantitation of combined neutral and polar lipid classes by high-performance liquid chromatography and evaporative light-scattering mass detection 708(1998)21
- Hong, C.-Y., see Liang, C.-C. 724(1999)303
- Hoogmartens, J., see Khan, K. 702(1997)69
- Hoogmartens, J., see Yongxin, Z. 707(1998)189
- Hooper, W.D., see Addison, R.S. 716(1998)153
- Hooper, W.D., see Franklin, M.E. 705(1998)47
- Hopfgartner, G., see Lausecker, B. 718(1998)1
- Hopkins, S., see Lawless, M.K. 707(1998)213
- Hoppel, C.L., see Stefan, T.L. 704(1997)289
- Horimi, H., see Yoshida, K.-i. 723(1999)75
- Horning, S., see Machnik, M. 723(1999)147
- Horsmans, Y., see Eeckhoudt, S.L. 710(1998)165
- Hosaki, S., see Okazaki, M. 709(1998)179
- Hoshino, N., see Shibata, N. 706(1998)191
- Hotta, K., see Iwase, H. 709(1998)145
- Hotta, K., see Iwase, H. 724(1999)1
- Houen, G., see Koch, C. 718(1998)41
- House, L., Ramírez, J. and Ratain, M.J.
Simultaneous determination of 5-fluorouracil and uracil by high-performance liquid chromatography using four serial columns 720(1998)245
- Howald, W.N., see Regal, K.A. 708(1998)75
- Hradec, J. and Dufek, P.
Isolation and quantitation of phosphatidylcholine by reversed-phase liquid–liquid extraction 703(1997)259
- Hradec, J., Dufek, P. and Matucha, M.
Quantitation of individual molecular species of phosphatidylcholines by reversed-phase high-performance liquid chromatography with fluorometric detection 714(1998)145
- Hsiang, W.-S., see Lee, M.-R. 707(1998)91
- Hsieh, J.Y.-K., see Birk, K.L. 719(1998)93
- Hsu, B.H., Orton, E., Tang, S.-Y. and Carlton, R.A.
Application of evaporative light scattering detection to the characterization of combinatorial and parallel synthesis libraries for pharmaceutical drug discovery 725(1999)103
- Hu, J.K., see Peng, S.X. 724(1999)181
- Hu, K., Li, J. and Webster, J.M.
Quantitative analysis of a bacteria-derived antibiotic in nematode-infected insects using HPLC–UV and TLC–UV methods 703(1997)177
- Hu, O.Y.-P., see Liaw, W.-J. 714(1998)237
- Hu, S., see Zhang, L. 707(1998)59
- Huang, C.-T., Chen, K.-C., Chen, C.-F. and Tsai, T.-H.
Simultaneous measurement of blood and brain microdialysates of granisetron in rat by high-performance liquid chromatography with fluorescence detection 716(1998)251
- Huang, T., see Liu, H. 713(1998)289
- Huang, Y.T., see Peng, H.W. 714(1998)369
- Huber, L.A., see Pasquali, C. 722(1999)89
- Huddleston, J., see De Belval, S. 711(1998)19
- Huddleston, J., see Lebreton, B. 711(1998)69
- Huddleston, J.G., see Rogers, R.D. 711(1998)255
- Huddleston, J.G., Willauer, H.D., Boaz, K.R. and Rogers, R.D.
Separation and recovery of food coloring dyes using aqueous biphasic extraction chromatographic resins 711(1998)237
- Huf, F.A., see Coolen, S.A.J. 717(1998)119
- Huitema, A.D.R., see Kerbusch, T. 716(1998)275
- Huitema, A.D.R., Tibben, M.M., Kerbusch, T., Zwinkker, J.W., Rodenhuis, S. and Beijnen, J.H.
Simultaneous determination of N,N',N"-triethylenethiophosphoramide, cyclophosphamide and some of their metabolites in plasma using capillary gas chromatography 716(1998)177
- Huitema, A.D.R., see Van Maanen, R.J. 719(1998)103
- Huizing, M.T., Rosing, H., Koopmans, F.P. and Beijnen, J.H.
Influence of Cremophor EL on the quantification of paclitaxel in plasma using high-performance liquid chromatography with solid-phase extraction as sample pretreatment 709(1998)161
- Humphrey, P.E., see Dasgupta, A. 708(1998)299
- Hung, I.-F., Lee, S.-A. and Chen, R.-K.
Simultaneous determination of benzene, toluene, ethylbenzene, and xylenes in urine by thermal desorption–gas chromatography 706(1998)352
- Hung, L.-C., see Tsai, T.-H. 720(1998)165
- Hung, L.N., see Na-Bangchang, K. 708(1998)201
- Hung, N.K., see Hiip, B.T. 707(1998)235
- Huo, J.Z., Nelis, H.J., Lavens, P., Sorgeloos, P. and De Leenheer, A.P.
Simultaneous determination of α-tocopheryl acetate and tocopherols in aquatic organisms and fish feed 724(1999)249
- Huse, K., see Scholz, G.H. 709(1998)189
- Hušek, P.
Chloroformates in gas chromatography as general purpose derivatizing agents 717(1998)57
- Huss, B.T., see Cox, S.K. 705(1998)145
- Hussain, F.N., Ajjan, R.A., Moustafa, M., Anderson, J.C. and Riley, S.A.
Simple method for the determination of 5-aminosalicylic acid and N-acetyl-5-aminosalicylic acid in rectal tissue biopsies 716(1998)257
- Hutt, A.J., see Tan, S.C. 701(1997)53

- Huwe, J.K., see Shelver, W.L. 705(1998)261
- Hvattum, E., Larsen, Å., Uran, S., Michelsen, P.M. and Skotland, T.
Specific detection and quantification of palmitoyl-stearoyl-phosphatidylserine in human blood using normal-phase liquid chromatography coupled with electrospray mass spectrometry 716(1998)47
- Hwang, D.-F., Chang, S.-H., Shiua, C.-Y. and Chai, T.-j.
Erratum to "High-performance liquid chromatographic determination of biogenic amines in fish implicated in food poisoning". [J. Chromatogr. B, 693 (1997) 23–30] 716(1998)397
- I**
- Iadarola, P., see Viglio, S. 714(1998)87
- Ibrahim, E.-H., Denizli, A., Bektaş, S., Genç, Ö. and Pişkin, E.
Cadmium removal from human plasma by Cibacron Blue F3GA and thionein incorporated into polymeric microspheres 720(1998)217
- Ibrahim, N., see Ahmed, F. 707(1998)227
- Iga, T., see Yamamoto, K. 720(1998)251
- Iglarz, M., Baune, B., Gantier, J.C., Hocquemiller, R. and Farinotti, R.
Determination of 2-n-propylquinoline in mouse plasma and liver by high-performance liquid chromatography 714(1998)335
- Iguchi, H., see Inoue, H. 724(1999)221
- Ihara, H., see Hirayama, C. 721(1999)187
- Iida, H., see Kai, M. 720(1998)25
- Ikeda, N., see Ito, S. 713(1998)323
- Ikeda, T., see Torimura, M. 721(1998)31
- Ikegami, Y., see Uesugi, T. 703(1997)63
- Ikic, M., see Tsikas, D. 708(1998)55
- Imalalen, M., see Pepin, X. 702(1997)181
- Imamura, T., see Ito, S. 713(1998)323
- Imanari, T., see Koshiishi, I. 709(1998)150
- Imanari, T., see Toyoda, H. 704(1997)19
- Inagaki, H., Hirata, K. and Minami, M.
Separate determination of human urinary conjugated and unconjugated 3-methoxy-4-hydroxyphenylethyleneglycol 707(1998)9
- Inagaki, M., see Kawada, T. 714(1998)375
- Inama, P., see Yongxin, Z. 707(1998)189
- Inamoto, S., see Inamoto, Y. 707(1998)111
- Inamoto, Y., Inamoto, S., Hanai, T., Tokuda, M., Hatase, O., Yoshii, K., Sugiyama, N. and Kinoshita, T.
Liquid chromatography of guanidino compounds using a porous graphite carbon column and application to their analysis in serum 707(1998)111
- Ingalls, S.T., see Stefan, T.L. 704(1997)289
- Inoue, H., Iguchi, H., Kono, A. and Tsuruta, Y.
Highly sensitive determination of *N*-terminal prolyl dipeptides, proline and hydroxyproline in urine by high-performance liquid chromatography using a new fluorescent labelling reagent, 4-(5,6-dimethoxy-2-phthalimidinyl)-2-methoxyphenylsulfonyl chloride 724(1999)221
- Inoue, H., Maeno, Y., Iwasa, M., Monma, J. and Matoba, R.
Use of high-performance liquid chromatography as an extraction procedure for analysis of triazolam in decomposed human muscle by gas chromatography–mass spectrometry 701(1997)47
- Inoue, N., see Okazaki, M. 709(1998)179
- Irgum, K., see Al-Dirbashi, O. 712(1998)105
- Irimie, F., see Cimpan, G. 714(1998)247
- Irth, H., see Oosterkamp, A.J. 715(1998)331
- Irvin, R.T., see Chao, H. 715(1998)307
- Iseki, K., see Kishino, S. 703(1997)1
- Isgrave, F.H., Williams, R.J.H., Niven, G.W. and Andrews, A.T.
Aqueous two-phase systems: a novel approach for the separation of proteose peptones 711(1998)91
- Ishida, Y., Yokoi, H., Isomura, S., Ohtani, H., Tsuge, S., Sekino, T., Nakanishi, M. and Kimoto, T.
Correlation analysis between fatty acid compositions of zooplankton individuals, fed on different phytoplankton species by means of pyrolysis–gas chromatography combined with on-line methylation 716(1998)39
- Ishigai, M., Asoh, Y. and Kumaki, K.
Determination of 22-oxacalcitriol, a new analog of 1 α ,25-dihydroxyvitamin D₃, in human serum by liquid chromatography–mass spectrometry 706(1998)261
- Ishigai, M., Ishitani, Y. and Kumaki, K.
Characteristics of mass spectrometric analyses coupled to gas chromatography and liquid chromatography for 22-oxacalcitriol, a vitamin D₃ analog, and related compounds 704(1997)11
- Ishii, A., see Guan, F. 714(1998)205
- Ishii, A., see Hattori, H. 718(1998)285
- Ishii, K., Furuta, T. and Kasuya, Y.
Determination of naringin and naringenin in human urine by high-performance liquid chromatography utilizing solid-phase extraction 704(1997)299
- Ishii, K., see Oishi, M. 720(1998)59
- Ishii, Y., see Chikuma, T. 703(1997)45
- Ishii-Karakasa, I., see Iwase, H. 709(1998)145
- Ishii-Karakasa, I., see Iwase, H. 724(1999)1
- Ishitani, Y., see Ishigai, M. 704(1997)11
- Ishizaki, K., see Sakakura, H. 718(1998)33
- Isomura, S., see Ishida, Y. 716(1998)39
- Issar, M., Nagaraja, N.V., Lal, J., Paliwal, J.K. and Gupta, R.C.
Determination of antifilarial compound UMF-078 and its metabolites in plasma by high-performance liquid chromatography 724(1999)147
- Itayama, Y., see Wada, M. 721(1999)179
- Ito, K., Tanaka, S., Konno, S., Konishi, Y. and Mizugaki, M.
Report on the preparation of deuterium-labelled aconitine and mesaconitine and their application to the analysis of these alkaloids from body fluids as internal standard 714(1998)197

- Ito, S., Kudo, K., Imamura, T., Suzuki, T. and Ikeda, N.
Sensitive determination of methomyl in blood using gas chromatography–mass spectrometry as its oxime *tert*-butyldimethylsilyl derivative 713(1998)323
- Ito, S., see Torimura, M. 721(1998)31
- Ito, Y., see Shibusawa, Y. 709(1998)301
- Itoh, S., see Okazaki, M. 709(1998)179
- Iu, M., see Wright, A.W.E. 712(1998)169
- Ivanković, V., see Živko-Babić, J. 710(1998)247
- Iwadate, K., see Nagao, M. 701(1997)9
- Iwai, M., see Hattori, H. 718(1998)285
- Iwaki, M., Murakami, E., Kikuchi, M., Wada, A., Ogiso, T., Oda, Y., Kubo, K. and Kakehi, K.
Simultaneous determination of nicotinic acid and its metabolites in rat urine by micellar electrokinetic chromatography with photodiode array detection 716(1998)335
- Iwamori, M., see Lin, B. 704(1997)99
- Iwasa, M., see Inoue, H. 701(1997)47
- Iwasaki, Y., see Namera, A. 706(1998)253
- Iwasaki, Y., see Namera, A. 716(1998)171
- Iwasaki, Y., see Watanabe, T. 709(1998)225
- Iwase, H., see Nagao, M. 701(1997)9
- Iwase, H., Tanaka, A., Hiki, Y., Kokubo, T., Ishii-Karakasa, I., Nishikido, J., Kobayashi, Y. and Hotta, K.
Application of matrix-assisted laser desorption ionization time-of-flight mass spectrometry to the analysis of glycopeptide-containing multiple *O*-linked oligosaccharides 709(1998)145
- Iwase, H., Tanaka, A., Hiki, Y., Kokubo, T., Sano, T., Ishii-Karakasa, I., Toma, K., Kobayashi, Y. and Hotta, K.
Aggregated human serum immunoglobulin A1 induced by neuraminidase treatment had a lower number of *O*-linked sugar chains on the hinge portion 724(1999)1
- Iyamu, E.W., Roa, P.D., Kopsombut, P., Aguinaga, M.d.P. and Turner, E.A.
New isocratic high-performance liquid chromatographic procedure to assay the anti-sickling compound hydroxyurea in plasma with ultraviolet detection 709(1998)119
- Izquierdo-Hornillos, R., see Santos-Montes, A. 724(1999)53
- J**
- Jackson, S.H.D., see Tan, S.C. 701(1997)53
- Jacobsen, W., see Kirchner, G.I. 721(1999)285
- Jacobsen, W., see Segarra, I. 720(1998)179
- Jacqz-Aigrain, E., see Quernin, M.-H. 709(1998)47
- Jacqz-Aigrain, E., see Quernin, M.-H. 721(1998)147
- Jaehde, U., see Gysler, J. 721(1999)207
- Jaehde, U., see Stremetze, S. 703(1997)209
- Jaipal, P.D., see Khuhawar, M.Y. 723(1999)17
- Jajoo, H.K., Rao Mamidi, N.V.S., Kasiram, K., Prakash, A.S., Swaroop Kumar, V.V.S., Bheema Rao, P., Bhushan, V. and Subramaniam, S.
High-performance liquid chromatographic determination of the insulin sensitizing agent DRF-2189 in rat plasma 707(1998)241
- Jakobs, C., see Kulik, W. 710(1998)37
- James, C.A., see Basileo, G. 719(1998)191
- James, H., Tizabi, Y. and Taylor, R.
Rapid method for the simultaneous measurement of nicotine and cotinine in urine and serum by gas chromatography–mass spectrometry 708(1998)87
- James, M.O., see Yan, Z. 703(1997)75
- Jankowski, J., Potthoff, W., Zidek, W. and Schlüter, H.
Purification of chemically synthesised dinucleoside (5',5') polyphosphates by displacement chromatography 719(1998)63
- Jankowsky, R., Noll, B. and Johannsen, B.
Capillary electrophoresis of ^{99m}technetium radiopharmaceuticals 724(1999)365
- Jano, I., see Hardcastle, J.E. 717(1998)39
- Jardy, A., see Vial, J. 708(1998)131
- Järvinen, T., see Niemi, R. 701(1997)97
- Jaurand, M.-C., see Hervé, F. 715(1998)111
- Jauregi, P., see Noble, M. 711(1998)31
- Jaworowicz, D.J., Filipowski, M.T. and Boje, K.M.K.
Improved high-performance liquid chromatographic assay for nimesulide 723(1999)293
- Jayewardene, A.L., Santoro, J.E. and Gambertoglio, J.G.
High-performance liquid chromatographic determination of pyrazoloacridine, a nitro-9-methoxyacridine anticancer agent, in human plasma 702(1997)203
- Jayewardene, A.L., Zhu, F., Aweeka, F.T. and Gambertoglio, J.G.
Simple high-performance liquid chromatographic determination of the protease inhibitor indinavir in human plasma 707(1998)203
- Jayson, G., see Khan, P. 709(1998)113
- Jeanniot, J.-P., see Klippert, P. 719(1998)125
- Jelen-Žmitek, A., see Simonovska, B. 715(1998)425
- Jemal, M., Almond, R., Ouyang, Z. and Teitz, D.
Negative ion electrospray high-performance liquid chromatography–mass spectrometry method development for determination of a highly polar phosphonic acid/sulfonic acid compound in plasma. Optimization of ammonium acetate concentration and in-source collision-induced dissociation 703(1997)167
- Jemal, M. and Ouyang, Z.
Gas chromatography–mass spectrometric method for quantitative determination in human urine of dicarboxylic (dioic) acids produced in the body as a consequence of cholesterol biosynthesis inhibition 709(1998)233
- Jenkins, M.A.
Three methods of capillary electrophoresis compared with high-resolution agarose gel electrophoresis for serum protein electrophoresis 720(1998)49
- Jensen, B., see Härtter, S. 712(1998)253
- Jeong, D.-H., see Kim, K.-R. 701(1997)1
- Jeong, T.C., see Lee, H.S. 705(1998)367
- Jeong, Y.-N., see Lee, S.-H. 714(1998)379

- Jeong, Y.-N., Seo, M.-K., Choi, Y.-J., Kim, I.-C. and Lee, Y.-H.
High-performance liquid chromatographic assay of a new
HIV-1 protease inhibitor, LB71350, in the plasma of dogs
703(1997)284
- Ji, Z., see Zhang, J. 707(1998)257
- Jiang, X., see Srinivas, N.R. 705(1998)317
- Jiménez, R.M., see Ceniceros, C. 705(1998)97
- Jiménez, R.M., see Prieto, J.A. 714(1998)285
- Jimeno, J.M., see Rosing, H. 710(1998)183
- Jin, L.J. and Li, S.F.Y.
Comparison of chiral recognition capabilities of
cyclodextrins for the separation of basic drugs in capillary
zone electrophoresis 708(1998)257
- Joachimiak, A., see Quaita-Randall, E. 722(1999)153
- Johannsen, B., see Jankowsky, R. 724(1999)365
- Johansson, G. and Reczey, K.
Concentration and purification of β -glucosidase from
Aspergillus niger by using aqueous two-phase partitioning
711(1998)161
- Johansson, G., see Truust, H. 711(1998)117
- Johansson, G., see Truust, H. 711(1998)245
- Johansson, H.-O., Karlström, G., Tjerneld, F. and Haynes, C.A.
Driving forces for phase separation and partitioning in
aqueous two-phase systems 711(1998)3
- Johansson, J., see Petersson, M. 714(1998)39
- Johnson, A.G., see Jones, C.E. 708(1998)229
- Johnson, A.G., see Taylor, P.J. 705(1998)289
- Johnson, A.G., see Taylor, P.J. 718(1998)251
- Johnson, D.H., see Rohde, E. 713(1998)301
- Johnson, G., see Gunnarsson, T. 705(1998)243
- Jolivet, M., see Raymond, F. 706(1998)113
- Jones, A.E., see Callejas, S.L. 718(1998)243
- Jones, C.E., see Taylor, P.J. 705(1998)289
- Jones, C.E., Taylor, P.J. and Johnson, A.G.
High-performance liquid chromatography determination of
mycophenolic acid and its glucuronide metabolite in human
plasma 708(1998)229
- Jones, J.H., see McHowat, J. 702(1997)21
- Jonkman, J.H.G., see Hempenius, J. 714(1998)361
- Jonkman, J.H.G., see Van de Merbel, N.C. 708(1998)103
- Jonkman, J.H.G., see Van de Merbel, N.C. 708(1998)113
- Jönsson, B.A.G. and Åkesson, B.
Determination of N-methylsuccinimide and 2-hydroxy-N-
methylsuccinimide in human urine and plasma
704(1997)151
- Jönsson, B.A.G., see Lindh, C.H. 710(1998)81
- Jönsson, J.Å., see Norberg, J. 701(1997)39
- Joo, E.-H., Chang, W.-I., Oh, I., Shin, S.-C., Na, H.-K. and Lee,
Y.-B.
High-performance liquid chromatographic determination of
trimebutine and its major metabolite, *N*-monodesmethyl
trimebutine, in rat and human plasma 723(1999)239
- Jørgensen, M.
Quantitative determination of pamoic acid in dog and rat
serum by automated ion-pair solid-phase extraction and
reversed-phase high-performance liquid chromatography
716(1998)315
- Josic, D., see Necina, R. 715(1998)191
- Josić, Dj., see Lukša, J. 703(1997)185
- Joubert-Caron, R., see Caron, M. 715(1998)153
- Joubert-Caron, R., see Fouillit, M. 706(1998)167
- Joyce, K.B., see Callejas, S.L. 718(1998)243
- Jozefonvicz, J., see Clairbois, A.-S. 706(1998)55
- Jozefonvicz, J., see Lakhiari, H. 706(1998)33
- Juanéda, P. and Sébédio, J.-L.
Combined silver-ion and reversed-phase high-performance
liquid chromatography for the separation and identification
of C₂₀ metabolites of conjugated linoleic acid isomers in
rat liver lipids 724(1999)213
- Jukes, R., see Farooq, S. 702(1997)49
- Jülicher, B., see Gowik, P. 716(1998)221
- Juneja, L.R., see Tsuchiya, H. 703(1997)253
- Jung, G., see Süßmuth, R.D. 725(1999)49
- Jung, H., see del Rivero, L.M. 712(1998)237
- Jung, M., Berger, G., Pohlen, U., Päuser, S., Reszka, R. and
Buhr, H.J.
Simultaneous determination of 5-fluorouracil and its active
metabolites in serum and tissue by high-performance liquid
chromatography 702(1997)193
- Jungbauer, A., see Necina, R. 715(1998)191
- Jurado, C., see Segura, J. 713(1998)61
- Jusko, W.J., see Ferron, G.M. 703(1997)243
- Justice Jr., J.B., see Sirimanne, S.R. 716(1998)129

K

Kaersgaard, P. and Barington, K.A.

Isolation of the factor VIII-von Willebrand factor complex
directly from plasma by gel filtration 715(1998)357

Kai, M., Iida, H., Nohta, H., Lee, M.K. and Ohta, K.

Fluorescence derivatizing procedure for 5-
hydroxytryptamine and 5-hydroxyindoleacetic acid using
1,2-diphenylethylenediamine reagent and their sensitive
liquid chromatographic determination 720(1998)25

Kaiya, T., see Minami, C. 702(1997)245

Kajiwara, M., see Takahashi, H. 701(1997)71

Kakehi, K., see Iwaki, M. 716(1998)335

Kakkar, T. and Mayersohn, M.

Simultaneous quantitative analysis of methyl salicylate,
ethyl salicylate and salicylic acid from biological fluids
using gas chromatography-mass spectrometry
718(1998)69

Kaliszan, R.

Retention data from affinity high-performance liquid
chromatography in view of chemometrics 715(1998)229

Kaliszan, R.

Effect of separation conditions on chromatographic
determination of hydrophobicity of acidic xenobiotics
717(1998)125

Kalman, D.A., see Dills, R.L. 703(1997)105

Kamataki, T., see Tani, H. 708(1998)294

- Kamei, D.T., see Liu, C.-l. 711(1998)127
 Kamei, T., see Ochiai, H. 713(1998)409
 Kameya, H., see Hobara, N. 703(1997)279
 Kamidate, T., see Tani, H. 708(1998)294
 Kaneda, N., see Kurita, A. 724(1999)335
 Kaneko, A., see Bergqvist, Y. 719(1998)141
 Kaneko, S., see Nagasaki, T. 714(1998)293
 Kanemitsu, F. and Kira, S.
 Characterization of isoforms of human mitochondrial creatine kinase by isoelectric focusing 721(1999)171
 Kanfer, I., see Laloo, A.K. 704(1997)333
 Kanfer, I., see Laloo, A.K. 704(1997)343
 Kang, S.H., Chang, S.-Y., Do, K.-C., Chi, S.-C. and Chung, D.S.
 High-performance liquid chromatography with a column-switching system and capillary electrophoresis for the determination of ibuprofen in plasma 712(1998)153
 Kano, K., see Torimura, M. 721(1998)31
 Kapetanovic, I.M., see Torchin, C.D. 724(1999)101
 Kaphalia, B.S. and Ansari, G.A.S.
 Single step thin-layer chromatographic method for quantitation of enzymatic formation of fatty acid anilides 705(1998)269
 Kaplan, B., Yakar, S., Balta, Y., Pras, M. and Martin, B.
 Isolation and purification of two major serum amyloid A isotypes SAA1 and SAA2 from the acute phase plasma of mice 704(1997)69
 Karagiannis, A., see Decosterd, L.A. 703(1997)25
 Karamanos, N.K., see Lamari, F. 709(1998)173
 Karamanos, N.K., see Makatsori, E. 712(1998)23
 Karbwang, J., see Gorichon, E. 712(1998)259
 Karbwang, J., see Na-Bangchang, K. 708(1998)201
 Karlberg, B., see Olsson, J. 707(1998)51
 Karlsson, A., see Gunnarsson, T. 705(1998)243
 Karlstrom, B., see Sjödahl, J. 705(1998)231
 Karlström, G., see Johansson, H.-O. 711(1998)3
 Karydis, K., see Brooks, J.B. 712(1998)1
 Kashima, T., see Takahashi, H. 701(1997)71
 Kasiram, K., see Jajoo, H.K. 707(1998)241
 Kasuya, Y., see Furuta, T. 706(1998)181
 Kasuya, Y., see Ishii, K. 704(1997)299
 Kataoka, H.
 Chromatographic analysis of lipoic acid and related compounds 717(1998)247
 Kataoka, H., see Koide, I. 707(1998)99
 Kataoka, Y., see Futagami, K. 704(1997)369
 Kataoka, Y., see Goto, Y. 706(1998)329
 Kataoka, Y., see Sueyasu, M. 723(1999)307
 Kato, H., see Tsuchiya, H. 703(1997)253
 Kato, K., see Tanaka, M. 724(1999)73
 Kato, T., see Chikuma, T. 703(1997)45
 Kato, Y., see Mawatari, H. 716(1998)392
 Katoh, S., Terashima, M. and Shioiri, N.
 Utilization of antipeptide antibodies as affinity ligands in immunoaffinity purification 715(1998)147
 Katsimpris, J., see Lamari, F. 709(1998)173
 Kaul, A., see Noble, M. 711(1998)31
 Kauvar, L.M., Villar, H.O., Sportsman, J.R., Higgins, D.L. and Schmidt, Jr., D.E.
 Protein affinity map of chemical space 715(1998)93
 Kawada, T., Yamazaki, T., Akiyama, T., Sato, T., Shishido, T., Sugimachi, M., Inagaki, M., Alexander Jr., J. and Sunagawa, K.
 Liquid chromatographic determination of myocardial interstitial epinephrine 714(1998)375
 Kawai, M., see Minami, C. 702(1997)245
 Kawanabe, K., see Togawa, T. 704(1997)83
 Kawano, K., see Kudo, S. 723(1999)25
 Kawaoka, J. and Gomez, F.A.
 Use of mobility ratios to estimate binding constants of ligands to proteins in affinity capillary electrophoresis 715(1998)203
 Kawasaki, N., Morimoto, K. and Hayakawa, T.
 Control of hemoglobin synthesis in erythroid differentiating K562 cells. II. Studies of iron mobilization in erythroid cells by high-performance liquid chromatography-electrochemical detection 705(1998)193
 Kawashima, Y., see Ohya, T. 720(1998)1
 Kehr, J.
 Determination of glutamate and aspartate in microdialysis samples by reversed-phase column liquid chromatography with fluorescence and electrochemical detection 708(1998)27
 Kehr, J.
 Determination of γ -aminobutyric acid in microdialysis samples by microbore column liquid chromatography and fluorescence detection 708(1998)49
 Keizer, H.J., see Kerbusch, T. 716(1998)275
 Kelk, M., see Bentley, M.C. 723(1999)185
 Kellar, K.J., see Wainer, I.W. 724(1999)65
 Kelley, J.A., see Roth, J.S. 712(1998)199
 Kelly, M.T., see McMahon, G.P. 707(1998)322
 Kemper, M., see Van Tellingen, O. 719(1998)251
 Kennedy, D.G., see Cannavan, A. 718(1998)103
 Kennedy, J., see Abraham, I. 703(1997)203
 Kennedy, R.T., see Shen, H. 704(1997)43
 Kent, S., see Stanley, S.M.R. 704(1997)119
 Kerbusch, T., see Huitema, A.D.R. 716(1998)177
 Kerbusch, T., Huitema, A.D.R., Kettenes-van den Bosch, J.J., Keizer, H.J., Ouwerkerk, J., de Kraker, J. and Beijnen, J.H.
 High-performance liquid chromatographic determination of stabilized 4-hydroxyfoscarnet in human plasma and erythrocytes 716(1998)275
 Kerr, T.M., see Parsons, L.H. 709(1998)35
 Kettenes-van den Bosch, J.J., see Kerbusch, T. 716(1998)275
 Khaledi, M.G., see Ward, V.L. 718(1998)15
 Khan, A., see Handley, M.K. 716(1998)239
 Khan, J.K., see Bu, H.-Z. 724(1999)311
 Khan, K., Liekens, K., van Aerschot, A., Van Schepdael, A. and Hoogmartens, J.
 Stability measurement of oligonucleotides in serum samples using capillary electrophoresis 702(1997)69
 Khan, P., Abbas, S., Cheeseman, S., Ranson, M. and McGown, A.T.
 Development and validation of a sensitive solid-phase extraction and high-performance liquid chromatography assay for the novel antitumour agent CT2584 in human plasma 721(1999)279

- Khan, P., McGown, A.T., Dawson, M.J., Jayson, G., Prendiville, J.A., Pettit, G.R. and Crowther, D.
High-performance liquid chromatographic assay for the novel antitumor drug, bryostatin-1, incorporating a serum extraction technique 709(1998)113
- Khan, R.I., Amin, M.R., Mohammed, N. and Onodera, R.
Quantitative determination of aromatic amino acids and related compounds in rumen fluid by high-performance liquid chromatography 710(1998)17
- Khan, S.Z., see Abou-Auda, H.S. 710(1998)121
- Khanh, V., see Hiep, B.T. 707(1998)235
- Khuhawar, M.Y., Memon, A.A., Jaipal, P.D. and Bhanger, M.I.
Capillary gas chromatographic determination of putrescine and cadaverine in serum of cancer patients using trifluoroacetylacetone as derivatizing reagent 723(1999)17
- Kidwell, D.A., Holland, J.C. and Athanaselis, S.
Testing for drugs of abuse in saliva and sweat 713(1998)111
- Kidwell, D.A., Holland, J.C. and Athanaselis, S.
Erratum to "Testing for drugs of abuse in saliva and sweat" [J. Chromatogr. B, 713 (1998) 111-135] 721(1999)333
- Kihira, S., see Shibusawa, Y. 709(1998)301
- Kikuchi, M., see Iwaki, M. 716(1998)335
- Kikuchi, Y., Teramura, T., Sekino, J., Nishimura, T., Miura, H., Watanabe, T. and Higuchi, S.
Sensitive and specific method for the determination of josamycin in human plasma by liquid chromatography-mass spectrometry (1998)81
- Kilburn, D.G., see Tomme, P. 715(1998)283
- Kilikian, B.V., see Minami, N.M. 711(1998)309
- Kim, C., see Choi, J. 705(1998)277
- Kim, H.K., Lin, C.-c., Parker, D., Veals, J., Lim, J., Likhari, P., Statkevich, P., Marco, A. and Nomeir, A.A.
High-performance liquid chromatographic determination and stability of 5-(3-methyltriazen-1-yl)-imidazo-4-carboximide, the biologically active product of the antitumor agent temozolomide, in human plasma 703(1997)225
- Kim, H.-S., see Lee, S.-H. 714(1998)379
- Kim, I.-C., see Jeong, Y.-N. 703(1997)284
- Kim, I.-C., see Lee, S.-H. 714(1998)379
- Kim, J.-H., see Kim, K.-R. 701(1997)1
- Kim, J.H., see Lee, H.S. 705(1998)367
- Kim, J.H., see Lee, H.S. 716(1998)371
- Kim, J.-H., see Shin, H.-C. 718(1998)61
- Kim, J.M., see Gurley, L.R. 712(1998)211
- Kim, K., see Lee, H.S. 716(1998)371
- Kim, K.-A., see Shin, J.-G. 713(1998)452
- Kim, K.-R., Kim, J.-H., Jeong, D.-H., Paek, D.-J. and Liebich, H.M.
Gas chromatographic profiling analysis of urinary organic acids from nonsmokers and smokers 701(1997)1
- Kim, K.-R., Park, H.-G., Paik, M.-J., Ryu, H.-S., Suk Oh, K., Myung, S.-W. and Liebich, H.M.
Gas chromatographic profiling and pattern recognition analysis of urinary organic acids from uterine myoma patients and cervical cancer patients 712(1998)11
- Kim, M., see Myung, S.-W. 716(1998)359
- Kim, M., see Tsuchiya, H. 703(1997)253
- Kim, S., see Myung, S.-W. 716(1998)359
- Kim, S.O., see Lee, S.H. 719(1998)1
- Kim, T.-J., see Myung, S.-W. 716(1998)359
- Kim, Y.-H., see Shin, J.-G. 713(1998)452
- Kim, Y.-M., see Park, H.-M. 719(1998)217
- Kimata, H., see Kojima, J. 724(1999)173
- Kimoto, T., see Ishida, Y. 716(1998)39
- Kimura, N., see Sakakura, H. 718(1998)33
- Kimura, S., see Takahashi, H. 701(1997)71
- King, J.A., see Liu, C.-I. 711(1998)127
- Kinoshita, S., see Wada, M. 721(1999)179
- Kinoshita, T., see Inamoto, Y. 707(1998)111
- Kintz, P., Henrich, A., Cirimele, V. and Ludes, B.
Nicotine monitoring in sweat with a sweat patch 705(1998)357
- Kintz, P., see Sachs, H. 713(1998)147
- Kira, S., see Kanemitsu, F. 721(1999)171
- Kirchner, G.I., Vidal, C., Jacobsen, W., Franzke, A., Hallensleben, K., Christians, U. and Sewing, K.-F.
Simultaneous on-line extraction and analysis of sirolimus (rapamycin) and ciclosporin in blood by liquid chromatography-electrospray mass spectrometry 721(1999)285
- Kirkwood, L.C., Nation, R.L. and Somogyi, A.A.
Determination of the dihydrocodeine metabolites, dihydromorphine and nordihydrocodeine, in hepatic microsomal incubations by high-performance liquid chromatography 701(1997)129
- Kishii, M., see Chikuma, T. 703(1997)45
- Kishino, S., Nomura, A., Saitoh, M., Sugawara, M., Iseki, K., Kitabatake, A. and Miyazaki, K.
Single-step isolation method for six glycoforms of human α_1 -acid glycoprotein by hydroxylapatite chromatography and study of their binding capacities for disopyramide 703(1997)1
- Kissinger, C.B., see Liu, H. 713(1998)289
- Kissinger, P.T., see Liu, H. 713(1998)289
- Kitabatake, A., see Kishino, S. 703(1997)1
- Kitagishi, K. and Shintani, H.
Analysis of compounds containing carboxyl groups in biological fluids by capillary electrophoresis 717(1998)327
- Kitahara, S., see Yoshida, K.-i. 723(1999)75
- Kitajima, N., see Tateda, N. 718(1998)235
- Kitamura, S., see Konishi, T. 709(1998)105
- Klette, K.L., see Poch, G.K. 724(1999)23
- Klíma, J., see Macek, J. 723(1999)233
- Klippert, P., Jeanniot, J.-P., Polvé, S., Lefèvre, C. and Merdjan, H.
Determination of ivabradine and its *N*-demethylated metabolite in human plasma and urine, and in rat and dog plasma by a validated high-performance liquid chromatographic method with fluorescence detection 719(1998)125
- Klironomos, G., see Zhu, Z. 724(1999)389
- Klockow-Beck, A., Nick, A., Geissbuesler, St. and Schaufelberger, D.
Determination of the inorganic degradation products sulfate and sulfamate in the antiepileptic drug topiramate by capillary electrophoresis 720(1998)141
- Kloor, D., see Luippold, G. 724(1999)231

- Knapp, S., see El Menyawi, I. 706(1998)347
- Knebel, N.G., Grieb, S., Winkler, M., Locher, M., Van der Vlis, E. and Verheij, E.R.
Quantification of perifosine, an alkylphosphocholine anti-tumour agent, in plasma by pneumatically assisted electrospray tandem mass spectrometry coupled with high-performance liquid chromatography 721(1999)257
- Knebel, N.G. and Winkler, M.
Rapid and automated determination of the β_2 -agonist reproterol in human plasma by atmospheric pressure chemical ionisation high-performance liquid chromatography–tandem mass spectrometry 702(1997)119
- Knibbe, C.A.J., Koster, V.S., Deneer, V.H.M., Stuurman, R.M., Kuks, P.F.M. and Lange, R.
Determination of propofol in low-volume samples by high-performance liquid chromatography with fluorescence detection 706(1998)305
- Knörle, R., Schniz, E. and Feuerstein, T.J.
Drug accumulation in melanin: an affinity chromatographic study 714(1998)171
- Knox, S., see Lundberg, Jr., D.E. 707(1998)328
- Knutsson, M., see Norberg, J. 701(1997)39
- Knuutinen, J. and Harjula, P.
Identification of fish species by reversed-phase high-performance liquid chromatography with photodiode-array detection 705(1998)111
- Ko, C.Y., see Micheel, A.P. 709(1998)166
- Kobayashi, H., see Kurata, N. 708(1998)223
- Kobayashi, S., see Kurata, N. 708(1998)223
- Kobayashi, S., see Muramatsu, N. 719(1998)177
- Kobayashi, S., see Yamaguchi, K. 713(1998)447
- Kobayashi, Y., see Iwase, H. 709(1998)145
- Kobayashi, Y., see Iwase, H. 724(1999)1
- Kobayashi, Y., see Tagawa, N. 723(1999)39
- Kocakulak, M., see Denizli, A. 707(1998)25
- Koch, C., Borg, L., Skjødt, K. and Houen, G.
Affinity chromatography of serine proteases on the triazine dye ligand Cibacron Blue F3G-A 718(1998)41
- Kohda, K., see Minami, C. 702(1997)245
- Kohler, K., see Dachtler, M. 720(1998)211
- Koide, I., Noguchi, O., Okada, K., Yokoyama, A., Oda, H., Yamamoto, S. and Kataoka, H.
Determination of amphetamine and methamphetamine in human hair by headspace solid-phase microextraction and gas chromatography with nitrogen–phosphorus detection 707(1998)99
- Koivuniemi, A., see Auriola, S. 704(1997)187
- Kojima, J., Fujino, H., Yosimura, M., Morikawa, H. and Kimata, H.
Simultaneous determination of NK-104 and its lactone in biological samples by column-switching high-performance liquid chromatography with ultraviolet detection 724(1999)173
- Kojima, M., see Tsuda, T. 723(1999)273
- Kojima, T., see Namera, A. 706(1998)253
- Kojima, T., see Namera, A. 716(1998)171
- Kojima, T., see Sakura, N. 719(1998)209
- Kojima, T., see Watanabe, T. 709(1998)225
- Kokubo, T., see Iwase, H. 709(1998)145
- Kokubo, T., see Iwase, H. 724(1999)1
- Kollmorgen, D. and Kraut, B.
Determination of methylparaben, propylparaben and chlorpromazine in chlorpromazine hydrochloride oral solution by high-performance liquid chromatography 707(1998)181
- Komatsu, H., see Sakakura, H. 718(1998)33
- Kominami, G., Ueda, A., Sakai, K. and Misaki, A.
Radioimmunoassay for a novel lignan-related hypocholesterolemic agent, S-8921, in human plasma after high-performance liquid chromatography purification and in human urine after immunoaffinity extraction 704(1997)243
- Komoriya, N., see Okazaki, M. 709(1998)179
- König, B., see Oosterkamp, A.J. 715(1998)331
- Konishi, T., Nishikawa, H., Kitamura, S. and Tatsumi, K.
Stereoselective determination of *R,S*-2-[4-(3-methyl-2-thienyl)phenyl]propionic acid and its taurine conjugates in dog urine by high-performance liquid chromatography 709(1998)105
- Konishi, Y., see Ito, K. 714(1998)197
- Konno, S., see Ito, K. 714(1998)197
- Kono, A., see Inoue, H. 724(1999)221
- Konstantinides, F.N., see Wright, D.H. 709(1998)97
- Koo, C.H., see Han, K.S. 710(1998)239
- Koole, A., Franke, J.-P. and De Zeeuw, R.A.
Multi-residue analysis of anabolics in calf urine using high-performance liquid chromatography with diode-array detection 724(1999)41
- Koopmans, F.P., see Huizing, M.T. 709(1998)161
- Koopmans, P.P., see Burger, D.M. 703(1997)235
- Kopitar, Z., see Lukša, J. 703(1997)185
- Kopenhagen, F.J., Storm, G. and Underberg, W.J.M.
Development of a routine analysis method for liposome encapsulated recombinant interleukin-2 716(1998)285
- Kopsombut, P., see Iyamu, E.W. 709(1998)119
- Kormos, J., see Tomme, P. 715(1998)283
- Kortum, L., see Chattopadhyay, A. 715(1998)183
- Kosel, M., Eap, C.B., Amey, M. and Baumann, P.
Analysis of the enantiomers of citalopram and its demethylated metabolites using chiral liquid chromatography 719(1998)234
- Koshiishi, I. and Imanari, T.
Quantification of carbamylated dehydroascorbate derivative produced from cyanate and dehydroascorbate 709(1998)150
- Koster, V.S., see Knibbe, C.A.J. 706(1998)305
- Kotaki, H., see Yamamoto, K. 720(1998)251
- Kovar, K.-A., see Brunnenberg, M. 719(1998)79
- Kovar, K.-A., see Lindenblatt, H. 709(1998)255
- Kowalczyk, J., see Czauderna, M. 704(1997)89
- Kraak, J.C., see Erim, F.B. 710(1998)205
- Kraak, M.H.S., see De Voogt, P. 724(1999)265
- Kraemer, H.-J. and Breithaupt, H.
Quantification of desferrioxamine, ferrioxamine and aluminoxamine by post-column derivatization high-performance liquid chromatography. Non-linear calibration resulting from second-order reaction kinetics 710(1998)191

- Kraemer, H.-J., Feltkamp, U. and Breithaupt, H.
Quantification of pyrazinamide and its metabolites in plasma by ionic-pair high-performance liquid chromatography. Implications for the separation mechanism 706(1998)319
- Kraemer, T. and Maurer, H.H.
Determination of amphetamine, methamphetamine and amphetamine-derived designer drugs or medicaments in blood and urine 713(1998)163
- Kraemer, T., see Moeller, M.R. 713(1998)91
- Kraemer, T., Vernaleken, I. and Maurer, H.H.
Studies on the metabolism and toxicological detection of the amphetamine-like anorectic mefenorex in human urine by gas chromatography–mass spectrometry and fluorescence polarization immunoassay 702(1997)93
- Krämer, E., see Lindenblatt, H. 709(1998)255
- Krämer, G., see Wad, N. 705(1998)154
- Krassnig, C., see Gmeiner, G. 705(1998)132
- Kraut, B., see Kollmorgen, D. 707(1998)181
- Kreisle, R., see Mu, X.Y. 724(1999)275
- Kremser, M., see Lukša, J. 703(1997)185
- Kreutz, F.T., Wishart, D.S. and Suresh, M.R.
Efficient bispecific monoclonal antibody purification using gradient thiophilic affinity chromatography 714(1998)161
- Kreutz, F.T., see Xu, D. 706(1998)217
- Krishan, A., see Mou, C. 703(1997)217
- Krishnamoorthy, R., see Quernin, M.-H. 709(1998)47
- Krishnamoorthy, R., see Quernin, M.-H. 721(1998)147
- Kristensen, K., see Angelo, H.A. 724(1999)35
- Kristensson, K., see Olsson, J. 707(1998)51
- Kroboth, P.D., see Zemaitis, M.A. 716(1998)19
- Kroemer, H.K., see Bohnenstengel, F. 721(1999)295
- Kroemer, H.K., see Mürdter, T.E. 709(1998)289
- Krogh, M., see Ugland, H.G. 701(1997)29
- Krüger, K.-D., see Bogusz, M.J. 713(1998)361
- Kruger, P., see Van der Geest, R. 702(1997)131
- Krul, C. and Hageman, G.
Analysis of urinary caffeine metabolites to assess biotransformation enzyme activities by reversed-phase high-performance liquid chromatography 709(1998)27
- Krum, J.M., see Phillips, T.M. 715(1998)55
- Krysén, B., see Bergqvist, Y. 719(1998)141
- Ksenofontov, A.L., see Fedorova, N.V. 706(1998)83
- Ksycińska, H., see Chilmonczyk, Z. 720(1998)65
- Ku, Y., see Fritzsche, J. 705(1998)177
- Kubo, K., see Iwaki, M. 716(1998)335
- Kubo, S., see Takahashi, H. 701(1997)71
- Kuboi, R., see Umakoshi, H. 711(1998)111
- Kuboi, R., see Umakoshi, H. 711(1998)217
- Kuboi, R., see Yoshimoto, M. 712(1998)59
- Kubushiro, K., see Lin, B. 704(1997)99
- Kudo, K., see Ito, S. 713(1998)323
- Kudo, N., see Ohya, T. 720(1998)1
- Kudo, S. and Kawano, K.
Association and dissociation properties of natural human interferon γ 723(1999)25
- Kudoh, S., see Hayamizu, T. 710(1998)211
- Kuffer, P., see Schneider, S. 713(1998)189
- Kugel, C., see Duléry, B.D. 725(1999)39
- Kühnöl, J., see Blum, W. 710(1998)101
- Kuks, P.F.M., see Knibbe, C.A.J. 706(1998)305
- Kulik, W., Meesterburrie, J.A.N., Jakobs, C. and de Meer, K.
Determination of $\delta^{13}\text{C}$ values of valine in protein hydrolysate by gas chromatography–combustion isotope ratio mass spectrometry 710(1998)37
- Kumaki, K., see Ishigai, M. 704(1997)11
- Kumaki, K., see Ishigai, M. 706(1998)261
- Kumar, A., see Abraham, I. 703(1997)203
- Kumar, T.V., see Sekhar, E.C. 710(1998)137
- Kumar, V.P., see Sekhar, E.C. 710(1998)137
- Kumazawa, T., see Guan, F. 714(1998)205
- Kunitake, M., see Hirayama, C. 721(1999)187
- Kunitomo, M., see Yamaguchi, Y. 716(1998)57
- Kunze, K.L., see Regal, K.A. 708(1998)75
- Kuperberg, H.J., see Torchian, C.D. 724(1999)101
- Kuramitsu, T., see Kurata, N. 708(1998)223
- Kurata, N., Kuramitsu, T., Tanii, H., Fuse, E., Kuwabara, T., Kobayashi, H. and Kobayashi, S.
Development of a highly sensitive high-performance liquid chromatographic method for measuring an anticancer drug, UCN-01, in human plasma or urine 708(1998)223
- Kurita, A. and Kaneda, N.
High-performance liquid chromatographic method for the simultaneous determination of the camptothecin derivative irinotecan hydrochloride, CPT-11, and its metabolites SN-38 and SN-38 glucuronide in rat plasma with a fully automated on-line solid-phase extraction system, PROSPEKT 724(1999)335
- Kuroda, N., see Wada, M. 721(1999)179
- Kuronen, P., Volin, P. and Laitalaisten, T.
Reversed-phase high-performance liquid chromatographic screening method for serum steroids using retention index and diode-array detection 718(1998)211
- Kurono, S., see Hattori, H. 718(1998)285
- Kurozumi, Y., see Abe, T. 712(1998)43
- Kuwabara, T., see Kurata, N. 708(1998)223
- Kuwabara, T., see Yamaguchi, K. 713(1998)447
- Kwon, O.-S., Newport, G.D. and Slikker, W.
Quantitative analysis of free sphingoid bases in the brain and spinal cord tissues by high-performance liquid chromatography with a fluorescence detection 720(1998)9

L

- La Torre, F., see Ferretti, R. 710(1998)157
- Labischinski, H., see Roos, M. 705(1998)183
- Lada, M.W., see Shen, H. 704(1997)43
- Ladure, Ph., see Van de Merbel, N.C. 708(1998)113
- Laffont, A., see Guitton, J. 719(1998)151
- Lafont, O., see Ferranti, V. 718(1998)199
- Lafontaine, M., see Simon, P. 712(1998)95

- Lagarde, M., see Thévenon, C. 708(1998)39
- Lagerquist Hägglund, C., see Lundahl, P. 722(1999)103
- Lagerwerf, A.J., see Vree, T.B. 721(1999)217
- Lagorce, P., Perez, Y., Ortiz, J., Necciari, J. and Bressolle, F.
Assay method for the carboxylic acid metabolite of clopidogrel in human plasma by gas chromatography–mass spectrometry (1998)107
- Lai, C.-T., Tanay, V.A.-M.I., Rauw, G.A., Bateson, A.N., Martin, I.L. and Baker, G.B.
Rapid, sensitive procedure to determine buspirone levels in rat brains using gas chromatography with nitrogen–phosphorus detection 704(1997)175
- Lairon, D., see Beaumier-Gallon, G. 718(1998)23
- Laitalainen, T., see Kuronen, P. 718(1998)211
- Lakhiai, H., Jozefonvicz, J. and Müller, D.
Influence of the nature of coupling agents on insulin adsorption on supports grafted with sialic acid for high-performance affinity chromatography 706(1998)33
- Lal, J., see Issar, M. 724(1999)147
- Lalloo, A.K., Chattaraj, S.C. and Kanfer, I.
Development of a capillary electrophoretic method for the separation of the macrolide antibiotics, erythromycin, josamycin and oleandomycin 704(1997)333
- Lalloo, A.K. and Kanfer, I.
Determination of erythromycin and related substances by capillary electrophoresis 704(1997)343
- Lamari, F., Katsimpris, J., Gartaganis, S. and Karamanos, N.K.
Profiling of the eye aqueous humor in exfoliation syndrome by high-performance liquid chromatographic analysis of hyaluronan and galactosaminoglycans 709(1998)173
- Lamb, J.H., see Farooq, S. 702(1997)49
- Lambert, P.H., see Boutin, J.A. 725(1999)17
- Lamiable, D., see Hoizey, G. 704(1997)167
- Lamprecht, G., see Eškinja, M. 704(1997)159
- Lanao, J.M., see Álvarez-Cedrón, L. 721(1999)271
- Lanchote, V.L., see de Gaitani, C.M. 708(1998)177
- Lanchote, V.L., Marques, M.P.C., Takayanagui, O.M., De Carvalho, R., Paias, F.O. and Bonato, P.S.
Simultaneous determination of albendazole sulfoxide enantiomers and albendazole sulfone in plasma 709(1998)273
- Lanfranchi, J., see Beaumier-Gallon, G. 718(1998)23
- Lange, J.M.A., see Van Heeswijk, R.P.G. 719(1998)159
- Lange, R., see Knibbe, C.A.J. 706(1998)305
- Langer, M.A.W., see Von Unruh, G.E. 716(1998)343
- Lanz, R., see Chollet, D.F. 707(1998)334
- Lardy, H., see Marwah, A. 721(1999)197
- Larhantec, M., see Pouliquen, H. 702(1997)157
- Laroche, N., Leneveu, A., Roux, A. and Flouvat, B.
Capillary gas chromatographic method for the measurement of small concentrations of monoethylglycinexylidide and lidocaine in plasma 716(1998)375
- Larsen, Å., see Hvattum, E. 716(1998)47
- Larsen, G.L., see Shelver, W.L. 705(1998)261
- Larsen, J.T., see Hansen, L.L. 712(1998)183
- Larsimont, V., see Fieger-Büsches, H. 724(1999)281
- Larsimont, V., Meins, J., Fieger-Büsches, H. and Blume, H.
Validated high-performance liquid chromatographic assay for the determination of promazine in human plasma. Application to pharmacokinetic studies 719(1998)222
- Lärstad, M., see Ljungkvist, G. 721(1998)39
- Lartigue-Mattei, C., see Galmier, M.J. 720(1998)239
- Lau, C.E., see Ma, F. 712(1998)193
- Launay, J.-M., see Chanut, E. 709(1998)11
- Laurell, T., see Petersson, M. 714(1998)39
- Lausecker, B., Hopfgartner, G. and Hesse, M.
Capillary electrophoresis–mass spectrometry coupling versus micro-high-performance liquid chromatography–mass spectrometry coupling: a case study 718(1998)1
- Lautamo, R.M.A., see Mao, D.T. 714(1998)21
- Lavens, P., see Huo, J.Z. 724(1999)249
- Lawless, M.K., Hopkins, S. and Anwer, M.K.
Quantitation of a 36-amino-acid peptide inhibitor of HIV-1 membrane fusion in animal and human plasma using high-performance liquid chromatography and fluorescence detection 707(1998)213
- Lawrence, J.A., see Wright, A.W.E. 712(1998)169
- Le Bizec, B., Monteau, F., Gaudin, I. and André, F.
Evidence for the presence of endogenous 19-norandrosterone in human urine 723(1999)157
- Le Breton, B., see De Belval, S. 711(1998)19
- Le Corre, P., see Reif, S. 719(1998)239
- Le Guellec, C., Gaudet, M.L. and Breteau, M.
Improved selectivity for high-performance liquid chromatographic determination of clonazepam in plasma of epileptic patients 719(1998)227
- Le Liboux, A., Pasquier, O. and Montay, G.
Simultaneous high-performance liquid chromatographic determination of quinupristin, dalfopristin and their main metabolites in human plasma 708(1998)161
- Le Roy, S., see McMahon, G.P. 707(1998)322
- Le Verge, R., see Reif, S. 719(1998)239
- Le, X.C., see Ye, L. 714(1998)59
- Leal, M., see Härtter, S. 712(1998)253
- Leavens, W.J., see Ayrton, J. 709(1998)243
- Lebbe, C., see Yongxin, Z. 707(1998)189
- Lebreton, B., Huddleston, J. and Lyddiatt, A.
Polymer–protein interactions in aqueous two phase systems: fluorescent studies of the partition behaviour of human serum albumin 711(1998)69
- Lecaillon, J.B., see Campestrini, J. 704(1997)221
- Ledger, R., see Abraham, I. 703(1997)203
- Lee, B., see Delahunter, T. 705(1998)323
- Lee, B.L., New, A.L. and Ong, C.N.
Comparative analysis of conjugated bile acids in human serum using high-performance liquid chromatography and capillary electrophoresis 704(1997)35
- Lee, H.K., see Chua, H.C. 712(1998)243
- Lee, H.S., Jeong, T.C. and Kim, J.H.
In vitro and in vivo metabolism of myristicin in the rat 705(1998)367
- Lee, H.S., Kim, K., Kim, J.H., Do, K.S. and Lee, S.K.
On-line sample preparation of paraquat in human serum samples using high-performance liquid chromatography with column switching 716(1998)371
- Lee, K.-B., see Park, H.-M. 719(1998)217
- Lee, K.-H., see Lee, S.-H. 724(1999)357
- Lee, K.-O., see Paik, M.-J. 721(1998)3
- Lee, M.G., see Han, K.S. 710(1998)239
- Lee, M.K., see Kai, M. 720(1998)25

- Lee, M.-R., Yeh, Y.-C., Hsiang, W.-S. and Chen, C.-C.
Application of solid-phase microextraction and gas chromatography-mass spectrometry for the determination of chlorophenols in urine 707(1998)91
- Lee, S., Casteel, D.A. and Fleckenstein, L.
Specific gas chromatographic analysis of diethylcarbamazine in human plasma using solid-phase extraction 704(1997)181
- Lee, S.-A., see Hung, I.-F. 706(1998)352
- Lee, S.-H., Choi, Y.-J., Jeong, Y.-N., Kim, H.-S., Lee, S.-H., Kim, I.-C., Oh, Y.-S. and Lee, Y.-H.
High-performance liquid chromatographic determination of a new oral thrombin inhibitor in the blood of rats and dogs 714(1998)379
- Lee, S.H., Kim, S.O. and Chung, B.C.
Gas chromatographic-mass spectrometric determination of urinary oxoacids using *O*-(2,3,4,5,6-pentafluorobenzyl)oxime-trimethylsilyl ester derivatization and cation-exchange chromatography 719(1998)1
- Lee, S.-H., see Lee, S.-H. 714(1998)379
- Lee, S.-H., Yoo, S.D. and Lee, K.-H.
Rapid and sensitive determination of paclitaxel in mouse plasma by high-performance liquid chromatography 724(1999)357
- Lee, S.K., see Lee, H.S. 716(1998)371
- Lee, Y.-B., see Joo, E.-H. 723(1999)239
- Lee, Y.-H., see Jeong, Y.-N. 703(1997)284
- Lee, Y.-H., see Lee, S.-H. 714(1998)379
- Lee, Y.-M., see Shin, H.-C. 718(1998)61
- Leeder, J.S., see Henne, K.R. 710(1998)143
- Leek, T., see Bergqvist, Y. 719(1998)141
- Leeming, R., see Börjesson, E. 713(1998)438
- Lefèvre, C., see Klippert, P. 719(1998)125
- Lefrant, J.-Y., see Farenc, C. 724(1999)117
- Legallais, C., see Petsch, D. 707(1998)121
- Legrand, M., see Aymard, G. 707(1998)169
- Lehnert, B.E., see Gurley, L.R. 712(1998)211
- Lehtonen, P., Mälkiä-Laine, L. and Wikberg, T.
Separation of the glucuronides of entacapone and its (Z)-isomer in urine by micellar electrokinetic capillary chromatography 721(1998)127
- Lei, J., see Mu, X.Y. 724(1999)275
- Leistner, S., see Scholz, G.H. 709(1998)189
- Leitch, C.A., see Ahmed, L.S. 710(1998)27
- Leneveu, A., see Laroche, N. 716(1998)375
- Lennard, L., see Rowland, K. 705(1998)29
- Lepri, L., Del Bubba, M., Maggini, R., Donzelli, G.P. and Galvan, P.
Effect of pasteurization and storage on some components of pooled human milk 704(1997)1
- Tercher, C. and Blaschke, G.
Investigation of the stereoselective metabolism of praziquantel after incubation with rat liver microsomes by capillary electrophoresis and liquid chromatography-mass spectrometry 708(1998)267
- Leroy, P., see Parmentier, C. 719(1998)37
- Lesgards, G., see Blache, D. 702(1997)103
- Lesieur, S., see Andrieux, K. 706(1998)141
- Letourneau, D., see Clairbois, A.-S. 706(1998)55
- Leveugle, B., see Xu, D. 706(1998)217
- Levin, J.D., see Mao, D.T. 714(1998)21
- Levine, B.S., see Negrusz, A. 718(1998)193
- Lévi-Strauss, M., see Fouillat, M. 706(1998)167
- Lewis, D., see Moore, C. 713(1998)137
- Li, J., see Hu, K. 703(1997)177
- Li, J.-H., see Liaw, W.-J. 714(1998)237
- Li, S., see Schänzle, G. 721(1998)55
- Li, S.F.Y., see Jin, L.J. 708(1998)257
- Li, X.-G., see Ahmed, F. 707(1998)227
- Li, Z., see Zhang, L. 707(1998)59
- Liang, C.-C., Hong, C.-Y., Chen, C.-F. and Tsai, T.-H.
Measurement and pharmacokinetic study of tetramethylpyrazine in rat blood and its regional brain tissue by high-performance liquid chromatography 724(1999)303
- Liang, H., Wang, Y., Wang, Q. and Ruan, M.-s.
Hydrophobic interaction chromatography and capillary zone electrophoresis to explore the correlation between the isoenzymes of salivary α -amylase and dental caries 724(1999)381
- Liao, W.-J., see Yu, L.-L. 724(1999)287
- Liaw, W.-J., Ho, S.-T., Wang, J.-J., Hu, O.Y.-P. and Li, J.-H.
Determination of morphine by high-performance liquid chromatography with electrochemical detection: application to human and rabbit pharmacokinetic studies 714(1998)237
- Liebich, H.M., Gesele, E. and Wöll, J.
Urinary organic acid screening by solid-phase microextraction of the methyl esters 713(1998)427
- Liebich, H.M., see Kim, K.-R. 701(1997)1
- Liebich, H.M., see Kim, K.-R. 712(1998)11
- Liechty, E.A., see Ahmed, L.S. 710(1998)27
- Liekens, K., see Khan, K. 702(1997)69
- Lightfield, A.R., see Maxwell, R.J. 715(1998)431
- Likhari, P., see Kim, H.K. 703(1997)225
- Lileyman, J.S., see Rowland, K. 705(1998)29
- Lim, B.H., see Chua, H.C. 712(1998)243
- Lim, J., see Kim, H.K. 703(1997)225
- Lim, M.Y., see McAtee, C.P. 714(1998)325
- Lin, B., Kubushiro, K., Akiba, Y., Cui, Y., Tsukazaki, K., Nozawa, S. and Iwamori, M.
Alteration of acidic lipids in human sera during the course of pregnancy: characteristic increase in the concentration of cholesterol sulfate 704(1997)99
- Lin, C., Gulbis, B., Delobbe, E., Cotton, F. and Vertongen, F.
Separation of human globin chains by micellar electrokinetic capillary chromatography 719(1998)47
- Lin, C.-c., see Kim, H.K. 703(1997)225
- Lin, E.T., see Mizuma, T. 718(1998)153
- Lin, E.T., see Yu, L.-L. 724(1999)287
- Lin, Ge., see Damani, L.A. 704(1997)315
- Lin, W.-J., Her, S.-J., Chen, P.-F. and Chen, R.R.-L.
Determination of medrogestone in plasma by high-performance liquid chromatography 714(1998)263
- Lin, Y.S., see Paasch, B.D. 704(1997)231
- Lindenblatt, H., see Brunnenberg, M. 719(1998)79

- Lindenblatt, H., Krämer, E., Holzmann-Erens, P., Gouzoulis-Mayfrank, E. and Kovar, K.-A.
Quantitation of psilocin in human plasma by high-performance liquid chromatography and electrochemical detection: comparison of liquid–liquid extraction with automated on-line solid-phase extraction 709(1998)255
- Lindh, C.H. and Jönsson, B.A.G.
Quantification method of human hemoglobin adducts from hexahydrophthalic anhydride and methylhexahydrophthalic anhydride 710(1998)81
- Lindhardt, K., see Bechgaard, E. 712(1998)177
- Lindner, W., see Gailer, J. 716(1998)83
- Lingeman, H., see Veraart, J.R. 719(1998)199
- Linhardt, R.J., see Wu, X. 708(1998)61
- Linnet, K., see Olesen, O.V. 714(1998)309
- Lino, C.M., Azzolini, C.B.F., Nunes, D.S.V., Silva, J.M.R. and Da Silveira, M.
Methods for the determination of organochlorine pesticide residues in human serum 716(1998)147
- Litowski, J., see Chao, H. 715(1998)307
- Liu, C.-H., see Yeh, G.-C. 723(1999)247
- Liu, C.-l., Kamei, D.T., King, J.A., Wang, D.I.C. and Blankschtein, D.
Separation of proteins and viruses using two-phase aqueous micellar systems 711(1998)127
- Liu, C.-M., see Yu, L.-L. 724(1999)287
- Liu, H., Cohen, D.E. and Pidgeon, C.
Single step purification of rat liver aldolase using immobilized artificial membrane chromatography 703(1997)53
- Liu, H., Huang, T., Kissinger, C.B. and Kissinger, P.T.
Comparison of detection methods for liquid chromatographic determination of 3-nitro-L-tyrosine 713(1998)289
- Liu, H.X., see Zhang, S.S. 705(1998)165
- Liu, X., see Fu, S. 709(1998)297
- Liu, X.-Y., see Yang, Q. 707(1998)131
- Ljungkvist, G., Lärstad, M. and Mathiasson, L.
Specific determination of benzene in urine using dynamic headspace and mass-selective detection 721(1998)39
- Lloyd, D.K., see Govindaraju, K. 705(1998)223
- Lloyd, D.K., see Massolini, G. 712(1998)83
- Locher, M., see Knebel, N.G. 721(1999)257
- Lochmann, R., see Thompson Jr., H.C. 723(1999)287
- Loganathan, D., see Wu, X. 708(1998)61
- Loh, Y.P., see Chikuma, T. 703(1997)45
- Loidl, J., see Yongxin, Z. 707(1998)189
- Longet, K., see van Dael, P. 715(1998)341
- Looareesuwan, S., see El Menyawi, I. 706(1998)347
- Loos, W.J., see Sparreboom, A. 705(1998)159
- Loos, W.J., see Sparreboom, A. 712(1998)225
- Lopez, M.C., see Rojas, E. 722(1999)225
- Lopez, M.F.
Proteome analysis. I. Gene products are where the biological action is 722(1999)191
- López-Calull, C. and Dominguez, N.
Determination of paroxetine in plasma by high-performance liquid chromatography for bioequivalence studies 724(1999)393
- López-Calull, C., see García-Capdevila, L. 708(1998)169
- Loreau, N., see Blache, D. 702(1997)103
- Lowenstein, W., see Chikhi-Chorfi, N. 718(1998)278
- Lu, J. and Cwik, M.
Determination of capsaicin and zucapsaicin in human serum by high-performance liquid chromatography with fluorescence detection 701(1997)135
- Lu, J., see Morse, M.A. 708(1998)290
- Lu, W. and Cole, R.B.
Determination of chiral pharmaceutical compounds, terbutaline, ketamine and propranolol, by on-line capillary electrophoresis–electrospray ionization mass spectrometry 714(1998)69
- Lu, X., see Wang, R. 721(1999)327
- Lucas, D., see Rabiller-Baudry, M. 706(1998)23
- Ludes, B., see Kintz, P. 705(1998)357
- Ludwig, E., Wolfinger, H. and Ebner, T.
Assessment of microsomal tolbutamide hydroxylation by a simple thin-layer chromatography radioactivity assay 707(1998)347
- Luippold, G., Delabar, U., Kloot, D. and Mühlbauer, B.
Simultaneous determination of adenosine, *S*-adenosylhomocysteine and *S*-adenosylmethionine in biological samples using solid-phase extraction and high-performance liquid chromatography 724(1999)231
- Luisetti, M., see Viglio, S. 714(1998)87
- Lukša, J., Josić, Dj., Kremser, M., Kopitar, Z. and Milutinović, S.
Pharmacokinetic behaviour of *R*-(+)- and *S*(-)-amlodipine after single enantiomer administration 703(1997)185
- Lundahl, P., see Yang, Q. 707(1998)131
- Lundahl, P., Zeng, C.-M., Lagerquist Häggstrand, C., Gottschalk, I. and Greijer, E.
Chromatographic approaches to liposomes, proteoliposomes and biomembrane vesicles 722(1999)103
- Lundberg, Jr., D.E., Person, C.R., Knox, S. and Cyronak, M.J.
Determination of SK&F 108566 (Teveten[®]) in human plasma by reversed-phase high-performance liquid chromatography 707(1998)328
- Lunn, G., Phillips, L.R. and Pacula-Cox, C.
Reversed-phase high-performance liquid chromatography of 4-(2-pyridyl)-1-piperazinethiocarboxylic acid 2-[1-(pyridyl)ethylidene]hydrazide dihydrochloride (NSC 348977), a synthetic thiosemicarbazone with antitumor activity 708(1998)217
- Lunte, C.E., see Robinson, G.M. 705(1998)341
- Lunte, C.E., see Robinson, G.M. 707(1998)247
- Luo, F.R., Yen, T.-Y., Wyrick, S.D. and Chaney, S.G.
High-performance liquid chromatographic separation of the biotransformation products of oxaliplatin 724(1999)345
- Luo, Y., McNamara, B., Fennell, M.A., Teleis, D.C., May, L., Rudy, J., Watson, A.O., Uboh, C.E. and Soma, L.R.
Quantification of penicillin-G and procaine in equine urine and plasma using high-performance liquid chromatography 714(1998)269
- Luppa, P., see Probst, R. 702(1997)111
- Lutomski, D., see Fouillit, M. 706(1998)167
- Luyben, K.Ch.A.M., see Den Hollander, J.L. 711(1998)223
- Luyben, K.Ch.A.M., see Van Berlo, M. 711(1998)61
- Luyben, K.Ch.A.M., see Van Berlo, M. 724(1999)203

- M**
- Lyashchenko, K., see Colangeli, R. 714(1998)223
 Lyddiatt, A., see De Belval, S. 711(1998)19
 Lyddiatt, A., see Lebreton, B. 711(1998)69
 Lyddiatt, A., see Walker, S.G. 711(1998)185
 Lynch, P.L.M., Trimble, E.R. and Young, I.S.
 High-performance liquid chromatographic determination of thiamine diphosphate in erythrocytes using internal standard methodology 701(1997)120
 Lynch, S.V., see Taylor, P.J. 705(1998)289
- Ma, F. and Lau, C.E.
 Determination of clozapine and its metabolite, N-desmethylclozapine, in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 712(1998)193
- Ma, L., see Sirimanne, S.R. 716(1998)129
 Ma, M., see Ye, L. 714(1998)59
 Maboudian-Esfahani, M. and Brocks, D.R.
 High-performance liquid chromatographic assay of (\pm)-ethopropazine and its enantiomers in rat plasma 715(1998)417
- Macek, J., Ptáček, P. and Klíma, J.
 Determination of roxithromycin in human plasma by high-performance liquid chromatography with spectrophotometric detection 723(1999)233
- Machbert, G., see Deinl, I. 704(1997)251
 Macheras, P., see Valassis, I.N. 721(1999)249
 Machnik, M., Geyer, H., Horning, S., Breidbach, A., Delahaut, P. and Schänzer, W.
 Long-term detection of clenbuterol in human scalp hair by gas chromatography–high-resolution mass spectrometry 723(1999)147
- Maeda, M., see Arakawa, H. 716(1998)119
 Maeno, Y., see Inoue, H. 701(1997)47
 Maggini, R., see Lepri, L. 704(1997)1
 Magnaghi, S., see Perbellini, L. 724(1999)257
 Maguire, M.H., Szabó, I., Valkó, I.E., Finley, B.E. and Bennett, T.L.
 Simultaneous measurement of adenosine and hypoxanthine in human umbilical cord plasma using reversed-phase high-performance liquid chromatography with photodiode-array detection and on-line validation of peak purity 707(1998)33
- Maguregui, M.I., see Ceniceros, C. 705(1998)97
 Maier, R.-D., see Bogusz, M.J. 703(1997)115
 Maier, R.-D., see Bogusz, M.J. 713(1998)361
 Majumdar, A.K., see Musson, D.G. (1998)99
- Makatsori, E., Fermani, K., Aletras, A., Karamanos, N.K. and Tsegenidis, T.
 Screening of N-acylneuraminic acids in serum and tissue specimens of mouse C57BI with Lewis' lung cancer by high-performance liquid chromatography 712(1998)23
- Makino, K., see Goto, Y. 706(1998)329
 Makino, K., see Sueyasu, M. 723(1999)307
 Mälki-Laine, L., see Lehtonen, P. 721(1998)127
 Mallett, D.N., see Ayrton, J. 709(1998)243
 Manca, C., see Colangeli, R. 714(1998)223
 Manglicmot, M.G., see Poch, G.K. 724(1999)23
 Maniara, W.M., Cipriano, A. and Powell, M.L.
 Quantitative analytical methods for the determination of a new hypertension drug, CGS 25462, and its metabolites (CGS 25659 and CGS 24592) in human plasma by high-performance liquid chromatography 706(1998)287
- Manica, D.P., see Robinson, G.M. 707(1998)247
 Manninen, P., see Tuomola, M. 719(1998)25
 Manouilov, K.K., McGuire, T.R., Gordon, B.G. and Gwilt, P.R.
 Assay for etoposide in human serum using solid-phase extraction and high-performance liquid chromatography with fluorescence detection 707(1998)342
- Manouilov, K.K., McGuire, T.R. and Gwilt, P.R.
 Colorimetric determination of hydroxyurea in human serum using high-performance liquid chromatography 708(1998)321
- Manuel, N., see Chikhi-Chorfi, N. 718(1998)278
- Mao, D.T., Levin, J.D., Yu, L. and Lautamo, R.M.A.
 High-resolution capillary electrophoretic separation of supercoiled plasmid DNAs and their conformers in dilute hydroxypropylmethyl cellulose solutions containing no intercalating agent 714(1998)21
- Marciniak, G., see Van Hijfte, L. 725(1999)3
- Marco, A., see Kim, H.K. 703(1997)225
 Marcos, J.C., Fonseca, L.P., Ramalho, M.T. and Cabral, J.M.S.
 Variation of penicillin acylase partition coefficient with phase volume ratio in poly(ethylene glycol)–sodium citrate aqueous two-phase systems 711(1998)295
- Marigo, M., see Tagliaro, F. 713(1998)27
 Marigo, M., see Tagliaro, F. 723(1999)195
 Mariño, E.L., see Braza, A.J. 718(1998)267
 Marino, M.T., see Sperry, M.L. 716(1998)187
 Mario, N., Baudin, B. and Giboudeau, J.
 Qualitative and quantitative analysis of hemoglobin variants by capillary isoelectric focusing 706(1998)123
- Maris, F.A., Dingler, E. and Niehues, S.
 High-performance liquid chromatographic assay with fluorescence detection for the routine monitoring of the antidepressant mirtazapine and its demethyl metabolite in human plasma 721(1999)309
- Maris, F.A., see Hempenius, J. 714(1998)361
 Marko-Varga, G., see Norberg, J. 701(1997)39
 Marquardt, C., see Ward, H. 707(1998)295
 Marques, M.P.C., see Lanchote, V.L. 709(1998)273
 Marr, I.L., see Uyanık, A. 709(1998)217
 Marrubini Bouland, G., see Polettini, A. 713(1998)339
 Marsh, K.C., Eiden, E. and McDonald, E.
 Determination of ritonavir, a new HIV protease inhibitor, in biological samples using reversed-phase high-performance liquid chromatography 704(1997)307

- Marshall, B.E., see Meng, Q.C. 718(1998)121
 Marshall, J.L., see Chassaing, C. 719(1998)169
 Marsilio, R., Dall'Amico, R., Montini, G., Murer, L., Ros, M., Zaccrello, G. and Zaccrello, F.
 Rapid determination of *p*-aminohippuric acid in serum and urine by high-performance liquid chromatography 704(1997)359
 Martens-Lobenhoffer, J. and Neumann, H.-J.
 Determination of 1-methylhistamine and 1-methylimidazoleacetic acid in human urine as a tool for the diagnosis of mastocytosis 721(1998)135
 Martí, G., see Cristòfol, C. 709(1998)310
 Martin, B., see Kaplan, B. 704(1997)69
 Martin, C., see Gorichon, E. 712(1998)259
 Martin, I.L., see Lai, C.-T. 704(1997)175
 Martin, N., Catalin, J., Blachon, M.F. and Durand, A.
 Assay of paclitaxel (Taxol) in plasma and urine by high-performance liquid chromatography 709(1998)281
 Martin, P.T., see Taylor, P.J. 705(1998)289
 Martinez, A.O., see Haro, L.S. 720(1998)39
 Martínez Vidal, J.L., Arrebola, F.J., Fernández-Gutiérrez, A. and Rams, M.A.
 Determination of endosulfan and its metabolites in human urine using gas chromatography–tandem mass spectrometry 719(1998)71
 Martínez-Lozano, C., see Pérez-Ruiz, T. 708(1998)249
 Martínez-Lozano, C., see Pérez-Ruiz, T. 724(1999)319
 Martinsen, L., see Bechgaard, E. 712(1998)177
 Maruszak, W., see Dabek-Zlotorzynska, E. 714(1998)77
 Marwah, A., Marwah, P. and Lardy, H.
 Development and validation of a high-performance liquid chromatography assay for the quantitative determination of 7-oxo-dehydroepiandrosterone- β -sulfate in human plasma 721(1999)197
 Marwah, P., see Marwah, A. 721(1999)197
 Marzo, A. and Curti, S.
 L-Carnitine moiety assay: an up-to-date reappraisal covering the commonest methods for various applications 702(1997)1
 Mas, M., see Ortuño, J. 723(1999)221
 Massias, L., see Chenevier, P. 708(1998)310
 Massolini, G., De Lorenzi, E., Lloyd, D.K., McGann, A.M. and Caccialanza, G.
 Evaluation of β -lactoglobulin as a stationary phase in high-performance liquid chromatography and as a buffer additive in capillary electrophoresis: observation of a surprising lack of stereoselectivity 712(1998)83
 Masuyama, Y., see Sakai, T. 704(1997)77
 Mateus, L., see Aguilera, R. 702(1997)85
 Mather, L.E., see Gu, X.Q. 719(1998)135
 Mathiasson, L., see Ljungkvist, G. 721(1998)39
 Mathiasson, L., see Norberg, J. 701(1997)39
 Matoba, R., see Inoue, H. 701(1997)47
 Matsuda, R., see Yomota, C. 703(1997)139
 Matsuda, Y., see Nagao, M. 701(1997)9
 Matsuhisa, K., see Tateda, N. 718(1998)235
 Matsumoto, Y., see Yomota, C. 703(1997)139
 Matsuura, K., see Ohta, H. 714(1998)215
 Matsuyama, K., see Mishima, K. 711(1998)313
 Matucha, M., see Hradec, J. 714(1998)145
 Matuszewski, B.K., see Birk, K.L. 719(1998)93
 Matuszewski, B.K., Chavez-Eng, C.M. and Constanzer, M.L.
 Development of high-performance liquid chromatography–tandem mass spectrometric methods for the determination of a new oxytocin receptor antagonist (L-368,899) extracted from human plasma and urine: a case of lack of specificity due to the presence of metabolites 716(1998)195
 Matuszewski, B.K., see Chavez-Eng, C.M. 721(1999)229
 Matuszewski, B.K., see Constanzer, M.L. 713(1998)371
 Maurer, H.H.
 Liquid chromatography–mass spectrometry in forensic and clinical toxicology 713(1998)3
 Maurer, H.H. and Arlt, J.W.
 Detection of 4-hydroxycoumarin anticoagulants and their metabolites in urine as part of a systematic toxicological analysis procedure for acidic drugs and poisons by gas chromatography–mass spectrometry after extractive methylation 714(1998)181
 Maurer, H.H., see Kraemer, T. 702(1997)93
 Maurer, H.H., see Kraemer, T. 713(1998)163
 Maurizis, J.-C., see Hizel, C. 721(1999)163
 Mawatari, H., Kato, Y., Nishimura, S.-i., Sakura, N. and Ueda, K.
 Reversed-phase high-performance liquid chromatographic assay method for quantitating 6-mercaptopurine and its methylated and non-methylated metabolites in a single sample 716(1998)392
 Maxwell, R.J., see Cohen, E. 724(1999)137
 Maxwell, R.J. and Lightfield, A.R.
 Multiresidue supercritical fluid extraction method for the recovery at low ppb levels of three sulfonamides from fortified chicken liver 715(1998)431
 May, L., see Luo, Y. 714(1998)269
 Mayatepek, E., see Tsikas, D. 716(1998)7
 Myersohn, M., see Kakkar, T. 718(1998)69
 Mayr, G.W., see Da Silva, C.P. 707(1998)43
 Mazerm, I., see Farenc, C. 724(1999)117
 Mazzo, D.J., see Chollet, D.F. 718(1998)163
 Mazzola, G., see Fermo, I. 719(1998)31
 McAtee, C.P., Lim, M.Y., Fung, K., Velligan, M., Fry, K., Chow, T.P. and Berg, D.E.
 Characterization of a *Helicobacter pylori* vaccine candidate by proteome techniques 714(1998)325
 McCaughey, W.J., see Buick, R.K. 720(1998)71
 McCord, B.R., see Doyle, J.M. 714(1998)105
 McCrudden, E.A. and Tett, S.E.
 Improved high-performance liquid chromatography determination of methotrexate and its major metabolite in plasma using a poly(styrene-divinylbenzene) column 721(1998)87
 McDonagh, N.S., see Negrusz, A. 718(1998)193
 McDonald, E., see Marsh, K.C. 704(1997)307
 McFalls, E., see Ward, H. 707(1998)295
 McGann, A.M., see Massolini, G. 712(1998)83
 McGown, A.T., see Khan, P. 709(1998)113
 McGown, A.T., see Khan, P. 721(1999)279
 McGuire, T.R., see Manouilov, K.K. 707(1998)342
 McGuire, T.R., see Manouilov, K.K. 708(1998)321

- McHowat, J., Jones, J.H. and Creer, M.H.
Gradient elution reversed-phase chromatographic isolation of individual glycerophospholipid molecular species 702(1997)21
- McLean, B., see Tomme, P. 715(1998)283
- McMahon, G.P., O'Connor, S.J., Fitzgerald, D.J., Le Roy, S. and Kelly, M.T.
Determination of aspirin and salicylic acid in transdermal perfusates 707(1998)322
- McMillin, J.E., see Yun, E.K. 712(1998)145
- McNamara, B., see Luo, Y. 714(1998)269
- McWhorter, L.K., see Poch, G.K. 724(1999)23
- Médard, Y., see Quernin, M.-H. 721(1998)147
- Meenhorst, P.L., see Hoetelmans, R.M.W. 705(1998)119
- Meenhorst, P.L., see Hoetelmans, R.M.W. 713(1998)387
- Meenhorst, P.L., see Van Heeswijk, R.P.G. 713(1998)395
- Meenhorst, P.L., see Van Heeswijk, R.P.G. 719(1998)159
- Meesterburrie, J.A.N., see Kulik, W. 710(1998)37
- Meger, M., see Scherer, G. 717(1998)179
- Mehta, A., Oeser, A.M. and Carlson, M.G.
Rapid quantitation of free fatty acids in human plasma by high-performance liquid chromatography 719(1998)9
- Meins, J., see Larsimont, V. 719(1998)222
- Memon, A.A., see Khuhawar, M.Y. 723(1999)17
- Menacherry, S., see Ong, V.S. 710(1998)173
- Ménager, S., see Ferranti, V. 718(1998)199
- Meng, Q.C., Cheung, A.T., Guvakov, D., Weiss, S.J., Savino, J.S., Salgo, I.S. and Marshall, B.E.
Extraction and quantification of nicardipine in human plasma 718(1998)121
- Mengarda, F., see Tagliaro, F. 716(1998)77
- Ménier, I., see Vial, J. 708(1998)131
- Mentasti, E., see Bruzzoniti, M.C. 717(1998)3
- Mentré, F., see Aymard, G. 707(1998)169
- Merchuk, J.C., Andrews, B.A. and Asenjo, J.A.
Aqueous two-phase systems for protein separation. Studies on phase inversion 711(1998)285
- Merchuk, J.C., see Salamanca, M.H. 711(1998)319
- Merdjan, H., see Klippert, P. 719(1998)125
- Mesrob, B., Nesbitt, C., Misra, R. and Pandey, R.C.
High-performance liquid chromatographic method for fingerprinting and quantitative determination of *E*- and *Z*-guggulsterones in *Commiphora mukul* resin and its products 720(1998)189
- Metairon, S., see Van Dael, P. 715(1998)341
- Meteau, J.M., see Pepin, X. 702(1997)181
- Meyring, M., Strickmann, D., Chankvetadze, B., Blaschke, G., Desiderio, C. and Fanali, S.
Investigation of the in vitro biotransformation of *R*-(+)-thalidomide by HPLC, nano-HPLC, CEC and HPLC-APCI-MS 723(1999)255
- Mialon, P., see Duine, J.M. 716(1998)350
- Micetich, R.G., see Bu, H.-Z. 724(1999)311
- Michael-Titus, A.T., see Whelpton, R. 716(1998)95
- Micheel, A.P., Ko, C.Y. and Guh, H.Y.
Ion chromatography method and validation for the determination of sulfate and sulfamate ions in topiramate drug substance and finished product 709(1998)166
- Micheletti, A., see Fioravanti, A. 703(1997)263
- Michelsen, P.M., see Hvattum, E. 716(1998)47
- Michiganami, Y., see Chinaka, S. 713(1998)353
- Mignat, C., see Otter, K. 708(1998)235
- Mihara, K., see Nagai, N. 709(1998)315
- Mikedi, K., see Statheropoulos, M. 706(1998)245
- Mikus, G., see Schänzle, G. 721(1998)55
- Millart, H., see Hoizey, G. 704(1997)167
- Miller, J.H. McB, see Yongxin, Z. 707(1998)189
- Mills, C.D., Whitworth, C., Rybak, L.P. and Henley, C.M.
Quantification of furosemide from serum and tissues using high-performance liquid chromatography 701(1997)65
- Mills, G.A., Walker, V. and Mughal, H.
Quantitative determination of trimethylamine in urine by solid-phase microextraction and gas chromatography-mass spectrometry 723(1999)281
- Mills, M.J., Savery, D. and Shattock, P.E.G.
Rapid analysis of low levels of indolyl-3-acryloylglycine in human urine by high-performance liquid chromatography 712(1998)51
- Milutinović, S., see Lukša, J. 703(1997)185
- Min, H.-K., see Myung, S.-W. 716(1998)359
- Minami, C., Deng, Y., Urano, F., Kaiya, T., Kohda, K., Kawai, M. and Naoi, M.
Preparation of (*R*)-*N*-methylsalsolinol via reversed-phase high-performance liquid chromatography using β -cyclodextrin as a mobile-phase additive 702(1997)245
- Minami, M., see Inagaki, H. 707(1998)9
- Minami, N.M. and Kilikian, B.V.
Separation and purification of glucoamylase in aqueous two-phase systems by a two-step extraction 711(1998)309
- Minkler, P.E., see Stefan, T.L. 704(1997)289
- Minouchi, T., see Shibata, N. 706(1998)191
- Mirghani, R.A., Ericsson, Ö. and Gustafsson, L.L.
High-performance liquid chromatographic method for the determination of the major quinine metabolite, 3-hydroxyquinine, in plasma and urine 708(1998)209
- Misaki, A., see Kominami, G. 704(1997)243
- Misawa, S., see Tanaka, E. 709(1998)324
- Mishima, K., Matsuyama, K., Ezawa, M., Taruta, Y., Takarabe, S. and Nagatani, M.
Interfacial tension of aqueous two-phase systems containing poly(ethylene glycol) and dipotassium hydrogenphosphate 711(1998)313
- Mislovičová, D., see Gemeiner, P. 715(1998)245
- Misra, R., see Mesrob, B. 720(1998)189
- Mitsui, K., see Hanada, K. 710(1998)129
- Mitsuya, H., see Roth, J.S. 712(1998)199
- Mitterhauser, M., see Damani, L.A. 704(1997)315
- Miura, H., see Kikuchi, Y. (1998)81
- Miura, T., see Tateda, N. 718(1998)235
- Miyagawa, R., see Sudo, Y. 705(1998)55
- Miyake, J., see Yang, Q. 707(1998)131
- Miyake, J., see Yoshimoto, M. 712(1998)59
- Miyake, T. and Shibamoto, T.
Quantitative analysis of acetaldehyde in whole blood from human and various animals by gas chromatography 719(1998)213
- Miyazaki, K., see Kishino, S. 703(1997)1
- Mizugaki, M., see Ito, K. 714(1998)197

- Mizuma, T., Benet, L.Z. and Lin, E.T.
High-performance liquid chromatographic determination and identification of acyl migration and photodegradation products of furosemide 1-O-acyl glucuronide 718(1998)153
- Modamio, P., see Braza, A.J. 718(1998)267
- Modi, N.B., see Paasch, B.D. 704(1997)231
- Moeller, M.R., Steinmeyer, S. and Kraemer, T.
Determination of drugs of abuse in blood 713(1998)91
- Mohammad, T. and Morrison, H.
Simultaneous determination of methylene violet, halogenated methylene violet and their photoproducts in the presence of DNA by high-performance liquid chromatography using an internal surface reversed-phase column 704(1997)265
- Mohammed, N., see Khan, R.I. 710(1998)17
- Mohri, K., see Uesugi, T. 703(1997)63
- Molins-Pujol, A.M., see García-Capdevila, L. 708(1998)169
- Möller, J.-G., Staß, H., Heinig, R. and Blaschke, G.
Capillary electrophoresis with laser-induced fluorescence: a routine method to determine moxifloxacin in human body fluids in very small sample volumes 716(1998)325
- Molunto, P., see Na-Bangchang, K. 708(1998)201
- Monhoven, N., see Guy, M. 706(1998)149
- Mönkkönen, J., see Auriola, S. 704(1997)187
- Monma, J., see Inoue, H. 701(1997)47
- Montagna, M., see Polettini, A. 713(1998)265
- Montagna, M., see Polettini, A. 713(1998)339
- Montagna, M., see Segura, J. 724(1999)9
- Montalbetti, L., see Rizzo, V. 706(1998)209
- Montay, G., see Chollet, D.F. 718(1998)163
- Montay, G., see Le Liboux, A. 708(1998)161
- Monteau, F., see Le Bizec, B. 723(1999)157
- Montero, E., see Pacheco, Y.M. 714(1998)127
- Montes, C., see Quernin, M.-H. 709(1998)47
- Montini, G., see Marsilio, R. 704(1997)359
- Moons, L., see Qu, Y. 704(1997)351
- Moore, C., Negrusz, A. and Lewis, D.
Determination of drugs of abuse in meconium 713(1998)137
- Moore, C.M., see Negrusz, A. 718(1998)193
- Moorehead, H., see Ahmed, L.S. 710(1998)27
- Morad, A.M., see Abou-Auda, H.S. 710(1998)121
- Moratti, R., see Rizzo, V. 706(1998)209
- Morele, Y., see Simon, P. 712(1998)95
- Morelle, W. and Strecker, G.
Isolation of the O-glycosidically linked oligosaccharides obtained by alkaline borohydride degradation from oviducal mucins of the toad *Bufo bufo* 706(1998)101
- Moriguchi, H., see Yoshida, K.-i. 723(1999)75
- Morikawa, H., see Kojima, J. 724(1999)173
- Morimoto, K., see Kawasaki, N. 705(1998)193
- Morita, Y., see Sakai, T. 704(1997)77
- Moriwaki, Y., see Yamamoto, T. 719(1998)55
- Moriyama, M., Yamashita, S., Domoto, H., Furuno, K., Araki, H. and Gomita, Y.
Determination of plasma phenobarbital concentration by high-performance liquid chromatography in rat offspring 723(1999)301
- Mormède, P., see Hay, M. 702(1997)33
- Mormède, P., see Hay, M. 703(1997)15
- Moro, M., see Pala, A. 704(1997)25
- Morré, D.J., see Morré, D.M. 711(1998)173
- Morré, D.J., Morré, D.M. and Van Alstine, J.M.
Separation of endosomes by aqueous two-phase partition and free-flow electrophoresis 711(1998)203
- Morré, D.J., Peter, A.D., Morré, D.M. and Van Alstine, J.M.
Effect of centrifugation on separation by aqueous two-phase partition of an early and late endosome model using inside-out plasma membrane vesicles from plants 711(1998)195
- Morré, D.M., see Morré, D.J. 711(1998)195
- Morré, D.M., see Morré, D.J. 711(1998)203
- Morré, D.M., Sweeting, M. and Morré, D.J.
Aqueous two-phase partition and detergent precipitation of a drug-responsive NADH oxidase from the HeLa cell surface 711(1998)173
- Morris, R.E., see Gummert, J.F. 721(1999)321
- Morris, R.E., see Segarra, I. 720(1998)179
- Morrison, H., see Mohammad, T. 704(1997)265
- Morse, M.A. and Lu, J.
High-performance liquid chromatographic method for measurement of cytochrome P450-mediated metabolism of 7-ethoxy-4-trifluoromethylcoumarin 708(1998)290
- Morvan, M.-L., see Pouliquen, H. 702(1997)143
- Mosandl, A., see Heil, M. 714(1998)119
- Mossoba, M.M., see Fritzsche, J. 705(1998)177
- Motohashi, M., see Hagimoto, T. 712(1998)161
- Motohashi, M., see Ohta, R. 704(1997)325
- Mou, C., Ganju, N., Sridhar, K.S. and Krishan, A.
Simultaneous quantitation of plasma doxorubicin and prochlorperazine content by high-performance liquid chromatography 703(1997)217
- Mourier, P. and Brun, A.
Study of the metabolism of spiramycin in pig liver 704(1997)197
- Moustafa, M., see Hussain, F.N. 716(1998)257
- Mu, X.Y., Lei, J., Xu, C., Regnier, F. and Kreisle, R.
Characterization of peroxidase:anti-peroxidase immune complexes by capillary zone electrophoresis and high-performance size-exclusion chromatography 724(1999)275
- Mueller, W., Schubert, J., Benzing, A. and Geiger, K.
Method for analysis of exhaled air by microwave energy desorption coupled with gas chromatography–flame ionization detection–mass spectrometry 716(1998)27
- Mughal, H., see Mills, G.A. 723(1999)281
- Mühlbauer, B., see Luippold, G. 724(1999)231
- Muirhead, D.C., see Cooper, J.D.H. 701(1997)87
- Mukai, Y., see Shimada, K. 714(1998)153
- Mulder, J.W., see Hoetelmans, R.M.W. 705(1998)119
- Mulder, J.W., see Hoetelmans, R.M.W. 713(1998)387
- Mulder, J.W., see Van Heeswijk, R.P.G. 713(1998)395
- Mulder, J.W., see Van Heeswijk, R.P.G. 719(1998)159
- Muller, D., see Clairbois, A.-S. 706(1998)55
- Muller, D., see Lakhiari, H. 706(1998)33
- Müller, J., see Bader, M. 710(1998)91

- Muñoz-Guerra, J., Carreras, D., Soriano, C., Rodríguez, C. and Rodríguez, A.F.
Use of ion trap gas chromatography–tandem mass spectrometry for detection and confirmation of anabolic substances at trace levels in doping analysis 704(1997)129
- Murakami, E., see Iwaki, M. 716(1998)335
- Muraki, K., see Tsuda, T. 723(1999)273
- Muramatsu, N., Toyo'oka, T., Yamaguchi, K. and Kobayashi, S.
High-performance liquid chromatographic determination of erdosteine and its optical active metabolite utilizing a fluorescent chiral tagging reagent, *R*-(–)-4-(*N,N*-dimethylaminosulfonyl)-7-(3-aminopyrrolidin-1-yl)-2,1,3-benzoxadiazole 719(1998)177
- Muramoto, N., see Takahashi, H. 701(1997)71
- Murdy, E.J., see Yu, G.Y.F. 703(1997)159
- Mürdter, T.E., Sperker, B., Bosslet, K., Fritz, P. and Kroemer, H.K.
Simultaneous high-performance liquid chromatographic determination of a glucuronyl prodrug of doxorubicin, doxorubicin and its metabolites in human lung tissue 709(1998)289
- Murer, L., see Marsilio, R. 704(1997)359
- Musante, L., Candiano, G. and Ghiggeri, G.M.
Resolution of fibronectin and other uncharacterized proteins by two-dimensional polyacrylamide electrophoresis with thiourea 705(1998)351
- Muscaria, C., Pappagallo, M., Ferrari, D., Giordano, E., Capanni, C., Calderara, C.M. and Guarneri, C.
Simultaneous detection of reduced and oxidized glutathione in tissues and mitochondria by capillary electrophoresis 707(1998)301
- Musshoff, F. and Daldrup, Th.
Determination of biological markers for alcohol abuse 713(1998)245
- Mussini, E., see Euli, D. 724(1999)373
- Musson, D.G., see Birk, K.L. 719(1998)93
- Musson, D.G., Birk, K.L., Cairns, A.M., Majumdar, A.K. and Rogers, J.D.
High-performance liquid chromatographic methods for the determination of a new carbapenem antibiotic, L-749,345, in human plasma and urine (1998)99
- Müthing, J., see Heitmann, D. 710(1998)1
- Myers, S.R., see Wrightson, W.R. 706(1998)358
- Myung, S.-W., see Kim, K.-R. 712(1998)11
- Myung, S.-W., Min, H.-K., Kim, S., Kim, M., Cho, J.-B. and Kim, T.-J.
Determination of amphetamine, methamphetamine and dimethamphetamine in human urine by Solid-Phase Microextraction (SPME)-gas chromatography/mass spectrometry 716(1998)359

N

- Na, H.-K., see Joo, E.-H. 723(1999)239
- Na-Bangchang, K., Congpuong, K., Hung, L.N., Molunto, P. and Karbwang, J.
Simple high-performance liquid chromatographic method with electrochemical detection for the simultaneous determination of artesunate and dihydroartemisinin in biological fluids 708(1998)201
- Nabbie, F., see Vesterqvist, O. 716(1998)299
- Nagai, N., Shikii, T., Mihara, K., Ogata, H. and Sasaki, Y.
Improved high-performance liquid chromatographic analysis of teniposide in human plasma 709(1998)315
- Naganuma, A., see Oe, T. 708(1998)285
- Nagao, M., Takatori, T., Matsuda, Y., Nakajima, M., Niijima, H., Iwase, H., Iwadate, K. and Amano, T.
Detection of sarin hydrolysis products from sarin-like organophosphorus agent-exposed human erythrocytes 701(1997)9
- Nagaraja, N.V., see Issar, M. 724(1999)147
- Nagasaki, T., Ohkubo, T., Sugawara, K., Yasui, N., Ohtani, K. and Kaneko, S.
High-performance liquid chromatographic determination of nemonapride and desmethylnemonapride in human plasma using an electrochemical detection 714(1998)293
- Nagashima, T., see Toyoda, H. 704(1997)19
- Nagata, S., see Sakakura, H. 718(1998)33
- Nagatani, M., see Mishima, K. 711(1998)313
- Nagy, L., see Hajós, P. 717(1998)27
- Naidu, M.U.R., see Sekhar, E.C. 710(1998)137
- Nair, R.V., see Supko, J.G. 714(1998)341
- Nakahara, Y., see Tagliaro, F. 723(1999)195
- Nakahata, H., see Takahashi, H. 701(1997)71
- Nakajima, M., see Nagao, M. 701(1997)9
- Nakamura, H., see Hayamizu, T. 710(1998)211
- Nakamura, K. and Takeo, K.
Affinity electrophoresis and its applications to studies of immune response 715(1998)125
- Nakamura, M., see Hirayama, C. 721(1999)187
- Nakanishi, M., see Ishida, Y. 716(1998)39
- Nakashima, K., see Al-Dirbashi, O. 712(1998)105
- Nakashima, K., see Hamachi, Y. 724(1999)189
- Nakashima, K., see Wada, M. 721(1999)179
- Nakashima, M.N., see Hamachi, Y. 724(1999)189
- Nakashiro, S., see Arakawa, H. 716(1998)119
- Nakatani, A., see Ohshita, T. 716(1998)107
- Namekawa, T., see Furuta, T. 706(1998)181
- Namera, A., see Sakura, N. 719(1998)209
- Namera, A., see Watanabe, T. 709(1998)225
- Namera, A., Yashiki, M., Iwasaki, Y., Ohtani, M. and Kojima, T.
Automated procedure for determination of barbiturates in serum using the combined system of PrepStation and gas chromatography–mass spectrometry 716(1998)171

- Namera, A., Yashiki, M., Okada, K., Iwasaki, Y., Ohtani, M. and Kojima, T.
Automated preparation and analysis of barbiturates in human urine using the combined system of PrepStation and gas chromatography-mass spectrometry 706(1998)253
- Namour, F., see Guy, M. 706(1998)149
- Naoi, M., see Minami, C. 702(1997)245
- Naoi, M., see Ohkuwa, T. 705(1998)23
- Narazaki, C., see Futagami, K. 704(1997)369
- Nation, R.L., see Kirkwood, L.C. 701(1997)129
- Nauck, M., see Geisel, J. 724(1999)239
- Naylor, S., see Rohde, E. 713(1998)301
- Necciari, J., see Lagorce, P. (1998)107
- Necina, R., Amatschek, K., Schallau, E., Schwinn, H., Josic, D. and Jungbauer, A.
Peptide affinity chromatography of human clotting factor VIII. Screening of the vWF-binding domain 715(1998)191
- Needham, S.R., Cole, M.J. and Fouada, H.G.
Direct plasma injection for high-performance liquid chromatographic-mass spectrometric quantitation of the anxiolytic agent CP-93 393 718(1998)87
- Neefjes, J., see Tulp, A. 722(1999)141
- Negrusz, A., see Moore, C. 713(1998)137
- Negrusz, A., Moore, C.M., McDonagh, N.S., Woods, E.F., Crowell, J.A. and Levine, B.S.
Determination of phenethylamine, a phenethyl isothiocyanate marker, in dog plasma using solid-phase extraction and gas chromatography-mass spectrometry with chemical ionization 718(1998)193
- Neidenström, P., see Engman, M. 709(1998)57
- Neirinck, L., see Zhu, Z. 724(1999)389
- Nelis, H.J., see Huo, J.Z. 724(1999)249
- Nelson, S.D., see Regal, K.A. 708(1998)75
- Nerín, C., see Pons, B. 716(1998)139
- Nesbitt, C., see Mesrob, B. 720(1998)189
- Neubecker, T.A., Coombs, M.A., Quijano, M., O'Neill, T.P., Cruze, C.A. and Dobson, R.L.M.
Rapid and selective method for norepinephrine in rat urine using reversed-phase ion-pair high-performance liquid chromatography-tandem mass spectrometry 718(1998)225
- Neufeld, E., Chayen, R. and Stern, N.
Fluorescence derivatization of urinary corticosteroids for high-performance liquid chromatographic analysis 718(1998)273
- Neumann, H.-J., see Martens-Lobenhoffer, J. 721(1998)135
- Neumeier, D., see Probst, R. 702(1997)111
- New, A.L., see Lee, B.L. 704(1997)35
- Newport, G.D., see Kwon, O.-S. 720(1998)9
- Ngoh, M.A., see Carson, M.C. 712(1998)113
- Nguyen-Legros, J., see Chanut, E. 709(1998)11
- Nick, A., see Klockow-Beck, A. 720(1998)141
- Nicolas, A., see Parmentier, C. 719(1998)37
- Nicot, T., see Simon, P. 712(1998)95
- Niehues, S., see Maris, F.A. 721(1999)309
- Nielsen, S.E. and Dragsted, L.O.
Column-switching high-performance liquid chromatographic assay for the determination of quercetin in human urine with ultraviolet absorbance detection 707(1998)81
- Nielsen, S.E. and Dragsted, L.O.
Column-switching high-performance liquid chromatographic assay for determination of apigenin and acacetin in human urine with ultraviolet absorbance detection 713(1998)379
- Niemi, R., Taipale, H., Ahlmark, M., Vepsäläinen, J. and Järvinen, T.
Simultaneous determination of clodronate and its partial ester derivatives by ion-pair reversed-phase high-performance liquid chromatography coupled with evaporative light-scattering detection 701(1997)97
- Nijjima, H., see Nagao, M. 701(1997)9
- Nilsson, J., see Petersson, M. 714(1998)39
- Nilsson, S., see Heegaard, N.H.H. 715(1998)29
- Nilsson, S., see Petersson, M. 714(1998)39
- Nishikawa, H., see Konishi, T. 709(1998)105
- Nishikido, J., see Iwase, H. 709(1998)145
- Nishimura, S.-i., see Mawatari, H. 716(1998)392
- Nishimura, S.-i., see Sakura, N. 719(1998)209
- Nishimura, T., see Kikuchi, Y. (1998)81
- Nitschko, H., see Busch, U. 722(1999)263
- Niven, G.W., see Isgrove, F.H. 711(1998)91
- Noble, M., Brown, A., Jauregi, P., Kaul, A. and Varley, J.
Protein recovery using gas-liquid dispersions 711(1998)31
- Noguchi, O., see Koide, I. 707(1998)99
- Nohta, H., see Kai, M. 720(1998)25
- Noll, B., see Jankowsky, R. 724(1999)365
- Nomeir, A.A., see Kim, H.K. 703(1997)225
- Nomura, A., see Kishino, S. 703(1997)1
- Nooijen, W.J., see Van Tellingen, O. 719(1998)251
- Noordhoek, J., see Van Bekkum, Y.M. 701(1997)19
- Nooter, K., see Sparreboom, A. 705(1998)159
- Nooter, K., see Sparreboom, A. 712(1998)225
- Norberg, J., Emméus, J., Jönsson, J.Å., Mathiasson, L., Burestedt, E., Knutsson, M. and Marko-Varga, G.
On-line supported liquid membrane-liquid chromatography with a phenol oxidase-based biosensor as a selective detection unit for the determination of phenols in blood plasma 701(1997)39
- Nordin, J., see Tybring, G. 716(1998)382
- Norén, B., see Tjernberg, A. 715(1998)395
- Norlander, B., see Carlsson, B. 702(1997)234
- Norsten-Hög, C., see Eklund, E. 708(1998)195
- Norsten-Hög, C., see Engman, M. 709(1998)57
- Notarianni, L.J., see Azzam, R.M. 708(1998)304
- Novák, I., see Petro, M. 718(1998)187
- Nozawa, S., see Lin, B. 704(1997)99
- Nunes, D.S.V., see Lino, C.M. 716(1998)147
- Nyström, L., see Persson, J. 711(1998)97
- Nyström, L., Pettersson, M. and Rångemark, C.
Simple and sensitive method for determination of nicotine in plasma by gas chromatography 701(1997)124

O

- Ochiai, H., Uchiyama, N., Takano, T., Hara, K.-i. and Kamei, T.
Determination of montelukast sodium in human plasma by column-switching high-performance liquid chromatography with fluorescence detection 713(1998)409
- O'Connor, S.J., see McMahon, G.P. 707(1998)322
- Oda, H., see Koide, I. 707(1998)99
- Oda, Y., see Iwaki, M. 716(1998)335
- Odoze, C., Pauli, A.M. and Pastor, J.
Rapid and sensitive high-performance liquid chromatographic determination of nicotine and cotinine in nonsmoker human and rat urines 708(1998)95
- Odham, G., see Gunnarsson, T. 705(1998)243
- Odontiadis, J., see Clement, E.M. 705(1998)303
- Oe, T., Ohyagi, T. and Naganuma, A.
Determination of γ -glutamylglutathione and other low-molecular-mass biological thiol compounds by isocratic high-performance liquid chromatography with fluorimetric detection 708(1998)285
- Oertel, R., see Richter, K. 724(1999)109
- Oeser, A.M., see Mehta, A. 719(1998)9
- Oette, K., see Geisel, J. 724(1999)239
- Offer, N.W., see Shingfield, K.J. 706(1998)342
- Offer, N.W., see Shingfield, K.J. 723(1999)81
- Ogasawara, K., see Ohta, H. 714(1998)215
- Ogasawara, Y., see Oishi, M. 720(1998)59
- Ogata, H., see Hanada, K. 710(1998)129
- Ogata, H., see Nagai, N. 709(1998)315
- Ogiso, T., see Iwaki, M. 716(1998)335
- Oh, I., see Joo, E.-H. 723(1999)239
- Oh, K.S., see Kim, K.-R. 712(1998)11
- Oh, Y.-S., see Lee, S.-H. 714(1998)379
- Ohkubo, T., see Nagasaki, T. 714(1998)293
- Ohkuwa, T., Sato, Y. and Naoi, M.
Novel assay for glutathione reductase activity by high-performance liquid chromatography with electrochemical detection 705(1998)23
- Ohmoto, S., see Tanase, S. 706(1998)279
- Ohsawa, A., see Togawa, T. 704(1997)83
- Ohshiro, S., see Hobara, N. 703(1997)279
- Ohshima, T., Nakatani, A. and Hiroi, Y.
Purification by column chromatographies of beta-amyloid precursor proteins and their association with other 95 kDa protein in rat brain 716(1998)107
- Ohta, H., Seto, Y., Tsunoda, N., Takahashi, Y., Matsuura, K. and Ogasawara, K.
Determination of *Aconitum* alkaloids in blood and urine samples. II. Capillary liquid chromatographic-frit fast atom bombardment mass spectrometric analysis 714(1998)215
- Ohta, K., see Kai, M. 720(1998)25
- Ohta, R., Amano, T., Yamashita, K. and Motohashi, M.
High-performance liquid chromatographic determination of seratrodast and its metabolites in human serum and urine 704(1997)325
- Ohta, S., see Yamamoto, T. 719(1998)55
- Ohtani, H., see Ishida, Y. 716(1998)39
- Ohtani, K., see Nagasaki, T. 714(1998)293
- Ohtani, M., see Namera, A. 706(1998)253
- Ohtani, M., see Namera, A. 716(1998)171
- Ohyagi, T., Kudo, N., Suzuki, E. and Kawashima, Y.
Determination of perfluorinated carboxylic acids in biological samples by high-performance liquid chromatography 720(1998)1
- Ohyagi, T., see Oe, T. 708(1998)285
- Oishi, M., Ogasawara, Y., Ishii, K. and Tanabe, S.
Assay of nicotinamide deamidase activity using high-performance liquid chromatography 720(1998)59
- Oishi, R., see Futagami, K. 704(1997)369
- Oishi, R., see Goto, Y. 706(1998)329
- Oishi, R., see Sueyasu, M. 723(1999)307
- Oka, S., see Yamazaki, Y. 709(1998)306
- Okada, J., see Hagimoto, T. 712(1998)161
- Okada, K., see Koide, I. 707(1998)99
- Okada, K., see Namera, A. 706(1998)253
- Okada, S., see Yomota, C. 703(1997)139
- Okazaki, M., Komoriya, N., Tomoike, H., Inoue, N., Usui, S., Itoh, S. and Hosaki, S.
Quantitative detection method of triglycerides in serum lipoproteins and serum-free glycerol by high-performance liquid chromatography 709(1998)179
- Okii, Y., see Yoshida, M. 718(1998)55
- Okubo, T., see Tsuchiya, H. 703(1997)253
- Olesen, O.V. and Linnet, K.
Determination of olanzapine in serum by high-performance liquid chromatography using ultraviolet detection considering the easy oxidability of the compound and the presence of other psychotropic drugs 714(1998)309
- Oliveira, E.J., see Watson, D.G. 723(1999)203
- Ollivon, M., see Andrieux, K. 706(1998)141
- Olson, J.A., see Barua, A.B. 707(1998)69
- Olsson, J., Karlberg, B., Kristensson, K. and Åberg, F.
Determination of malondialdehyde in rat brain by capillary zone electrophoresis 707(1998)51
- Olszewski, A., see Guy, M. 706(1998)149
- Olszewski, A., see Pons, L. 706(1998)131
- O'Neill, T.P., see Neubecker, T.A. 718(1998)225
- Ong, C.N., see Lee, B.L. 704(1997)35
- Ong, V.S., Stamm, G.E., Menacherry, S. and Chu, S.-y.
Quantitation of TNP-470 and its metabolites in human plasma: sample handling, assay performance and stability 710(1998)173
- Onodera, R., see Khan, R.I. 710(1998)17
- Oosterhuis, B., see Van de Merbel, N.C. 708(1998)103
- Oosterhuis, B., see Van de Merbel, N.C. 708(1998)113
- Oosterkamp, A.J., Van der Hoeven, R., Glässgen, W., König, B., Tjaden, U.R., Van der Greef, J. and Irth, H.
Gradient reversed-phase liquid chromatography coupled on-line to receptor-affinity detection based on the urokinase receptor 715(1998)331
- Ooura, T., see Tani, H. 708(1998)294

- Orosz, S., see Cox, S.K. 702(1997)175
 Ortiz, J., see Lagorce, P. (1998)107
 Orton, E., see Hsu, B.H. 725(1999)103
 Ortúñoz, J., Pizarro, N., Farré, M., Mas, M., Segura, J., Camí, J., Brenneisen, R. and De la Torre, R.
 Quantification of 3,4-methylenedioxymetamphetamine and its metabolites in plasma and urine by gas chromatography with nitrogen–phosphorus detection 723(1999)221
 Osborne, P.G. and Yamamoto, K.
 Disposable, enzymatically modified printed film carbon electrodes for use in the high-performance liquid chromatographic–electrochemical detection of glucose or hydrogen peroxide from immobilized enzyme reactors 707(1998)3
 Osterman-Golkar, S., see Pauwels, W. 702(1997)77
 Otsuka, K., see Quirino, J.P. 714(1998)29
 Otter, K. and Mignat, C.
 Determination of pravastatin in human plasma by high-performance liquid chromatography with ultraviolet detection 708(1998)235
 Oude Elferink, R.P.J., see Frijters, C.M.G. 710(1998)9
 Ouwerkerk, J., see Kerbusch, T. 716(1998)275
 Ouyang, Z., see Jemal, M. 703(1997)167
 Ouyang, Z., see Jemal, M. 709(1998)233
 Overmars, H., see Slingerland, R.J. 716(1998)65
 Overmars, H., see Vreken, P. 713(1998)281
- P**
- Paar, D.W., see Von Unruh, G.E. 716(1998)343
 Paasch, B.D., Lin, Y.S., Porter, S., Modi, N.B. and Barder, T.J.
 Determination of Ro 48-3656 in rat plasma by reversed-phase high-performance liquid chromatography.
 Comparison of 1.5-μm nonporous silica to 3.5-μm porous silica analytical columns 704(1997)231
 Pacheco, Y.M., Pérez-Camino, M.C., Cert, A., Montero, E. and Ruiz-Gutiérrez, V.
 Determination of the molecular species composition of diacylglycerols in human adipose tissue by solid-phase extraction and gas chromatography on a polar phase 714(1998)127
 Pacifici, R., see Ricciarello, R. 707(1998)219
 Pacula-Cox, C., see Lunn, G. 708(1998)217
 Padula, F., see Pala, A. 704(1997)25
 Paek, D.-J., see Kim, K.-R. 701(1997)1
 Páez, X. and Hernández, L.
 Plasma serotonin monitoring by blood microdialysis coupled to high-performance liquid chromatography with electrochemical detection in humans 720(1998)33
 Page, T., see Holland, D.T. 707(1998)105
 Paias, F.O., see Lanchote, V.L. 709(1998)273
 Paik, M.-J., see Kim, K.-R. 712(1998)11
 Paik, M.-J., Lee, K.-O. and Shin, H.-S.
 Determination of very-long-chain fatty acids in serum by gas chromatography–nitrogen–phosphorus detection following cyanomethylation 721(1998)3
 Pala, A., Padula, F., Barteri, M., Benagiano, M., Gaudiano, M.C., Moro, M. and Benagiano, G.
 Rapid purification and properties of human glycodelin (endometrial α₂-globulin) 704(1997)25
 Palival, J.K., see Issar, M. 724(1999)147
 Palombo, G., Verdoliva, A. and Fassina, G.
 Affinity purification of immunoglobulin M using a novel synthetic ligand 715(1998)137
 Pan, W.-j. and Hedaya, M.A.
 Sensitive and specific high-performance liquid chromatographic assay with ultraviolet detection for the determination of cocaine and its metabolites in rat plasma 703(1997)129
 Pandey, R.C., see Mesrob, B. 720(1998)189
 Pandurić, J., see Živko-Babić, J. 710(1998)247
 Panus, P.C., Tober-Meyer, B. and Ferslew, K.E.
 Tissue extraction and high-performance liquid chromatographic determination of ketoprofen enantiomers 705(1998)295
 Pappagalio, M., see Muscari, C. 707(1998)301
 Paquette, D.M., Sing, R., Banks, P.R. and Waldron, K.C.
 Capillary electrophoresis with laser-induced native fluorescence detection for profiling body fluids 714(1998)47
 Parekh, N.J., see Bao, J.J. 720(1998)129
 Parissi-Poulou, M., see Valassis, I.N. 721(1999)249
 Park, H.-G., see Kim, K.-R. 712(1998)11
 Park, H.-M., Eo, Y.-W., Cha, K.-S., Kim, Y.-M. and Lee, K.-B.
 Determination of free acetaldehyde in total blood for investigating the effect of aspartate on metabolism of alcohol in mice 719(1998)217
 Parker, D., see Kim, H.K. 703(1997)225
 Parmentier, C., Leroy, P., Wellman, M. and Nicolas, A.
 Determination of cellular thiols and glutathione-related enzyme activities: versatility of high-performance liquid chromatography–spectrofluorimetric detection 719(1998)37
 Paroni, R., see Fermo, I. 719(1998)31
 Parrish, C.M., see Soblosky, J.S. 712(1998)31
 Parsons, L.H., Kerr, T.M. and Weiss, F.
 Simple microbore high-performance liquid chromatographic method for the determination of dopamine and cocaine from a single *in vivo* brain microdialysis sample 709(1998)35
 Pascual, J.A. and Sanagustín, J.
 Fully automated analytical method for codeine quantification in human plasma using on-line solid-phase extraction and high-performance liquid chromatography with ultraviolet detection 724(1999)295
 Pasini, F., see Perbellini, L. 724(1999)257
 Pasquali, C., Fialka, I. and Huber, L.A.
 Subcellular fractionation, electromigration analysis and mapping of organelles 722(1999)89
 Pasquier, O., see Le Liboux, A. 708(1998)161

- Pasternyk Di Marco, M., Felix, G., Descorts, V., Ducharme, M.P. and Wainer, I.W.
On-line deconjugation of glucuronides using an immobilized enzyme reactor based upon β -glucuronidase 715(1998)379
- Pastor, J., see Beaumier-Gallon, G. 718(1998)23
- Pastor, J., see Oddoze, C. 708(1998)95
- Patel, R., see Chang, S.-Y. 702(1997)149
- Patterson Jr., D.G., see Sirimanne, S.R. 716(1998)129
- Patton, W.F.
Proteome analysis. II. Protein subcellular redistribution: linking physiology to genomics via the proteome and separation technologies involved 722(1999)203
- Pauli, A.M., see Beaumier-Gallon, G. 718(1998)23
- Pauli, A.M., see Oddoze, C. 708(1998)95
- Pauli, N.M. and Schuep, W.
Capillary zone electrophoretic determination of the four vitamin C esters L-ascorbyl-2-phosphate, L-ascorbyl-2-sulfate, L-ascorbyl-2-diphosphate and L-ascorbyl-2-triphosphate in fish feed, plasma and tissue 715(1998)369
- Päuser, S., see Jung, M. 702(1997)193
- Pauwels, A., Wells, D.A., Covaci, A. and Schepens, P.J.C.
Improved sample preparation method for selected persistent organochlorine pollutants in human serum using solid-phase disk extraction with gas chromatographic analysis 723(1999)117
- Pauwels, W., Farmer, P.B., Osterman-Golkar, S., Severi, M., Cordero, R., Bailey, E. and Veulemans, H.
Ring test for the determination of N-terminal valine adducts of styrene 7,8-oxide with haemoglobin by the modified Edman degradation technique 702(1997)77
- Pavón, J.M., see Valle, M. 724(1999)83
- Pawula, M., Watson, D., Teramura, T., Watanabe, T., Higuchi, S. and Cheng, K.N.
Sensitive and specific liquid chromatographic–tandem mass spectrometric assay for barnidipine in human plasma 719(1998)113
- Pedro, A., see Farthing, D. 704(1997)374
- Pedroso, R.C., see Corrêa, C.L. 704(1997)365
- Peh, K.K., Billa, N. and Yuen, K.H.
Simple liquid chromatographic method for the determination of naltrexone in human plasma using amperometric detection 701(1997)140
- Peh, K.K., see Wong, C.F. 718(1998)205
- Peh, K.K., see Wong, J.W. 716(1998)387
- Peh, K.K., see Yuen, K.H. 710(1998)243
- Peh, K.K., see Yuen, K.H. 715(1998)436
- Pellegrin, J.L., see Frappier, S. 714(1998)384
- Pellegrini, M., see Ricciarello, R. 707(1998)219
- Pellegrino, O., see Buratti, M. 723(1999)95
- Peng, H.W., Cheng, F.C., Huang, Y.T., Chen, C.F. and Tsai, T.H.
Determination of naringenin and its glucuronide conjugate in rat plasma and brain tissue by high-performance liquid chromatography 714(1998)369
- Peng, S.X., Strojnowski, M.J., Hu, J.K., Smith, B.J., Eichhold, T.H., Wehmeyer, K.R., Pikul, S. and Almstead, N.G.
Gas chromatographic–mass spectrometric analysis of hydroxylamine for monitoring the metabolic hydrolysis of metalloprotease inhibitors in rat and human liver microsomes 724(1999)181
- Peng, S.X., Takigiku, R., Burton, D.E. and Powell, L.L.
Direct pharmaceutical analysis of bisphosphonates by capillary electrophoresis 709(1998)157
- Pentón, E., see Tleugabulova, D. 716(1998)209
- Pentón, E., see Tleugabulova, D. 720(1998)153
- Pépin, G., see Gaillard, Y. 703(1997)85
- Pépin, G., see Gaillard, Y. 709(1998)69
- Pépin, X., Attali, L., Domraut, C., Gallet, S., Metreau, J.M., Reault, Y., Cardot, P.J.P., Imalalen, M., Dubernet, C., Soma, E. and Couvreur, P.
On the use of ion-pair chromatography to elucidate doxorubicin release mechanism from polyalkylcyanoacrylate nanoparticles at the cellular level 702(1997)181
- Perbellini, L., Buratti, M., Fiorentino, M.L., Fustinoni, S., Pasini, F. and Magnaghi, S.
Matrix interferences in the analysis of benzene in urine 724(1999)257
- Pereira, A.I., see Callejas, S.L. 718(1998)243
- Perez, A., see Yongxin, Z. 707(1998)189
- Pérez, B., see Cristófol, C. 709(1998)310
- Perez, Y., see Lagorce, P. (1998)107
- Pérez-Camino, M.C., see Pacheco, Y.M. 714(1998)127
- Pérez-Ruiz, T., Martínez-Lozano, C., Sanz, A. and Bravo, E.
Determination of flufenamic, meclofenamic and mefenamic acids by capillary electrophoresis using β -cyclodextrin 708(1998)249
- Pérez-Ruiz, T., Martínez-Lozano, C., Sanz, A. and Bravo, E.
Separation and simultaneous determination of nalidixic acid, hydroxynalidixic acid and carboxynalidixic acid in serum and urine by micellar electrokinetic capillary chromatography 724(1999)319
- Perona, J.S., Barrón, L.J.R. and Ruiz-Gutiérrez, V.
Determination of rat liver triglycerides by gas–liquid chromatography and reversed-phase high-performance liquid chromatography 706(1998)173
- Person, C.R., see Lundberg, Jr., D.E. 707(1998)328
- Persson, J., Nyström, L., Ageland, H. and Tjerneld, F.
Purification of recombinant apolipoprotein A-1_{Milano} expressed in *Escherichia coli* using aqueous two-phase extraction followed by temperature-induced phase separation 711(1998)97
- Peter, A.D., see Morré, D.J. 711(1998)195
- Peter, R.M., see Regal, K.A. 708(1998)75
- Petersson, M., Nilsson, J., Wallman, L., Laurell, T., Johansson, J. and Nilsson, S.
Sample enrichment in a single levitated droplet for capillary electrophoresis 714(1998)39
- Petit, J., see Galmier, M.J. 720(1998)239
- Petro, M., Belliardo, F., Novák, I. and Berek, D.
Use of porous pyrolytic carbon for analytical and microscale high-performance liquid chromatographic bioseparations 718(1998)187

- Petsch, D., Deckwer, W.-D., Anspach, F.B., Legallais, C. and Vijayalakshmi, M.
Endotoxin removal with poly(ethyleneimine)-immobilized adsorbents: Sepharose 4B versus flat sheet and hollow fibre membranes 707(1998)121
- Pettersson, M., see Nyström, L. 701(1997)124
- Pettit, G.R., see Khan, P. 709(1998)113
- Peyrière, H., see Cociglio, M. 705(1998)79
- Pfaar, U., see Blum, W. 710(1998)101
- Pfennig, A., Schwerin, A. and Gaube, J.
Consistent view of electrolytes in aqueous two-phase systems 711(1998)45
- Phadungpajna, S., see Chow, D.S.-L. 704(1997)277
- Pham-Huy, C., see Chikhi-Chorfi, N. 718(1998)278
- Phillips, J.G., see Handley, M.K. 716(1998)239
- Phillips, K., see Bentley, M.C. 723(1999)185
- Phillips, L.R., see Lunn, G. 708(1998)217
- Phillips, T.M. and Krum, J.M.
Recycling immunoaffinity chromatography for multiple analyte analysis in biological samples 715(1998)55
- Piazza, F., see Roda, A. 717(1998)263
- Picart, D., see Adas, F. 714(1998)133
- Piccoli, G., see Ceccaroli, P. 702(1997)41
- Pichini, S., see Ricciarello, R. 707(1998)219
- Pidgeon, C., see Liu, H. 703(1997)53
- Pietropaolo, A.M., see Floridia, L. 724(1999)325
- Pikul, S., see Peng, S.X. 724(1999)181
- Pilet, N., see Pouliquen, H. 702(1997)157
- Pinault, L., see Pouliquen, H. 702(1997)143
- Pinault, L., see Pouliquen, H. 702(1997)157
- Pinilla, M., see García-Pérez, A.-I. 711(1998)301
- Pirola, R., Bareggi, S.R. and De Benedittis, G.
Determination of acetylsalicylic acid and salicylic acid in skin and plasma by high-performance liquid chromatography 705(1998)309
- Pisi, P., see Tagliaro, F. 713(1998)27
- Pişkin, E., see Denizli, A. 707(1998)25
- Pişkin, E., see Ibrahim, E.-H. 720(1998)217
- Pittenauer, E., see Roos, M. 705(1998)183
- Pizarro, N., see Ortúño, J. 723(1999)221
- Planas, J., Varelas, V., Tjerneld, F. and Hahn-Hägerdal, B.
Amine-based aqueous polymers for the simultaneous titration and extraction of lactic acid in aqueous two-phase systems 711(1998)265
- Pleasant, S., see Callejas, S.L. 718(1998)243
- Plénat, F., see Guy, M. 706(1998)149
- Plou, Ph., see Dehenin, L. 721(1999)301
- Plumb, R.S., see Ayrton, J. 709(1998)243
- Poch, G.K., Klette, K.L., Hallare, D.A., Manglicmot, M.G., Czarny, R.J., McWhorter, L.K. and Anderson, C.J.
Detection of metabolites of lysergic acid diethylamide (LSD) in human urine specimens: 2-oxo-3-hydroxy-LSD, a prevalent metabolite of LSD 724(1999)23
- Pochopień, G., see Baranowski, J. 707(1998)317
- Podebrad, F., see Heil, M. 714(1998)119
- Poglod, M., see Bu, H.-Z. 724(1999)311
- Pohlen, U., see Jung, M. 702(1997)193
- Polakovič, M., see Gemeiner, P. 715(1998)245
- Poleć, I., see Chimonczyk, Z. 720(1998)65
- Polettini, A., Groppi, A., Vignali, C. and Montagna, M.
Fully-automated systematic toxicological analysis of drugs, poisons, and metabolites in whole blood, urine, and plasma by gas chromatography–full scan mass spectrometry 713(1998)265
- Polettini, A., Marrubini Boulard, G. and Montagna, M.
Development of a coupled-column liquid chromatographic–tandem mass spectrometric method for the direct determination of betamethasone in urine 713(1998)339
- Polvé, S., see Klippert, P. 719(1998)125
- Pommier, F., Sioufi, A. and Godbillon, J.
Simultaneous determination of imipramine and its metabolite desipramine in human plasma by capillary gas chromatography with mass-selective detection 703(1997)145
- Pompermayer, S., see García-Capdevila, L. 708(1998)169
- Pond, S.M., see Taylor, P.J. 705(1998)289
- Pons, B., Carrera, A. and Nerín, C.
Speciation of ionic alkyllead compounds in human urine by gas chromatography–mass spectrometry after butylation through a Grignard reaction 716(1998)139
- Pons, L., see Galland, A.V. 706(1998)63
- Pons, L., Olszewski, A. and Guéant, J.-L.
Characterization of the oligomeric behavior of a 16.5 kDa peanut oleosin by chromatography and electrophoresis of the iodinated form 706(1998)131
- Pons, M., see Cristòfol, C. 709(1998)310
- Poonkuzhal, B., see Quernin, M.-H. 709(1998)47
- Poonkuzhal, B., see Quernin, M.-H. 721(1998)147
- Popot, M.A., see Aguilera, R. 702(1997)85
- Porqueras, E., see Yongxin, Z. 707(1998)189
- Porter, S., see Paasch, B.D. 704(1997)231
- Portier, E.J.G., de Blok, K., Butter, J.J. and van Boxtel, C.J.
Simultaneous determination of fentanyl and midazolam using high-performance liquid chromatography with ultraviolet detection 723(1999)313
- Portugal, H., see Beaumier-Gallon, G. 718(1998)23
- Potter, B.V.L., see Da Silva, C.P. 707(1998)43
- Potthoff, W., see Jankowski, J. 719(1998)63
- Pouliquen, H., Fauconnet, V., Morvan, M.-L. and Pinault, L.
Determination of warfarin in the yolk and the white of hens' eggs by reversed-phase high-performance liquid chromatography 702(1997)143
- Pouliquen, H., Gouelo, D., Larhantec, M., Pilet, N. and Pinault, L.
Rapid and simple determination of oxolinic acid and oxytetracycline in the shell of the blue mussel (*Mytilus edulis*) by high-performance liquid chromatography 702(1997)157
- Powell, L.L., see Peng, S.X. 709(1998)157
- Powell, M.L., see Maniara, W.M. 706(1998)287
- Prakash, A.S., see Jajoo, H.K. 707(1998)241
- Pras, M., see Kaplan, B. 704(1997)69
- Prendiville, J.A., see Khan, P. 709(1998)113
- Preston, T., see Slater, C. 716(1998)1
- Priebe, S., see Brodfuehrer, J.I. 709(1998)265

- Prieto, J.A., Jiménez, R.M. and Alonso, R.M.
Quantitative determination of the angiotensin-converting enzyme inhibitor cilazapril and its active metabolite cilazaprilat in pharmaceuticals and urine by high-performance liquid chromatography with amperometric detection 714(1998)285
- Prince, A.J., see Yun, E.K. 712(1998)145
- Probst, R., Blobner, M., Luppia, P. and Neumeier, D.
Quantification of the neuromuscular blocking agent rocuronium and its putative metabolite 17-desacetylrocuronium in heparinized plasma by capillary gas chromatography using a nitrogen sensitive detector 702(1997)111
- Profijt, M., see Hoetelmans, R.M.W. 705(1998)119
- Profijt, M., see Hoetelmans, R.M.W. 713(1998)387
- Prošek, M., see Simonovska, B. 715(1998)425
- Przybylski, M., see Fligge, T.A. 706(1998)91
- Ptáček, P., see Macek, J. 723(1999)233
- Puvirenti, S., see Fustinoni, S. 723(1999)105
- Puozzo, C., see Van de Merbel, N.C. 708(1998)113

Q

- Qu, Y., Moons, L. and Vandesande, F.
Determination of serotonin, catecholamines and their metabolites by direct injection of supernatants from chicken brain tissue homogenate using liquid chromatography with electrochemical detection 704(1997)351
- Quaite-Randall, E. and Joachimiak, A.
Purification of chaperonins 722(1999)153
- Quernin, M.-H., Poonkuzhali, B., Montes, C., Krishnamoorthy, R., Dennison, D., Srivastava, A., Vilmer, E., Chandy, M. and Jacqz-Aigrain, E.
Quantification of busulfan in plasma by gas chromatography–mass spectrometry following derivatization with tetrafluorothiophenol 709(1998)47
- Quernin, M.-H., Poonkuzhali, B., Médard, Y., Dennison, D., Srivastava, A., Krishnamoorthy, R., Chandy, M. and Jacqz-Aigrain, E.
High-performance liquid chromatographic method for quantification of busulfan in plasma after derivatization by tetrafluorothiophenol 721(1998)147
- Quijano, M., see Neubecker, T.A. 718(1998)225
- Quirino, J.P., Otsuka, K. and Terabe, S.
On-line concentration of neutral analytes for micellar electrokinetic chromatography. VI. Stacking using reverse migrating micelles and a water plug 714(1998)29
- Qvarnstrom, J., see Al-Dirbashi, O. 712(1998)105

R

- Raab, A. and Brägger, P.
Separation of metalloprotein complexes in serum by size-exclusion chromatography. Optimisation of the separation parameters retention behaviour and recovery employing radiotracers 707(1998)17
- Rabesona, H., see Galland, A.V. 706(1998)63
- Rabiller-Baudry, M., Bouguen, A., Lucas, D. and Chaufer, B.
Physico-chemical characterization of proteins by capillary electrophoresis 706(1998)23
- Rabilon, J., see Goubran Botros, H. 710(1998)57
- Radhofer-Welte, S. and Dittrich, P.
Determination of the novel non-steroidal anti-inflammatory drug lornoxicam and its main metabolite in plasma and synovial fluid 707(1998)151
- Radko, S.P. and Chrambach, A.
Capillary electrophoresis of subcellular-sized particles 722(1999)1
- Radosevich, M., see Burnouf, T. 715(1998)65
- Raines, A., see Thacker, D.L. 710(1998)149
- Ramalho, M.T., see Marcos, J.C. 711(1998)295
- Ramírez, J., see House, L. 720(1998)245
- Ramos, F., Santos, C., Silva, A. and Da Silveira, M.I.N.
 β_2 -Adrenergic agonist residues: simultaneous methyl- and butylboronic derivatization for confirmatory analysis by gas chromatography–mass spectrometry 716(1998)366
- Rams, M.A., see Martínez Vidal, J.L. 719(1998)71
- Ramstein, P., see Blum, W. 720(1998)171
- Rångemark, C., see Nyström, L. 701(1997)124
- Rani, P.U., see Sekhar, E.C. 710(1998)137
- Ranson, M., see Khan, P. 721(1999)279
- Ranta, V.-P., Hämäläinen, K.M., Auriola, S. and Urtti, A.
Gradient high-performance liquid chromatographic analysis of enkephalin peptides, their metabolites, and enzyme inhibitors using combined ultraviolet and electrochemical detection II. Application to ocular permeability studies in vitro 709(1998)1
- Rao Mamidi, N.V.S., see Jajoo, H.K. 707(1998)241
- Rao, T.R.K., see Sekhar, E.C. 710(1998)137
- Rapole, K.R., see Batta, A.K. 706(1998)337
- Raschdorf, F., see Blum, W. 720(1998)171
- Rasmussen, K.E., see Ugland, H.G. 701(1997)29
- Ratain, M.J., see House, L. 720(1998)245
- Ratiskol, J., see Chevrolot, L. 706(1998)43
- Rauw, G.A., see Lai, C.-T. 704(1997)175
- Ravanat, J.-L., see D'Ham, C. 710(1998)67
- Ravanat, J.-L., Duretz, B., Guiller, A., Douki, T. and Cadet, J.
Isotope dilution high-performance liquid chromatography–electrospray tandem mass spectrometry assay for the measurement of 8-oxo-7,8-dihydro-2'-deoxyguanosine in biological samples 715(1998)349

- Raymond, F., Rolland, D., Gauthier, M. and Jolivet, M.
Purification of a recombinant protein expressed in yeast: optimization of analytical and preparative chromatography 706(1998)113
- Reault, Y., see Pepin, X. 702(1997)181
- Reczey, K., see Johansson, G. 711(1998)161
- Redón, A., see Segura, J. 724(1999)9
- Reeves, V.B.
Confirmation of multiple sulfonamide residues in bovine milk by gas chromatography-positive chemical ionization mass spectrometry 723(1999)127
- Regal, K.A., Howald, W.N., Peter, R.M., Gartner, C.A., Kunze, K.L. and Nelson, S.D.
Subnanomolar quantification of caffeine's in vitro metabolites by stable isotope dilution gas chromatography-mass spectrometry 708(1998)75
- Regnier, F., see Mu, X.Y. 724(1999)275
- Regnier, F., see Zhang, J. 707(1998)257
- Reif, S., Le Corre, P., Dollo, G., Chevanne, F. and Le Verge, R.
High-performance liquid chromatographic determination of ropivacaine, 3-hydroxy-ropivacaine, 4-hydroxy-ropivacaine and 2',6'-pipecoloxylidide in plasma 719(1998)239
- Reijenga, J.C., see Coolen, S.A.J. 717(1998)119
- Reinike, B., see Roos, M. 705(1998)183
- Reist, C., see Vu, R.L. 703(1997)195
- Remon, J.P., see Croubels, S. 708(1998)145
- Renard, A., see Chollet, D.F. 718(1998)163
- Renner, T., see Frank, S. 713(1998)331
- Renner, T., see Scherer, G. 717(1998)179
- Reszka, R., see Jung, M. 702(1997)193
- Rettie, A.E., see Henne, K.R. 710(1998)143
- Ricciarello, R., Pichini, S., Pacifici, R., Altieri, I., Pellegrini, M., Fattorossi, A. and Zuccaro, P.
Simultaneous determination of epirubicin, doxorubicin and their principal metabolites in human plasma by high-performance liquid chromatography and electrochemical detection 707(1998)219
- Richter, K. and Oertel, R.
Solid-phase extraction and high-performance liquid chromatographic determination of articaine and its metabolite articainic acid in human serum 724(1999)109
- Richter, K., Scheithauer, S. and Thümmler, D.
High-performance liquid chromatographic determination of propiverine and its *N*-oxide in human serum 708(1998)325
- Riedstra, S., Ferreira, J.P.M. and Costa, P.M.P.
Study of an anti-human transthyretin immunoabsorbent. Influence of coupling chemistry on binding capacity and ligand leakage 705(1998)213
- Riley, S.A., see Hussain, F.N. 716(1998)257
- Rio, P., see Hizel, C. 721(1999)163
- Rito-Palomares, M. and Hernandez, M.
Influence of system and process parameters on partitioning of cheese whey proteins in aqueous two-phase systems 711(1998)81
- Rivory, L.P., Findlay, M., Clarke, S. and Bishop, J.
Trace analysis of SN-38 in human plasma by high-performance liquid chromatography 714(1998)355
- Rizzo, M., Sinopoli, V.A., Gitto, R., Zappalà, M., De Sarro, G. and Chimirri, A.
High-performance liquid chromatographic determination of new 2,3-benzodiazepines 705(1998)149
- Rizzo, V., Montalbetti, L., Valli, M., Bosoni, T., Scoglio, E. and Moratti, R.
Study of factors affecting the determination of total plasma 7-fluorobenzo-2-oxa-1,3-diazole-4-sulfonate (SBD)-thiol derivatives by liquid chromatography 706(1998)209
- Roa, P.D., see Iyamu, E.W. 709(1998)119
- Robinson, G.M., Manica, D.P., Taylor, E.W., Smyth, M.R. and Lunte, C.E.
Development of a capillary electrophoretic separation of an *N*-(substituted)-glycine-peptoid combinatorial mixture 707(1998)247
- Robinson, G.M., Taylor, E.W., Smyth, M.R. and Lunte, C.E.
Application of capillary electrophoresis to the separation of structurally diverse *N*-(substituted)-glycine-peptoid combinatorial mixtures 705(1998)341
- Robles, F., see Burnat, P. 706(1998)295
- Rochet-Mingret, L., see Guittot, J. 719(1998)151
- Roda, A., Piazza, F. and Baraldini, M.
Separation techniques for bile salts analysis 717(1998)263
- Rodenhuis, S., see Huitema, A.D.R. 716(1998)177
- Rodenhuis, S., see Van Maanen, R.J. 719(1998)103
- Rodgers, J.P., see Stanley, S.M.R. 704(1997)119
- Rodríguez, A.F., see Muñoz-Guerra, J. 704(1997)129
- Rodríguez, C., see Muñoz-Guerra, J. 704(1997)129
- Rodríguez Cacéres, M.I., see Durán Merás, I. 718(1998)135
- Roeraade, J., see Sjödahl, J. 705(1998)231
- Roets, E., see Yongxin, Z. 707(1998)189
- Rogers, J.D., see Birk, K.L. 719(1998)93
- Rogers, J.D., see Musson, D.G. (1998)99
- Rogers, M.J., see Auriola, S. 704(1997)187
- Rogers, R.D. and Griffin, S.T.
Partitioning of mercury in aqueous biphasic systems and on ABECTM resins 711(1998)277
- Rogers, R.D., see Huddleston, J.G. 711(1998)237
- Rogers, R.D., Willauer, H.D., Griffin, S.T. and Huddleston, J.G.
Partitioning of small organic molecules in aqueous biphasic systems 711(1998)255
- Roh, J.-K., see Shin, H.-C. 718(1998)61
- Rohde, E., Tomlinson, A.J., Johnson, D.H. and Naylor, S.
Protein analysis by membrane preconcentration-capillary electrophoresis: systematic evaluation of parameters affecting preconcentration and separation 713(1998)301
- Rojas, E., Lopez, M.C. and Valverde, M.
Single cell gel electrophoresis assay: methodology and applications 722(1999)225
- Rojas-Ojeda, P., Hernández, L.E., Brewin, N.J. and Carpena-Ruiz, R.
Comparison of Mg²⁺-dependent ATP hydrolase activities of pea nodule symbiosomes and of pea root plasmalemma, obtained by an aqueous polymer two-phase system 711(1998)139
- Rolland, D., see Raymond, F. 706(1998)113

S

- Roos, M., Pittenauer, E., Schmid, E., Beyer, M., Reinike, B., Allmaier, G. and Labischinski, H. Improved high-performance liquid chromatographic separation of peptidoglycan isolated from various *Staphylococcus aureus* strains for mass spectrometric characterization 705(1998)183
- Roots, I., see Walter, S. 720(1998)231
- Ros, M., see Marsilio, R. 704(1997)359
- Rosing, H., Hillebrand, M.J.X., Jimeno, J.M., Gómez, A., Floriano, P., Faircloth, G., Cameron, L., Henrar, R.E.C., Vermorken, J.B., Bult, A. and Beijnen, J.H. Analysis of Ecteinascidin 743, a new potent marine-derived anticancer drug, in human plasma by high-performance liquid chromatography in combination with solid-phase extraction 710(1998)183
- Rosing, H., see Huizing, M.T. 709(1998)161
- Rossa, S., see Tsikas, D. 724(1999)199
- Roth, J.S., Ford, Jr., H., Tanaka, M., Mitsuya, H. and Kelley, J.A. Determination of 2'- β -fluoro-2',3'-dideoxyadenosine, an experimental anti-AIDS drug, in human plasma by high-performance liquid chromatography 712(1998)199
- Rotschafer, J.C., see Wright, D.H. 709(1998)97
- Roulet, J.-M., see Decosterd, L.A. 703(1997)25
- Roux, A., see Laroche, N. 716(1998)375
- Rowland, K., Lennard, L. and Lilleyman, J.S. High-performance liquid chromatographic assay of methylthioguanine nucleotide 705(1998)29
- Roy, L., see Bannon, P. 715(1998)387
- Roy, S., see Gao, H. 718(1998)129
- Ruan, M.-s., see Liang, H. 724(1999)381
- Rubin, E.H., see Ahmed, F. 707(1998)227
- Rubino, F.M., see Floridia, L. 724(1999)325
- Rubsam, L.Z. and Shewach, D.S. Improved method to prepare RNA-free DNA from mammalian cells 702(1997)61
- Rudy, J., see Luo, Y. 714(1998)269
- Rufini, S., see Fioravanti, A. 703(1997)263
- Ruiz-Gutiérrez, V., see Perona, J.S. 706(1998)173
- Ruiz-Gutiérrez, V., see Pacheco, Y.M. 714(1998)127
- Rummel, N., see Shaikh, B. 709(1998)137
- Ruols, C., see Chollet, D.F. 701(1997)81
- Ruppert, T., see Frank, S. 713(1998)331
- Rushing, L.G., see Thompson Jr., H.C. 723(1999)287
- Russel, F.G.M., Van Uum, S., Tan, Y. and Smits, P. Solid-phase extraction of 18 β -glycyrhetic acid from plasma and subsequent analysis by high-performance liquid chromatography 710(1998)223
- Russeva, V., see Zhivkova, Z. 707(1998)143
- Russeva, V.N., see Zhivkova, Z.D. 714(1998)277
- Rustan, I., see Blache, D. 702(1997)103
- Rüstow, B., see Witt, W. 705(1998)127
- Rustum, A.M. and Estrada, V. Separation and quantitation of the S-(+)-enantiomer in the bulk drug tiagabine · HCl by chiral high-performance-liquid chromatography using a Chiralcel-OD column 705(1998)111
- Rybak, L.P., see Mills, C.D. 701(1997)65
- Ryu, H.-S., see Kim, K.-R. 712(1998)11
- Sachs, H. and Kintz, P. Testing for drugs in hair. Critical review of chromatographic procedures since 1992 713(1998)147
- Sadaba, B., see Campanero, M.A. 706(1998)311
- Šafařík, I. and Šafaříková, M. Use of magnetic techniques for the isolation of cells 722(1999)33
- Šafaříková, M., see Šafařík, I. 722(1999)33
- Saitoh, M., see Kishino, S. 703(1997)1
- Sakai, K., see Kominami, G. 704(1997)243
- Sakai, T., Morita, Y., Araki, T. and Masuyama, Y. Simple and rapid method for determining nicotinamide adenine dinucleotide synthetase activity by high-performance liquid chromatography 704(1997)77
- Sakakura, H., Kimura, N., Takeda, H., Komatsu, H., Ishizaki, K. and Nagata, S. Simultaneous determination of bile acids in rat liver tissue by high-performance liquid chromatography 718(1998)33
- Sakanashi, M., see Hobara, N. 703(1997)279
- Sakata, M., see Hirayama, C. 721(1999)187
- Sakkee, A.N., see Bank, R.A. 703(1997)37
- Sakura, N., see Mawatari, H. 716(1998)392
- Sakura, N., Nishimura, S.-i., Fujita, N., Namera, A., Yashiki, M. and Kojima, T. Determination of acrolein in human urine by headspace gas chromatography and mass spectrometry 719(1998)209
- Salamanca, M.H., Merchuk, J.C., Andrews, B.A. and Asenjo, J.A. On the kinetics of phase separation in aqueous two-phase systems 711(1998)319
- Saleem, A., see Ahmed, F. 707(1998)227
- Salen, G., see Batta, A.K. 706(1998)337
- Salen, G., see Batta, A.K. 723(1999)1
- Salgo, I.S., see Meng, Q.C. 718(1998)121
- Salinas López, F., see Durán Merás, I. 718(1998)135
- Salmona, M., see Davoli, E. 707(1998)312
- San, L., see Segura, J. 724(1999)9
- Sanagustín, J., see Pascual, J.A. 724(1999)295
- Sanchez, C.J., see Segura, J. 724(1999)9
- Sancho, P., see García-Pérez, A.-I. 711(1998)301
- Sandberg, M., see Xia, W. 705(1998)251
- Sanders, P., see Delmas, J.M. 712(1998)263
- Sanders, P.E., see Zhong, W.Z. 705(1998)39
- Sandmann, J., see Tsikas, D. 708(1998)55
- Sandmann, J., see Tsikas, D. 724(1999)199
- Sano, K., see Uesugi, T. 703(1997)63
- Sano, T., see Iwase, H. 724(1999)1
- Sano, T., Vajda, S. and Cantor, C.R. Genetic engineering of streptavidin, a versatile affinity tag 715(1998)85

- Santarelli, X., Domergue, F., Clofent-Sanchez, G., Dabadie, M., Grissely, R. and Cassagne, C. Characterization and application of new macroporous membrane ion exchangers 706(1998)13
- Santoro, J.E., see Jayewardene, A.L. 702(1997)203
- Santos, C., see Ramos, F. 716(1998)366
- Santos, M.D.F., see Croubels, S. 708(1998)145
- Santos-Montes, A. and Izquierdo-Hornillos, R. Optimization of separation of a complex mixture of natural and synthetic corticoids by micellar liquid chromatography using sodium dodecyl sulphate. Application to urine samples 724(1999)53
- Sanz, A., see Pérez-Ruiz, T. 708(1998)249
- Sanz, A., see Pérez-Ruiz, T. 724(1999)319
- Sarin, R., see Dua, V.K. 714(1998)390
- Saroglow, G., see Brooks, J.B. 712(1998)1
- Sarzanini, C., see Bruzzoniti, M.C. 717(1998)3
- Sasaki, Y., see Nagai, N. 709(1998)315
- Sastre Toraño, J. and Guchelaar, H.-J. Quantitative determination of the macrolide antibiotics erythromycin, roxithromycin, azithromycin and clarithromycin in human serum by high-performance liquid chromatography using pre-column derivatization with 9-fluorenylmethyloxycarbonyl chloride and fluorescence detection (1998)89
- Sato, M., see Tsuchiya, H. 703(1997)253
- Sato, T., see Kawada, T. 714(1998)375
- Sato, Y., see Ohkuwa, T. 705(1998)23
- Saulnier, J.L., see Cisternino, S. 714(1998)395
- Saunders, D.A. Simple method for the quantitation of mycophenolic acid in human plasma 704(1997)379
- Saux, M.-C., see Ba, B.B. 714(1998)317
- Saux, M.-C., see Ba, B.B. 724(1999)127
- Saux, M.C., see Frappier, S. 714(1998)384
- Savary, L., see Eap, C.B. 705(1998)139
- Savery, D., see Mills, M.J. 712(1998)51
- Savino, J.S., see Meng, Q.C. 718(1998)121
- Savolainen, H. Isolation and separation of proteoglycans 722(1999)255
- Sayalero, M., see Álvarez-Cedrón, L. 721(1999)271
- Scarcella, D., see Tagliaro, F. 723(1999)195
- Schallaun, E., see Necina, R. 715(1998)191
- Schänzer, W., see Machnik, M. 723(1999)147
- Schanzle, G., Li, S., Mikus, G. and Hofmann, U. Rapid, highly sensitive method for the determination of morphine and its metabolites in body fluids by liquid chromatography–mass spectrometry 721(1998)55
- Schaufelberger, D., see Klockow-Beck, A. 720(1998)141
- Scheepers, P.T.J., see Van Bekkum, Y.M. 701(1997)19
- Scheithauer, S., see Richter, K. 708(1998)325
- Schepens, P.J.C., see Pauwels, A. 723(1999)117
- Scherer, G., see Eškinja, M. 704(1997)159
- Scherer, G., see Frank, S. 713(1998)331
- Scherer, G., Renner, T. and Meger, M. Analysis and evaluation of *trans,trans*-muconic acid as a biomarker for benzene exposure 717(1998)179
- Schlatter, J., see Cisternino, S. 714(1998)395
- Schlüter, H., see Jankowski, J. 719(1998)63
- Schmid, E., see Gmeiner, G. 705(1998)132
- Schmid, E., see Roos, M. 705(1998)183
- Schmid, E.R., see Eškinja, M. 704(1997)159
- Schmidt, Jr., D.E., see Kauvar, L.M. 715(1998)93
- Schneider, S., Kuffer, P. and Wennig, R. Determination of lysergide (LSD) and phencyclidine in biosamples 713(1998)189
- Schniz, E., see Knörle, R. 714(1998)171
- Schnyder, C., see Eap, C.B. 705(1998)139
- Scholz, G.H., Wippich, P., Leistner, S. and Huse, K. Salt-independent binding of antibodies from human serum to thiophilic heterocyclic ligands 709(1998)189
- Schubert, J., see Mueller, W. 716(1998)27
- Schuep, W., see Pauli, N.M. 715(1998)369
- Schunack, W., see Gysler, J. 721(1999)207
- Schunack, W., see Stremetze, S. 703(1997)209
- Schüßler, G., see Fieger-Büsches, H. 724(1999)281
- Schuster, A., see Srinivas, N.R. 705(1998)317
- Schwartz, M., see Chavez-Eng, C.M. 721(1999)229
- Schwedhelm, E., see Tsikas, D. 709(1998)79
- Schwedhelm, E., see Tsikas, D. 716(1998)7
- Schwerin, A., see Pfennig, A. 711(1998)45
- Schwinn, H., see Necina, R. 715(1998)191
- Scoglio, E., see Rizzo, V. 706(1998)209
- Sczesny, F., Hempel, G., Boos, J. and Blaschke, G. Capillary electrophoretic drug monitoring of methotrexate and leucovorin and their metabolites 718(1998)177
- Sébédio, J.-L., see Juanéda, P. 724(1999)213
- Sébille, B., see Xu, R.J. 706(1998)3
- Segarra, I., Brazelton, T.R., Guterman, N., Hausen, B., Jacobsen, W., Morris, R.E., Benet, L.Z. and Christians, U. Development of a high-performance liquid chromatographic–electrospray mass spectrometric assay for the specific and sensitive quantification of the novel immunosuppressive macrolide 40-O-(2-hydroxyethyl)rapamycin 720(1998)179
- Segura, J., see Bergés, R. 723(1999)173
- Segura, J., see Ortúñoz, J. 723(1999)221
- Segura, J., Stramesi, C., Redón, A., Ventura, M., Sanchez, C.J., González, G., San, L. and Montagna, M. Immunological screening of drugs of abuse and gas chromatographic–mass spectrometric confirmation of opiates and cocaine in hair 724(1999)9
- Segura, J., Ventura, R. and Jurado, C. Derivatization procedures for gas chromatographic–mass spectrometric determination of xenobiotics in biological samples, with special attention to drugs of abuse and doping agents 713(1998)61
- Sehat, N., see Fritsche, J. 705(1998)177
- Sekhar, E.C., Rao, T.R.K., Sekhar, K.R., Naidu, M.U.R., Shobha, J.C., Rani, P.U., Kumar, T.V. and Kumar, V.P. Determination of terazosin in human plasma, using high-performance liquid chromatography with fluorescence detection 710(1998)137
- Sekhar, K.R., see Sekhar, E.C. 710(1998)137
- Sekino, J., see Kikuchi, Y. (1998)81
- Sekino, T., see Ishida, Y. 716(1998)39
- Sengupta, A., see Hage, D.S. 724(1999)91
- Seno, H., see Guan, F. 714(1998)205
- Seno, H., see Hattori, H. 718(1998)285
- Seo, M.-K., see Jeong, Y.-N. 703(1997)284

- Serwer, P. and Griess, G.A.
Advances in the separation of bacteriophages and related particles 722(1999)179
- Seto, Y., see Ohta, H. 714(1998)215
- Sève, A.-P., see Caron, M. 715(1998)153
- Severi, M., see Pauwels, W. 702(1997)77
- Sevillano-Cabeza, A., see Gallo Martinez, L. 718(1998)143
- Sewell, A.C., see Heil, M. 714(1998)119
- Sewer, M., see Tleugabulova, D. 716(1998)209
- Sewing, K.-F., see Kirchner, G.I. 721(1999)285
- Seymour, K., see Ward, H. 707(1998)295
- Shah, V.R., see Srinivas, N.R. 705(1998)317
- Shah, V.R., see Yao, M. 718(1998)77
- Shahrzad, S. and Bitsch, I.
Determination of gallic acid and its metabolites in human plasma and urine by high-performance liquid chromatography 705(1998)87
- Shaikh, B. and Rummel, N.
Determination of trichlormethiazide in bovine milk by high-performance liquid chromatography 709(1998)137
- Shao, M., see Zhang, L. 707(1998)59
- Shapiro, M.J., see Gounaris, J.S. 725(1999)79
- Sharma, V.P., see Dua, V.K. 708(1998)316
- Sharma, V.P., see Dua, V.K. 714(1998)390
- Shattock, P.E.G., see Mills, M.J. 712(1998)51
- Shaw, P.N., see Erah, P.O. 705(1998)63
- Shay, S.D., see He, H. 708(1998)185
- Shearsby, N.J., see Cooper, J.D.H. 702(1997)227
- Shelver, W.L., Larsen, G.L. and Huwe, J.K.
Use of an immunoaffinity column for tetrachlorodibenzo-*p*-dioxin serum sample cleanup 705(1998)261
- Shen, H., Lada, M.W. and Kennedy, R.T.
Monitoring of met-enkephalin in vivo with 5-min temporal resolution using microdialysis sampling and capillary liquid chromatography with electrochemical detection 704(1997)43
- Sheppard, G.S. and Van der Westhuizen, L.
Liquid chromatographic determination of the sphinganine/sphingosine ratio in serum 710(1998)219
- Shetty, P.H. and Bhat, R.V.
Sensitive method for the detection of fumonisins B₁ in human urine 705(1998)171
- Sheu, M.-T., see Yeh, G.-C. 723(1999)247
- Shewach, D.S., see Rubsam, L.Z. 702(1997)61
- Shibamoto, T., see Ebeler, S.E. 702(1997)211
- Shibamoto, T., see Miyake, T. 719(1998)213
- Shibasaki, H., see Furuta, T. 706(1998)181
- Shibata, N., Hayakawa, T., Takada, K., Hoshino, N., Minouchi, T. and Yamaji, A.
Simultaneous determination of glucocorticoids in plasma or urine by high-performance liquid chromatography with precolumn fluorimetric derivatization by 9-anthroyl nitrile 706(1998)191
- Shibusawa, Y.
Surface affinity chromatography of human peripheral blood cells 722(1999)71
- Shibusawa, Y., Kihira, S. and Ito, Y.
One-step purification of proteins from chicken egg white using counter-current chromatography 709(1998)301
- Shikii, T., see Nagai, N. 709(1998)315
- Shim, H.-O., see Shin, H.-C. 718(1998)61
- Shimada, K. and Mukai, Y.
Studies on neurosteroids. VII. Determination of pregnenolone and its 3-stearate in rat brains using high-performance liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 714(1998)153
- Shimada, T., see Yamazaki, H. 721(1998)13
- Shimanouchi, T., see Umakoshi, H. 711(1998)111
- Shimizu, K., see Yamamoto, T. 719(1998)55
- Shimoyama, Y., see Takahashi, H. 701(1997)71
- Shin, H.-C., Shim, H.-O., Lee, Y.-M., Song, S.-W., Kim, J.-H., Chung, M.-K., Han, S.-S. and Roh, J.-K.
Simultaneous determination of flupyrazofos and its metabolite 1-phenyl-3-trifluoromethyl-5-hydroxypyrazole and flupyrazofos oxon in rat plasma by high-performance liquid chromatography with ultraviolet absorbance detection 718(1998)61
- Shin, H.-S., see Paik, M.-J. 721(1998)3
- Shin, J.-G., Kim, K.-A., Yoon, Y.-R., Cha, I.-J., Kim, Y.-H. and Shin, S.-G.
Rapid simple high-performance liquid chromatographic determination of paroxetine in human plasma 713(1998)452
- Shin, S.-C., see Joo, E.-H. 723(1999)239
- Shin, S.-G., see Shin, J.-G. 713(1998)452
- Shingfield, K.J. and Offer, N.W.
Determination of allantoin in bovine milk by high-performance liquid chromatography 706(1998)342
- Shingfield, K.J. and Offer, N.W.
Simultaneous determination of purine metabolites, creatinine and pseudouridine in ruminant urine by reversed-phase high-performance liquid chromatography 723(1999)81
- Shintani, H., see Kitagishi, K. 717(1998)327
- Shiobara, Y. and Suzuki, K.T.
Binding of selenium (administered as selenite) to albumin after efflux from red blood cells 710(1998)49
- Shioda, M., see Yamamoto, T. 719(1998)55
- Shiomori, N., see Katoh, S. 715(1998)147
- Shishido, T., see Kawada, T. 714(1998)375
- Shiu, G.K., see Asafu-Adjaye, E.B. 707(1998)161
- Shiu, C.-Y., see Hwang, D.-F. 716(1998)397
- Shobha, J.C., see Sekhar, E.C. 710(1998)137
- Shockley, T.R., see Burke, R.A. 718(1998)115
- Shuja, A., see Bao, J.J. 720(1998)129
- Shuto, H., see Futagami, K. 704(1997)369
- Shuto, H., see Goto, Y. 706(1998)329
- Shuto, H., see Sueyasu, M. 723(1999)307
- Shyu, W.C., see Srinivas, N.R. 705(1998)317
- Shyu, W.C., see Yao, M. 718(1998)77
- Sibenaler, R., see Strel, B. (1998)119
- Sica, D., see Farthing, D. 704(1997)374
- Sillari, S., see Arbighi, T. 713(1998)415
- Silva, A., see Ramos, F. 716(1998)366
- Silva, H., see Gummert, J.F. 721(1999)321
- Silva, J.M.R., see Lino, C.M. 716(1998)147
- Silversand, C. and Haux, C.
Improved high-performance liquid chromatographic method for the separation and quantification of lipid classes: application to fish lipids 703(1997)7

- Simon, B., see Adas, F. 714(1998)133
- Simon, P., Delsaut, P., Lafontaine, M., Morele, Y. and Nicot, T. Automated column-switching high-performance liquid chromatography for the determination of aflatoxin M1 712(1998)95
- Simonovska, B., Prošek, M., Vovk, I. and Jelen-Žmitek, A. High-performance thin-layer chromatographic separation of ranitidine hydrochloride and two related compounds 715(1998)425
- Sing, R., see Paquette, D.M. 714(1998)47
- Singh, A.K., Spassova, D. and White, T. Quantitative analysis of polychlorinated biphenyls, organochlorine insecticides, polycyclic aromatic hydrocarbons, polychlorinated hydrocarbons and polynitrohydrocarbons in spiked samples of soil, water and plasma by selected-ion monitoring gas chromatography-mass spectrometry 706(1998)231
- Singh, S., see Grover, M. 708(1998)153
- Singh, S.K., see Verma, N. 708(1998)243
- Sinha, S.N., see Dua, V.K. 708(1998)316
- Sinopoli, V.A., see Rizzo, M. 705(1998)149
- Sinquin, C., see Chevrolot, L. 706(1998)43
- Sioufi, A., see Pommier, F. 703(1997)145
- Siqueira, M.E.P.B., see Andraus, M.H. 704(1997)143
- Sirimanne, S.R., Patterson Jr., D.G., Ma, L. and Justice Jr., J.B. Application of cloud-point extraction-reversed-phase high-performance liquid chromatography. A preliminary study of the extraction and quantification of vitamins A and E in human serum and whole blood 716(1998)129
- Siskos, P.A. and Spyridaki, M.-H.E. Determination of sialic acids in biological fluids using reversed-phase ion-pair high-performance liquid chromatography 724(1999)205
- Sjödahl, J., Emmer, Å., Karlstam, B., Vincent, J. and Roeraade, J. Separation of proteolytic enzymes originating from Antarctic krill (*Euphausia superba*) by capillary electrophoresis 705(1998)231
- Skanchy, D., see Sperry, M.L. 716(1998)187
- Skjødt, K., see Koch, C. 718(1998)41
- Skotland, T., see Hvattum, E. 716(1998)47
- Škvor, J., see Tishchenko, G.A. 706(1998)157
- Slater, C., Hardieck, M., Preston, T. and Weaver, L.T. Analysis of *tert*-butyldimethylsilyl [1-¹³C]palmitic acid in stool samples by gas chromatography-mass spectrometry with electron impact ionisation: comparison with combustion isotope-ratio mass spectrometry 716(1998)1
- Slikker, W., see Kwon, O.-S. 720(1998)9
- Slingerland, R.J., Van Kuilenburg, A.B.P., Bodlaender, J.M., Overmars, H., Voûte, P.A. and van Gennip, A.H. High-performance liquid chromatographic analysis of biogenic amines in cells and in culture media using on-line dialysis and trace enrichment 716(1998)65
- Slobodník, J., see De Voogt, P. 724(1999)265
- Smelt, A.J.W., see Yongxin, Z. 707(1998)189
- Smisek, D.L., see Gilar, M. 714(1998)13
- Smith, B.J., see Peng, S.X. 724(1999)181
- Smith, F.P., see Tagliaro, F. 713(1998)27
- Smith, M.T., see Wright, A.W.E. 712(1998)169
- Smith, N.W., see Altria, K.D. 717(1998)341
- Smits, P., see Russel, F.G.M. 710(1998)223
- Smyth, M.R., see Robinson, G.M. 705(1998)341
- Smyth, M.R., see Robinson, G.M. 707(1998)247
- Soblosky, J.S., Colgin, L.L., Parrish, C.M., Davidson, J.F. and Carey, M.E. Procedure for the sample preparation and handling for the determination of amino acids, monoamines and metabolites from microdissected brain regions of the rat 712(1998)31
- Soglia, J.R., see Supko, J.G. 714(1998)341
- Soma, E., see Pepin, X. 702(1997)181
- Soma, L.R., see Luo, Y. 714(1998)269
- Sommadossi, J.-P., see Foisy, M.L. 721(1999)239
- Somogyi, A.A., see Coller, J.K. 719(1998)87
- Somogyi, A.A., see Kirkwood, L.C. 701(1997)129
- Song, J.-Z., Chen, H.-F., Tian, S.-J. and Sun, Z.-P. Determination of metformin in plasma by capillary electrophoresis using field-amplified sample stacking technique 708(1998)277
- Song, S.-W., see Shin, H.-C. 718(1998)61
- Sorgeloos, P., see Huo, J.Z. 724(1999)249
- Soriano, C., see Muñoz-Guerra, J. 704(1997)129
- Sparidans, R.W., Den Hartigh, J., Beijnen, J.H. and Vermeij, P. Semi-automatic liquid chromatographic analysis of pamidronate in serum and citrate plasma after derivatization with 1-naphthylisothiocyanate 705(1998)331
- Sparreboom, A., De Bruijn, P., Nooter, K., Loos, W.J., Stoter, G. and Verweij, J. Determination of paclitaxel in human plasma using single solvent extraction prior to isocratic reversed-phase high-performance liquid chromatography with ultraviolet detection 705(1998)159
- Sparreboom, A., De Bruijn, P., De Jonge, M.J.A., Loos, W.J., Stoter, G., Verweij, J. and Nooter, K. Liquid chromatographic determination of irinotecan and three major metabolites in human plasma, urine and feces 712(1998)225
- Spassova, D., see Singh, A.K. 706(1998)231
- Sperker, B., see Bohnenstengel, F. 721(1999)295
- Sperker, B., see Mürdter, T.E. 709(1998)289
- Sperry, M.L., Skanchy, D. and Marino, M.T. High-performance liquid chromatographic determination of N-[2-(hydroxyethyl)-N-(2-(7-guaninyl)ethyl)]methylamine, a reaction product between nitrogen mustard and DNA and its application to biological samples 716(1998)187
- Spieser, J.M., see Yongxin, Z. 707(1998)189
- Spina, E., see Avenoso, A. 714(1998)299
- Spiro, T.P., see Stefan, T.L. 704(1997)289
- Sportsman, J.R., see Kauvar, L.M. 715(1998)93
- Sposito, M., see Fioravanti, A. 703(1997)263
- Spreux-Varoquaux, O., see Alvarez, J.-C. 707(1998)175
- Sproles, G.D., see Emmons, G.T. 716(1998)161
- Spyridaki, M.-H.E., see Siskos, P.A. 724(1999)205
- Sram, R., see Farooq, S. 702(1997)49
- Sridhar, K.S., see Mou, C. 703(1997)217
- Srinivas, N.R. Selection of internal standard for quantitative analysis of enantiomers following precolumn chiral derivatization 709(1998)321

- Srinivas, N.R., Shah, V.R., Schuster, A., Jiang, X., Whigan, D.W. and Shyu, W.C.
High-performance liquid chromatographic–electrochemical assay for the quantitation of BMS-181885 in monkey plasma 705(1998)317
- Srinivas, N.R., see Yao, M. 718(1998)77
- Srinivasan, K. and Bartlett, M.G.
Capillary electrophoresis stereoselective determination of *R*-(+)- and *S*-(−)-pentobarbital from serum using hydroxypropyl- γ -cyclodextrin, solid-phase extraction and ultraviolet detection 703(1997)289
- Srivastava, A., see Quernin, M.-H. 709(1998)47
- Srivastava, A., see Quernin, M.-H. 721(1998)147
- Stacpoole, P.W., see Yan, Z. 703(1997)75
- Stamm, G.E., see Ong, V.S. 710(1998)173
- Stanley, S.M.R., Kent, S. and Rodgers, J.P.
Biotransformation of 17-alkyl steroids in the equine: high-performance liquid chromatography–mass spectrometric and gas chromatography–mass spectrometric analysis of fluoxymesterone metabolites in urine samples 704(1997)119
- Staß, H., see Möller, J.-G. 716(1998)325
- Stass, H. and Dalhoff, A.
Determination of BAY 12-8039, a new 8-methoxyquinolone, in human body fluids by high-performance liquid chromatography with fluorescence detection using on-column focusing 702(1997)163
- Statheropoulos, M., Tzamtzis, N. and Mikedi, K.
Short column gas chromatography–mass spectrometry and principal component analysis for the identification of coeluted substances in doping control analysis 706(1998)245
- Statkevich, P., see Kim, H.K. 703(1997)225
- Steele, D., see Emmons, G.T. 716(1998)161
- Stefan, T.L., Ingalls, S.T., Minkler, P.E., Willson, J.K.V., Gerson, S.L., Spiro, T.P. and Hoppel, C.L.
Simultaneous determination of O⁶-benzylguanine and 8-oxo-O⁶-benzylguanine in human plasma by reversed-phase high-performance liquid chromatography 704(1997)289
- Štefuća, V., see Gemeiner, P. 715(1998)245
- Stein, C.M., see He, H. 701(1997)115
- Steinhart, H., see Fritzsche, J. 705(1998)177
- Steinhart, H., see Hartmann, S. 704(1997)105
- Steinmeyer, S., see Moeller, M.R. 713(1998)91
- Stenhoff, H., see Fakt, C. 723(1999)211
- Stephens, S.M., see Whelpton, R. 716(1998)95
- Stern, N., see Neufeld, E. 718(1998)273
- Stewart, B., see Chua, H.C. 712(1998)243
- Stewart, J.T., see Ameyibor, E. 703(1997)273
- Stichtenoth, D.O., see Tsikas, D. 708(1998)55
- Stocchi, V., see Ceccaroli, P. 702(1997)41
- Stoev, G.
Determination of closantel residues in plasma and tissues by high-performance liquid chromatography with fluorescence detection 710(1998)234
- Stoiser, B., see El Menyawi, I. 706(1998)347
- Stoiser, B., see El-Menyawi, I. 715(1998)445
- Storm, G., see Koppenhagen, F.J. 716(1998)285
- Stoter, G., see Sparreboom, A. 705(1998)159
- Stoter, G., see Sparreboom, A. 712(1998)225
- Stramare, L., see Davoli, E. 707(1998)312
- Stramesi, C., see Segura, J. 724(1999)9
- Stratford, M.R.L. and Dennis, M.F.
Determination of combretastatin A-4 and its phosphate ester pro-drug in plasma by high-performance liquid chromatography 721(1998)77
- Strecker, G., see Morelle, W. 706(1998)101
- Strelc, B., Zimmer, C., Sibenaler, R. and Ceccato, A.
Simultaneous determination of nifedipine and dehydronifedipine in human plasma by liquid chromatography–tandem mass spectrometry (1998)119
- Strege, M.A.
High-performance liquid chromatographic–electrospray ionization mass spectrometric analyses for the integration of natural products with modern high-throughput screening 725(1999)67
- Stremetzne, S., Jaehde, U. and Schunack, W.
Determination of the cytotoxic catechol metabolite of etoposide (3'-O-demethyltoposide) in human plasma by high-performance liquid chromatography 703(1997)209
- Stribos, B.I., see Den Hollander, J.L. 711(1998)223
- Strickmann, D., see Meyring, M. 723(1999)255
- Strobel, H.W., see Boehme, C.L. 718(1998)259
- Strojnowski, M.J., see Peng, S.X. 724(1999)181
- Štulák, K., see Coufal, P. 720(1998)197
- Sturch, K., see Tomme, P. 715(1998)283
- Stuurman, R.M., see Knibbe, C.A.J. 706(1998)305
- Subramaniam, S., see Jajoo, H.K. 707(1998)241
- Sudo, Y., Miyagawa, R. and Takahata, Y.
Method for the preparation of restricted access media by low-temperature plasma treatment 705(1998)55
- Sueyasu, M., Fujito, K., Makino, K., Shuto, H., Kataoka, Y. and Oishi, R.
Improved method of determining thiamylal enantiomers in human serum by high-performance liquid chromatography 723(1999)307
- Sugawara, K., see Nagasaki, T. 714(1998)293
- Sugawara, M., see Kishino, S. 703(1997)1
- Sugimachi, M., see Kawada, T. 714(1998)375
- Sugiyama, N., see Inamoto, Y. 707(1998)111
- Sumi, S., see Yoshida, K.-i. 723(1999)75
- Sun, Z.-P., see Song, J.-Z. 708(1998)277
- Sunagawa, K., see Kawada, T. 714(1998)375
- Sundin, A., see Börjesson, E. 713(1998)438
- Supko, J.G., Soglia, J.R. and Nair, R.V.
Assay for the quinocarmycin analog DX-52-1 in human plasma using high-performance liquid chromatography with automated column switching and low wavelength ultraviolet detection 714(1998)341
- Suresh, M.R., see Kreutz, F.T. 714(1998)161
- Suresh, M.R., see Xu, D. 706(1998)217
- Süßmuth, R.D. and Jung, G.
Impact of mass spectrometry on combinatorial chemistry 725(1999)49
- Sutherland, J.B., see Wilkes, J.G. 717(1998)135
- Suzuki, E., see Ohya, T. 720(1998)1
- Suzuki, K.T., see Shiobara, Y. 710(1998)49
- Suzuki, O., see Guan, F. 714(1998)205
- Suzuki, O., see Hattori, H. 718(1998)285
- Suzuki, S., see Hagiwara, T. 708(1998)67

- Suzuki, T., see Ito, S. 713(1998)323
 Swanson, B., see Vesterqvist, O. 716(1998)299
 Swaroop Kumar, V.V.S., see Jajoo, H.K. 707(1998)241
 Sweeting, M., see Morré, D.M. 711(1998)173
 Swift, C.G., see Tan, S.C. 701(1997)53
 Syriopoulou, V., see Brooks, J.B. 712(1998)1
 Szabó, I., see Maguire, M.H. 707(1998)33
- T**
- Taboureau, J.-L., see Dancette, O.P. 723(1999)61
 Tagawa, N., Tsuruta, H., Fujinami, A. and Kobayashi, Y.
 Simultaneous determination of estriol and estriol 3-sulfate
 in serum by column-switching semi-micro high-
 performance liquid chromatography with ultraviolet and
 electrochemical detection 723(1999)39
 Tagliaro, F., Camilot, M., Valentini, R., Mengarda, F.,
 Antonazzi, F. and Tatò, L.
 Determination of thyroxine in the hair of newborns by
 radioimmunoassay with high-performance liquid
 chromatographic confirmation 716(1998)77
 Tagliaro, F., De Battisti, Z., Groppi, A., Nakahara, Y., Scarella,
 D., Valentini, R. and Marigo, M.
 High sensitivity simultaneous determination in hair of the
 major constituents of ecstasy (3,4-methylenedioxymethamphetamine, 3,4-methylenedioxymphetamine and
 3,4-methylenedioxymethylamphetamine) by high-performance
 liquid chromatography with direct fluorescence detection
 723(1999)195
 Tagliaro, F., Turrina, S., Pisi, P., Smith, F.P. and Marigo, M.
 Determination of illicit and/or abused drugs and
 compounds of forensic interest in biosamples by capillary
 electrophoretic/electrokinetic methods 713(1998)27
 Taguchi, K., see Chikuma, T. 703(1997)45
 Taipale, H., see Niemi, R. 701(1997)97
 Takada, K., see Shibata, N. 706(1998)191
 Takagi, N., see Tanase, S. 706(1998)279
 Takahashi, H., Kashima, T., Kimura, S., Muramoto, N.,
 Nakahata, H., Kubo, S., Shimoyama, Y., Kajiwara, M. and
 Echizen, H.
 Determination of unbound warfarin enantiomers in human
 plasma and 7-hydroxywarfarin in human urine by chiral
 stationary-phase liquid chromatography with ultraviolet or
 fluorescence and on-line circular dichroism detection
 701(1997)71
 Takahashi, S., see Yamamoto, T. 719(1998)55
 Takahashi, Y., see Ohta, H. 714(1998)215
 Takahata, Y., see Sudo, Y. 705(1998)55
 Takano, T., see Ochiai, H. 713(1998)409
 Takarabe, S., see Mishima, K. 711(1998)313
 Takashima, M., see Yamaguchi, K. 713(1998)447
- Takatori, T., see Nagao, M. 701(1997)9
 Takayama, N., see Chinaka, S. 713(1998)353
 Takayanagui, O.M., see Lanchote, V.L. 709(1998)273
 Takeda, H., see Sakakura, H. 718(1998)33
 Takeo, K., see Nakamura, K. 715(1998)125
 Takigiku, R., see Peng, S.X. 709(1998)157
 Takino, A., see Tsuda, T. 723(1999)273
 Tan, S.C., Jackson, S.H.D., Swift, C.G. and Hutt, A.J.
 Stereospecific analysis of the major metabolites of
 ibuprofen in urine by sequential achiral-chiral high-
 performance liquid chromatography 701(1997)53
 Tan, Y., see Russel, F.G.M. 710(1998)223
 Tanabe, S., see Oishi, M. 720(1998)59
 Tanabe, S., see Togawa, T. 704(1997)83
 Tanaka, A., see Chikuma, T. 703(1997)345
 Tanaka, A., see Iwase, H. 709(1998)145
 Tanaka, A., see Iwase, H. 724(1999)1
 Tanaka, E., Terada, M., Misawa, S. and Wakasugi, C.
 Erratum to "Simultaneous determination of twelve
 benzodiazepines in human serum using a new reversed-
 phase chromatographic column on a 2-μm porous
 microspherical silica gel". [J. Chromatogr. B, 682 (1996)
 173] 709(1998)324
 Tanaka, M. and Kato, K.
 Sensitive semi-microcolumn high-performance liquid
 chromatographic method for the determination of DU-6681,
 the active parent drug of a new oral carbapenem antibiotic,
 DZ-2640, in human plasma and urine using a column-
 switching system as sample clean-up procedure
 724(1999)73
 Tanaka, M., see Roth, J.S. 712(1998)199
 Tanaka, M., see Yamazaki, H. 721(1998)13
 Tanaka, S., see Ito, K. 714(1998)197
 Tanase, S., Tsuchiya, H., Yao, J., Ohmoto, S., Takagi, N. and
 Yoshida, S.
 Reversed-phase ion-pair chromatographic analysis of
 tetracycline antibiotics. Application to discolored teeth
 706(1998)279
 Tanay, V.A.-M.I., see Lai, C.-T. 704(1997)175
 Tang, S.-Y., see Hsu, B.H. 725(1999)103
 Tani, H., Ooura, T., Kamidate, T., Kamataki, T. and Watanabe,
 H.
 Separation of microsomal cytochrome *b*₅ via phase
 separation in a mixed solution of Triton X-114 and
 charged dextran 708(1998)294
 Tanii, H., see Kurata, N. 708(1998)223
 Taras, T.L., Wurz, G.T., Hellmann-Blumberg, U. and
 DeGregorio, M.W.
 Quantitative analysis of Z-2-[4-(4-chloro-1,2-diphenyl-but-
 1-enyl)phenoxy]ethanol in human plasma using high-
 performance liquid chromatography 724(1999)163
 Tarugi, P., see Volpi, N. 713(1998)433
 Taruta, Y., see Mishima, K. 711(1998)313
 Tateda, N., Matsuhisa, K., Hasebe, K., Kitajima, N. and Miura,
 T.
 High-performance liquid chromatographic method for rapid
 and highly sensitive determination of histidine using
 postcolumn fluorescence detection with *o*-phthalaldehyde
 718(1998)235
 Tatò, L., see Tagliaro, F. 716(1998)77

- Tatsumi, K., see Konishi, T. 709(1998)105
 Tausch, H., see Gmeiner, G. 705(1998)132
 Tavazzani, M., see Floridia, L. 724(1999)325
 Taylor, E.W., see Robinson, G.M. 705(1998)341
 Taylor, E.W., see Robinson, G.M. 707(1998)247
 Taylor, J.E., see Cooper, J.D.H. 701(1997)87
 Taylor, J.E., see Cooper, J.D.H. 702(1997)227
 Taylor, P.J. and Johnson, A.G.
 Quantitative analysis of sirolimus (Rapamycin) in blood by high-performance liquid chromatography–electrospray tandem mass spectrometry 718(1998)251
 Taylor, P.J., see Jones, C.E. 708(1998)229
 Taylor, P.J., Jones, C.E., Martin, P.T., Lynch, S.V., Johnson, A.G. and Pond, S.M.
 Microscale high-performance liquid chromatography–electrospray tandem mass spectrometry assay for cyclosporin A in blood 705(1998)289
 Taylor, R., see James, H. 708(1998)87
 Tedeschi, L., see Ferrara, D.S. 713(1998)227
 Tedford, C.E., see Handley, M.K. 716(1998)239
 Teissedre, P.-L., see Carando, S. 707(1998)195
 Teitz, D., see Jemal, M. 703(1997)167
 Teixeira, J.A., see Almeida, M.C. 711(1998)151
 TeKoppele, J.M., see Bank, R.A. 703(1997)37
 TeKoppele, J.M., see Bank, R.A. 703(1997)267
 Teleis, D.C., see Luo, Y. 714(1998)269
 Tenni, R., see Bank, R.A. 703(1997)267
 Terabe, S., see Quirino, J.P. 714(1998)29
 Terada, M., see Tanaka, E. 709(1998)324
 Teramura, T., see Kikuchi, Y. (1998)81
 Teramura, T., see Pawula, M. 719(1998)113
 Terashima, M., see Katoh, S. 715(1998)147
 Tett, S.E., see Beal, J.L. 715(1998)409
 Tett, S.E., see McCrudden, E.A. 721(1998)87
 Tewes, K.S., see Tsikas, D. 709(1998)79
 Thacker, D.L., Abernethy, D.R., Raines, A. and Flockhart, D.A.
 Method for the determination of 5,5-diphenylbarbituric acid and its separation from 1,3-dimethoxymethyl-5,5-diphenylbarbituric acid in plasma by high-performance liquid chromatography 710(1998)149
 Thalhammer, F., see El Menyawi, I. 706(1998)347
 Thévenon, C., El Bawab, S., Chantegrel, B. and Lagarde, M.
 Highly sensitive measurement of lipid molecular species from biological samples by fluorimetric detection coupled to high-performance liquid chromatography 708(1998)39
 Thibeault, D., see Goil, S. 705(1998)203
 Thompson Jr., H.C., Rushing, L.G., Gehring, T. and Lochmann, R.
 Persistence of gentian violet and leucogentian violet in channel catfish (*Ictalurus punctatus*) muscle after water-borne exposure 723(1999)287
 Thuillier, A., see Gorichon, E. 712(1998)259
 Thuillier, A., see Hiep, B.T. 707(1998)235
 Thuku Thiongo, G., see Bhushan, R. 708(1998)330
 Thümmler, D., see Richter, K. 708(1998)325
 Tian, S.-J., see Song, J.-Z. 708(1998)277
 Tian, T., see Chattopadhyay, A. 715(1998)183
 Tibben, M.M., see Huitema, A.D.R. 716(1998)177
 Tijssen, F., see Van Tellingen, O. 719(1998)251
 Tillement, J.-P., see Duché, J.-C. 715(1998)103
 Timofeeva, T.A., see Fedorova, N.V. 706(1998)83
 Tinke, A.P., see Van de Merbel, N.C. 708(1998)103
 Tinke, A.P., see Van de Merbel, N.C. 708(1998)113
 Tipton, K.F., see Bianchi, L. 723(1999)47
 Tirmenstein, M.A., Watson, B.W., Haar, N.C. and Fariss, M.W.
 Sensitive method for measuring tissue α -tocopherol and α -tocopheryloxybutyric acid by high-performance liquid chromatography with fluorometric detection 707(1998)308
 Tirone, P., see Arbighi, T. 701(1997)103
 Tirone, P., see Arbighi, T. 713(1998)415
 Tishchenko, G.A., Bleha, M., Škvor, J. and Boštík, T.
 Effect of salt concentration gradient on separation of different types of specific immunoglobulins by ion-exchange chromatography on DEAE cellulose 706(1998)157
 Tizabi, Y., see James, H. 708(1998)87
 Tjaden, U.R., see Oosterkamp, A.J. 715(1998)331
 Tjernberg, A., Edlund, P.O. and Norén, B.
 Screening of eltanalone metabolites in dog urine by anion-exchange/reversed-phase liquid chromatography and mass spectrometry 715(1998)395
 Tjerneld, F., see Cunha, M.T. 711(1998)53
 Tjerneld, F., see Johansson, H.-O. 711(1998)3
 Tjerneld, F., see Persson, J. 711(1998)97
 Tjerneld, F., see Planas, J. 711(1998)265
 Tleugabulova, D.
 Sodium dodecylsulfate polyacrylamide gel electrophoresis of recombinant hepatitis B surface antigen particles 707(1998)267
 Tleugabulova, D.
 Size-exclusion chromatographic study of the reduction of recombinant hepatitis B surface antigen 713(1998)401
 Tleugabulova, D., Falcón, V., Sewer, M. and Pentón, E.
 Aggregation of recombinant hepatitis B surface antigen in *Pichia pastoris* 716(1998)209
 Tleugabulova, D., Falcón, V. and Pentón, E.
 Evidence for the denaturation of recombinant hepatitis B surface antigen on aluminium hydroxide gel 720(1998)153
 Tober-Meyer, B., see Panus, P.C. 705(1998)295
 Todokoro, M., see Hirayama, C. 721(1999)187
 Togawa, T., Ohsawa, A., Kawanabe, K. and Tanabe, S.
 Simultaneous determination of cysteine sulfenic acid and hypotaurine in rat tissues by column-switching high-performance liquid chromatography with electrochemical detection 704(1997)83
 Toida, T., see Toyoda, H. 704(1997)19
 Tokiyasu, T., see Yoshida, M. 718(1998)55
 Tokuda, M., see Inamoto, Y. 707(1998)111
 Toma, K., see Iwase, H. 724(1999)1
 Tomlinson, A.J., see Rohde, E. 713(1998)301
 Tomme, P., Boraston, A., McLean, B., Kormos, J., Creagh, A.L., Sturch, K., Gilkes, N.R., Haynes, C.A., Warren, R.A.J. and Kilburn, D.G.
 Characterization and affinity applications of cellulose-binding domains 715(1998)283
 Tomoike, H., see Okazaki, M. 709(1998)179
 Tomori, É., Tormási, E., Varga, M. and Borlak, J.
 Sensitive method for the determination of KC 12291 in rat plasma and urine by high-performance liquid chromatography 705(1998)105

- Topinka, J., see Farooq, S. 702(1997)49
- Torchin, C.D., Yonekawa, W.D., Kapetanovic, I.M. and Kupferberg, H.J.
Chiral high-performance liquid chromatographic analysis of enantiomers of losigamone, a new candidate antiepileptic drug 724(1999)101
- Torimura, M., Ito, S., Kano, K., Ikeda, T., Esaka, Y. and Ueda, T.
Surface characterization and on-line activity measurements of microorganisms by capillary zone electrophoresis 721(1998)31
- Tormási, E., see Tomori, É. 705(1998)105
- Torrado, J.J., see Garcia, J.J. 723(1999)265
- Torstensson, L., see Börjesson, E. 713(1998)438
- Tournier, E., see Dancette, O.P. 723(1999)61
- Toyoda, H., Nagashima, T., Hirata, R., Toida, T. and Imanari, T.
Sensitive high-performance liquid chromatographic method with fluorometric detection for the determination of heparin and heparan sulfate in biological samples: application to human urinary heparan sulfate 704(1997)19
- Toyo'oka, T., see Muramatsu, N. 719(1998)177
- Traynor, I.M., see Buick, R.K. 720(1998)71
- Treffry, T.E., see Asenjo, J.A. 711(1998)1
- Tremblay, R.R., see Frenette, G. 713(1998)297
- Trimble, E.R., see Lynch, P.L.M. 701(1997)120
- Trisolini, R., see Viglio, S. 714(1998)87
- Trocóniz, I.F., see Valle, M. 724(1999)83
- Trouvin, J.-H., see Chanut, E. 709(1998)11
- Truog, W.E., see Goil, S. 705(1998)203
- Truust, H. and Johansson, G.
Salt-steered partitioning of proteins in polymeric two-phase systems based on *N,N*-dimethylformamide 711(1998)117
- Truust, H. and Johansson, G.
Fractionation of wheat gliadins by counter-current distribution using an organic two-phase system 711(1998)245
- Tsai, M.-C., see Damani, L.A. 704(1997)315
- Tsai, T.-H., Cheng, F.-C., Hung, L.-C. and Chen, C.-F.
On-line microdialysis coupled with microbore liquid chromatography for the determination of unbound chloramphenicol and its glucuronide in rat blood 720(1998)165
- Tsai, T.-H., see Huang, C.-T. 716(1998)251
- Tsai, T.-H., see Liang, C.-C. 724(1999)303
- Tsai, T.H., see Peng, H.W. 714(1998)369
- Tse, S.Y.H. and Whetsel, R.
Determination of minalrestat (an aldose reductase inhibitor) in rat, dog and human plasma by high-performance liquid chromatography 709(1998)127
- Tsegenidis, T., see Makatsori, E. 712(1998)23
- Tsikas, D.
Application of gas chromatography–mass spectrometry and gas chromatography–tandem mass spectrometry to assess in vivo synthesis of prostaglandins, thromboxane, leukotrienes, isoprostanes and related compounds in humans 717(1998)201
- Tsikas, D., Fuchs, I., Gutzki, F.-M. and Frölich, J.C.
Measurement of nitrite and nitrate in plasma, serum and urine of humans by high-performance liquid chromatography, the Griess assay, chemiluminescence and gas chromatography–mass spectrometry: Interferences by biogenic amines and *N*^G-nitro-L-arginine analogs 715(1998)441
- Tsikas, D., Rossa, S., Sandmann, J. and Frölich, J.C.
High-performance liquid chromatographic analysis of nitrite and nitrate in human plasma as *S*-nitroso-*N*-acetylcysteine with ultraviolet absorbance detection 724(1999)199
- Tsikas, D., Sandmann, J., Ikic, M., Fauler, J., Stichtenoth, D.O. and Frölich, J.C.
Analysis of cysteine and *N*-acetylcysteine in human plasma by high-performance liquid chromatography at the basal state and after oral administration of *N*-acetylcysteine 708(1998)55
- Tsikas, D., Schwedhelm, E., Fauler, J., Gutzki, F.-M., Mayatepek, E. and Frölich, J.C.
Specific and rapid quantification of 8-iso-prostaglandin F_{2α} in urine of healthy humans and patients with Zellweger syndrome by gas chromatography–tandem mass spectrometry 716(1998)7
- Tsikas, D., Tewes, K.S., Gutzki, F.-M., Schwedhelm, E., Greipel, J. and Frölich, J.C.
Gas chromatographic–tandem mass spectrometric determination of acetylsalicylic acid in human plasma after oral administration of low-dose aspirin and guaimesal 709(1998)79
- Tsuchiya, H.
High-performance liquid chromatographic analysis of polyhydroxyflavones using solid-phase borate-complex extraction 720(1998)225
- Tsuchiya, H., Sato, M., Kato, H., Okubo, T., Juneja, L.R. and Kim, M.
Simultaneous determination of catechins in human saliva by high-performance liquid chromatography 703(1997)253
- Tsuchiya, H., see Tanase, S. 706(1998)279
- Tsuda, T., Takino, A., Kojima, M., Harada, H. and Muraki, K.
Gas chromatographic–mass spectrometric determination of 4-nonylphenols and 4-*tert*-octylphenol in biological samples 723(1999)273
- Tsuge, S., see Ishida, Y. 716(1998)39
- Tsuji, A., see Arakawa, H. 716(1998)119
- Tsukazaki, K., see Lin, B. 704(1997)99
- Tsunoda, N., see Ohta, H. 714(1998)215
- Tsuruta, H., see Tagawa, N. 723(1999)39
- Tsuruta, Y., see Inoue, H. 724(1999)221
- Tsutsumi, Z., see Yamamoto, T. 719(1998)55
- Tuijn, C.J., see Frijters, C.M.G. 710(1998)9
- Tulp, A., Verwoerd, D. and Neefjes, J.
Electromigration for separations of protein complexes 722(1999)141
- Tuomola, M., Hakala, M. and Manninen, P.
Determination of androstenone in pig fat using packed column supercritical fluid chromatography–mass spectrometry 719(1998)25
- Turchetto, L., see Ferretti, R. 710(1998)157

Turková, J.

Oriented immobilization of biologically active proteins as a tool for revealing protein interactions and function
722(1999)11

Turnbull, C.H., see Altria, K.D. 717(1998)341

Turner, E.A., see Iyamu, E.W. 709(1998)119

Turrina, S., see Tagliaro, F. 713(1998)27

Twu, T.-Y., see Yu, L.-L. 724(1999)287

Tybring, G., Nordin, J. and Widén, J.

High-performance liquid chromatography-mass spectrometry for the quantification of nortriptyline and 10-hydroxynortriptyline in plasma 716(1998)382

Tyutyulkova, N., see Vatsova, M. 702(1997)221

Tzamtzis, N., see Statheropoulos, M. 706(1998)245

Tzvetanov, S., see Vatsova, M. 702(1997)221

Urtti, A., see Ranta, V.-P. 709(1998)1

Usui, S., see Okazaki, M. 709(1998)179

Uyanik, A. and Marr, I.L.

Effect of temperature and some common metals on the stability of volatile anaesthetic-Entonox mixtures
709(1998)217

V**U**

Uboh, C.E., see Luo, Y. 714(1998)269

Ubuka, T., see Abe, T. 712(1998)43

Uchiyama, N., see Ochiai, H. 713(1998)409

Uckun, F.M., see Chen, C.-L. 724(1999)157

Ueda, A., see Kominami, G. 704(1997)243

Ueda, K., see Chinaka, S. 713(1998)353

Ueda, K., see Mawatari, H. 716(1998)392

Ueda, T., see Torimura, M. 721(1998)31

Ueda, Y., see Yoshida, K.-i. 723(1999)75

Uesawa, Y., see Uesugi, T. 703(1997)63

Uesugi, T., Sano, K., Uesawa, Y., Ikegami, Y. and Mohri, K.

Ion-pair reversed-phase high-performance liquid chromatography of adenine nucleotides and nucleoside using triethylamine as a counterion 703(1997)63

Ugland, H.G., Krogh, M. and Rasmussen, K.E.

Aqueous alkylchloroformate derivatisation and solid-phase microextraction: determination of amphetamines in urine by capillary gas chromatography 701(1997)29

Uhlig, S., see Gowik, P. 716(1998)221

Umakoshi, H. and Kuboi, R.

Enzyme release from heat-stressed cell membranes as a function of hydrophobicity evaluated by using aqueous two-phase systems 711(1998)217

Umakoshi, H., Shimanouchi, T. and Kuboi, R.

Selective separation process of proteins based on the heat stress-induced translocation across phospholipid membranes 711(1998)111

Umberger, K.O., see Gurley, L.R. 712(1998)211

Umeda, H., see Yoshida, K.-i. 723(1999)75

Underberg, W.J.M., see Koppenhagen, F.J. 716(1998)285

Unger, K., see Härtter, S. 712(1998)253

Uran, S., see Hvattum, E. 716(1998)47

Urano, F., see Minami, C. 702(1997)245

Vachereau, A., see Zhu, Z. 724(1999)389

Vachharajani, N.N., see Chang, S.-Y. 702(1997)149

Vajda, S., see Sano, T. 715(1998)85

Valassis, I.N., Parissi-Poulou, M. and Macheras, P.

Quantitative determination of cefepime in plasma and vitreous fluid by high-performance liquid chromatography
721(1999)249

Valentini, R., see Tagliaro, F. 716(1998)77

Valentini, R., see Tagliaro, F. 723(1999)195

Valkó, I.E., see Maguire, M.H. 707(1998)33

Valla, C., see Buratti, M. 723(1999)95

Valladares, J.E., see Cristófol, C. 709(1998)310

Valle, M., Pavón, J.M., Calvo, R., Campanero, M.A. and Trocóniz, I.F.

Simultaneous determination of tramadol and its major active metabolite *O*-demethyltramadol by high-performance liquid chromatography with electrochemical detection
724(1999)83

Valli, M., see Rizzo, V. 706(1998)209

Valverde, M., see Rojas, E. 722(1999)225

Van Aerschot, A., see Khan, K. 702(1997)69

Van Alstine, J.M., see Morré, D.J. 711(1998)195

Van Alstine, J.M., see Morré, D.J. 711(1998)203

Van Asperen, J., Van Tellingen, O. and Beijnen, J.H.

Determination of doxorubicin and metabolites in murine specimens by high-performance liquid chromatography
712(1998)129

Van Asperen, J., see Van Tellingen, O. 719(1998)251

Van Bekkum, Y.M., Scheepers, P.T.J., Van den Broek, P.H.H.,

Velders, D.D., Noordhoek, J. and Bos, R.P.

Determination of hemoglobin adducts following oral administration of 1-nitropyrene to rats using gas chromatography-tandem mass spectrometry 701(1997)19

Van Berlo, M., Luyben, K.Ch.A.M. and Van der Wielen, L.A.M.

Poly(ethylene glycol)-salt aqueous two-phase systems with easily recyclable volatile salts 711(1998)61

Van Berlo, M., Luyben, K.Ch.A.M. and Van der Wielen, L.A.M.

[J. Chromatogr. B, 711 (1998) 61–68] 724(1999)203

Van Boxtel, C.J., see Portier, E.J.G. 723(1999)313

Van Buel, M.J., see Den Hollander, J.L. 711(1998)223

- Van Dael, P., Barclay, D., Longet, K., Metairon, S. and Fay, L.B.
Determination of selenium stable isotopes by gas chromatography-mass spectrometry with negative chemical ionisation 715(1998)341
- Van de Bovenkamp, P., see Franko, M. 718(1998)47
- Van de Merbel, N.C., Tinke, A.P., Oosterhuis, B., Jonkman, J.H.G. and Bohle, J.F.
Determination of pilocarpine, isopilocarpine, pilocarpic acid and isopilocarpic acid in human plasma and urine by high-performance liquid chromatography with tandem mass spectrometric detection 708(1998)103
- Van de Merbel, N.C., Tinke, A.P., Van Dongen, W.D., Oosterhuis, B., Jonkman, J.H.G., Ladure, Ph. and Puozzo, C.
Validated method for the determination of idazoxan in human plasma by liquid chromatography with tandem mass spectrometric detection 708(1998)113
- Van den Broek, P.H.H., see Van Bekkum, Y.M. 701(1997)19
- Van den Elshout, J., see Dankers, J. 710(1998)115
- Van der Geest, R., Kruger, P., Gubbens-Stibbe, J.M., Van Laar, T., Bodde, H.E. and Danhof, M.
Assay of *R*-apomorphine, *S*-apomorphine, apocodeine, isoapocodeine and their glucuronide and sulfate conjugates in plasma and urine of patients with Parkinson's disease 702(1997)131
- Van der Greef, J., see Oosterkamp, A.J. 715(1998)331
- Van der Heiden, C., see Dankers, J. 710(1998)115
- Van der Hoeven, R., see Oosterkamp, A.J. 715(1998)331
- Van der Vlies, C., see Yongxin, Z. 707(1998)189
- Van der Vlis, E., see Knebel, N.G. 721(1999)257
- Van der Westhuizen, L., see Shephard, G.S. 710(1998)219
- Van der Wielen, L.A.M., see Den Hollander, J.L. 711(1998)223
- Van der Wielen, L.A.M., see Van Berlo, M. 711(1998)61
- Van der Wielen, L.A.M., see Van Berlo, M. 724(1999)203
- Vandesande, F., see Qu, Y. 704(1997)351
- Van Dongen, W.D., see Van de Merbel, N.C. 708(1998)113
- Van Emon, J.M., Gerlach, C.L. and Bowman, K.
Bioseparation and bioanalytical techniques in environmental monitoring 715(1998)211
- Van Essenberg, M., see Hoetelmans, R.M.W. 705(1998)119
- Van Gennip, A.H., see Slingerland, R.J. 716(1998)65
- Van Gennip, A.H., see Vreken, P. 713(1998)281
- Van Heeswijk, R.P.G., Hoetelmans, R.M.W., Meenhorst, P.L., Mulder, J.W. and Beijnen, J.H.
Rapid determination of nevirapine in human plasma by ion-pair reversed-phase high-performance liquid chromatography with ultraviolet detection 713(1998)395
- Van Heeswijk, R.P.G., Hoetelmans, R.M.W., Harms, R., Meenhorst, P.L., Mulder, J.W., Lange, J.M.A. and Beijnen, J.H.
Simultaneous quantitative determination of the HIV protease inhibitors amprenavir, indinavir, nelfinavir, ritonavir and saquinavir in human plasma by ion-pair high-performance liquid chromatography with ultraviolet detection 719(1998)159
- Van Hijfte, L., see Duléry, B.D. 725(1999)39
- Van Hijfte, L., Marciniak, G. and Froloff, N.
Combinatorial chemistry, automation and molecular diversity: new trends in the pharmaceutical industry 725(1999)3
- Van Kuilenburg, A.B.P., see Slingerland, R.J. 716(1998)65
- Van Laar, T., see Van der Geest, R. 702(1997)131
- Van Lint, A.E.M., see Vreken, P. 713(1998)281
- Van Maanen, R.J., van Ooijen, R.D., Zwicker, J.W., Huitema, A.D.R., Rodenhuis, S. and Beijnen, J.H.
Determination of *N,N',N''*-triethylenephosphoramide and its active metabolite *N,N',N''*-triethylenephosphoramide in plasma and urine using capillary gas chromatography 719(1998)103
- Van Ooijen, R.D., see Van Maanen, R.J. 719(1998)103
- Van Peteghem, C., see Croubels, S. 708(1998)145
- Van Schepdael, A., see Khan, K. 702(1997)69
- Van Tellingen, O., Kemper, M., Tijssen, F., Van Asperen, J., Nooijen, W.J. and Beijnen, J.H.
High-performance liquid chromatographic bio-analysis of PSC 833 in human and murine plasma 719(1998)251
- Van Tellingen, O., see Van Asperen, J. 712(1998)129
- Van Uum, S., see Russel, F.G.M. 710(1998)223
- Van Vlaardingen, P.L.A., see De Voogt, P. 724(1999)265
- Varelas, V., see Planas, J. 711(1998)265
- Varga, M., see Tomori, É. 705(1998)105
- Varin, F., Couture, J. and Gao, H.
Determination of neostigmine in human plasma and cerebrospinal fluid by high-performance liquid chromatography with ultraviolet detection 723(1999)319
- Varin, F., see Gao, H. 718(1998)129
- Varley, J., see Noble, M. 711(1998)31
- Vatsova, M., Tzvetanov, S., Drenska, A., Goranscheva, J. and Tyutyulkova, N.
Improved gas chromatographic-mass spectrometric method for the quantitative determination of vincocetine in human plasma 702(1997)221
- Veals, J., see Kim, H.K. 703(1997)225
- Velders, D.D., see Van Bekkum, Y.M. 701(1997)19
- Velligan, M., see McAtee, C.P. 714(1998)325
- Velthorst, N.H., see Veraart, J.R. 719(1998)199
- Venâncio, A., see Almeida, M.C. 711(1998)151
- Venton, D.L., see Woodbury, C.P. 725(1999)113
- Ventura, M., see Segura, J. 724(1999)9
- Ventura, R., see Bergés, R. 723(1999)173
- Ventura, R., see Segura, J. 713(1998)61
- Vepsäläinen, J., see Niemi, R. 701(1997)97
- Veraart, J.R., Gooijer, C., Lingeman, H., Velthorst, N.H. and Brinkman, U.A.Th.
At-line solid-phase extraction for capillary electrophoresis: application to negatively charged solutes 719(1998)199
- Verbeeck, R.K., see Eeckhoudt, S.L. 710(1998)165
- Verdoliva, A., see Palombo, G. 715(1998)137
- Verdon, E. and Couedor, P.
Determination of isoxazolylpenicillins residues in milk by ion-pair reversed-phase high-performance liquid chromatography after precolumn derivatization 705(1998)71
- Vergnes, M.-F., see Beaumier-Gallon, G. 718(1998)23
- Verheij, E.R., see Knebel, N.G. 721(1999)257

- Verma, N., Singh, S.K. and Gupta, R.C.
Simultaneous determination of the stereoisomers of guggulsterone in serum by high-performance liquid chromatography 708(1998)243
- Vermeersch, H., see Croubels, S. 708(1998)145
- Vermeij, P., see Sparidans, R.W. 705(1998)331
- Vermeij, T.A.C. and Edelbroek, P.M.
High-performance liquid chromatographic analysis of vigabatrin enantiomers in human serum by precolumn derivatization with *o*-phthalaldehyde-*N*-acetyl-L-cysteine and fluorescence detection 716(1998)233
- Vermorken, J.B., see Rosing, H. 710(1998)183
- Vernaleken, I., see Kraemer, T. 702(1997)93
- Verne-Mismer, J., see Duléry, B.D. 725(1999)39
- Vernillet, L., see Chollet, D.F. 718(1998)163
- Versaux-Botteri, C., see Chanut, E. 709(1998)11
- Vert, M., see Braud, C. 706(1998)73
- Vertongen, F., see Lin, C. 719(1998)47
- Verweij, J., see Sparreboom, A. 705(1998)159
- Verweij, J., see Sparreboom, A. 712(1998)225
- Verwoerd, D., see Tulp, A. 722(1999)141
- Verzijl, N., see Bank, R.A. 703(1997)37
- Vesterqvist, O., Nabbie, F. and Swanson, B.
Determination of metformin in plasma by high-performance liquid chromatography after ultrafiltration 716(1998)299
- Veulemans, H., see Pauwels, W. 702(1997)77
- Vial, J., Ménier, I., Jardy, A., Anger, P., Brun, A. and Burbaud, L.
How to better define the characteristics of dispersion of results in liquid chromatographic analyses through an interlaboratory study. Example of collaborative studies on ketoprofen and spiramycin 708(1998)131
- Vidal, C., see Kirchner, G.I. 721(1999)285
- Vidal-Madjar, C., see Xu, R.J. 706(1998)3
- Viglio, S., Zanaboni, G., Luisetti, M., Trisolini, R., Grimm, R., Cetta, G. and Iadarola, P.
Micellar electrokinetic chromatography for the determination of urinary desmosine and isodesmosine in patients affected by chronic obstructive pulmonary disease 714(1998)87
- Vignal, C., see Polettini, A. 713(1998)265
- Vijayalakshmi, M., see Petsch, D. 707(1998)121
- Villar, H.O., see Kauvar, L.M. 715(1998)93
- Villeneuve, J.-P., see Bannon, P. 715(1998)387
- Vilmer, E., see Quernin, M.-H. 709(1998)47
- Vincent, J., see Sjödahl, J. 705(1998)231
- Viryasov, M.B., see Fedorova, N.V. 706(1998)83
- Vistelle, R., see Hoizey, G. 704(1997)167
- Vogel, P., see Decosterd, L.A. 703(1997)25
- Volin, P., see Kuronen, P. 718(1998)211
- Volland, J.P., see Boutin, J.A. 725(1999)17
- Volpi, N. and Tarugi, P.
Improvement in the high-performance liquid chromatography malondialdehyde level determination in normal human plasma 713(1998)433
- Von Unruh, G.E., Langer, M.A.W., Paar, D.W. and Hesse, A.
Mass spectrometric-selected ion monitoring assay for an oxalate absorption test applying [¹³C₂]oxalate 716(1998)343
- Voûte, P.A., see Slingerland, R.J. 716(1998)65
- Vovk, I., see Simonovska, B. 715(1998)425
- Vrbanac, J.J., see Zhong, W.Z. 705(1998)39
- Vree, T.B., Lagerwerf, A.J., Bleeker, C.P. and De Grood, P.M.R.M.
Direct high-performance liquid chromatography determination of propofol and its metabolite quinol with their glucuronide conjugates and preliminary pharmacokinetics in plasma and urine of man 721(1999)217
- Vreken, P., van Lint, A.E.M., Bootsma, A.H., Overmars, H., Wanders, R.J.A. and van Gennip, A.H.
Rapid stable isotope dilution analysis of very-long-chain fatty acids, pristanic acid and phytanic acid using gas chromatography-electron impact mass spectrometry 713(1998)281
- Vu, R.L., Helmeste, D., Albers, L. and Reist, C.
Rapid determination of venlafaxine and O-desmethylvenlafaxine in human plasma by high-performance liquid chromatography with fluorimetric detection 703(1997)195
- Vyas, V., see Ahmed, F. 707(1998)227
- W**
- Wachberger, E., see Yongxin, Z. 707(1998)189
- Wad, N. and Krämer, G.
Sensitive high-performance liquid chromatographic method with fluorometric detection for the simultaneous determination of gabapentin and vigabatrin in serum and urine 705(1998)154
- Wada, A., see Iwaki, M. 716(1998)335
- Wada, M., Kinoshita, S., Itayama, Y., Kuroda, N. and Nakashima, K.
Sensitive high-performance liquid chromatographic determination with fluorescence detection of phenol and chlorophenols with 4-(4,5-diphenyl-1*H*-imidazol-2-yl)benzoyl chloride as a labeling reagent 721(1999)179
- Wainer, I.W., see Chassaing, C. 719(1998)169
- Wainer, I.W., see Pasternyk Di Marco, M. 715(1998)379
- Wainer, I.W., Zhang, Y., Xiao, Y. and Kellar, K.J.
Liquid chromatographic studies with immobilized neuronal nicotinic acetylcholine receptor stationary phases: effects of receptor subtypes, pH and ionic strength on drug-receptor interactions 724(1999)65
- Wakasugi, C., see Tanaka, E. 709(1998)324
- Waksmundzka-Hajnos, M.
Chromatographic separations of aromatic carboxylic acids 717(1998)93
- Waldron, K.C., see Paquette, D.M. 714(1998)47

- Walker, S.G. and Lyddiatt, A.
Aqueous two-phase systems as an alternative process route
for the fractionation of small inclusion bodies
711(1998)185
- Walker, V., see Mills, G.A. 723(1999)281
- Wallberg, M., see Altria, K.D. 714(1998)99
- Wallman, L., see Petersson, M. 714(1998)39
- Walter, S., Bauer, S., Roots, I. and Brockmöller, J.
Quantification of the antipsychotics flupentixol and
haloperidol in human serum by high-performance liquid
chromatography with ultraviolet detection 720(1998)231
- Walz, T., see Geisel, J. 724(1999)239
- Wanders, R.J.A., see Vreken, P. 713(1998)281
- Wang, D.I.C., see Liu, C.-I. 711(1998)127
- Wang, D.I.C., see Zhang, J. 712(1998)73
- Wang, E., see Wang, R. 721(1999)327
- Wang, J.-J., see Liaw, W.-J. 714(1998)237
- Wang, Q., see Liang, H. 724(1999)381
- Wang, R., Lu, X., Wu, M. and Wang, E.
Separation of promethazine and thioridazine using capillary
electrophoresis with end-column amperometric detection
721(1999)327
- Wang, T., see Ward, H. 707(1998)295
- Wang, X., see Fu, S. 709(1998)297
- Wang, Y., see Liang, H. 724(1999)381
- Wang, Y.-W., see Yeh, G.-C. 723(1999)247
- Ward, H., Baldwin, D., Wang, T., Warner, H., Seymour, K.,
Marquardt, C., McFalls, E. and Foker, J.E.
Ion-exchange column chromatographic method for assaying
purine metabolic pathway enzymes 707(1998)295
- Ward, V.L. and Khaledi, M.G.
Nonaqueous capillary electrophoresis with laser induced
fluorescence detection 718(1998)15
- Warner, H., see Ward, H. 707(1998)295
- Warnet, J.-M., see Chikhi-Chorfi, N. 718(1998)278
- Warren, R.A.J., see Tomme, P. 715(1998)283
- Wasfi, I.A., Hadi, A.A.A., Alkathheeri, N.A., Barezaq, I.M.,
ElGhazali, M., Boni, N.S. and Zorob, O.
Identification of a flunixin metabolite in camel by gas
chromatography–mass spectrometry 709(1998)209
- Watabiki, T., see Yoshida, M. 718(1998)55
- Watanabe, H., see Tani, H. 708(1998)294
- Watanabe, K., see Guan, F. 714(1998)205
- Watanabe, T., see Kikuchi, Y. (1998)81
- Watanabe, T., Namura, A., Yashiki, M., Iwasaki, Y. and Kojima,
T.
Simple analysis of local anaesthetics in human blood using
headspace solid-phase microextraction and gas
chromatography–mass spectrometry–electron impact
ionization selected ion monitoring 709(1998)225
- Watanabe, T., see Pawula, M. 719(1998)113
- Watanabe-Suzuki, K., see Hattori, H. 718(1998)285
- Watson, A., see Wu, J. 714(1998)113
- Watson, A.O., see Luo, Y. 714(1998)269
- Watson, B.W., see Tirmenstein, M.A. 707(1998)308
- Watson, D., see Pawula, M. 719(1998)113
- Watson, D.G. and Oliveira, E.J.
Solid-phase extraction and gas chromatography–mass
spectrometry determination of kaempferol and quercetin in
human urine after consumption of *Ginkgo biloba* tablets
723(1999)203
- Weaver, L.T., see Slater, C. 716(1998)1
- Webb, M., see Coufal, P. 720(1998)197
- Weber, G., see Canut, H. 722(1999)121
- Weber, S.G., see Xia, W. 705(1998)251
- Webster, J.M., see Hu, K. 703(1997)177
- Wehmeyer, K.R., see Peng, S.X. 724(1999)181
- Weigmann, H., Härtter, S. and Hiemke, C.
Automated determination of clomipramine and its major
metabolites in human and rat serum by high-performance
liquid chromatography with on-line column-switching
710(1998)227
- Weigmann, H., see Härtter, S. 712(1998)253
- Weimann, A. and Bojesen, G.
Analysis of tetracyclines in raw urine by column-switching
high-performance liquid chromatography and tandem mass
spectrometry 721(1998)47
- Weismantel, A., see Angerer, J. 713(1998)313
- Weiss, F., see Parsons, L.H. 709(1998)35
- Weiss, S.J., see Meng, Q.C. 718(1998)121
- Welch, L.E., see Yun, E.K. 712(1998)145
- Wellman, M., see Parmentier, C. 719(1998)37
- Wells, D.A., see Pauwels, A. 723(1999)117
- Wells, R.J., see Yu, G.Y.F. 703(1997)159
- Wennig, R., see Schneider, S. 713(1998)189
- Westerlund, D., see Altria, K.D. 714(1998)99
- Westerlund, D., see Yu, Z. 704(1997)53
- Wever, H., see De Voogt, P. 724(1999)265
- Whelpton, R., Michael-Titus, A.T., Stephens, S.M., Yau, K.W.
and Fengas, D.
Identification of substance P metabolites using a
combination of reversed-phase high-performance liquid
chromatography and capillary electrophoresis 716(1998)95
- Whetsel, R., see Tse, S.Y.H. 709(1998)127
- Whigan, D.B., see Chang, S.-Y. 702(1997)149
- Whigan, D.W., see Srinivas, N.R. 705(1998)317
- White, T., see Singh, A.K. 706(1998)231
- Whitworth, C., see Mills, C.D. 701(1997)65
- Widén, J., see Tybring, G. 716(1998)382
- Wieboldt, R., Campbell, D.A. and Henion, J.
Quantitative liquid chromatographic–tandem mass
spectrometric determination of orlistat in plasma with a
quadrupole ion trap 708(1998)121
- Wieling, J., see Hempenius, J. 714(1998)361
- Wikberg, T., see Lehtonen, P. 721(1998)127
- Wiklund, S.-J., see Engman, M. 709(1998)57
- Wild, C.P., see Castegnaro, M. 720(1998)15
- Wilkes, J.G. and Sutherland, J.B.
Sample preparation and high-resolution separation of
mycotoxins possessing carboxyl groups 717(1998)135
- Willauer, H.D., see Huddleston, J.G. 711(1998)237
- Willauer, H.D., see Rogers, R.D. 711(1998)255
- Williams, A.M., see Colangeli, R. 714(1998)223
- Williams, R.J.H., see Isgrave, F.H. 711(1998)91
- Willson, J.K.V., see Stefan, T.L. 704(1997)289
- Winkler, M., see Knebel, N.G. 702(1997)119

- Winkler, M., see Knebel, N.G. 721(1999)257
 Winzor, D.J., see Hall, D.R. 715(1998)163
 Wippich, P., see Scholz, G.H. 709(1998)189
 Wishart, D.S., see Kreutz, F.T. 714(1998)161
 Witt, W. and Rüstow, B.
 Determination of lipoic acid by precolumn derivatization with monobromobimane and reversed-phase high-performance liquid chromatography 705(1998)127
 Wögerbauer, M., see El-Menyawi, I. 715(1998)445
 Wolf, E., see Duléry, B.D. 725(1999)39
 Wolfinger, H., see Ludwig, E. 707(1998)347
 Wöll, J., see Liebich, H.M. 713(1998)427
 Wong, C.F., Peh, K.K. and Yuen, K.H.
 Simple high-performance liquid chromatographic method for the determination of ranitidine in human plasma 718(1998)205
 Wong, J.W., Yuen, K.H. and Peh, K.K.
 Simple high-performance liquid chromatographic method for determination of pentoxifylline in human plasma 716(1998)387
 Woo, S.-J., see Han, K.S. 710(1998)239
 Wood, A.J.J., see He, H. 701(1997)115
 Wood, A.J.J., see He, H. 708(1998)185
 Wood, G.C., see Hanes, S.D. 719(1998)245
 Wood, M., see He, H. 708(1998)185
 Woodbury, C.P. and Venton, D.L.
 Methods of screening combinatorial libraries using immobilized or restrained receptors 725(1999)113
 Woods, E.F., see Negrusz, A. 718(1998)193
 Woolf, E.J., see Birk, K.L. 719(1998)93
 Wright, A.W.E., Lawrence, J.A., Iu, M., Cramond, T. and Smith, M.T.
 Solid-phase extraction method with high-performance liquid chromatography and electrochemical detection for the quantitative analysis of oxycodone in human plasma 712(1998)169
 Wright, D.H., Herman, V.K., Konstantinides, F.N. and Rotschafer, J.C.
 Determination of quinolone antibiotics in growth media by reversed-phase high-performance liquid chromatography 709(1998)97
 Wrightson, W.R., Myers, S.R. and Galandiuk, S.
 Analysis of minocycline by high-performance liquid chromatography in tissue and serum 706(1998)358
 Wu, J. and Watson, A.
 Automated sample introduction for an imaged capillary isoelectric focusing instrument via high-performance liquid chromatography sampling devices 714(1998)113
 Wu, M., see Wang, R. 721(1999)327
 Wu, T.-F., see Cheng, F.-C. 723(1999)31
 Wu, X., Loganathan, D. and Linhardt, R.J.
 Sensitive method for the quantification of β -glucuronidase activity in human urine using capillary electrophoresis with fluorescence detection 708(1998)61
 Wuis, E.W., see Burger, D.M. 703(1997)235
 Wurz, G.T., see Taras, T.L. 724(1999)163
 Wyrick, S.D., see Luo, F.R. 724(1999)345

X

- Xia, W., Sandberg, M. and Weber, S.G.
 Comparison of anion-exchange and ion-modified reversed-phase liquid chromatography for the determination of *S*-sulfocysteine 705(1998)251
 Xiao, Y., see Wainer, I.W. 724(1999)65
 Xing, J.Z., see Ye, L. 714(1998)59
 Xiong, Z.
 Simple one-step procedure for the separation of apolipoproteins A1 and A2 by high-performance liquid chromatography 702(1997)216
 Xu, C., see Mu, X.Y. 724(1999)275
 Xu, D., Leveugle, B., Kreutz, F.T. and Suresh, M.R.
 Mimetic ligand-based affinity purification of immune complexes and immunoconjugates 706(1998)217
 Xu, R.J., Vidal-Madjar, C. and Sébille, B.
 Capillary electrophoretic behavior of milk proteins in the presence of non-ionic surfactants 706(1998)3

Y

- Yajima, R., see Chikuma, T. 703(1997)45
 Yakar, S., see Kaplan, B. 704(1997)69
 Yamada, T., see Hattori, H. 718(1998)285
 Yamaguchi, K., Fuse, E., Takashima, M., Yasuzawa, T., Kuwabara, T. and Kobayashi, S.
 Development of a sensitive liquid chromatography-electrospray ionization tandem mass spectrometry method for the measurement of 7-cyanoquinocarcinol in human plasma 713(1998)447
 Yamaguchi, K., see Muramatsu, N. 719(1998)177
 Yamaguchi, Y., Kunitomo, M. and Haginaka, J.
 Anion-exchange high-performance liquid chromatographic assay of plasma lipoproteins of rabbits, rats and mice 716(1998)57
 Yamaji, A., see Shibata, N. 706(1998)191
 Yamakita, J.-i., see Yamamoto, T. 719(1998)55
 Yamamoto, K., Hagino, M., Kotaki, H. and Iga, T.
 Quantitative determination of domperidone in rat plasma by high-performance liquid chromatography with fluorescence detection 720(1998)251
 Yamamoto, K., see Osborne, P.G. 707(1998)3
 Yamamoto, S., see Koide, I. 707(1998)99

- Yamamoto, T., Moriwaki, Y., Takahashi, S., Fujita, T., Tsutsumi, Z., Yamakita, J.-i., Shimizu, K., Shioda, M., Ohta, S. and Higashino, K.
Determination of adenosine and deoxyadenosine in urine by high-performance liquid chromatography with column switching 719(1998)55
- Yamashita, K., see Ohta, R. 704(1997)325
- Yamashita, S., see Moriyama, M. 723(1999)301
- Yamazaki, H., Tanaka, M. and Shimada, T.
Highly sensitive high-performance liquid chromatographic assay for coumarin 7-hydroxylation and 7-ethoxycoumarin O-deethylation by human liver cytochrome P450 enzymes 721(1998)13
- Yamazaki, T., see Kawada, T. 714(1998)375
- Yamazaki, Y. and Oka, S.
In situ evaluation of esterase stereoselectivity in two-dimensional electropherograms and tissue sections 709(1998)306
- Yan, B. and Gremlich, H.-U.
Role of Fourier transform infrared spectroscopy in the rehearsal phase of combinatorial chemistry: a thin-layer chromatography equivalent for on-support monitoring of solid-phase organic synthesis 725(1999)91
- Yan, Z., Henderson, G.N., James, M.O. and Stacpoole, P.W.
Determination of dichloroacetate and its metabolites in human plasma by gas chromatography-mass spectrometry 703(1997)75
- Yang, D.-Y., see Cheng, F.-C. 723(1999)31
- Yang, Q., Liu, X.-Y., Ajiki, S.-i., Hara, M., Lundahl, P. and Miyake, J.
Avidin-biotin immobilization of unilamellar liposomes in gel beads for chromatographic analysis of drug-membrane partitioning 707(1998)131
- Yang, Q., see Yoshimoto, M. 712(1998)59
- Yang, T.-H., see Yu, L.-L. 724(1999)287
- Yao, J., see Tanase, S. 706(1998)279
- Yao, M., Shah, V.R., Shyu, W.C. and Srinivas, N.R.
Sensitive liquid chromatographic-mass spectrometric assay for the simultaneous quantitation of nefazodone and its metabolites hydroxynefazodone *m*-chlorophenylpiperazine and triazole-dione in human plasma using single-ion monitoring 718(1998)77
- Yao, W.-B., see Abe, T. 712(1998)43
- Yashiki, M., see Namera, A. 706(1998)253
- Yashiki, M., see Namera, A. 716(1998)171
- Yashiki, M., see Sakura, N. 719(1998)209
- Yashiki, M., see Watanabe, T. 709(1998)225
- Yasui, N., see Nagasaki, T. 714(1998)293
- Yasuno, T., see Hagiwara, T. 708(1998)67
- Yasuzawa, T., see Yamaguchi, K. 713(1998)447
- Yatscoff, R., see Ye, L. 714(1998)59
- Yau, K.W., see Whelpton, R. 716(1998)95
- Ye, L., Le, X.C., Xing, J.Z., Ma, M. and Yatscoff, R.
Competitive immunoassay for cyclosporine using capillary electrophoresis with laser induced fluorescence polarization detection 714(1998)59
- Yeh, G.-C., Sheu, M.-T., Yen, C.-L., Wang, Y.-W., Liu, C.-H. and Ho, H.-O.
High-performance liquid chromatographic method for determination of tramadol in human plasma 723(1999)247
- Yeh, Y.-C., see Lee, M.-R. 707(1998)91
- Yen, C.-L., see Yeh, G.-C. 723(1999)247
- Yen, T.-Y., see Luo, F.R. 724(1999)345
- Yeung, E.S., see Zhang, N. 714(1998)3
- Yokoi, H., see Ishida, Y. 716(1998)39
- Yokoyama, A., see Koide, I. 707(1998)99
- Yomota, C., Matsumoto, Y., Okada, S., Hayashi, Y. and Matsuda, R.
Discrimination limit for purity test of human insulin by capillary electrophoresis 703(1997)139
- Yonekawa, W.D., see Torchini, C.D. 724(1999)101
- Yongxin, Z., Roets, E., Loidl, J., Inama, P., Perez, A., Porqueras, E., Wachberger, E., Lebbe, C., Smelt, A.J.W., van der Vlies, C., Miller, J.H. McB., Spieser, J.M. and Hoogmartens, J.
Interlaboratory study of the analysis of benzylpenicillin by liquid chromatography 707(1998)189
- Yoo, S.D., see Lee, S.-H. 724(1999)357
- Yoon, Y.-R., see Shin, J.-G. 713(1998)452
- Yoo, S.D., see Holladay, J.W. 704(1997)259
- Yoshida, K.-i., Moriguchi, H., Sumi, S., Horimi, H., Kitahara, S., Umeda, H. and Ueda, Y.
Alterations of asparagine-linked sugar chains of *N*-acetyl β-D-hexosaminidase during human renal oncogenesis: a preliminary study using serial lectin affinity chromatography 723(1999)75
- Yoshida, M., Akane, A., Okii, Y., Yoshimura, S., Tokiyasu, T. and Watabiki, T.
Rapid detection of dihydrocodeine by thermospray mass spectrometry 718(1998)55
- Yoshida, S., see Tanase, S. 706(1998)279
- Yoshii, K., see Inamoto, Y. 707(1998)111
- Yoshimoto, M., Kuboi, R., Yang, Q. and Miyake, J.
Immobilized liposome chromatography for studies of protein-membrane interactions and refolding of denatured bovine carbonic anhydrase 712(1998)59
- Yoshimura, S., see Yoshida, M. 718(1998)55
- Yoshimura, Y., see Hagimoto, T. 712(1998)161
- Yosimura, M., see Kojima, J. 724(1999)173
- Young, I.S., see Lynch, P.L.M. 701(1997)120
- Yousef, O., see Dasgupta, A. 705(1998)283
- Yu, G.Y.F., Murby, E.J. and Wells, R.J.
Gas chromatographic determination of residues of thyreostatic drugs in bovine muscle tissue using combined resin mediated methylation and extraction 703(1997)159
- Yu, L., see Mao, D.T. 714(1998)21
- Yu, L.-L., Chao, C.-K., Liao, W.-J., Twu, T.-Y., Liu, C.-M., Yang, T.-H. and Lin, E.T.
Determination of clindamycin in human plasma by liquid chromatography-electrospray tandem mass spectrometry: application to the bioequivalence study of clindamycin 724(1999)287
- Yu, P., see Bannon, P. 715(1998)387
- Yu, Z., Westerlund, D. and Boos, K.-S.
Evaluation of liquid chromatographic behavior of restricted-access media precolumns in the course of direct injection of large volumes of plasma samples in column-switching systems 704(1997)53
- Yuan, Z.B., see Zhang, S.S. 705(1998)165
- Yuen, K.H., see Peh, K.K. 701(1997)140

Yuen, K.H. and Peh, K.K.

Simple high-performance liquid chromatographic method for the determination of metformin in human plasma 710(1998)243

Yuen, K.H. and Peh, K.K.

Simple high-performance liquid chromatographic method for determination of ketoconazole in human plasma 715(1998)436

Yuen, K.H., see Wong, C.F. 718(1998)205

Yuen, K.H., see Wong, J.W. 716(1998)387

Yun, E.K., Prince, A.J., McMillin, J.E. and Welch, L.E.

High-performance liquid chromatographic separation and electrochemical detection of cephalosporins 712(1998)145

Yurawecz, M.P., see Fritzsche, J. 705(1998)177

Z

Zacchello, F., see Marsilio, R. 704(1997)359

Zacchello, G., see Marsilio, R. 704(1997)359

Zamek, R., see Ahmed, F. 707(1998)227

Zanaboni, G., see Viglio, S. 714(1998)87

Zappalà, M., see Rizzo, M. 705(1998)149

Zegers, B.Z., see Frijters, C.M.G. 710(1998)9

Zemaitis, M.A., see Dowling, T.C. 716(1998)305

Zemaitis, M.A. and Kroboth, P.D.

Simplified procedure for measurement of serum dehydroepiandrosterone and its sulfate with gas chromatography-ion trap mass spectrometry and selected reaction monitoring 716(1998)19

Zeng, C.-M., see Lundahl, P. 722(1999)103

Zhang, J. and Wang, D.I.C.

Quantitative analysis and process monitoring of site-specific glycosylation microheterogeneity in recombinant human interferon- γ from Chinese hamster ovary cell culture by hydrophilic interaction chromatography 712(1998)73

Zhang, J., Zhou, H., Ji, Z. and Regnier, F.

Monoclonal antibody production with on-line harvesting and process monitoring 707(1998)257

Zhang, L., Chen, H., Hu, S., Cheng, J., Li, Z. and Shao, M. Determination of the amino acid neurotransmitters in the dorsal root ganglion of the rat by capillary electrophoresis with a laser-induced fluorescence-charge coupled device 707(1998)59

Zhang, N. and Yeung, E.S.

On-line coupling of polymerase chain reaction and capillary electrophoresis for automatic DNA typing and HIV-1 diagnosis 714(1998)3

Zhang, S.S., Liu, H.X. and Yuan, Z.B.

Comparison of high-performance capillary electrophoresis and liquid chromatography on analysis of zinc 5-aminoosalicylate dihydrate and related materials 705(1998)165

Zhang, Y., see Wainer, I.W. 724(1999)65

Zhirnov, O.P., see Fedorova, N.V. 706(1998)83

Zhivkova, Z. and Russeva, V.

New mathematical approach for the evaluation of drug binding to human serum albumin by high-performance liquid affinity chromatography 707(1998)143

Zhivkova, Z.D. and Russeva, V.N.

Stereoselective binding of ketoprofen enantiomers to human serum albumin studied by high-performance liquid affinity chromatography 714(1998)277

Zhong, D. and Chen, X.

Enantioselective determination of propafenone and its metabolites in human plasma by liquid chromatography-mass spectrometry 721(1998)67

Zhong, W.Z., Sanders, P.E., Hauer, M.J. and Vrbanac, J.J.

Quantitative analysis quantitation of 2-n-nonyl-1,3-dioxolane by stable-isotope dilution gas chromatography-mass spectrometry 705(1998)39

Zhou, H., see Zhang, J. 707(1998)257

Zhu, D.-M., see Chen, C.-L. 724(1999)157

Zhu, F., see Jayewardene, A.L. 707(1998)203

Zhu, Z., Klironomos, G., Vachereau, A., Neirinck, L. and Goodman, D.W.

Determination of *trans*-resveratrol in human plasma by high-performance liquid chromatography 724(1999)389

Zidek, W., see Jankowski, J. 719(1998)63

Ziegelhöffer, A., see Boháčová, V. 715(1998)273

Ziehr, H., see Heitmann, D. 710(1998)1

Zilli, M. and Zorzenon, L.

Simple and fast chromatographic method for the determination of sotalol in human serum 708(1998)335

Zimmer, C., see Streel, B. (1998)119

Živko-Babić, J., Ivanković, V. and Pandurić, J.

Quantitative thin-layer chromatographic identification of dental base alloys 710(1998)247

Zolle, I., see Damani, L.A. 704(1997)315

Zorob, O., see Wasfi, I.A. 709(1998)209

Zorzenon, L., see Zilli, M. 708(1998)335

Zou, X., see Fu, S. 709(1998)297

Zuccaro, P., see Ricciarello, R. 707(1998)219

Zusman, I.

Gel fiberglass membranes for affinity chromatography columns and their application to cancer detection 715(1998)297

Zwikker, J.W., see Huitema, A.D.R. 716(1998)177

Zwikker, J.W., see Van Maanen, R.J. 719(1998)103