



Journal of Chromatography B, 725 (1999) 197-217

SUBJECT INDEX

J. CHROMATOGR. B VOLS. 701–725



Acyl migration

High-performance liquid chromatographic determination and identification of acyl migration and photodegradation products of furosemide 1-O-acyl glucuronide 718(1998)153

Adsorbents

 $\begin{array}{ll} \mbox{Mimetic ligand-based affinity purification of immune complexes} \\ \mbox{and immunoconjugates} & 706 (1998) 217 \end{array}$

Adsorption

Influence of the nature of coupling agents on insulin adsorption on supports grafted with sialic acid for high-performance affinity chromatography 706(1998)33

Affinity adsorbents

Bioseparation and bioanalytical techniques in environmental monitoring 715(1998)211

Affinity capillary electrophoresis

Affinity capillary electrophoresis: important application areas and some recent developments 715(1998)29

Affinity fingerprinting

Protein affinity map of chemical space 715(1998)93

Affinity ligands

Mimetic ligand-based affinity purification of immune complexes and immunoconjugates 706(1998)217

Affinity microbeads

Bilirubin removal from human plasma in a packed-bed column system with dye-affinity microbeads 707(1998)25

Affinity perfusion chromatography

Isolation, purification and quantification of BRCA1 protein from tumour cells by affinity perfusion chromatography 721(1999)163

Affinity purification

Use of a heterodimeric coiled-coil system for biosensor application and affinity purification 715(1998)307

Alkaline borohydride degradation

Isolation of the O-glycosidically linked oligosaccharides obtained by alkaline borohydride degradation from oviducal mucins of the toad *Bufo bufo* 706(1998)101

Analyte concentrator-microreactor device

Affinity capillary electrophoresis: important application areas and some recent developments 715(1998)29

Animal fat

Determination of androstenone in pig fat using packed column supercritical fluid chromatography-mass spectrometry 719(1998)25

ANOVA

How to better define the characteristics of dispersion of results in liquid chromatographic analyses through an interlaboratory study. Example of collaborative studies on ketoprofen and spiramycin 708(1998)131

Antarctic krill

Separation of proteolytic enzymes originating from Antarctic krill (*Euphausia superba*) by capillary electrophoresis 705(1998)231

Antidoping control

Evidence for the presence of endogenous 19-norandrosterone in human urine 723(1999)157

Antisickling agent

New isocratic high-performance liquid chromatographic procedure to assay the anti-sickling compound hydroxyurea in plasma with ultraviolet detection 709(1998)119

Aqueous biphasic extraction chromatography

Partitioning of mercury in aqueous biphasic systems and on ABECTM resins 711(1998)277

Aqueous biphasic systems

Separation and recovery of food coloring dyes using aqueous biphasic extraction chromatographic resins 711(1998)237

Partitioning of small organic molecules in aqueous biphasic systems 711(1998)255

Aqueous polymer two-phase system

One-step purification of proteins from chicken egg white using counter-current chromatography 709(1998)301

Aqueous two-phase partitioning

Aqueous two-phase partition and detergent precipitation of a drug-responsive NADH oxidase from the HeLa cell surface 711(1998)173

Aqueous two-phase systems

see also Special Issue Index

Driving forces for phase separation and partitioning in aqueous two-phase systems 711(1998)3

Influence of temperature upon protein partitioning in poly(ethylene glycol)—salt aqueous two-phase systems close to the critical point with some observations relevant to the partitioning of particles 711(1998)19

Consistent view of electrolytes in aqueous two-phase systems 711(1998)45

Effect of electrolytes and surfactants on the thermoseparation of an ethylene oxide–propylene oxide random copolymer in aqueous solution 711(1998)53

Poly(ethylene glycol)-salt aqueous two-phase systems with easily recyclable volatile salts 711(1998)61

Polymer–protein interactions in aqueous two phase systems: fluorescent studies of the partition behaviour of human serum albumin 711(1998)69

Influence of system and process parameters on partitioning of cheese whey proteins in aqueous two-phase systems 711(1998)81

Aqueous two-phase systems: a novel approach for the separation of proteose peptones 711(1998)91

Purification of recombinant apolipoprotein A-1_{Milano} expressed in *Escherichia coli* using aqueous two-phase extraction followed by temperature-induced phase separation 711(1998)97

Salt-steered partitioning of proteins in polymeric two-phase systems based on *N*,*N*-dimethylformamide 711(1998)117

Separation of proteins and viruses using two-phase aqueous micellar systems 711(1998)127

Comparison of Mg²⁺-dependent ATP hydrolase activities of pea nodule symbiosomes and of pea root plasmalemma, obtained by an aqueous polymer two-phase system 711(1998)139

Cutinase purification on poly(ethylene glycol)-hydroxypropyl starch aqueous two-phase systems 711(1998)151

Concentration and purification of β -glucosidase from *Aspergillus niger* by using aqueous two-phase partitioning 711(1998)161

Aqueous two-phase systems as an alternative process route for the fractionation of small inclusion bodies 711(1998)185

Effect of centrifugation on separation by aqueous two-phase partition of an early and late endosome model using inside-out plasma membrane vesicles from plants 711(1998)195

Separation of endosomes by aqueous two-phase partition and free-flow electrophoresis 711(1998)203

Enzyme release from heat-stressed cell membranes as a function of hydrophobicity evaluated by using aqueous two-phase systems 711(1998)217

Centrifugal partition chromatographic reaction for the production of chiral amino acids 711(1998)223

Amine-based aqueous polymers for the simultaneous titration and extraction of lactic acid in aqueous two-phase systems 711(1998)265

Partitioning of mercury in aqueous biphasic systems and on ABECTM resins 711(1998)277

Aqueous two-phase systems for protein separation. Studies on phase inversion 711(1998)285

Variation of penicillin acylase partition coefficient with phase volume ratio in poly(ethylene glycol)–sodium citrate aqueous two-phase systems 711(1998)295

Surface and metabolic properties of microcytic and macrocytic human anaemic red blood cells detected in polymer aqueous two-phase systems 711(1998)301

Separation and purification of glucoamylase in aqueous twophase systems by a two-step extraction 711(1998)309

Interfacial tension of aqueous two-phase systems containing poly(ethylene glycol) and dipotassium hydrogenphosphate 711(1998)313

On the kinetics of phase separation in aqueous two-phase systems 711(1998)319

Aqueous two-phase partitioning sample preparation prior to liquid chromatography of hydrophilic drugs in blood 716(1998)293

Aspergillus niger

Concentration and purification of β -glucosidase from *Aspergillus niger* by using aqueous two-phase partitioning 711(1998)161

Association

Association and dissociation properties of natural human interferon $\gamma = 723(1999)25$

Atmospheric pressure chemical ionization mass spectrometry Investigation of the in vitro biotransformation of R-(+)-thalidomide by HPLC, nano-HPLC, CEC and HPLC-APCI-MS 723(1999)255

Automation

Automated procedure for determination of barbiturates in serum using the combined system of PrepStation and gas chromatography-mass spectrometry 716(1998)171

Autosampler

Automated sample introduction for an imaged capillary isoelectric focusing instrument via high-performance liquid chromatography sampling devices 714(1998)113

Avidin-biotin immobilization

Avidin-biotin immobilization of unilamellar liposomes in gel beads for chromatographic analysis of drug-membrane partitioning 707(1998)131



Bacteriophages

Advances in the separation of bacteriophages and related particles 722(1999)179

Binding affinity

Liquid chromatographic studies with immobilized neuronal nicotinic acetylcholine receptor stationary phases: effects of receptor subtypes, pH and ionic strength on drug-receptor interactions 724(1999)65

Binding assays

Methods of screening combinatorial libraries using immobilized or restrained receptors 725(1999)113

Binding constants

Affinity capillary electrophoresis: important application areas and some recent developments 715(1998)29

Potential of biosensor technology for the characterization of interactions by quantitative affinity chromatography 715(1998)163

Use of mobility ratios to estimate binding constants of ligands to proteins in affinity capillary electrophoresis 715(1998)203

Biological recognition

Glycoaffinity chromatography and biological recognition 715(1998)153

Biomarkers

New method for determination of fecal sterols in urine using non-chlorinated solvents 713(1998)438

Analytical method for the determination of sphinganine and sphingosine in serum as a potential biomarker for fumonisin exposure 720(1998)15

Biomonitoring

Analysis of nitroaromatic compounds in urine by gas chromatography-mass spectrometry for the biological monitoring of explosives 710(1998))91

Biosensor technology

Potential of biosensor technology for the characterization of interactions by quantitative affinity chromatography 715(1998)163

Biosensors

On-line supported liquid membrane-liquid chromatography with a phenol oxidase-based biosensor as a selective detection unit for the determination of phenols in blood plasma 701(1997)39

Use of a heterodimeric coiled-coil system for biosensor application and affinity purification 715(1998)307

Biotransformation

Investigation of the in vitro biotransformation of R-(+)-thalidomide by HPLC, nano-HPLC, CEC and HPLC-APCI-MS 723(1999)255

Blood cells

Surface affinity chromatography of human peripheral blood cells 722(1999)71

Bovine milk

Determination of trichlormethiazide in bovine milk by highperformance liquid chromatography 709(1998)137

Brain

Determination of malondialdehyde in rat brain by capillary zone electrophoresis 707(1998)51

Breast tumour cell lines

Isolation, purification and quantification of BRCA1 protein from tumour cells by affinity perfusion chromatography 721(1999)163

Broad-spectrum drug screening

Solid-phase extraction procedures in systematic toxicological analysis 713(1998)51

Buffer composition

Separation of the glucuronides of entacapone and its (Z)-isomer in urine by micellar electrokinetic capillary chromatography 721(1998)127



δ³C Values

Determination of δ^{13} C values of valine in protein hydrolysate by gas chromatography–combustion isotope ratio mass spectrometry 710(1998)37

Capillary electrochromatography

Investigation of the in vitro biotransformation of R-(+)-thalidomide by HPLC, nano-HPLC, CEC and HPLC-APCI-MS 723(1999)255

Capillary electrophoresis

see also Micellar electrokinetic chromatography

Determination of the dissociation constants of ropinirole and some impurities and their quantification using capillary zone electrophoresis 720(1998)197

Cell hardness

Surface characterization and on-line activity measurements of microorganisms by capillary zone electrophoresis 721(1998)31

Cell separation

Advances in cell separation: recent developments in counterflow centrifugal elutriation and continuous flow cell separation 722(1999)55

Cells

see also Special Issue Index

Validation procedures of sedimentation field-flow fractionation techniques for biological applications 709(1998)197

Use of magnetic techniques for the isolation of cells 722(1999)33

Cellulose affinity

Characterization and affinity applications of cellulose-binding domains 715(1998)283

Cellulose-binding domains

Characterization and affinity applications of cellulose-binding domains 715(1998)283

CE-MS

Quantitative capillary electrophoresis—ion-trap mass spectrometry determination of methylphenidate in human urine 707(1998)275

Centrifugal partition chromatography

Centrifugal partition chromatographic reaction for the production of chiral amino acids 711(1998)223

Centrifugation

Effect of centrifugation on separation by aqueous two-phase partition of an early and late endosome model using inside-out plasma membrane vesicles from plants 711(1998)195

Cheese whey

Influence of system and process parameters on partitioning of cheese whey proteins in aqueous two-phase systems 711(1998)81

Chemical space

Protein affinity map of chemical space 715(1998)93

Chemometrics

Retention data from affinity high-performance liquid chromatography in view of chemometrics 715(1998)229

Chinese hamster ovary cell culture

Quantitative analysis and process monitoring of site-specific glycosylation microheterogeneity in recombinant human interferon-γ from Chinese hamster ovary cell culture by hydrophilic interaction chromatography 712(1998)73

Chiral conversions

Centrifugal partition chromatographic reaction for the production of chiral amino acids 711(1998)223

Chiral derivatization

Selection of internal standard for quantitative analysis of enantiomers following precolumn chiral derivatization 709(1998)321

Chiral resolution

Application of chiral chromatographic parameters in quantitative structure–activity relationship analysis of homologous malathion derivatives 720(1998)65

Chiral selector

Evaluation of β -lactoglobulin as a stationary phase in highperformance liquid chromatography and as a buffer additive in capillary electrophoresis: observation of a surprising lack of stereoselectivity 712(1998)83

Cibacron Blue F3GA

Bilirubin removal from human plasma in a packed-bed column system with dye-affinity microbeads 707(1998)25

Cleanup methods

Use of an immunoaffinity column for tetrachlorodibenzo-p-dioxin serum sample cleanup 705(1998)261

Cloud-point extraction

Application of cloud-point extraction—reversed-phase highperformance liquid chromatography. A preliminary study of the extraction and quantification of vitamins A and E in human serum and whole blood 716(1998)129

Cod allergy

Purification of a 41 kDa cod-allergenic protein 706(1998)63

Coiled-coil system

Use of a heterodimeric coiled-coil system for biosensor application and affinity purification 715(1998)307

Colloidal gas aphrons

Protein recovery using gas-liquid dispersions 711(1998)31

Column switching

Fully automated high-performance liquid chromatography of ciprofloxacin with direct injection of plasma and Mueller—Hinton broth for pharmacokinetic/pharmacodynamic studies 714(1998)317

Column switching system

Liquid chromatography of guanidino compounds using a porous graphite carbon column and application to their analysis in serum 707(1998)111

Combinatorial libraries

Combinatorial chemistry, automation and molecular diversity: new trends in the pharmaceutical industry 725(1999)3

Physico-chemical and biological analysis of true combinatorial libraries 725(1999)17

Methods of screening combinatorial libraries using immobilized or restrained receptors 725(1999)113

Comet assay

Single cell gel electrophoresis assay: methodology and applications 722(1999)225

Competitive immunoassays

Affinity capillary electrophoresis: important application areas and some recent developments 715(1998)29

Compound libraries

Analyses of compound libraries obtained by high-throughput parallel synthesis: strategy of quality control by high-performance liquid chromatography, mass spectrometry and nuclear magnetic resonance techniques 725(1999)39

Counter-current chromatography

One-step purification of proteins from chicken egg white using counter-current chromatography 709(1998)301

Counter-current distribution

Fractionation of wheat gliadins by counter-current distribution using an organic two-phase system 711(1998)245

Coupling agents

Influence of the nature of coupling agents on insulin adsorption on supports grafted with sialic acid for high-performance affinity chromatography 706(1998)33

Cryogenic trapping

Sensitive determination of xylenes in whole blood by capillary gas chromatography with cryogenic trapping 718(1998)285

Cysticercosis

Simultaneous determination of albendazole sulfoxide enantiomers and albendazole sulfone in plasma 709(1998)273



Density gradient electrophoresis

Electromigration for separations of protein complexes 722(1999)141

Derivatization

Chloroformates in gas chromatography as general purpose derivatizing agents 717(1998)57

Derivatization, GC

Gas chromatographic–mass spectrometric identification and quantification of aniline after extraction from serum and derivatization with 2,2,2-trichloroethyl chloroformate, a novel derivative 716(1998)354

 $\beta_2\text{-Adrenergic}$ agonist residues: simultaneous methyland butylboronic derivatization for confirmatory analysis by gas chromatography—mass spectrometry 716(1998)366

Determination of very-long-chain fatty acids in serum by gas chromatography-nitrogen-phosphorus detection following cyanomethylation 721(1998)3

Capillary gas chromatographic determination of putrescine and cadaverine in serum of cancer patients using trifluoroacetylacetone as derivatizing reagent 723(1999)17

Derivatization, GC-MS

Gas chromatographic–mass spectrometric determination of urinary oxoacids using *O*-(2,3,4,5,6-pentafluorobenzyl)oximetrimethylsilyl ester derivatization and cation-exchange chromatography 719(1998)1

Derivatization, LC

Pre-column derivatisation method for the measurement of glycosylated hydroxylysines of collagenous proteins 703(1997)267

Study of factors affecting the determination of total plasma 7-fluorobenzo-2-oxa-1,3-diazole-4-sulfonate (SBD)-thiol derivatives by liquid chromatography 706(1998)209

Reversed-phase liquid chromatographic method for the determination of 7-nitrobenz-2-oxa-1,3-diazol-4-yl-labelled lipid analogues 710(1998)9

Development of a sensitive and quantitative analytical method for 1*H*-4-substituted imidazole histamine H₃-receptor antagonists utilizing high-performance liquid chromatography and dabsyl derivatization 716(1998)239

High-performance liquid chromatographic method for measuring total plasma homocysteine levels 719(1998)31

Determination of cellular thiols and glutathione-related enzyme activities: versatility of high-performance liquid chromatography-spectrofluorimetric detection 719(1998)37

Quantitative determination of the macrolide antibiotics erythromycin, roxithromycin, azithromycin and clarithromycin in human serum by high-performance liquid chromatography using pre-column derivatization with 9-fluorenylmethyloxycarbonyl chloride and fluorescence detection 720(1998)89

High-performance liquid chromatographic method for quantification of busulfan in plasma after derivatization by tetrafluorothiophenol 721(1998)147

Diastereoisomer separation

Sensitive chiral high-performance liquid chromatographic assay for labetalol in biological fluids 704(1997)215

Differentiation

Methods for the differentiation of microorganisms 722(1999)263

Diffusion nuclear magnetic resonance

Nuclear magnetic resonance chromatography: applications of pulse field gradient diffusion NMR to mixture analysis and ligand–receptor interactions 725(1999)79

Discrimination limit

Discrimination limit for purity test of human insulin by capillary electrophoresis 703(1997)139

Displacement chromatography

Preliminary report on fractionation of fucans by ion-exchange displacement centrifugal partition chromatography 706(1998)43

Purification of chemically synthesised dinucleoside(5',5') polyphosphates by displacement chromatography 719(1998)63

Dissociation

Association and dissociation properties of natural human interferon γ 723(1999)25

Dissociation constants

Determination of dissociation constants of polyprotic acids from chromatographic data 717(1998)39

Determination of the dissociation constants of ropinirole and some impurities and their quantification using capillary zone electrophoresis 720(1998)197

Diurnal rhythm

Rapid and selective method for norepinephrine in rat urine using reversed-phase ion-pair high-performance liquid chromatography-tandem mass spectrometry 718(1998)225

Doping control

Short column gas chromatography-mass spectrometry and principal component analysis for the identification of coeluted substances in doping control analysis 706(1998)245

Drug binding

New mathematical approach for the evaluation of drug binding to human serum albumin by high-performance liquid affinity chromatography 707(1998)143

Drug discovery

see also Special Issue

Methods of screening combinatorial libraries using immobilized or restrained receptors 725(1999)113

Drug-membrane partitioning

Avidin-biotin immobilization of unilamellar liposomes in gel beads for chromatographic analysis of drug-membrane partitioning 707(1998)131

Drug metabolism

Analysis of compounds containing carboxyl groups in biological fluids by capillary electrophoresis 717(1998)327

Drug-protein interactions

Development of tryptophan-modified human serum albumin columns for site-specific studies of drug-protein interactions by high-performance affinity chromatography 715(1998)183

Dve-ligand chromatography

Interaction of lactate dehydrogenase with anthraquinone dyes: characterization of ligands for dye-ligand chromatography 715(1998)273

Dynamic headspace

Specific determination of benzene in urine using dynamic headspace and mass-selective detection 721(1998)39



Edman degradation technique

Ring test for the determination of N-terminal valine adducts of styrene 7,8-oxide with haemoglobin by the modified Edman degradation technique 702(1997)77

Eggs

Determination of warfarin in the yolk and the white of hens' eggs by reversed-phase high-performance liquid chromatography 702(1997)143

Egg white

Comparison of three liquid chromatographic methods for eggwhite protein analysis 723(1999)69

Electrospray ionization

Analytical development of electrospray and nanoelectrospray mass spectrometry in combination with liquid chromatography for the characterization of proteins 706(1998)91

Enantiomer separation

Stereospecific analysis of the major metabolites of ibuprofen in urine by sequential achiral-chiral high-performance liquid chromatography 701(1997)53

Determination of unbound warfarin enantiomers in human plasma and 7-hydroxywarfarin in human urine by chiral stationary-phase liquid chromatography with ultraviolet or fluorescence and on-line circular dichroism detection 701(1997)71

Pharmacokinetic behaviour of R-(+)- and S-(-)-amlodipine after single enantiomer administration 703(1997)185

Simultaneous analysis of lignocaine and bupivacaine enantiomers in plasma by high-performance liquid chromatography 703(1997)203

Resolution and quantitation of pentazocine enantiomers in human serum by reversed-phase high-performance liquid chromatography using sulfated β -cyclodextrin as chiral mobile phase additive and solid-phase extraction 703(1997)273

Determination of gacyclidine enantiomers in human plasma by gas chromatography-mass spectrometry using selected-ion monitoring 704(1997)167

Sensitive chiral high-performance liquid chromatographic assay for labetalol in biological fluids 704(1997)215

Tissue extraction and high-performance liquid chromatographic determination of ketoprofen enantiomers 705(1998)295

Solid-phase extraction-high-perfomance liquid chromatography determination of verapamil and norverapamil enantiomers in urine 707(1998)161

Determination of the enantiomers of chlorpheniramine and its main monodesmethyl metabolite in urine using achiral-chiral liquid chromatography 707(1998)235

Enantiomeric separation of tramadol hydrochloride and its metabolites by cyclodextrin-mediated capillary zone electrophoresis 707(1998)287

Enantioselective analysis of propafenone in plasma using a polysaccharide-based chiral stationary phase under reversed-phase conditions 708(1998)177

Simultaneous determination of the stereoisomers of guggulsterone in serum by high-performance liquid chromatography 708(1998)243

Comparison of chiral recognition capabilities of cyclodextrins for the separation of basic drugs in capillary zone electrophoresis 708(1998)257

Investigation of the stereoselective metabolism of praziquantel after incubation with rat liver microsomes by capillary electrophoresis and liquid chromatography–mass spectrometry 708(1998)267

Direct enantioseparation of some β-adrenergic blocking agents using impregnated thin-layer chromatography 708(1998)330

Stereoselective determination of *R*,*S*-2-[4-(3-methyl-2-thienyl)phenyl]propionic acid and its taurine conjugates in dog urine by high-performance liquid chromatography 709(1998)105

Simultaneous determination of albendazole sulfoxide enantiomers and albendazole sulfone in plasma 709(1998)273

Selection of internal standard for quantitative analysis of enantiomers following precolumn chiral derivatization 709(1998)321

Quantitative determination of disopyramide, verapamil and flecainide enantiomers in rat plasma and tissues by high-performance liquid chromatography 710(1998)129

Chiral phase analysis of warfarin enantiomers in patient plasma in relation to CYP2C9 genotype 710(1998)143

Validated chiral high-performance liquid chromatographic method for the determination of *trans*-(-)-paroxetine and its enantiomer in bulk and pharmaceutical formulations 710(1998)157

Methylated $N\varepsilon$ -dansyl-L-lysine as a fluorogenic reagent for the chiral separation of carboxylic acids 710(1998)211

Chiral chromatographic method to determine the enantiomers of halofantrine and its main chiral desbutyl metabolite in erythrocytes 712(1998)259

Determination of chiral pharmaceutical compounds, terbutaline, ketamine and propranolol, by on-line capillary electrophoresis-electrospray ionization mass spectrometry 714(1998)69

Enantioselective multidimensional gas chromatography—mass spectrometry in the analysis of urinary organic acids 714(1998)119

Stereoselective binding of ketoprofen enantiomers to human serum albumin studied by high-performance liquid affinity chromatography 714(1998)277

Determination of pindolol enantiomers in human plasma and urine by simple liquid-liquid extraction and high-performance liquid chromatography 715(1998)409

High-performance liquid chromatographic assay of (±)-ethopropazine and its enantiomers in rat plasma 715(1998)417

High-performance liquid chromatographic analysis of vigabatrin enantiomers in human serum by precolumn derivatization with *o*-phthaldialdehyde–*N*-acetyl-_L-cysteine and fluorescence detection 716(1998)233

Chiral separation of pharmaceuticals possessing a carboxy moiety 717(1998)295

High-performance liquid chromatographic separation and nanogram quantitation of bupivacaine enantiomers in blood 719(1998)135

High-performance liquid chromatographic determination of erdosteine and its optical active metabolite utilizing a fluorescent chiral tagging reagent, *R*-(-)-4-(*N*,*N*-dimethylaminosulfonyl)-7-(3-aminopyrrolidin-1-yl) -2,1,3-benzoxadiazole 719(1998)177

Analysis of the enantiomers of citalopram and its demethylated metabolites using chiral liquid chromatography 719(1998)234

Enantioselective determination of propafenone and its metabolites in human plasma by liquid chromatography-mass spectrometry 721(1998)67

Analytical methodology for enantiomers of salbutamol in human urine for application in doping control 723(1999)173

Improved method of determining thiamylal enantiomers in human serum by high-performance liquid chromatography 723(1999)307

Enantioselective high-performance liquid chromatographic method for the determination of methodone and its main metabolite in urine using an AGP and a C_8 column coupled serially 724(1999)35

Chiral high-performance liquid chromatographic analysis of enantiomers of losigamone, a new candidate antiepileptic drug 724(1999)101

Enantioselective binding

Modified cyclodextrins as chiral selectors: molecular modelling investigations on the enantioselective binding properties of heptakis(2,3-di-O-methyl-6-O-*tert*.-butyldimethylsilyl)-β-cyclodextrin 708(1998)1

Encapsulation

Methodology for vesicle permeability study by highperformance gel exclusion chromatography 706(1998)141

Endosomes

Effect of centrifugation on separation by aqueous two-phase partition of an early and late endosome model using inside-out plasma membrane vesicles from plants 711(1998)195

Enterobacter agglomerans

Assay of nicotinamide deamidase activity using highperformance liquid chromatography 720(1998)59

Enzyme-substrate interactions

Utilization of enzyme-substrate interactions in analytical chemistry 722(1999)279

Erythrocytes

Gas chromatographic analysis of resveratrol in plasma, lipoproteins and cells after in vitro incubations 702(1997)103

Euphausia superba

Separation of proteolytic enzymes originating from Antarctic krill (*Euphausia superba*) by capillary electrophoresis 705(1998)231

Evaporative light scattering detection

Application of evaporative light scattering detection to the characterization of combinatorial and parallel synthesis libraries for pharmaceutical drug discovery 725(1999)103

Exfoliation syndrome

Profiling of the eye aqueous humor in exfoliation syndrome by high-performance liquid chromatographic analysis of hyaluronan and galactosaminoglycans 709(1998)173

Exhaled air

Method for analysis of exhaled air by microwave energy desorption coupled with gas chromatography—flame ionization detection—mass spectrometry 716(1998)27

Expanded bed adsorption

Purification of a recombinant protein expressed in yeast: optimization of analytical and preparative chromatography 706(1998)113

Explosive residue

Novel electrolyte for the analysis of cations in low explosive residue by capillary electrophoresis 714(1998)105

Extraction methods

Solid-phase extraction procedures in systematic toxicological analysis 713(1998)51

Extractive methylation

Detection of 4-hydroxycoumarin anticoagulants and their metabolites in urine as part of a systematic toxicological analysis procedure for acidic drugs and poisons by gas chromatography—mass spectrometry after extractive methylation 714(1998)181

F

Fecal pollution

New method for determination of fecal sterols in urine using non-chlorinated solvents 713(1998)438

Film electrodes

Disposable, enzymatically modified printed film carbon electrodes for use in the high-performance liquid chromatographic–electrochemical detection of glucose or hydrogen peroxide from immobilized enzyme reactors 707(1998)3

Flory-Huggins theory

Driving forces for phase separation and partitioning in aqueous two-phase systems 711(1998)3

Flow injection analysis

Bioseparation and bioanalytical techniques in environmental monitoring 715(1998)211

Flow-through dispenser

Sample enrichment in a single levitated droplet for capillary electrophoresis 714(1998)39

Fluorescence

Quantitation of *N*-ethyl-3,4-methylenedioxyamphetamine and its major metabolites in human plasma by high-performance liquid chromatography and fluorescence detection 719(1998)79

Fluorescence polarization

Competitive immunoassay for cyclosporine using capillary electrophoresis with laser induced fluorescence polarization detection 714(1998)59

Foam separation

Protein recovery using gas-liquid dispersions 711(1998)31

Fourier transform infrared spectroscopy

Role of Fourier transform infrared spectroscopy in the rehearsal phase of combinatorial chemistry: a thin-layer chromatography equivalent for on-support monitoring of solid-phase organic synthesis 725(1999)91



Gel fiberglass membranes

Gel fiberglass membranes for affinity chromatography columns and their application to cancer detection 715(1998)297

Gel filtration

Isolation of the factor VIII-von Willebrand factor complex directly from plasma by gel filtration 715(1998)357

Gel structure

Advances in the separation of bacteriophages and related particles 722(1999)179

Generalized H-point standard addition method

New spectrophotometric procedure for determining cefotaxime based on derivatization with 1,2-naphthoquinone-4-sulphonate into solid-phase extraction cartridges — application to pharmaceutical and urine samples 718(1998)143

Genetic engineering

Genetic engineering of streptavidin, a versatile affinity tag 715(1998)85

Genetic variants

Study of the expression of the genetic variants of human α_1 -acid glycoprotein in healthy subjects using isoelectric focusing and immunoblotting 715(1998)103

Changes in expression and microheterogeneity of the genetic variants of human α_1 -acid glycoprotein in malignant mesothelioma 715(1998)111

Glycoaffinity chromatography

Glycoaffinity chromatography and biological recognition 715(1998)153

Griess assay

Measurement of nitrite and nitrate in plasma, serum and urine of humans by high-performance liquid chromatography, the Griess assay, chemiluminescence and gas chromatography—mass spectrometry: Interferences by biogenic amines and $N^{\rm G}$ -nitro-L-arginine analogs 715(1998)441



Hair analysis

Testing for drugs in hair. Critical review of chromatographic procedures since 1992 713(1998)147

Immunological screening of drugs of abuse and gas chromatographic—mass spectrometric confirmation of opiates and cocaine in hair 724(1999)9

Heart

Simultaneous detection of reduced and oxidized glutathione in tissues and mitochondria by capillary electrophoresis 707(1998)301

Heat stress-induced translocation

Selective separation process of proteins based on the heat stress-induced translocation across phospholipid membranes 711(1998)111

High-performance affinity chromatography

Influence of the nature of coupling agents on insulin adsorption on supports grafted with sialic acid for high-performance affinity chromatography 706(1998)33

High-throughput sample preparation

High-throughput solid-phase extraction for the determination of cimetidine in human plasma 714(1998)361

High-throughput screening

see also Special Issue Index

High-performance liquid chromatographic-electrospray ionization mass spectrometric analyses for the integration of natural products with modern high-throughput screening 725(1999)67

Human adipose tissue

Determination of the molecular species composition of diacylglycerols in human adipose tissue by solid-phase extraction and gas chromatography on a polar phase 714(1998)127

Human plasma

Simple and sensitive method for determination of metronidazole in human serum by high-performance liquid chromatography 720(1998)239

Human urine

Simple and sensitive high-performance liquid chromatographic determination of methamphetamines in human urine as derivatives of 4-(4,5-diphenyl-1H-imidazol-2-yl) benzoyl chloride, a new fluorescence derivatization reagent 712(1998)105

Hybridization

Analysis of polymerase chain reaction products by highperformance liquid chromatography with fluorimetric detection and its application to DNA diagnosis 716(1998)119

Hydrophobicity

Enzyme release from heat-stressed cell membranes as a function of hydrophobicity evaluated by using aqueous two-phase systems 711(1998)217

Effect of separation conditions on chromatographic determination of hydrophobicity of acidic xenobiotics 717(1998)125

Hydroxy-apatite chromatography

Purification of a 41 kDa cod-allergenic protein 706(1998)63

Hyperbilirubinemia

Bilirubin removal from human plasma in a packed-bed column system with dye-affinity microbeads 707(1998)25

Hypercholesterolemia

Anion-exchange high-performance liquid chromatographic assay of plasma lipoproteins of rabbits, rats and mice 716(1998)57



IgE reactive protein bands

Purification of a 41 kDa cod-allergenic protein 706(1998)63

Immobilization

Study of an anti-human transthyretin immunoadsorbent. Influence of coupling chemistry on binding capacity and ligand leakage 705(1998)213

Immobilized enzyme reactor

On-line deconjugation of glucuronides using an immobilized enzyme reactor based upon β -glucuronidase 715(1998)379

Immune response

Affinity electrophoresis and its applications to studies of immune response 715(1998)125

Immunoadsorbents

Study of an anti-human transthyretin immunoadsorbent. Influence of coupling chemistry on binding capacity and ligand leakage 705(1998)213

Immunoaffinity chromatography

Survey of recent advances in analytical applications of immunoaffinity chromatography 715(1998)3

Bioseparation and bioanalytical techniques in environmental monitoring 715(1998)211

Immunoaffinity column

Use of an immunoaffinity column for tetrachlorodibenzo-p-dioxin serum sample cleanup 705(1998)261

Immunoassays

Competitive immunoassay for cyclosporine using capillary electrophoresis with laser induced fluorescence polarization detection 714(1998)59

Bioseparation and bioanalytical techniques in environmental monitoring 715(1998)211

Immunomagnetic separation

Use of magnetic techniques for the isolation of cells 722(1999)33

Immunosensors

Bioseparation and bioanalytical techniques in environmental monitoring 715(1998)211

Inclusion bodies

Aqueous two-phase systems as an alternative process route for the fractionation of small inclusion bodies 711(1998)185

Indirect detection

Separation of a range of cations by nonaqueous capillary electrophoresis using indirect and direct detection 714(1998)99

Influenza

High-performance liquid chromatographic determination of GS4071, a potent inhibitor of influenza neuraminidase, in plasma by precolumn fluorescence derivatization with naphthalenedialdehyde 716(1998)267

Influenza virus

Covalent chromatography of influenza virus membrane M1 protein on activated thiopropyl Sepharose-6B 706(1998)83

Injection

Sample enrichment in a single levitated droplet for capillary electrophoresis 714(1998)39

Injection valve

Automated sample introduction for an imaged capillary isoelectric focusing instrument via high-performance liquid chromatography sampling devices 714(1998)113

Inorganic particles

Capillary electrophoresis of subcellular-sized particles 722(1999)1

Interfacial tension

Interfacial tension of aqueous two-phase systems containing poly(ethylene glycol) and dipotassium hydrogenphosphate 711(1998)313

Interlaboratory study

How to better define the characteristics of dispersion of results in liquid chromatographic analyses through an interlaboratory study. Example of collaborative studies on ketoprofen and spiramycin 708(1998)131

Internal standard

Lipophilic benzamide and anilide derivatives as highperformance liquid chromatography internal standards: application to sirolimus (rapamycin) determination 703(1997)243

Internal standard selection

Selection of internal standard for quantitative analysis of enantiomers following precolumn chiral derivatization 709(1998)321

Ion-trap mass spectrometry

Quantitative capillary electrophoresis—ion-trap mass spectrometry determination of methylphenidate in human urine 707(1998)275

Isocratic elution

Liquid chromatography of guanidino compounds using a porous graphite carbon column and application to their analysis in serum 707(1998)111

Isoenzymes

Characterization of isoforms of human mitochondrial creatine kinase by isoelectric focusing 721(1999)171

Hydrophobic interaction chromatography and capillary zone electrophoresis to explore the correlation between the isoenzymes of salivary α -amylase and dental caries 724(1999)381

Isotopes

Method for simultaneous measurements of traces of heptadeuterated cholesterol and cholesterol by gas chromatography-mass spectrometry: application in humans 718(1998)23



K562 cells

Control of hemoglobin synthesis in erythroid differentiating K562 cells. II. Studies of iron mobilization in erythroid cells by high-performance liquid chromatography–electrochemical detection 705(1998)193

Kinetics

On the kinetics of phase separation in aqueous two-phase systems 711(1998)319

L

Large particle fractionation

Advances in the separation of bacteriophages and related particles 722(1999)179

LC-MS-MS

Sensitive and specific liquid chromatographic-tandem mass spectrometric assay for barnidipine in human plasma 719(1998)113

Library analysis

Application of evaporative light scattering detection to the characterization of combinatorial and parallel synthesis libraries for pharmaceutical drug discovery 725(1999)103

Library deconvolution

Physico-chemical and biological analysis of true combinatorial libraries 725(1999)17

Lipoprotein particles

Capillary electrophoresis of subcellular-sized particles 722(1999)1

Liposomes

Methodology for vesicle permeability study by highperformance gel exclusion chromatography 706(1998)141

Capillary electrophoresis of subcellular-sized particles 722(1999)1

Chromatographic approaches to liposomes, proteoliposomes and biomembrane vesicles 722(1999)103

Liquid-liquid extraction

Quantitation of psilocin in human plasma by high-performance liquid chromatography and electrochemical detection: comparison of liquid-liquid extraction with automated on-line solid-phase extraction 709(1998)255

Liver

Simultaneous detection of reduced and oxidized glutathione in tissues and mitochondria by capillary electrophoresis 707(1998)301



Macroporous membrane ion exchangers

Characterization and application of new macroporous membrane ion exchangers 706(1998)13

Magnetic separation

Use of magnetic techniques for the isolation of cells 722(1999)33

Malignant mesothelioma

Changes in expression and microheterogeneity of the genetic variants of human α_1 -acid glycoprotein in malignant mesothelioma 715(1998)111

Mass spectrometry

Analytical development of electrospray and nanoelectrospray mass spectrometry in combination with liquid chromatography for the characterization of proteins 706(1998)91

Development of a coupled-column liquid chromatographic—tandem mass spectrometric method for the direct determination of betamethasone in urine 713(1998)339

Impact of mass spectrometry on combinatorial chemistry 725(1999)49

Membrane chromatography

Purification of immunoglobulins G by protein A/G affinity membrane chromatography 723(1999)61

Membrane vesicles

Chromatographic approaches to liposomes, proteoliposomes and biomembrane vesicles 722(1999)103

Methylation

Correlation analysis between fatty acid compositions of zooplankter individuals, fed on different phytoplankton species by means of pyrolysis–gas chromatography combined with online methylation 716(1998)39

Micellar electrokinetic capillary chromatography

see also Capillary electrophoresis

Separation of the glucuronides of entacapone and its (Z)-isomer in urine by micellar electrokinetic capillary chromatography 721(1998)127

Micellar electrokinetic chromatography

see also Capillary electrophoresis

Direct assay of nonopioid analgesics and their metabolites in human urine by capillary electrophoresis and capillary electrophoresis—mass spectrometry 721(1998)109

Microdialysate

Capillary electrophoresis with laser-induced fluorescence: a routine method to determine moxifloxacin in human body fluids in very small sample volumes 716(1998)325

Microorganisms

Surface characterization and on-line activity measurements of microorganisms by capillary zone electrophoresis 721(1998)31

Methods for the differentiation of microorganisms 722(1999)263

Microsomes

Capillary electrophoresis of subcellular-sized particles 722(1999)1

Microtitre

High-throughput solid-phase extraction for the determination of cimetidine in human plasma 714(1998)361

Military waste

Analysis of nitroaromatic compounds in urine by gas chromatography—mass spectrometry for the biological monitoring of explosives 710(1998))91

Milk

Effect of pasteurization and storage on some components of pooled human milk 704(1997)1

Mitochondria

Simultaneous detection of reduced and oxidized glutathione in tissues and mitochondria by capillary electrophoresis 707(1998)301

Mixture analysis

Nuclear magnetic resonance chromatography: applications of pulse field gradient diffusion NMR to mixture analysis and ligand–receptor interactions 725(1999)79

Mobile phases, LC

Role of stationary phase and eluent composition on the determination of $\log P$ values of N-hydroxyethylamide of aryloxyalkylen and pyridine carboxylic acids by reversed-phase high-performance liquid chromatography 714(1998)247

Mobility ratios

Use of mobility ratios to estimate binding constants of ligands to proteins in affinity capillary electrophoresis 715(1998)203

Molecular diversity

Combinatorial chemistry, automation and molecular diversity: new trends in the pharmaceutical industry 725(1999)3

Molecular imprinting

Affinity capillary electrophoresis: important application areas and some recent developments 715(1998)29

Molecular modelling

Modified cyclodextrins as chiral selectors: molecular modelling investigations on the enantioselective binding properties of heptakis(2,3-di-O-methyl-6-O-*tert*.-butyldimethylsilyl)- β -cyclodextrin 708(1998)1

Molecular sieves

High-performance liquid chromatographic determination of drugs and metabolites in human serum and urine using direct injection and a unique molecular sieve 709(1998)89

Mueller-Hinton broth

Fully automated high-performance liquid chromatography of ciprofloxacin with direct injection of plasma and Mueller—Hinton broth for pharmacokinetic/pharmacodynamic studies 714(1998)317

Multiple analyte analysis

Recycling immunoaffinity chromatography for multiple analyte analysis in biological samples 715(1998)55

Mycobacterium tuberculosis

Three-step purification of lipopolysaccharide-free, polyhistidinetagged recombinant antigens of *Mycobacterium tuberculosis* 714(1998)223



NADH-binding-site

Interaction of lactate dehydrogenase with anthraquinone dyes: characterization of ligands for dye-ligand chromatography 715(1998)273

Nanoelectrospray ionization

Analytical development of electrospray and nanoelectrospray mass spectrometry in combination with liquid chromatography for the characterization of proteins 706(1998)91

Nano-HPLC

Investigation of the in vitro biotransformation of R-(+)-thalidomide by HPLC, nano-HPLC, CEC and HPLC-APCI-MS 723(1999)255

Natural products

High-performance liquid chromatographic-electrospray ionization mass spectrometric analyses for the integration of natural products with modern high-throughput screening 725(1999)67

Nonaqueous capillary electrophoresis

Nonaqueous capillary electrophoresis with laser induced fluorescence detection 718(1998)15

Non-ionic surfactants

Capillary electrophoretic behavior of milk proteins in the presence of non-ionic surfactants 706(1998)3



Oligomerization

Characterization of the oligomeric behavior of a 16.5 kDa peanut oleosin by chromatography and electrophoresis of the iodinated form 706(1998)131

On-line deconjugation

On-line deconjugation of glucuronides using an immobilized enzyme reactor based upon β -glucuronidase 715(1998)379

Organelles

Subcellular fractionation, electromigration analysis and mapping of organelles 722(1999)89

Organic particles

Capillary electrophoresis of subcellular-sized particles 722(1999)1

Organic sythesis

Role of Fourier transform infrared spectroscopy in the rehearsal phase of combinatorial chemistry: a thin-layer chromatography equivalent for on-support monitoring of solid-phase organic synthesis 725(1999)91

Organic two-phase system

Fractionation of wheat gliadins by counter-current distribution using an organic two-phase system 711(1998)245

Oriented immobilization

Oriented immobilization of biologically active proteins as a tool for revealing protein interactions and function 722(1999)11

Oxidative stress

Isotope dilution high-performance liquid chromatography– electrospray tandem mass spectrometry assay for the measurement of 8-oxo-7,8-dihydro-2'-deoxyguanosine in biological samples 715(1998)349



Parallel synthesis

Analyses of compound libraries obtained by high-throughput parallel synthesis: strategy of quality control by high-performance liquid chromatography, mass spectrometry and nuclear magnetic resonance techniques 725(1999)39

Partitioning

see also Special Issue Index

Driving forces for phase separation and partitioning in aqueous two-phase systems 711(1998)3

Influence of temperature upon protein partitioning in poly(ethylene glycol)–salt aqueous two-phase systems close to the critical point with some observations relevant to the partitioning of particles 711(1998)19

Consistent view of electrolytes in aqueous two-phase systems 711(1998)45

Influence of system and process parameters on partitioning of cheese whey proteins in aqueous two-phase systems 711(1998)81

Salt-steered partitioning of proteins in polymeric two-phase systems based on *N,N*-dimethylformamide 711(1998)117

Separation of proteins and viruses using two-phase aqueous micellar systems 711(1998)127

Concentration and purification of β -glucosidase from *Aspergillus niger* by using aqueous two-phase partitioning 711(1998)161

Separation and recovery of food coloring dyes using aqueous biphasic extraction chromatographic resins 711(1998)237

Fractionation of wheat gliadins by counter-current distribution using an organic two-phase system 711(1998)245

Partitioning of small organic molecules in aqueous biphasic systems 711(1998)255

Partitioning of mercury in aqueous biphasic systems and on ABECTM resins 711(1998)277

Variation of penicillin acylase partition coefficient with phase volume ratio in poly(ethylene glycol)–sodium citrate aqueous two-phase systems 711(1998)295

Aqueous two-phase partitioning sample preparation prior to liquid chromatography of hydrophilic drugs in blood 716(1998)293

Surface affinity chromatography of human peripheral blood cells 722(1999)71

Pharmacokinetics

Determination of acetylsalicylic acid and salicylic acid in skin and plasma by high-performance liquid chromatography 705(1998)309

Phase inversion

Aqueous two-phase systems for protein separation. Studies on phase inversion 711(1998)285

Phase separation

On the kinetics of phase separation in aqueous two-phase systems 711(1998)319

Phospholipid membranes

Selective separation process of proteins based on the heat stress-induced translocation across phospholipid membranes 711(1998)111

Photodegradation

High-performance liquid chromatographic determination and identification of acyl migration and photodegradation products of furosemide 1-O-acyl glucuronide 718(1998)153

Plant membranes

Separation of plant membranes by electromigration techniques 722(1999)121

Plasma

Quantitation of *N*-ethyl-3,4-methylenedioxyamphetamine and its major metabolites in human plasma by high-performance liquid chromatography and fluorescence detection 719(1998)79

High-performance liquid chromatographic determination of ropivacaine, 3-hydroxy-ropivacaine, 4-hydroxy-ropivacaine and 2',6'-pipecoloxylidide in plasma 719(1998)239

Quantitative determination of cefepime in plasma and vitreous fluid by high-performance liquid chromatography 721(1999)249

Plasma fractionation

Application of bioaffinity technology in therapeutic extracorporeal plasmapheresis and large-scale fractionation of human plasma 715(1998)65

Plasmapheresis

Application of bioaffinity technology in therapeutic extracorporeal plasmapheresis and large-scale fractionation of human plasma 715(1998)65

Plasma samples

Evaluation of liquid chromatographic behavior of restrictedaccess media precolumns in the course of direct injection of large volumes of plasma samples in column-switching systems 704(1997)53

Plasma serotonin

Plasma serotonin monitoring by blood microdialysis coupled to high-performance liquid chromatography with electrochemical detection in humans 720(1998)33

Platelets

Gas chromatographic analysis of resveratrol in plasma, lipoproteins and cells after in vitro incubations 702(1997)103

Polyalkylcyanoacrylate nanoparticles

On the use of ion-pair chromatography to elucidate doxorubicin release mechanism from polyalkylcyanoacrylate nanoparticles at the cellular level 702(1997)181

Polymerase chain reaction

On-line coupling of polymerase chain reaction and capillary electrophoresis for automatic DNA typing and HIV-1 diagnosis 714(1998)3

Analysis of polymerase chain reaction products by highperformance liquid chromatography with fluorimetric detection and its application to DNA diagnosis 716(1998)119

Polymeric two-phase systems

Surface affinity chromatography of human peripheral blood cells 722(1999)71

Polymer-protein interactions

Polymer–protein interactions in aqueous two phase systems: fluorescent studies of the partition behaviour of human serum albumin 711(1998)69

Polyneuropathy

Study of an anti-human transthyretin immunoadsorbent. Influence of coupling chemistry on binding capacity and ligand leakage 705(1998)213

Polystyrene-size standards

Capillary electrophoresis of subcellular-sized particles 722(1999)1

Porous graphitized carbon columns

Liquid chromatography of guanidino compounds using a porous graphite carbon column and application to their analysis in serum 707(1998)111

Preconcentration

Protein analysis by membrane preconcentration—capillary electrophoresis: systematic evaluation of parameters affecting preconcentration and separation 713(1998)301

Sample enrichment in a single levitated droplet for capillary electrophoresis 714(1998)39

Affinity capillary electrophoresis: important application areas and some recent developments 715(1998)29

Preparative chromatography

Rapid purification and properties of human glycodelin (endometrial α_2 -globulin) 704(1997)25

Principal component analysis

Short column gas chromatography-mass spectrometry and principal component analysis for the identification of coeluted substances in doping control analysis 706(1998)245

Proficiency testing program

Quality control in toxicological analysis 713(1998)227

Protein binding

Determination of non-protein bound phenylbutazone in bovine plasma using ultrafiltration and liquid chromatography with ultraviolet detection 721(1998)141

Protein-drug binding

Vacancy affinity capillary electrophoresis to study competitive protein-drug binding 710(1998)205

Protein-ligand interactions

Potential of biosensor technology for the characterization of interactions by quantitative affinity chromatography 715(1998)163

Protein-membrane interactions

Immobilized liposome chromatography for studies of protein– membrane interactions and refolding of denatured bovine carbonic anhydrase 712(1998)59

${\bf Proteinuria,\ chemotherapy-induced}$

Monitoring of chemotherapy-induced proteinuria using capillary zone electrophoresis 721(1999)207

Proteoliposomes

Chromatographic approaches to liposomes, proteoliposomes and biomembrane vesicles 722(1999)103

Proteome technique

Characterization of a *Helicobacter pylori* vaccine candidate by proteome techniques 714(1998)325

Pulsed-field gel electrophoresis

Advances in the separation of bacteriophages and related particles 722(1999)179

Pulse field gradient

Nuclear magnetic resonance chromatography: applications of pulse field gradient diffusion NMR to mixture analysis and ligand–receptor interactions 725(1999)79

Purification

Efficient bispecific monoclonal antibody purification using gradient thiophilic affinity chromatography 714(1998)161

Three-step purification of lipopolysaccharide-free, polyhistidine-tagged recombinant antigens of *Mycobacterium tuberculosis* 714(1998)223

Pvrolvsis

Correlation analysis between fatty acid compositions of zooplankter individuals, fed on different phytoplankton species by means of pyrolysis–gas chromatography combined with online methylation 716(1998)39



Quality control

Quality control in toxicological analysis 713(1998)227

Quantitative analysis

Use of generic fast gradient liquid chromatography-tandem mass spectroscopy in quantitative bioanalysis 709(1998)243

Quantitative structure-activity relationship

Application of chiral chromatographic parameters in quantitative structure–activity relationship analysis of homologous malathion derivatives 720(1998)65



Radiotracer

Separation of metalloprotein complexes in serum by size-exclusion chromatography. Optimisation of the separation parameters retention behaviour and recovery employing radiotracers 707(1998)17

Rat retina

Determination of melatonin in rat pineal, plasma and retina by high-performance liquid chromatography with electrochemical detection 709(1998)11

Recycling immunoaffinity chromatography

Recycling immunoaffinity chromatography for multiple analyte analysis in biological samples 715(1998)55

Red blood cells

Surface and metabolic properties of microcytic and macrocytic human anaemic red blood cells detected in polymer aqueous two-phase systems 711(1998)301

Redox enzymatic reaction

Surface characterization and on-line activity measurements of microorganisms by capillary zone electrophoresis 721(1998)31

Restricted-access media precolumns

Evaluation of liquid chromatographic behavior of restrictedaccess media precolumns in the course of direct injection of large volumes of plasma samples in column-switching systems 704(1997)53

Restricted access medium

Method for the preparation of restricted access media by lowtemperature plasma treatment 705(1998)55

Retention data

Retention data from affinity high-performance liquid chromatography in view of chemometrics 715(1998)229

Reviews

L-Carnitine moiety assay: an up-to-date reappraisal covering the commonest methods for various applications (Review) 702(1997)1

Liquid chromatography-mass spectrometry in forensic and clinical toxicology (Review) 713(1998)3

Determination of illicit and/or abused drugs and compounds of forensic interest in biosamples by capillary electrophoretic/electrokinetic methods (Review) 713(1998)27

Solid-phase extraction procedures in systematic toxicological analysis (Review) 713(1998)51

Derivatization procedures for gas chromatographic—mass spectrometric determination of xenobiotics in biological samples, with special attention to drugs of abuse and doping agents (Review) 713(1998)61

Determination of drugs of abuse in blood (Review) 713(1998)91

Testing for drugs of abuse in saliva and sweat (Review) 713(1998)111

Determination of drugs of abuse in meconium (Review) 713(1998)137

Testing for drugs in hair. Critical review of chromatographic procedures since 1992 (Review) 713(1998)147

Determination of amphetamine, methamphetamine and amphetamine-derived designer drugs or medicaments in blood and urine (Review) 713(1998)163

Determination of lysergide (LSD) and phencyclidine in biosamples (Review) 713(1998)189

Methods for the measurement of benzodiazepines in biological samples (Review) 713(1998)201

Quality control in toxicological analysis (Review) 713(1998)227

Determination of biological markers for alcohol abuse (Review) 713(1998)245

Survey of recent advances in analytical applications of immunoaffinity chromatography (Review) 715(1998)3

Affinity capillary electrophoresis: important application areas and some recent developments (Review) 715(1998)29

Application of bioaffinity technology in therapeutic extracorporeal plasmapheresis and large-scale fractionation of human plasma (Review) 715(1998)65

Genetic engineering of streptavidin, a versatile affinity tag (Review) 715(1998)85

Affinity electrophoresis and its applications to studies of immune response (Review) 715(1998)125

Glycoaffinity chromatography and biological recognition (Review) 715(1998)153

Potential of biosensor technology for the characterization of interactions by quantitative affinity chromatography (Review) 715(1998)163

Bioseparation and bioanalytical techniques in environmental monitoring (Review) 715(1998)211

Retention data from affinity high-performance liquid chromatography in view of chemometrics (Review) 715(1998)229

Cellulose as a (bio)affinity carrier: properties, design and applications (Review) 715(1998)245

Gel fiberglass membranes for affinity chromatography columns and their application to cancer detection (Review) 715(1998)297

Use of a heterodimeric coiled-coil system for biosensor application and affinity purification (Review) 715(1998)307

Carboxylic acids: prediction of retention data from chromatographic and electrophoretic behaviours (Review) 717(1998)3

Retention behaviours and separation of carboxylic acids by ionexchange chromatography (Review) 717(1998)27

Determination of dissociation constants of polyprotic acids from chromatographic data (Review) 717(1998)39

Chloroformates in gas chromatography as general purpose derivatizing agents (Review) 717(1998)57

Chromatographic separations of aromatic carboxylic acids (Review) 717(1998)93

Determination of free radical reaction products and metabolites of salicylic acid using capillary electrophoresis and micellar electrokinetic chromatography (Review) 717(1998)119

Effect of separation conditions on chromatographic determination of hydrophobicity of acidic xenobiotics (Review) 717(1998)125

Sample preparation and high-resolution separation of mycotoxins possessing carboxyl groups (Review) 717(1998)135

Phenoxyacetic acids: separation and quantitative determination (Review) 717(1998)157

Analysis and evaluation of *trans,trans*-muconic acid as a biomarker for benzene exposure (Review) 717(1998)179

Application of gas chromatography-mass spectrometry and gas chromatography-tandem mass spectrometry to assess in vivo synthesis of prostaglandins, thromboxane, leukotrienes, isoprostanes and related compounds in humans (Review) 717(1998)201

Chromatographic analysis of lipoic acid and related compounds (Review) 717(1998)247

Separation techniques for bile salts analysis (Review) 717(1998)263

Separation procedures for phosphatidylserines (Review) 717(1998)279

Chiral separation of pharmaceuticals possessing a carboxy moiety (Review) 717(1998)295

Glucuronic acid conjugates (Review) 717(1998)313

Analysis of compounds containing carboxyl groups in biological fluids by capillary electrophoresis (Review) 717(1998)327

Oriented immobilization of biologically active proteins as a tool for revealing protein interactions and function (Review) 722(1999)11

Use of magnetic techniques for the isolation of cells (Review) 722(1999)33

Advances in cell separation: recent developments in counterflow centrifugal elutriation and continuous flow cell separation (Review) 722(1999)55

Surface affinity chromatography of human peripheral blood cells (Review) 722(1999)71

Subcellular fractionation, electromigration analysis and mapping of organelles (Review) 722(1999)89 Chromatographic approaches to liposomes, proteoliposomes and biomembrane vesicles (Review) 722(1999)103

Separation of plant membranes by electromigration techniques (Review) 722(1999)121

Electromigration for separations of protein complexes (Review) 722(1999)141

Purification of chaperonins (Review) 722(1999)153

Advances in the separation of bacteriophages and related particles (Review) 722(1999)179

Proteome analysis. I. Gene products are where the biological action is (Review) 722(1999)191

Proteome analysis. II. Protein subcellular redistribution: linking physiology to genomics via the proteome and separation technologies involved (Review) 722(1999)203

Single cell gel electrophoresis assay: methodology and applications (Review) 722(1999)225

Isolation and separation of proteoglycans (Review) 722(1999)255

Methods for the differentiation of microorganisms (Review) 722(1999)263

Utilization of enzyme-substrate interactions in analytical chemistry (Review) 722(1999)279

Gas chromatography of bile acids (Review) 723(1999)1

Combinatorial chemistry, automation and molecular diversity: new trends in the pharmaceutical industry (Review) 725(1999)3

Physico-chemical and biological analysis of true combinatorial libraries (Review) 725(1999)17

Impact of mass spectrometry on combinatorial chemistry (Review) 725(1999)49

High-performance liquid chromatographic-electrospray ionization mass spectrometric analyses for the integration of natural products with modern high-throughput screening (Review) 725(1999)67

Nuclear magnetic resonance chromatography: applications of pulse field gradient diffusion NMR to mixture analysis and ligand–receptor interactions (Review) 725(1999)79

Role of Fourier transform infrared spectroscopy in the rehearsal phase of combinatorial chemistry: a thin-layer chromatography equivalent for on-support monitoring of solid-phase organic synthesis (Review) 725(1999)91

Methods of screening combinatorial libraries using immobilized or restrained receptors (Review) 725(1999)113

Robotics

High-throughput solid-phase extraction for the determination of cimetidine in human plasma 714(1998)361

Rumen fluid

Quantitative determination of aromatic amino acids and related compounds in rumen fluid by high-performance liquid chromatography 710(1998)17



Saliva

Simultaneous determination of catechins in human saliva by high-performance liquid chromatography 703(1997)253

Testing for drugs of abuse in saliva and sweat 713(1998)111

Salt concentration gradient

Effect of salt concentration gradient on separation of different types of specific immunoglobulins by ion-exchange chromatography on DEAE cellulose 706(1998)157

Sample preparation

Automated procedure for determination of barbiturates in serum using the combined system of PrepStation and gas chromatography-mass spectrometry 716(1998)171

Sample pretreatment

At-line solid-phase extraction for capillary electrophoresis: application to negatively charged solutes 719(1998)199

Schizophrenia

Determination of a specific 5-HT $_{2a}$ antagonist (M100907) in rat and dog plasma at the femtomole/milliliter level by gas chromatography-mass spectrometry 716(1998)161

Screening

Fully-automated systematic toxicological analysis of drugs, poisons, and metabolites in whole blood, urine, and plasma by gas chromatography—full scan mass spectrometry 713(1998)265

Sedimentation field-flow fractionation

Validation procedures of sedimentation field-flow fractionation techniques for biological applications 709(1998)197

Serum

Improved sample preparation method for selected persistent organochlorine pollutants in human serum using solid-phase disk extraction with gas chromatographic analysis 723(1999)117

Sickle cell disease

New isocratic high-performance liquid chromatographic procedure to assay the anti-sickling compound hydroxyurea in plasma with ultraviolet detection 709(1998)119

Silver ion chromatography

Combined silver-ion and reversed-phase high-performance liquid chromatography for the separation and identification of C_{20} metabolites of conjugated linoleic acid isomers in rat liver lipids 724(1999)213

Single cell gel electrophoresis

Single cell gel electrophoresis assay: methodology and applications 722(1999)225

Single-strand conformation polymorphism

Fluorescence-based single-strand conformation polymorphism analysis of the low density lipoprotein receptor gene by capillary electrophoresis 724(1999)239

SMC membranes

High-performance affinity chromatography for the purification of heparin-binding proteins from detergent-solubilized smooth muscle cell membranes 706(1998)55

Solid-phase extraction

High-performance liquid chromatographic determination of modafinil and its two metabolites in human plasma using solid-phase extraction 706(1998)295

Quantitation of psilocin in human plasma by high-performance liquid chromatography and electrochemical detection: comparison of liquid-liquid extraction with automated on-line solid-phase extraction 709(1998)255

Solid-phase extraction procedures in systematic toxicological analysis 713(1998)51

Determination of the molecular species composition of diacylglycerols in human adipose tissue by solid-phase extraction and gas chromatography on a polar phase 714(1998)127

High-throughput solid-phase extraction for the determination of cimetidine in human plasma 714(1998)361

New spectrophotometric procedure for determining cefotaxime based on derivatization with 1,2-naphthoquinone-4-sulphonate into solid-phase extraction cartridges — application to pharmaceutical and urine samples 718(1998)143

At-line solid-phase extraction for capillary electrophoresis: application to negatively charged solutes 719(1998)199

Improved sample preparation method for selected persistent organochlorine pollutants in human serum using solid-phase disk extraction with gas chromatographic analysis 723(1999)117

Solid-phase microextraction

Headspace solid-phase microextraction and gas chromatographic determination of dinitroaniline herbicides in human blood, urine and environmental water 714(1998)205

Quantitative determination of trimethylamine in urine by solidphase microextraction and gas chromatography-mass spectrometry 723(1999)281

Species identification

Identification of fish species by reversed-phase high-performance liquid chromatography with photodiode-array detection 705(1998)11

Stable isotope dilution GC-SIM-M5

Subnanomolar quantification of caffeine's in vitro metabolites by stable isotope dilution gas chromatography-mass spectrometry 708(1998)75

Stable isotopes

Determination of selenium stable isotopes by gas chromatography—mass spectrometry with negative chemical ionisation 715(1998)341

Stacking

On-line concentration of neutral analytes for micellar electrokinetic chromatography. VI. Stacking using reverse migrating micelles and a water plug 714(1998)29

Staphylococcus aureus

Improved high-performance liquid chromatographic separation of peptidoglycan isolated from various *Staphylococcus aureus* strains for mass spectrometric characterization 705(1998)183

Stationary phases, LC

Determination of Ro 48-3656 in rat plasma by reversed-phase high-performance liquid chromatography. Comparison of 1.5-μm nonporous silica to 3.5-μm porous silica analytical columns 704(1997)231

Role of stationary phase and eluent composition on the determination of $\log P$ values of N-hydroxyethylamide of aryloxyalkylen and pyridine carboxylic acids by reversed-phase high-performance liquid chromatography 714(1998)247

Liquid chromatographic studies with immobilized neuronal nicotinic acetylcholine receptor stationary phases: effects of receptor subtypes, pH and ionic strength on drug-receptor interactions 724(1999)65

Stereoisomer separation

Reversed-phase high-performance liquid chromatographic identification of lutein and zeaxanthin stereoisomers in bovine retina using a C₃₀ bonded phase 720(1998)211

Stereoselectivity

In situ evaluation of esterase stereoselectivity in twodimensional electropherograms and tissue sections 709(1998)306

Supported liquid membrane extraction

On-line supported liquid membrane—liquid chromatography with a phenol oxidase-based biosensor as a selective detection unit for the determination of phenols in blood plasma 701(1997)39

Surface charge density

Surface characterization and on-line activity measurements of microorganisms by capillary zone electrophoresis 721(1998)31

Sweat

Testing for drugs of abuse in saliva and sweat 713(1998)111

Sweat patch

Nicotine monitoring in sweat with a sweat patch 705(1998)357

Systematic toxicological analysis

Solid-phase extraction procedures in systematic toxicological analysis 713(1998)51

Fully-automated systematic toxicological analysis of drugs, poisons, and metabolites in whole blood, urine, and plasma by gas chromatography—full scan mass spectrometry 713(1998)265



Tea

Simultaneous determination of catechins in human saliva by high-performance liquid chromatography 703(1997)253

Tear

Determination of dimethindene in human tears by highperformance liquid chromatography 707(1998)334

Therapeutic drug monitoring

Determination of salicylic acid in human serum with capillary zone electrophoresis 706(1998)329

Thermo separating polymer

Purification of recombinant apolipoprotein A-1_{Milano} expressed in *Escherichia coli* using aqueous two-phase extraction followed by temperature-induced phase separation 711(1998)97

Thermoseparation

Effect of electrolytes and surfactants on the thermoseparation of an ethylene oxide–propylene oxide random copolymer in aqueous solution 711(1998)53

Thiophilic adsorption chromatography

Thiophilic adsorption chromatography: purification of Equ c2 and Equ c3, two horse allergens from horse sweat 710(1998)57

Topoisomers

High-resolution capillary electrophoretic separation of supercoiled plasmid DNAs and their conformers in dilute hydroxypropylmethyl cellulose solutions containing no intercalating agent 714(1998)21

Trace enrichment

Development of an assay for the simultaneous determination of sildenafil (Viagra) and its metabolite (UK-103,320) using automated sequential trace enrichment of dialysates and high-performance liquid chromatography 701(1997)87

Transferrin receptor

Control of hemoglobin synthesis in erythroid differentiating K562 cells. II. Studies of iron mobilization in erythroid cells by high-performance liquid chromatography–electrochemical detection 705(1998)193



Urine

Quantitation of o-, m- and p-cresol and deuterated analogs in human urine by gas chromatography with electron capture detection 703(1997)105

Immunological analysis of methamphetamine antibody and its use for the detection of methamphetamine by capillary electrophoresis with laser-induced fluorescence 705(1998)277

New method for determination of fecal sterols in urine using non-chlorinated solvents 713(1998)438

UV-visible detection

New spectrophotometric procedure for determining cefotaxime based on derivatization with 1,2-naphthoquinone-4-sulphonate into solid-phase extraction cartridges — application to pharmaceutical and urine samples 718(1998)143



Vacancy affinity capillary electrophoresis

Vacancy affinity capillary electrophoresis to study competitive protein-drug binding 710(1998)205

Validation

Validation procedures of sedimentation field-flow fractionation techniques for biological applications 709(1998)197

Vascular disease

Total homocysteine levels in plasma: high-performance liquid chromatographic determination with electrochemical detection and glassy carbon electrode 720(1998)205

Vesicles

Methodology for vesicle permeability study by highperformance gel exclusion chromatography 706(1998)141

Viruses

Capillary electrophoresis of subcellular-sized particles 722(1999)1

Vitreous fluid

Quantitative determination of cefepime in plasma and vitreous fluid by high-performance liquid chromatography 721(1999)249



Zooplankter

Correlation analysis between fatty acid compositions of zooplankter individuals, fed on different phytoplankton species by means of pyrolysis–gas chromatography combined with online methylation 716(1998)39