



ELSEVIER

Journal of Chromatography B, 725 (1999) 219–289

---

---

JOURNAL OF  
CHROMATOGRAPHY B

---

---

## COMPOUND INDEX

### J. CHROMATOGR. B VOLS. 701–725

# A

#### **Acacetin**

Column-switching high-performance liquid chromatographic assay for determination of apigenin and acacetin in human urine with ultraviolet absorbance detection 713(1998)379

#### **Acetaldehyde**

Quantitative analysis by gas chromatography of volatile carbonyl compounds in expired air from mice and human 702(1997)211

Quantitative analysis of acetaldehyde in whole blood from human and various animals by gas chromatography 719(1998)213

Determination of free acetaldehyde in total blood for investigating the effect of aspartate on metabolism of alcohol in mice 719(1998)217

#### **Acetone**

Quantitative analysis by gas chromatography of volatile carbonyl compounds in expired air from mice and human 702(1997)211

#### **5-Acetylamino-6-formylamino-3-methyluracil**

Analysis of urinary caffeine metabolites to assess biotransformation enzyme activities by reversed-phase high-performance liquid chromatography 709(1998)27

#### **Acetyl-*p*-aminohippuric acid**

Simultaneous determination of *p*-aminohippuric acid, acetyl-*p*-aminohippuric acid and iothalamate in human plasma and urine by high-performance liquid chromatography 716(1998)305

#### ***N*-Acetyl-*p*-aminohippuric acid**

High-performance liquid chromatography of the renal blood flow marker *p*-aminohippuric acid (PAH) and its metabolite *N*-acetyl PAH improves PAH clearance measurements 703(1997)25

#### ***N*-Acetyl-5-aminosalicylic acid**

Simple method for the determination of 5-aminosalicylic acid and *N*-acetyl-5-aminosalicylic acid in rectal tissue biopsies 716(1998)257

#### ***N*-Acetylcysteine**

Analysis of cysteine and *N*-acetylcysteine in human plasma by high-performance liquid chromatography at the basal state and after oral administration of *N*-acetylcysteine 708(1998)55

Determination of  $\gamma$ -glutamylglutathione and other low-molecular-mass biological thiol compounds by isocratic high-performance liquid chromatography with fluorimetric detection 708(1998)285

#### **Acetyldigitoxin**

Characterisation of the binding of digitoxin and acetyldigitoxin to human serum albumin by high-performance affinity chromatography 724(1999)91

#### ***N*-Acetylneuraminic acid**

Screening of *N*-acetylneuraminic acids in serum and tissue specimens of mouse C57BI with Lewis' lung cancer by high-performance liquid chromatography 712(1998)23

Determination of sialic acids in biological fluids using reversed-phase ion-pair high-performance liquid chromatography 724(1999)205

#### **Acetylsalicylic acid**

Determination of acetylsalicylic acid and salicylic acid in skin and plasma by high-performance liquid chromatography 705(1998)309

Gas chromatographic–tandem mass spectrometric determination of acetylsalicylic acid in human plasma after oral administration of low-dose aspirin and guaifenesin 709(1998)79

Direct assay of nonopioid analgesics and their metabolites in human urine by capillary electrophoresis and capillary electrophoresis–mass spectrometry 721(1998)109

#### ***N*-Acetyl- $\beta$ -D-hexosaminidase**

Alterations of asparagine-linked sugar chains of *N*-acetyl  $\beta$ -D-hexosaminidase during human renal oncogenesis: a preliminary study using serial lectin affinity chromatography 723(1999)75

#### ***N*-Acetyl-L-methionine**

Centrifugal partition chromatographic reaction for the production of chiral amino acids 711(1998)223

#### **$\alpha_1$ -Acid glycoprotein**

Single-step isolation method for six glycoforms of human  $\alpha_1$ -acid glycoprotein by hydroxylapatite chromatography and study of their binding capacities for disopyramide 703(1997)1

Study of the expression of the genetic variants of human  $\alpha_1$ -acid glycoprotein in healthy subjects using isoelectric focusing and immunoblotting 715(1998)103

Changes in expression and microheterogeneity of the genetic variants of human  $\alpha_1$ -acid glycoprotein in malignant mesothelioma 715(1998)111

Retention data from affinity high-performance liquid chromatography in view of chemometrics 715(1998)229

#### **Acid phosphatase**

Enzyme release from heat-stressed cell membranes as a function of hydrophobicity evaluated by using aqueous two-phase systems 711(1998)217

#### **Acidic drugs**

Detection of 4-hydroxycoumarin anticoagulants and their metabolites in urine as part of a systematic toxicological analysis procedure for acidic drugs and poisons by gas chromatography–mass spectrometry after extractive methylation 714(1998)181

#### **Acidic pharmaceuticals**

Analysis of acidic compounds using capillary electrochromatography 717(1998)341

#### **Aconitine**

Report on the preparation of deuterium-labelled aconitine and mesaconitine and their application to the analysis of these alkaloids from body fluids as internal standard 714(1998)197

#### ***Aconitum* alkaloids**

Determination of *Aconitum* alkaloids in blood and urine samples. II. Capillary liquid chromatographic–frit fast atom bombardment mass spectrometric analysis 714(1998)215

#### **Acridine**

Formation and identification of azaarene transformation products from aquatic invertebrate and algal metabolism 724(1999)265

#### **Acrolein**

Determination of acrolein in human urine by headspace gas chromatography and mass spectrometry 719(1998)209

#### **Acyl binding proteins**

Characterization of the oligomeric behavior of a 16.5 kDa peanut oleosin by chromatography and electrophoresis of the iodinated form 706(1998)131

#### **Adenine nucleosides**

Ion-pair reversed-phase high-performance liquid chromatography of adenine nucleotides and nucleoside using triethylamine as a counterion 703(1997)63

#### **Adenine nucleotides**

Ion-pair reversed-phase high-performance liquid chromatography of adenine nucleotides and nucleoside using triethylamine as a counterion 703(1997)63

Identification of adenine nucleotide-containing metabolites of bisphosphonate drugs using ion-pair liquid chromatography–electrospray mass spectrometry 704(1997)187

#### **Adenine phosphoribosyl transferase**

Ion-exchange column chromatographic method for assaying purine metabolic pathway enzymes 707(1998)295

#### **Adenosine**

Simultaneous measurement of adenosine and hypoxanthine in human umbilical cord plasma using reversed-phase high-performance liquid chromatography with photodiode-array detection and on-line validation of peak purity 707(1998)33

Determination of adenosine and deoxyadenosine in urine by high-performance liquid chromatography with column switching 719(1998)55

Simultaneous determination of adenosine, *S*-adenosylhomocysteine and *S*-adenosylmethionine in biological samples using solid-phase extraction and high-performance liquid chromatography 724(1999)231

#### **Adenosine deaminase**

Determination of adenosine and deoxyadenosine in urine by high-performance liquid chromatography with column switching 719(1998)55

#### **Adenosine kinase**

Ion-exchange column chromatographic method for assaying purine metabolic pathway enzymes 707(1998)295

#### **Adenosine–oligophosphoguanosine**

Purification of chemically synthesised dinucleoside(5',5') polyphosphates by displacement chromatography 719(1998)63

**S-Adenosylhomocysteine**

Simultaneous determination of adenosine, S-adenosylhomocysteine and S-adenosylmethionine in biological samples using solid-phase extraction and high-performance liquid chromatography 724(1999)231

**S-Adenosylmethionine**

Simultaneous determination of adenosine, S-adenosylhomocysteine and S-adenosylmethionine in biological samples using solid-phase extraction and high-performance liquid chromatography 724(1999)231

**ADP**

Quantification of intracellular levels of cyclic ADP-ribose by high-performance liquid chromatography 707(1998)43

**Aflatoxins**

Automated column-switching high-performance liquid chromatography for the determination of aflatoxin M1 712(1998)95

**Alanine**

High-performance liquid chromatographic determination of  $\beta$ -alanine,  $\beta$ -aminoisobutyric acid and  $\gamma$ -aminobutyric acid in tissue extracts and urine of normal and (aminooxy)acetate-treated rats 712(1998)43

**Albendazole**

Simultaneous determination of albendazole sulfoxide enantiomers and albendazole sulfone in plasma 709(1998)273

Quantitative determination of albendazole and its main metabolites in plasma 723(1999)265

**Albumin**

see also Human serum albumin

Analysis of proteins in microsomes of rat airway surface fluid by capillary electrophoresis 705(1998)223

Influence of the nature of coupling agents on insulin adsorption on supports grafted with sialic acid for high-performance affinity chromatography 706(1998)33

Binding of selenium (administered as selenite) to albumin after efflux from red blood cells 710(1998)49

**Albumin adducts**

Determination of albumin adducts of (+)-*anti*-benzo[*a*]pyrene-diol-epoxide using a high-performance liquid chromatographic column switching technique for sample preparation and gas chromatography–mass spectrometry for the final detection 713(1998)331

**Alcohol**

Determination of biological markers for alcohol abuse 713(1998)245

Determination of free acetaldehyde in total blood for investigating the effect of aspartate on metabolism of alcohol in mice 719(1998)217

**Aldolase**

Single step purification of rat liver aldolase using immobilized artificial membrane chromatography 703(1997)53

**Aldose reductase inhibitor**

Determination of minalrestat (an aldose reductase inhibitor) in rat, dog and human plasma by high-performance liquid chromatography 709(1998)127

**Alkylchloroformate**

Aqueous alkylchloroformate derivatisation and solid-phase microextraction: determination of amphetamines in urine by capillary gas chromatography 701(1997)29

**Alkyllead compounds**

Speciation of ionic alkyllead compounds in human urine by gas chromatography–mass spectrometry after butylation through a Grignard reaction 716(1998)139

**Alkylphosphocholine**

Quantification of perfosine, an alkylphosphocholine anti-tumour agent, in plasma by pneumatically assisted electrospray tandem mass spectrometry coupled with high-performance liquid chromatography 721(1999)257

**Allantoin**

Simultaneous measurement of allantoin, uric acid, xanthine and hypoxanthine in blood by high-performance liquid chromatography 704(1997)89

Determination of allantoin in bovine milk by high-performance liquid chromatography 706(1998)342

Simultaneous determination of purine metabolites, creatinine and pseudouridine in ruminant urine by reversed-phase high-performance liquid chromatography 723(1999)81

**2-(Allylthio)pyrazine**

Determination of a chemoprotective agent, 2-(allylthio)pyrazine, in plasma, urine and tissue homogenates by high-performance liquid chromatography 710(1998)239

**Alprazolam**

Rapid, sensitive procedure to determine buspirone levels in rat brains using gas chromatography with nitrogen–phosphorus detection 704(1997)175

**Aluminium hydroxide**

Evidence for the denaturation of recombinant hepatitis B surface antigen on aluminium hydroxide gel 720(1998)153

**Aluminoxamine**

Quantification of desferrioxamine, ferrioxamine and aluminoxamine by post-column derivatization high-performance liquid chromatography 710(1998)191

**Amines**

see also Catecholamines

Determination of dimethylamine and other low-molecular-mass amines using capillary electrophoresis with laser-induced fluorescence detection 714(1998)77

Measurement of nitrite and nitrate in plasma, serum and urine of humans by high-performance liquid chromatography, the Griess assay, chemiluminescence and gas chromatography–mass spectrometry: Interferences by biogenic amines and  $N^G$ -nitro-L-arginine analogs 715(1998)441

High-performance liquid chromatographic analysis of biogenic amines in cells and in culture media using on-line dialysis and trace enrichment 716(1998)65

**Amino acids**

Study of factors affecting the determination of total plasma 7-fluorobenzo-2-oxa-1,3-diazole-4-sulfonate (SBD)–thiol derivatives by liquid chromatography 706(1998)209

Determination of the amino acid neurotransmitters in the dorsal root ganglion of the rat by capillary electrophoresis with a laser-induced fluorescence-charge coupled device 707(1998)59

Centrifugal partition chromatographic reaction for the production of chiral amino acids 711(1998)223

Procedure for the sample preparation and handling for the determination of amino acids, monoamines and metabolites from microdissected brain regions of the rat 712(1998)31

Chloroformates in gas chromatography as general purpose derivatizing agents 717(1998)57

Analysis of acidic compounds using capillary electrochromatography 717(1998)341

High-performance liquid chromatographic method for measuring total plasma homocysteine levels 719(1998)31

**Amino acids, aromatic**

Quantitative determination of aromatic amino acids and related compounds in rumen fluid by high-performance liquid chromatography 710(1998)17

**Aminobutyric acid**

High-performance liquid chromatographic determination of  $\beta$ -alanine,  $\beta$ -aminoisobutyric acid and  $\gamma$ -aminobutyric acid in tissue extracts and urine of normal and (aminoxy)acetate-treated rats 712(1998)43

 **$\gamma$ -Aminobutyric acid**

Determination of  $\gamma$ -aminobutyric acid in microdialysis samples by microbore column liquid chromatography and fluorescence detection 708(1998)49

**4-Aminobutyric acid**

Simultaneous determination of basal and evoked output levels of aspartate, glutamate, taurine and 4-aminobutyric acid during microdialysis and from superfused brain slices 723(1999)47

**7-Aminoflunitrazepam**

Determination of flunitrazepam and its metabolites in blood by high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 713(1998)361

***p*-Aminohippuric acid**

High-performance liquid chromatography of the renal blood flow marker *p*-aminohippuric acid (PAH) and its metabolite *N*-acetyl PAH improves PAH clearance measurements 703(1997)25

Rapid determination of *p*-aminohippuric acid in serum and urine by high-performance liquid chromatography 704(1997)359

Chromatographic estimation of iothalamate and *p*-aminohippuric acid to measure glomerular filtration rate and effective renal plasma flow in humans 705(1998)3

Simultaneous determination of *p*-aminohippuric acid, acetyl-*p*-aminohippuric acid and iothalamate in human plasma and urine by high-performance liquid chromatography 716(1998)305

**Aminoisobutyric acid**

High-performance liquid chromatographic determination of  $\beta$ -alanine,  $\beta$ -aminoisobutyric acid and  $\gamma$ -aminobutyric acid in tissue extracts and urine of normal and (aminoxy)acetate-treated rats 712(1998)43

***p*-Aminophenol**

Comparison of high-performance capillary electrophoresis and liquid chromatography on analysis of zinc 5-aminosalicylate dihydrate and related materials 705(1998)165

**5-Aminosalicylic acid**

Comparison of high-performance capillary electrophoresis and liquid chromatography on analysis of zinc 5-aminosalicylate dihydrate and related materials 705(1998)165

Simple method for the determination of 5-aminosalicylic and *N*-acetyl-5-aminosalicylic acid in rectal tissue biopsies 716(1998)257

**Amlodipine**

Pharmacokinetic behaviour of *R*-(+)- and *S*-(-)-amlodipine after single enantiomer administration 703(1997)185

**Ammonium carbamate**

Poly(ethylene glycol)–salt aqueous two-phase systems with easily recyclable volatile salts 711(1998)61

**Ammonium peroxydisulfate**

Sodium peroxydisulfate is a stable and cheap substitute for ammonium peroxydisulfate (persulfate) in polyacrylamide gel electrophoresis 723(1999)325

**AMPA/kainate antagonist**

High-performance liquid chromatographic determination of new 2,3-benzodiazepines 705(1998)149

**Amphetamines**

Aqueous alkylchloroformate derivatisation and solid-phase microextraction: determination of amphetamines in urine by capillary gas chromatography 701(1997)29

Studies on the metabolism and toxicological detection of the amphetamine-like anorectic mefenorex in human urine by gas chromatography–mass spectrometry and fluorescence polarization immunoassay 702(1997)93

Determination of amphetamine and methamphetamine in human hair by headspace solid-phase microextraction and gas chromatography with nitrogen–phosphorus detection 707(1998)99

Testing for drugs in hair. Critical review of chromatographic procedures since 1992 713(1998)147

Determination of amphetamine, methamphetamine and amphetamine-derived designer drugs or medicaments in blood and urine 713(1998)163

Determination of amphetamine, methamphetamine and dimethylamphetamine in human urine by solid-phase microextraction (SPME)-gas chromatography/mass spectrometry 716(1998)359

**Amprenavir**

Simultaneous quantitative determination of the HIV protease inhibitors amprenavir, indinavir, nelfinavir, ritonavir and saquinavir in human plasma by ion-pair high-performance liquid chromatography with ultraviolet detection 719(1998)159

 **$\alpha$ -Amylase**

Hydrophobic interaction chromatography and capillary zone electrophoresis to explore the correlation between the isoenzymes of salivary  $\alpha$ -amylase and dental caries 724(1999)381

 **$\beta$ -Amyloid precursor protein**

Purification by column chromatographies of beta-amyloid precursor proteins and their association with other 95 kDa protein in rat brain 716(1998)107

**Amylose tris(3,5-dimethylphenylcarbamate)**

Retention data from affinity high-performance liquid chromatography in view of chemometrics 715(1998)229

**Anabolic agents**

Use of ion trap gas chromatography–tandem mass spectrometry for detection and confirmation of anabolic substances at trace levels in doping analysis 704(1997)129

**Anabolic steroids**

Multi-residue analysis of anabolics in calf urine using high-performance liquid chromatography with diode-array detection 724(1999)41

**Androgens**

Simultaneous determination of anabolic and catabolic steroid hormones in meat by gas chromatography–mass spectrometry 704(1997)105

**Androstenone**

Determination of androstenone in pig fat using packed column supercritical fluid chromatography–mass spectrometry 719(1998)25

**Angiotensin-converting enzyme**

Quantitative determination of the angiotensin-converting enzyme inhibitor cilazapril and its active metabolite cilazaprilat in pharmaceuticals and urine by high-performance liquid chromatography with amperometric detection 714(1998)285

**Angiotensin II antagonist**

High-performance liquid chromatographic assay for the quantitation of irbesartan (SR 47436/BMS-186295) in human plasma and urine 702(1997)149

**Anhydroerythromycin**

Determination of erythromycin and related substances by capillary electrophoresis 704(1997)343

**Anilide derivatives**

Lipophilic benzamide and anilide derivatives as high-performance liquid chromatography internal standards: application to sirolimus (rapamycin) determination 703(1997)243

**Aniline**

Gas chromatographic–mass spectrometric identification and quantification of aniline after extraction from serum and derivatization with 2,2,2-trichloroethyl chloroformate, a novel derivative 716(1998)354

Sensitive determination of xylenes in whole blood by capillary gas chromatography with cryogenic trapping 718(1998)285

**Anorectics**

Studies on the metabolism and toxicological detection of the amphetamine-like anorectic mefenorex in human urine by gas chromatography–mass spectrometry and fluorescence polarization immunoassay 702(1997)93

**Anthraquinone dyes**

Interaction of lactate dehydrogenase with anthraquinone dyes: characterization of ligands for dye–ligand chromatography 715(1998)273

**Antibodies**

Mimetic ligand-based affinity purification of immune complexes and immunoconjugates 706(1998)217

Salt-independent binding of antibodies from human serum to thiophilic heterocyclic ligands 709(1998)189

Survey of recent advances in analytical applications of immunoaffinity chromatography 715(1998)3

**Antidepressants**

Rapid determination of venlafaxine and O-desmethylvenlafaxine in human plasma by high-performance liquid chromatography with fluorimetric detection 703(1997)195

Testing for drugs in hair. Critical review of chromatographic procedures since 1992 713(1998)147

**Antiepileptics**

Testing for drugs in hair. Critical review of chromatographic procedures since 1992 713(1998)147

Chiral high-performance liquid chromatographic analysis of enantiomers of losigamone, a new candidate antiepileptic drug 724(1999)101

**Antifungal agents**

Liquid chromatographic–electrospray tandem mass spectrometric determination of novel antifungal agents in plasma 724(1999)311

**Antihapten antibodies**

Affinity electrophoresis and its applications to studies of immune response 715(1998)125

**Anti-peptide antibodies**

Utilization of antipeptide antibodies as affinity ligands in immunoaffinity purification 715(1998)147

**Antipyrine**

Direct assay of nonopioid analgesics and their metabolites in human urine by capillary electrophoresis and capillary electrophoresis–mass spectrometry 721(1998)109

**Apigenin**

Column-switching high-performance liquid chromatographic assay for determination of apigenin and acetamin in human urine with ultraviolet absorbance detection 713(1998)379

**Apocodeine**

Assay of *R*-apomorphine, *S*-apomorphine, apocodeine, isoapocodeine and their glucuronide and sulfate conjugates in plasma and urine of patients with Parkinson's disease 702(1997)131

**Apolipoproteins**

Simple one-step procedure for the separation of apolipoproteins A1 and A2 by high-performance liquid chromatography 702(1997)216

Purification of recombinant apolipoprotein A-1<sub>Milano</sub> expressed in *Escherichia coli* using aqueous two-phase extraction followed by temperature-induced phase separation 711(1998)97

**Apomorphine**

Assay of *R*-apomorphine, *S*-apomorphine, apocodeine, isoapocodeine and their glucuronide and sulfate conjugates in plasma and urine of patients with Parkinson's disease 702(1997)131

**Aromatic acids**

Analysis of acidic compounds using capillary electrochromatography 717(1998)341

**Aromatic carboxylic acids**

Chromatographic separations of aromatic carboxylic acids 717(1998)93

**Arsenite**

On-column formation of arsenic–glutathione species detected by size-exclusion chromatography in conjunction with arsenic-specific detectors 716(1998)83

**Artemether**

Rapid characterization of artemether and its in vitro metabolites on incubation with bovine hemoglobin, rat blood and dog blood by capillary gas chromatography–chemical ionization mass spectrometry 710(1998)101

**Artesunate**

Simple high-performance liquid chromatographic method with electrochemical detection for the simultaneous determination of artesunate and dihydroartemisinin in biological fluids 708(1998)201

**Articaine**

Solid-phase extraction and high-performance liquid chromatographic determination of articaine and its metabolite articainic acid in human serum 724(1999)109

**Articainic acid**

Solid-phase extraction and high-performance liquid chromatographic determination of articaine and its metabolite articainic acid in human serum 724(1999)109

**Aryloxyalkylen carboxylic acid**

Role of stationary phase and eluent composition on the determination of log *P* values of *N*-hydroxyethylamide of aryloxyalkylen and pyridine carboxylic acids by reversed-phase high-performance liquid chromatography 714(1998)247

**Ascorbic acid**

Rapid on-line microdialysis hyphenated technique for the dynamic monitoring of extracellular pyruvate, lactic acid and ascorbic acid during cerebral ischemia 723(1999)31

**Ascorbic acid esters**

Capillary zone electrophoretic determination of the four vitamin C esters L-ascorbyl-2-phosphate, L-ascorbyl-2-sulfate, L-ascorbyl-2-diphosphate and L-ascorbyl-2-triphosphate in fish feed, plasma and tissue 715(1998)369

**Ascorbyl-2-phosphate**

Capillary zone electrophoretic determination of the four vitamin C esters L-ascorbyl-2-phosphate, L-ascorbyl-2-sulfate, L-ascorbyl-2-diphosphate and L-ascorbyl-2-triphosphate in fish feed, plasma and tissue 715(1998)369

**Ascorbyl-2-sulfate**

Capillary zone electrophoretic determination of the four vitamin C esters L-ascorbyl-2-phosphate, L-ascorbyl-2-sulfate, L-ascorbyl-2-diphosphate and L-ascorbyl-2-triphosphate in fish feed, plasma and tissue 715(1998)369

**Aspartate**

Determination of glutamate and aspartate in microdialysis samples by reversed-phase column liquid chromatography with fluorescence and electrochemical detection 708(1998)27

Determination of free acetaldehyde in total blood for investigating the effect of aspartate on metabolism of alcohol in mice 719(1998)217

Simultaneous determination of basal and evoked output levels of aspartate, glutamate, taurine and 4-aminobutyric acid during microdialysis and from superfused brain slices 723(1999)47

**Aspirin**

Determination of aspirin and salicylic acid in transdermal perfusates 707(1998)322

Gas chromatographic–tandem mass spectrometric determination of acetylsalicylic acid in human plasma after oral administration of low-dose aspirin and guaimesal 709(1998)79

**Atenolol**

Direct enantioseparation of some  $\beta$ -adrenergic blocking agents using impregnated thin-layer chromatography 708(1998)330

**ATPase**

Comparison of  $Mg^{2+}$ -dependent ATP hydrolase activities of pea nodule symbiosomes and of pea root plasmalemma, obtained by an aqueous polymer two-phase system 711(1998)139

**Atracurium**

High-performance liquid chromatographic method for the determination of atracurium and laudanosine in human plasma Application to pharmacokinetics 724(1999)117

**Azaarenes**

Formation and identification of azaarene transformation products from aquatic invertebrate and algal metabolism 724(1999)265

**Azimilide**

Separation and quantitation of azimilide and its putative metabolites by capillary electrophoresis 720(1998)129

**Azithromycin**

Quantitative determination of the macrolide antibiotics erythromycin, roxithromycin, azithromycin and clarithromycin in human serum by high-performance liquid chromatography using pre-column derivatization with 9-fluorenylmethyloxycarbonyl chloride and fluorescence detection 720(1998)89

**B****Bacteriophages**

Separation of proteins and viruses using two-phase aqueous micellar systems 711(1998)127

**Barbiturates**

Automated preparation and analysis of barbiturates in human urine using the combined system of PrepStation and gas chromatography–mass spectrometry 706(1998)253

Testing for drugs in hair. Critical review of chromatographic procedures since 1992 713(1998)147

Automated procedure for determination of barbiturates in serum using the combined system of PrepStation and gas chromatography–mass spectrometry 716(1998)171

**Barnidipine**

Sensitive and specific liquid chromatographic–tandem mass spectrometric assay for barnidipine in human plasma 719(1998)113

**BAY 12-8039**

Determination of BAY 12-8039, a new 8-methoxyquinolone, in human body fluids by high-performance liquid chromatography with fluorescence detection using on-column focusing 702(1997)163

**Benzamide derivatives**

Lipophilic benzamide and anilide derivatives as high-performance liquid chromatography internal standards: application to sirolimus (rapamycin) determination 703(1997)243

**Benzene**

Simultaneous determination of benzene, toluene, ethylbenzene, and xylenes in urine by thermal desorption–gas chromatography 706(1998)352

Partitioning of small organic molecules in aqueous biphasic systems 711(1998)255

Analysis and evaluation of *trans,trans*-muconic acid as a biomarker for benzene exposure 717(1998)179

Specific determination of benzene in urine using dynamic headspace and mass-selective detection 721(1998)39

Headspace solid-phase microextraction for the determination of benzene, toluene, ethylbenzene and xylenes in urine 723(1999)105

Matrix interferences in the analysis of benzene in urine 724(1999)257

**5-Benzeneazosalicylic acid**

Comparison of high-performance capillary electrophoresis and liquid chromatography on analysis of zinc 5-aminosalicylate dihydrate and related materials 705(1998)165

**Benzodiazepine metabolites**

Drug accumulation in melanin: an affinity chromatographic study 714(1998)171

**Benzodiazepines**

Simple high-performance liquid chromatographic column-switching technique for the on-line immunoaffinity extraction and analysis of flunitrazepam and its main metabolites in urine 704(1997)251

High-performance liquid chromatographic determination of new 2,3-benzodiazepines 705(1998)149

Erratum to "Simultaneous determination of twelve benzodiazepines in human serum using a new reversed-phase chromatographic column on a 2- $\mu$ m porous microspherical silica gel". [J. Chromatogr. B, 682 (1996) 173] 709(1998)324

Testing for drugs in hair. Critical review of chromatographic procedures since 1992 713(1998)147

Methods for the measurement of benzodiazepines in biological samples 713(1998)201

**Benzoic acids**

Chromatographic separations of aromatic carboxylic acids 717(1998)93

**Benzophenones**

Drug accumulation in melanin: an affinity chromatographic study 714(1998)171

**Benzo[a]pyrene**

Determination of albumin adducts of (+)-*anti*-benzo[a]pyrene-diol-epoxide using an high-performance liquid chromatographic column switching technique for sample preparation and gas chromatography–mass spectrometry for the final detection 713(1998)331

**Benzoyllecgonine**

Sensitive and specific high-performance liquid chromatographic assay with ultraviolet detection for the determination of cocaine and its metabolites in rat plasma 703(1997)129

**Benzyl alcohol**

Gas chromatographic–mass spectrometric identification and quantitation of benzyl alcohol in serum after derivatization with perfluorooctanoyl chloride: a new derivative 708(1998)299

**O<sup>6</sup>-Benzylguanine**

Simultaneous determination of O<sup>6</sup>-benzylguanine and 8-oxo-O<sup>6</sup>-benzylguanine in human plasma by reversed-phase high-performance liquid chromatography 704(1997)289

**Benzylpenicillin**

Interlaboratory study of the analysis of benzylpenicillin by liquid chromatography 707(1998)189

**Betamethasone**

Development of a coupled-column liquid chromatographic–tandem mass spectrometric method for the direct determination of betamethasone in urine 713(1998)339

**Bile acids**

Comparative analysis of conjugated bile acids in human serum using high-performance liquid chromatography and capillary electrophoresis 704(1997)35

Capillary gas chromatographic analysis of serum bile acids as the *n*-butyl ester–trimethylsilyl ether derivatives 706(1998)337

Simultaneous determination of bile acids in rat liver tissue by high-performance liquid chromatography 718(1998)33

Gas chromatography of bile acids 723(1999)1

**Bile salts**

Separation techniques for bile salts analysis 717(1998)263

**Bilirubin**

Bilirubin removal from human plasma in a packed-bed column system with dye-affinity microbeads 707(1998)25

**Biogenic amines**

Determination of serotonin, catecholamines and their metabolites by direct injection of supernatants from chicken brain tissue homogenate using liquid chromatography with electrochemical detection 704(1997)351

Measurement of nitrite and nitrate in plasma, serum and urine of humans by high-performance liquid chromatography, the Griess assay, chemiluminescence and gas chromatography–mass spectrometry: Interferences by biogenic amines and *N*<sup>G</sup>-nitro-L-arginine analogs 715(1998)441

High-performance liquid chromatographic analysis of biogenic amines in cells and in culture media using on-line dialysis and trace enrichment 716(1998)65

**Biotin**

Genetic engineering of streptavidin, a versatile affinity tag 715(1998)85

**Bispecific monoclonal antibodies**

Efficient bispecific monoclonal antibody purification using gradient thiophilic affinity chromatography 714(1998)161

**Bis(isopropylmethyl)phosphonate**

Detection of sarin hydrolysis products from sarin-like organophosphorus agent-exposed human erythrocytes 701(1997)9



**Bisphosphonates**

Identification of adenine nucleotide-containing metabolites of bisphosphonate drugs using ion-pair liquid chromatography–electrospray mass spectrometry 704(1997)187

Direct pharmaceutical analysis of bisphosphonates by capillary electrophoresis 709(1998)157

 **$\beta$ -Blockers**

Sensitive chiral high-performance liquid chromatographic assay for labetalol in biological fluids 704(1997)215

**BMS-181885**

High-performance liquid chromatographic–electrochemical assay for the quantitation of BMS-181885 in monkey plasma 705(1998)317

**BMS-186295**

High-performance liquid chromatographic assay for the quantitation of irbesartan (SR 47436/BMS-186295) in human plasma and urine 702(1997)149

**BMS-187745**

Negative ion electrospray high-performance liquid chromatography–mass spectrometry method development for determination of a highly polar phosphonic acid/sulfonic acid compound in plasma. Optimization of ammonium acetate concentration and in-source collision-induced dissociation 703(1997)167

**Bobel-24**

High-performance liquid chromatography analysis of Bobel-24 in biological samples for pharmacokinetic, metabolic and tissue distribution studies 708(1998)169

**Borate**

High-performance liquid chromatographic analysis of polyhydroxyflavones using solid-phase borate-complex extraction 720(1998)225

**Bovine carbonic anhydrase**

Selective separation process of proteins based on the heat stress-induced translocation across phospholipid membranes 711(1998)111

Immobilized liposome chromatography for studies of protein–membrane interactions and refolding of denatured bovine carbonic anhydrase 712(1998)59

**BRCA1 protein**

Isolation, purification and quantification of BRCA1 protein from tumour cells by affinity perfusion chromatography 721(1999)163

**Breox**

Effect of electrolytes and surfactants on the thermoseparation of an ethylene oxide–propylene oxide random copolymer in aqueous solution 711(1998)53

**Bromazepam**

Erratum to “Simultaneous determination of twelve benzodiazepines in human serum using a new reversed-phase chromatographic column on a 2- $\mu$ m porous microspherical silica gel”. [J. Chromatogr. B, 682 (1996) 173] 709(1998)324

**Bromobutanol**

$\beta_2$ -Adrenergic agonist residues: simultaneous methyl- and butylboronic derivatization for confirmatory analysis by gas chromatography–mass spectrometry 716(1998)366

**Brompheniramine**

Comparison of chiral recognition capabilities of cyclodextrins for the separation of basic drugs in capillary zone electrophoresis 708(1998)257

**Bryostatin-1**

High-performance liquid chromatographic assay for the novel antitumor drug, bryostatin-1, incorporating a serum extraction technique 709(1998)113

**Bupivacaine**

Simultaneous analysis of lignocaine and bupivacaine enantiomers in plasma by high-performance liquid chromatography 703(1997)203

Simple analysis of local anaesthetics in human blood using headspace solid-phase microextraction and gas chromatography–mass spectrometry–electron impact ionization selected ion monitoring 709(1998)225

High-performance liquid chromatographic separation and nanogram quantitation of bupivacaine enantiomers in blood 719(1998)135

**Buspirone**

Rapid, sensitive procedure to determine buspirone levels in rat brains using gas chromatography with nitrogen–phosphorus detection 704(1997)175

**Busulfan**

Stability-indicating high-performance liquid chromatographic assay of busulfan in aqueous and plasma samples 704(1997)277

Quantification of busulfan in plasma by gas chromatography–mass spectrometry following derivatization with tetrafluorothiophenol 709(1998)47

High-performance liquid chromatographic method for quantification of busulfan in plasma after derivatization by tetrafluorothiophenol 721(1998)147

**Butorphanol**

Determination of butorphanol in horse race urine by immunoassay and gas chromatography–mass spectrometry 704(1997)143

***n*-Butyl ester-trimethylsilyl ether**

Capillary gas chromatographic analysis of serum bile acids as the *n*-butyl ester–trimethylsilyl ether derivatives 706(1998)337

**C****Cadaverine**

Capillary gas chromatographic determination of putrescine and cadaverine in serum of cancer patients using trifluoroacetylacetone as derivatizing reagent 723(1999)17

**Cadmium**

Cadmium removal from human plasma by Cibacron Blue F3GA and thionin incorporated into polymeric microspheres 720(1998)217

**Caffeine**

Simple high-performance liquid chromatography method for the simultaneous determination of serum caffeine and paraxanthine following rapid sample preparation 707(1998)105

Determination of nicotine, cotinine and caffeine in meconium using high-performance liquid chromatography 707(1998)317

Subnanomolar quantification of caffeine's *in vitro* metabolites by stable isotope dilution gas chromatography–mass spectrometry 708(1998)75

Analysis of urinary caffeine metabolites to assess biotransformation enzyme activities by reversed-phase high-performance liquid chromatography 709(1998)27

**Calphostin C**

Quantitative high-performance liquid chromatography-based detection method for calphostin C, a naturally occurring perylenequinone with potent antileukemic activity 724(1999)157

**Camptothecin**

Simultaneous determination of the lactone and carboxylate forms of the camptothecin derivative CPT-11 and its metabolite SN-38 in plasma by high-performance liquid chromatography 718(1998)163

High-performance liquid chromatographic method for the simultaneous determination of the camptothecin derivative irinotecan hydrochloride, CPT-11, and its metabolites SN-38 and SN-38 glucuronide in rat plasma with a fully automated on-line solid-phase extraction system, PROSPEKT 724(1999)335

**20(S)Camptothecin**

High-performance liquid chromatographic quantitation of total and lactone 20(S)camptothecin in patients receiving oral 20(S)camptothecin 707(1998)227

**Cannabis**

Testing for drugs in hair. Critical review of chromatographic procedures since 1992 713(1998)147

**Capsaicin**

Determination of capsaicin and zucapsaicin in human serum by high-performance liquid chromatography with fluorescence detection 701(1997)135

**Captopril**

Improved analytical procedure for the measurement of captopril in human plasma by gas chromatography–mass spectrometry and its application to pharmacokinetic studies 705(1998)47

**Carbamazepine**

Micellar electrokinetic capillary chromatography for therapeutic drug monitoring of carbamazepine and its main metabolites 712(1998)253

**Carbamylated dehydroascorbate derivative**

Quantification of carbamylated dehydroascorbate derivative produced from cyanate and dehydroascorbate 709(1998)150

**Carbapenem antibiotics**

High-performance liquid chromatographic methods for the determination of a new carbapenem antibiotic, L-749,345, in human plasma and urine 720(1998)99

Sensitive semi-microcolumn high-performance liquid chromatographic method for the determination of DU-6681, the active parent drug of a new oral carbapenem antibiotic, DZ-2640, in human plasma and urine using a column-switching system as sample clean-up procedure 724(1999)73

**Carbonic anhydrase**

Use of mobility ratios to estimate binding constants of ligands to proteins in affinity capillary electrophoresis 715(1998)203

**Carboxyibuprofen**

Stereospecific analysis of the major metabolites of ibuprofen in urine by sequential achiral–chiral high-performance liquid chromatography 701(1997)53

**Carboxylic acids**

Methylated *Nε*-dansyl-L-lysine as a fluorogenic reagent for the chiral separation of carboxylic acids 710(1998)211

Carboxylic acids: prediction of retention data from chromatographic and electrophoretic behaviours 717(1998)3

Retention behaviours and separation of carboxylic acids by ion-exchange chromatography 717(1998)27

Chloroformates in gas chromatography as general purpose derivatizing agents 717(1998)57

Chromatographic separations of aromatic carboxylic acids  
717(1998)93

Chiral separation of pharmaceuticals possessing a carboxy moiety 717(1998)295

#### **Carboxynalidixic acid**

Separation and simultaneous determination of nalidixic acid, hydroxynalidixic acid and carboxynalidixic acid in serum and urine by micellar electrokinetic capillary chromatography  
724(1999)319

#### **L-Carnitine**

L-Carnitine moiety assay: an up-to-date reappraisal covering the commonest methods for various applications 702(1997)1

#### **Carotene**

Determination of lycopene,  $\alpha$ -carotene and  $\beta$ -carotene in serum by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry with selected-ion monitoring  
708(1998)67

#### **Carotenoids**

Reversed-phase gradient high-performance liquid chromatographic procedure for simultaneous analysis of very polar to nonpolar retinoids, carotenoids and tocopherols in animal and plant samples 707(1998)69

Determination of *trans*- $\beta$ -carotene and other carotenoids in blood plasma using high-performance liquid chromatography and thermal lens detection 718(1998)47

#### **$\beta$ -Casein**

Aqueous two-phase systems: a novel approach for the separation of proteose peptones 711(1998)91

#### **Catechins**

Simultaneous determination of catechins in human saliva by high-performance liquid chromatography 703(1997)253

Comparison of (+)-catechin determination in human plasma by high-performance liquid chromatography with two types of detection: fluorescence and ultraviolet 707(1998)195

#### **Catecholamines**

Determination of catecholamines in sheep plasma by high-performance liquid chromatography with electrochemical detection: comparison of deoxyepinephrine and 3,4-dihydroxybenzylamine as internal standard 701(1997)115

Determination of catecholamines and methoxycatecholamines excretion patterns in pig and rat urine by ion-exchange liquid chromatography with electrochemical detection 703(1997)15

Determination of serotonin, catecholamines and their metabolites by direct injection of supernatants from chicken brain tissue homogenate using liquid chromatography with electrochemical detection 704(1997)351

Capillary electrophoresis with laser-induced native fluorescence detection for profiling body fluids 714(1998)47

#### **Catechols**

Determination of the cytotoxic catechol metabolite of etoposide (3'-O-demethyletoposide) in human plasma by high-performance liquid chromatography 703(1997)209

#### **Cations**

Separation of a range of cations by nonaqueous capillary electrophoresis using indirect and direct detection 714(1998)99

Novel electrolyte for the analysis of cations in low explosive residue by capillary electrophoresis 714(1998)105

#### **C<sub>12</sub>E<sub>8</sub>**

High-performance affinity chromatography for the purification of heparin-binding proteins from detergent-solubilized smooth muscle cell membranes 706(1998)55

#### **Cefepime**

Quantitative determination of cefepime in plasma and vitreous fluid by high-performance liquid chromatography  
721(1999)249

#### **Cefotaxime**

New spectrophotometric procedure for determining cefotaxime based on derivatization with 1,2-naphthoquinone-4-sulphonate into solid-phase extraction cartridges — application to pharmaceutical and urine samples 718(1998)143

#### **Cefoxitin**

Determination of cefoxitin in serum and tissue 705(1998)145

#### **Ceftazidime**

Determination of ceftazidime in plasma using high-performance liquid chromatography and electrochemical detection. Application for individualizing dosage regimens in elderly patients 719(1998)151

Alternative method for determination of ceftazidime in plasma by high-performance liquid chromatography 719(1998)245

#### **Celiprolol**

Determination of celiprolol and oxprenolol in human plasma by high-performance liquid chromatography and the analytical error function 718(1998)267

#### **Cellulose**

Cellulose as a (bio)affinity carrier: properties, design and applications 715(1998)245

#### **Cephalosporins**

High-performance liquid chromatographic separation and electrochemical detection of cephalosporins 712(1998)145

#### **CGS 24592**

Quantitative analytical methods for the determination of a new hypertension drug, CGS 25462, and its metabolites (CGS 25659 and CGS 24592) in human plasma by high-performance liquid chromatography 706(1998)287

**CGS 25462**

Quantitative analytical methods for the determination of a new hypertension drug, CGS 25462, and its metabolites (CGS 25659 and CGS 24592) in human plasma by high-performance liquid chromatography 706(1998)287

**CGS 25659**

Quantitative analytical methods for the determination of a new hypertension drug, CGS 25462, and its metabolites (CGS 25659 and CGS 24592) in human plasma by high-performance liquid chromatography 706(1998)287

**Chaperonins**

Purification of chaperonins 722(1998)153

**Chloramphenicol**

On-line microdialysis coupled with microbore liquid chromatography for the determination of unbound chloramphenicol and its glucuronide in rat blood 720(1998)165

**Chlordiazepoxide**

Erratum to "Simultaneous determination of twelve benzodiazepines in human serum using a new reversed-phase chromatographic column on a 2- $\mu$ m porous microspherical silica gel". [J. Chromatogr. B, 682 (1996) 173] 709(1998)324

**Z-2-[4-(4-chloro-1,2-diphenyl-but-1-enyl)phenoxy]ethanol**

Quantitative analysis of Z-2-[4-(4-chloro-1,2-diphenyl-but-1-enyl)phenoxy]ethanol in human plasma using high-performance liquid chromatography 724(1999)163

**Chloroformates**

Chloroformates in gas chromatography as general purpose derivatizing agents 717(1998)57

**6-Chloro-5-(1-naphthoxy)-2-methylthio benzimidazole ( $\alpha$ BIOF10)**

High-performance liquid chromatographic assay for a new fasciolicide agent,  $\alpha$ BIOF10, in biological fluids 712(1998)237

**Chlorophenols**

Application of solid-phase microextraction and gas chromatography–mass spectrometry for the determination of chlorophenols in urine 707(1998)91

Sensitive high-performance liquid chromatographic determination with fluorescence detection of phenol and chlorophenols with 4-(4,5-diphenyl-1*H*-imidazol-2-yl)benzoyl chloride as a labeling reagent 721(1999)179

**4-Chlorophenylbiguanide**

Improved method for the simultaneous determination of proguanil and its metabolites by high-performance liquid chromatography and solid-phase extraction of 100- $\mu$ l capillary blood samples dried on sampling paper 719(1998)141

***m*-Chlorophenylpiperazine**

Sensitive liquid chromatographic–mass spectrometric assay for the simultaneous quantitation of nefazodone and its metabolites hydroxynefazodone *m*-chlorophenylpiperazine and triazole-dione in human plasma using single-ion monitoring 718(1998)77

**Chloroquine**

Comparison of chiral recognition capabilities of cyclodextrins for the separation of basic drugs in capillary zone electrophoresis 708(1998)257

Drug accumulation in melanin: an affinity chromatographic study 714(1998)171

**4-Chloro-7-sulfobenzofurazan**

Chromatographic separation of fluorescent thiol adducts of 4-chloro-7-sulphobenzofurazan Use as substrates for enzymes of the mercapturic acid xenobiotic pathway 709(1998)19

**Chlorpheniramine**

Determination of the enantiomers of chlorpheniramine and its main monodesmethyl metabolite in urine using achiral–chiral liquid chromatography 707(1998)235

Comparison of chiral recognition capabilities of cyclodextrins for the separation of basic drugs in capillary zone electrophoresis 708(1998)257

**Chlorpromazine**

Determination of methylparaben, propylparaben and chlorpromazine in chlorpromazine hydrochloride oral solution by high-performance liquid chromatography 707(1998)181

High-performance liquid chromatographic methods for the analysis of haloperidol and chlorpromazine metabolism in vitro by purified cytochrome P450 isoforms 718(1998)259

**Chlorpropamide**

Screening of chlorpropamide in horse plasma by high-performance liquid chromatography with ultraviolet absorbance detection, and confirmation by gas chromatography–mass spectrometry 712(1998)243

**Chlortetracycline**

Analysis of tetracyclines in raw urine by column-switching high-performance liquid chromatography and tandem mass spectrometry 721(1998)47

**Chlorzoxazone**

Determination of chlorzoxazone and 6-hydroxychlorzoxazone in plasma by gas chromatography–mass spectrometry 705(1998)139

**Cholesterol**

Gas chromatography–mass spectrometric method for quantitative determination in human urine of dicarboxylic (dioic) acids produced in the body as a consequence of cholesterol biosynthesis inhibition 709(1998)233

Method for simultaneous measurements of traces of heptadeuterated cholesterol and cholesterol by gas chromatography–mass spectrometry: application in humans 718(1998)23

**Cholesterol sulfate**

Alteration of acidic lipids in human sera during the course of pregnancy: characteristic increase in the concentration of cholesterol sulfate 704(1997)99

**Cibacron blue**

Aqueous two-phase partition and detergent precipitation of a drug-responsive NADH oxidase from the HeLa cell surface 711(1998)173

**Ciclosporin**

Simultaneous on-line extraction and analysis of sirolimus (rapamycin) and ciclosporin in blood by liquid chromatography–electrospray mass spectrometry 721(1999)285

**Cilazapril**

Quantitative determination of the angiotensin-converting enzyme inhibitor cilazapril and its active metabolite cilazaprilat in pharmaceuticals and urine by high-performance liquid chromatography with amperometric detection 714(1998)285

**Cilazaprilat**

Quantitative determination of the angiotensin-converting enzyme inhibitor cilazapril and its active metabolite cilazaprilat in pharmaceuticals and urine by high-performance liquid chromatography with amperometric detection 714(1998)285

**Cimetidine**

High-throughput solid-phase extraction for the determination of cimetidine in human plasma 714(1998)361

**Ciprofloxacin**

Determination of quinolone antibiotics in growth media by reversed-phase high-performance liquid chromatography 709(1998)97

Fully automated high-performance liquid chromatography of ciprofloxacin with direct injection of plasma and Mueller–Hinton broth for pharmacokinetic/pharmacodynamic studies 714(1998)317

**Cisapride**

Determination of cisapride and norcisapride in human plasma using high-performance liquid chromatography with ultraviolet detection 714(1998)395

**Citalopram**

Solid-phase extraction with end-capped C<sub>2</sub> columns for the routine measurement of racemic citalopram and metabolites in plasma by high-performance liquid chromatography 702(1997)234

Analysis of the enantiomers of citalopram and its demethylated metabolites using chiral liquid chromatography 719(1998)234

**Citrinin**

Sample preparation and high-resolution separation of mycotoxins possessing carboxyl groups 717(1998)135

**Clarithromycin**

Quantitative determination of the macrolide antibiotics erythromycin, roxithromycin, azithromycin and clarithromycin in human serum by high-performance liquid chromatography using pre-column derivatization with 9-fluorenylmethyloxycarbonyl chloride and fluorescence detection 720(1998)89

**Clenbuterol**

Detection of illegal clenbuterol use in calves using hair analysis. Application in meat quality control 703(1997)85

Stereoselective determination of clenbuterol in human urine by capillary electrophoresis 713(1998)443

$\beta_2$ -Adrenergic agonist residues: simultaneous methyl- and butylboronic derivatization for confirmatory analysis by gas chromatography–mass spectrometry 716(1998)366

Long-term detection of clenbuterol in human scalp hair by gas chromatography–high-resolution mass spectrometry 723(1999)147

**Clenpenterol**

$\beta_2$ -Adrenergic agonist residues: simultaneous methyl- and butylboronic derivatization for confirmatory analysis by gas chromatography–mass spectrometry 716(1998)366

**Clenproperol**

$\beta_2$ -Adrenergic agonist residues: simultaneous methyl- and butylboronic derivatization for confirmatory analysis by gas chromatography–mass spectrometry 716(1998)366

**Clevidipine**

Determination of an ultrashort-acting antihypertensive dihydropyridine, clevidipine, in blood using capillary gas chromatography–mass spectrometry and of the primary metabolite using liquid chromatography and fluorescence detection 723(1999)211

**Clinafloxacin**

Achiral and chiral high-performance liquid chromatographic methods for clinafloxacin, a fluoroquinolone antibacterial, in human plasma 709(1998)265

**Clindamycin**

Determination of clindamycin in human plasma by high-performance liquid chromatography using coupled columns 724(1999)281

Determination of clindamycin in human plasma by liquid chromatography–electrospray tandem mass spectrometry: application to the bioequivalence study of clindamycin 724(1999)287

**Clodronate**

Simultaneous determination of clodronate and its partial ester derivatives by ion-pair reversed-phase high-performance liquid chromatography coupled with evaporative light-scattering detection 701(1997)97

Identification of adenine nucleotide-containing metabolites of bisphosphonate drugs using ion-pair liquid chromatography–electrospray mass spectrometry 704(1997)187

**Clomipramine**

Automated determination of clomipramine and its major metabolites in human and rat serum by high-performance liquid chromatography with on-line column-switching 710(1998)227

**Clonazepam**

Erratum to "Simultaneous determination of twelve benzodiazepines in human serum using a new reversed-phase chromatographic column on a 2- $\mu$ m porous microspherical silica gel". [J. Chromatogr. B, 682 (1996) 173] 709(1998)324

Drug accumulation in melanin: an affinity chromatographic study 714(1998)171

Improved selectivity for high-performance liquid chromatographic determination of clonazepam in plasma of epileptic patients 719(1998)227

**Clopidogrel**

Assay method for the carboxylic acid metabolite of clopidogrel in human plasma by gas chromatography–mass spectrometry 720(1998)107

**Closantel**

Determination of closantel residues in plasma and tissues by high-performance liquid chromatography with fluorescence detection 710(1998)234

**Cloxacillin**

Determination of isoxazolympenicillins residues in milk by ion-pair reversed-phase high-performance liquid chromatography after precolumn derivatization 705(1998)71

**Clozapine**

Determination of clozapine and its metabolite, N-desmethylclozapine, in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 712(1998)193

Determination of clozapine, desmethylclozapine and clozapine N-oxide in human plasma by reversed-phase high-performance liquid chromatography with ultraviolet detection 714(1998)299

**Clozapine N-oxide**

Determination of clozapine, desmethylclozapine and clozapine N-oxide in human plasma by reversed-phase high-performance liquid chromatography with ultraviolet detection 714(1998)299

**Cobalamin**

Evaluation of coupling of cobalamin to antisense oligonucleotides by thin-layer and reversed-phase liquid chromatography 706(1998)149

**Cocaethylene**

Sensitive and specific high-performance liquid chromatographic assay with ultraviolet detection for the determination of cocaine and its metabolites in rat plasma 703(1997)129

**Cocaine**

Sensitive and specific high-performance liquid chromatographic assay with ultraviolet detection for the determination of cocaine and its metabolites in rat plasma 703(1997)129

Short column gas chromatography–mass spectrometry and principal component analysis for the identification of coeluted substances in doping control analysis 706(1998)245

Simple microbore high-performance liquid chromatographic method for the determination of dopamine and cocaine from a single in vivo brain microdialysis sample 709(1998)35

Testing for drugs in hair. Critical review of chromatographic procedures since 1992 713(1998)147

Immunological screening of drugs of abuse and gas chromatographic–mass spectrometric confirmation of opiates and cocaine in hair 724(1999)9

**Codeine**

Determination of morphine and its 3- and 6-glucuronides, codeine, codeine-glucuronide and 6-monoacetylmorphine in body fluids by liquid chromatography atmospheric pressure chemical ionization mass spectrometry 703(1997)115

Simultaneous determination of codeine and its seven metabolites in plasma and urine by high-performance liquid chromatography with ultraviolet and electrochemical detection 708(1998)185

Fully automated analytical method for codeine quantification in human plasma using on-line solid-phase extraction and high-performance liquid chromatography with ultraviolet detection 724(1999)295

**Codeine-6-glucuronide**

Determination of morphine and its 3- and 6-glucuronides, codeine, codeine-glucuronide and 6-monoacetylmorphine in body fluids by liquid chromatography atmospheric pressure chemical ionization mass spectrometry 703(1997)115

**Collagen**

Sensitive fluorimetric quantitation of pyridinium and pentosidine crosslinks in biological samples in a single high-performance liquid chromatographic run 703(1997)37

Pre-column derivatisation method for the measurement of glycosylated hydroxylysines of collagenous proteins 703(1997)267

Retention data from affinity high-performance liquid chromatography in view of chemometrics 715(1998)229

**Combretastatin A-4**

Determination of combretastatin A-4 and its phosphate ester pro-drug in plasma by high-performance liquid chromatography 721(1998)77

**Commiphora mukul**

High-performance liquid chromatographic method for fingerprinting and quantitative determination of *E*- and *Z*-guggulsterones in *Commiphora mukul* resin and its products 720(1998)189

**Conalbumin**

Capillary electrophoresis with laser-induced native fluorescence detection for profiling body fluids 714(1998)47

**Coprostanol**

New method for determination of fecal sterols in urine using non-chlorinated solvents 713(1998)438

**Corticoids**

Simultaneous determination of anabolic and catabolic steroid hormones in meat by gas chromatography–mass spectrometry 704(1997)105

Optimization of separation of a complex mixture of natural and synthetic corticoids by micellar liquid chromatography using sodium dodecyl sulphate. Application to urine samples 724(1999)53

**Corticosteroids**

Detection of exogenous hydrocortisone in horse urine by gas chromatography–combustion–carbon isotope ratio mass spectrometry 702(1997)85

Fluorescence derivatisation of urinary corticosteroids for high-performance liquid chromatographic analysis 718(1998)273

**Corticosterone**

Improved determination of urinary cortisol and cortisone, or corticosterone and 11-dehydrocorticosterone by high-performance liquid chromatography with ultraviolet absorbance detection 702(1997)33

**Cortisol**

Improved determination of urinary cortisol and cortisone, or corticosterone and 11-dehydrocorticosterone by high-performance liquid chromatography with ultraviolet absorbance detection 702(1997)33

Simultaneous determination of glucocorticoids in plasma or urine by high-performance liquid chromatography with precolumn fluorimetric derivatization by 9-anthroyl nitrile 706(1998)191

**Cortisone**

Improved determination of urinary cortisol and cortisone, or corticosterone and 11-dehydrocorticosterone by high-performance liquid chromatography with ultraviolet absorbance detection 702(1997)33

Simultaneous determination of glucocorticoids in plasma or urine by high-performance liquid chromatography with precolumn fluorimetric derivatization by 9-anthroyl nitrile 706(1998)191

**Cotinine**

Determination of nicotine, cotinine and caffeine in meconium using high-performance liquid chromatography 707(1998)317

Rapid method for the simultaneous measurement of nicotine and cotinine in urine and serum by gas chromatography–mass spectrometry 708(1998)87

Rapid and sensitive high-performance liquid chromatographic determination of nicotine and cotinine in nonsmoker human and rat urines 708(1998)95

Validation of an assay for the determination of cotinine and 3-hydroxycotinine in human saliva using automated solid-phase extraction and liquid chromatography with tandem mass spectrometric detection 723(1999)185

**Coumarin**

Highly sensitive high-performance liquid chromatographic assay for coumarin 7-hydroxylation and 7-ethoxycoumarin *O*-deethylation by human liver cytochrome P450 enzymes 721(1998)13

**CP-93 393**

Direct plasma injection for high-performance liquid chromatographic–mass spectrometric quantitation of the anxiolytic agent CP-93 393 718(1998)87

**CPT-11**

Simultaneous determination of the lactone and carboxylate forms of the camptothecin derivative CPT-11 and its metabolite SN-38 in plasma by high-performance liquid chromatography 718(1998)163

**Creatine kinase**

Characterization of isoforms of human mitochondrial creatine kinase by isoelectric focusing 721(1999)171

**Creatinine**

Simultaneous determination of purine metabolites, creatinine and pseudouridine in ruminant urine by reversed-phase high-performance liquid chromatography 723(1999)81

**Cremophor EL**

Influence of Cremophor EL on the quantification of paclitaxel in plasma using high-performance liquid chromatography with solid-phase extraction as sample pretreatment 709(1998)161

**Cresol**

Quantitation of *o*-, *m*- and *p*-cresol and deuterated analogs in human urine by gas chromatography with electron capture detection 703(1997)105

**CT2584**

Development and validation of a sensitive solid-phase extraction and high-performance liquid chromatography assay for the novel antitumour agent CT2584 in human plasma 721(1999)279

**Cutinase**

Cutinase purification on poly(ethylene glycol)–hydroxypropyl starch aqueous two-phase systems 711(1998)151

**Cyanate**

Quantification of carbamylated dehydroascorbate derivative produced from cyanate and dehydroascorbate 709(1998)150

**Cyanide**

Simultaneous determination of cyanide and thiocyanate in blood by ion chromatography with fluorescence and ultraviolet detection 713(1998)353

**7-Cyanoquinocarcinol**

Development of a sensitive liquid chromatography–electrospray ionization tandem mass spectrometry method for the measurement of 7-cyanoquinocarcinol in human plasma 713(1998)448

**Cyclic adenosine diphosphoribose**

Quantification of intracellular levels of cyclic ADP-ribose by high-performance liquid chromatography 707(1998)43

**Cyclodextrins**

Resolution and quantitation of pentazocine enantiomers in human serum by reversed-phase high-performance liquid chromatography using sulfated  $\beta$ -cyclodextrin as chiral mobile phase additive and solid-phase extraction 703(1997)273

Modified cyclodextrins as chiral selectors: molecular modelling investigations on the enantioselective binding properties of heptakis(2,3-di-O-methyl-6-O-*tert*.-butyldimethylsilyl)- $\beta$ -cyclodextrin 708(1998)1

Comparison of chiral recognition capabilities of cyclodextrins for the separation of basic drugs in capillary zone electrophoresis 708(1998)257

**Cycloguanil**

Improved method for the simultaneous determination of proguanil and its metabolites by high-performance liquid chromatography and solid-phase extraction of 100- $\mu$ l capillary blood samples dried on sampling paper 719(1998)141

**(S)-N-Cyclopentyl-N-methyl-3-(4-amidrazonophenyl)-2-(2-naphthylsulfonylamino)-propionamide**

High-performance liquid chromatographic determination of a new oral thrombin inhibitor in the blood of rats and dogs 714(1998)379

**Cyclophosphamide**

Simultaneous determination of *N,N',N''*-triethylenethiophosphoramidate, cyclophosphamide and some of their metabolites in plasma using capillary gas chromatography 716(1998)177

**Cyclosporin A**

Microscale high-performance liquid chromatography–electrospray tandem mass spectrometry assay for cyclosporin A in blood 705(1998)289

Competitive immunoassay for cyclosporine using capillary electrophoresis with laser induced fluorescence polarization detection 714(1998)59

**Cysteamine**

Determination of  $\gamma$ -glutamylglutathione and other low-molecular-mass biological thiol compounds by isocratic high-performance liquid chromatography with fluorimetric detection 708(1998)285

**Cysteine**

Comparison of anion-exchange and ion-modified reversed-phase liquid chromatography for the determination of *S*-sulfocysteine 705(1998)251

Study of factors affecting the determination of total plasma 7-fluorobenzo-2-oxa-1,3-diazole-4-sulfonate (SBD)–thiol derivatives by liquid chromatography 706(1998)209

Analysis of cysteine and *N*-acetylcysteine in human plasma by high-performance liquid chromatography at the basal state and after oral administration of *N*-acetylcysteine 708(1998)55

Determination of  $\gamma$ -glutamylglutathione and other low-molecular-mass biological thiol compounds by isocratic high-performance liquid chromatography with fluorimetric detection 708(1998)285

**Cysteine sulfinic acid**

Simultaneous determination of cysteine sulfinic acid and hypotaurine in rat tissues by column-switching high-performance liquid chromatography with electrochemical detection 704(1997)83

**Cysteinyglycine**

Study of factors affecting the determination of total plasma 7-fluorobenzo-2-oxa-1,3-diazole-4-sulfonate (SBD)–thiol derivatives by liquid chromatography 706(1998)209

Determination of  $\gamma$ -glutamylglutathione and other low-molecular-mass biological thiol compounds by isocratic high-performance liquid chromatography with fluorimetric detection 708(1998)285

**Cytarabin**

Measurement of surface contamination from nucleoside analogue antineoplastic drugs by high-performance liquid chromatography in occupational hygiene studies of oncologic hospital departments 724(1999)325



**Cytochromes**

High-performance liquid chromatographic method for measurement of cytochrome P450-mediated metabolism of 7-ethoxy-4-trifluoromethylcoumarin 708(1998)290

Separation of microsomal cytochrome *b*<sub>5</sub> via phase separation in a mixed solution of Triton X-114 and charged dextran 708(1998)294

High-performance liquid chromatographic methods for the analysis of haloperidol and chlorpromazine metabolism in vitro by purified cytochrome P450 isoforms 718(1998)259

Highly sensitive high-performance liquid chromatographic assay for coumarin 7-hydroxylation and 7-ethoxycoumarin *O*-deethylation by human liver cytochrome P450 enzymes 721(1998)13

**Cytokines**

Recycling immunoaffinity chromatography for multiple analyte analysis in biological samples 715(1998)55

**D****Dabsyl chloride**

Development of a sensitive and quantitative analytical method for 1*H*-4-substituted imidazole histamine H<sub>3</sub>-receptor antagonists utilizing high-performance liquid chromatography and dabsyl derivatization 716(1998)239

**Dalfopristin**

Simultaneous high-performance liquid chromatographic determination of quinupristin, dalfopristin and their main metabolites in human plasma 708(1998)161

***Nε*-Dansyl-L-lysine**

Methylated *Nε*-dansyl-L-lysine as a fluorogenic reagent for the chiral separation of carboxylic acids 710(1998)211

**2-Dechloroethylcyclophosphamide**

Simultaneous determination of *N,N',N''*-triethylenethiophosphoramidate, cyclophosphamide and some of their metabolites in plasma using capillary gas chromatography 716(1998)177

**Dehydroascorbate**

Quantification of carbamylated dehydroascorbate derivative produced from cyanate and dehydroascorbate 709(1998)150

**11-Dehydrocorticosterone**

Improved determination of urinary cortisol and cortisone, or corticosterone and 11-dehydrocorticosterone by high-performance liquid chromatography with ultraviolet absorbance detection 702(1997)33

**Dehydroepiandrosterone**

Simplified procedure for measurement of serum dehydroepiandrosterone and its sulfate with gas chromatography–ion trap mass spectrometry and selected reaction monitoring 716(1998)19

**Dehydronifedipine**

Simultaneous determination of nifedipine and dehydronifedipine in human plasma by liquid chromatography–tandem mass spectrometry 720(1998)119

**Demethylcitalopram**

Analysis of the enantiomers of citalopram and its demethylated metabolites using chiral liquid chromatography 719(1998)234

***N*-Demethylerythromycin A**

Determination of erythromycin and related substances by capillary electrophoresis 704(1997)343

**3'*O*-Demethyletoposide**

Determination of the cytotoxic catechol metabolite of etoposide (3'*O*-demethyletoposide) in human plasma by high-performance liquid chromatography 703(1997)209

**Demethylmirtazapine**

High-performance liquid chromatographic assay with fluorescence detection for the routine monitoring of the antidepressant mirtazapine and its demethyl metabolite in human plasma 721(1999)309

**Demethyltramadol**

Enantiomeric separation of tramadol hydrochloride and its metabolites by cyclodextrin-mediated capillary zone electrophoresis 707(1998)287

***O*-Demethyltramadol**

Simultaneous determination of tramadol and its major active metabolite *O*-demethyltramadol by high-performance liquid chromatography with electrochemical detection 724(1999)83

**Dental base alloys**

Quantitative thin-layer chromatographic identification of dental base alloys 710(1998)247

**Deoxyadenosine**

Determination of adenosine and deoxyadenosine in urine by high-performance liquid chromatography with column switching 719(1998)55

**2-Deoxy-2,3-dehydro-*N*-acetylneuraminic acid**

Determination of sialic acids in biological fluids using reversed-phase ion-pair high-performance liquid chromatography 724(1999)205

**7-Deoxydoxorubicinolone**

Determination of doxorubicin and metabolites in murine specimens by high-performance liquid chromatography 712(1998)129

**7-Deoxydoxorubicinone**

Determination of doxorubicin and metabolites in murine specimens by high-performance liquid chromatography 712(1998)129

**Deoxyepinephrine**

Determination of catecholamines in sheep plasma by high-performance liquid chromatography with electrochemical detection: comparison of deoxyepinephrine and 3,4-dihydroxybenzylamine as internal standard 701(1997)115

**(–)-2'-Deoxy-3'-thiacytidine**

Quantitative determination of (–)-2'-deoxy-3'-thiacytidine (lamivudine) in human plasma, saliva and cerebrospinal fluid by high-performance liquid chromatography with ultraviolet detection 713(1998)387

**Depsipeptide**

Determination of the antitumor agent depsipeptide in plasma by liquid chromatography on serial octadecyl stationary phases 719(1998)169

**17-Desacetylorocuronium**

Quantification of the neuromuscular blocking agent rocuronium and its putative metabolite 17-desacetylorocuronium in heparinized plasma by capillary gas chromatography using a nitrogen sensitive detector 702(1997)111

**N-Desbutylhalofantrine**

Chiral chromatographic method to determine the enantiomers of halofantrine and its main chiral desbutyl metabolite in erythrocytes 712(1998)259

**Desferrioxamine**

Quantification of desferrioxamine, ferrioxamine and aluminioxamine by post-column derivatization high-performance liquid chromatography 710(1998)191

**Desipramine**

Simultaneous determination of imipramine and its metabolite desipramine in human plasma by capillary gas chromatography with mass-selective detection 703(1997)147

Drug accumulation in melanin: an affinity chromatographic study 714(1998)171

**Desmethoxyyangonin**

Contribution to the quantitative and enantioselective determination of kavapyrones by high-performance liquid chromatography on ChiraSpher NT material 702(1997)240

**Desmethylcitalopram**

Solid-phase extraction with end-capped C<sub>2</sub> columns for the routine measurement of racemic citalopram and metabolites in plasma by high-performance liquid chromatography 702(1997)234

**N-Desmethylozapine**

Determination of clozapine and its metabolite, N-desmethylozapine, in serum microsomes by high-performance liquid chromatography and its application to pharmacokinetics in rats 712(1998)193

**Desmethylozapine**

Determination of clozapine, desmethylozapine and clozapine N-oxide in human plasma by reversed-phase high-performance liquid chromatography with ultraviolet detection 714(1998)299

**N-Desmethyldiazepam**

Rapid and simple chromatographic method for the determination of diazepam and its major metabolites in human plasma and urine 708(1998)304

**N-Desmethylflunitrazepam**

Determination of flunitrazepam and its metabolites in blood by high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 713(1998)361

**Desmethylflunitrazepam**

Quantification of flunitrazepam's oxidative metabolites, 3-hydroxyflunitrazepam and desmethylflunitrazepam, in hepatic microsomal incubations by high-performance liquid chromatography 719(1998)87

**N-Desmethyl-LSD**

Detection of metabolites of lysergic acid diethylamide (LSD) in human urine specimens: 2-oxo-3-hydroxy-LSD, a prevalent metabolite of LSD 724(1999)23

**Desmethylnemonapride**

High-performance liquid chromatographic determination of nemonapride and desmethylnemonapride in human plasma using an electrochemical detection 714(1998)293

**Desmethylvenlafaxine**

Rapid determination of venlafaxine and O-desmethylvenlafaxine in human plasma by high-performance liquid chromatography with fluorimetric detection 703(1997)195

**Desmosine**

Micellar electrokinetic chromatography for the determination of urinary desmosine and isodesmosine in patients affected by chronic obstructive pulmonary disease 714(1998)87

**Dextran**

Separation of microsomal cytochrome *b*<sub>5</sub> via phase separation in a mixed solution of Triton X-114 and charged dextran 708(1998)294

Quantitation of dextran 70 in peritoneal dialysate from patients administered 7.5% polyglucose 718(1998)115

**Dextromethorphan**

Short column gas chromatography–mass spectrometry and principal component analysis for the identification of coeluted substances in doping control analysis 706(1998)245

**Dextropropoxyphene**

Short column gas chromatography–mass spectrometry and principal component analysis for the identification of coeluted substances in doping control analysis 706(1998)245

Gas chromatographic–mass spectrometric quantitation of dextropropoxyphene and norpropoxyphene in hair and whole blood after automated on-line solid-phase extraction 709(1998)69

**Diacylglycerols**

Determination of the molecular species composition of diacylglycerols in human adipose tissue by solid-phase extraction and gas chromatography on a polar phase 714(1998)127

**Diazepam**

Rapid and simple chromatographic method for the determination of diazepam and its major metabolites in human plasma and urine 708(1998)304

Erratum to “Simultaneous determination of twelve benzodiazepines in human serum using a new reversed-phase chromatographic column on a 2- $\mu$ m porous microspherical silica gel”. [J. Chromatogr. B, 682 (1996) 173] 709(1998)324

**Dibucaine**

Simple analysis of local anaesthetics in human blood using headspace solid-phase microextraction and gas chromatography–mass spectrometry–electron impact ionization selected ion monitoring 709(1998)225

**Dichloroacetate**

Determination of dichloroacetate and its metabolites in human plasma by gas chromatography–mass spectrometry 703(1997)75

**Dicloxacillin**

Determination of isoxazolylic penicillins residues in milk by ion-pair reversed-phase high-performance liquid chromatography after precolumn derivatization 705(1998)71

**Didesmethylcitalopram**

Solid-phase extraction with end-capped C<sub>2</sub> columns for the routine measurement of racemic citalopram and metabolites in plasma by high-performance liquid chromatography 702(1997)234

Analysis of the enantiomers of citalopram and its demethylated metabolites using chiral liquid chromatography 719(1998)234

**Diethylcarbamazine**

Specific gas chromatographic analysis of diethylcarbamazine in human plasma using solid-phase extraction 704(1997)181

**Digitoxin**

Characterisation of the binding of digitoxin and acetyldigitoxin to human serum albumin by high-performance affinity chromatography 724(1999)91

**Dihydroartemisinin**

Simple high-performance liquid chromatographic method with electrochemical detection for the simultaneous determination of artesunate and dihydroartemisinin in biological fluids 708(1998)201

**Dihydrocodeine**

Determination of the dihydrocodeine metabolites, dihydromorphine and nordihydrocodeine, in hepatic microsomal incubations by high-performance liquid chromatography 701(1997)129

Rapid detection of dihydrocodeine by thermospray mass spectrometry 718(1998)55

**13-S-Dihydrodoxorubicin**

Simultaneous determination of epirubicin, doxorubicin and their principal metabolites in human plasma by high-performance liquid chromatography and electrochemical detection 707(1998)219

**13-S-Dihydroepirubicin**

Simultaneous determination of epirubicin, doxorubicin and their principal metabolites in human plasma by high-performance liquid chromatography and electrochemical detection 707(1998)219

**Dihydrokavain**

Contribution to the quantitative and enantioselective determination of kavapyrones by high-performance liquid chromatography on ChiraSpher NT material 702(1997)240

**Dihydrolipoic acid**

Chromatographic analysis of lipoic acid and related compounds 717(1998)247

**Dihydromethysticin**

Contribution to the quantitative and enantioselective determination of kavapyrones by high-performance liquid chromatography on ChiraSpher NT material 702(1997)240

**Dihydromorphine**

Determination of the dihydrocodeine metabolites, dihydromorphine and nordihydrocodeine, in hepatic microsomal incubations by high-performance liquid chromatography 701(1997)129

**Dihydropyridine**

Determination of an ultrashort-acting antihypertensive dihydropyridine, clevidipine, in blood using capillary gas chromatography–mass spectrometry and of the primary metabolite using liquid chromatography and fluorescence detection 723(1999)211

**5,6-Dihydrothymine**

Gas chromatography–mass spectrometry with high-performance liquid chromatography prepurification for monitoring the endonuclease III-mediated excision of 5-hydroxy-5,6-dihydrothymine and 5,6-dihydrothymine from  $\gamma$ -irradiated DNA 710(1998)67

**Dihydroxybenzoates**

Simultaneous measurement of monoamines, their metabolites and 2,3- and 2,5-dihydroxybenzoates by high-performance liquid chromatography with electrochemical detection. Application to rat brain dialysates 716(1998)350

**3,4-Dihydroxybenzylamine**

Determination of catecholamines in sheep plasma by high-performance liquid chromatography with electrochemical detection: comparison of deoxyepinephrine and 3,4-dihydroxybenzylamine as internal standard 701(1997)115

**3,5-Dihydroxy-4-isopropylstilbene**

Quantitative analysis of a bacteria-derived antibiotic in nematode-infected insects using HPLC–UV and TLC–UV methods 703(1997)177

**1 $\alpha$ ,25-Dihydroxyvitamin D<sub>3</sub>**

Determination of 22-oxacalcitriol, a new analog of 1 $\alpha$ ,25-dihydroxyvitamin D<sub>3</sub>, in human serum by liquid chromatography–mass spectrometry 706(1998)261

**Diltiazem hydrochloride**

High-performance thin-layer chromatographic determination of diltiazem hydrochloride as bulk drug and in pharmaceutical preparations 706(1998)362

**Dimethamphetamine**

Determination of amphetamine, methamphetamine and dimethamphetamine in human urine by solid-phase microextraction (SPME)-gas chromatography/mass spectrometry 716(1998)359

**Dimethindene**

Determination of dimethindene in human tears by high-performance liquid chromatography 707(1998)334

**1,3-Dimethoxymethyl-5,5-diphenylbarbituric acid**

Method for the determination of 5,5-diphenylbarbituric acid and its separation from 1,3-dimethoxymethyl-5,5-diphenylbarbituric acid in plasma by high-performance liquid chromatography 710(1998)149

**4-(5,6-Dimethoxy-2-phthalimidinyl)-2-methoxyphenylsulfonyl chloride**

Highly sensitive determination of *N*-terminal prolyl dipeptides, proline and hydroxyproline in urine by high-performance liquid chromatography using a new fluorescent labelling reagent, 4-(5,6-dimethoxy-2-phthalimidinyl)-2-methoxyphenylsulfonyl chloride 724(1999)221

**Dimethylamine**

Determination of dimethylamine and other low-molecular-mass amines using capillary electrophoresis with laser-induced fluorescence detection 714(1998)77

***R*-(–)-4-(*N,N*-dimethylaminosulfonyl)-7-(3-aminopyrrolidin-1-yl)-2,1,3-benzoxadiazole**

High-performance liquid chromatographic determination of erdosteine and its optical active metabolite utilizing a fluorescent chiral tagging reagent, *R*-(–)-4-(*N,N*-dimethylaminosulfonyl)-7-(3-aminopyrrolidin-1-yl)-2,1,3-benzoxadiazole 719(1998)177

**Dimethylarginine**

Determination of dimethylated arginines in human plasma by high-performance liquid chromatography 705(1998)174

**Dimethylformamide**

Salt-steered partitioning of proteins in polymeric two-phase systems based on *N,N*-dimethylformamide 711(1998)117

**1,7-Dimethylurate**

Analysis of urinary caffeine metabolites to assess biotransformation enzyme activities by reversed-phase high-performance liquid chromatography 709(1998)27

**Dinitroaniline**

Headspace solid-phase microextraction and gas chromatographic determination of dinitroaniline herbicides in human blood, urine and environmental water 714(1998)205

**2,4-Dinitrobenzoic acid**

Biological monitoring of dinitrotoluene by gas chromatographic–mass spectrometric analysis of 2,4-dinitrobenzoic acid in human urine 713(1998)313

**Dinitrotoluene**

Biological monitoring of dinitrotoluene by gas chromatographic–mass spectrometric analysis of 2,4-dinitrobenzoic acid in human urine 713(1998)313

**Dinucleoside polyphosphates**

Purification of chemically synthesised dinucleoside(5',5') polyphosphates by displacement chromatography 719(1998)63

**Dioic acid**

Gas chromatography–mass spectrometric method for quantitative determination in human urine of dicarboxylic (dioic) acids produced in the body as a consequence of cholesterol biosynthesis inhibition 709(1998)233

**Dioxins**

Use of an immunoaffinity column for tetrachlorodibenzo-*p*-dioxin serum sample cleanup 705(1998)261

**5,5-Diphenylbarbituric acid**

Method for the determination of 5,5-diphenylbarbituric acid and its separation from 1,3-dimethoxymethyl-5,5-diphenylbarbituric acid in plasma by high-performance liquid chromatography 710(1998)149

**1,2-Diphenylethylenediamine**

Fluorescence derivatizing procedure for 5-hydroxytryptamine and 5-hydroxyindoleacetic acid using 1,2-diphenylethylenediamine reagent and their sensitive liquid chromatographic determination 720(1998)25

**4-(4,5-Diphenyl-1H-imidazol-2-yl)benzoyl chloride**

Simple and sensitive high-performance liquid chromatographic determination of methamphetamines in human urine as derivatives of 4-(4,5-diphenyl-1H-imidazol-2-yl) benzoyl chloride, a new fluorescence derivatization reagent 712(1998)105

Sensitive high-performance liquid chromatographic determination with fluorescence detection of phenol and chlorophenols with 4-(4,5-diphenyl-1H-imidazol-2-yl)benzoyl chloride as a labeling reagent 721(1999)179

**Dipotassium hydrogenphosphate**

Interfacial tension of aqueous two-phase systems containing poly(ethylene glycol) and dipotassium hydrogenphosphate 711(1998)313

**Disopyramide**

Quantitative determination of disopyramide, verapamil and flecainide enantiomers in rat plasma and tissues by high-performance liquid chromatography 710(1998)129

**Diuretics**

Determination of trichlormethiazide in bovine milk by high-performance liquid chromatography 709(1998)137

**DNA**

Determination of *cis*-thymine glycol in DNA by gas chromatography–mass spectrometry with selected ion recording and multiple reaction monitoring 702(1997)49

Improved method to prepare RNA-free DNA from mammalian cells 702(1997)61

Simultaneous determination of methylene violet, halogenated methylene violet and their photoproducts in the presence of DNA by high-performance liquid chromatography using an internal surface reversed-phase column 704(1997)265

Gas chromatography–mass spectrometry with high-performance liquid chromatography prepurification for monitoring the endonuclease III-mediated excision of 5-hydroxy-5,6-dihydrothymine and 5,6-dihydrothymine from  $\gamma$ -irradiated DNA 710(1998)67

Direct quantification of polymerase chain reaction fragments using field-amplified sample injection in capillary zone electrophoresis for gene dosage estimation 710(1998)75

On-line coupling of polymerase chain reaction and capillary electrophoresis for automatic DNA typing and HIV-1 diagnosis 714(1998)3

High-resolution capillary electrophoretic separation of supercoiled plasmid DNAs and their conformers in dilute hydroxypropylmethyl cellulose solutions containing no intercalating agent 714(1998)21

Analysis of polymerase chain reaction products by high-performance liquid chromatography with fluorimetric detection and its application to DNA diagnosis 716(1998)119

High-performance liquid chromatographic determination of N-[2-(hydroxyethyl)-N-(2-(7-guaninyl)ethyl)]methylamine, a reaction product between nitrogen mustard and DNA and its application to biological samples 716(1998)187

Analysis of acidic compounds using capillary electrochromatography 717(1998)341

Single cell gel electrophoresis assay: methodology and applications 722(1999)225

**DNA biomarkers**

Isotope dilution high-performance liquid chromatography–electrospray tandem mass spectrometry assay for the measurement of 8-oxo-7,8-dihydro-2'-deoxyguanosine in biological samples 715(1998)349

**DNA–protein complex**

Advances in the separation of bacteriophages and related particles 722(1999)179

**1-(11-Dodecylamino-10-hydroxyundecyl)-3,7-dimethylxanthine**

Development and validation of a sensitive solid-phase extraction and high-performance liquid chromatography assay for the novel antitumour agent CT2584 in human plasma 721(1999)279

**Domperidone**

Quantitative determination of domperidone in rat plasma by high-performance liquid chromatography with fluorescence detection 720(1998)251

**Dopamine**

Determination of catecholamines and methoxycatecholamines excretion patterns in pig and rat urine by ion-exchange liquid chromatography with electrochemical detection 703(1997)15

Simple microbore high-performance liquid chromatographic method for the determination of dopamine and cocaine from a single in vivo brain microdialysis sample 709(1998)35

**Doping agents**

Derivatization procedures for gas chromatographic–mass spectrometric determination of xenobiotics in biological samples, with special attention to drugs of abuse and doping agents 713(1998)61

**Doxorubicin**

On the use of ion-pair chromatography to elucidate doxorubicin release mechanism from polyalkylcyanoacrylate nanoparticles at the cellular level 702(1997)181

Simultaneous quantitation of plasma doxorubicin and prochlorperazine content by high-performance liquid chromatography 703(1997)217

Simultaneous determination of epirubicin, doxorubicin and their principal metabolites in human plasma by high-performance liquid chromatography and electrochemical detection 707(1998)219

Simultaneous high-performance liquid chromatographic determination of a glucuronyl prodrug of doxorubicin, doxorubicin and its metabolites in human lung tissue 709(1998)289

Determination of doxorubicin and metabolites in murine specimens by high-performance liquid chromatography 712(1998)129

High-performance liquid chromatographic validated assay of doxorubicin in rat plasma and tissues 721(1999)271

#### **Doxorubicinol**

Determination of doxorubicin and metabolites in murine specimens by high-performance liquid chromatography 712(1998)129

#### **Doxycycline**

Liquid chromatographic separation of doxycycline and 4-epidoxycycline in a tissue depletion study of doxycycline in turkeys 708(1998)145

#### **Doxylamine**

Comparison of chiral recognition capabilities of cyclodextrins for the separation of basic drugs in capillary zone electrophoresis 708(1998)257

#### **DRF-2189**

High-performance liquid chromatographic determination of the insulin sensitizing agent DRF-2189 in rat plasma 707(1998)241

#### **Drug residues**

Confirmation of multiple sulfonamide residues in bovine milk by gas chromatography–positive chemical ionization mass spectrometry 723(1999)127

#### **Drug-responsive NADH oxidase**

Aqueous two-phase partition and detergent precipitation of a drug-responsive NADH oxidase from the HeLa cell surface 711(1998)173

#### **Drugs**

Fully-automated systematic toxicological analysis of drugs, poisons, and metabolites in whole blood, urine, and plasma by gas chromatography–full scan mass spectrometry 713(1998)265

#### **Drugs of abuse**

Liquid chromatography–mass spectrometry in forensic and clinical toxicology 713(1998)3

Determination of illicit and/or abused drugs and compounds of forensic interest in biosamples by capillary electrophoretic/electrokinetic methods 713(1998)27

Derivatization procedures for gas chromatographic–mass spectrometric determination of xenobiotics in biological samples, with special attention to drugs of abuse and doping agents 713(1998)61

Determination of drugs of abuse in blood 713(1998)91

Testing for drugs of abuse in saliva and sweat 713(1998)111

Determination of drugs of abuse in meconium 713(1998)137

Quality control in toxicological analysis 713(1998)227

Immunological screening of drugs of abuse and gas chromatographic–mass spectrometric confirmation of opiates and cocaine in hair 724(1999)9

#### **DX-52-1**

Assay for the quinocarmycin analog DX-52-1 in human plasma using high-performance liquid chromatography with automated column switching and low wavelength ultraviolet detection 714(1998)341

## **E**

#### **E-3174**

Simple high-performance liquid chromatographic method for determination of losartan and E-3174 metabolite in human plasma, urine and dialysate 704(1997)374

#### **Ecstasy**

Quantitation of *N*-ethyl-3,4-methylenedioxyamphetamine and its major metabolites in human plasma by high-performance liquid chromatography and fluorescence detection 719(1998)79

High sensitivity simultaneous determination in hair of the major constituents of ecstasy (3,4-methylenedioxyamphetamine, 3,4-methylenedioxyamphetamine and 3,4-methylenedioxyethylamphetamine) by high-performance liquid chromatography with direct fluorescence detection 723(1999)195

**Ecteinascidin 743**

Analysis of Ecteinascidin 743, a new potent marine-derived anticancer drug, in human plasma by high-performance liquid chromatography in combination with solid-phase extraction 710(1998)183

**Elaidic acid**

Liquid chromatography–mass spectrometry and gas chromatography–mass spectrometry of  $\omega$ - and ( $\omega$ -1)-hydroxylated metabolites of elaidic and oleic acids in human and rat liver microsomes 714(1998)133

**Electrolytes**

Consistent view of electrolytes in aqueous two-phase systems 711(1998)45

Effect of electrolytes and surfactants on the thermoseparation of an ethylene oxide–propylene oxide random copolymer in aqueous solution 711(1998)53

**Eltanolone**

Screening of eltanolone metabolites in dog urine by anion-exchange/reversed-phase liquid chromatography and mass spectrometry 715(1998)395

**Endonuclease III**

Gas chromatography–mass spectrometry with high-performance liquid chromatography prepurification for monitoring the endonuclease III-mediated excision of 5-hydroxy-5,6-dihydrothymine and 5,6-dihydrothymine from  $\gamma$ -irradiated DNA 710(1998)67

**Endosomes**

Separation of endosomes by aqueous two-phase partition and free-flow electrophoresis 711(1998)203

**Endosulfan**

Determination of endosulfan and its metabolites in human urine using gas chromatography–tandem mass spectrometry 719(1998)71

**Endotoxins**

Endotoxin removal with poly(ethyleneimine)-immobilized adsorbents: Sepharose 4B versus flat sheet and hollow fibre membranes 707(1998)121

Preparation of poly(*e*-lysine) adsorbents and application to selective removal of lipopolysaccharides 721(1999)187

**Enflurane**

Effect of temperature and some common metals on the stability of volatile anaesthetic–Etonox mixtures 709(1998)217

**Enkephalin peptides**

Gradient high-performance liquid chromatographic analysis of enkephalin peptides, their metabolites, and enzyme inhibitors using combined ultraviolet and electrochemical detection II. Application to ocular permeability studies in vitro 709(1998)1

**Enkephalins**

Monitoring of met-enkephalin in vivo with 5-min temporal resolution using microdialysis sampling and capillary liquid chromatography with electrochemical detection 704(1997)43

**Entacapone**

Separation of the glucuronides of entacapone and its (*Z*)-isomer in urine by micellar electrokinetic capillary chromatography 721(1998)127

**Etonox**

Effect of temperature and some common metals on the stability of volatile anaesthetic–Etonox mixtures 709(1998)217

**Enzyme inhibitors**

Negative ion electrospray high-performance liquid chromatography–mass spectrometry method development for determination of a highly polar phosphonic acid/sulfonic acid compound in plasma. Optimization of ammonium acetate concentration and in-source collision-induced dissociation 703(1997)167

Determination of indinavir, an HIV-protease inhibitor, in human plasma by reversed-phase high-performance liquid chromatography 703(1997)235

Gradient high-performance liquid chromatographic analysis of enkephalin peptides, their metabolites, and enzyme inhibitors using combined ultraviolet and electrochemical detection II. Application to ocular permeability studies in vitro 709(1998)1

**Enzymes**

see also Proteins

Separation of hexokinase activity using different hydrophobic interaction supports 702(1997)41

High-performance liquid chromatographic–colorimetric assay for glycine carboxypeptidase activity 703(1997)45

Single step purification of rat liver aldolase using immobilized artificial membrane chromatography 703(1997)53

Novel assay for glutathione reductase activity by high-performance liquid chromatography with electrochemical detection 705(1998)23

Mimetic ligand-based affinity purification of immune complexes and immunoconjugates 706(1998)217

Ion-exchange column chromatographic method for assaying purine metabolic pathway enzymes 707(1998)295

Sensitive method for the quantification of  $\beta$ -glucuronidase activity in human urine using capillary electrophoresis with fluorescence detection 708(1998)61

Analysis of urinary caffeine metabolites to assess biotransformation enzyme activities by reversed-phase high-performance liquid chromatography 709(1998)27

In situ evaluation of esterase stereoselectivity in two-dimensional electropherograms and tissue sections 709(1998)306

Comparison of Mg<sup>2+</sup>-dependent ATP hydrolase activities of pea nodule symbiosomes and of pea root plasmalemma, obtained by an aqueous polymer two-phase system 711(1998)139

Cutinase purification on poly(ethylene glycol)-hydroxypropyl starch aqueous two-phase systems 711(1998)151

Concentration and purification of  $\beta$ -glucosidase from *Aspergillus niger* by using aqueous two-phase partitioning 711(1998)161

Aqueous two-phase partition and detergent precipitation of a drug-responsive NADH oxidase from the HeLa cell surface 711(1998)173

Enzyme release from heat-stressed cell membranes as a function of hydrophobicity evaluated by using aqueous two-phase systems 711(1998)217

Variation of penicillin acylase partition coefficient with phase volume ratio in poly(ethylene glycol)-sodium citrate aqueous two-phase systems 711(1998)295

Separation and purification of glucoamylase in aqueous two-phase systems by a two-step extraction 711(1998)309

Immobilized liposome chromatography for studies of protein-membrane interactions and refolding of denatured bovine carbonic anhydrase 712(1998)59

Interaction of lactate dehydrogenase with anthraquinone dyes: characterization of ligands for dye-ligand chromatography 715(1998)273

Gradient reversed-phase liquid chromatography coupled on-line to receptor-affinity detection based on the urokinase receptor 715(1998)331

On-line deconjugation of glucuronides using an immobilized enzyme reactor based upon  $\beta$ -glucuronidase 715(1998)379

Determination of cellular thiols and glutathione-related enzyme activities: versatility of high-performance liquid chromatography-spectrofluorimetric detection 719(1998)37

Assay of nicotinamide deamidase activity using high-performance liquid chromatography 720(1998)59

Highly sensitive high-performance liquid chromatographic assay for coumarin 7-hydroxylation and 7-ethoxycoumarin *O*-deethylation by human liver cytochrome P450 enzymes 721(1998)13

Characterization of peroxidase:anti-peroxidase immune complexes by capillary zone electrophoresis and high-performance size-exclusion chromatography 724(1999)275

#### **4-Epidoxycycline**

Liquid chromatographic separation of doxycycline and 4-epidoxycycline in a tissue depletion study of doxycycline in turkeys 708(1998)145

#### **Epinephrine**

Determination of catecholamines in sheep plasma by high-performance liquid chromatography with electrochemical detection: comparison of deoxyepinephrine and 3,4-dihydroxybenzylamine as internal standard 701(1997)115

Determination of catecholamines and methoxycatecholamines excretion patterns in pig and rat urine by ion-exchange liquid chromatography with electrochemical detection 703(1997)15

Liquid chromatographic determination of myocardial interstitial epinephrine 714(1998)375

#### **Epine**

Determination of catecholamines in sheep plasma by high-performance liquid chromatography with electrochemical detection: comparison of deoxyepinephrine and 3,4-dihydroxybenzylamine as internal standard 701(1997)115

#### **Epirubicin**

Simultaneous determination of epirubicin, doxorubicin and their principal metabolites in human plasma by high-performance liquid chromatography and electrochemical detection 707(1998)219

#### **Eprosartan**

Determination of SK&F 108566 (Teveten) in human plasma by reversed-phase high-performance liquid chromatography 707(1998)328

#### **Erdosteine**

High-performance liquid chromatographic determination of erdosteine and its optical active metabolite utilizing a fluorescent chiral tagging reagent, *R*-(-)-4-(*N,N*-dimethylaminosulfonyl)-7-(3-aminopyrrolidin-1-yl)-2,1,3-benzoxadiazole 719(1998)177

#### **Erythromycin**

Development of a capillary electrophoretic method for the separation of the macrolide antibiotics, erythromycin, josamycin and oleandomycin 704(1997)333

Determination of erythromycin and related substances by capillary electrophoresis 704(1997)343

Quantitative determination of the macrolide antibiotics erythromycin, roxithromycin, azithromycin and clarithromycin in human serum by high-performance liquid chromatography using pre-column derivatization with 9-fluorenylmethyloxycarbonyl chloride and fluorescence detection 720(1998)89

#### **Erythromycin C**

Determination of erythromycin and related substances by capillary electrophoresis 704(1997)343



**Estazolam**

Erratum to “Simultaneous determination of twelve benzodiazepines in human serum using a new reversed-phase chromatographic column on a 2- $\mu$ m porous microspherical silica gel”. [J. Chromatogr. B, 682 (1996) 173] 709(1998)324

**Esterase**

In situ evaluation of esterase stereoselectivity in two-dimensional electropherograms and tissue sections 709(1998)306

**Estriol**

Simultaneous determination of estriol and estriol 3-sulfate in serum by column-switching semi-micro high-performance liquid chromatography with ultraviolet and electrochemical detection 723(1999)39

**Estriol 3-sulfate**

Simultaneous determination of estriol and estriol 3-sulfate in serum by column-switching semi-micro high-performance liquid chromatography with ultraviolet and electrochemical detection 723(1999)39

**Estrogens**

Simultaneous determination of anabolic and catabolic steroid hormones in meat by gas chromatography–mass spectrometry 704(1997)105

**Ethambutol**

Determination of ethambutol in plasma by high-performance liquid chromatography after pre-column derivatization 708(1998)310

**Ethanol**

Headspace gas chromatography with capillary column for urine alcohol determination 704(1997)365

**Ethopropazine**

High-performance liquid chromatographic assay of ( $\pm$ )-ethopropazine and its enantiomers in rat plasma 715(1998)417

**7-Ethoxy-4-trifluoromethylcoumarin**

High-performance liquid chromatographic method for measurement of cytochrome P450-mediated metabolism of 7-ethoxy-4-trifluoromethylcoumarin 708(1998)290

**Ethyl acetate**

Ethyl acetate extraction procedure and isocratic high-performance liquid chromatographic assay for testosterone metabolites in cell microsomes 706(1998)201

**Ethylacetylcysteine**

Assay of S-ethyl-N-acetyl-L-cysteine in urine by high-performance liquid chromatography using post-column reaction detection 704(1997)159

**Ethylbenzene**

Simultaneous determination of benzene, toluene, ethylbenzene, and xylenes in urine by thermal desorption–gas chromatography 706(1998)352

Headspace solid-phase microextraction for the determination of benzene, toluene, ethylbenzene and xylenes in urine 723(1999)105

**Ethylene oxide–propylene oxide copolymer**

Effect of electrolytes and surfactants on the thermoseparation of an ethylene oxide–propylene oxide random copolymer in aqueous solution 711(1998)53

**7-Ethyl-10-hydroxycamptothecin**

High-performance liquid chromatographic method for the simultaneous determination of the camptothecin derivative irinotecan hydrochloride, CPT-11, and its metabolites SN-38 and SN-38 glucuronide in rat plasma with a fully automated on-line solid-phase extraction system, PROSPEKT 724(1999)335

**2-Ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine**

Rapid determination of methadone and its major metabolite in biological fluids by gas–liquid chromatography with thermionic detection for maintenance treatment of opiate addicts 718(1998)278

Enantioselective high-performance liquid chromatographic method for the determination of methadone and its main metabolite in urine using an AGP and a C<sub>8</sub> column coupled serially 724(1999)35

**N-Ethyl-3,4-methylenedioxyamphetamine**

Quantitation of N-ethyl-3,4-methylenedioxyamphetamine and its major metabolites in human plasma by high-performance liquid chromatography and fluorescence detection 719(1998)79

**Ethyl salicylate**

Simultaneous quantitative analysis of methyl salicylate, ethyl salicylate and salicylic acid from biological fluids using gas chromatography–mass spectrometry 718(1998)69

**Etidronate**

Identification of adenine nucleotide-containing metabolites of bisphosphonate drugs using ion-pair liquid chromatography–electrospray mass spectrometry 704(1997)187

**Etizolam**

Erratum to “Simultaneous determination of twelve benzodiazepines in human serum using a new reversed-phase chromatographic column on a 2- $\mu$ m porous microspherical silica gel”. [J. Chromatogr. B, 682 (1996) 173] 709(1998)324

**Etoposide**

Determination of the cytotoxic catechol metabolite of etoposide (3'-O-demethyletoposide) in human plasma by high-performance liquid chromatography 703(1997)209

Assay for etoposide in human serum using solid-phase extraction and high-performance liquid chromatography with fluorescence detection 707(1998)342

**3'-Exonuclease**

Study of phosphorothioate-modified oligonucleotide resistance to 3'-exonuclease using capillary electrophoresis 714(1998)13

# F

## Factor B

Affinity chromatography of serine proteases on the triazine dye ligand Cibacron Blue F3G-A 718(1998)41

## Factor VIII

Peptide affinity chromatography of human clotting factor VIII. Screening of the vWF-binding domain 715(1998)191

Isolation of the factor VIII–von Willebrand factor complex directly from plasma by gel filtration 715(1998)357

## Familial amyloidotic

Study of an anti-human transthyretin immunoabsorbent. Influence of coupling chemistry on binding capacity and ligand leakage 705(1998)213

## Fatty acid anilides

Single step thin-layer chromatographic method for quantitation of enzymatic formation of fatty acid anilides 705(1998)269

## Fatty acids

Effect of pasteurization and storage on some components of pooled human milk 704(1997)1

Rapid stable isotope dilution analysis of very-long-chain fatty acids, pristanic acid and phytanic acid using gas chromatography–electron impact mass spectrometry 713(1998)281

Liquid chromatography–mass spectrometry and gas chromatography–mass spectrometry of  $\omega$ - and ( $\omega$ -1)-hydroxylated metabolites of elaidic and oleic acids in human and rat liver microsomes 714(1998)133

Correlation analysis between fatty acid compositions of zooplankton individuals, fed on different phytoplankton species by means of pyrolysis–gas chromatography combined with on-line methylation 716(1998)39

Determination of very-long-chain fatty acids in serum by gas chromatography–nitrogen–phosphorus detection following cyanomethylation 721(1998)3

## trans-Fatty acids

Rapid determination of trans-fatty acids in human adipose tissue. Comparison of attenuated total reflection infrared spectroscopy and gas chromatography 705(1998)177

## FC-1271a

Quantitative analysis of Z-2-[4-(4-chloro-1,2-diphenyl-but-1-enyl)phenoxy]ethanol in human plasma using high-performance liquid chromatography 724(1999)163

## Fentanyl

Simultaneous determination of fentanyl and midazolam using high-performance liquid chromatography with ultraviolet detection 723(1999)313

## Ferrioxamine

Quantification of desferrioxamine, ferrioxamine and aluminioxamine by post-column derivatization high-performance liquid chromatography 710(1998)191

## Fibronectin

Resolution of fibronectin and other uncharacterized proteins by two-dimensional polyacrylamide electrophoresis with thiourea 705(1998)351

## Fisetin

High-performance liquid chromatographic analysis of polyhydroxyflavones using solid-phase borate-complex extraction 720(1998)225

## Flecainide

Quantitative determination of disopyramide, verapamil and flecainide enantiomers in rat plasma and tissues by high-performance liquid chromatography 710(1998)129

## Fleroxacin

Rapid and simple determination of fleroxacin in rat plasma using a solid-phase extraction column 703(1997)279

## Flubendazole

Determination of antifilarial compound UMF-078 and its metabolites in plasma by high-performance liquid chromatography 724(1999)147

## Flufenamic acid

Determination of flufenamic, meclofenamic and mefenamic acids by capillary electrophoresis using  $\beta$ -cyclodextrin 708(1998)249

## Fluindione

Rapid and simple micromethod for the quantification of fluindione in human plasma using high-performance liquid chromatography 707(1998)169

## Flumequine

Determination of flumequine and 7-hydroxyflumequine in plasma of sheep by high-performance liquid chromatography 712(1998)263

Automated multi-residue isolation of fluoroquinolone antimicrobials from fortified and incurred chicken liver using on-line microdialysis and high-performance liquid chromatography with programmable fluorescence detection 724(1999)137

**Flunitrazepam**

Simple high-performance liquid chromatographic column-switching technique for the on-line immunoaffinity extraction and analysis of flunitrazepam and its main metabolites in urine 704(1997)251

Determination of flunitrazepam and its metabolites in blood by high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 713(1998)361

Drug accumulation in melanin: an affinity chromatographic study 714(1998)171

Quantification of flunitrazepam's oxidative metabolites, 3-hydroxyflunitrazepam and desmethylflunitrazepam, in hepatic microsomal incubations by high-performance liquid chromatography 719(1998)87

**Flunixin**

Identification of a flunixin metabolite in camel by gas chromatography–mass spectrometry 709(1998)209

**7-Fluorobenzo-2-oxa-1,3-diazole-4-sulfonate**

Study of factors affecting the determination of total plasma 7-fluorobenzo-2-oxa-1,3-diazole-4-sulfonate (SBD)–thiol derivatives by liquid chromatography 706(1998)209

**5-Fluoro-2'-deoxyuridine**

Simultaneous determination of 5-fluorouracil and its active metabolites in serum and tissue by high-performance liquid chromatography 702(1997)193

**2'-β-Fluoro-2',3'-dideoxyadenosine**

Determination of 2'-β-fluoro-2',3'-dideoxyadenosine, an experimental anti-AIDS drug, in human plasma by high-performance liquid chromatography 712(1998)199

**Fluoroquinolones**

Automated multi-residue isolation of fluoroquinolone antimicrobials from fortified and incurred chicken liver using on-line microdialysis and high-performance liquid chromatography with programmable fluorescence detection 724(1999)137

**Fluorosurfactants**

Separation of proteolytic enzymes originating from Antarctic krill (*Euphausia superba*) by capillary electrophoresis 705(1998)231

**5-Fluorouracil**

Simultaneous determination of 5-fluorouracil and its active metabolites in serum and tissue by high-performance liquid chromatography 702(1997)193

Simultaneous determination of 5-fluorouracil and uracil by high-performance liquid chromatography using four serial columns 720(1998)245

Measurement of surface contamination from nucleoside analogue antineoplastic drugs by high-performance liquid chromatography in occupational hygiene studies of oncologic hospital departments 724(1999)325

**5-Fluorouridine**

Simultaneous determination of 5-fluorouracil and its active metabolites in serum and tissue by high-performance liquid chromatography 702(1997)193

**Fluoxetine**

Quantification of fluoxetine and norfluoxetine serum levels by reversed-phase high-performance liquid chromatography with ultraviolet detection 704(1997)259

Determination of fluoxetine and its metabolite norfluoxetine in serum and brain areas using high-performance liquid chromatography with ultraviolet detection 707(1998)175

Sensitive, high-throughput gas chromatographic–mass spectrometric assay for fluoxetine and norfluoxetine in human plasma and its application to pharmacokinetic studies 716(1998)153

Plasma serotonin monitoring by blood microdialysis coupled to high-performance liquid chromatography with electrochemical detection in humans 720(1998)33

**Fluoxymesterone**

Biotransformation of 17-alkyl steroids in the equine: high-performance liquid chromatography–mass spectrometric and gas chromatography–mass spectrometric analysis of fluoxymesterone metabolites in urine samples 704(1997)119

**Flupentixol**

Quantification of the antipsychotics flupentixol and haloperidol in human serum by high-performance liquid chromatography with ultraviolet detection 720(1998)231

**Flupyrzofos**

Simultaneous determination of flupyrzofos and its metabolite 1-phenyl-3-trifluoromethyl-5-hydroxypyrazole and flupyrzofos oxon in rat plasma by high-performance liquid chromatography with ultraviolet absorbance detection 718(1998)61

**Flupyrzofos oxon**

Simultaneous determination of flupyrzofos and its metabolite 1-phenyl-3-trifluoromethyl-5-hydroxypyrazole and flupyrzofos oxon in rat plasma by high-performance liquid chromatography with ultraviolet absorbance detection 718(1998)61

**Flurbiprofen**

At-line solid-phase extraction for capillary electrophoresis: application to negatively charged solutes 719(1998)199

**Flutazoram**

Erratum to “Simultaneous determination of twelve benzodiazepines in human serum using a new reversed-phase chromatographic column on a 2-μm porous microspherical silica gel”. [J. Chromatogr. B, 682 (1996) 173] 709(1998)324

**Fluticasone propionate**

Determination of the glucocorticoid fluticasone propionate in plasma by automated solid-phase extraction and liquid chromatography–tandem mass spectrometry 718(1998)243

**Food coloring dyes**

Separation and recovery of food coloring dyes using aqueous biphasic extraction chromatographic resins 711(1998)237

**Formaldehyde**

Quantitative analysis by gas chromatography of volatile carbonyl compounds in expired air from mice and human 702(1997)211

**Formoterol**

Automated and sensitive method for the determination of formoterol in human plasma by high-performance liquid chromatography and electrochemical detection 704(1997)221

**Foscarnet**

Determination of phosphonoformate (foscarnet) in calf and human serum by automated solid-phase extraction and high-performance liquid chromatography with amperometric detection 724(1999)127

**Free fatty acids**

Rapid quantitation of free fatty acids in human plasma by high-performance liquid chromatography 719(1998)9

**Free glycerol**

Quantitative detection method of triglycerides in serum lipoproteins and serum-free glycerol by high-performance liquid chromatography 709(1998)179

**Free radicals**

Determination of free radical reaction products and metabolites of salicylic acid using capillary electrophoresis and micellar electrokinetic chromatography 717(1998)119

**Fructose**

Determination of adenosine and deoxyadenosine in urine by high-performance liquid chromatography with column switching 719(1998)55

**Fucan**

Preliminary report on fractionation of fucans by ion-exchange displacement centrifugal partition chromatography 706(1998)43

**Fumonisin B<sub>1</sub>**

Sample preparation and high-resolution separation of mycotoxins possessing carboxyl groups 717(1998)135

**Fumonisin**

Sensitive method for the detection of fumonisin B<sub>1</sub> in human urine 705(1998)171

Analytical method for the determination of sphinganine and sphingosine in serum as a potential biomarker for fumonisin exposure 720(1998)15

**Fumorisin**

Liquid chromatographic determination of the sphinganine/sphingosine ratio in serum 710(1998)219

**Furosemide**

Quantification of furosemide from serum and tissues using high-performance liquid chromatography 701(1997)65

High-performance liquid chromatographic determination of furosemide in plasma and urine and its use in bioavailability studies 710(1998)121

High-performance liquid chromatographic determination and identification of acyl migration and photodegradation products of furosemide 1-O-acyl glucuronide 718(1998)153

**Fusion proteins**

Genetic engineering of streptavidin, a versatile affinity tag 715(1998)85

**G****Gabapentin**

Sensitive high-performance liquid chromatographic method with fluorometric detection for the simultaneous determination of gabapentin and vigabatrin in serum and urine 705(1998)154

**Gacyclidine**

Determination of gacyclidine enantiomers in human plasma by gas chromatography–mass spectrometry using selected-ion monitoring 704(1997)167

**Gadobenate ion**

High-performance liquid chromatographic determination of the magnetic resonance imaging contrast agent gadobenate ion in plasma, urine, faeces, bile and tissues 713(1998)415

**Galactosaminoglycan**

Profiling of the eye aqueous humor in exfoliation syndrome by high-performance liquid chromatographic analysis of hyaluronan and galactosaminoglycans 709(1998)173

**β-Galactosidase**

Selective separation process of proteins based on the heat stress-induced translocation across phospholipid membranes 711(1998)111

**Galactosylhydroxylysine**

Pre-column derivatisation method for the measurement of glycosylated hydroxylysines of collagenous proteins 703(1997)267

**Galectin-1**

Affinity purification and characterization of recombinant human galectin-1 706(1998)167

**Gallic acid**

Determination of gallic acid and its metabolites in human plasma and urine by high-performance liquid chromatography 705(1998)87

**Ganciclovir**

Application of a standardized coextractive cleanup procedure to routine high-performance liquid chromatography assays of teicoplanin and ganciclovir in plasma 705(1998)79

Development and validation of a sensitive method for the determination of ganciclovir in human plasma samples by reversed-phase high-performance liquid chromatography 706(1998)311

**Gangliosides**

Large scale purification of gangliosides G<sub>M3</sub>(Neu5Ac) and G<sub>M3</sub>(Neu5Gc) by trimethylaminoethyl-Fractogel high-performance liquid chromatography 710(1998)1

**Gemcytabin**

Measurement of surface contamination from nucleoside analogue antineoplastic drugs by high-performance liquid chromatography in occupational hygiene studies of oncologic hospital departments 724(1999)325

**Gentian violet**

Persistence of gentian violet and leucogentian violet in channel catfish (*ictalurus punctatus*) muscle after water-borne exposure 723(1999)287

**Gliadins**

Fractionation of wheat gliadins by counter-current distribution using an organic two-phase system 711(1998)245

**Globin chains**

Separation of human globin chains by micellar electrokinetic capillary chromatography 719(1998)47

**Globulins**

Rapid purification and properties of human glycodeilin (endometrial  $\alpha_2$ -globulin) 704(1997)25

Analysis of proteins in microsamples of rat airway surface fluid by capillary electrophoresis 705(1998)223

**Glucoamylase**

Separation and purification of glucoamylase in aqueous two-phase systems by a two-step extraction 711(1998)309

**Glucocorticoid**

Determination of the glucocorticoid fluticasone propionate in plasma by automated solid-phase extraction and liquid chromatography–tandem mass spectrometry 718(1998)243

**Glucocorticoids**

Simultaneous determination of glucocorticoids in plasma or urine by high-performance liquid chromatography with precolumn fluorimetric derivatization by 9-anthroyl nitrile 706(1998)191

**Glucose**

Disposable, enzymatically modified printed film carbon electrodes for use in the high-performance liquid chromatographic–electrochemical detection of glucose or hydrogen peroxide from immobilized enzyme reactors 707(1998)3

 **$\alpha$ -Glucosidase**

Selective separation process of proteins based on the heat stress-induced translocation across phospholipid membranes 711(1998)111

 **$\beta$ -Glucosidase**

Concentration and purification of  $\beta$ -glucosidase from *Aspergillus niger* by using aqueous two-phase partitioning 711(1998)161

**Glucosylgalactosylhydroxylysine**

Pre-column derivatisation method for the measurement of glycosylated hydroxylysines of collagenous proteins 703(1997)267

**Glucuronic acid**

Glucuronic acid conjugates 717(1998)313

 **$\beta$ -Glucuronidase**

Sensitive method for the quantification of  $\beta$ -glucuronidase activity in human urine using capillary electrophoresis with fluorescence detection 708(1998)61

On-line deconjugation of glucuronides using an immobilized enzyme reactor based upon  $\beta$ -glucuronidase 715(1998)379

**Glucuronides**

On-line deconjugation of glucuronides using an immobilized enzyme reactor based upon  $\beta$ -glucuronidase 715(1998)379

Separation of the glucuronides of entacapone and its (*Z*)-isomer in urine by micellar electrokinetic capillary chromatography 721(1998)127

Direct high-performance liquid chromatography determination of propofol and its metabolite quinol with their glucuronide conjugates and preliminary pharmacokinetics in plasma and urine of man 721(1999)217

**Glutamate**

Determination of glutamate and aspartate in microdialysis samples by reversed-phase column liquid chromatography with fluorescence and electrochemical detection 708(1998)27

Simultaneous determination of basal and evoked output levels of aspartate, glutamate, taurine and 4-aminobutyric acid during microdialysis and from superfused brain slices 723(1999)47

**$\gamma$ -Glutamylcysteine**

Determination of  $\gamma$ -glutamylglutathione and other low-molecular-mass biological thiol compounds by isocratic high-performance liquid chromatography with fluorimetric detection 708(1998)285

 **$\gamma$ -Glutamylglutathione**

Determination of  $\gamma$ -glutamylglutathione and other low-molecular-mass biological thiol compounds by isocratic high-performance liquid chromatography with fluorimetric detection 708(1998)285

**Glutathione**

Simultaneous detection of reduced and oxidized glutathione in tissues and mitochondria by capillary electrophoresis 707(1998)301

Determination of  $\gamma$ -glutamylglutathione and other low-molecular-mass biological thiol compounds by isocratic high-performance liquid chromatography with fluorimetric detection 708(1998)285

On-column formation of arsenic–glutathione species detected by size-exclusion chromatography in conjunction with arsenic-specific detectors 716(1998)83

Determination of cellular thiols and glutathione-related enzyme activities: versatility of high-performance liquid chromatography–spectrofluorimetric detection 719(1998)37

**Glutathione reductase**

Novel assay for glutathione reductase activity by high-performance liquid chromatography with electrochemical detection 705(1998)23

**Glycerophospholipids**

Gradient elution reversed-phase chromatographic isolation of individual glycerophospholipid molecular species 702(1997)21

**Glycine**

Development of a capillary electrophoretic separation of an *N*-(substituted)-glycine-peptoid combinatorial mixture 707(1998)247

**Glycine carboxypeptidase**

High-performance liquid chromatographic–colorimetric assay for glycine carboxypeptidase activity 703(1997)45

**Glycine, *N*-substituted**

Application of capillary electrophoresis to the separation of structurally diverse *N*-(substituted)-glycine–peptoid combinatorial mixtures 705(1998)341

**Glycodelin**

Rapid purification and properties of human glycodelin (endometrial  $\alpha_2$ -globulin) 704(1997)25

**Glycolate**

Determination of dichloroacetate and its metabolites in human plasma by gas chromatography–mass spectrometry 703(1997)75

***N*-Glycolylneuraminic acid**

Screening of *N*-acylneuraminic acids in serum and tissue specimens of mouse C57BI with Lewis' lung cancer by high-performance liquid chromatography 712(1998)23

**Glycopeptides**

Application of matrix-assisted laser desorption ionization time-of-flight mass spectrometry to the analysis of glycopeptide-containing multiple *O*-linked oligosaccharides 709(1998)145

Quantitative analysis and process monitoring of site-specific glycosylation microheterogeneity in recombinant human interferon- $\gamma$  from Chinese hamster ovary cell culture by hydrophilic interaction chromatography 712(1998)73

**Glycoproteins**

Rapid purification and properties of human glycodelin (endometrial  $\alpha_2$ -globulin) 704(1997)25

**Glycosaminoglycans**

Sensitive high-performance liquid chromatographic method with fluorometric detection for the determination of heparin and heparan sulfate in biological samples: application to human urinary heparan sulfate 704(1997)19

**Glycyrrhetic acid**

Solid-phase extraction of 18 $\beta$ -glycyrrhetic acid from plasma and subsequent analysis by high-performance liquid chromatography 710(1998)223

**Glyoxylate**

Determination of dichloroacetate and its metabolites in human plasma by gas chromatography–mass spectrometry 703(1997)75

**GM3 ganglioside**

Alteration of acidic lipids in human sera during the course of pregnancy: characteristic increase in the concentration of cholesterol sulfate 704(1997)99

**Granisetron**

Simultaneous measurement of blood and brain microdialysates of granisetron in rat by high-performance liquid chromatography with fluorescence detection 716(1998)251

**GS4071**

High-performance liquid chromatographic determination of GS4071, a potent inhibitor of influenza neuraminidase, in plasma by precolumn fluorescence derivatization with naphthalenedialdehyde 716(1998)267

**Guaimosal**

Gas chromatographic–tandem mass spectrometric determination of acetylsalicylic acid in human plasma after oral administration of low-dose aspirin and guaimosal 709(1998)79

**Guanidino compounds**

Liquid chromatography of guanidino compounds using a porous graphite carbon column and application to their analysis in serum 707(1998)111

**Guggul-resin**

High-performance liquid chromatographic method for fingerprinting and quantitative determination of *E*- and *Z*-guggulsterones in *Commiphora mukul* resin and its products 720(1998)189

**Guggulsterones**

Simultaneous determination of the stereoisomers of guggulsterone in serum by high-performance liquid chromatography 708(1998)243

High-performance liquid chromatographic method for fingerprinting and quantitative determination of *E*- and *Z*-guggulsterones in *Commiphora mukul* resin and its products 720(1998)189

# H

**Haemoglobins**

Ring test for the determination of N-terminal valine adducts of styrene 7,8-oxide with haemoglobin by the modified Edman degradation technique 702(1997)77

**Hallucinogenics**

Testing for drugs in hair. Critical review of chromatographic procedures since 1992 713(1998)147

**Halofantrine**

Chiral chromatographic method to determine the enantiomers of halofantrine and its main chiral desbutyl metabolite in erythrocytes 712(1998)259

**Haloperidol**

Drug accumulation in melanin: an affinity chromatographic study 714(1998)171

High-performance liquid chromatographic methods for the analysis of haloperidol and chlorpromazine metabolism in vitro by purified cytochrome P450 isoforms 718(1998)259

Quantification of the antipsychotics flupentixol and haloperidol in human serum by high-performance liquid chromatography with ultraviolet detection 720(1998)231

**Halothane**

Effect of temperature and some common metals on the stability of volatile anaesthetic–Entonox mixtures 709(1998)217

**Haloxazolam**

Erratum to “Simultaneous determination of twelve benzodiazepines in human serum using a new reversed-phase chromatographic column on a 2- $\mu$ m porous microspherical silica gel”. [J. Chromatogr. B, 682 (1996) 173] 709(1998)324

**Hapten**

Affinity electrophoresis and its applications to studies of immune response 715(1998)125

**Helicobacter pylori vaccine**

Characterization of a *Helicobacter pylori* vaccine candidate by proteome techniques 714(1998)325

**Hemoglobin**

Control of hemoglobin synthesis in erythroid differentiating K562 cells. II. Studies of iron mobilization in erythroid cells by high-performance liquid chromatography–electrochemical detection 705(1998)193

Qualitative and quantitative analysis of hemoglobin variants by capillary isoelectric focusing 706(1998)123

Quantification method of human hemoglobin adducts from hexahydrophthalic anhydride and methylhexahydrophthalic anhydride 710(1998)81

Immobilized human hemoglobin, a versatile matrix for analytical and biotechnological applications 715(1998)81

Separation of human globin chains by micellar electrokinetic capillary chromatography 719(1998)47

**Hemoglobin adducts**

Determination of hemoglobin adducts following oral administration of 1-nitropyrene to rats using gas chromatography–tandem mass spectrometry 701(1997)19

**Heparan sulfate**

Sensitive high-performance liquid chromatographic method with fluorometric detection for the determination of heparin and heparan sulfate in biological samples: application to human urinary heparan sulfate 704(1997)19

**Heparin**

Sensitive high-performance liquid chromatographic method with fluorometric detection for the determination of heparin and heparan sulfate in biological samples: application to human urinary heparan sulfate 704(1997)19

High-performance affinity chromatography for the purification of heparin-binding proteins from detergent-solubilized smooth muscle cell membranes 706(1998)55

**Hepatitis B surface antigen**

Sodium dodecylsulfate polyacrylamide gel electrophoresis of recombinant hepatitis B surface antigen particles 707(1998)267

Size-exclusion chromatographic study of the reduction of recombinant hepatitis B surface antigen 713(1998)401

Aggregation of recombinant hepatitis B surface antigen in *Pichia pastoris* 716(1998)209

Evidence for the denaturation of recombinant hepatitis B surface antigen on aluminium hydroxide gel 720(1998)153

#### **Heptafluorobutyric acid**

Rapid and selective method for norepinephrine in rat urine using reversed-phase ion-pair high-performance liquid chromatography-tandem mass spectrometry 718(1998)225

#### **Hexadecanoic acid**

Analysis of *tert.*-butyldimethylsilyl [1-<sup>13</sup>C]palmitic acid in stool samples by gas chromatography–mass spectrometry with electron impact ionisation: comparison with combustion isotope-ratio mass spectrometry 716(1998)1

#### **Hexahydrophthalic anhydride**

Quantification method of human hemoglobin adducts from hexahydrophthalic anhydride and methylhexahydrophthalic anhydride 710(1998)81

#### **Hexokinase**

Separation of hexokinase activity using different hydrophobic interaction supports 702(1997)41

#### **Hexosaminidase A**

Alterations of asparagine-linked sugar chains of *N*-acetyl β-D-hexosaminidase during human renal oncogenesis: a preliminary study using serial lectin affinity chromatography 723(1999)75

#### **High-density-lipoprotein apoproteins**

Isolation and purification of two major serum amyloid A isotypes SAA1 and SAA2 from the acute phase plasma of mice 704(1997)69

#### **Histamine H<sub>3</sub>-receptor antagonists**

Development of a sensitive and quantitative analytical method for 1*H*-4-substituted imidazole histamine H<sub>3</sub>-receptor antagonists utilizing high-performance liquid chromatography and dansyl derivatization 716(1998)239

#### **Histidine**

High-performance liquid chromatographic method for rapid and highly sensitive determination of histidine using postcolumn fluorescence detection with *o*-phthaldialdehyde 718(1998)235

#### **HIV-1 protease inhibitor**

High-performance liquid chromatographic assay of a new HIV-1 protease inhibitor, LB71350, in the plasma of dogs 703(1997)284

#### **Homocysteine**

Study of factors affecting the determination of total plasma 7-fluorobenzo-2-oxa-1,3-diazole-4-sulfonate (SBD)–thiol derivatives by liquid chromatography 706(1998)209

Determination of γ-glutamylglutathione and other low-molecular-mass biological thiol compounds by isocratic high-performance liquid chromatography with fluorimetric detection 708(1998)285

High-performance liquid chromatographic method for measuring total plasma homocysteine levels 719(1998)31

#### **Homocysteinemia**

Total homocysteine levels in plasma: high-performance liquid chromatographic determination with electrochemical detection and glassy carbon electrode 720(1998)205

#### **Horse allergens**

Thiophilic adsorption chromatography: purification of Equ c2 and Equ c3, two horse allergens from horse sweat 710(1998)57

#### **Human growth hormone**

Divalent metal cation chelators enhance chromatographic separation of structurally similar macromolecules: separation of human growth hormone isoforms 720(1998)39

#### **Human immunodeficiency virus**

On-line coupling of polymerase chain reaction and capillary electrophoresis for automatic DNA typing and HIV-1 diagnosis 714(1998)3

#### **Human immunodeficiency virus protease inhibitor**

Determination of indinavir, an HIV-protease inhibitor, in human plasma by reversed-phase high-performance liquid chromatography 703(1997)235

#### **Human serum albumin**

New mathematical approach for the evaluation of drug binding to human serum albumin by high-performance liquid affinity chromatography 707(1998)143

Polymer–protein interactions in aqueous two phase systems: fluorescent studies of the partition behaviour of human serum albumin 711(1998)69

Development of tryptophan-modified human serum albumin columns for site-specific studies of drug–protein interactions by high-performance affinity chromatography 715(1998)183

Retention data from affinity high-performance liquid chromatography in view of chemometrics 715(1998)229

Characterisation of the binding of digitoxin and acetyldigitoxin to human serum albumin by high-performance affinity chromatography 724(1999)91

#### **Hyaluronan**

Profiling of the eye aqueous humor in exfoliation syndrome by high-performance liquid chromatographic analysis of hyaluronan and galactosaminoglycans 709(1998)173



**Hydrocortisone**

Detection of exogenous hydrocortisone in horse urine by gas chromatography–combustion–carbon isotope ratio mass spectrometry 702(1997)85

**Hydrogen peroxide**

Disposable, enzymatically modified printed film carbon electrodes for use in the high-performance liquid chromatographic–electrochemical detection of glucose or hydrogen peroxide from immobilized enzyme reactors 707(1998)3

**Hydrophilic drugs**

Aqueous two-phase partitioning sample preparation prior to liquid chromatography of hydrophilic drugs in blood 716(1998)293

**3-Hydroxybutyric acid**

Capillary zone electrophoresis in normal or reverse polarity separation modes for the analysis of hydroxy acid oligomers in neutral phosphate buffer 706(1998)73

 **$\alpha$ -Hydroxycarboxylic acids**

Enantioselective multidimensional gas chromatography–mass spectrometry in the analysis of urinary organic acids 714(1998)119

**6-Hydroxychlorzoxazone**

Determination of chlorzoxazone and 6-hydroxychlorzoxazone in plasma by gas chromatography–mass spectrometry 705(1998)139

**6 $\beta$ -Hydroxycortisol**

Simultaneous determination of glucocorticoids in plasma or urine by high-performance liquid chromatography with precolumn fluorimetric derivatization by 9-anthroyl nitrile 706(1998)191

**3-Hydroxycotinine**

Validation of an assay for the determination of cotinine and 3-hydroxycotinine in human saliva using automated solid-phase extraction and liquid chromatography with tandem mass spectrometric detection 723(1999)185

**4-Hydroxycoumarin anticoagulants**

Detection of 4-hydroxycoumarin anticoagulants and their metabolites in urine as part of a systematic toxicological analysis procedure for acidic drugs and poisons by gas chromatography–mass spectrometry after extractive methylation 714(1998)181

**5-Hydroxy-5,6-dihydrothymine**

Gas chromatography–mass spectrometry with high-performance liquid chromatography prepurification for monitoring the endonuclease III-mediated excision of 5-hydroxy-5,6-dihydrothymine and 5,6-dihydrothymine from  $\gamma$ -irradiated DNA 710(1998)67

***N*-Hydroxyethylamide**

Role of stationary phase and eluent composition on the determination of log *P* values of *N*-hydroxyethylamide of aryloxyalkyl and pyridine carboxylic acids by reversed-phase high-performance liquid chromatography 714(1998)247

***N*-(2-hydroxyethyl)-*N*-[2-(7-guaninyl)ethyl]methylamine**

High-performance liquid chromatographic determination of *N*-[2-(hydroxyethyl)-*N*-(2-(7-guaninyl)ethyl)]methylamine, a reaction product between nitrogen mustard and DNA and its application to biological samples 716(1998)187

**40-*O*-(2-Hydroxyethyl)rapamycin**

Development of a high-performance liquid chromatographic–electrospray mass spectrometric assay for the specific and sensitive quantification of the novel immunosuppressive macrolide 40-*O*-(2-hydroxyethyl)rapamycin 720(1998)179

**7-Hydroxyflumequine**

Determination of flumequine and 7-hydroxyflumequine in plasma of sheep by high-performance liquid chromatography 712(1998)263

**3-Hydroxyflunitrazepam**

Determination of flunitrazepam and its metabolites in blood by high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 713(1998)361

Quantification of flunitrazepam's oxidative metabolites, 3-hydroxyflunitrazepam and desmethylflunitrazepam, in hepatic microsomal incubations by high-performance liquid chromatography 719(1998)87

**6-Hydroxyhexanoic acid**

Capillary zone electrophoresis in normal or reverse polarity separation modes for the analysis of hydroxy acid oligomers in neutral phosphate buffer 706(1998)73

**Hydroxyibuprofen**

Stereospecific analysis of the major metabolites of ibuprofen in urine by sequential achiral–chiral high-performance liquid chromatography 701(1997)53

**4-Hydroxyifosfamide**

High-performance liquid chromatographic determination of stabilized 4-hydroxyifosfamide in human plasma and erythrocytes 716(1998)275

**5-Hydroxyindoleacetic acid**

Fluorescence derivatizing procedure for 5-hydroxytryptamine and 5-hydroxyindoleacetic acid using 1,2-diphenylethylenediamine reagent and their sensitive liquid chromatographic determination 720(1998)25

**Hydroxyitraconazole**

Microassay for determination of itraconazole and hydroxyitraconazole in plasma and tissue biopsies 702(1997)175

**Hydroxylamine**

Gas chromatographic–mass spectrometric analysis of hydroxylamine for monitoring the metabolic hydrolysis of metalloprotease inhibitors in rat and human liver microsomes 724(1999)181

**5'-Hydroxylornoxicam**

Determination of the novel non-steroidal anti-inflammatory drug lornoxicam and its main metabolite in plasma and synovial fluid 707(1998)151

**5-Hydroxylysine**

Assay for 5-hydroxylysine and L-lysine in human and rat urine and in bone by gas chromatography 724(1999)373

**Hydroxylysines**

Pre-column derivatisation method for the measurement of glycosylated hydroxylysines of collagenous proteins 703(1997)267

**7-Hydroxymethotrexate**

Improved high-performance liquid chromatography determination of methotrexate and its major metabolite in plasma using a poly(styrene-divinylbenzene) column 721(1998)87

**2-Hydroxy-N-methylsuccinimide**

Determination of N-methylsuccinimide and 2-hydroxy-N-methylsuccinimide in human urine and plasma 704(1997)151

**1'-Hydroxymidazolam**

Sensitive assay for midazolam and its metabolite 1'-hydroxymidazolam in human plasma by capillary high-performance liquid chromatography 710(1998)165

**Hydroxynalidixic acid**

Separation and simultaneous determination of nalidixic acid, hydroxynalidixic acid and carboxynalidixic acid in serum and urine by micellar electrokinetic capillary chromatography 724(1999)319

**Hydroxynaphthalene**

Fast screening method for the profile analysis of polycyclic aromatic hydrocarbon metabolites in urine using derivatisation–solid-phase microextraction 705(1998)132

**Hydroxynefazodone**

Sensitive liquid chromatographic–mass spectrometric assay for the simultaneous quantitation of nefazodone and its metabolites hydroxynefazodone *m*-chlorophenylpiperazine and triazole-dione in human plasma using single-ion monitoring 718(1998)77

**10-Hydroxynortriptyline**

High-performance liquid chromatography–mass spectrometry for the quantification of nortriptyline and 10-hydroxynortriptyline in plasma 716(1998)382

**Hydroxyphenanthrene**

Fast screening method for the profile analysis of polycyclic aromatic hydrocarbon metabolites in urine using derivatisation–solid-phase microextraction 705(1998)132

***p*-Hydroxyphenobarbital**

Simultaneous determination of primidone and its three major metabolites in rat urine by high-performance liquid chromatography using solid-phase extraction 718(1998)199

**4-Hydroxypraziquantel**

Investigation of the stereoselective metabolism of praziquantel after incubation with rat liver microsomes by capillary electrophoresis and liquid chromatography–mass spectrometry 708(1998)267

**6β-Hydroxyprednisolone**

Simultaneous determination of glucocorticoids in plasma or urine by high-performance liquid chromatography with precolumn fluorimetric derivatization by 9-anthroyl nitrile 706(1998)191

**Hydroxyproline**

Highly sensitive determination of *N*-terminal prolyl dipeptides, proline and hydroxyproline in urine by high-performance liquid chromatography using a new fluorescent labelling reagent, 4-(5,6-dimethoxy-2-phthalimidinyl)-2-methoxyphenylsulfonyl chloride 724(1999)221

**5-Hydroxypropafenone**

Enantioselective determination of propafenone and its metabolites in human plasma by liquid chromatography–mass spectrometry 721(1998)67

**Hydroxypropyl-γ-cyclodextrin**

Capillary electrophoresis stereoselective determination of *R*-(+)- and *S*-(-)-pentobarbital from serum using hydroxypropyl-γ-cyclodextrin, solid-phase extraction and ultraviolet detection 703(1997)289

**2-Hydroxypropyl-γ-cyclodextrin**

Determination of 2-hydroxypropyl-γ-cyclodextrin in plasma of cynomolgus monkeys after oral administration by gas chromatography–mass spectrometry 720(1998)171

**5-Hydroxypyrazinamide**

Quantification of pyrazinamide and its metabolites in plasma by ionic-pair high-performance liquid chromatography. Implications for the separation mechanism 706(1998)319

**5-Hydroxypyrazinoic acid**

Quantification of pyrazinamide and its metabolites in plasma by ionic-pair high-performance liquid chromatography. Implications for the separation mechanism 706(1998)319

**Hydroxyppyrene**

Fast screening method for the profile analysis of polycyclic aromatic hydrocarbon metabolites in urine using derivatisation–solid-phase microextraction 705(1998)132

**3-Hydroxyquinine**

High-performance liquid chromatographic method for the determination of the major quinine metabolite, 3-hydroxyquinine, in plasma and urine 708(1998)209

**Hydroxy-ropivacaine**

High-performance liquid chromatographic determination of ropivacaine, 3-hydroxy-ropivacaine, 4-hydroxy-ropivacaine and 2',6'-pipercoloxylidide in plasma 719(1998)239

**Hydroxytacrine**

Determination of tacrine and its metabolites in human plasma and urine by high-performance liquid chromatography and fluorescence detection 712(1998)183

**Hydroxythiabendazole**

Simultaneous determination of thiabendazole and its major metabolite, 5-hydroxythiabendazole, in bovine tissues using gradient liquid chromatography with thermospray and atmospheric pressure chemical ionisation mass spectrometry 718(1998)103

**5-Hydroxytryptamine**

Determination of a specific 5-HT<sub>2a</sub> antagonist (M100907) in rat and dog plasma at the femtomole/milliliter level by gas chromatography–mass spectrometry 716(1998)161

Fluorescence derivatizing procedure for 5-hydroxytryptamine and 5-hydroxyindoleacetic acid using 1,2-diphenylethylenediamine reagent and their sensitive liquid chromatographic determination 720(1998)25

**Hydroxyurea**

Colorimetric determination of hydroxyurea in human serum using high-performance liquid chromatography 708(1998)321

New isocratic high-performance liquid chromatographic procedure to assay the anti-sickling compound hydroxyurea in plasma with ultraviolet detection 709(1998)119

**7-Hydroxywarfarin**

Determination of unbound warfarin enantiomers in human plasma and 7-hydroxywarfarin in human urine by chiral stationary-phase liquid chromatography with ultraviolet or fluorescence and on-line circular dichroism detection 701(1997)71

**Hypercholesterolemia**

Determination of the antitumor agent depsipeptide in plasma by liquid chromatography on serial octadecyl stationary phases 719(1998)169

**Hypericin**

Determination of hypericin in plasma by high-performance liquid chromatography 724(1999)195

**Hypocholesterolemic agent**

Radioimmunoassay for a novel lignan-related hypocholesterolemic agent, S-8921, in human plasma after high-performance liquid chromatography purification and in human urine after immunoaffinity extraction 704(1997)243

**Hypotaurine**

Simultaneous determination of cysteine sulfinic acid and hypotaurine in rat tissues by column-switching high-performance liquid chromatography with electrochemical detection 704(1997)83

**Hypoxanthine**

Simultaneous measurement of allantoin, uric acid, xanthine and hypoxanthine in blood by high-performance liquid chromatography 704(1997)89

Simultaneous measurement of adenosine and hypoxanthine in human umbilical cord plasma using reversed-phase high-performance liquid chromatography with photodiode-array detection and on-line validation of peak purity 707(1998)33

Simultaneous determination of purine metabolites, creatinine and pseudouridine in ruminant urine by reversed-phase high-performance liquid chromatography 723(1999)81

**Hypoxanthine phosphoribosyl transferase**

Ion-exchange column chromatographic method for assaying purine metabolic pathway enzymes 707(1998)295

# I

**Ibuprofen**

Stereospecific analysis of the major metabolites of ibuprofen in urine by sequential achiral–chiral high-performance liquid chromatography 701(1997)53

High-performance liquid chromatography with a column-switching system and capillary electrophoresis for the determination of ibuprofen in plasma 712(1998)153

Direct assay of nonopioid analgesics and their metabolites in human urine by capillary electrophoresis and capillary electrophoresis–mass spectrometry 721(1998)109

**Idazoxan**

Validated method for the determination of idazoxan in human plasma by liquid chromatography with tandem mass spectrometric detection 708(1998)113

**Illicit drugs**

Determination of illicit and/or abused drugs and compounds of forensic interest in biosamples by capillary electrophoretic/electrokinetic methods 713(1998)27

**Imipramine**

Simultaneous determination of imipramine and its metabolite desipramine in human plasma by capillary gas chromatography with mass-selective detection 703(1997)147

**Immunoglobulin A**

Simplified method for purification of colostrum to obtain secretory component of immunoglobulin A, using secretory component as a reference protein in tracheal aspirate fluid 705(1998)203

**Immunoglobulin G**

Purification of immunoglobulins G by protein A/G affinity membrane chromatography 723(1999)61

**Immunoglobulin M**

Characterization and application of new macroporous membrane ion exchangers 706(1998)13

**Immunoglobulins**

Effect of salt concentration gradient on separation of different types of specific immunoglobulins by ion-exchange chromatography on DEAE cellulose 706(1998)157

Affinity purification of immunoglobulin M using a novel synthetic ligand 715(1998)137

Aggregated human serum immunoglobulin A1 induced by neuraminidase treatment had a lower number of *O*-linked sugar chains on the hinge portion 724(1999)1

**Indinavir**

Determination of indinavir, an HIV-protease inhibitor, in human plasma by reversed-phase high-performance liquid chromatography 703(1997)235

Simple high-performance liquid chromatographic determination of the protease inhibitor indinavir in human plasma 707(1998)203

Simultaneous quantitative determination of the HIV protease inhibitors amprenavir, indinavir, nelfinavir, ritonavir and saquinavir in human plasma by ion-pair high-performance liquid chromatography with ultraviolet detection 719(1998)159

Rapid quantification of indinavir in human plasma by high-performance liquid chromatography with ultraviolet detection 721(1999)239

**Indoles**

Capillary electrophoresis with laser-induced native fluorescence detection for profiling body fluids 714(1998)47

**Indolyl-3-acryloylglycine**

Rapid analysis of low levels of indolyl-3-acryloylglycine in human urine by high-performance liquid chromatography 712(1998)51

**Indomethacin**

Determination of indomethacin residues in poultry by high-performance liquid chromatography 709(1998)310

**Inorganic anions**

Analysis of acidic compounds using capillary electrochromatography 717(1998)341

**Insecticides**

Application of high-performance thin-layer chromatography for the detection of organophosphorus insecticides in human serum after acute poisoning 704(1997)369

**Insulin**

Discrimination limit for purity test of human insulin by capillary electrophoresis 703(1997)139

Influence of the nature of coupling agents on insulin adsorption on supports grafted with sialic acid for high-performance affinity chromatography 706(1998)33

High-performance liquid chromatographic determination of the insulin sensitizing agent DRF-2189 in rat plasma 707(1998)241

**Insulin sensitizers**

High-performance liquid chromatographic determination of the insulin sensitizing agent DRF-2189 in rat plasma 707(1998)241

**Interferon**

Quantitative analysis and process monitoring of site-specific glycosylation microheterogeneity in recombinant human interferon- $\gamma$  from Chinese hamster ovary cell culture by hydrophilic interaction chromatography 712(1998)73

**Interferon  $\gamma$** 

Association and dissociation properties of natural human interferon  $\gamma$  723(1999)25

**Interleukin-2**

Development of a routine analysis method for liposome encapsulated recombinant interleukin-2 716(1998)285

**Iodination**

Characterization of the oligomeric behavior of a 16.5 kDa peanut oleosin by chromatography and electrophoresis of the iodinated form 706(1998)131

**Iofratol**

High-performance liquid chromatographic determination of the X-ray imaging contrast agent, iofratol, in plasma and urine 701(1997)103

**Iothalamate**

Chromatographic estimation of iothalamate and *p*-aminohippuric acid to measure glomerular filtration rate and effective renal plasma flow in humans 705(1998)3

Simultaneous determination of *p*-aminohippuric acid, acetyl-*p*-aminohippuric acid and iothalamate in human plasma and urine by high-performance liquid chromatography 716(1998)305

**Irbesartan**

High-performance liquid chromatographic assay for the quantitation of irbesartan (SR 47436/BMS-186295) in human plasma and urine 702(1997)149

**Irinotecan hydrochloride**

High-performance liquid chromatographic method for the simultaneous determination of the camptothecin derivative irinotecan hydrochloride, CPT-11, and its metabolites SN-38 and SN-38 glucuronide in rat plasma with a fully automated on-line solid-phase extraction system, PROSPEKT 724(1999)335

**Irinotecan**

Liquid chromatographic determination of irinotecan and three major metabolites in human plasma, urine and feces 712(1998)225

Trace analysis of SN-38 in human plasma by high-performance liquid chromatography 714(1998)355

Simultaneous determination of the lactone and carboxylate forms of the camptothecin derivative CPT-11 and its metabolite SN-38 in plasma by high-performance liquid chromatography 718(1998)163

**Iron**

Control of hemoglobin synthesis in erythroid differentiating K562 cells. II. Studies of iron mobilization in erythroid cells by high-performance liquid chromatography–electrochemical detection 705(1998)193

**Isoapocodeine**

Assay of *R*-apomorphine, *S*-apomorphine, apocodeine, isoapocodeine and their glucuronide and sulfate conjugates in plasma and urine of patients with Parkinson's disease 702(1997)131

**Isodemosine**

Micellar electrokinetic chromatography for the determination of urinary desmosine and isodesmosine in patients affected by chronic obstructive pulmonary disease 714(1998)87

**Isoflurane**

Effect of temperature and some common metals on the stability of volatile anaesthetic–Entonox mixtures 709(1998)217

**Isoniazid**

Sensitive liquid chromatographic technique to measure isoniazid in alveolar cells, bronchoalveolar lavage and plasma in HIV-infected patients 705(1998)323

**Isopilocarpic acid**

Determination of pilocarpine, isopilocarpine, pilocarpic acid and isopilocarpic acid in human plasma and urine by high-performance liquid chromatography with tandem mass spectrometric detection 708(1998)103

**Isopilocarpine**

Determination of pilocarpine, isopilocarpine, pilocarpic acid and isopilocarpic acid in human plasma and urine by high-performance liquid chromatography with tandem mass spectrometric detection 708(1998)103

**2-Isopropoxyphenol**

Gas chromatographic method with mass-selective detection for the determination of 2-isopropoxyphenol in human urine 723(1999)139

**8-iso-Prostaglandin F<sub>2α</sub>**

Specific and rapid quantification of 8-iso-prostaglandin F<sub>2α</sub> in urine of healthy humans and patients with Zellweger syndrome by gas chromatography–tandem mass spectrometry 716(1998)7

**Isoprostanes**

Application of gas chromatography–mass spectrometry and gas chromatography–tandem mass spectrometry to assess in vivo synthesis of prostaglandins, thromboxane, leukotrienes, isoprostanes and related compounds in humans 717(1998)201

**Isoxazolylic penicillins**

Determination of isoxazolylic penicillins residues in milk by ion-pair reversed-phase high-performance liquid chromatography after precolumn derivatization 705(1998)71

**Isoxazolyl penicillins**

Stability-indicating analysis of isoxazolyl penicillins using dual wavelength high-performance liquid chromatography 708(1998)153

**Itraconazole**

Microassay for determination of itraconazole and hydroxyitraconazole in plasma and tissue biopsies 702(1997)175

**Ivabradine**

Determination of ivabradine and its *N*-demethylated metabolite in human plasma and urine, and in rat and dog plasma by a validated high-performance liquid chromatographic method with fluorescence detection 719(1998)125

**J****Josamycin**

Development of a capillary electrophoretic method for the separation of the macrolide antibiotics, erythromycin, josamycin and oleandomycin 704(1997)333

Sensitive and specific method for the determination of josamycin in human plasma by liquid chromatography–mass spectrometry 720(1998)81

**K****Kaempferol**

High-performance liquid chromatographic analysis of polyhydroxyflavones using solid-phase borate-complex extraction 720(1998)225

Solid-phase extraction and gas chromatography–mass spectrometry determination of kaempferol and quercetin in human urine after consumption of *Ginkgo biloba* tablets 723(1999)203

**Kallikrein hK2**

Simple purification procedure for human prostatic kallikrein hK2 in its active form 713(1998)297

**Kavain**

Contribution to the quantitative and enantioselective determination of kavapyrones by high-performance liquid chromatography on ChiraSpher NT material 702(1997)240

**Kavapyrones**

Contribution to the quantitative and enantioselective determination of kavapyrones by high-performance liquid chromatography on ChiraSpher NT material 702(1997)240

**KC 12291**

Sensitive method for the determination of KC 12291 in rat plasma and urine by high-performance liquid chromatography 705(1998)105

**Keratin**

Retention data from affinity high-performance liquid chromatography in view of chemometrics 715(1998)229

**Ketamine**

Determination of chiral pharmaceutical compounds, terbutaline, ketamine and propranolol, by on-line capillary electrophoresis–electrospray ionization mass spectrometry 714(1998)69

**Ketoconazole**

Simple high-performance liquid chromatographic method for determination of ketoconazole in human plasma 715(1998)436

**Ketoprofen**

Tissue extraction and high-performance liquid chromatographic determination of ketoprofen enantiomers 705(1998)295

How to better define the characteristics of dispersion of results in liquid chromatographic analyses through an interlaboratory study. Example of collaborative studies on ketoprofen and spiramycin 708(1998)131

Stereoselective binding of ketoprofen enantiomers to human serum albumin studied by high-performance liquid affinity chromatography 714(1998)277

At-line solid-phase extraction for capillary electrophoresis: application to negatively charged solutes 719(1998)199

Direct assay of nonopioid analgesics and their metabolites in human urine by capillary electrophoresis and capillary electrophoresis–mass spectrometry 721(1998)109

**L****L-368,899**

Development of high-performance liquid chromatography–tandem mass spectrometric methods for the determination of a new oxytocin receptor antagonist (L-368,899) extracted from human plasma and urine: a case of lack of specificity due to the presence of metabolites 716(1998)195

**L-749,345**

High-performance liquid chromatographic methods for the determination of a new carbapenem antibiotic, L-749,345, in human plasma and urine 720(1998)99

**Labetalol**

Sensitive chiral high-performance liquid chromatographic assay for labetalol in biological fluids 704(1997)215

Quantitative determination of the  $\beta$ -blocker labetalol in pharmaceuticals and human urine by high-performance liquid chromatography with amperometric detection 705(1998)97

**$\alpha$ -Lactalbumin**

Capillary electrophoretic behavior of milk proteins in the presence of non-ionic surfactants 706(1998)3

Physico-chemical characterization of proteins by capillary electrophoresis 706(1998)23

Capillary electrophoresis with laser-induced native fluorescence detection for profiling body fluids 714(1998)47

**Lactate**

Determination of dichloroacetate and its metabolites in human plasma by gas chromatography–mass spectrometry 703(1997)75

Effect of pasteurization and storage on some components of pooled human milk 704(1997)1

**Lactate dehydrogenase**

Interaction of lactate dehydrogenase with anthraquinone dyes: characterization of ligands for dye–ligand chromatography 715(1998)273

**Lactic acid**

Capillary zone electrophoresis in normal or reverse polarity separation modes for the analysis of hydroxy acid oligomers in neutral phosphate buffer 706(1998)73

Amine-based aqueous polymers for the simultaneous titration and extraction of lactic acid in aqueous two-phase systems 711(1998)265

Rapid on-line microdialysis hyphenated technique for the dynamic monitoring of extracellular pyruvate, lactic acid and ascorbic acid during cerebral ischemia 723(1999)31

 **$\beta$ -Lactoglobulin**

Capillary electrophoretic behavior of milk proteins in the presence of non-ionic surfactants 706(1998)3

Physico-chemical characterization of proteins by capillary electrophoresis 706(1998)23

Evaluation of  $\beta$ -lactoglobulin as a stationary phase in high-performance liquid chromatography and as a buffer additive in capillary electrophoresis: observation of a surprising lack of stereoselectivity 712(1998)83

**Lactone 20(S)camptothecin**

High-performance liquid chromatographic quantitation of total and lactone 20(S)camptothecin in patients receiving oral 20(S)camptothecin 707(1998)227

**Lamivudine**

Quantitative determination of (–)-2'-deoxy-3'-thiacytidine (lamivudine) in human plasma, saliva and cerebrospinal fluid by high-performance liquid chromatography with ultraviolet detection 713(1998)387

**Lamotrigine**

Simultaneous determination of lamotrigine and its glucuronide and methylated metabolites in human plasma by automated sequential trace enrichment of dialysates and gradient high-performance liquid chromatography 702(1997)227

**Laudanosine**

High-performance liquid chromatographic method for the determination of atracurium and laudanosine in human plasma Application to pharmacokinetics 724(1999)117

**LB71350**

High-performance liquid chromatographic assay of a new HIV-1 protease inhibitor, LB71350, in the plasma of dogs 703(1997)284

**Lead**

Speciation of ionic alkyllead compounds in human urine by gas chromatography–mass spectrometry after butylation through a Grignard reaction 716(1998)139

**Leucine**

Determination of the specific activity of sheep plasma amino acids using high-performance liquid chromatography: comparison study between liquid scintillation counter and on-line flow-through detector 710(1998)27

**Leucogentian violet**

Persistence of gentian violet and leucogentian violet in channel catfish (*Ictalurus punctatus*) muscle after water-borne exposure 723(1999)287

**Leucovorin**

Capillary electrophoretic drug monitoring of methotrexate and leucovorin and their metabolites 718(1998)177

**Leukotrienes**

Application of gas chromatography–mass spectrometry and gas chromatography–tandem mass spectrometry to assess in vivo synthesis of prostaglandins, thromboxane, leukotrienes, isoprostanes and related compounds in humans 717(1998)201

**Lidocaine**

Simple analysis of local anaesthetics in human blood using headspace solid-phase microextraction and gas chromatography–mass spectrometry–electron impact ionization selected ion monitoring 709(1998)225

Capillary gas chromatographic method for the measurement of small concentrations of monoethylglycinexylidide and lidocaine in plasma 716(1998)375

**Ligands**

Use of mobility ratios to estimate binding constants of ligands to proteins in affinity capillary electrophoresis 715(1998)203

**Lignocaine**

Simultaneous analysis of lignocaine and bupivacaine enantiomers in plasma by high-performance liquid chromatography 703(1997)203

**Linoleic acid**

Combined silver-ion and reversed-phase high-performance liquid chromatography for the separation and identification of C<sub>20</sub> metabolites of conjugated linoleic acid isomers in rat liver lipids 724(1999)213

**Lipids**

Improved high-performance liquid chromatographic method for the separation and quantification of lipid classes: application to fish lipids 703(1997)7

Alteration of acidic lipids in human sera during the course of pregnancy: characteristic increase in the concentration of cholesterol sulfate 704(1997)99

Rapid separation and quantitation of combined neutral and polar lipid classes by high-performance liquid chromatography and evaporative light-scattering mass detection 708(1998)21

Reversed-phase liquid chromatographic method for the determination of 7-nitrobenz-2-oxa-1,3-diazol-4-yl-labelled lipid analogues 710(1998)9

**Lipoamide**

Chromatographic analysis of lipoic acid and related compounds 717(1998)247

**Lipoic acid**

Determination of lipoic acid by precolumn derivatization with monobromobimane and reversed-phase high-performance liquid chromatography 705(1998)127

Chromatographic analysis of lipoic acid and related compounds 717(1998)247

**Lipopolysaccharides**

Preparation of poly( $\epsilon$ -lysine) adsorbents and application to selective removal of lipopolysaccharides 721(1999)187

**Lipoproteins**

Quantitative detection method of triglycerides in serum lipoproteins and serum-free glycerol by high-performance liquid chromatography 709(1998)179

Anion-exchange high-performance liquid chromatographic assay of plasma lipoproteins of rabbits, rats and mice 716(1998)57

**Lophine analogs**

Simple and sensitive high-performance liquid chromatographic determination of methamphetamines in human urine as derivatives of 4-(4,5-diphenyl-1H-imidazol-2-yl) benzoyl chloride, a new fluorescence derivatization reagent 712(1998)105

**Lorazepam**

Erratum to "Simultaneous determination of twelve benzodiazepines in human serum using a new reversed-phase chromatographic column on a 2- $\mu$ m porous microspherical silica gel". [J. Chromatogr. B, 682 (1996) 173] 709(1998)324

**Lornoxicam**

Determination of the novel non-steroidal anti-inflammatory drug lornoxicam and its main metabolite in plasma and synovial fluid 707(1998)151

**Losartan**

Simple high-performance liquid chromatographic method for determination of losartan and E-3174 metabolite in human plasma, urine and dialysate 704(1997)374

**Losigamone**

Chiral high-performance liquid chromatographic analysis of enantiomers of losigamone, a new candidate antiepileptic drug 724(1999)101

**Low-density lipoproteins**

Fluorescence-based single-strand conformation polymorphism analysis of the low density lipoprotein receptor gene by capillary electrophoresis 724(1999)239

**LSD**

Testing for drugs in hair. Critical review of chromatographic procedures since 1992 713(1998)147

Determination of lysergide (LSD) and phencyclidine in biosamples 713(1998)189

**Lutein**

Reversed-phase high-performance liquid chromatographic identification of lutein and zeaxanthin stereoisomers in bovine retina using a C<sub>30</sub> bonded phase 720(1998)211

**Lycopene**

Determination of lycopene,  $\alpha$ -carotene and  $\beta$ -carotene in serum by liquid chromatography-atmospheric pressure chemical ionization mass spectrometry with selected-ion monitoring 708(1998)67

**Lysergide**

Determination of lysergide (LSD) and phencyclidine in biosamples 713(1998)189

**Lysine**

Assay for 5-hydroxylysine and L-lysine in human and rat urine and in bone by gas chromatography 724(1999)373

**Lysozyme**

Physico-chemical characterization of proteins by capillary electrophoresis 706(1998)23



# M

## M100907

Determination of a specific 5-HT<sub>2a</sub> antagonist (M100907) in rat and dog plasma at the femtomole/milliliter level by gas chromatography–mass spectrometry 716(1998)161

## Mabuterol

β<sub>2</sub>-Adrenergic agonist residues: simultaneous methyl- and butylboronic derivatization for confirmatory analysis by gas chromatography–mass spectrometry 716(1998)366

## Malathion

Application of chiral chromatographic parameters in quantitative structure–activity relationship analysis of homologous malathion derivatives 720(1998)65

## Malondialdehyde

Determination of malondialdehyde in rat brain by capillary zone electrophoresis 707(1998)51

Improvement in the high-performance liquid chromatography malondialdehyde level determination in normal human plasma 713(1998)433

## Mapenterol

β<sub>2</sub>-Adrenergic agonist residues: simultaneous methyl- and butylboronic derivatization for confirmatory analysis by gas chromatography–mass spectrometry 716(1998)366

## Matrix metalloprotease inhibitors

Gas chromatographic–mass spectrometric analysis of hydroxylamine for monitoring the metabolic hydrolysis of metalloprotease inhibitors in rat and human liver microsomes 724(1999)181

## Matrix M1 protein

Covalent chromatography of influenza virus membrane M1 protein on activated thiopropyl Sepharose-6B 706(1998)83

## Meclofenamic acid

Determination of flufenamic, meclofenamic and mefenamic acids by capillary electrophoresis using β-cyclodextrin 708(1998)249

## Medrogestone

Determination of medrogestone in plasma by high-performance liquid chromatography 714(1998)263

## Mefenamic acid

Determination of flufenamic, meclofenamic and mefenamic acids by capillary electrophoresis using β-cyclodextrin 708(1998)249

## Mefenorex

Studies on the metabolism and toxicological detection of the amphetamine-like anorectic mefenorex in human urine by gas chromatography–mass spectrometry and fluorescence polarization immunoassay 702(1997)93

## Melanin

Drug accumulation in melanin: an affinity chromatographic study 714(1998)171

Retention data from affinity high-performance liquid chromatography in view of chemometrics 715(1998)229

## Melatonin

Determination of melatonin in rat pineal, plasma and retina by high-performance liquid chromatography with electrochemical detection 709(1998)11

High-performance liquid chromatographic analysis of melatonin in human plasma and rabbit serum with on-line column enrichment 712(1998)177

## Mepivacaine

Simple analysis of local anaesthetics in human blood using headspace solid-phase microextraction and gas chromatography–mass spectrometry–electron impact ionization selected ion monitoring 709(1998)225

## 6-Mercaptopurine

Reversed-phase high-performance liquid chromatographic assay method for quantitating 6-mercaptopurine and its methylated and non-methylated metabolites in a single sample 716(1998)392

## 2-Mercaptopyridine

Salt-independent binding of antibodies from human serum to thiophilic heterocyclic ligands 709(1998)189

## 2-Mercaptopyrimidine

Salt-independent binding of antibodies from human serum to thiophilic heterocyclic ligands 709(1998)189

## Mercapturic acid

Assay of S-ethyl-N-acetyl-L-cysteine in urine by high-performance liquid chromatography using post-column reaction detection 704(1997)159

Chromatographic separation of fluorescent thiol adducts of 4-chloro-7-sulphobenzofurazan Use as substrates for enzymes of the mercapturic acid xenobiotic pathway 709(1998)19

## Mercury

Partitioning of mercury in aqueous biphasic systems and on ABEC<sup>TM</sup> resins 711(1998)277

## Mesaconitine

Report on the preparation of deuterium-labelled aconitine and mesaconitine and their application to the analysis of these alkaloids from body fluids as internal standard 714(1998)197

**Metakelfin**

Sulfalene concentrations in plasma and blood cells of *Plasmodium falciparum* malaria cases after treatment with metakelfin using high-performance liquid chromatography 714(1998)390

**Metal chelators**

Divalent metal cation chelators enhance chromatographic separation of structurally similar macromolecules: separation of human growth hormone isoforms 720(1998)39

**Metalloprotease**

Gas chromatographic–mass spectrometric analysis of hydroxylamine for monitoring the metabolic hydrolysis of metalloprotease inhibitors in rat and human liver microsomes 724(1999)181

**Metalloprotein**

Separation of metalloprotein complexes in serum by size-exclusion chromatography Optimisation of the separation parameters retention behaviour and recovery employing radiotracers 707(1998)17

**Metanephrine**

Determination of catecholamines and methoxycatecholamines excretion patterns in pig and rat urine by ion-exchange liquid chromatography with electrochemical detection 703(1997)15

**Metformin**

Determination of metformin in plasma by capillary electrophoresis using field-amplified sample stacking technique 708(1998)277

Simple high-performance liquid chromatographic method for the determination of metformin in human plasma 710(1998)243

Determination of metformin in plasma by high-performance liquid chromatography after ultrafiltration 716(1998)299

**Methadone**

Short column gas chromatography–mass spectrometry and principal component analysis for the identification of coeluted substances in doping control analysis 706(1998)245

Rapid determination of methadone and its major metabolite in biological fluids by gas–liquid chromatography with thermionic detection for maintenance treatment of opiate addicts 718(1998)278

Enantioselective high-performance liquid chromatographic method for the determination of methadone and its main metabolite in urine using an AGP and a C<sub>8</sub> column coupled serially 724(1999)35

**Methamphetamine**

Immunological analysis of methamphetamine antibody and its use for the detection of methamphetamine by capillary electrophoresis with laser-induced fluorescence 705(1998)277

Determination of amphetamine and methamphetamine in human hair by headspace solid-phase microextraction and gas chromatography with nitrogen–phosphorus detection 707(1998)99

Simple and sensitive high-performance liquid chromatographic determination of methamphetamines in human urine as derivatives of 4-(4,5-diphenyl-1H-imidazol-2-yl) benzoyl chloride, a new fluorescence derivatization reagent 712(1998)105

Determination of amphetamine, methamphetamine and amphetamine-derived designer drugs or medicaments in blood and urine 713(1998)163

Determination of amphetamine, methamphetamine and dimethamphetamine in human urine by solid-phase microextraction (SPME)-gas chromatography/mass spectrometry 716(1998)359

**Methionine**

High-performance liquid chromatographic method for measuring total plasma homocysteine levels 719(1998)31

**Methionine enkephalinamide**

Gradient high-performance liquid chromatographic analysis of enkephalin peptides, their metabolites, and enzyme inhibitors using combined ultraviolet and electrochemical detection II. Application to ocular permeability studies in vitro 709(1998)1

**Methomyl**

Sensitive determination of methomyl in blood using gas chromatography–mass spectrometry as its oxime *tert*-butyldimethylsilyl derivative 713(1998)323

**Methotrexate**

Capillary electrophoretic drug monitoring of methotrexate and leucovorin and their metabolites 718(1998)177

Improved high-performance liquid chromatography determination of methotrexate and its major metabolite in plasma using a poly(styrene-divinylbenzene) column 721(1998)87

**Methoxycatecholamines**

Determination of catecholamines and methoxycatecholamines excretion patterns in pig and rat urine by ion-exchange liquid chromatography with electrochemical detection 703(1997)15

**3-Methoxy-4-hydroxyphenylethyleneglycol**

Separate determination of human urinary conjugated and unconjugated 3-methoxy-4-hydroxyphenylethyleneglycol 707(1998)9

**2-Methoxyphenylmetyrapone**

Simultaneous analysis of 2-methoxyphenylmetyrapone and its seven potential metabolites by high-performance liquid chromatography 704(1997)315

**8-Methoxyquinolones**

Determination of BAY 12-8039, a new 8-methoxyquinolone, in human body fluids by high-performance liquid chromatography with fluorescence detection using on-column focusing 702(1997)163

**Methyl ( $\pm$ )-[5-( $\alpha$ -amino-4-fluorobenzyl)benzimidazol-2-yl]carbamate**

Determination of antifilarial compound UMF-078 and its metabolites in plasma by high-performance liquid chromatography 724(1999)147

**3-O-Methyldopa**

Determination of catecholamines and methoxycatecholamines excretion patterns in pig and rat urine by ion-exchange liquid chromatography with electrochemical detection 703(1997)15

**3,4-Methylenedioxyamphetamine**

High sensitivity simultaneous determination in hair of the major constituents of ecstasy (3,4-methylenedioxyamphetamine, 3,4-methylenedioxyamphetamine and 3,4-methylenedioxyethylamphetamine) by high-performance liquid chromatography with direct fluorescence detection 723(1999)195

Quantification of 3,4-methylenedioxymetamphetamine and its metabolites in plasma and urine by gas chromatography with nitrogen–phosphorus detection 723(1999)221

**3,4-Methylenedioxyethylamphetamine**

High sensitivity simultaneous determination in hair of the major constituents of ecstasy (3,4-methylenedioxyamphetamine, 3,4-methylenedioxyamphetamine and 3,4-methylenedioxyethylamphetamine) by high-performance liquid chromatography with direct fluorescence detection 723(1999)195

**3,4-Methylenedioxymetamphetamine**

High sensitivity simultaneous determination in hair of the major constituents of ecstasy (3,4-methylenedioxymetamphetamine, 3,4-methylenedioxyamphetamine and 3,4-methylenedioxyethylamphetamine) by high-performance liquid chromatography with direct fluorescence detection 723(1999)195

Quantification of 3,4-methylenedioxymetamphetamine and its metabolites in plasma and urine by gas chromatography with nitrogen–phosphorus detection 723(1999)221

**Methylene violet**

Simultaneous determination of methylene violet, halogenated methylene violet and their photoproducts in the presence of DNA by high-performance liquid chromatography using an internal surface reversed-phase column 704(1997)265

***N*-Methylformamide**

Nonaqueous capillary electrophoresis with laser induced fluorescence detection 718(1998)15

**Methylhexahydrophthalic anhydride**

Quantification method of human hemoglobin adducts from hexahydrophthalic anhydride and methylhexahydrophthalic anhydride 710(1998)81

**Methylhippuric acid**

Gas chromatography–electron-capture detection of urinary methylhippuric acid isomers as biomarkers of environmental exposure to xylene 723(1999)95

**1-Methylhistamine**

Determination of 1-methylhistamine and 1-methylimidazoleacetic acid in human urine as a tool for the diagnosis of mastocytosis 721(1998)135

**1-Methylimidazoleacetic acid**

Determination of 1-methylhistamine and 1-methylimidazoleacetic acid in human urine as a tool for the diagnosis of mastocytosis 721(1998)135

**6-Methylmercaptopurine**

Reversed-phase high-performance liquid chromatographic assay method for quantitating 6-mercaptopurine and its methylated and non-methylated metabolites in a single sample 716(1998)392

**Methylparaben**

Determination of methylparaben, propylparaben and chlorpromazine in chlorpromazine hydrochloride oral solution by high-performance liquid chromatography 707(1998)181

**Methylphenidate**

Quantitative capillary electrophoresis–ion-trap mass spectrometry determination of methylphenidate in human urine 707(1998)275

***N*-Methyl-2-pyrrolidone**

Determination of *N*-methylsuccinimide and 2-hydroxy-*N*-methylsuccinimide in human urine and plasma 704(1997)151

**Methyl salicylate**

Simultaneous quantitative analysis of methyl salicylate, ethyl salicylate and salicylic acid from biological fluids using gas chromatography–mass spectrometry 718(1998)69

**(*R*)-*N*-Methylsalsolinol**

Preparation of (*R*)-*N*-methylsalsolinol via reversed-phase high-performance liquid chromatography using  $\beta$ -cyclodextrin as a mobile-phase additive 702(1997)245

***N*-Methylsuccinimide**

Determination of *N*-methylsuccinimide and 2-hydroxy-*N*-methylsuccinimide in human urine and plasma 704(1997)151

***R,S*-2-[4-(3-Methyl-2-thienyl)phenyl]propionic acid**

Stereoselective determination of *R,S*-2-[4-(3-methyl-2-thienyl)phenyl]propionic acid and its taurine conjugates in dog urine by high-performance liquid chromatography 709(1998)105

**Methylthioguanine nucleotides**

High-performance liquid chromatographic assay of methylthioguanine nucleotide 705(1998)29

**6-Methyl-2-thiouracil**

Gas chromatographic determination of residues of thyrostatic drugs in bovine muscle tissue using combined resin mediated methylation and extraction 703(1997)159

**5-(3-Methyltriazene-1-yl)-imidazo-4-carboximide**

High-performance liquid chromatographic determination and stability of 5-(3-methyltriazene-1-yl)-imidazo-4-carboximide, the biologically active product of the antitumor agent temozolomide, in human plasma 703(1997)225

**4-Methylumbelliferone**

Sensitive method for the quantification of  $\beta$ -glucuronidase activity in human urine using capillary electrophoresis with fluorescence detection 708(1998)61

**1-Methylurate**

Analysis of urinary caffeine metabolites to assess biotransformation enzyme activities by reversed-phase high-performance liquid chromatography 709(1998)27

**1-Methylxanthine**

Analysis of urinary caffeine metabolites to assess biotransformation enzyme activities by reversed-phase high-performance liquid chromatography 709(1998)27

**Methysticin**

Contribution to the quantitative and enantioselective determination of kavapyrones by high-performance liquid chromatography on ChiraSpher NT material 702(1997)240

**Metoprolol**

Direct enantioseparation of some  $\beta$ -adrenergic blocking agents using impregnated thin-layer chromatography 708(1998)330

**Metronidazole**

Simple and sensitive method for determination of metronidazole in human serum by high-performance liquid chromatography 720(1998)239

**Mexiletine**

Gas chromatographic–mass spectrometric determination of serum mexiletine concentration after derivatization with perfluorooctanoyl chloride, a new derivative 705(1998)283

**Midazolam**

Sensitive assay for midazolam and its metabolite 1'-hydroxymidazolam in human plasma by capillary high-performance liquid chromatography 710(1998)165

Capillary electrophoresis–mass spectrometry coupling versus micro-high-performance liquid chromatography–mass spectrometry coupling: a case study 718(1998)1

Simultaneous determination of fentanyl and midazolam using high-performance liquid chromatography with ultraviolet detection 723(1999)313

**Minalrestat**

Determination of minalrestat (an aldose reductase inhibitor) in rat, dog and human plasma by high-performance liquid chromatography 709(1998)127

**Minocycline**

Analysis of minocycline by high-performance liquid chromatography in tissue and serum 706(1998)358

**Mirtazapine**

High-performance liquid chromatographic assay with fluorescence detection for the routine monitoring of the antidepressant mirtazapine and its demethyl metabolite in human plasma 721(1999)309

**MK-0091**

Determination of a cyclic hexapeptide, a novel antifungal agent, in human plasma by high-performance liquid chromatography with ion spray and turbo ion spray tandem mass spectrometric detection 721(1999)229

**Modafinil**

High-performance liquid chromatographic determination of modafinil and its two metabolites in human plasma using solid-phase extraction 706(1998)295

**6-Monoacetylmorphine**

Determination of morphine and its 3- and 6-glucuronides, codeine, codeine-glucuronide and 6-monoacetylmorphine in body fluids by liquid chromatography atmospheric pressure chemical ionization mass spectrometry 703(1997)115

**Monoamines**

Procedure for the sample preparation and handling for the determination of amino acids, monoamines and metabolites from microdissected brain regions of the rat 712(1998)31

Simultaneous measurement of monoamines, their metabolites and 2,3- and 2,5-dihydroxybenzoates by high-performance liquid chromatography with electrochemical detection. Application to rat brain dialysates 716(1998)350

**Monobromobimane**

Determination of lipoic acid by precolumn derivatization with monobromobimane and reversed-phase high-performance liquid chromatography 705(1998)127

**Monochloroacetate**

Determination of dichloroacetate and its metabolites in human plasma by gas chromatography–mass spectrometry 703(1997)75

**Monoclonal antibodies**

Study of an anti-human transthyretin immunoadsorbent. Influence of coupling chemistry on binding capacity and ligand leakage 705(1998)213

Monoclonal antibody production with on-line harvesting and process monitoring 707(1998)257

Automated sample introduction for an imaged capillary isoelectric focusing instrument via high-performance liquid chromatography sampling devices 714(1998)113

**Monodesmethylchlorpheniramine**

Determination of the enantiomers of chlorpheniramine and its main monodesmethyl metabolite in urine using achiral–chiral liquid chromatography 707(1998)235

**N-Monodesmethyltrimebutine**

High-performance liquid chromatographic determination of trimebutine and its major metabolite, *N*-monodesmethyl trimebutine, in rat and human plasma 723(1999)239

**Monoethylglycinexylidide**

Capillary gas chromatographic method for the measurement of small concentrations of monoethylglycinexylidide and lidocaine in plasma 716(1998)375

**Montelukast sodium**

Determination of montelukast sodium in human plasma by column-switching high-performance liquid chromatography with fluorescence detection 713(1998)409

**Morin**

High-performance liquid chromatographic analysis of polyhydroxyflavones using solid-phase borate-complex extraction 720(1998)225

**Morphine**

Determination of morphine and its 3- and 6-glucuronides, codeine, codeine-glucuronide and 6-monoacetylmorphine in body fluids by liquid chromatography atmospheric pressure chemical ionization mass spectrometry 703(1997)115

Simultaneous determination of codeine and its seven metabolites in plasma and urine by high-performance liquid chromatography with ultraviolet and electrochemical detection 708(1998)185

Determination of morphine by high-performance liquid chromatography with electrochemical detection: application to human and rabbit pharmacokinetic studies 714(1998)237

Rapid, highly sensitive method for the determination of morphine and its metabolites in body fluids by liquid chromatography–mass spectrometry 721(1998)55

**Morphine glucuronide**

Determination of morphine and its 3- and 6-glucuronides, codeine, codeine-glucuronide and 6-monoacetylmorphine in body fluids by liquid chromatography atmospheric pressure chemical ionization mass spectrometry 703(1997)115

Rapid, highly sensitive method for the determination of morphine and its metabolites in body fluids by liquid chromatography–mass spectrometry 721(1998)55

**Moxifloxacin**

Capillary electrophoresis with laser-induced fluorescence: a routine method to determine moxifloxacin in human body fluids in very small sample volumes 716(1998)325

**Muconic acid**

Analysis and evaluation of *trans,trans*-muconic acid as a biomarker for benzene exposure 717(1998)179

**Mycophenolic acid**

Simple method for the quantitation of mycophenolic acid in human plasma 704(1997)379

High-performance liquid chromatography determination of mycophenolic acid and its glucuronide metabolite in human plasma 708(1998)229

High-performance liquid chromatographic assay with a simple extraction procedure for sensitive quantification of mycophenolic acid in rat and human plasma 721(1999)321

**Mycotoxins**

Sensitive method for the detection of fumonisin B<sub>1</sub> in human urine 705(1998)171

Liquid chromatographic determination of the sphinganine/sphingosine ratio in serum 710(1998)219

Sample preparation and high-resolution separation of mycotoxins possessing carboxyl groups 717(1998)135

**Myricetin**

High-performance liquid chromatographic analysis of polyhydroxyflavones using solid-phase borate-complex extraction 720(1998)225

**Myristicin**

In vitro and in vivo metabolism of myristicin in the rat 705(1998)367

# N

## NADH oxidase

Aqueous two-phase partition and detergent precipitation of a drug-responsive NADH oxidase from the HeLa cell surface 711(1998)173

## Nalidixic acid

Separation and simultaneous determination of nalidixic acid, hydroxynalidixic acid and carboxynalidixic acid in serum and urine by micellar electrokinetic capillary chromatography 724(1999)319

## Naltrexone

Simple liquid chromatographic method for the determination of naltrexone in human plasma using amperometric detection 701(1997)140

## 1-Naphthylisothiocyanate

Semi-automatic liquid chromatographic analysis of pamidronate in serum and citrate plasma after derivatization with 1-naphthylisothiocyanate 705(1998)331

## Naproxen

At-line solid-phase extraction for capillary electrophoresis: application to negatively charged solutes 719(1998)199

Direct assay of nonopioid analgesics and their metabolites in human urine by capillary electrophoresis and capillary electrophoresis–mass spectrometry 721(1998)109

## Naringenin

Determination of naringin and naringenin in human urine by high-performance liquid chromatography utilizing solid-phase extraction 704(1997)299

Determination of naringenin and its glucuronide conjugate in rat plasma and brain tissue by high-performance liquid chromatography 714(1998)369

## Naringin

Determination of naringin and naringenin in human urine by high-performance liquid chromatography utilizing solid-phase extraction 704(1997)299

## Nedocromil sodium

Validation of a high-performance liquid chromatography assay for urinary nedocromil sodium following oral and inhaled administration 718(1998)290

## Nefazodone

Sensitive liquid chromatographic–mass spectrometric assay for the simultaneous quantitation of nefazodone and its metabolites hydroxynefazodone *m*-chlorophenylpiperazine and triazole-dione in human plasma using single-ion monitoring 718(1998)77

## Nelfinavir

Simultaneous quantitative determination of the HIV protease inhibitors amprenavir, indinavir, nelfinavir, ritonavir and saquinavir in human plasma by ion-pair high-performance liquid chromatography with ultraviolet detection 719(1998)159

## Nemonapride

High-performance liquid chromatographic determination of nemonapride and desmethylnemonapride in human plasma using an electrochemical detection 714(1998)293

## Neostigmine

Determination of neostigmine in human plasma and cerebrospinal fluid by high-performance liquid chromatography with ultraviolet detection 723(1999)319

## Neuraminidase

Aggregated human serum immunoglobulin A1 induced by neuraminidase treatment had a lower number of *O*-linked sugar chains on the hinge portion 724(1999)1

## Neuraminidase inhibitor

High-performance liquid chromatographic determination of GS4071, a potent inhibitor of influenza neuraminidase, in plasma by precolumn fluorescence derivatization with naphthalenedialdehyde 716(1998)267

## Neuroleptics

Testing for drugs in hair. Critical review of chromatographic procedures since 1992 713(1998)147

## Neurosteroids

Studies on neurosteroids. VII. Determination of pregnenolone and its 3-stearate in rat brains using high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 714(1998)153

## Neurotransmitters

Determination of serotonin, catecholamines and their metabolites by direct injection of supernatants from chicken brain tissue homogenate using liquid chromatography with electrochemical detection 704(1997)351

## Neutral analytes

On-line concentration of neutral analytes for micellar electrokinetic chromatography. VI. Stacking using reverse migrating micelles and a water plug 714(1998)29

## Nevirapine

Rapid determination of nevirapine in human plasma by ion-pair reversed-phase high-performance liquid chromatography with ultraviolet detection 713(1998)395

## Nicardipine

Extraction and quantification of nicardipine in human plasma 718(1998)121

**Nicotinamide**

Simultaneous determination of nicotinic acid and its metabolites in rat urine by micellar electrokinetic chromatography with photodiode array detection 716(1998)335

**Nicotinamide adenine dinucleotide synthetase**

Simple and rapid method for determining nicotinamide adenine dinucleotide synthetase activity by high-performance liquid chromatography 704(1997)77

**Nicotinamide deamidase**

Assay of nicotinamide deamidase activity using high-performance liquid chromatography 720(1998)59

**Nicotine**

Simple and sensitive method for determination of nicotine in plasma by gas chromatography 701(1997)124

Nicotine monitoring in sweat with a sweat patch 705(1998)357

Rapid solid-phase extraction method for automated gas chromatographic–mass spectrometric determination of nicotine in plasma 707(1998)312

Determination of nicotine, cotinine and caffeine in meconium using high-performance liquid chromatography 707(1998)317

Rapid method for the simultaneous measurement of nicotine and cotinine in urine and serum by gas chromatography–mass spectrometry 708(1998)87

Rapid and sensitive high-performance liquid chromatographic determination of nicotine and cotinine in nonsmoker human and rat urines 708(1998)95

**Nicotinic acetylcholine receptor**

Liquid chromatographic studies with immobilized neuronal nicotinic acetylcholine receptor stationary phases: effects of receptor subtypes, pH and ionic strength on drug–receptor interactions 724(1999)65

**Nicotinic acid**

Simultaneous determination of nicotinic acid and its metabolites in rat urine by micellar electrokinetic chromatography with photodiode array detection 716(1998)335

**Nifedipine**

Determination of nifedipine in human plasma by flow-injection tandem mass spectrometry 710(1998)115

Simultaneous determination of nifedipine and dehydronifedipine in human plasma by liquid chromatography–tandem mass spectrometry 720(1998)119

**Nimesulide**

Improved high-performance liquid chromatographic assay for nimesulide 723(1999)293

**Nitrate**

Measurement of serum nitrite/nitrate concentrations using high-performance liquid chromatography 706(1998)347

Measurement of nitrite and nitrate in plasma, serum and urine of humans by high-performance liquid chromatography, the Griess assay, chemiluminescence and gas chromatography–mass spectrometry: Interferences by biogenic amines and  $N^G$ -nitro-L-arginine analogs 715(1998)441

Reply to “Measure of nitrite and nitrate in plasma serum and urine of humans by HPLC, the Griess assay, chemiluminescence and GC–MS”, by Tsikas et al 715(1998)445

High-performance liquid chromatographic analysis of nitrite and nitrate in human plasma as *S*-nitroso-*N*-acetylcysteine with ultraviolet absorbance detection 724(1999)199

**Nitrazepam**

Erratum to “Simultaneous determination of twelve benzodiazepines in human serum using a new reversed-phase chromatographic column on a 2- $\mu$ m porous microspherical silica gel”. [J. Chromatogr. B, 682 (1996) 173] 709(1998)324

**Nitric oxide**

Measurement of serum nitrite/nitrate concentrations using high-performance liquid chromatography 706(1998)347

**Nitrite**

Measurement of serum nitrite/nitrate concentrations using high-performance liquid chromatography 706(1998)347

Measurement of nitrite and nitrate in plasma, serum and urine of humans by high-performance liquid chromatography, the Griess assay, chemiluminescence and gas chromatography–mass spectrometry: Interferences by biogenic amines and  $N^G$ -nitro-L-arginine analogs 715(1998)441

Reply to “Measure of nitrite and nitrate in plasma serum and urine of humans by HPLC, the Griess assay, chemiluminescence and GC–MS”, by Tsikas et al 715(1998)445

High-performance liquid chromatographic analysis of nitrite and nitrate in human plasma as *S*-nitroso-*N*-acetylcysteine with ultraviolet absorbance detection 724(1999)199

 **$N^G$ -nitro-L-arginine analogues**

Measurement of nitrite and nitrate in plasma, serum and urine of humans by high-performance liquid chromatography, the Griess assay, chemiluminescence and gas chromatography–mass spectrometry: Interferences by biogenic amines and  $N^G$ -nitro-L-arginine analogs 715(1998)441

**Nitroaromatics**

Analysis of nitroaromatic compounds in urine by gas chromatography–mass spectrometry for the biological monitoring of explosives 710(1998)91

**Nitrogen mustard**

High-performance liquid chromatographic determination of N-[2-(hydroxyethyl)-N-(2-(7-guaninyl)ethyl)]methylamine, a reaction product between nitrogen mustard and DNA and its application to biological samples 716(1998)187

**Nitro-9-methoxyacridine**

High-performance liquid chromatographic determination of pyrazoloacridine, a nitro-9-methoxyacridine anticancer agent, in human plasma 702(1997)203

**1-Nitropyrene**

Determination of hemoglobin adducts following oral administration of 1-nitropyrene to rats using gas chromatography–tandem mass spectrometry 701(1997)19

**3-Nitro-L-tyrosine**

Comparison of detection methods for liquid chromatographic determination of 3-nitro-L-tyrosine 713(1998)289

**S-Nitroso-N-acetylcysteine**

High-performance liquid chromatographic analysis of nitrite and nitrate in human plasma as S-nitroso-N-acetylcysteine with ultraviolet absorbance detection 724(1999)199

**NK-104**

Simultaneous determination of NK-104 and its lactone in biological samples by column-switching high-performance liquid chromatography with ultraviolet detection 724(1999)173

**Non-steroidal anti-inflammatory drugs**

Multi-residue method for non-steroidal anti-inflammatory drugs in plasma using high-performance liquid chromatography–photodiode-array detection. Method description and comprehensive in-house validation 716(1998)221

At-line solid-phase extraction for capillary electrophoresis: application to negatively charged solutes 719(1998)199

**2-n-Nonyl-1,3-dioxolane**

Quantitative analysis quantitation of 2-n-nonyl-1,3-dioxolane by stable-isotope dilution gas chromatography-mass spectrometry 705(1998)39

**4-Nonylphenols**

Gas chromatographic–mass spectrometric determination of 4-nonylphenols and 4-tert-octylphenol in biological samples 723(1999)273

**Noradrenaline**

Rapid and selective method for norepinephrine in rat urine using reversed-phase ion-pair high-performance liquid chromatography–tandem mass spectrometry 718(1998)225

**19-Norandrosterone**

Urinary excretion of 19-norandrosterone of endogenous origin in man: quantitative analysis by gas chromatography–mass spectrometry 721(1999)301

Evidence for the presence of endogenous 19-norandrosterone in human urine 723(1999)157

**Norcisapride**

Determination of cisapride and norcisapride in human plasma using high-performance liquid chromatography with ultraviolet detection 714(1998)395

**Norcocaine**

Sensitive and specific high-performance liquid chromatographic assay with ultraviolet detection for the determination of cocaine and its metabolites in rat plasma 703(1997)129

**Norcodeine**

Simultaneous determination of codeine and its seven metabolites in plasma and urine by high-performance liquid chromatography with ultraviolet and electrochemical detection 708(1998)185

Fully automated analytical method for codeine quantification in human plasma using on-line solid-phase extraction and high-performance liquid chromatography with ultraviolet detection 724(1999)295

**Nordihydrocodeine**

Determination of the dihydrocodeine metabolites, dihydromorphine and nordihydrocodeine, in hepatic microsomal incubations by high-performance liquid chromatography 701(1997)129

**Norepinephrine**

Determination of catecholamines in sheep plasma by high-performance liquid chromatography with electrochemical detection: comparison of deoxyepinephrine and 3,4-dihydroxybenzylamine as internal standard 701(1997)115

Determination of catecholamines and methoxycatecholamines excretion patterns in pig and rat urine by ion-exchange liquid chromatography with electrochemical detection 703(1997)15

Rapid and selective method for norepinephrine in rat urine using reversed-phase ion-pair high-performance liquid chromatography–tandem mass spectrometry 718(1998)225

**19-Noretiocholanolone**

Evidence for the presence of endogenous 19-norandrosterone in human urine 723(1999)157

**Norfluoxetine**

Quantification of fluoxetine and norfluoxetine serum levels by reversed-phase high-performance liquid chromatography with ultraviolet detection 704(1997)259

Determination of fluoxetine and its metabolite norfluoxetine in serum and brain areas using high-performance liquid chromatography with ultraviolet detection 707(1998)175

Sensitive, high-throughput gas chromatographic–mass spectrometric assay for fluoxetine and norfluoxetine in human plasma and its application to pharmacokinetic studies 716(1998)153



**Normetanephrine**

Determination of catecholamines and methoxycatecholamines excretion patterns in pig and rat urine by ion-exchange liquid chromatography with electrochemical detection 703(1997)15

**Normorphine**

Simultaneous determination of codeine and its seven metabolites in plasma and urine by high-performance liquid chromatography with ultraviolet and electrochemical detection 708(1998)185

Rapid, highly sensitive method for the determination of morphine and its metabolites in body fluids by liquid chromatography–mass spectrometry 721(1998)55

**Norpropoxyphene**

Gas chromatographic–mass spectrometric quantitation of dextropropoxyphene and norpropoxyphene in hair and whole blood after automated on-line solid-phase extraction 709(1998)69

**Nortriptyline**

High-performance liquid chromatography–mass spectrometry for the quantification of nortriptyline and 10-hydroxynortriptyline in plasma 716(1998)382

**Norverapamil**

Solid-phase extraction–high-performance liquid chromatography determination of verapamil and norverapamil enantiomers in urine 707(1998)161

**Noscapine**

Determination of noscapine in human plasma using solid-phase extraction and high-performance liquid chromatography 701(1997)81

**NSC 348977**

Reversed-phase high-performance liquid chromatography of 4-(2-pyridyl)-1-piperazinethiocarboxylic acid 2-[1-(pyridyl)-ethylidene]hydrazide dihydrochloride (NSC 348977), a synthetic thiosemicarbazone with antitumor activity 708(1998)217

**Nucleosides**

Ion-pair reversed-phase high-performance liquid chromatography of adenine nucleotides and nucleoside using triethylamine as a counterion 703(1997)63

Determination of adenosine and deoxyadenosine in urine by high-performance liquid chromatography with column switching 719(1998)55

**5'-Nucleotidase**

Ion-exchange column chromatographic method for assaying purine metabolic pathway enzymes 707(1998)295

**Nucleotides**

Ion-pair reversed-phase high-performance liquid chromatography of adenine nucleotides and nucleoside using triethylamine as a counterion 703(1997)63

**O****Ochratoxin A**

Sample preparation and high-resolution separation of mycotoxins possessing carboxyl groups 717(1998)135

**4-tert-Octylphenol**

Gas chromatographic–mass spectrometric determination of 4-nonylphenols and 4-tert-octylphenol in biological samples 723(1999)273

**Ofloxacin**

Determination of quinolone antibiotics in growth media by reversed-phase high-performance liquid chromatography 709(1998)97

**Olanzapine**

Determination of olanzapine in serum by high-performance liquid chromatography using ultraviolet detection considering the easy oxidability of the compound and the presence of other psychotropic drugs 714(1998)309

**Oleandomycin**

Development of a capillary electrophoretic method for the separation of the macrolide antibiotics, erythromycin, josamycin and oleandomycin 704(1997)333

**Oleic acids**

Liquid chromatography–mass spectrometry and gas chromatography–mass spectrometry of  $\omega$ - and  $(\omega-1)$ -hydroxylated metabolites of elaidic and oleic acids in human and rat liver microsomes 714(1998)133

**Oleosin**

Characterization of the oligomeric behavior of a 16.5 kDa peanut oleosin by chromatography and electrophoresis of the iodinated form 706(1998)131

**Oleyl anilide**

Single step thin-layer chromatographic method for quantitation of enzymatic formation of fatty acid anilides 705(1998)269

**Oligonucleotides**

Stability measurement of oligonucleotides in serum samples using capillary electrophoresis 702(1997)69

Evaluation of coupling of cobalamin to antisense oligonucleotides by thin-layer and reversed-phase liquid chromatography 706(1998)149

Study of phosphorothioate-modified oligonucleotide resistance to 3'-exonuclease using capillary electrophoresis 714(1998)13

**Oligosaccharides**

Isolation of the O-glycosidically linked oligosaccharides obtained by alkaline borohydride degradation from oviducal mucins of the toad *Bufo bufo* 706(1998)101

Application of matrix-assisted laser desorption ionization time-of-flight mass spectrometry to the analysis of glycopeptide-containing multiple O-linked oligosaccharides 709(1998)145

**Opiates**

Testing for drugs in hair. Critical review of chromatographic procedures since 1992 713(1998)147

Immunological screening of drugs of abuse and gas chromatographic–mass spectrometric confirmation of opiates and cocaine in hair 724(1999)9

**Organic acids**

Gas chromatographic profiling analysis of urinary organic acids from nonsmokers and smokers 701(1997)1

Gas chromatographic profiling and pattern recognition analysis of urinary organic acids from uterine myoma patients and cervical cancer patients 712(1998)11

Urinary organic acid screening by solid-phase microextraction of the methyl esters 713(1998)427

Enantioselective multidimensional gas chromatography–mass spectrometry in the analysis of urinary organic acids 714(1998)119

Analysis of compounds containing carboxyl groups in biological fluids by capillary electrophoresis 717(1998)327

**Organochlorine insecticides**

Quantitative analysis of polychlorinated biphenyls, organochlorine insecticides, polycyclic aromatic hydrocarbons, polychlorinated hydrocarbons and polynitrohydrocarbons in spiked samples of soil, water and plasma by selected-ion monitoring gas chromatography–mass spectrometry 706(1998)231

**Organochlorine pesticides**

Methods for the determination of organochlorine pesticide residues in human serum 716(1998)147

Improved sample preparation method for selected persistent organochlorine pollutants in human serum using solid-phase disk extraction with gas chromatographic analysis 723(1999)117

**Organophosphorus insecticides**

Application of high-performance thin-layer chromatography for the detection of organophosphorus insecticides in human serum after acute poisoning 704(1997)369

**Orlistat**

Quantitative liquid chromatographic–tandem mass spectrometric determination of orlistat in plasma with a quadrupole ion trap 708(1998)121

**Orotic acid**

High-performance liquid chromatographic determination of orotic acid as its methyl derivative in human urine 703(1997)263

**Oxalacitriol**

Characteristics of mass spectrometric analyses coupled to gas chromatography and liquid chromatography for 22-oxalacitriol, a vitamin D<sub>3</sub> analog, and related compounds 704(1997)11

**22-Oxalacitriol**

Determination of 22-oxalacitriol, a new analog of 1 $\alpha$ ,25-dihydroxyvitamin D<sub>3</sub>, in human serum by liquid chromatography–mass spectrometry 706(1998)261

**Oxacillin**

Determination of isoxazolympenicillins residues in milk by ion-pair reversed-phase high-performance liquid chromatography after precolumn derivatization 705(1998)71

**Oxalate**

Determination of dichloroacetate and its metabolites in human plasma by gas chromatography–mass spectrometry 703(1997)75

**Oxalic acid**

Mass spectrometric–selected ion monitoring assay for an oxalate absorption test applying [<sup>13</sup>C<sub>2</sub>]oxalate 716(1998)343

**Oxaliplatin**

High-performance liquid chromatographic separation of the biotransformation products of oxaliplatin 724(1999)345

**Oxazepam**

Rapid and simple chromatographic method for the determination of diazepam and its major metabolites in human plasma and urine 708(1998)304

**Oxazolam**

Erratum to “Simultaneous determination of twelve benzodiazepines in human serum using a new reversed-phase chromatographic column on a 2- $\mu$ m porous microspherical silica gel”. [J. Chromatogr. B, 682 (1996) 173] 709(1998)324

**Oxoacids**

Gas chromatographic–mass spectrometric determination of urinary oxoacids using O-(2,3,4,5,6-pentafluorobenzyl)oxime-trimethylsilyl ester derivatization and cation-exchange chromatography 719(1998)1

**7-Oxo-dehydroepiandrosterone**

Development and validation of a high-performance liquid chromatography assay for the quantitative determination of 7-oxo-dehydroepiandrosterone-3 $\beta$ -sulfate in human plasma 721(1999)197

**7-Oxo-dehydroepiandrosterone-3 $\beta$ -acetate**

Development and validation of a high-performance liquid chromatography assay for the quantitative determination of 7-oxo-dehydroepiandrosterone-3 $\beta$ -sulfate in human plasma 721(1999)197

**7-Oxo-dehydroepiandrosterone-3 $\beta$ -sulfate**

Development and validation of a high-performance liquid chromatography assay for the quantitative determination of 7-oxo-dehydroepiandrosterone-3 $\beta$ -sulfate in human plasma 721(1999)197

**8-Oxo-7,8-dihydro-2'-deoxyguanosine**

Isotope dilution high-performance liquid chromatography–electrospray tandem mass spectrometry assay for the measurement of 8-oxo-7,8-dihydro-2'-deoxyguanosine in biological samples 715(1998)349

**2-Oxo-3-hydroxy-LSD**

Detection of metabolites of lysergic acid diethylamide (LSD) in human urine specimens: 2-oxo-3-hydroxy-LSD, a prevalent metabolite of LSD 724(1999)23

**Oxolinic acid**

Rapid and simple determination of oxolinic acid and oxytetracycline in the shell of the blue mussel (*Mytilus edulis*) by high-performance liquid chromatography 702(1997)157

Automated multi-residue isolation of fluoroquinolone antimicrobials from fortified and incurred chicken liver using on-line microdialysis and high-performance liquid chromatography with programmable fluorescence detection 724(1999)137

**8-oxo-O<sup>6</sup>-Benzylguanine**

Simultaneous determination of O<sup>6</sup>-benzylguanine and 8-oxo-O<sup>6</sup>-benzylguanine in human plasma by reversed-phase high-performance liquid chromatography 704(1997)289

**Oxprenolol**

Determination of celiprolol and oxprenolol in human plasma by high-performance liquid chromatography and the analytical error function 718(1998)267

**Oxycodone**

Solid-phase extraction method with high-performance liquid chromatography and electrochemical detection for the quantitative analysis of oxycodone in human plasma 712(1998)169

**Oxydesmethylvenlafaxine**

Simultaneous measurement of venlafaxine and its major metabolite, oxydesmethylvenlafaxine, in human plasma by high-performance liquid chromatography with coulometric detection and utilisation of solid-phase extraction 705(1998)303

**Oxytetracycline**

Rapid and simple determination of oxolinic acid and oxytetracycline in the shell of the blue mussel (*Mytilus edulis*) by high-performance liquid chromatography 702(1997)157

Analysis of tetracyclines in raw urine by column-switching high-performance liquid chromatography and tandem mass spectrometry 721(1998)47

**Oxytocin**

Development of high-performance liquid chromatography–tandem mass spectrometric methods for the determination of a new oxytocin receptor antagonist (L-368,899) extracted from human plasma and urine: a case of lack of specificity due to the presence of metabolites 716(1998)195

**P****Paclitaxel**

Determination of paclitaxel in human plasma using single solvent extraction prior to isocratic reversed-phase high-performance liquid chromatography with ultraviolet detection 705(1998)159

Influence of Cremophor EL on the quantification of paclitaxel in plasma using high-performance liquid chromatography with solid-phase extraction as sample pretreatment 709(1998)161

Assay of paclitaxel (Taxol) in plasma and urine by high-performance liquid chromatography 709(1998)281

High-performance liquid chromatographic determination of paclitaxel in rat serum: application to a toxicokinetic study 721(1999)317

Rapid and sensitive determination of paclitaxel in mouse plasma by high-performance liquid chromatography 724(1999)357

**Palmitic acid**

Analysis of *tert*-butyldimethylsilyl [1-<sup>13</sup>C]palmitic acid in stool samples by gas chromatography–mass spectrometry with electron impact ionisation: comparison with combustion isotope-ratio mass spectrometry 716(1998)1

**Palmitoyl-stearoyl-phosphatidylserine**

Specific detection and quantification of palmitoyl-stearoyl-phosphatidylserine in human blood using normal-phase liquid chromatography coupled with electrospray mass spectrometry 716(1998)47

**Pamidronate**

Semi-automatic liquid chromatographic analysis of pamidronate in serum and citrate plasma after derivatization with 1-naphthylisothiocyanate 705(1998)331

**Pamoic acid**

Quantitative determination of pamoic acid in dog and rat serum by automated ion-pair solid-phase extraction and reversed-phase high-performance liquid chromatography 716(1998)315

**Paracetamol**

Direct determination of paracetamol and its metabolites in urine and serum by capillary electrophoresis with ultraviolet and mass spectrometric detection 721(1998)93

Direct assay of nonopioid analgesics and their metabolites in human urine by capillary electrophoresis and capillary electrophoresis–mass spectrometry 721(1998)109

**Paracetamol glucuronide**

In vitro cleavage of paracetamol glucuronide by human liver and kidney  $\beta$ -glucuronidase: determination of paracetamol by capillary electrophoresis 721(1999)295

**Paraproteins**

Separation of paraproteins from human plasma by membrane chromatography 704(1997)63

**Paraquat**

On-line sample preparation of paraquat in human serum samples using high-performance liquid chromatography with column switching 716(1998)371

**Paraxanthine**

Simple high-performance liquid chromatography method for the simultaneous determination of serum caffeine and paraxanthine following rapid sample preparation 707(1998)105

Subnanomolar quantification of caffeine's in vitro metabolites by stable isotope dilution gas chromatography–mass spectrometry 708(1998)75

Analysis of urinary caffeine metabolites to assess biotransformation enzyme activities by reversed-phase high-performance liquid chromatography 709(1998)27

**Paroxetine**

Validated chiral high-performance liquid chromatographic method for the determination of *trans*-(-)-paroxetine and its enantiomer in bulk and pharmaceutical formulations 710(1998)157

Rapid simple high-performance liquid chromatographic determination of paroxetine in human plasma 713(1998)453

Determination of paroxetine in plasma by high-performance liquid chromatography for bioequivalence studies 724(1999)393

**Peanut**

Characterization of the oligomeric behavior of a 16.5 kDa peanut oleosin by chromatography and electrophoresis of the iodinated form 706(1998)131

**Penicillin acylase**

Variation of penicillin acylase partition coefficient with phase volume ratio in poly(ethylene glycol)–sodium citrate aqueous two-phase systems 711(1998)295

**Penicillin-G**

Quantification of penicillin-G and procaine in equine urine and plasma using high-performance liquid chromatography 714(1998)269

**Penicillins**

Reversed-phase high-performance liquid chromatographic assay methods for the analysis of a range of penicillins in in vitro permeation studies 705(1998)63

Stability-indicating analysis of isoxazolyl penicillins using dual wavelength high-performance liquid chromatography 708(1998)153

**Pentafuside**

Quantitation of a 36-amino-acid peptide inhibitor of HIV-1 membrane fusion in animal and human plasma using high-performance liquid chromatography and fluorescence detection 707(1998)213

**Pentazocine**

Resolution and quantitation of pentazocine enantiomers in human serum by reversed-phase high-performance liquid chromatography using sulfated  $\beta$ -cyclodextrin as chiral mobile phase additive and solid-phase extraction 703(1997)273

**Pentobarbital**

Capillary electrophoresis stereoselective determination of *R*-(+)- and *S*-(-)-pentobarbital from serum using hydroxypropyl- $\gamma$ -cyclodextrin, solid-phase extraction and ultraviolet detection 703(1997)289

**Pentosidine**

Sensitive fluorimetric quantitation of pyridinium and pentosidine crosslinks in biological samples in a single high-performance liquid chromatographic run 703(1997)37

**Pentoxifylline**

Simple high-performance liquid chromatographic method for determination of pentoxifylline in human plasma 716(1998)387

**Peptides**

Utilization of antipeptide antibodies as affinity ligands in immunoaffinity purification 715(1998)147

Peptide affinity chromatography of human clotting factor VIII. Screening of the vWF-binding domain 715(1998)191

Use of a heterodimeric coiled-coil system for biosensor application and affinity purification 715(1998)307

Identification of substance P metabolites using a combination of reversed-phase high-performance liquid chromatography and capillary electrophoresis 716(1998)95

**Peptidoglycan**

Improved high-performance liquid chromatographic separation of peptidoglycan isolated from various *Staphylococcus aureus* strains for mass spectrometric characterization 705(1998)183

**Peptoid combinatorial mixture**

Development of a capillary electrophoretic separation of an *N*-(substituted)-glycine-peptoid combinatorial mixture 707(1998)247

**Peptoids**

Application of capillary electrophoresis to the separation of structurally diverse *N*-(substituted)-glycine-peptoid combinatorial mixtures 705(1998)341

**Perfluorinated carboxylic acids**

Determination of perfluorinated carboxylic acids in biological samples by high-performance liquid chromatography 720(1998)1

**Perfluorooctanoyl chloride**

Gas chromatographic–mass spectrometric determination of serum mexiletine concentration after derivatization with perfluorooctanoyl chloride, a new derivative 705(1998)283

Gas chromatographic–mass spectrometric identification and quantitation of benzyl alcohol in serum after derivatization with perfluorooctanoyl chloride: a new derivative 708(1998)299

**Perifosine**

Quantification of perifosine, an alkylphosphocholine anti-tumour agent, in plasma by pneumatically assisted electrospray tandem mass spectrometry coupled with high-performance liquid chromatography 721(1999)257

**Peroxidase:anti-peroxidase**

Characterization of peroxidase:anti-peroxidase immune complexes by capillary zone electrophoresis and high-performance size-exclusion chromatography 724(1999)275

**Perylenequinone**

Quantitative high-performance liquid chromatography-based detection method for calphostin C, a naturally occurring perylenequinone with potent antileukemic activity 724(1999)157

**Pesticides**

Determination of endosulfan and its metabolites in human urine using gas chromatography–tandem mass spectrometry 719(1998)71

**O-PFBOximes**

Gas chromatographic–mass spectrometric determination of urinary oxoacids using *O*-(2,3,4,5,6-pentafluorobenzyl)oxime-trimethylsilyl ester derivatization and cation-exchange chromatography 719(1998)1

**Pharmaceuticals**

Application of evaporative light scattering detection to the characterization of combinatorial and parallel synthesis libraries for pharmaceutical drug discovery 725(1999)103

**Phenacyl esters**

Rapid quantitation of free fatty acids in human plasma by high-performance liquid chromatography 719(1998)9

**Phenanthridine**

Formation and identification of azaarene transformation products from aquatic invertebrate and algal metabolism 724(1999)265

**Phencyclidine**

Determination of lysergide (LSD) and phencyclidine in biosamples 713(1998)189

**Phenethylamine**

Determination of phenethylamine, a phenethyl isothiocyanate marker, in dog plasma using solid-phase extraction and gas chromatography–mass spectrometry with chemical ionization 718(1998)193

**Phenethyl isothiocyanate**

Determination of phenethylamine, a phenethyl isothiocyanate marker, in dog plasma using solid-phase extraction and gas chromatography–mass spectrometry with chemical ionization 718(1998)193

**Pheniramine**

Comparison of chiral recognition capabilities of cyclodextrins for the separation of basic drugs in capillary zone electrophoresis 708(1998)257

**Phenobarbital**

Simultaneous determination of primidone and its three major metabolites in rat urine by high-performance liquid chromatography using solid-phase extraction 718(1998)199

Determination of plasma phenobarbital concentration by high-performance liquid chromatography in rat offspring 723(1999)301

**Phenol**

Sensitive high-performance liquid chromatographic determination with fluorescence detection of phenol and chlorophenols with 4-(4,5-diphenyl-1*H*-imidazol-2-yl)benzoyl chloride as a labeling reagent 721(1999)179

**Phenol oxidase**

On-line supported liquid membrane–liquid chromatography with a phenol oxidase-based biosensor as a selective detection unit for the determination of phenols in blood plasma 701(1997)39

**Phenols**

On-line supported liquid membrane–liquid chromatography with a phenol oxidase-based biosensor as a selective detection unit for the determination of phenols in blood plasma 701(1997)39

**Phenolic acids**

Chromatographic separations of aromatic carboxylic acids 717(1998)93

**Phenoxyacetic acid**

Phenoxyacetic acids: separation and quantitative determination 717(1998)157

**Phenylalanine**

Determination of the specific activity of sheep plasma amino acids using high-performance liquid chromatography: comparison study between liquid scintillation counter and on-line flow-through detector 710(1998)27

**Phenylbutazone**

Determination of non-protein bound phenylbutazone in bovine plasma using ultrafiltration and liquid chromatography with ultraviolet detection 721(1998)141

**Phenylethylmalonamide**

Simultaneous determination of primidone and its three major metabolites in rat urine by high-performance liquid chromatography using solid-phase extraction 718(1998)199

***o*-Phenylphenol**

Determination of *ortho*-phenylphenol in human urine by gas chromatography–mass spectrometry 703(1997)97

**6-Phenyl-2-thiouracil**

Gas chromatographic determination of residues of thyrostatic drugs in bovine muscle tissue using combined resin mediated methylation and extraction 703(1997)159

**1-Phenyl-3-trifluoromethyl-5-hydroxypyrazole**

Simultaneous determination of flupyrzofos and its metabolite 1-phenyl-3-trifluoromethyl-5-hydroxypyrazole and flupyrzofos oxon in rat plasma by high-performance liquid chromatography with ultraviolet absorbance detection 718(1998)61

**Phosphatidic acid**

Highly sensitive measurement of lipid molecular species from biological samples by fluorimetric detection coupled to high-performance liquid chromatography 708(1998)39

**Phosphatidylcholine**

Highly sensitive measurement of lipid molecular species from biological samples by fluorimetric detection coupled to high-performance liquid chromatography 708(1998)39

**Phosphatidylcholines**

Isolation and quantitation of phosphatidylcholine by reversed-phase liquid–liquid extraction 703(1997)259

Quantitation of individual molecular species of phosphatidylcholines by reversed-phase high-performance liquid chromatography with fluorometric detection 714(1998)145

**Phosphatidylethanol**

Determination of phosphatidylethanol in blood from alcoholic males using high-performance liquid chromatography and evaporative light scattering or electrospray mass spectrometric detection 705(1998)243

**Phosphatidylserines**

Separation procedures for phosphatidylserines 717(1998)279

**Phospholipids**

Determination of phosphatidylethanol in blood from alcoholic males using high-performance liquid chromatography and evaporative light scattering or electrospray mass spectrometric detection 705(1998)243

Highly sensitive measurement of lipid molecular species from biological samples by fluorimetric detection coupled to high-performance liquid chromatography 708(1998)39

Specific detection and quantification of palmitoyl-stearoyl-phosphatidylserine in human blood using normal-phase liquid chromatography coupled with electrospray mass spectrometry 716(1998)47

**Phosphonoformate**

Determination of phosphonoformate (foscarnet) in calf and human serum by automated solid-phase extraction and high-performance liquid chromatography with amperometric detection 724(1999)127

**Phosphorothioate**

Study of phosphorothioate-modified oligonucleotide resistance to 3'-exonuclease using capillary electrophoresis 714(1998)13

***o*-Phthaldialdehyde**

High-performance liquid chromatographic method for rapid and highly sensitive determination of histidine using postcolumn fluorescence detection with *o*-phthaldialdehyde 718(1998)235

**Phytanic acid**

Rapid stable isotope dilution analysis of very-long-chain fatty acids, pristanic acid and phytanic acid using gas chromatography–electron impact mass spectrometry 713(1998)281

**Phytosterols**

Gas chromatographic analysis of resveratrol in plasma, lipoproteins and cells after *in vitro* incubations 702(1997)103

**Pilocarpic acid**

Determination of pilocarpine, isopilocarpine, pilocarpic acid and isopilocarpic acid in human plasma and urine by high-performance liquid chromatography with tandem mass spectrometric detection 708(1998)103

Determination of pilocarpic acid in human plasma by capillary gas chromatography with mass-selective detection 719(1998)93

**Pilocarpine**

Determination of pilocarpine, isopilocarpine, pilocarpic acid and isopilocarpic acid in human plasma and urine by high-performance liquid chromatography with tandem mass spectrometric detection 708(1998)103

Determination of pilocarpic acid in human plasma by capillary gas chromatography with mass-selective detection 719(1998)93

**Pindolol**

Determination of pindolol enantiomers in human plasma and urine by simple liquid–liquid extraction and high-performance liquid chromatography 715(1998)409

**2'6'-Pipicoloxylidide**

High-performance liquid chromatographic determination of ropivacaine, 3-hydroxy-ropivacaine, 4-hydroxy-ropivacaine and 2',6'-pipicoloxylidide in plasma 719(1998)239

**Piperazines**

Specific gas chromatographic analysis of diethylcarbamazine in human plasma using solid-phase extraction 704(1997)181

**Piromidic acid**

Determination of piromidic acid residues in trout muscle tissue and in urine by liquid chromatography with post-column modification of pH and fluorimetric detection 718(1998)135

**PNU 157706**

Determination of PNU 157706, a new dual inhibitor of 5 $\alpha$ -reductase, in rat plasma by high-performance liquid chromatography with ultraviolet detection 719(1998)191

**Poisons**

Liquid chromatography–mass spectrometry in forensic and clinical toxicology 713(1998)3

Fully-automated systematic toxicological analysis of drugs, poisons, and metabolites in whole blood, urine, and plasma by gas chromatography–full scan mass spectrometry 713(1998)265

**Polyamines**

Determination of polyamines in human prostate by high-performance liquid chromatography with fluorescence detection 709(1998)297

**Polychlorinated biphenyls**

Use of high-performance liquid chromatography for the estimation of polychlorinated biphenyls and *p,p*-DDE residues in marine mammals 705(1998)362

Quantitative analysis of polychlorinated biphenyls, organochlorine insecticides, polycyclic aromatic hydrocarbons, polychlorinated hydrocarbons and polynitrohydrocarbons in spiked samples of soil, water and plasma by selected-ion monitoring gas chromatography–mass spectrometry 706(1998)231

Improved sample preparation method for selected persistent organochlorine pollutants in human serum using solid-phase disk extraction with gas chromatographic analysis 723(1999)117

**Polychlorinated hydrocarbons**

Quantitative analysis of polychlorinated biphenyls, organochlorine insecticides, polycyclic aromatic hydrocarbons, polychlorinated hydrocarbons and polynitrohydrocarbons in spiked samples of soil, water and plasma by selected-ion monitoring gas chromatography–mass spectrometry 706(1998)231

**Poly(ethylene glycol)**

Interfacial tension of aqueous two-phase systems containing poly(ethylene glycol) and dipotassium hydrogenphosphate 711(1998)313

On the kinetics of phase separation in aqueous two-phase systems 711(1998)319

**Poly(ethylene glycol)–hydroxypropyl starch**

Cutinase purification on poly(ethylene glycol)–hydroxypropyl starch aqueous two-phase systems 711(1998)151

**Poly(ethyleneimine)**

Endotoxin removal with poly(ethyleneimine)-immobilized adsorbents: Sepharose 4B versus flat sheet and hollow fibre membranes 707(1998)121

**Polyglucose**

Quantitation of dextran 70 in peritoneal dialysate from patients administered 7.5% polyglucose 718(1998)115

**Polyhydroxyflavones**

High-performance liquid chromatographic analysis of polyhydroxyflavones using solid-phase borate-complex extraction 720(1998)225

**Poly( $\epsilon$ -lysine)**

Preparation of poly( $\epsilon$ -lysine) adsorbents and application to selective removal of lipopolysaccharides 721(1999)187

**Polymerase chain reaction products**

Direct quantification of polymerase chain reaction fragments using field-amplified sample injection in capillary zone electrophoresis for gene dosage estimation 710(1998)75

**Polynitrohydrocarbons**

Quantitative analysis of polychlorinated biphenyls, organochlorine insecticides, polycyclic aromatic hydrocarbons, polychlorinated hydrocarbons and polynitrohydrocarbons in spiked samples of soil, water and plasma by selected-ion monitoring gas chromatography–mass spectrometry 706(1998)231

**Polynuclear aromatic hydrocarbons**

Fast screening method for the profile analysis of polycyclic aromatic hydrocarbon metabolites in urine using derivatisation–solid-phase microextraction 705(1998)132

Quantitative analysis of polychlorinated biphenyls, organochlorine insecticides, polycyclic aromatic hydrocarbons, polychlorinated hydrocarbons and polynitrohydrocarbons in spiked samples of soil, water and plasma by selected-ion monitoring gas chromatography–mass spectrometry 706(1998)231

**Polypeptides**

Analytical development of electrospray and nanoelectrospray mass spectrometry in combination with liquid chromatography for the characterization of proteins 706(1998)91

Affinity purification and characterization of recombinant human galectin-1 706(1998)167

**Polyprotic acid**

Determination of dissociation constants of polyprotic acids from chromatographic data 717(1998)39

**Polysaccharides**

Preliminary report on fractionation of fucans by ion-exchange displacement centrifugal partition chromatography 706(1998)43

**Porous pyrolytic carbon**

Use of porous pyrolytic carbon for analytical and microscale high-performance liquid chromatographic bioseparations 718(1998)187

**Pravastatin**

Determination of pravastatin in human plasma by high-performance liquid chromatography with ultraviolet detection 708(1998)235

**Praziquantel**

Investigation of the stereoselective metabolism of praziquantel after incubation with rat liver microsomes by capillary electrophoresis and liquid chromatography–mass spectrometry 708(1998)267

**Prednisolone**

Simultaneous determination of glucocorticoids in plasma and urine by high-performance liquid chromatography with precolumn fluorimetric derivatization by 9-anthroyl nitrile 706(1998)191

**Prednisone**

Simultaneous determination of glucocorticoids in plasma and urine by high-performance liquid chromatography with precolumn fluorimetric derivatization by 9-anthroyl nitrile 706(1998)191

**Pregnenolone**

Studies on neurosteroids. VII. Determination of pregnenolone and its 3-stearate in rat brains using high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 714(1998)153

**Pregnenolone-3-stearate**

Studies on neurosteroids. VII. Determination of pregnenolone and its 3-stearate in rat brains using high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 714(1998)153

**Prilocaine**

Simple analysis of local anaesthetics in human blood using headspace solid-phase microextraction and gas chromatography–mass spectrometry–electron impact ionization selected ion monitoring 709(1998)225

**Primaquine**

Chromatographic studies on the isolation of peroxydisulphate oxidation products of primaquine 708(1998)316

**Primidone**

Simultaneous determination of primidone and its three major metabolites in rat urine by high-performance liquid chromatography using solid-phase extraction 718(1998)199

**Pristanic acid**

Rapid stable isotope dilution analysis of very-long-chain fatty acids, pristanic acid and phytanic acid using gas chromatography–electron impact mass spectrometry 713(1998)281

**Procaine**

Quantification of penicillin-G and procaine in equine urine and plasma using high-performance liquid chromatography 714(1998)269

**Prochlorperazine**

Simultaneous quantitation of plasma doxorubicin and prochlorperazine content by high-performance liquid chromatography 703(1997)217

**Progestogens**

Simultaneous determination of anabolic and catabolic steroid hormones in meat by gas chromatography–mass spectrometry 704(1997)105

**Proguanil**

Improved method for the simultaneous determination of proguanil and its metabolites by high-performance liquid chromatography and solid-phase extraction of 100- $\mu$ l capillary blood samples dried on sampling paper 719(1998)141



**Proline**

Highly sensitive determination of *N*-terminal prolyl dipeptides, proline and hydroxyproline in urine by high-performance liquid chromatography using a new fluorescent labelling reagent, 4-(5,6-dimethoxy-2-phthalimidinyl)-2-methoxyphenylsulfonfyl chloride 724(1999)221

**Prolyl dipeptides**

Highly sensitive determination of *N*-terminal prolyl dipeptides, proline and hydroxyproline in urine by high-performance liquid chromatography using a new fluorescent labelling reagent, 4-(5,6-dimethoxy-2-phthalimidinyl)-2-methoxyphenylsulfonfyl chloride 724(1999)221

**Promazine**

Validated high-performance liquid chromatographic assay for the determination of promazine in human plasma. Application to pharmacokinetic studies 719(1998)222

**Promethazine**

Separation of promethazine and thioridazine using capillary electrophoresis with end-column amperometric detection 721(1999)327

**Propafenone**

Enantioselective analysis of propafenone in plasma using a polysaccharide-based chiral stationary phase under reversed-phase conditions 708(1998)177

Enantioselective determination of propafenone and its metabolites in human plasma by liquid chromatography–mass spectrometry 721(1998)67

**Propentofylline**

High-performance liquid chromatography with peroxyoxalate chemiluminescence determination of propentofylline concentrations in rat brain microdialysate 724(1999)189

**Propiverine**

High-performance liquid chromatographic determination of propiverine and its *N*-oxide in human serum 708(1998)325

**Propiverine *N*-oxide**

High-performance liquid chromatographic determination of propiverine and its *N*-oxide in human serum 708(1998)325

**Propofol**

Determination of propofol in low-volume samples by high-performance liquid chromatography with fluorescence detection 706(1998)305

Direct high-performance liquid chromatography determination of propofol and its metabolite quinol with their glucuronide conjugates and preliminary pharmacokinetics in plasma and urine of man 721(1999)217

**Propoxur**

Gas chromatographic method with mass-selective detection for the determination of 2-isopropoxyphenol in human urine 723(1999)139

**Propranolol**

Direct enantioseparation of some  $\beta$ -adrenergic blocking agents using impregnated thin-layer chromatography 708(1998)330

Determination of chiral pharmaceutical compounds, terbutaline, ketamine and propranolol, by on-line capillary electrophoresis–electrospray ionization mass spectrometry 714(1998)69

**Propylparaben**

Determination of methylparaben, propylparaben and chlorpromazine in chlorpromazine hydrochloride oral solution by high-performance liquid chromatography 707(1998)181

**2-*n*-Propylquinoline**

Determination of 2-*n*-propylquinoline in mouse plasma and liver by high-performance liquid chromatography 714(1998)335

**5(6)-Propyl-2-thiouracil**

Gas chromatographic determination of residues of thyrostatic drugs in bovine muscle tissue using combined resin mediated methylation and extraction 703(1997)159

**Propyphenazone**

Direct assay of nonopioid analgesics and their metabolites in human urine by capillary electrophoresis and capillary electrophoresis–mass spectrometry 721(1998)109

**Prostaglandins**

Specific and rapid quantification of 8-iso-prostaglandin  $F_{2\alpha}$  in urine of healthy humans and patients with Zellweger syndrome by gas chromatography–tandem mass spectrometry 716(1998)7

Application of gas chromatography–mass spectrometry and gas chromatography–tandem mass spectrometry to assess in vivo synthesis of prostaglandins, thromboxane, leukotrienes, isoprostanes and related compounds in humans 717(1998)201

**Protease**

Simple high-performance liquid chromatographic determination of the protease inhibitor indinavir in human plasma 707(1998)203

**p53 protein**

Gel fiberglass membranes for affinity chromatography columns and their application to cancer detection 715(1998)297

**Protein A/G**

Purification of immunoglobulins G by protein A/G affinity membrane chromatography 723(1999)61

**Proteins**

see also Enzymes

Evaluation of liquid chromatographic behavior of restricted-access media precolumns in the course of direct injection of large volumes of plasma samples in column-switching systems 704(1997)53

- Identification of fish species by reversed-phase high-performance liquid chromatography with photodiode-array detection 705(1998)11
- Method for the preparation of restricted access media by low-temperature plasma treatment 705(1998)55
- Analysis of proteins in microsamples of rat airway surface fluid by capillary electrophoresis 705(1998)223
- Separation of proteolytic enzymes originating from Antarctic krill (*Euphausia superba*) by capillary electrophoresis 705(1998)231
- Resolution of fibronectin and other uncharacterized proteins by two-dimensional polyacrylamide electrophoresis with thiourea 705(1998)351
- Capillary electrophoretic behavior of milk proteins in the presence of non-ionic surfactants 706(1998)3
- Physico-chemical characterization of proteins by capillary electrophoresis 706(1998)23
- High-performance affinity chromatography for the purification of heparin-binding proteins from detergent-solubilized smooth muscle cell membranes 706(1998)55
- Purification of a 41 kDa cod-allergenic protein 706(1998)63
- Analytical development of electrospray and nanoelectrospray mass spectrometry in combination with liquid chromatography for the characterization of proteins 706(1998)91
- Purification of a recombinant protein expressed in yeast: optimization of analytical and preparative chromatography 706(1998)113
- Salt-independent binding of antibodies from human serum to thiophilic heterocyclic ligands 709(1998)189
- One-step purification of proteins from chicken egg white using counter-current chromatography 709(1998)301
- Driving forces for phase separation and partitioning in aqueous two-phase systems 711(1998)3
- Influence of temperature upon protein partitioning in poly(ethylene glycol)–salt aqueous two-phase systems close to the critical point with some observations relevant to the partitioning of particles 711(1998)19
- Protein recovery using gas–liquid dispersions 711(1998)31
- Influence of system and process parameters on partitioning of cheese whey proteins in aqueous two-phase systems 711(1998)81
- Selective separation process of proteins based on the heat stress-induced translocation across phospholipid membranes 711(1998)111
- Salt-steered partitioning of proteins in polymeric two-phase systems based on *N,N*-dimethylformamide 711(1998)117
- Separation of proteins and viruses using two-phase aqueous micellar systems 711(1998)127
- Concentration and purification of  $\beta$ -glucosidase from *Aspergillus niger* by using aqueous two-phase partitioning 711(1998)161
- Fractionation of wheat gliadins by counter-current distribution using an organic two-phase system 711(1998)245
- Aqueous two-phase systems for protein separation. Studies on phase inversion 711(1998)285
- Simple purification procedure for human prostatic kallikrein hK2 in its active form 713(1998)297
- Protein analysis by membrane preconcentration–capillary electrophoresis: systematic evaluation of parameters affecting preconcentration and separation 713(1998)301
- Automated sample introduction for an imaged capillary isoelectric focusing instrument via high-performance liquid chromatography sampling devices 714(1998)113
- Efficient bispecific monoclonal antibody purification using gradient thiophilic affinity chromatography 714(1998)161
- Three-step purification of lipopolysaccharide-free, polyhistidine-tagged recombinant antigens of *Mycobacterium tuberculosis* 714(1998)223
- Application of bioaffinity technology in therapeutic extracorporeal plasmapheresis and large-scale fractionation of human plasma 715(1998)65
- Protein affinity map of chemical space 715(1998)93
- Utilization of antipeptide antibodies as affinity ligands in immunoaffinity purification 715(1998)147
- Glycoaffinity chromatography and biological recognition 715(1998)153
- Use of mobility ratios to estimate binding constants of ligands to proteins in affinity capillary electrophoresis 715(1998)203
- Characterization and affinity applications of cellulose-binding domains 715(1998)283
- Use of a heterodimeric coiled-coil system for biosensor application and affinity purification 715(1998)307
- Purification by column chromatographies of beta-amyloid precursor proteins and their association with other 95 kDa protein in rat brain 716(1998)107

Three methods of capillary electrophoresis compared with high-resolution agarose gel electrophoresis for serum protein electrophoresis 720(1998)49

Monitoring of chemotherapy-induced proteinuria using capillary zone electrophoresis 721(1999)207

Oriented immobilization of biologically active proteins as a tool for revealing protein interactions and function 722(1999)11

Chromatographic approaches to liposomes, proteoliposomes and biomembrane vesicles 722(1999)103

Electromigration for separations of protein complexes 722(1999)141

Proteome analysis. I. Gene products are where the biological action is 722(1999)191

Proteome analysis. II. Protein subcellular redistribution: linking physiology to genomics via the proteome and separation technologies involved 722(1999)203

Comparison of three liquid chromatographic methods for egg-white protein analysis 723(1999)69

#### **Proteoglycans**

Isolation and separation of proteoglycans 722(1999)255

#### **Proteolytic enzymes**

see also Enzymes

Separation of proteolytic enzymes originating from Antarctic krill (*Euphausia superba*) by capillary electrophoresis 705(1998)231

#### **Proteomes**

Proteome analysis. I. Gene products are where the biological action is 722(1999)191

Proteome analysis. II. Protein subcellular redistribution: linking physiology to genomics via the proteome and separation technologies involved 722(1999)203

#### **Protease peptones**

Aqueous two-phase systems: a novel approach for the separation of protease peptones 711(1998)91

#### **Protonamide**

Simple, rapid and sensitive determination of protonamide in human serum by high-performance liquid chromatography 707(1998)338

#### **PSC 833**

High-performance liquid chromatographic bio-analysis of PSC 833 in human and murine plasma 719(1998)251

#### **Pseudouridine**

Simultaneous determination of purine metabolites, creatinine and pseudouridine in ruminant urine by reversed-phase high-performance liquid chromatography 723(1999)81

#### **Psilocin**

Quantitation of psilocin in human plasma by high-performance liquid chromatography and electrochemical detection: comparison of liquid–liquid extraction with automated on-line solid-phase extraction 709(1998)255

#### **Psychosine**

Quantitative analysis of free sphingoid bases in the brain and spinal cord tissues by high-performance liquid chromatography with a fluorescence detection 720(1998)9

#### **Purine**

Ion-exchange column chromatographic method for assaying purine metabolic pathway enzymes 707(1998)295

#### **Purine metabolites**

Simultaneous determination of purine metabolites, creatinine and pseudouridine in ruminant urine by reversed-phase high-performance liquid chromatography 723(1999)81

#### **Putrescine**

Determination of polyamines in human prostate by high-performance liquid chromatography with fluorescence detection 709(1998)297

Capillary gas chromatographic determination of putrescine and cadaverine in serum of cancer patients using trifluoroacetylacetone as derivatizing reagent 723(1999)17

#### **Pyrazinamide**

Quantification of pyrazinamide and its metabolites in plasma by ionic-pair high-performance liquid chromatography. Implications for the separation mechanism 706(1998)319

#### **Pyrazinoic acid**

Quantification of pyrazinamide and its metabolites in plasma by ionic-pair high-performance liquid chromatography. Implications for the separation mechanism 706(1998)319

#### **Pyrazoloacridine**

High-performance liquid chromatographic determination of pyrazoloacridine, a nitro-9-methoxyacridine anticancer agent, in human plasma 702(1997)203

#### **Pyridine carboxylic acid**

Role of stationary phase and eluent composition on the determination of log *P* values of *N*-hydroxyethylamide of aryloxyalkyl and pyridine carboxylic acids by reversed-phase high-performance liquid chromatography 714(1998)247

#### **Pyridinium**

Sensitive fluorimetric quantitation of pyridinium and pentosidine crosslinks in biological samples in a single high-performance liquid chromatographic run 703(1997)37

**Pyridoxal 5'-phosphate**

Identification of the vitamers of vitamin B<sub>6</sub> excreted by a yeast mutant growing in a glucose minimal culture medium 721(1998)21

**Pyridoxine**

Identification of the vitamers of vitamin B<sub>6</sub> excreted by a yeast mutant growing in a glucose minimal culture medium 721(1998)21

**Pyroglutamic acid**

Enantioselective multidimensional gas chromatography–mass spectrometry in the analysis of urinary organic acids 714(1998)119

**Pyruvate**

Rapid on-line microdialysis hyphenated technique for the dynamic monitoring of extracellular pyruvate, lactic acid and ascorbic acid during cerebral ischemia 723(1999)31

**Q****Quercetin**

Column-switching high-performance liquid chromatographic assay for the determination of quercetin in human urine with ultraviolet absorbance detection 707(1998)81

High-performance liquid chromatographic analysis of polyhydroxyflavones using solid-phase borate-complex extraction 720(1998)225

Solid-phase extraction and gas chromatography–mass spectrometry determination of kaempferol and quercetin in human urine after consumption of *Ginkgo biloba* tablets 723(1999)203

**Quinine**

High-performance liquid chromatographic method for the determination of the major quinine metabolite, 3-hydroxyquinine, in plasma and urine 708(1998)209

Identification of quinine metabolites in urine after oral dosing in humans 715(1998)387

**Quinocarmycin**

Assay for the quinocarmycin analog DX-52-1 in human plasma using high-performance liquid chromatography with automated column switching and low wavelength ultraviolet detection 714(1998)341

**Quinol**

Direct high-performance liquid chromatography determination of propofol and its metabolite quinol with their glucuronide conjugates and preliminary pharmacokinetics in plasma and urine of man 721(1999)217

**Quinupristin**

Simultaneous high-performance liquid chromatographic determination of quinupristin, dalfopristin and their main metabolites in human plasma 708(1998)161

**R****Radiopharmaceuticals**

Capillary electrophoresis of <sup>99m</sup>technetium radiopharmaceuticals 724(1999)365

**Ranitidine**

High-performance thin-layer chromatographic separation of ranitidine hydrochloride and two related compounds 715(1998)425

Simple high-performance liquid chromatographic method for the determination of ranitidine in human plasma 718(1998)205

**Rapamycin**

Lipophilic benzamide and anilide derivatives as high-performance liquid chromatography internal standards: application to sirolimus (rapamycin) determination 703(1997)243

Quantitative analysis of sirolimus (Rapamycin) in blood by high-performance liquid chromatography–electrospray tandem mass spectrometry 718(1998)251

Simultaneous on-line extraction and analysis of sirolimus (rapamycin) and ciclosporin in blood by liquid chromatography–electrospray mass spectrometry 721(1999)285

**Recombinant interleukin-2**

Development of a routine analysis method for liposome encapsulated recombinant interleukin-2 716(1998)285

**Recombinant proteins**

see also Proteins

Purification of a recombinant protein expressed in yeast: optimization of analytical and preparative chromatography 706(1998)113

Purification of recombinant apolipoprotein A-1<sub>Milano</sub> expressed in *Escherichia coli* using aqueous two-phase extraction followed by temperature-induced phase separation 711(1998)97

#### **5 $\alpha$ -Reductase inhibitor**

Determination of a novel selective inhibitor of type 1 5 $\alpha$ -reductase in human plasma by liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 713(1998)371

Determination of PNU 157706, a new dual inhibitor of 5 $\alpha$ -reductase, in rat plasma by high-performance liquid chromatography with ultraviolet detection 719(1998)191

#### **Reproterol**

Rapid and automated determination of the  $\beta_2$ -agonist reproterol in human plasma by atmospheric pressure chemical ionisation high-performance liquid chromatography–tandem mass spectrometry 702(1997)119

#### **Resveratrol**

Gas chromatographic analysis of resveratrol in plasma, lipoproteins and cells after in vitro incubations 702(1997)103

#### **trans-Resveratrol**

Determination of *trans*-resveratrol in human plasma by high-performance liquid chromatography 724(1999)389

#### **Retinoids**

Reversed-phase gradient high-performance liquid chromatographic procedure for simultaneous analysis of very polar to nonpolar retinoids, carotenoids and tocopherols in animal and plant samples 707(1998)69

#### **Retinol**

Application of cloud-point extraction–reversed-phase high-performance liquid chromatography. A preliminary study of the extraction and quantification of vitamins A and E in human serum and whole blood 716(1998)129

#### **Ribose**

Quantification of intracellular levels of cyclic ADP-ribose by high-performance liquid chromatography 707(1998)43

#### **Ritonavir**

Determination of ritonavir, a new HIV protease inhibitor, in biological samples using reversed-phase high-performance liquid chromatography 704(1997)307

High-performance liquid chromatographic determination of ritonavir in human plasma, cerebrospinal fluid and saliva 705(1998)119

Simultaneous determination of ritonavir and saquinavir, two human immunodeficiency virus protease inhibitors, in human serum by high-performance liquid chromatography 714(1998)384

Simultaneous quantitative determination of the HIV protease inhibitors amprenavir, indinavir, nelfinavir, zidovudine and saquinavir in human plasma by ion-pair high-performance liquid chromatography with ultraviolet detection 719(1998)159

#### **RNA**

Improved method to prepare RNA-free DNA from mammalian cells 702(1997)61

#### **Ro 48-3656**

Determination of Ro 48-3656 in rat plasma by reversed-phase high-performance liquid chromatography. Comparison of 1.5- $\mu$ m nonporous silica to 3.5- $\mu$ m porous silica analytical columns 704(1997)231

#### **Rocuronium**

Quantification of the neuromuscular blocking agent rocuronium and its putative metabolite 17-desacetylrocuronium in heparinized plasma by capillary gas chromatography using a nitrogen sensitive detector 702(1997)111

#### **Ropinirole**

Determination of the dissociation constants of ropinirole and some impurities and their quantification using capillary zone electrophoresis 720(1998)197

#### **Ropivacaine**

Determination of ropivacaine and [<sup>3</sup>H<sub>3</sub>]ropivacaine in biological samples by gas chromatography with nitrogen–phosphorus detection or mass spectrometry 709(1998)57

High-performance liquid chromatographic determination of ropivacaine, 3-hydroxy-ropivacaine, 4-hydroxy-ropivacaine and 2',6'-pipecoloxylidide in plasma 719(1998)239

#### **Roxithromycin**

Quantitative determination of the macrolide antibiotics erythromycin, roxithromycin, azithromycin and clarithromycin in human serum by high-performance liquid chromatography using pre-column derivatization with 9-fluorenylmethyloxycarbonyl chloride and fluorescence detection 720(1998)89

Determination of roxithromycin in human plasma by high-performance liquid chromatography with spectrophotometric detection 723(1999)233

#### **Rutin**

High-performance liquid chromatographic analysis of polyhydroxyflavones using solid-phase borate-complex extraction 720(1998)225

# S

## S-8921

Radioimmunoassay for a novel lignan-related hypocholesterolemic agent, S-8921, in human plasma after high-performance liquid chromatography purification and in human urine after immunoaffinity extraction 704(1997)243

## Salbutamol

$\beta_2$ -Adrenergic agonist residues: simultaneous methyl- and butylboronic derivatization for confirmatory analysis by gas chromatography–mass spectrometry 716(1998)366

Analytical methodology for enantiomers of salbutamol in human urine for application in doping control 723(1999)173

## Salicylic acid

Comparison of high-performance capillary electrophoresis and liquid chromatography on analysis of zinc 5-aminosalicylate dihydrate and related materials 705(1998)165

Determination of acetylsalicylic acid and salicylic acid in skin and plasma by high-performance liquid chromatography 705(1998)309

Determination of salicylic acid in human serum with capillary zone electrophoresis 706(1998)329

Determination of aspirin and salicylic acid in transdermal perfusates 707(1998)322

Determination of free radical reaction products and metabolites of salicylic acid using capillary electrophoresis and micellar electrokinetic chromatography 717(1998)119

Simultaneous quantitative analysis of methyl salicylate, ethyl salicylate and salicylic acid from biological fluids using gas chromatography–mass spectrometry 718(1998)69

## Sameridine

Determination of free concentration of sameridine in blood plasma by ultrafiltration and coupled-column liquid chromatography 708(1998)195

## Saquinavir

Simultaneous determination of ritonavir and saquinavir, two human immunodeficiency virus protease inhibitors, in human serum by high-performance liquid chromatography 714(1998)384

Simultaneous quantitative determination of the HIV protease inhibitors amprenavir, indinavir, nelfinavir, ritonavir and saquinavir in human plasma by ion-pair high-performance liquid chromatography with ultraviolet detection 719(1998)159

## Sarafloxacin

Automated multi-residue isolation of fluoroquinolone antimicrobials from fortified and incurred chicken liver using on-line microdialysis and high-performance liquid chromatography with programmable fluorescence detection 724(1999)137

## Sarin

Detection of sarin hydrolysis products from sarin-like organophosphorus agent-exposed human erythrocytes 701(1997)9

## Selenide

Binding of selenium (administered as selenite) to albumin after efflux from red blood cells 710(1998)49

## Selenite

Binding of selenium (administered as selenite) to albumin after efflux from red blood cells 710(1998)49

## Selenium

Binding of selenium (administered as selenite) to albumin after efflux from red blood cells 710(1998)49

Determination of selenium stable isotopes by gas chromatography–mass spectrometry with negative chemical ionisation 715(1998)341

## Seratrodast

High-performance liquid chromatographic determination of seratrodast and its metabolites in human serum and urine 704(1997)325

## Serine proteases

Affinity chromatography of serine proteases on the triazine dye ligand Cibacron Blue F3G-A 718(1998)41

## Serotonin

Determination of serotonin, catecholamines and their metabolites by direct injection of supernatants from chicken brain tissue homogenate using liquid chromatography with electrochemical detection 704(1997)351

## Serum amyloid A isotypes

Isolation and purification of two major serum amyloid A isotypes SAA1 and SAA2 from the acute phase plasma of mice 704(1997)69

## Sialic acids

Influence of the nature of coupling agents on insulin adsorption on supports grafted with sialic acid for high-performance affinity chromatography 706(1998)33

Screening of *N*-acetylneuraminic acids in serum and tissue specimens of mouse C57BI with Lewis' lung cancer by high-performance liquid chromatography 712(1998)23

Determination of sialic acids in biological fluids using reversed-phase ion-pair high-performance liquid chromatography 724(1999)205

**Sildenafil**

Development of an assay for the simultaneous determination of sildenafil (Viagra) and its metabolite (UK-103,320) using automated sequential trace enrichment of dialysates and high-performance liquid chromatography 701(1997)87

**Silicalite**

High-performance liquid chromatographic determination of drugs and metabolites in human serum and urine using direct injection and a unique molecular sieve 709(1998)89

**Sirolimus**

Lipophilic benzamide and anilide derivatives as high-performance liquid chromatography internal standards: application to sirolimus (rapamycin) determination 703(1997)243

Quantitative analysis of sirolimus (Rapamycin) in blood by high-performance liquid chromatography–electrospray tandem mass spectrometry 718(1998)251

Simultaneous on-line extraction and analysis of sirolimus (rapamycin) and ciclosporin in blood by liquid chromatography–electrospray mass spectrometry 721(1999)285

**SN-38**

Trace analysis of SN-38 in human plasma by high-performance liquid chromatography 714(1998)355

Simultaneous determination of the lactone and carboxylate forms of the camptothecin derivative CPT-11 and its metabolite SN-38 in plasma by high-performance liquid chromatography 718(1998)163

**Sodium butyrate**

Isolation, purification and quantification of BRCA1 protein from tumour cells by affinity perfusion chromatography 721(1999)163

**Sodium peroxydisulfate**

Sodium peroxydisulfate is a stable and cheap substitute for ammonium peroxydisulfate (persulfate) in polyacrylamide gel electrophoresis 723(1999)325

**Soluble secretory component**

Simplified method for purification of colostrum to obtain secretory component of immunoglobulin A, using secretory component as a reference protein in tracheal aspirate fluid 705(1998)203

**Sotalol**

Simple and fast chromatographic method for the determination of sotalol in human serum 708(1998)335

**Sparfloxacin**

Determination of quinolone antibiotics in growth media by reversed-phase high-performance liquid chromatography 709(1998)97

**Spectinomycin**

Confirmation of spectinomycin in milk using ion-pair solid-phase extraction and liquid chromatography–electrospray ion trap mass spectrometry 718(1998)95

**Spermidine**

Determination of polyamines in human prostate by high-performance liquid chromatography with fluorescence detection 709(1998)297

**Spermine**

Determination of polyamines in human prostate by high-performance liquid chromatography with fluorescence detection 709(1998)297

**Sphinganine**

Liquid chromatographic determination of the sphinganine/sphingosine ratio in serum 710(1998)219

Quantitative analysis of free sphingoid bases in the brain and spinal cord tissues by high-performance liquid chromatography with a fluorescence detection 720(1998)9

Analytical method for the determination of sphinganine and sphingosine in serum as a potential biomarker for fumonisin exposure 720(1998)15

**Sphingosine**

Liquid chromatographic determination of the sphinganine/sphingosine ratio in serum 710(1998)219

Quantitative analysis of free sphingoid bases in the brain and spinal cord tissues by high-performance liquid chromatography with a fluorescence detection 720(1998)9

Analytical method for the determination of sphinganine and sphingosine in serum as a potential biomarker for fumonisin exposure 720(1998)15

**Spiramycin**

Study of the metabolism of spiramycin in pig liver 704(1997)197

How to better define the characteristics of dispersion of results in liquid chromatographic analyses through an interlaboratory study. Example of collaborative studies on ketoprofen and spiramycin 708(1998)131

**SR26334**

Assay method for the carboxylic acid metabolite of clopidogrel in human plasma by gas chromatography–mass spectrometry 720(1998)107

**SR 47436**

High-performance liquid chromatographic assay for the quantitation of irbesartan (SR 47436/BMS-186295) in human plasma and urine 702(1997)149

**Staurosporine**

High-performance liquid chromatographic analysis of staurosporine in vivo. Its translocation and pharmacokinetics in rats 712(1998)211

**Steroids**

Simultaneous determination of anabolic and catabolic steroid hormones in meat by gas chromatography–mass spectrometry 704(1997)105

Biotransformation of 17-alkyl steroids in the equine: high-performance liquid chromatography–mass spectrometric and gas chromatography–mass spectrometric analysis of fluoxymesterone metabolites in urine samples 704(1997)119

Studies on neurosteroids. VII. Determination of pregnenolone and its 3-stearate in rat brains using high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 714(1998)153

Simplified procedure for measurement of serum dehydroepiandrosterone and its sulfate with gas chromatography–ion trap mass spectrometry and selected reaction monitoring 716(1998)19

Reversed-phase high-performance liquid chromatographic screening method for serum steroids using retention index and diode-array detection 718(1998)211

Determination of androstenedione in pig fat using packed column supercritical fluid chromatography–mass spectrometry 719(1998)25

Urinary excretion of 19-norandrosterone of endogenous origin in man: quantitative analysis by gas chromatography–mass spectrometry 721(1999)301

Simultaneous determination of estriol and estriol 3-sulfate in serum by column-switching semi-micro high-performance liquid chromatography with ultraviolet and electrochemical detection 723(1999)39

**Sterols**

New method for determination of fecal sterols in urine using non-chlorinated solvents 713(1998)438

**Streptavidin**

Genetic engineering of streptavidin, a versatile affinity tag 715(1998)85

**Styrene 7,8-oxide**

Ring test for the determination of N-terminal valine adducts of styrene 7,8-oxide with haemoglobin by the modified Edman degradation technique 702(1997)77

**Substance P**

Identification of substance P metabolites using a combination of reversed-phase high-performance liquid chromatography and capillary electrophoresis 716(1998)95

**Succinylcholine**

Determination of succinylcholine in human plasma by high-performance liquid chromatography with electrochemical detection 718(1998)129

**Sugar chains**

Alterations of asparagine-linked sugar chains of *N*-acetyl  $\beta$ -D-hexosaminidase during human renal oncogenesis: a preliminary study using serial lectin affinity chromatography 723(1999)75

**Sulfadimethoxine**

Multiresidue supercritical fluid extraction method for the recovery at low ppb levels of three sulfonamides from fortified chicken liver 715(1998)431

**Sulfalene**

Sulfalene concentrations in plasma and blood cells of *Plasmodium falciparum* malaria cases after treatment with metakelfin using high-performance liquid chromatography 714(1998)390

**Sulfamate**

Ion chromatography method and validation for the determination of sulfate and sulfamate ions in topiramate drug substance and finished product 709(1998)166

Determination of the inorganic degradation products sulfate and sulfamate in the antiepileptic drug topiramate by capillary electrophoresis 720(1998)141

**Sulfamethazine**

Multiresidue supercritical fluid extraction method for the recovery at low ppb levels of three sulfonamides from fortified chicken liver 715(1998)431

Confirmation of multiple sulfonamide residues in bovine milk by gas chromatography–positive chemical ionization mass spectrometry 723(1999)127

**Sulfaquinoxaline**

Multiresidue supercritical fluid extraction method for the recovery at low ppb levels of three sulfonamides from fortified chicken liver 715(1998)431

**Sulfate**

Ion chromatography method and validation for the determination of sulfate and sulfamate ions in topiramate drug substance and finished product 709(1998)166

Determination of the inorganic degradation products sulfate and sulfamate in the antiepileptic drug topiramate by capillary electrophoresis 720(1998)141

**Sulfatide**

Alteration of acidic lipids in human sera during the course of pregnancy: characteristic increase in the concentration of cholesterol sulfate 704(1997)99



**Sulfinic acids**

Simultaneous determination of cysteine sulfinic acid and hypotaurine in rat tissues by column-switching high-performance liquid chromatography with electrochemical detection 704(1997)83

**S-Sulfocysteine**

Comparison of anion-exchange and ion-modified reversed-phase liquid chromatography for the determination of *S*-sulfocysteine 705(1998)251

**Sulfonamides**

Determination of sulfonamide antibiotics by gas chromatography coupled with atomic emission detection 706(1998)269

Confirmation of multiple sulfonamide residues in bovine milk by gas chromatography–positive chemical ionization mass spectrometry 723(1999)127

**Sulpiride**

Drug accumulation in melanin: an affinity chromatographic study 714(1998)171

**Surfactants**

Effect of electrolytes and surfactants on the thermoseparation of an ethylene oxide–propylene oxide random copolymer in aqueous solution 711(1998)53

**SYN-2869**

Liquid chromatographic–electrospray tandem mass spectrometric determination of novel antifungal agents in plasma 724(1999)311

**T****Tacrine**

Determination of tacrine and its metabolites in human plasma and urine by high-performance liquid chromatography and fluorescence detection 712(1998)183

**TAK-603**

Double column-switching high-performance liquid chromatographic method for the determination of TAK-603 and its metabolites in human serum 712(1998)161

**Taurine**

Simultaneous determination of basal and evoked output levels of aspartate, glutamate, taurine and 4-aminobutyric acid during microdialysis and from superfused brain slices 723(1999)47

**Taxol**

Assay of paclitaxel (Taxol) in plasma and urine by high-performance liquid chromatography 709(1998)281

High-performance liquid chromatographic determination of paclitaxel in rat serum: application to a toxicokinetic study 721(1999)317

**<sup>99m</sup>Tc**

Capillary electrophoresis of <sup>99m</sup>technetium radiopharmaceuticals 724(1999)365

**Teicoplanin**

Application of a standardized coextractive cleanup procedure to routine high-performance liquid chromatography assays of teicoplanin and ganciclovir in plasma 705(1998)79

**Temazepam**

Rapid and simple chromatographic method for the determination of diazepam and its major metabolites in human plasma and urine 708(1998)304

**Temozolomide**

High-performance liquid chromatographic determination and stability of 5-(3-methyltriazene-1-yl)-imidazo-4-carboximide, the biologically active product of the antitumor agent temozolomide, in human plasma 703(1997)225

**Teniposide**

Improved high-performance liquid chromatographic analysis of teniposide in human plasma 709(1998)315

**Terazosin**

Determination of terazosin in human plasma, using high-performance liquid chromatography with fluorescence detection 710(1998)137

**Terbutaline**

Determination of chiral pharmaceutical compounds, terbutaline, ketamine and propranolol, by on-line capillary electrophoresis–electrospray ionization mass spectrometry 714(1998)69

**Testosterone**

Ethyl acetate extraction procedure and isocratic high-performance liquid chromatographic assay for testosterone metabolites in cell microsomes 706(1998)201

**Tetrachlorodibenzo-*p*-dioxin**

Use of an immunoaffinity column for tetrachlorodibenzo-*p*-dioxin serum sample cleanup 705(1998)261

**Tetracyclines**

Reversed-phase ion-pair chromatographic analysis of tetracycline antibiotics. Application to discolored teeth 706(1998)279

Confirmation of multiple tetracycline residues in milk and oxytetracycline in shrimp by liquid chromatography–particle beam mass spectrometry 712(1998)113

Analysis of tetracyclines in raw urine by column-switching high-performance liquid chromatography and tandem mass spectrometry 721(1998)47

**Tetrafluorothiophenol**

Quantification of busulfan in plasma by gas chromatography–mass spectrometry following derivatization with tetrafluorothiophenol 709(1998)47

**Tetrahydrocortisol**

Simultaneous determination of tetrahydrocortisol and tetrahydrocortisone in human plasma and urine by stable isotope dilution mass spectrometry 706(1998)181

**Tetrahydrocortisone**

Simultaneous determination of tetrahydrocortisol and tetrahydrocortisone in human plasma and urine by stable isotope dilution mass spectrometry 706(1998)181

**Tetramethylpyrazine**

Measurement and pharmacokinetic study of tetramethylpyrazine in rat blood and its regional brain tissue by high-performance liquid chromatography 724(1999)303

**Teveten<sup>®</sup>**

Determination of SK&F 108566 (Teveten) in human plasma by reversed-phase high-performance liquid chromatography 707(1998)328

**Thalidomide**

Investigation of the in vitro biotransformation of *R*-(+)-thalidomide by HPLC, nano-HPLC, CEC and HPLC–APCI-MS 723(1999)255

**Theobromine**

Subnanomolar quantification of caffeine's in vitro metabolites by stable isotope dilution gas chromatography–mass spectrometry 708(1998)75

**Theophylline**

Subnanomolar quantification of caffeine's in vitro metabolites by stable isotope dilution gas chromatography–mass spectrometry 708(1998)75

**Therapeutic drugs**

Liquid chromatography–mass spectrometry in forensic and clinical toxicology 713(1998)3

**Thiabendazole**

Simultaneous determination of thiabendazole and its major metabolite, 5-hydroxythiabendazole, in bovine tissues using gradient liquid chromatography with thermospray and atmospheric pressure chemical ionisation mass spectrometry 718(1998)103

**Thiamine diphosphate**

High-performance liquid chromatographic determination of thiamine diphosphate in erythrocytes using internal standard methodology 701(1997)120

**Thiamylal**

Improved method of determining thiamylal enantiomers in human serum by high-performance liquid chromatography 723(1999)307

**Thiazides**

Determination of trichlormethiazide in bovine milk by high-performance liquid chromatography 709(1998)137

**Thiazolidinediones**

High-performance liquid chromatographic determination of the insulin sensitizing agent DRF-2189 in rat plasma 707(1998)241

**Thiocyanate**

Simultaneous determination of cyanide and thiocyanate in blood by ion chromatography with fluorescence and ultraviolet detection 713(1998)353

**6-Thioguanine**

Reversed-phase high-performance liquid chromatographic assay method for quantitating 6-mercaptopurine and its methylated and non-methylated metabolites in a single sample 716(1998)392

**Thiols**

Comparison of anion-exchange and ion-modified reversed-phase liquid chromatography for the determination of *S*-sulfocysteine 705(1998)251

Study of factors affecting the determination of total plasma 7-fluorobenzo-2-oxa-1,3-diazole-4-sulfonate (SBD)–thiol derivatives by liquid chromatography 706(1998)209

Determination of cellular thiols and glutathione-related enzyme activities: versatility of high-performance liquid chromatography–spectrofluorimetric detection 719(1998)37

**Thionein**

Cadmium removal from human plasma by Cibacron Blue F3GA and thionein incorporated into polymeric microspheres 720(1998)217

**Thioridazine**

Separation of promethazine and thioridazine using capillary electrophoresis with end-column amperometric detection 721(1999)327

**Thiosemicarbazone**

Reversed-phase high-performance liquid chromatography of 4-(2-pyridyl)-1-piperazinethiocarboxylic acid 2-[1-(pyridyl)-ethylidene]hydrazide dihydrochloride (NSC 348977), a synthetic thiosemicarbazone with antitumor activity 708(1998)217

**2-Thiouracil**

Gas chromatographic determination of residues of thyrostatic drugs in bovine muscle tissue using combined resin mediated methylation and extraction 703(1997)159

**Thrombin inhibitors**

High-performance liquid chromatographic determination of a new oral thrombin inhibitor in the blood of rats and dogs 714(1998)379

**Thromboxane**

Application of gas chromatography–mass spectrometry and gas chromatography–tandem mass spectrometry to assess in vivo synthesis of prostaglandins, thromboxane, leukotrienes, isoprostanes and related compounds in humans 717(1998)201

***cis*-Thymine glycol**

Determination of *cis*-thymine glycol in DNA by gas chromatography–mass spectrometry with selected ion recording and multiple reaction monitoring 702(1997)49

**Thyreostat**

Determination of thyreostat residues from bovine matrices using high-performance liquid chromatography 720(1998)71

**Thyroxine**

Determination of thyroxine in the hair of newborns by radioimmunoassay with high-performance liquid chromatographic confirmation 716(1998)77

**Tiagabine · HCl**

Separation and quantitation of the *S*-(+)-enantiomer in the bulk drug tiagabine · HCl by chiral high-performance-liquid chromatography using a Chiralcel-OD column 705(1998)111

**Tiaprofenic acid**

Disposition of human drug preparations in the horse. VI. Tiaprofenic acid 704(1997)207

**Tiludronate**

Identification of adenine nucleotide-containing metabolites of bisphosphonate drugs using ion-pair liquid chromatography–electrospray mass spectrometry 704(1997)187

**TMS-ester**

Gas chromatographic–mass spectrometric determination of urinary oxoacids using *O*-(2,3,4,5,6-pentafluorobenzyl)oxime-trimethylsilyl ester derivatization and cation-exchange chromatography 719(1998)1

**TNP-470**

Quantitation of TNP-470 and its metabolites in human plasma: sample handling, assay performance and stability 710(1998)173

**Tocopherol**

Simultaneous determination of  $\alpha$ -tocopheryl acetate and tocopherols in aquatic organisms and fish feed 724(1999)249

 **$\alpha$ -Tocopherol**

Sensitive method for measuring tissue  $\alpha$ -tocopherol and  $\alpha$ -tocopheryloxybutyric acid by high-performance liquid chromatography with fluorometric detection 707(1998)308

Application of cloud-point extraction–reversed-phase high-performance liquid chromatography. A preliminary study of the extraction and quantification of vitamins A and E in human serum and whole blood 716(1998)129

**Tocopherols**

Reversed-phase gradient high-performance liquid chromatographic procedure for simultaneous analysis of very polar to nonpolar retinoids, carotenoids and tocopherols in animal and plant samples 707(1998)69

 **$\alpha$ -Tocopheryl acetate**

Simultaneous determination of  $\alpha$ -tocopheryl acetate and tocopherols in aquatic organisms and fish feed 724(1999)249

 **$\alpha$ -Tocopheryloxybutyric acid**

Sensitive method for measuring tissue  $\alpha$ -tocopherol and  $\alpha$ -tocopheryloxybutyric acid by high-performance liquid chromatography with fluorometric detection 707(1998)308

**Tolbutamide**

Assessment of microsomal tolbutamide hydroxylation by a simple thin-layer chromatography radioactivity assay 707(1998)347

**Toluene**

Quantitation of *o*-, *m*- and *p*-cresol and deuterated analogs in human urine by gas chromatography with electron capture detection 703(1997)105

Simultaneous determination of benzene, toluene, ethylbenzene, and xylenes in urine by thermal desorption–gas chromatography 706(1998)352

Headspace solid-phase microextraction for the determination of benzene, toluene, ethylbenzene and xylenes in urine 723(1999)105

**Topiramate**

Determination of the inorganic degradation products sulfate and sulfamate in the antiepileptic drug topiramate by capillary electrophoresis 720(1998)141

**Tramadol**

Enantiomeric separation of tramadol hydrochloride and its metabolites by cyclodextrin-mediated capillary zone electrophoresis 707(1998)287

High-performance liquid chromatographic method for determination of tramadol in human plasma 723(1999)247

Simultaneous determination of tramadol and its major active metabolite *O*-demethyltramadol by high-performance liquid chromatography with electrochemical detection 724(1999)83

**Transferrin**

Analysis of proteins in microsomes of rat airway surface fluid by capillary electrophoresis 705(1998)223

**Transthyretin**

Study of an anti-human transthyretin immunoadsorbent. Influence of coupling chemistry on binding capacity and ligand leakage 705(1998)213

**Triazolam**

Use of high-performance liquid chromatography as an extraction procedure for analysis of triazolam in decomposed human muscle by gas chromatography–mass spectrometry 701(1997)47

Erratum to “Simultaneous determination of twelve benzodiazepines in human serum using a new reversed-phase chromatographic column on a 2- $\mu$ m porous microspherical silica gel”. [J. Chromatogr. B, 682 (1996) 173] 709(1998)324

**Triazole-dione**

Sensitive liquid chromatographic–mass spectrometric assay for the simultaneous quantitation of nefazodone and its metabolites hydroxynefazodone *m*-chlorophenylpiperazine and triazole-dione in human plasma using single-ion monitoring 718(1998)77

**Trichlormethiazide**

Determination of trichlormethiazide in bovine milk by high-performance liquid chromatography 709(1998)137

**2,2,2-Trichloroethyl chloroformate**

Gas chromatographic–mass spectrometric identification and quantification of aniline after extraction from serum and derivatization with 2,2,2-trichloroethyl chloroformate, a novel derivative 716(1998)354

***N,N',N''*-Triethylenephosphoramidate**

Simultaneous determination of *N,N',N''*-triethylenephosphoramidate, cyclophosphamide and some of their metabolites in plasma using capillary gas chromatography 716(1998)177

Determination of *N,N',N''*-triethylenephosphoramidate and its active metabolite *N,N',N''*-triethylenephosphoramidate in plasma and urine using capillary gas chromatography 719(1998)103

***N,N',N''*-Triethylenephosphoramidate**

Simultaneous determination of *N,N',N''*-triethylenephosphoramidate, cyclophosphamide and some of their metabolites in plasma using capillary gas chromatography 716(1998)177

Determination of *N,N',N''*-triethylenephosphoramidate and its active metabolite *N,N',N''*-triethylenephosphoramidate in plasma and urine using capillary gas chromatography 719(1998)103

**Triglycerides**

Determination of rat liver triglycerides by gas–liquid chromatography and reversed-phase high-performance liquid chromatography 706(1998)173

Quantitative detection method of triglycerides in serum lipoproteins and serum-free glycerol by high-performance liquid chromatography 709(1998)179

**2,4,6-Triiodophenol**

High-performance liquid chromatography analysis of Bobel-24 in biological samples for pharmacokinetic, metabolic and tissue distribution studies 708(1998)169

**Trimebutine**

High-performance liquid chromatographic determination of trimebutine and its major metabolite, *N*-monodesmethyl trimebutine, in rat and human plasma 723(1999)239

**Trimethylamine**

Quantitative determination of trimethylamine in urine by solid-phase microextraction and gas chromatography–mass spectrometry 723(1999)281

**Trimethylamine oxide**

Quantitative determination of trimethylamine in urine by solid-phase microextraction and gas chromatography–mass spectrometry 723(1999)281

**1,3,7-Trimethyluric acid**

Subnanomolar quantification of caffeine's in vitro metabolites by stable isotope dilution gas chromatography–mass spectrometry 708(1998)75

**Trimipramine**

Drug accumulation in melanin: an affinity chromatographic study 714(1998)171

**Triphenylethylene**

Quantitative analysis of *Z*-2-[4-(4-chloro-1,2-diphenyl-but-1-enyl)phenoxy]ethanol in human plasma using high-performance liquid chromatography 724(1999)163

**Triton X-114**

Separation of microsomal cytochrome *b<sub>5</sub>* via phase separation in a mixed solution of Triton X-114 and charged dextran 708(1998)294

**Tryptic peptides**

Covalent chromatography of influenza virus membrane M1 protein on activated thiopropyl Sepharose-6B 706(1998)83

**Tryptophan**

Capillary electrophoresis with laser-induced native fluorescence detection for profiling body fluids 714(1998)47

Development of tryptophan-modified human serum albumin columns for site-specific studies of drug–protein interactions by high-performance affinity chromatography 715(1998)183

**Tuberculostearic acid**

Development of a quantitative chemical ionization gas chromatography–mass spectrometry method to detect tuberculostearic acid in body fluids 712(1998)1

**Tulobuterol**

$\beta_2$ -Adrenergic agonist residues: simultaneous methyl- and butylboronic derivatization for confirmatory analysis by gas chromatography–mass spectrometry 716(1998)366

**U****UCN-01**

Development of a highly sensitive high-performance liquid chromatographic method for measuring an anticancer drug, UCN-01, in human plasma or urine 708(1998)223

**UK-103,320**

Development of an assay for the simultaneous determination of sildenafil (Viagra) and its metabolite (UK-103,320) using automated sequential trace enrichment of dialysates and high-performance liquid chromatography 701(1997)87

**UMF-078**

Determination of antifilarial compound UMF-078 and its metabolites in plasma by high-performance liquid chromatography 724(1999)147

**Unilamellar liposomes**

Avidin–biotin immobilization of unilamellar liposomes in gel beads for chromatographic analysis of drug–membrane partitioning 707(1998)131

**Uracil**

Simultaneous determination of 5-fluorouracil and uracil by high-performance liquid chromatography using four serial columns 720(1998)245

**Uric acid**

Simultaneous measurement of allantoin, uric acid, xanthine and hypoxanthine in blood by high-performance liquid chromatography 704(1997)89

Simultaneous determination of purine metabolites, creatinine and pseudouridine in ruminant urine by reversed-phase high-performance liquid chromatography 723(1999)81

**Urokinase**

Gradient reversed-phase liquid chromatography coupled on-line to receptor-affinity detection based on the urokinase receptor 715(1998)331

**V****Valine**

Ring test for the determination of N-terminal valine adducts of styrene 7,8-oxide with haemoglobin by the modified Edman degradation technique 702(1997)77

Determination of  $\delta^{13}\text{C}$  values of valine in protein hydrolysate by gas chromatography–combustion isotope ratio mass spectrometry 710(1998)37

**Vancomycin**

Use of mobility ratios to estimate binding constants of ligands to proteins in affinity capillary electrophoresis 715(1998)203

**Venlafaxine**

Rapid determination of venlafaxine and O-desmethylvenlafaxine in human plasma by high-performance liquid chromatography with fluorimetric detection 703(1997)195

Simultaneous measurement of venlafaxine and its major metabolite, oxydesmethylvenlafaxine, in human plasma by high-performance liquid chromatography with coulometric detection and utilisation of solid-phase extraction 705(1998)303

**Verapamil**

Solid-phase extraction–high-performance liquid chromatography determination of verapamil and norverapamil enantiomers in urine 707(1998)161

Quantitative determination of disopyramide, verapamil and flecainide enantiomers in rat plasma and tissues by high-performance liquid chromatography 710(1998)129

**Very-long-chain fatty acids**

see also Fatty acids

Rapid stable isotope dilution analysis of very-long-chain fatty acids, pristanic acid and phytanic acid using gas chromatography–electron impact mass spectrometry 713(1998)281

Determination of very-long-chain fatty acids in serum by gas chromatography–nitrogen–phosphorus detection following cyanomethylation 721(1998)3

**Vigabatrin**

Sensitive high-performance liquid chromatographic method with fluorometric detection for the simultaneous determination of gabapentin and vigabatrin in serum and urine 705(1998)154

High-performance liquid chromatographic analysis of vigabatrin enantiomers in human serum by precolumn derivatization with *o*-phthalaldehyde–*N*-acetyl-L-cysteine and fluorescence detection 716(1998)233

**Vinpocetine**

Improved gas chromatographic–mass spectrometric method for the quantitative determination of vinpocetine in human plasma 702(1997)221

**Vitamin B<sub>12</sub>**

Evaluation of coupling of cobalamin to antisense oligonucleotides by thin-layer and reversed-phase liquid chromatography 706(1998)149

**Vitamin C**

Capillary zone electrophoretic determination of the four vitamin C esters L-ascorbyl-2-phosphate, L-ascorbyl-2-sulfate, L-ascorbyl-2-diphosphate and L-ascorbyl-2-triphosphate in fish feed, plasma and tissue 715(1998)369

**Vitamin D<sub>3</sub>**

Characteristics of mass spectrometric analyses coupled to gas chromatography and liquid chromatography for 22-oxacalcitriol, a vitamin D<sub>3</sub> analog, and related compounds 704(1997)11

**Vitamins**

High-performance liquid chromatographic determination of thiamine diphosphate in erythrocytes using internal standard methodology 701(1997)120

Application of cloud-point extraction–reversed-phase high-performance liquid chromatography. A preliminary study of the extraction and quantification of vitamins A and E in human serum and whole blood 716(1998)129

Identification of the vitamers of vitamin B<sub>6</sub> excreted by a yeast mutant growing in a glucose minimal culture medium 721(1998)21

Simultaneous determination of  $\alpha$ -tocopheryl acetate and tocopherols in aquatic organisms and fish feed 724(1999)249

**Volatile salts**

Poly(ethylene glycol)–salt aqueous two-phase systems with easily recyclable volatile salts 711(1998)61

**Von Willebrand factor**

Peptide affinity chromatography of human clotting factor VIII. Screening of the vWF-binding domain 715(1998)191

Isolation of the factor VIII–von Willebrand factor complex directly from plasma by gel filtration 715(1998)357

**W****Warfarin**

Determination of unbound warfarin enantiomers in human plasma and 7-hydroxywarfarin in human urine by chiral stationary-phase liquid chromatography with ultraviolet or fluorescence and on-line circular dichroism detection 701(1997)71

Determination of warfarin in the yolk and the white of hens' eggs by reversed-phase high-performance liquid chromatography 702(1997)143

Chiral phase analysis of warfarin enantiomers in patient plasma in relation to CYP2C9 genotype 710(1998)143

Development of tryptophan-modified human serum albumin columns for site-specific studies of drug–protein interactions by high-performance affinity chromatography 715(1998)183

**X****Xanthine**

Simultaneous measurement of allantoin, uric acid, xanthine and hypoxanthine in blood by high-performance liquid chromatography 704(1997)89

Simultaneous determination of purine metabolites, creatinine and pseudouridine in ruminant urine by reversed-phase high-performance liquid chromatography 723(1999)81

**Xenobiotics**

Derivatization procedures for gas chromatographic–mass spectrometric determination of xenobiotics in biological samples, with special attention to drugs of abuse and doping agents 713(1998)61

**Xenobiotics, acidic**

Effect of separation conditions on chromatographic determination of hydrophobicity of acidic xenobiotics 717(1998)125

**Xylenes**

Simultaneous determination of benzene, toluene, ethylbenzene, and xylenes in urine by thermal desorption–gas chromatography 706(1998)352

Sensitive determination of xylenes in whole blood by capillary gas chromatography with cryogenic trapping 718(1998)285

Gas chromatography–electron-capture detection of urinary methylhippuric acid isomers as biomarkers of environmental exposure to xylene 723(1999)95

Headspace solid-phase microextraction for the determination of benzene, toluene, ethylbenzene and xylenes in urine 723(1999)105

**Y****Yangonin**

Contribution to the quantitative and enantioselective determination of kavapyrones by high-performance liquid chromatography on ChiraSpher NT material 702(1997)240

**Z****Zeaxanthin**

Reversed-phase high-performance liquid chromatographic identification of lutein and zeaxanthin stereoisomers in bovine retina using a C<sub>30</sub> bonded phase 720(1998)211

**Zein**

Salt-steered partitioning of proteins in polymeric two-phase systems based on *N,N*-dimethylformamide 711(1998)117

**Zinc 5-aminosalicylate dihydrate**

Comparison of high-performance capillary electrophoresis and liquid chromatography on analysis of zinc 5-aminosalicylate dihydrate and related materials 705(1998)165

**Zotepin**

Drug accumulation in melanin: an affinity chromatographic study 714(1998)171

**Zucapsaicin**

Determination of capsaicin and zucapsaicin in human serum by high-performance liquid chromatography with fluorescence detection 701(1997)135