



Journal of Chromatography B, 728 (1999) 289-291

Compound Index Vol. 728

Amino acids

Quantitative determination of free intracellular amino acids in single human polymorphonuclear leucocytes. Recent developments in sample preparation and high-performance liquid chromatography 728(1999)157

Anaplastic lymphoma kinase

Fractionation of polyclonal antibodies to fragments of a neuroreceptor using three increasingly chaotropic solvents 728(1999)49

Antidepressants

Separation of eleven central nervous system drugs by capillary zone electrophoresis 728(1999)263

Antipsychotics

Separation of eleven central nervous system drugs by capillary zone electrophoresis 728(1999)263

Benzo[a]pyrene

Extraction and high-performance liquid chromatographic separation of selected pyrene and benzo[a]pyrene sulfates and glucuronides: preliminary application to the analysis of smokers' urine 728(1999)209

Bupivacaine

Simultaneous analysis of ketamine and bupivacaine in plasma by high-performance liquid chromatography 728(1999)107

Calcium

Chromatographic study of magnesium and calcium binding to immobilized human serum albumin 728(1999)167

Cathepsin A

High-performance liquid chromatographic-fluorimetric assay for cathepsin A (lysosomal protective protein) activity 728(1999)59

Ceftriaxone

Simple liquid chromatographic method for the analysis of the blood brain barrier permeability characteristics of ceftriaxone in an experimental rabbit meningitis model 728(1999)97

Cephalosporins

Determination of a new oral cephalosporin, S-1090, in human plasma and urine by direct injection high-performance liquid chromatography with ultraviolet detection and column switching 728(1999)125

Cetylpyridinium chloride

High-performance liquid chromatography determination of residue levels on chicken carcasses treated with cetylpyridinium chloride 728(1999)273

Cilostazol

Simultaneous quantitative determination of cilostazol and its metabolites in human plasma by high-performance liquid chromatography 728(1999)251

Clenbuterol

Determination of clenbuterol in bovine urine using gas chromatography—mass spectrometry following clean-up on an ion-exchange resin 728(1999)67

Cyclodextrins

Separation of eleven central nervous system drugs by capillary zone electrophoresis 728(1999)263

Diarylpropenamine

Determination of the geometrical diarylpropenamine isomers in feces by high-performance liquid chromatography 728(1999)117

Dimethyl sulfoxide

Quantification of residual dimethyl sulfoxide in supernatants of haematopoietic stem cells by capillary zone electrophoresis 728(1999)75

Enzyme

High-performance liquid chromatographic-fluorimetric assay for cathepsin A (lysosomal protective protein) activity 728(1999)59

17α-Ethyl-5β-estrane-3α,17β-diol

17α-Ethyl-5β-estrane-3α,17β-diol, a biological marker for the abuse of norethandrolone and ethylestrenol in slaughter cattle 728(1999)217

PII: S0378-4347(99)00192-9

Ethylestrenol

17α-Ethyl-5β-estrane-3α,17β-diol, a biological marker for the abuse of norethandrolone and ethylestrenol in slaughter cattle 728(1999)217

Etoposide

Simultaneous quantitation of etoposide and its catechol metabolite in human plasma using high-performance liquid chromatography with electrochemical detection 728(1999)241

Etoposide catechol

Simultaneous quantitation of etoposide and its catechol metabolite in human plasma using high-performance liquid chromatography with electrochemical detection 728(1999)241

Glycoproteins

Purification and quantitation of tumor necrosis factor receptor immunoadhesin using a combination of immunoaffinity and reversed-phase chromatography 728(1999)21

Hinge glycopeptides

Mutual separation of hinge-glycopeptide isomers bearing five *N*-acetylgalactosamine residues from normal human serum immunoglobulin A1 by capillary electrophoresis 728(1999)175

Human serum albumin

Chromatographic study of magnesium and calcium binding to immobilized human serum albumin 728(1999)167

5-Hydroperoxyeicosatetraenaic acid

Determination of 5-hydroperoxyeicosatetraenoic acid produced in rat basophilic leukemia cell line RBL-2H3 by high-performance liquid chromatography with chemiluminescence detection 728(1999)35

Idarubicin

Determination of idarubicin and idarubicinol in rat plasma using reversed-phase high-performance liquid chromatography and fluorescence detection 728(1999)279

Idarubicinol

Determination of idarubicin and idarubicinol in rat plasma using reversed-phase high-performance liquid chromatography and fluorescence detection 728(1999)279

Immunoglobulin A1

Mutual separation of hinge-glycopeptide isomers bearing five *N*-acetylgalactosamine residues from normal human serum immunoglobulin A1 by capillary electrophoresis 728(1999)175

Iothalamate

Determination of iothalamate in rat urine, plasma, and tubular fluid by capillary electrophoresis 728(1999)143

Ketamine

Simultaneous analysis of ketamine and bupivacaine in plasma by high-performance liquid chromatography 728(1999)107

d-Limonene

Gas chromatographic-mass spectrometric analysis of perillyl alcohol and metabolites in plasma 728(1999)85

Magnesium

Chromatographic study of magnesium and calcium binding to immobilized human serum albumin 728(1999)167

Metabolites

Simultaneous quantitative determination of cilostazol and its metabolites in human plasma by high-performance liquid chromatography 728(1999)251

N-Methyl-p-aspartate

Determination of *N*-methyl-D-aspartate in tissues of bivalves by high-performance liquid chromatography 728(1999)41

Norethandrolone

17α-Ethyl-5β-estrane-3α,17β-diol, a biological marker for the abuse of norethandrolone and ethylestrenol in slaughter cattle 728(1999)217

Ofloxacin

High-performance liquid chromatography separation and quantitation of ofloxacin enantiomers in rat microsomes 728(1999)151

Oligosaccharides

Mutual separation of hinge-glycopeptide isomers bearing five *N*-acetylgalactosamine residues from normal human serum immunoglobulin A1 by capillary electrophoresis 728(1999)175

Perillyl alcohol

Gas chromatographic-mass spectrometric analysis of perillyl alcohol and metabolites in plasma 728(1999)85

Polyclonal antibodies

Fractionation of polyclonal antibodies to fragments of a neuroreceptor using three increasingly chaotropic solvents 728(1999)49

Polymers

Separation and sensing based on molecular recognition using molecularly imprinted polymers 728(1999)1

Purine

Comparative determination of purine compounds in carotid plaque by capillary zone electrophoresis and high-performance liquid chromatography 728(1999)185

Pyrene

Extraction and high-performance liquid chromatographic separation of selected pyrene and benzo[a]pyrene sulfates and glucuronides: preliminary application to the analysis of smokers' urine 728(1999)209

Rifabutin

Specific high-performance liquid chromatography assay for determination of rifabutin plasma concentration following Extrelut column extraction 728(1999)233

S-1090

Determination of a new oral cephalosporin, S-1090, in human plasma and urine by direct injection high-performance liquid chromatography with ultraviolet detection and column switching 728(1999)125

SCH 66336

High-performance liquid chromatographic analysis of the antitumor agent SCH 66336 in cynomolgus monkey plasma and evaluation of its chiral inversion in animals 728(1999)133

Steroids

 $17\alpha\text{-Ethyl-}5\beta\text{-estrane-}3\alpha,17\beta\text{-diol},$ a biological marker for the abuse of norethandrolone and ethylestrenol in slaughter cattle 728(1999)217

Tumor necrosis factor receptor immunoglobulin G

Purification and quantitation of tumor necrosis factor receptor immunoadhesin using a combination of immunoaffinity and reversed-phase chromatography 728(1999)21

Volatile organic compounds

Method for liquid-liquid extraction of blood surrogates for assessing human exposure to jet fuel 728(1999)193