



ELSEVIER

Journal of Chromatography B, 730 (1999) 279–281

JOURNAL OF
CHROMATOGRAPHY B

Author Index Vol. 730

- Alberts, G., Lameris, T., Van den Meiracker, A.H., Man in 't Veld, A.J. and Boomsma, F.
Sensitive and specific method for the simultaneous determination of natural and synthetic catecholamines and 3,4-dihydroxyphenylglycol in microdialysis samples 730(1999)213
- Andersen, C., see Kall, M.A. 730(1999)101
- Angerer, J., see Hardt, J. 730(1999)229
- Anttinen-Klemetti, T., Vaaranrinta, R. and Peltonen, K.
Gas chromatographic determination of 3-butene-1,2-diol in urine samples after 1,3-butadiene exposure 730(1999)257
- Astner, L., see Bielenstein, M. 730(1999)177
- Avery, B.A., Venkatesh, K.K. and Avery, M.A.
Rapid determination of artemisinin and related analogues using high-performance liquid chromatography and an evaporative light scattering detector 730(1999)71
- Avery, M.A., see Avery, B.A. 730(1999)71
- Bassoo, E., see Zavitsanos, A.P. 730(1999)9
- Battaglia, A., Bertoluzza, A., Calbucci, F., Eusebi, V., Giorgianni, P., Ricci, R., Tosi, R. and Tugnoli, V.
High-performance liquid chromatographic analysis of physiological amino acids in human brain tumors by pre-column derivatization with phenylisothiocyanate 730(1999)81
- Beijnen, J.H., see Sparidans, R.W. 730(1999)95
- Beijnen, J.H., see Sparidans, R.W. 730(1999)193
- Bertoluzza, A., see Battaglia, A. 730(1999)81
- Bielenstein, M., Astner, L. and Ekberg, S.
Determination of 2-(2-nitro-4-trifluoromethylbenzoyl)-1,3-cyclohexanedione in plasma by direct injection into a coupled column liquid chromatographic system 730(1999)177
- Bissell, M.G., see Rao, L.V. 730(1999)123
- Bohnenstengel, F., see Ritter, C.A. 730(1999)25
- Boomsma, F., see Alberts, G. 730(1999)213
- Boulieu, R. and Dervieux, T.
High-performance liquid chromatographic determination of methyl 6-mercaptopurine nucleotides (Me6-MPN) in red blood cells: analysis of Me6-MPN per se or Me6-MPN derivative? 730(1999)273
- Brückner, A., see Rizzi, A. 730(1999)167
- Buist, A., see Dodd, S. 730(1999)249
- Burrows, G.D., see Dodd, S. 730(1999)249
- Calbucci, F., see Battaglia, A. 730(1999)81
- Calonghi, N., see Raggi, M.A. 730(1999)201
- Casamenti, G., see Raggi, M.A. 730(1999)201
- Castel, V., see Peris, J.-E. 730(1999)33
- Coe, R.A., DeCesare, L.S. and Lee, J.W.
Quantitation of efletirizine in human plasma and urine using automated solid-phase extraction and column-switching high-performance liquid chromatography 730(1999)239
- Cremers, S., see Sparidans, R.W. 730(1999)95
- Cvitkovich, B., see Rizzi, A. 730(1999)167
- Czollner, L., see Rizzi, A. 730(1999)167
- DeCesare, L.S., see Coe, R.A. 730(1999)239
- De Haan, A., see Karatzaferi, C. 730(1999)183
- Dervieux, T., see Boulieu, R. 730(1999)273
- Dodd, S., Buist, A., Burrows, G.D., Maguire, K.P. and Norman, T.R.
Determination of nefazodone and its pharmacologically active metabolites in human blood plasma and breast milk by high-performance liquid chromatography 730(1999)249
- Ekberg, S., see Bielenstein, M. 730(1999)177
- Esteve, S., see Peris, J.-E. 730(1999)33
- Eusebi, V., see Battaglia, A. 730(1999)81
- Fröhlich, J., see Rizzi, A. 730(1999)167
- Fu, I., see Woolf, E. 730(1999)221
- Fujii, T., Kawabe, S., Horike, T., Taguchi, T. and Ogata, M.
Simultaneous determination of the urinary metabolites of toluene, xylene and styrene using high-performance capillary electrophoresis. Comparison with high-performance liquid chromatography 730(1999)41
- Fukushima, K., see Yamaguchi, J.-i. 730(1999)61
- Gerra, G., see Raggi, M.A. 730(1999)201
- Giorgianni, P., see Battaglia, A. 730(1999)81
- Gopaul, D., see Zavitsanos, A.P. 730(1999)9
- Gorman, S.H.
Determination of the D- and L-enantiomers of modafinil in human plasma utilizing liquid-liquid extraction and high-performance liquid chromatography 730(1999)1
- Goto, J., see Yamaguchi, J.-i. 730(1999)61
- Hardt, J. and Angerer, J.
Determination of metabolites of pirimicarb in human urine by gas chromatography-mass spectrometry 730(1999)229
- Hartigh, J.d., see Sparidans, R.W. 730(1999)95
- Heizmann, P., Schmitt, M., Leube, J., Martin, H. and Saner, A.
Determination of the catechol-O-methyltransferase inhibitor tolcapone and three of its metabolites in animal and human plasma and urine by reversed-phase high-performance liquid chromatography with ultraviolet detection 730(1999)153

- Hider, R.C., see Liu, D.Y. 730(1999)135
- Hjerpe, A., see Lamari, F. 730(1999)129
- Hofmann, U., see Ritter, C.A. 730(1999)25
- Horike, T., see Fujii, T. 730(1999)41
- Jingu, S., see Yamaguchi, J.-i. 730(1999)61
- Jordis, U., see Rizzi, A. 730(1999)167
- Kall, M.A. and Andersen, C.
Improved method for simultaneous determination of ascorbic acid and dehydroascorbic acid, isoascorbic acid and dehydroisoascorbic acid in food and biological samples 730(1999)101
- Karamanos, N.K., see Lamari, F. 730(1999)129
- Karatzafieri, C., De Haan, A., Offringa, C. and Sargeant, A.J.
Improved high-performance liquid chromatographic assay for the determination of "high-energy" phosphates in mammalian skeletal muscle. Application to a single-fibre study in man 730(1999)183
- Kato, Y., see Mawatari, H. 730(1999)275
- Kawabe, S., see Fujii, T. 730(1999)41
- Kohlhof, K., see Song, D. 730(1999)141
- Kokatsu, J., see Yamaguchi, J.-i. 730(1999)61
- Korduba, C., see Lin, C.-c. 730(1999)55
- Kremser, L., see Rizzi, A. 730(1999)167
- Kroemer, H.K., see Ritter, C.A. 730(1999)25
- Küenburg, B., see Rizzi, A. 730(1999)167
- Kula, B., see Sobczak, A. 730(1999)265
- Lamari, F., Theocharis, A., Hjerpe, A. and Karamanos, N.K.
Ultrasensitive capillary electrophoresis of sulfated disaccharides in chondroitin/dermatan sulfates by laser-induced fluorescence after derivatization with 2-aminoacridone 730(1999)129
- Lameris, T., see Alberts, G. 730(1999)213
- Latorre, J.-A., see Peris, J.-E. 730(1999)33
- Lee, J.W., see Coe, R.A. 730(1999)239
- Leube, J., see Heizmann, P. 730(1999)153
- Lin, C.-c., Korduba, C. and Parker, D.
Simple and sensitive high-performance liquid chromatographic method for the determination of an everninomycin, SCH 27899, in rat plasma 730(1999)55
- Liu, D.Y., Liu, Z.D., Lu, S.L. and Hider, R.C.
Gradient ion-pair high-performance liquid chromatographic method for analysis of 3-hydroxypyridin-4-one iron chelators 730(1999)135
- Liu, K.-n., see Qu, F. 730(1999)161
- Liu, Z.D., see Liu, D.Y. 730(1999)135
- Lu, S.L., see Liu, D.Y. 730(1999)135
- MacDonald, C., see Zavitsanos, A.P. 730(1999)9
- Maguire, K.P., see Dodd, S. 730(1999)249
- Man in 't Veld, A.J., see Alberts, G. 730(1999)213
- Martin, H., see Heizmann, P. 730(1999)153
- Masotti, L., see Raggi, M.A. 730(1999)201
- Matuszewski, B., see Woolf, E. 730(1999)221
- Mawatari, H., Kato, Y., Nishimura, S.-i., Sakura, N. and Ueda, K.
Comments on "High-performance liquid chromatographic determination of methyl 6-mercaptopurine nucleotides in red blood cells" Reply to R. Bouliou and T. Dervieux 730(1999)275
- Mills, G.A., Walker, V. and Mughal, H.
Headspace solid-phase microextraction with 1-pyrenyldiazomethane in-fibre derivatisation for analysis of faecal short-chain fatty acids 730(1999)113
- Mohammad, A.A., see Rao, L.V. 730(1999)123
- Mou, S.-f., see Qu, F. 730(1999)161
- Mughal, H., see Mills, G.A. 730(1999)113
- Nava-Ocampo, A.A., Velázquez-Armenta, E.Y., Reyes-Pérez, H., Ramirez-Lopez, E. and Ponce-Monter, H.
Simplified method to quantify furosemide in urine by high-performance liquid chromatography and ultraviolet detection 730(1999)49
- Nishimura, S.-i., see Mawatari, H. 730(1999)275
- Norman, T.R., see Dodd, S. 730(1999)249
- Offringa, C., see Karatzafieri, C. 730(1999)183
- Ogata, M., see Fujii, T. 730(1999)41
- Ogawa, N., see Yamaguchi, J.-i. 730(1999)61
- Ohmichi, M., see Yamaguchi, J.-i. 730(1999)61
- Okorodudu, A.O., see Rao, L.V. 730(1999)123
- Parker, D., see Lin, C.-c. 730(1999)55
- Peltonen, K., see Antinen-Klemetti, T. 730(1999)257
- Peris, J.-E., Latorre, J.-A., Castel, V., Verdeguer, A., Esteve, S. and Torres-Molina, F.
Determination of busulfan in human plasma using high-performance liquid chromatography with pre-column derivatization and fluorescence detection 730(1999)33
- Petersen, J.R., see Rao, L.V. 730(1999)123
- Ponce-Monter, H., see Nava-Ocampo, A.A. 730(1999)49
- Qi, Z.-h., see Qu, F. 730(1999)161
- Qu, F., Qi, Z.-h., Liu, K.-n. and Mou, S.-f.
Ion chromatographic determination of taurine in medicine, nutrient capsule and human urine with electrochemical detection 730(1999)161
- Raggi, M.A., Sabbioni, C., Casamenti, G., Gerra, G., Calonghi, N. and Masotti, L.
Determination of catecholamines in human plasma by high-performance liquid chromatography with electrochemical detection 730(1999)201
- Ramirez-Lopez, E., see Nava-Ocampo, A.A. 730(1999)49
- Rao, L.V., Petersen, J.R., Bissell, M.G., Okorodudu, A.O. and Mohammad, A.A.
Development of a urinary free cortisol assay using solid-phase extraction-capillary electrophoresis 730(1999)123
- Reyes-Pérez, H., see Nava-Ocampo, A.A. 730(1999)49
- Ricci, R., see Battaglia, A. 730(1999)81
- Ritter, C.A., Bohnenstengel, F., Hofmann, U., Kroemer, H.K. and Sperker, B.
Determination of tetrahydrothiophene formation as a probe of in vitro busulfan metabolism by human glutathione S-transferase A1-1: use of a highly sensitive gas chromatographic-mass spectrometric method 730(1999)25
- Rizzi, A., Schuh, R., Brückner, A., Cvitkovich, B., Kremser, L., Jordis, U., Fröhlich, J., Küenburg, B. and Czollner, L.
Enantiomeric resolution of galanthamine and related drugs used in anti-Alzheimer therapy by means of capillary zone electrophoresis employing derivatized cyclodextrin selectors 730(1999)167
- Sabbioni, C., see Raggi, M.A. 730(1999)201
- Sakura, N., see Mawatari, H. 730(1999)275
- Saner, A., see Heizmann, P. 730(1999)153

- Sargeant, A.J., see Karatzaferi, C. 730(1999)183
Schmitt, M., see Heizmann, P. 730(1999)153
Schuh, R., see Rizzi, A. 730(1999)167
Skop, B., see Sobczak, A. 730(1999)265
Sobczak, A., Skop, B. and Kula, B.
Simultaneous determination of serum retinol and α - and γ -tocopherol levels in type II diabetic patients using high-performance liquid chromatography with fluorescence detection 730(1999)265
Song, D. and Kohlhof, K.
Application of two-dimensional high-performance liquid chromatography-mass spectrometry with particle beam interface 730(1999)141
Sparidans, R.W., Hartigh, J.d., Cremers, S., Beijnen, J.H. and Vermeij, P.
Semi-automatic liquid chromatographic analysis of pamidronate in urine after derivatization with 1-naphthylisothiocyanate 730(1999)95
Sparidans, R.W., Taal, B.G. and Beijnen, J.H.
Bioanalysis of *m*-iodobenzylguanidine in plasma by high-performance liquid chromatography after derivatization with benzoin 730(1999)193
Sperker, B., see Ritter, C.A. 730(1999)25
Taal, B.G., see Sparidans, R.W. 730(1999)193
Taguchi, T., see Fujii, T. 730(1999)41
Theocharis, A., see Lamari, F. 730(1999)129
Torres-Molina, F., see Peris, J.-E. 730(1999)33
Tosi, R., see Battaglia, A. 730(1999)81
Tugnoli, V., see Battaglia, A. 730(1999)81
Ueda, K., see Mawatari, H. 730(1999)275
Vaaranrinta, R., see Anttinen-Klemetti, T. 730(1999)257
Van den Meiracker, A.H., see Alberts, G. 730(1999)213
Velázquez-Armenta, E.Y., see Nava-Ocampo, A.A. 730(1999)49
Venkatesh, K.K., see Avery, B.A. 730(1999)71
Verdeguer, A., see Peris, J.-E. 730(1999)33
Vermeij, P., see Sparidans, R.W. 730(1999)95
Walker, V., see Mills, G.A. 730(1999)113
Watanabe, Y., see Yamaguchi, J.-i. 730(1999)61
Woolf, E., Fu, I. and Matuszewski, B.
Determination of rofecoxib, a cyclooxygenase-2 specific inhibitor, in human plasma using high-performance liquid chromatography with post-column photochemical derivatization and fluorescence detection 730(1999)221
Yamaguchi, J.-i., Watanabe, Y., Ohmichi, M., Jingu, S., Ogawa, N., Kokatsu, J., Fukushima, K. and Goto, J.
Ultrasensitive determination of NE-100, a novel sigma ligand, in human plasma by liquid chromatography and electrospray ionization tandem mass spectrometry combined with a column-switching technique 730(1999)61
Zavitsanos, A.P., MacDonald, C., Bassoo, E. and Gopaul, D.
Determination of domperidone in human serum and human breast milk by high-performance liquid chromatography-electrospray mass spectrometry 730(1999)9