



ELSEVIER

Journal of Chromatography B, 732 (1999) 521–526

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Compound Index Vol. 732

Acetaminophen

Simple and rapid assay for acetaminophen and conjugated metabolites in low-volume serum samples 732(1999)323

N-Acetylneuraminic acid

Importance of high-performance liquid chromatographic analysis of serum *N*-acetylneuraminic acids in evaluating surgical treatment in patients with early endometrial cancer 732(1999)375

Acyclovir

Rapid determination of valaciclovir and acyclovir in human biological fluids by high-performance liquid chromatography using isocratic elution 732(1999)47

Adenovirus type 5

Reversed-phase high-performance liquid chromatographic assay for the adenovirus type 5 proteome 732(1999)411

β -Alanine

Combined method for the determination of γ -aminobutyric and β -alanine in cerebrospinal fluid by stable isotope dilution mass spectrometry 732(1999)245

Albumin

Affinity chromatography of plasma proteins (guanidinobenzoate): use of mimetic matrices and mimetic soluble ligands to prevent the binding of albumin on target affinity matrices 732(1999)165

Amino acid digests

Rapid, single-step procedure for the identification of transglutaminase-mediated isopeptide crosslinks in amino acid digests 732(1999)65

Amino acids

Analyzing mixtures of amino acids and carbohydrates using bimodal integrated amperometric detection 732(1999)193

γ -Aminobutyric acid

Combined method for the determination of γ -aminobutyric and β -alanine in cerebrospinal fluid by stable isotope dilution mass spectrometry 732(1999)245

Aminoethylcysteine ketimine decarboxylated dimer

Identification of aminoethylcysteine ketimine decarboxylated dimer in human plasma 732(1999)137

Aminohydantoins

Simultaneous determination of enantioselective plasma protein binding of aminohydantoins by ultrafiltration and chiral high-performance liquid chromatography 732(1999)31

Antagonist G

Development of a gradient elution high-performance liquid chromatography assay with ultraviolet detection for the determination in plasma of the anticancer peptide [Arg⁶, D-Trp^{7,9}, mePhe⁸]-substance P (6–11) (antagonist G), its major metabolites and a C-terminal pyrene-labelled conjugate 732(1999)277

Antipyrine

Determination of phenolic derivatives of antipyrine in plasma with solid-phase extraction and high-performance liquid chromatography–atmospheric-pressure chemical ionization mass spectrometry 732(1999)103

Aptamer

Detection and plasma pharmacokinetics of an anti-vascular endothelial growth factor oligonucleotide-aptamer (NX1838) in rhesus monkeys 732(1999)203

[Arg⁶, D-Trp^{7,9}, mePhe⁸]-substance P (6–11)

Development of a gradient elution high-performance liquid chromatography assay with ultraviolet detection for the determination in plasma of the anticancer peptide [Arg⁶, D-Trp^{7,9}, mePhe⁸]-substance P (6–11) (antagonist G), its major metabolites and a C-terminal pyrene-labelled conjugate 732(1999)277

Asiaticoside

Column-switching high-performance liquid chromatographic assay for determination of asiaticoside in rat plasma and bile with ultraviolet absorbance detection 732(1999)357

Benzodiazepines

Fast liquid chromatographic–mass spectrometric determination of pharmaceutical compounds 732(1999)445

Benzothiazole

Analysis of 2-(3-methyl-4-aminophenyl)-benzothiazole (NSC 674495) in plasma by gas chromatography with mass-selective detection 732(1999)315

Betulinic acid

Determination of betulinic acid in mouse blood, tumor and tissue homogenates by liquid chromatography–electrospray mass spectrometry 732(1999)331

Brequinar

Simultaneous separation by high-performance liquid chromatography of carbamoyl aspartate, carbamoyl phosphate and dihydroorotic acid 732(1999)487

p-Bromophenylacetylurea

Application of the high-performance liquid chromatographic method for separation, purification and characterisation of *p*-bromophenylacetylurea and its metabolites (1999)349

4-(4-Bromophenyl)-3-oxapyrrolidine-2,5-dione

Application of the high-performance liquid chromatographic method for separation, purification and characterisation of *p*-bromophenylacetylurea and its metabolites (1999)349

Campestanol

Precise quantitative determination of phytosterols, stanols, and cholesterol metabolites in human serum by capillary gas–liquid chromatography 732(1999)17

Campesterol

Precise quantitative determination of phytosterols, stanols, and cholesterol metabolites in human serum by capillary gas–liquid chromatography 732(1999)17

Camptothecin

Determination of unbound 20(*S*)-camptothecin in rat bile by on-line microdialysis coupled to microbore liquid chromatography with fluorescence detection 732(1999)221

Carbamazepine

Fast liquid chromatographic–mass spectrometric determination of pharmaceutical compounds 732(1999)445

Carbamoyl aspartate

Simultaneous separation by high-performance liquid chromatography of carbamoyl aspartate, carbamoyl phosphate and dihydroorotic acid 732(1999)487

Carbamoyl phosphate

Simultaneous separation by high-performance liquid chromatography of carbamoyl aspartate, carbamoyl phosphate and dihydroorotic acid 732(1999)487

Carbohydrates

Analyzing mixtures of amino acids and carbohydrates using bi-modal integrated amperometric detection 732(1999)193

Carboxyethylphosphoramidate mustard

Analysis of cyclophosphamide and five metabolites from human plasma using liquid chromatography–mass spectrometry and gas chromatography–nitrogen–phosphorus detection 732(1999)287

Carvedilol

Rapid and simple micro-determination of carvedilol in rat plasma by high-performance liquid chromatography 732(1999)233

Chlorambucil

Rapid determination of the anti-cancer drug chlorambucil (LeukeranTM) and its phenyl acetic acid mustard metabolite in human serum and plasma by automated solid-phase extraction and liquid chromatography–tandem mass spectrometry 732(1999)173

Cholesterol

Purification of fatty acid methyl esters by high-performance liquid chromatography 732(1999)495

Creatine

Analysis of creatine and creatinine in urine by capillary electrophoresis 732(1999)479

Creatinine

Analysis of creatine and creatinine in urine by capillary electrophoresis 732(1999)479

Cyclophosphamide

Analysis of cyclophosphamide and five metabolites from human plasma using liquid chromatography–mass spectrometry and gas chromatography–nitrogen–phosphorus detection 732(1999)287

Cysteine

Gas chromatographic–mass spectrometric analysis of stable isotopes of cysteine and glutathione in biological samples 732(1999)127

Deschloroethylcyclophosphamide

Analysis of cyclophosphamide and five metabolites from human plasma using liquid chromatography–mass spectrometry and gas chromatography–nitrogen–phosphorus detection 732(1999)287

Desmosterol

Precise quantitative determination of phytosterols, stanols, and cholesterol metabolites in human serum by capillary gas–liquid chromatography 732(1999)17

Dihydroorotic acid

Simultaneous separation by high-performance liquid chromatography of carbamoyl aspartate, carbamoyl phosphate and dihydroorotic acid 732(1999)487

Dihydroxybenzoate

Determination of hydroxyl free radical formation in human platelets using high-performance liquid chromatography with electrochemical detection 732(1999)213

DNA

Optimization of intercalation dye concentration for short tandem repeat allele genotyping using capillary electrophoresis with laser-induced fluorescence detection 732(1999)365

L-DOPA

Determination of hydroxyl free radical formation in human platelets using high-performance liquid chromatography with electrochemical detection 732(1999)213

Enzymes

Rapid, single-step procedure for the identification of transglutaminase-mediated isopeptide crosslinks in amino acid digests 732(1999)65

Affinity chromatography of plasma proteins (guanidinobenzoate): use of mimetic matrices and mimetic soluble ligands to prevent the binding of albumin on target affinity matrices 732(1999)165

Famotidine

Determination of famotidine in human plasma and urine by high-performance liquid chromatography 732(1999)239

Fatty acid methyl esters

Purification of fatty acid methyl esters by high-performance liquid chromatography 732(1999)495

Flavones

Fast liquid chromatographic–mass spectrometric determination of pharmaceutical compounds 732(1999)445

Galactose

Urine screening of five-day-old newborns: metabolic profiling of neonatal galactosuria 732(1999)469

Glutathione

Gas chromatographic–mass spectrometric analysis of stable isotopes of cysteine and glutathione in biological samples 732(1999)127

N-Glycolylneuraminic acid

Importance of high-performance liquid chromatographic analysis of serum *N*-acylneuraminic acids in evaluating surgical treatment in patients with early endometrial cancer 732(1999)375

Glycoproteins

Discrimination of granulocyte colony-stimulating factor isoforms by high-performance capillary electrophoresis 732(1999)81

Granulocyte colony-stimulating factor

Discrimination of granulocyte colony-stimulating factor isoforms by high-performance capillary electrophoresis 732(1999)81

Guanidinobenzoate

Affinity chromatography of plasma proteins (guanidinobenzoate): use of mimetic matrices and mimetic soluble ligands to prevent the binding of albumin on target affinity matrices 732(1999)165

Halothane

Solid-phase microextraction gas chromatographic–mass spectrometric method for the determination of inhalation anesthetics in urine 732(1999)115

HIV protease inhibitors

Determination of L-756 423, a novel HIV protease inhibitor, in human plasma and urine using high-performance liquid chromatography with fluorescence detection 732(1999)425

Hydantoin

Simultaneous determination of enantioselective plasma protein binding of aminohydantoins by ultrafiltration and chiral high-performance liquid chromatography 732(1999)31

Hydroxyantipyrine

Determination of phenolic derivatives of antipyrine in plasma with solid-phase extraction and high-performance liquid chromatography–atmospheric-pressure chemical ionization mass spectrometry 732(1999)103

3-Hydroxybenzolketoprofen

Identification and confirmation of 3-hydroxy metabolite of ketoprofen in camels by gas chromatography–mass spectrometry and nuclear magnetic resonance spectroscopy 732(1999)299

***N'*-Hydroxy-*p*-bromophenylacetylurea**

Application of the high-performance liquid chromatographic method for separation, purification and characterisation of *p*-bromophenylacetylurea and its metabolites (1999)349

4-Hydroxyifosfamide

Determination of 4-hydroxyifosfamide concomitantly with ifosfamide and its dechloroethylated metabolites using gas chromatography and a nitrogen phosphorus-selective detector 732(1999)3

3-Hydroxyketoprofen

Identification and confirmation of 3-hydroxy metabolite of ketoprofen in camels by gas chromatography–mass spectrometry and nuclear magnetic resonance spectroscopy 732(1999)299

4-Hydroxyphenyllactic acid

Urine screening of five-day-old newborns: metabolic profiling of neonatal galactosuria 732(1999)469

Hydroxypropylphosphoramidate mustard

Analysis of cyclophosphamide and five metabolites from human plasma using liquid chromatography–mass spectrometry and gas chromatography–nitrogen–phosphorus detection 732(1999)287

1-Hydroxypyrene

Automated column-switching high-performance liquid chromatography method for the determination of 1-hydroxypyrene in human urine 732(1999)91

Ifosfamide

Determination of 4-hydroxyifosfamide concomitantly with ifosfamide and its dechloroethylated metabolites using gas chromatography and a nitrogen phosphorus-selective detector 732(1999)3

Isoflurane

Solid-phase microextraction gas chromatographic–mass spectrometric method for the determination of inhalation anesthetics in urine 732(1999)115

Isopeptide crosslinks

Rapid, single-step procedure for the identification of transglutaminase-mediated isopeptide crosslinks in amino acid digests 732(1999)65

Ketoprofen

Identification and confirmation of 3-hydroxy metabolite of ketoprofen in camels by gas chromatography–mass spectrometry and nuclear magnetic resonance spectroscopy 732(1999)299

Ketotifen

Gas chromatographic–mass spectrometric method for quantitative determination of ketotifen in human plasma after enzyme hydrolysis of conjugated ketotifen 732(1999)251

L-756 423

Determination of L-756 423, a novel HIV protease inhibitor, in human plasma and urine using high-performance liquid chromatography with fluorescence detection 732(1999)425

Lathosterol

Precise quantitative determination of phytosterols, stanols, and cholesterol metabolites in human serum by capillary gas–liquid chromatography 732(1999)17

Leflunomide

Simultaneous separation by high-performance liquid chromatography of carbamoyl aspartate, carbamoyl phosphate and dihydroorotic acid 732(1999)487

Leukeran

Rapid determination of the anti-cancer drug chlorambucil (LeukeranTM) and its phenyl acetic acid mustard metabolite in human serum and plasma by automated solid-phase extraction and liquid chromatography–tandem mass spectrometry 732(1999)173

Lipopolysaccharides

Efficient method for preparation of highly purified lipopolysaccharides by hydrophobic interaction chromatography 732(1999)39

Lorazepam

Determination of lorazepam in plasma and urine as trimethylsilyl derivative using gas chromatography–tandem mass spectrometry 732(1999)509

Low density lipoproteins

Identification of aminoethylcysteine ketimine decarboxylated dimer in human plasma 732(1999)137

6-Mercaptopurine

Assay of 6-mercaptopurine and its metabolites in patient plasma by high-performance liquid chromatography with diode-array detection 732(1999)459

2-(3-Methyl-4-aminophenyl)-benzothiazole

Analysis of 2-(3-methyl-4-aminophenyl)-benzothiazole (NSC 674495) in plasma by gas chromatography with mass-selective detection 732(1999)315

N'-Methyl-p-bromophenylacetylurea

Application of the high-performance liquid chromatographic method for separation, purification and characterisation of *p*-bromophenylacetylurea and its metabolites (1999)349

Methylprednisolone

High-performance liquid chromatography analysis, preliminary pharmacokinetics, metabolism and renal excretion of methylprednisolone with its C6 and C20 hydroxy metabolites in multiple sclerosis patients receiving high-dose pulse therapy 732(1999)337

Neuroaminidase inhibitor

Liquid chromatographic–tandem mass spectrometric method for the determination of the neuraminidase inhibitor zanamivir (GG167) in human serum 732(1999)383

Nitrous oxide

Solid-phase microextraction gas chromatographic–mass spectrometric method for the determination of inhalation anesthetics in urine 732(1999)115

11-Nor- Δ^9 -tetrahydrocannabinol-9-carboxylic acid

Determination of 11-nor- Δ^9 -tetrahydrocannabinol-9-carboxylic acid in urine using high-performance liquid chromatography and electrospray ionization mass spectrometry 732(1999)155

Norverapamil

Achiral and chiral high-performance liquid chromatography of verapamil and its metabolites in serum samples 732(1999)395

NSC 674495

Analysis of 2-(3-methyl-4-aminophenyl)-benzothiazole (NSC 674495) in plasma by gas chromatography with mass-selective detection 732(1999)315

Nucleosides

Reversed-phase high-performance liquid chromatographic investigation of urinary normal and modified nucleosides of cancer patients 732(1999)307

NX1838

Detection and plasma pharmacokinetics of an anti-vascular endothelial growth factor oligonucleotide-aptamer (NX1838) in rhesus monkeys 732(1999)203

Olanzapine

Monitoring of olanzapine in serum by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 732(1999)257

4-Oxocyclophosphamide

Analysis of cyclophosphamide and five metabolites from human plasma using liquid chromatography–mass spectrometry and gas chromatography–nitrogen–phosphorus detection 732(1999)287

Peptides

Development of a gradient elution high-performance liquid chromatography assay with ultraviolet detection for the determination in plasma of the anticancer peptide [Arg⁶, D-Trp^{7,9}, mPhe⁸]-substance P (6–11) (antagonist G), its major metabolites and a C-terminal pyrene-labelled conjugate 732(1999)277

Peroxisomicine

High-performance liquid chromatographic determination of peroxisomicine A₁ (T-514) in genus *Karwinskia* 732(1999)405

Phenyl acetic acid mustard

Rapid determination of the anti-cancer drug chlorambucil (LeukeranTM) and its phenyl acetic acid mustard metabolite in human serum and plasma by automated solid-phase extraction and liquid chromatography–tandem mass spectrometry 732(1999)173

Phosphoramidate mustard

Analysis of cyclophosphamide and five metabolites from human plasma using liquid chromatography–mass spectrometry and gas chromatography–nitrogen–phosphorus detection 732(1999)287

Phytosterols

Precise quantitative determination of phytosterols, stanols, and cholesterol metabolites in human serum by capillary gas–liquid chromatography 732(1999)17

Propranolol

Fast liquid chromatographic–mass spectrometric determination of pharmaceutical compounds 732(1999)445

Proteins

Simultaneous determination of enantioselective plasma protein binding of aminohydantoin by ultrafiltration and chiral high-performance liquid chromatography 732(1999)31

Proteome

Reversed-phase high-performance liquid chromatographic assay for the adenovirus type 5 proteome 732(1999)411

Ropinirole

Separation and quantification of ropinirole and some impurities using capillary liquid chromatography 732(1999)437

Serrallysin

Use of liquid chromatography–mass spectrometry coupling for monitoring the serrallysin-catalyzed hydrolysis of a peptide library 732(1999)271

Sitostanol

Precise quantitative determination of phytosterols, stanols, and cholesterol metabolites in human serum by capillary gas–liquid chromatography 732(1999)17

Sitosterol

Precise quantitative determination of phytosterols, stanols, and cholesterol metabolites in human serum by capillary gas–liquid chromatography 732(1999)17

Stanols

Precise quantitative determination of phytosterols, stanols, and cholesterol metabolites in human serum by capillary gas–liquid chromatography 732(1999)17

Steroids

Precise quantitative determination of phytosterols, stanols, and cholesterol metabolites in human serum by capillary gas–liquid chromatography 732(1999)17

Stigmasterol

Precise quantitative determination of phytosterols, stanols, and cholesterol metabolites in human serum by capillary gas–liquid chromatography 732(1999)17

Sulfonamides

Fast liquid chromatographic–mass spectrometric determination of pharmaceutical compounds 732(1999)445

Tetracyclines

Simultaneous determination of residual tetracyclines in foods by high-performance liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 732(1999)55

ThioTEPA-mercapturate

Liquid chromatographic–mass spectrometric determination of the novel, recently identified thioTEPA metabolite, thioTEPA-mercapturate, in urine 732(1999)73

α-Tocopherol

Simple high-performance liquid chromatographic method for determination of α-tocopherol in human plasma 732(1999)227

Tramadol glucuronide

Direct determination of tramadol glucuronides in human urine by high-performance liquid chromatography with fluorescence detection 732(1999)185

Transglutaminase

Rapid, single-step procedure for the identification of transglutaminase-mediated isopeptide crosslinks in amino acid digests 732(1999)65

Trichloroethylene

Simple method for rapid measurement of trichloroethylene and its major metabolites in biological samples 732(1999)145

Tricyclic amines

Fast liquid chromatographic–mass spectrometric determination of pharmaceutical compounds 732(1999)445

***N,N',N''*-Triethylenephosphoramidate**

Liquid chromatographic–mass spectrometric determination of the novel, recently identified thioTEPA metabolite, thioTEPA-mercapturate, in urine 732(1999)73

***N,N',N''*-Triethylenethiophosphoramidate**

Liquid chromatographic–mass spectrometric determination of the novel, recently identified thioTEPA metabolite, thioTEPA-mercapturate, in urine 732(1999)73

Valaciclovir

Rapid determination of valaciclovir and acyclovir in human biological fluids by high-performance liquid chromatography using isocratic elution 732(1999)47

Verapamil

Achiral and chiral high-performance liquid chromatography of verapamil and its metabolites in serum samples 732(1999)395

Vitamin E

Simple high-performance liquid chromatographic method for determination of α -tocopherol in human plasma 732(1999)227

Zanamivir

Liquid chromatographic–tandem mass spectrometric method for the determination of the neuraminidase inhibitor zanamivir (GG167) in human serum 732(1999)383