



ELSEVIER

Journal of Chromatography B, 734 (1999) 333–335

JOURNAL OF  
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

## Author Index Vol. 734

- Angerer, J., see Kafferlein, H.U. 734(1999)285  
Arrendale, R.F., see Testino Jr, S.A. 734(1999)73  
Assidjo, E., see Chianea, T. 734(1999)91  
Audran, M., Krafft, M.-P., De Ceaurriz, J., Mathurin, J.-C.,  
Sicart, M.-T., Marion, B., Fabre, F. and Bressolle, F.  
Assay method for the perfluorooctyl bromide (perflubron)  
in rat blood by gas chromatography–mass spectrometry  
734(1999)267  
Baudin, O., see Marquet, P. 734(1999)137  
Bauer, J.A., see Kielbasa, W.B. 734(1999)83  
Becher, G., see Janak, K. 734(1999)219  
Beijnen, J.H., see Veldkamp, A.I. 734(1999)55  
Biddlecombe, R.A. and Pleasance, S.  
Automated protein precipitation by filtration in the 96-well  
format 734(1999)257  
Birrell, H., see Charlwood, J. 734(1999)169  
Blomqvist, ., see Stenhoff, H. 734(1999)191  
Breilh, D., Lavallee, C., Fratta, A., Ducint, D., Cony-Makhoul,  
P. and Saux, M.C.  
Determination of cefepime and ceftipime in human serum  
by high-performance liquid chromatography using an  
ultrafiltration for antibiotics serum extraction  
734(1999)121  
Bressolle, F., see Audran, M. 734(1999)267  
Bugge, A., see Kristoffersen, L. 734(1999)229  
Cabral, J.M.S., see Marcos, J.C. 734(1999)15  
Camilleri, P., see Charlwood, J. 734(1999)169  
Cardot, P.J.P., see Chianea, T. 734(1999)91  
Casciani, S., see Massoud, R. 734(1999)163  
Celli, M., see Salerno, C. 734(1999)175  
Charlwood, J., Birrell, H. and Camilleri, P.  
Carbohydrate release from picomole quantities of  
glycoprotein and characterisation of glycans by high-  
performance liquid chromatography and mass spectrometry  
734(1999)169  
Chen, C.F., see Tsai, T.H. 734(1999)277  
Chen, W.-Y., see Yang, C.-S. 734(1999)1  
Cheng, F.C., see Tsai, T.H. 734(1999)277  
Chianea, T., Cardot, P.J.P., Assidjo, E., Monteil, J., Clarot, I.  
and Krausz, P.  
Field- and flow-dependent trapping of red blood cells on  
polycarbonate accumulation wall in sedimentation field-flow  
fractionation 734(1999)91  
Choma, I., Grenda, D., Malinowska, I. and Suprynowicz, Z.  
Determination of flumequine and doxycycline in milk by a  
simple thin-layer chromatographic method 734(1999)7  
Clarot, I., see Chianea, T. 734(1999)91  
Cony-Makhoul, P., see Breilh, D. 734(1999)121  
Cortese, C., see Massoud, R. 734(1999)163  
Crifo, C., see Salerno, C. 734(1999)175  
De Ceaurriz, J., see Audran, M. 734(1999)267  
D’Eufemia, P., see Salerno, C. 734(1999)175  
Di Stasi, S.M., see Massoud, R. 734(1999)163  
Dote, N., see Kondo, T. 734(1999)101  
Ducint, D., see Breilh, D. 734(1999)121  
Duda, M., see Wong, F.A. 734(1999)247  
Dupuy, J.L., see Marquet, P. 734(1999)137  
Edom, R.W., see Wong, F.A. 734(1999)247  
Elker, T., see Sorensen, L.K. 734(1999)307  
Fabre, F., see Audran, M. 734(1999)267  
Federici, G., see Massoud, R. 734(1999)163  
Finocchiaro, R., see Salerno, C. 734(1999)175  
Fonseca, L.P., see Marcos, J.C. 734(1999)15  
Franois, B., see Marquet, P. 734(1999)137  
Fratta, A., see Breilh, D. 734(1999)121  
Fucci, G., see Massoud, R. 734(1999)163  
Fukano, A., see Tachibana, S. 734(1999)39  
Fukuyama, T., see Mabuchi, M. 734(1999)145  
Fung, H.-L., see Kielbasa, W.B. 734(1999)83  
Gaulier, J.M., see Marquet, P. 734(1999)137  
Giannantoni, A., see Massoud, R. 734(1999)163  
Giardini, O., see Salerno, C. 734(1999)175  
Grenda, D., see Choma, I. 734(1999)7  
Guchelaar, H.-J., see Torano, J.S. 734(1999)203  
Gustavsson, B., see Odin, E. 734(1999)47  
Hagimoto, T., see Kondo, T. 734(1999)101  
Hansen, H., see Sorensen, L.K. 734(1999)307  
Hara, K.-i., see Iwasa, T. 734(1999)325  
Hernandez-Carrasquilla, M., see Olmos-Carmona, M.-L.  
734(1999)113  
Hoetelmans, R.M.W., see Veldkamp, A.I. 734(1999)55  
Huang, M., see Wong, F.A. 734(1999)247  
Hung, L.C., see Tsai, T.H. 734(1999)277  
Iwasa, T., Takano, T., Hara, K.-i. and Kamei, T.  
Method for the simultaneous determination of losartan and  
its major metabolite, EXP-3174, in human plasma by liquid  
chromatography–electrospray ionization tandem mass  
spectrometry 734(1999)325  
Janak, K., Jensen, E. and Becher, G.  
Determination of polychlorinated biphenyls in human blood  
by solid-phase extraction including on-column lipid  
decomposition 734(1999)219

- Jensen, E., see Janák, K. 734(1999)219
- Juzwin, S., see Wong, F.A. 734(1999)247
- Käfferlein, H.U. and Angerer, J.  
Simultaneous determination of two human urinary metabolites of *N,N*-dimethylformamide using gas chromatography–thermionic sensitive detection with mass spectrometric confirmation 734(1999)285
- Kamatagi, T., see Mushiroda, T. 734(1999)319
- Kamei, T., see Iwasa, T. 734(1999)325
- Kano, Y., see Mabuchi, M. 734(1999)145
- Kato, H., see Mushiroda, T. 734(1999)319
- Katoh, T., see Kim, H. 734(1999)211
- Kawamoto, T., see Kim, H. 734(1999)211
- Kestell, P., see Zhou, S. 734(1999)129
- Kielbasa, W.B., Bauer, J.A. and Fung, H.-L.  
Analysis of isobutyl nitrite inhalant in rat and human blood: application for pharmacokinetic investigations 734(1999)83
- Kim, H., Kim, Y.-D., Lee, H., Kawamoto, T., Yang, M. and Katoh, T.  
Assay of 2-naphthol in human urine by high-performance liquid chromatography 734(1999)211
- Kim, Y.-D., see Kim, H. 734(1999)211
- Kokkonen, J., Leinonen, A., Tuominen, J. and Seppälä, T.  
Comparison of sensitivity between gas chromatography–low-resolution mass spectrometry and gas chromatography–high-resolution mass spectrometry for determining metandienone metabolites in urine 734(1999)179
- Kondo, K., see Lee, X.-P. 734(1999)155
- Kondo, T., Dote, N., Hagimoto, T. and Yoshimura, Y.  
Application of liquid chromatography–turbo ion spray tandem mass spectrometry for quantitative analysis of a potent motilin receptor agonist, EM574, and its metabolites in human plasma 734(1999)101
- Kondo, T., see Mabuchi, M. 734(1999)145
- Krafft, M.-P., see Audran, M. 734(1999)267
- Krausz, P., see Chianéa, T. 734(1999)91
- Kristoffersen, L., Bugge, A., Lundanes, E. and Slørdal, L.  
Simultaneous determination of citalopram, fluoxetine, paroxetine and their metabolites in plasma and whole blood by high-performance liquid chromatography with ultraviolet and fluorescence detection 734(1999)229
- Kumazawa, T., see Lee, X.-P. 734(1999)155
- Kuo, J.-S., see Yang, C.-S. 734(1999)1
- Lacassie, E., see Marquet, P. 734(1999)137
- Lachâtre, G., see Marquet, P. 734(1999)137
- Lagerström, P.-O., see Stenhoff, H. 734(1999)191
- Lange, J.M.A., see Veldkamp, A.I. 734(1999)55
- Larsson, L., see Odin, E. 734(1999)47
- Larsson, P.-A., see Odin, E. 734(1999)47
- Lau, C.E., see Wang, Q. 734(1999)299
- Lavallee, C., see Breilh, D. 734(1999)121
- Le, X.C., see Wan, Q.-H. 734(1999)31
- Lee, H., see Kim, H. 734(1999)211
- Lee, X.-P., Kumazawa, T., Kondo, K., Sato, K. and Suzuki, O.  
Analysis of methanol or formic acid in body fluids by headspace solid-phase microextraction and capillary gas chromatography 734(1999)155
- Leinonen, A., see Kokkonen, J. 734(1999)179
- Lundanes, E., see Kristoffersen, L. 734(1999)229
- Mabuchi, M., Kano, Y., Fukuyama, T. and Kondo, T.  
Determination of imidapril and imidaprilat in human plasma by high-performance liquid chromatography–electrospray ionization tandem mass spectrometry 734(1999)145
- Malinowska, I., see Choma, I. 734(1999)7
- Marcos, J.C., Fonseca, L.P., Ramalho, M.T. and Cabral, J.M.S.  
Partial purification of penicillin acylase from *Escherichia coli* in poly(ethylene glycol)–sodium citrate aqueous two-phase systems 734(1999)15
- Marion, B., see Audran, M. 734(1999)267
- Marquet, P., Baudin, O., Gaulier, J.M., Lacassie, E., Dupuy, J.L., François, B. and Lachâtre, G.  
Sensitive and specific determination of midazolam and 1-hydroxymidazolam in human serum by liquid chromatography–electrospray mass spectrometry 734(1999)137
- Massoud, R., Federici, G., Casciani, S., Di Stasi, S.M., Fucci, G., Giannantoni, A. and Cortese, C.  
Extraction and determination of oxybutynin in human bladder samples by reversed-phase high-performance liquid chromatography 734(1999)163
- Mathurin, J.-C., see Audran, M. 734(1999)267
- McCall, J., see Zhou, S. 734(1999)129
- Meenhorst, P.L., see Veldkamp, A.I. 734(1999)55
- Monteil, J., see Chianéa, T. 734(1999)91
- Mulder, J.W., see Veldkamp, A.I. 734(1999)55
- Mushiroda, T., Yokoi, T., Takahara, E., Nagata, O., Kato, H. and Kamatagi, T.  
Sensitive assay of trimethylamine *N*-oxide in liver microsomes by headspace gas chromatography with flame thermionic detection 734(1999)319
- Nagata, O., see Mushiroda, T. 734(1999)319
- Odin, E., Wettergren, Y., Larsson, L., Larsson, P.-A. and Gustavsson, B.  
Rapid method for relative gene expression determination in human tissues using automated capillary gel electrophoresis and multicolor detection 734(1999)47
- Olmos-Carmona, M.-L. and Hernández-Carrasquilla, M.  
Gas chromatographic–mass spectrometric analysis of veterinary tranquillizers in urine: evaluation of method performance 734(1999)113
- Ozarowski, J., see Testino Jr, S.A. 734(1999)73
- Patonay, G., see Testino Jr, S.A. 734(1999)73
- Paxton, J.W., see Zhou, S. 734(1999)129
- Pleasant, S., see Biddlecombe, R.A. 734(1999)257
- Ramalho, M.T., see Marcos, J.C. 734(1999)15
- Salerno, C., D’Eufemia, P., Celli, M., Finocchiaro, R., Crifò, C. and Giardini, O.  
Determination of urinary orotic acid and uracil by capillary zone electrophoresis 734(1999)175
- Sato, K., see Lee, X.-P. 734(1999)155
- Saux, M.C., see Breilh, D. 734(1999)121
- Seppälä, T., see Kokkonen, J. 734(1999)179
- Sicart, M.-T., see Audran, M. 734(1999)267
- Slørdal, L., see Kristoffersen, L. 734(1999)229
- Snor, L.K., see Sørensen, L.K. 734(1999)307

- Sørensen, L.K., Snor, L.K., Elkær, T. and Hansen, H.  
Simultaneous determination of seven penicillins in muscle, liver and kidney tissues from cattle and pigs by a multiresidue high-performance liquid chromatographic method 734(1999)307
- Souček, P.  
Novel sensitive high-performance liquid chromatographic method for assay of coumarin 7-hydroxylation 734(1999)23
- Stenhoff, H., Blomqvist, Å. and Lagerström, P.-O.  
Determination of the enantiomers of omeprazole in blood plasma by normal-phase liquid chromatography and detection by atmospheric pressure ionization tandem mass spectrometry 734(1999)191
- Sudo, K.-i., see Tachibana, S. 734(1999)39
- Sun, L., see Wang, Q. 734(1999)299
- Suprynowicz, Z., see Choma, I. 734(1999)7
- Suzuki, O., see Lee, X.-P. 734(1999)155
- Tachibana, S., Fukano, A., Sudo, K.-i. and Tanaka, M.  
Determination of a novel calmodulin antagonist, 3-{2-[4-(3-chloro-2-methylphenyl)-1-piperazinyl]ethyl}-5,6-dimethoxy-1-(4-imidazolylmethyl)-1*H*-indazole dihydrochloride 3.5 hydrate, DY-9760e, in human plasma using solid-phase extraction and high-performance liquid chromatography with fluorescence detection 734(1999)39
- Takahara, E., see Mushiroda, T. 734(1999)319
- Takano, T., see Iwasa, T. 734(1999)325
- Tanaka, M., see Tachibana, S. 734(1999)39
- Tegegne, G., see Wong, F.A. 734(1999)247
- Testino Jr, S.A., Ozarowski, J., Thurston, A.W., Arrendale, R.F. and Patonay, G.  
Determination of testosterone and 6 $\beta$ -hydroxytestosterone by gas chromatography–selected ion monitoring–mass spectrometry for the characterization of cytochrome p450 3a activity 734(1999)73
- Thurston, A.W., see Testino Jr, S.A. 734(1999)73
- Tingle, M.D., see Zhou, S. 734(1999)129
- Tischio, J.P., see Wong, F.A. 734(1999)247
- Toraño, J.S., Verbon, A. and Guchelaar, H.-J.  
Quantitative determination of thalidomide in human serum with high-performance liquid chromatography using protein precipitation with trichloroacetic acid and ultraviolet detection 734(1999)203
- Tsai, P.-J., see Yang, C.-S. 734(1999)1
- Tsai, T.H., Cheng, F.C., Hung, L.C. and Chen, C.F.  
Measurement of hydroxyl radical in rat blood vessel by microbore liquid chromatography and electrochemical detection: an on-line microdialysis study 734(1999)277
- Tsai, W.-J., see Yang, C.-S. 734(1999)1
- Tuominen, J., see Kokkonen, J. 734(1999)179
- Van Heeswijk, R.P.G., see Veldkamp, A.I. 734(1999)55
- Veldkamp, A.I., van Heeswijk, R.P.G., Meenhorst, P.L., Mulder, J.W., Lange, J.M.A., Beijnen, J.H. and Hoetelmans, R.M.W.  
Quantitative determination of efavirenz (DMP 266), a novel non-nucleoside reverse transcriptase inhibitor, in human plasma using isocratic reversed-phase high-performance liquid chromatography with ultraviolet detection 734(1999)55
- Verbon, A., see Toraño, J.S. 734(1999)203
- Wan, Q.-H. and Le, X.C.  
Capillary electrophoretic immunoassays for digoxin and gentamicin with laser-induced fluorescence polarization detection 734(1999)31
- Wang, Q., Sun, L. and Lau, C.E.  
Determination of zolpidem in serum microsomes by high-performance liquid chromatography and its application to pharmacokinetics in rats 734(1999)299
- Wettergren, Y., see Odin, E. 734(1999)47
- Wong, F.A., Edom, R.W., Duda, M., Tischio, J.P., Huang, M., Juzwin, S. and Tegegne, G.  
Determination of norgestimate and its metabolites in human serum using high-performance liquid chromatography with tandem mass spectrometric detection 734(1999)247
- Yang, C.-S., Tsai, P.-J., Chen, W.-Y., Tsai, W.-J. and Kuo, J.-S.  
On-line derivatization for continuous and automatic monitoring of brain extracellular glutamate levels in anesthetized rats: a microdialysis study 734(1999)1
- Yang, M., see Kim, H. 734(1999)211
- Yeh, K.C., see Zhong, L. 734(1999)63
- Yokoi, T., see Mushiroda, T. 734(1999)319
- Yoshimura, Y., see Kondo, T. 734(1999)101
- Zhong, L. and Yeh, K.C.  
Determination of indinavir in human cerebrospinal fluid and plasma by solid-phase extraction and high-performance liquid chromatography with column switching 734(1999)63
- Zhou, S., Paxton, J.W., Tingle, M.D., McCall, J. and Kestell, P.  
Determination of two major metabolites of the novel anti-tumour agent 5,6-dimethylxanthenone-4-acetic acid in hepatic microsomal incubations by high-performance liquid chromatography with fluorescence detection 734(1999)129