

Journal of Chromatography B, 734 (1999) 337-340

JOURNAL OF CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Compound Index Vol. 734

N-Acetyl-S-(N-methylcarbamoyl)cysteine

Simultaneous determination of two human urinary metabolites of *N*,*N*-dimethylformamide using gas chromatography– thermionic sensitive detection with mass spectrometric confirmation 734(1999)285

γ-Aminobutyric acid

On-line derivatization for continuous and automatic monitoring of brain extracellular glutamate levels in anesthetized rats: a microdialysis study 734(1999)1

Anabolic steroids

Comparison of sensitivity between gas chromatography-lowresolution mass spectrometry and gas chromatography-highresolution mass spectrometry for determining metandienone metabolites in urine 734(1999)179

Aspartate

On-line derivatization for continuous and automatic monitoring of brain extracellular glutamate levels in anesthetized rats: a microdialysis study 734(1999)1

Azaperol

Gas chromatographic-mass spectrometric analysis of veterinary tranquillizers in urine: evaluation of method performance 734(1999)113

Azaperone

Gas chromatographic-mass spectrometric analysis of veterinary tranquillizers in urine: evaluation of method performance 734(1999)113

Calmodulin antagonist

Determination of a novel calmodulin antagonist, 3-{2-[4-(3chloro-2-methylphenyl)-1-piperazinyl]ethyl}-5,6-dimethoxy-1-(4imidazolylmethyl)-1*H*-indazole dihydrochloride 3.5 hydrate, DY-9760e, in human plasma using solid-phase extraction and highperformance liquid chromatography with fluorescence detection 734(1999)39

Carbohydrates

Carbohydrate release from picomole quantities of glycoprotein and characterisation of glycans by high-performance liquid chromatography and mass spectrometry 734(1999)169

Cefepime

Determination of cefepime and cefpirome in human serum by high-performance liquid chromatography using an ultrafiltration for antibiotics serum extraction 734(1999)121

Cepirome

Determination of cefepime and cefpirome in human serum by high-performance liquid chromatography using an ultrafiltration for antibiotics serum extraction 734(1999)121

Citalopram

Simultaneous determination of citalopram, fluoxetine, paroxetine and their metabolites in plasma and whole blood by highperformance liquid chromatography with ultraviolet and fluorescence detection 734(1999)229

Coumarin 7-hydroxylase

Novel sensitive high-performance liquid chromatographic method for assay of coumarin 7-hydroxylation 734(1999)23

Cytochromes

Determination of testosterone and 6β-hydroxytestosterone by gas chromatography–selected ion monitoring–mass spectrometry for the characterization of cytochrome p450 3a activity 734(1999)73

17-Deacetylnorgestimate

Determination of norgestimate and its metabolites in human serum using high-performance liquid chromatography with tandem mass spectrometric detection 734(1999)247

Digoxin

Capillary electrophoretic immunoassays for digoxin and gentamicin with laser-induced fluorescence polarization detection 734(1999)31

N,N-Dimethylformamide

Simultaneous determination of two human urinary metabolites of *N*,*N*-dimethylformamide using gas chromatography– thermionic sensitive detection with mass spectrometric confirmation 734(1999)285

5,6-Dimethylxanthenone-4-acetic acid

Determination of two major metabolites of the novel antitumour agent 5,6-dimethylxanthenone-4-acetic acid in hepatic microsomal incubations by high-performance liquid chromatography with fluorescence detection 734(1999)129 338

DMP 266

Quantitative determination of efavirenz (DMP 266), a novel non-nucleoside reverse transcriptase inhibitor, in human plasma using isocratic reversed-phase high-performance liquid chromatography with ultraviolet detection 734(1999)55

DNA

Rapid method for relative gene expression determination in human tissues using automated capillary gel electrophoresis and multicolor detection 734(1999)47

Doxycycline

Determination of flumequine and doxycycline in milk by a simple thin-layer chromatographic method 734(1999)7

DY-9760e

Determination of a novel calmodulin antagonist, 3-{2-[4-(3chloro-2-methylphenyl)-1-piperazinyl]ethyl}-5,6-dimethoxy-1-(4imidazolylmethyl)-1*H*-indazole dihydrochloride 3.5 hydrate, DY-9760e, in human plasma using solid-phase extraction and highperformance liquid chromatography with fluorescence detection 734(1999)39

DY-9836

Determination of a novel calmodulin antagonist, 3-{2-[4-(3chloro-2-methylphenyl)-1-piperazinyl]ethyl}-5,6-dimethoxy-1-(4imidazolylmethyl)-1*H*-indazole dihydrochloride 3.5 hydrate, DY-9760e, in human plasma using solid-phase extraction and highperformance liquid chromatography with fluorescence detection 734(1999)39

Efavirenz

Quantitative determination of efavirenz (DMP 266), a novel non-nucleoside reverse transcriptase inhibitor, in human plasma using isocratic reversed-phase high-performance liquid chromatography with ultraviolet detection 734(1999)55

EM574

Application of liquid chromatography-turbo ion spray tandem mass spectrometry for quantitative analysis of a potent motilin receptor agonist, EM574, and its metabolites in human plasma 734(1999)101

Enzymes

Novel sensitive high-performance liquid chromatographic method for assay of coumarin 7-hydroxylation 734(1999)23

Erythromycin derivative

Application of liquid chromatography-turbo ion spray tandem mass spectrometry for quantitative analysis of a potent motilin receptor agonist, EM574, and its metabolites in human plasma 734(1999)101

EXP-3174

Method for the simultaneous determination of losartan and its major metabolite, EXP-3174, in human plasma by liquid chromatography–electrospray ionization tandem mass spectrometry 734(1999)325

Flumequine

Determination of flumequine and doxycycline in milk by a simple thin-layer chromatographic method 734(1999)7

Fluoxetine

Simultaneous determination of citalopram, fluoxetine, paroxetine and their metabolites in plasma and whole blood by highperformance liquid chromatography with ultraviolet and fluorescence detection 734(1999)229

Formic acid

Analysis of methanol or formic acid in body fluids by headspace solid-phase microextraction and capillary gas chromatography 734(1999)155

Gentamicin

Capillary electrophoretic immunoassays for digoxin and gentamicin with laser-induced fluorescence polarization detection 734(1999)31

Glutamate

On-line derivatization for continuous and automatic monitoring of brain extracellular glutamate levels in anesthetized rats: a microdialysis study 734(1999)1

Glutamine

On-line derivatization for continuous and automatic monitoring of brain extracellular glutamate levels in anesthetized rats: a microdialysis study 734(1999)1

Glycans

Carbohydrate release from picomole quantities of glycoprotein and characterisation of glycans by high-performance liquid chromatography and mass spectrometry 734(1999)169

Glycine

On-line derivatization for continuous and automatic monitoring of brain extracellular glutamate levels in anesthetized rats: a microdialysis study 734(1999)1

Glycoproteins

Carbohydrate release from picomole quantities of glycoprotein and characterisation of glycans by high-performance liquid chromatography and mass spectrometry 734(1999)169

Haloperidol

Gas chromatographic-mass spectrometric analysis of veterinary tranquillizers in urine: evaluation of method performance 734(1999)113

Hydroxyl radical

Measurement of hydroxyl radical in rat blood vessel by microbore liquid chromatography and electrochemical detection: an on-line microdialysis study 734(1999)277

N-Hydroxymethyl-N-methylformamide

Simultaneous determination of two human urinary metabolites of *N*,*N*-dimethylformamide using gas chromatography– thermionic sensitive detection with mass spectrometric confirmation 734(1999)285

1-Hydroxymidazolam

Sensitive and specific determination of midazolam and 1hydroxymidazolam in human serum by liquid chromatography– electrospray mass spectrometry 734(1999)137

6β-Hydroxytestosterone

Determination of testosterone and 6β -hydroxytestosterone by gas chromatography–selected ion monitoring–mass spectrometry for the characterization of cytochrome p450 3a activity 734(1999)73

Imidapril

Determination of imidapril and imidaprilat in human plasma by high-performance liquid chromatography-electrospray ionization tandem mass spectrometry 734(1999)145

Imidaprilat

Determination of imidapril and imidaprilat in human plasma by high-performance liquid chromatography-electrospray ionization tandem mass spectrometry 734(1999)145

Immunoglobulins

Carbohydrate release from picomole quantities of glycoprotein and characterisation of glycans by high-performance liquid chromatography and mass spectrometry 734(1999)169

Indinavir

Determination of indinavir in human cerebrospinal fluid and plasma by solid-phase extraction and high-performance liquid chromatography with column switching 734(1999)63

Isobutyl nitrite

Analysis of isobutyl nitrite inhalant in rat and human blood: application for pharmacokinetic investigations 734(1999)83

Ketamine

Gas chromatographic-mass spectrometric analysis of veterinary tranquillizers in urine: evaluation of method performance 734(1999)113

3-Ketonorgestimate

Determination of norgestimate and its metabolites in human serum using high-performance liquid chromatography with tandem mass spectrometric detection 734(1999)247

Losartan

Method for the simultaneous determination of losartan and its major metabolite, EXP-3174, in human plasma by liquid chromatography–electrospray ionization tandem mass spectrometry 734(1999)325

Metandienone

Comparison of sensitivity between gas chromatography–lowresolution mass spectrometry and gas chromatography–highresolution mass spectrometry for determining metandienone metabolites in urine 734(1999)179

Methanol

Analysis of methanol or formic acid in body fluids by headspace solid-phase microextraction and capillary gas chromatography 734(1999)155

Midazolam

Sensitive and specific determination of midazolam and 1hydroxymidazolam in human serum by liquid chromatography– electrospray mass spectrometry 734(1999)137

Motilin receptor agonist

Application of liquid chromatography-turbo ion spray tandem mass spectrometry for quantitative analysis of a potent motilin receptor agonist, EM574, and its metabolites in human plasma 734(1999)101

Naphthalene

Assay of 2-naphthol in human urine by high-performance liquid chromatography 734(1999)211

2-Naphthol

Assay of 2-naphthol in human urine by high-performance liquid chromatography 734(1999)211

Norgestimate

Determination of norgestimate and its metabolites in human serum using high-performance liquid chromatography with tandem mass spectrometric detection 734(1999)247

Norgestrel

Determination of norgestimate and its metabolites in human serum using high-performance liquid chromatography with tandem mass spectrometric detection 734(1999)247

Omeprazole

Determination of the enantiomers of omeprazole in blood plasma by normal-phase liquid chromatography and detection by atmospheric pressure ionization tandem mass spectrometry 734(1999)191

Ortic acid

Determination of urinary orotic acid and uracil by capillary zone electrophoresis 734(1999)175

Oxybutynin

Extraction and determination of oxybutynin in human bladder samples by reversed-phase high-performance liquid chromatography 734(1999)163

Paroxetine

Simultaneous determination of citalopram, fluoxetine, paroxetine and their metabolites in plasma and whole blood by highperformance liquid chromatography with ultraviolet and fluorescence detection 734(1999)229

Penicillin acylase

Partial purification of penicillin acylase from *Escherichia coli* in poly(ethylene glycol)–sodium citrate aqueous two-phase systems 734(1999)15

340

Compound Index Vol. 734

Penicillins

Simultaneous determination of seven penicillins in muscle, liver and kidney tissues from cattle and pigs by a multiresidue highperformance liquid chromatographic method 734(1999)307

Perflubron

Assay method for the perfluorooctyl bromide (perflubron) in rat blood by gas chromatography-mass spectrometry 734(1999)267

Perfluorooctyl bromide

Assay method for the perfluorooctyl bromide (perflubron) in rat blood by gas chromatography-mass spectrometry 734(1999)267

Phenothiazines

Gas chromatographic-mass spectrometric analysis of veterinary tranquillizers in urine: evaluation of method performance 734(1999)113

Polychlorinated biphenyls

Determination of polychlorinated biphenyls in human blood by solid-phase extraction including on-column lipid decomposition 734(1999)219

Poly(ethylene glycol)-sodium citrate

Partial purification of penicillin acylase from *Escherichia coli* in poly(ethylene glycol)–sodium citrate aqueous two-phase systems 734(1999)15

RNA

Rapid method for relative gene expression determination in human tissues using automated capillary gel electrophoresis and multicolor detection 734(1999)47

Salbutamol

Automated protein precipitation by filtration in the 96-well format 734(1999)257

Taurine

On-line derivatization for continuous and automatic monitoring of brain extracellular glutamate levels in anesthetized rats: a microdialysis study 734(1999)1

Testosterone

Determination of testosterone and 6β -hydroxytestosterone by gas chromatography–selected ion monitoring–mass spectrometry for the characterization of cytochrome p450 3a activity 734(1999)73

Thalidomide

Quantitative determination of thalidomide in human serum with high-performance liquid chromatography using protein precipitation with trichloroacetic acid and ultraviolet detection 734(1999)203

Trimethyl-N-oxide

Sensitive assay of trimethylamine N-oxide in liver microsomes by headspace gas chromatography with flame thermionic detection 734(1999)319

Uracil

Determination of urinary orotic acid and uracil by capillary zone electrophoresis 734(1999)175

Xylazine

Gas chromatographic-mass spectrometric analysis of veterinary tranquillizers in urine: evaluation of method performance 734(1999)113

Zolpidem

Determination of zolpidem in serum microsamples by highperformance liquid chromatography and its application to pharmacokinetics in rats 734(1999)299