



ELSEVIER

Journal of Chromatography B, 737 (2000) 303–305

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Compound Index Vol. 737

Adenosine deaminase

Purification of human adenosine deaminase for the preparation of a reference material 737(2000)237

Aldose reductase

D-Xylose metabolism by *Candida intermedia*: isolation and characterisation of two forms of aldose reductase with different coenzyme specificities 737(2000)195

ε-Aminocaproic acid

Improved purification of the membrane-bound hydrogenase–sulfur-reductase complex from thermophilic archaea using ε-aminocaproic acid-containing chromatography buffers 737(2000)151

Aminopeptidase

Purification and characterization of an aminopeptidase from the chloroplast stroma of barley leaves by chromatographic and electrophoretic methods 737(2000)285

α-Amylase

Single-step purification of a recombinant thermostable α-amylase after solubilization of the enzyme from insoluble aggregates 737(2000)253

New approach for separating *Bacillus subtilis* metalloprotease and α-amylase by affinity chromatography and for purifying neutral protease by hydrophobic chromatography 737(2000)277

Arsenate reductase

Development of a downstream process for the isolation of *Staphylococcus aureus* arsenate reductase overproduced in *Escherichia coli* 737(2000)167

Attachment protein G

Purification of respiratory syncytial virus F and G proteins 737(2000)97

Calcium-binding proteins

Purification of the Ca²⁺-binding protein S100A1 from myocardium and recombinant *Escherichia coli* 737(2000)39

L-N-Carbamoylase

Purification of recombinant hydantoinase and L-N-carbamoylase from *Arthrobacter aurescens* expressed in *Escherichia coli*: comparison of wild-type and genetically modified proteins 737(2000)179

Chemokines

Multi-step purification strategy for RANTES wild-type and mutated analogues expressed in a baculovirus system 737(2000)47

Chymotrypsin

Expression of chymotrypsin(ogen) in the thioredoxin reductase deficient mutant strain of *Escherichia coli* AD494(DE3) and purification via a fusion product with a hexahistidine-tail 737(2000)213

Chymotrypsinogen

Expression of chymotrypsin(ogen) in the thioredoxin reductase deficient mutant strain of *Escherichia coli* AD494(DE3) and purification via a fusion product with a hexahistidine-tail 737(2000)213

Cpr6

Three-step chromatographic purification of Cpr6, a cyclophilin from *Saccharomyces cerevisiae* 737(2000)295

Cyclophilins

Three-step chromatographic purification of Cpr6, a cyclophilin from *Saccharomyces cerevisiae* 737(2000)295

Cytochrome b₅

Purification of the membrane binding domain of cytochrome b₅ by immobilised nickel chelate chromatography 737(2000)119

Diamine oxidase

Highly efficient purification of porcine diamine oxidase 737(2000)161

Enzymes

Improved purification of the membrane-bound hydrogenase–sulfur-reductase complex from thermophilic archaea using ε-aminocaproic acid-containing chromatography buffers 737(2000)151

Highly efficient purification of porcine diamine oxidase 737(2000)161

Development of a downstream process for the isolation of *Staphylococcus aureus* arsenate reductase overproduced in *Escherichia coli* 737(2000)167

Purification of recombinant hydantoinase and L-N-carbamoylase from *Arthrobacter aurescens* expressed in *Escherichia coli*: comparison of wild-type and genetically modified proteins 737(2000)179

Purification of a D-hydantoinase using a laboratory-scale Streamline phenyl column as the initial step 737(2000)187

D-Xylose metabolism by *Candida intermedia*: isolation and characterisation of two forms of aldose reductase with different coenzyme specificities 737(2000)195

Purification of surface-associated urease from *Helicobacter pylori* 737(2000)202

Refolding and purification of a urokinase plasminogen activator fragment by chromatography 737(2000)225

Purification of human adenosine deaminase for the preparation of a reference material 737(2000)237

Pullulanase from the hyperthermophilic bacterium *Thermotoga maritima*: purification by β -cyclodextrin affinity chromatography 737(2000)245

Single-step purification of a recombinant thermostable α -amylase after solubilization of the enzyme from insoluble aggregates 737(2000)253

Purification of the fengycin synthetase multienzyme system from *Bacillus subtilis* b213 737(2000)267

New approach for separating *Bacillus subtilis* metalloprotease and α -amylase by affinity chromatography and for purifying neutral protease by hydrophobic chromatography 737(2000)277

Purification and characterization of an aminopeptidase from the chloroplast stroma of barley leaves by chromatographic and electrophoretic methods 737(2000)285

Three-step chromatographic purification of Cpr6, a cyclophilin from *Saccharomyces cerevisiae* 737(2000)295

Fengycin synthetase

Purification of the fengycin synthetase multienzyme system from *Bacillus subtilis* b213 737(2000)267

FK506 binding proteins

Three-step purification of a fragment of the large immunophilin FKBP52 737(2000)71

Fusion protein F

Purification of respiratory syncytial virus F and G proteins 737(2000)97

Glycoproteins

Expression, purification and biological properties of the carboxyl half part of the HTLV-I surface envelope glycoprotein 737(2000)85

Purification of respiratory syncytial virus F and G proteins 737(2000)97

Hemolysin

Two-step fast protein liquid chromatographic purification of the *Serratia marcescens* hemolysin and peptide mapping with mass spectrometry 737(2000)13

Human T-cell leukemia virus

Expression, purification and biological properties of the carboxyl half part of the HTLV-I surface envelope glycoprotein 737(2000)85

Hydantoinase

Purification of recombinant hydantoinase and L-N-carbamoylase from *Arthrobacter aurescens* expressed in *Escherichia coli*: comparison of wild-type and genetically modified proteins 737(2000)179

D-Hydantoinase

Purification of a D-hydantoinase using a laboratory-scale Streamline phenyl column as the initial step 737(2000)187

Hydrogenase-sulfur reductase complex

Improved purification of the membrane-bound hydrogenase-sulfur-reductase complex from thermophilic archaea using ϵ -aminocaproic acid-containing chromatography buffers 737(2000)151

Immunophilins

Three-step purification of a fragment of the large immunophilin FKBP52 737(2000)71

Kinesin

Three-step chromatographic purification procedure for the production of a His-tag recombinant kinesin overexpressed in *E. coli* 737(2000)143

β -Lactamases

Technique for a rapid and efficient purification of the SHV-1 and PSE-2 β -lactamases 737(2000)261

MAK33

Chromatographic purification of the C_H2 domain of the monoclonal antibody MAK33 737(2000)63

Membrane proteins

Novel, rapid purification of the membrane protein photosystem I by high-performance liquid chromatography on porous materials 737(2000)131

Metalloprotease

New approach for separating *Bacillus subtilis* metalloprotease and α -amylase by affinity chromatography and for purifying neutral protease by hydrophobic chromatography 737(2000)277

Monoclonal antibodies

Chromatographic purification of the C_H2 domain of the monoclonal antibody MAK33 737(2000)63

Nickel chelates

Purification of the membrane binding domain of cytochrome b_5 by immobilised nickel chelate chromatography 737(2000)119

Peptides

Purification of the c-erbB2/*neu* membrane-spanning segment: a hydrophobic challenge 737(2000)55

Peptidyl-prolyl *cis-trans* isomerases

Three-step chromatographic purification of Cpr6, a cyclophilin from *Saccharomyces cerevisiae* 737(2000)295

Photosystem I

Novel, rapid purification of the membrane protein photosystem I by high-performance liquid chromatography on porous materials 737(2000)131

Polyoma VP1

Purification of a viral coat protein by an engineered polyionic sequence 737(2000)77

Protease

New approach for separating *Bacillus subtilis* metalloprotease and α -amylase by affinity chromatography and for purifying neutral protease by hydrophobic chromatography 737(2000)277

Proteins

Three-step purification of a fragment of the large immunophilin FKBP52 737(2000)71

Novel, rapid purification of the membrane protein photosystem I by high-performance liquid chromatography on porous materials 737(2000)131

Three-step chromatographic purification procedure for the production of a His-tag recombinant kinesin overexpressed in *E. coli* 737(2000)143

Pullulanase

Pullulanase from the hyperthermophilic bacterium *Thermotoga maritima*: purification by β -cyclodextrin affinity chromatography 737(2000)245

Recombinant human basic fibroblast growth factor

Preparative two-step purification of recombinant human basic fibroblast growth factor from high-cell-density cultivation of *Escherichia coli* 737(2000)25

S100A1

Purification of the Ca^{2+} -binding protein S100A1 from myocardium and recombinant *Escherichia coli* 737(2000)39

Single-chain Fv antibodies

Three-step purification of bacterially expressed human single-chain Fv antibodies for clinical applications 737(2000)107

Thioredoxin

Purification of the membrane binding domain of cytochrome b_5 by immobilised nickel chelate chromatography 737(2000)119

Thioredoxin reductase

Expression of chymotrypsin(ogen) in the thioredoxin reductase deficient mutant strain of *Escherichia coli* AD494(DE3) and purification via a fusion product with a hexahistidine-tail 737(2000)213

Urease

Purification of surface-associated urease from *Helicobacter pylori* 737(2000)202

Urokinase plasminogen activator

Refolding and purification of a urokinase plasminogen activator fragment by chromatography 737(2000)225

Viral coat proteins

Purification of a viral coat protein by an engineered polyionic sequence 737(2000)77

Vitellogenin

Two-step purification method of vitellogenin from three teleost fish species: rainbow trout (*Oncorhynchus mykiss*), gudgeon (*Gobio gobio*) and chub (*Leuciscus cephalus*) 737(2000)3