



ELSEVIER

Journal of Chromatography B, 738 (2000) 447–451

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Compound Index Vol. 738

Anthracyclines

Simultaneous determination of four anthracyclines and three metabolites in human serum by liquid chromatography–electrospray mass spectrometry 738(2000)281

Antibodies

Immobilization of antibodies onto glass wool 738(2000)217

Antifungal agent

High-performance liquid chromatographic analysis of the antifungal agent SCH 56592 in dog serum 738(2000)93

Antifungal agents

Novel sample preparation method facilitating identification of urinary drug metabolites by liquid chromatography–tandem mass spectrometry 738(2000)259

Atenolol

Two reproducible and sensitive liquid chromatographic methods to quantify atenolol and propranolol in human plasma and determination of their associated analytical error functions 738(2000)225

Azithromycin

Determination of erythromycin, clarithromycin, roxithromycin, and azithromycin in plasma by high-performance liquid chromatography with amperometric detection 738(2000)405

Berenil

Determination by capillary zone electrophoresis of berenil, phenamidine, diampron and dibromopropamidine in serum and urine 738(2000)293

Biphenyldimethyl dicarboxylate

Rapid microbore liquid chromatographic analysis of biphenyldimethyl dicarboxylate in human plasma with on-line column switching 738(2000)175

β-Blockers

Two reproducible and sensitive liquid chromatographic methods to quantify atenolol and propranolol in human plasma and determination of their associated analytical error functions 738(2000)225

Caffeic acid

Simultaneous analysis of shikimate-derived secondary metabolites in *Lithospermum erythrorhizon* cell suspension cultures by high-performance liquid chromatography 738(2000)3

Carbamazepine-10,11-trans-dihydrodiol

Simultaneous stereoselective high-performance liquid chromatographic determination of 10-hydroxycarbamazepine and its metabolite carbamazepine-10,11-trans-dihydrodiol in human urine 738(2000)419

Cefotaxime

Concurrent quantification and pharmacokinetic analysis of cefotaxime in rat blood and brain by microdialysis and microbore liquid chromatography 738(2000)75

Celecoxib

Determination of celecoxib in human plasma by normal-phase high-performance liquid chromatography with column switching and ultraviolet absorbance detection 738(2000)377

CGP 60536

Automated quantitative determination of the new renin inhibitor CGP 60536 by high-performance liquid chromatography 738(2000)129

Clarithromycin

Determination of erythromycin, clarithromycin, roxithromycin, and azithromycin in plasma by high-performance liquid chromatography with amperometric detection 738(2000)405

Clodronate

Analysis of an adenine nucleotide-containing metabolite of clodronate using ion pair high-performance liquid chromatography–electrospray ionisation mass spectrometry 738(2000)395

Cortisol

Simultaneous determination of endogenous and ¹³C-labelled cortisols and cortisones in human plasma by stable isotope dilution mass spectrometry 738(2000)119

Cortisone

Simultaneous determination of endogenous and ¹³C-labelled cortisols and cortisones in human plasma by stable isotope dilution mass spectrometry 738(2000)119

Daunorubicin

Simultaneous determination of four anthracyclines and three metabolites in human serum by liquid chromatography–electrospray mass spectrometry 738(2000)281

Dexamethasone

Simultaneous determination of hydrocortisone, dexamethasone, indomethacin, phenylbutazone and oxyphenbutazone in equine serum by high-performance liquid chromatography 738(2000)17

Diampron

Determination by capillary zone electrophoresis of berenil, phenamidine, diampron and dibromopropamidine in serum and urine 738(2000)293

Dibromopropamidine

Determination by capillary zone electrophoresis of berenil, phenamidine, diampron and dibromopropamidine in serum and urine 738(2000)293

Dihydropyrimidine dehydrogenase

Measurement of plasma uracil using gas chromatography–mass spectrometry in normal individuals and in patients receiving inhibitors of dihydropyrimidine dehydrogenase 738(2000)249

4-Dimethylaminobenzylamine

4-Dimethylaminobenzylamine as a sensitive chemiluminescence derivatization reagent for 5-hydroxyindoles and its application to their quantification in human platelet-poor plasma 738(2000)199

Doxorubicin

Simultaneous determination of four anthracyclines and three metabolites in human serum by liquid chromatography–electrospray mass spectrometry 738(2000)281

DNA fragments

Effect of temperature on the separation of DNA fragments by high-performance liquid chromatography and capillary electrophoresis: a comparative study 738(2000)243

Echinofuran

Simultaneous analysis of shikimate-derived secondary metabolites in *Lithospermum erythrorhizon* cell suspension cultures by high-performance liquid chromatography 738(2000)3

Eniluracil

Measurement of plasma uracil using gas chromatography–mass spectrometry in normal individuals and in patients receiving inhibitors of dihydropyrimidine dehydrogenase 738(2000)249

Epirubicin

Simultaneous determination of four anthracyclines and three metabolites in human serum by liquid chromatography–electrospray mass spectrometry 738(2000)281

Erythromycin

Determination of erythromycin, clarithromycin, roxithromycin, and azithromycin in plasma by high-performance liquid chromatography with amperometric detection 738(2000)405

Estradiol

Determination of estramustine phosphate and its metabolites estromustine, estramustine, estrone and estradiol in human plasma by liquid chromatography with fluorescence detection and gas chromatography with nitrogen-phosphorus and mass spectrometric detection 738(2000)267

Estramustine

Determination of estramustine phosphate and its metabolites estromustine, estramustine, estrone and estradiol in human plasma by liquid chromatography with fluorescence detection and gas chromatography with nitrogen-phosphorus and mass spectrometric detection 738(2000)267

Estramustine phosphate

Determination of estramustine phosphate and its metabolites estromustine, estramustine, estrone and estradiol in human plasma by liquid chromatography with fluorescence detection and gas chromatography with nitrogen-phosphorus and mass spectrometric detection 738(2000)267

Estromustine

Determination of estramustine phosphate and its metabolites estromustine, estramustine, estrone and estradiol in human plasma by liquid chromatography with fluorescence detection and gas chromatography with nitrogen-phosphorus and mass spectrometric detection 738(2000)267

Estrone

Determination of estramustine phosphate and its metabolites estromustine, estramustine, estrone and estradiol in human plasma by liquid chromatography with fluorescence detection and gas chromatography with nitrogen-phosphorus and mass spectrometric detection 738(2000)267

Fenproporex

Studies on the metabolism and toxicological detection of the amphetamine-like anorectic fenproporex in human urine by gas chromatography–mass spectrometry and fluorescence polarization immunoassay 738(2000)107

Finasteride

Determination of finasteride in human plasma by liquid–liquid extraction and high-performance liquid chromatography 738(2000)305

Flunitrazepam

Validated method for the therapeutic drug monitoring of flunitrazepam in human serum using liquid chromatography–atmospheric pressure chemical ionization tandem mass spectrometry with an ion trap detector 738(2000)437

β -Glucuronidase

High-performance liquid chromatographic determination of quercetin and isorhamnetin in rat tissues using β -glucuronidase and acid hydrolysis 738(2000)413

Glycyrrhizin

Determination of 18 α -glycyrrhizin and 18 β -glycyrrhizin in dog plasma by high-performance liquid chromatography 738(2000)165

Heptafluorobutyric anhydride

Gas chromatographic method for the determination of toluidines in spiked urine samples 738(2000)427

Homocysteine

Determination of isotopic enrichments of [1-¹³C]homocysteine, [1-¹³C]methionine and [²H₃-methyl-1-¹³C]methionine in human plasma by gas chromatography–negative chemical ionization mass spectrometry 738(2000)99

5-HT_{1A} receptors

Enantioselective high-performance liquid chromatographic analysis of the 5-HT_{1A} receptor agonist 8-hydroxy-2-(di-*n*-propylamino)tetralin. Application to a pharmacokinetic–pharmacodynamic study in rats 738(2000)67

Hydrocortisone

Simultaneous determination of hydrocortisone, dexamethasone, indomethacin, phenylbutazone and oxyphenbutazone in equine serum by high-performance liquid chromatography 738(2000)17

3-Hydroxybenz[*a*]anthracene

High-performance liquid chromatographic method with fluorescence detection for the determination of 3-hydroxybenzo[*a*]pyrene and 3-hydroxybenz[*a*]anthracene in the urine of polycyclic aromatic hydrocarbon-exposed workers 738(2000)47

***p*-Hydroxybenzoic acid-*O*-glucoside**

Simultaneous analysis of shikimate-derived secondary metabolites in *Lithospermum erythrorhizon* cell suspension cultures by high-performance liquid chromatography 738(2000)3

3-Hydroxybenzo[*a*]pyrene

High-performance liquid chromatographic method with fluorescence detection for the determination of 3-hydroxybenzo[*a*]pyrene and 3-hydroxybenz[*a*]anthracene in the urine of polycyclic aromatic hydrocarbon-exposed workers 738(2000)47

10-Hydroxycarbazepine

Simultaneous stereoselective high-performance liquid chromatographic determination of 10-hydroxycarbazepine and its metabolite carbamazepine-10,11-*trans*-dihydrodiol in human urine 738(2000)419

Hydrocortisol

Simultaneous determination of 6 β - and 6 α -hydrocortisols and 6 β -hydroxycortisone in human urine by stable isotope dilution mass spectrometry 738(2000)367

Hydroxycortisone

Simultaneous determination of 6 β - and 6 α -hydrocortisols and 6 β -hydroxycortisone in human urine by stable isotope dilution mass spectrometry 738(2000)367

8-Hydroxy-2'-deoxyguanosine

Fast quantification of the urinary marker of oxidative stress 8-hydroxy-2'-deoxyguanosine using solid-phase extraction and high-performance liquid chromatography with triple-stage quadrupole mass detection 738(2000)311

8-Hydroxy-2-(di-*n*-propylamino)tetralin

Enantioselective high-performance liquid chromatographic analysis of the 5-HT_{1A} receptor agonist 8-hydroxy-2-(di-*n*-propylamino)tetralin. Application to a pharmacokinetic–pharmacodynamic study in rats 738(2000)67

5-Hydroxyindoles

4-Dimethylaminobenzylamine as a sensitive chemiluminescence derivatization reagent for 5-hydroxyindoles and its application to their quantification in human platelet-poor plasma 738(2000)199

Idarubicin

Simultaneous determination of four anthracyclines and three metabolites in human serum by liquid chromatography–electrospray mass spectrometry 738(2000)281

Immunoglobulin G

Chromatographic behavior of mouse serum immunoglobulin G in protein G perfusion affinity chromatography 738(2000)149

Indomethacin

Simultaneous determination of hydrocortisone, dexamethasone, indomethacin, phenylbutazone and oxyphenbutazone in equine serum by high-performance liquid chromatography 738(2000)17

Isorhamnetin

High-performance liquid chromatographic determination of quercetin and isorhamnetin in rat tissues using β -glucuronidase and acid hydrolysis 738(2000)413

Lurtotecan

Liposomal lurtotecan (NX211): determination of total drug levels in human plasma and urine by reversed-phase high-performance liquid chromatography 738(2000)155

Mandelic acid

Determination of mandelic acid enantiomers in urine by gas chromatography and electron-capture or flame ionisation detection 738(2000)39

Meloxicam

Development and validation of a new high-performance liquid chromatographic estimation method of meloxicam in biological samples 738(2000)431

Methionine

Determination of isotopic enrichments of [1-¹³C]homocysteine, [1-¹³C]methionine and [²H₃-methyl-1-¹³C]methionine in human plasma by gas chromatography–negative chemical ionization mass spectrometry 738(2000)99

N-Methylcarbamates

Reversed-phase liquid chromatographic column switching for the determination of N-methylcarbamates and some of their main metabolites in urine 738(2000)387

Metoprolol

Enantioselective analysis of metoprolol in plasma using high-performance liquid chromatographic direct and indirect separations: applications in pharmacokinetics 738(2000)27

Minocycline

High-performance liquid chromatographic assay for minocycline in human plasma and parotid saliva 738(2000)357

Muramic acid

New and simple procedure for the determination of muramic acid in chemically complex environments by gas chromatography–ion trap tandem mass spectrometry 738(2000)57

Mycologylglycerol

Detection of mycoloylglycerol by thin-layer chromatography as a tool for the rapid inclusion of corynebacteria of clinical origin in the genus *Corynebacterium* 738(2000)181

Mycophenolic acid

Simple and sensitive high-performance liquid chromatographic method for the determination of mycophenolic acid in plasma 738(2000)169

Norepinephrine

Determination of norepinephrine in small volume plasma samples by stable-isotope dilution gas chromatography–tandem mass spectrometry with negative ion chemical ionization 738(2000)319

Olpadronate

Semi-automatic liquid chromatographic analysis of olpadronate in urine and serum using derivatization with (9-fluorenylmethyl)chloroformate 738(2000)331

Oxyphenbutazone

Simultaneous determination of hydrocortisone, dexamethasone, indomethacin, phenylbutazone and oxyphenbutazone in equine serum by high-performance liquid chromatography 738(2000)17

Phenamidine

Determination by capillary zone electrophoresis of berenil, phenamidine, diampron and dibromopropamide in serum and urine 738(2000)293

Phenylbutazone

Simultaneous determination of hydrocortisone, dexamethasone, indomethacin, phenylbutazone and oxyphenbutazone in equine serum by high-performance liquid chromatography 738(2000)17

Propranolol

Two reproducible and sensitive liquid chromatographic methods to quantify atenolol and propranolol in human plasma and determination of their associated analytical error functions 738(2000)225

Protein G

Chromatographic behavior of mouse serum immunoglobulin G in protein G perfusion affinity chromatography 738(2000)149

Quercetin

High-performance liquid chromatographic determination of quercetin and isorhamnetin in rat tissues using β-glucuronidase and acid hydrolysis 738(2000)413

Renin inhibitor

Automated quantitative determination of the new renin inhibitor CGP 60536 by high-performance liquid chromatography 738(2000)129

Riboflavin binding protein

Chromatographic investigation on the binding site characteristics of quail egg-white riboflavin binding protein as a chiral stationary phase 738(2000)343

Roxithromycin

Determination of erythromycin, clarithromycin, roxithromycin, and azithromycin in plasma by high-performance liquid chromatography with amperometric detection 738(2000)405

SCH 56592

High-performance liquid chromatographic analysis of the anti-fungal agent SCH 56592 in dog serum 738(2000)93

Shikonin

Simultaneous analysis of shikimate-derived secondary metabolites in *Lithospermum erythrorhizon* cell suspension cultures by high-performance liquid chromatography 738(2000)3

Steroids

Simultaneous determination of endogenous and ¹³C-labelled cortisols and cortisones in human plasma by stable isotope dilution mass spectrometry 738(2000)119

SYN-2836

Novel sample preparation method facilitating identification of urinary drug metabolites by liquid chromatography–tandem mass spectrometry 738(2000)259

Thrombin inhibitor

Determination of a novel thrombin inhibitor in human plasma and urine utilizing liquid chromatography with tandem mass spectrometric and ultraviolet detection 738(2000)83

Toluidines

Gas chromatographic method for the determination of toluidines in spiked urine samples 738(2000)427

Uracil

Measurement of plasma uracil using gas chromatography–mass spectrometry in normal individuals and in patients receiving inhibitors of dihydropyrimidine dehydrogenase 738(2000)249

Verapamil

Rapid and highly sensitive method for the determination of verapamil, [$^3\text{H}_7$]verapamil and metabolites in biological fluids by liquid chromatography–mass spectrometry 738(2000)137

Zearalenol

Determination of zearalenone and its metabolites α - and β -zearalenol in beer samples by high-performance liquid chromatography–tandem mass spectrometry 738(2000)233

Zearalenone

Determination of zearalenone and its metabolites α - and β -zearalenol in beer samples by high-performance liquid chromatography–tandem mass spectrometry 738(2000)233