



ELSEVIER

Journal of Chromatography B, 739 (2000) 369–371

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Author Index Vol. 739

- Akiyama, Y., see Yoshioka, N. 739(2000)363
- Akwa, Y., see Liere, P. 739(2000)301
- Andersson, L.I.
Molecular imprinting for drug bioanalysis. A review on the application of imprinted polymers to solid-phase extraction and binding assay 739(2000)163
- Ardiet, C., see Zhang, Z.D. 739(2000)281
- Austin, J., see Hage, D.S. 739(2000)39
- Balasová, V., see Hyšpler, R. 739(2000)183
- Balsamo, M., see Davankov, V. 739(2000)73
- Bangaru, R.A., Bansal, Y.K., Rao, A.R.M. and Gandhi, T.P.
Rapid, simple and sensitive high-performance liquid chromatographic method for detection and determination of acyclovir in human plasma and its use in bioavailability studies 739(2000)231
- Bansal, Y.K., see Bangaru, R.A. 739(2000)231
- Baulieu, E.-E., see Liere, P. 739(2000)301
- Bausch, J., see Froescheis, O. 739(2000)291
- Beck, T., see Heil, M. 739(2000)313
- Bickeboeller-Friedrich, J., see Maurer, H.H. 739(2000)325
- Bliss, P., see Murray, S. 739(2000)337
- Böhles, H., see Heil, M. 739(2000)313
- Bonner, H.S. and Shaw, L.M.
Measurement of both protein-bound and total S-2-(3-aminopropylamino)ethanethiol (WR-1065) in blood by high-performance liquid chromatography 739(2000)357
- Brady, J., see Davankov, V. 739(2000)73
- Brion, F., see Paci, A. 739(2000)239
- Bufo, S.A., see Campa, C. 739(2000)95
- Calam, J., see Murray, S. 739(2000)337
- Campa, C., Schmitt-Kopplin, Ph., Cataldi, T.R.I., Bufo, S.A., Freitag, D. and Kettrup, A.
Analysis of cyanogenic glycosides by micellar capillary electrophoresis 739(2000)95
- Capo-chichi, C.D., Guéant, J.-L., Feillet, F., Namour, F. and Vidailhet, M.
Analysis of riboflavin and riboflavin cofactor levels in plasma by high-performance liquid chromatography 739(2000)219
- Cassagne, C., see Santarelli, X. 739(2000)63
- Cataldi, T.R.I., see Campa, C. 739(2000)95
- Ceccato, A., see Chiap, P. 739(2000)205
- Chiap, P., Miralles Buraglia, B., Ceccato, A., Hubert, Ph. and Crommen, J.
Automated liquid chromatographic determination of atenolol in plasma using dialysis and trace enrichment on a cation-exchange precolumn for sample handling 739(2000)205
- Čížková, M., see Hyšpler, R. 739(2000)183
- Clarke, R., see Zhang, Y. 739(2000)33
- Crhová, Š., see Hyšpler, R. 739(2000)183
- Crivellente, F., Fracasso, G., Valentini, R., Manetto, G., Riviera, A.P. and Tagliaro, F.
Improved method for carbohydrate-deficient transferrin determination in human serum by capillary zone electrophoresis 739(2000)81
- Crommen, J., see Chiap, P. 739(2000)205
- Davankov, V., Pavlova, L., Tsyurupa, M., Brady, J., Balsamo, M. and Yousha, E.
Polymeric adsorbent for removing toxic proteins from blood of patients with kidney failure 739(2000)73
- De Boeck, G., see Guetens, G. 739(2000)139
- De Boeck, G., see Zhang, Z.D. 739(2000)281
- De Brujin, E.A., see Guetens, G. 739(2000)139
- De Brujin, E.A., see Zhang, Z.D. 739(2000)281
- De Jong, G.J., see Koster, E.H.M. 739(2000)175
- Deyl, Z. and Mikšík, I.
Advanced separation methods for collagen parent α -chains, their polymers and fragments 739(2000)3
- Deyl, Z., see Mikšík, I. 739(2000)109
- De Zeeuw, R.A., see Hartstra, J. 739(2000)125
- Dott, W., see Hollender, J. 739(2000)225
- Eychenne, B., see Liere, P. 739(2000)301
- Feillet, F., see Capo-chichi, C.D. 739(2000)219
- Fittou, V., see Santarelli, X. 739(2000)63
- Fleurence, J., see Galland-Irmouli, A.V. 739(2000)117
- Fracasso, G., see Crivellente, F. 739(2000)81
- Franke, J.P., see Hartstra, J. 739(2000)125
- Freitag, D., see Campa, C. 739(2000)95
- Froescheis, O., Moalli, S., Liechti, H. and Bausch, J.
Determination of lycopene in tissues and plasma of rats by normal-phase high-performance liquid chromatography with photometric detection 739(2000)291
- Galland-Irmouli, A.V., Pons, L., Luçon, M., Villaume, C., Mrabet, N.T., Guéant, J.L. and Fleurence, J.
One-step purification of R-phycoerythrin from the red macroalga *Palmaria palmata* using preparative polyacrylamide gel electrophoresis 739(2000)117
- Gandhi, T.P., see Bangaru, R.A. 739(2000)231
- Gasparič, J., see Hyšpler, R. 739(2000)183
- Glatz, Z., Moravcová, M. and Janiczek, O.

- Determination of pyrroloquinoline quinone by capillary zone electrophoresis 739(2000)101
- Gottschalk, I., Li, Y.-M. and Lundahl, P.
Chromatography on cells: analyses of solute interactions with the glucose transporter Glut1 in human red cells adsorbed on lectin-gel beads 739(2000)55
- Guéant, J.-L., see Capo-chichi, C.D. 739(2000)219
- Guéant, J.L., see Galland-Irmouli, A.V. 739(2000)117
- Guetens, G., Van Cauwenbergh, K., De Boeck, G., Maes, R., Tjaden, U.R., van der Greef, J., Highley, M., van Oosterom, A.T. and de Brujin, E.A.
Nanotechnology in bio/clinical analysis 739(2000)139
- Guetens, G., see Zhang, Z.D. 739(2000)281
- Guillaume, D., see Paci, A. 739(2000)239
- Hage, D.S. and Austin, J.
High-performance affinity chromatography and immobilized serum albumin as probes for drug- and hormone-protein binding 739(2000)39
- Hartstra, J., Franke, J.P. and de Zeeuw, R.A.
How to approach substance identification in qualitative bioanalysis 739(2000)125
- Heil, M., Podebrad, F., Prado, E., Beck, T., Mosandl, A., Sewell, A.C., Böhles, H. and Lehnert, W.
Enantioselective analysis of ketone bodies in patients with β -ketothiolase deficiency, medium-chain acyl coenzyme A dehydrogenase deficiency and ketonemic vomiting 739(2000)313
- Hernández, L., see Páez, X. 739(2000)247
- Highley, M., see Guetens, G. 739(2000)139
- Highley, M., see Zhang, Z.D. 739(2000)281
- Hollender, J., Koch, B. and Dott, W.
Biomonitoring of environmental polycyclic aromatic hydrocarbon exposure by simultaneous measurement of urinary phenanthrene, pyrene and benzo[a]pyrene hydroxides 739(2000)225
- Horecký, J., see Mišlanová, C. 739(2000)151
- Hubert, Ph., see Chiap, P. 739(2000)205
- Husson, H.-P., see Paci, A. 739(2000)239
- Hyšpler, R., Crhová, Š., Gasparič, J., Zadák, Z., Čížková, M. and Balasová, V.
Determination of isoprene in human expired breath using solid-phase microextraction and gas chromatography-mass spectrometry 739(2000)183
- Jahanmard, E. and Suyama, K.
Bisphenol derivative of allysine for high-performance liquid chromatographic analysis of allysine residue of proteins 739(2000)273
- Janiczek, O., see Glatz, Z. 739(2000)101
- Jemal, M. and Mulvana, D.E.
Liquid chromatographic-electrospray tandem mass spectrometric method for the simultaneous quantitation of the prodrug fosinopril and the active drug fosinoprilat in human serum 739(2000)255
- Karim, N., see Murray, S. 739(2000)337
- Kettrup, A., see Campa, C. 739(2000)95
- Koch, B., see Hollender, J. 739(2000)225
- Koster, E.H.M., Wemes, C., Morsink, J.B. and de Jong, G.J.
Determination of lidocaine in plasma by direct solid-phase microextraction combined with gas chromatography 739(2000)175
- Kraemer, T., see Maurer, H.H. 739(2000)325
- Lehnert, W., see Heil, M. 739(2000)313
- Leonessa, F., see Zhang, Y. 739(2000)33
- Li, Y.-M., see Gottschalk, I. 739(2000)55
- Liechti, H., see Froescheis, O. 739(2000)291
- Liere, P., Akwa, Y., Weill-Engerer, S., Eychenne, B., Pianos, A., Robel, P., Sjövall, J., Schumacher, M. and Baulieu, E.-E.
Validation of an analytical procedure to measure trace amounts of neurosteroids in brain tissue by gas chromatography-mass spectrometry 739(2000)301
- Lindner, W., see Mišlanová, C. 739(2000)151
- Luçon, M., see Galland-Irmouli, A.V. 739(2000)117
- Lundahl, P., see Gottschalk, I. 739(2000)55
- Maes, R., see Guetens, G. 739(2000)139
- Maes, R.A.A., see Zhang, Z.D. 739(2000)281
- Manetto, G., see Crivellente, F. 739(2000)81
- Maurer, H.H., Bickeboeller-Friedrich, J. and Kraemer, T.
Gas chromatographic-mass spectrometric procedures for determination of the catechol-O-methyltransferase (COMT) activity and for detection of unstable catecholic metabolites in human and rat liver preparations after COMT catalyzed *in statu nascendi* derivatization using S-adenosylmethionine 739(2000)325
- Mikšík, I., see Deyl, Z. 739(2000)3
- Mikšík, I. and Deyl, Z.
Application of Pluronic copolymer liquid crystals for the capillary electrophoretic separation of collagen type I cyanogen bromide fragments 739(2000)109
- Miralles Buraglia, B., see Chiap, P. 739(2000)205
- Mišlanová, C., Štefancová, A., Oravcová, J., Horecký, J., Trnovec, T. and Lindner, W.
Direct high-performance liquid chromatographic determination of (R)- and (S)-propranolol in rat microdialysate using on-line column switching procedures 739(2000)151
- Moalli, S., see Froescheis, O. 739(2000)291
- Moravcová, M., see Glatz, Z. 739(2000)101
- Morsink, J.B., see Koster, E.H.M. 739(2000)175
- Mosandl, A., see Heil, M. 739(2000)313
- Mrabet, N.T., see Galland-Irmouli, A.V. 739(2000)117
- Müller-Seitz, E., see Zurbelle, G. 739(2000)191
- Mulvana, D.E., see Jemal, M. 739(2000)255
- Murray, S., Bliss, P., Karim, N., Calam, J. and Taylor, G.W.
Analysis of N^α -methylhistamine by gas chromatography-mass spectrometry 739(2000)337
- Namour, F., see Capo-chichi, C.D. 739(2000)219
- Oefner, P.J.
Allelic discrimination by denaturing high-performance liquid chromatography 739(2000)345
- Oravcová, J., see Mišlanová, C. 739(2000)151
- Paci, A., Rieutord, A., Guillaume, D., Traoré, F., Ropenga, J., Husson, H.-P. and Brion, F.
Quantitative high-performance liquid chromatographic determination of acrolein in plasma after derivatization with Luminarin[®]3 739(2000)239
- Páez, X., Rada, P. and Hernández, L.
Neutral amino acids monitoring in phenylketonuric plasma microdialysates using micellar electrokinetic

- chromatography and laser-induced fluorescence detection 739(2000)247
- Pavlova, L., see Davankov, V. 739(2000)73
- Petz, M., see Zurbelle, G. 739(2000)191
- Pianos, A., see Liere, P. 739(2000)301
- Podebrad, F., see Heil, M. 739(2000)313
- Pons, L., see Galland-Irmouli, A.V. 739(2000)117
- Prado, E., see Heil, M. 739(2000)313
- Rada, P., see Páez, X. 739(2000)247
- Rao, A.R.M., see Bangaru, R.A. 739(2000)231
- Rieutord, A., see Paci, A. 739(2000)239
- Riviera, A.P., see Crivellente, F. 739(2000)81
- Robel, P., see Liere, P. 739(2000)301
- Ropenga, J., see Paci, A. 739(2000)239
- Santarelli, X., Fitton, V., Verdoni, N. and Cassagne, C. Preparation, evaluation and application of new pseudo-affinity chromatographic supports for penicillin acylase purification 739(2000)63
- Schmitt-Kopplin, Ph., see Campa, C. 739(2000)95
- Schumacher, M., see Liere, P. 739(2000)301
- Sewell, A.C., see Heil, M. 739(2000)313
- Shaw, L.M., see Bonner, H.S. 739(2000)357
- Sjövall, J., see Liere, P. 739(2000)301
- Štefancová, A., see Mišlanová, C. 739(2000)151
- Suyama, K., see Jahanmard, E. 739(2000)273
- Tagliaro, F., see Crivellente, F. 739(2000)81
- Takeda, N., see Yoshioka, N. 739(2000)363
- Taylor, G.W., see Murray, S. 739(2000)337
- Tjaden, U.R., see Guetens, G. 739(2000)139
- Tjaden, U.R., see Zhang, Z.D. 739(2000)281
- Traoré, F., see Paci, A. 739(2000)239
- Trnovec, T., see Mišlanová, C. 739(2000)151
- Tsyurupa, M., see Davankov, V. 739(2000)73
- Valentini, R., see Crivellente, F. 739(2000)81
- Van Cauwenbergh, K., see Guetens, G. 739(2000)139
- Van Cauwenbergh, K., see Zhang, Z.D. 739(2000)281
- Van der Greef, J., see Guetens, G. 739(2000)139
- Van Oosterom, A.T., see Guetens, G. 739(2000)139
- Van Oosterom, A.T., see Zhang, Z.D. 739(2000)281
- Verdoni, N., see Santarelli, X. 739(2000)63
- Vidailhet, M., see Capo-chichi, C.D. 739(2000)219
- Villaume, C., see Galland-Irmouli, A.V. 739(2000)117
- Wainer, I.W., see Zhang, Y. 739(2000)33
- Weill-Engerer, S., see Liere, P. 739(2000)301
- Wemes, C., see Koster, E.H.M. 739(2000)175
- Yoshioka, N., Akiyama, Y. and Takeda, N. Determination of α - and β -trenbolone in bovine muscle and liver by liquid chromatography with fluorescence detection 739(2000)363
- Yousha, E., see Davankov, V. 739(2000)73
- Zadák, Z., see Hyšpler, R. 739(2000)183
- Zhang, Y., Leonessa, F., Clarke, R. and Wainer, I.W. Development of an immobilized P-glycoprotein stationary phase for on-line liquid chromatographic determination of drug-binding affinities 739(2000)33
- Zhang, Z.D., Guetens, G., De Boeck, G., Van Cauwenbergh, K., Maes, R.A.A., Ardiel, C., van Oosterom, A.T., Highley, M., de Bruijn, E.A. and Tjaden, U.R. Simultaneous determination of the peptide-mitomycin KW-2149 and its metabolites in plasma by high-performance liquid chromatography 739(2000)281
- Zurbelle, G., Müller-Seitz, E. and Petz, M. Automated residue analysis of tetracyclines and their metabolites in whole egg, egg white, egg yolk and hen's plasma utilizing a modified ASTED system 739(2000)191