



ELSEVIER

Journal of Chromatography B, 739 (2000) 373–376

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Compound Index Vol. 739

Acrolein

Quantitative high-performance liquid chromatographic determination of acrolein in plasma after derivatization with Luminarin[®]3 739(2000)239

Acyclovir

Rapid, simple and sensitive high-performance liquid chromatographic method for detection and determination of acyclovir in human plasma and its use in bioavailability studies 739(2000)231

Allysine

Bisphenol derivative of allysine for high-performance liquid chromatographic analysis of allysine residue of proteins 739(2000)273

γ -Aminobutyric acid

Neutral amino acids monitoring in phenylketonuric plasma microdialysates using micellar electrokinetic chromatography and laser-induced fluorescence detection 739(2000)247

S-2-(3-Aminopropylamino)ethanethiol

Measurement of both protein-bound and total S-2-(3-aminopropylamino)ethanethiol (WR-1065) in blood by high-performance liquid chromatography 739(2000)357

Atenolol

Automated liquid chromatographic determination of atenolol in plasma using dialysis and trace enrichment on a cation-exchange precolumn for sample handling 739(2000)205

Benzo[a]pyrene

Biomonitoring of environmental polycyclic aromatic hydrocarbon exposure by simultaneous measurement of urinary phenanthrene, pyrene and benzo[a]pyrene hydroxides 739(2000)225

Bisphenol

Bisphenol derivative of allysine for high-performance liquid chromatographic analysis of allysine residue of proteins 739(2000)273

Carbohydrate-deficient transferrin

Improved method for carbohydrate-deficient transferrin determination in human serum by capillary zone electrophoresis 739(2000)81

Catechol-O-methyltransferase

Gas chromatographic–mass spectrometric procedures for determination of the catechol-O-methyltransferase (COMT) activity and for detection of unstable catecholic metabolites in human and rat liver preparations after COMT catalyzed *in situ* *nascendi* derivatization using S-adenosylmethionine 739(2000)325

Collagen parent α -chains

Advanced separation methods for collagen parent α -chains, their polymers and fragments 739(2000)3

Collagens

Application of Pluronic copolymer liquid crystals for the capillary electrophoretic separation of collagen type I cyanogen bromide fragments 739(2000)109

Cyanogenic glycosides

Analysis of cyanogenic glycosides by micellar capillary electrophoresis 739(2000)95

Cyclophosphamide

Quantitative high-performance liquid chromatographic determination of acrolein in plasma after derivatization with Luminarin[®]3 739(2000)239

Cyclosporin A

Development of an immobilized P-glycoprotein stationary phase for on-line liquid chromatographic determination of drug-binding affinities 739(2000)33

Cytochalasin B

Chromatography on cells: analyses of solute interactions with the glucose transporter Glut1 in human red cells adsorbed on lectin-gel beads 739(2000)55

3,4-Dihydroxyphenethylamine

Gas chromatographic–mass spectrometric procedures for determination of the catechol-O-methyltransferase (COMT) activity and for detection of unstable catecholic metabolites in human and rat liver preparations after COMT catalyzed *in situ* *nascendi* derivatization using S-adenosylmethionine 739(2000)325

Drugs

High-performance affinity chromatography and immobilized serum albumin as probes for drug- and hormone-protein binding 739(2000)39

Enzymes

Preparation, evaluation and application of new pseudo-affinity chromatographic supports for penicillin acylase purification 739(2000)63

Gas chromatographic–mass spectrometric procedures for determination of the catechol-*O*-methyltransferase (COMT) activity and for detection of unstable catecholic metabolites in human and rat liver preparations after COMT catalyzed *in statu nascendi* derivatization using *S*-adenosylmethionine 739(2000)325

Flavin nucleotides

Analysis of riboflavin and riboflavin cofactor levels in plasma by high-performance liquid chromatography 739(2000)219

Fosinopril

Liquid chromatographic–electrospray tandem mass spectrometric method for the simultaneous quantitation of the prodrug fosinopril and the active drug fosinoprilat in human serum 739(2000)255

Fosinoprilat

Liquid chromatographic–electrospray tandem mass spectrometric method for the simultaneous quantitation of the prodrug fosinopril and the active drug fosinoprilat in human serum 739(2000)255

Glucose

Chromatography on cells: analyses of solute interactions with the glucose transporter Glut1 in human red cells adsorbed on lectin-gel beads 739(2000)55

Glut1

Chromatography on cells: analyses of solute interactions with the glucose transporter Glut1 in human red cells adsorbed on lectin-gel beads 739(2000)55

P-Glycoprotein

Development of an immobilized P-glycoprotein stationary phase for on-line liquid chromatographic determination of drug-binding affinities 739(2000)33

Hormones

High-performance affinity chromatography and immobilized serum albumin as probes for drug- and hormone-protein binding 739(2000)39

3-Hydroxybutanoic acid

Enantioselective analysis of ketone bodies in patients with β -ketothiolase deficiency, medium-chain acyl coenzyme A dehydrogenase deficiency and ketonemic vomiting 739(2000)313

3-Hydroxy-2-methylbutanoic acid

Enantioselective analysis of ketone bodies in patients with β -ketothiolase deficiency, medium-chain acyl coenzyme A dehydrogenase deficiency and ketonemic vomiting 739(2000)313

Ifosfamide

Quantitative high-performance liquid chromatographic determination of acrolein in plasma after derivatization with Luminarin[®]3 739(2000)239

Isoprene

Determination of isoprene in human expired breath using solid-phase microextraction and gas chromatography–mass spectrometry 739(2000)183

Ketone bodies

Enantioselective analysis of ketone bodies in patients with β -ketothiolase deficiency, medium-chain acyl coenzyme A dehydrogenase deficiency and ketonemic vomiting 739(2000)313

 β -Ketothiolase

Enantioselective analysis of ketone bodies in patients with β -ketothiolase deficiency, medium-chain acyl coenzyme A dehydrogenase deficiency and ketonemic vomiting 739(2000)313

KW-2149

Simultaneous determination of the peptide-mitomycin KW-2149 and its metabolites in plasma by high-performance liquid chromatography 739(2000)281

Lidocaine

Determination of lidocaine in plasma by direct solid-phase microextraction combined with gas chromatography 739(2000)175

Luminarin

Quantitative high-performance liquid chromatographic determination of acrolein in plasma after derivatization with Luminarin[®]3 739(2000)239

Lycopene

Determination of lycopene in tissues and plasma of rats by normal-phase high-performance liquid chromatography with photometric detection 739(2000)291

Neurosteroids

Validation of an analytical procedure to measure trace amounts of neurosteroids in brain tissue by gas chromatography–mass spectrometry 739(2000)301

***N*^α-Methylhistamine**

Analysis of *N*^α-methylhistamine by gas chromatography–mass spectrometry 739(2000)337

Oligonucleotides

Allelic discrimination by denaturing high-performance liquid chromatography 739(2000)345

Penicillin acylase

Preparation, evaluation and application of new pseudo-affinity chromatographic supports for penicillin acylase purification 739(2000)63

Peptide-mitomycin

Simultaneous determination of the peptide-mitomycin KW-2149 and its metabolites in plasma by high-performance liquid chromatography 739(2000)281

Peptides

Application of Pluronic copolymer liquid crystals for the capillary electrophoretic separation of collagen type I cyanogen bromide fragments 739(2000)109

Phenanthrene

Biomonitoring of environmental polycyclic aromatic hydrocarbon exposure by simultaneous measurement of urinary phenanthrene, pyrene and benzo[*a*]pyrene hydroxides 739(2000)225

Phenylalanine

Neutral amino acids monitoring in phenylketonuric plasma microdialysates using micellar electrokinetic chromatography and laser-induced fluorescence detection 739(2000)247

Phycoerythrin

One-step purification of R-phycoerythrin from the red macroalga *Palmaria palmata* using preparative polyacrylamide gel electrophoresis 739(2000)117

Pluronic F127

Application of Pluronic copolymer liquid crystals for the capillary electrophoretic separation of collagen type I cyanogen bromide fragments 739(2000)109

Polymers

Molecular imprinting for drug bioanalysis. A review on the application of imprinted polymers to solid-phase extraction and binding assay 739(2000)163

Polynuclear aromatic compounds

Biomonitoring of environmental polycyclic aromatic hydrocarbon exposure by simultaneous measurement of urinary phenanthrene, pyrene and benzo[*a*]pyrene hydroxides 739(2000)225

Propranolol

Direct high-performance liquid chromatographic determination of (*R*)- and (*S*)-propranolol in rat microdialysate using on-line column switching procedures 739(2000)151

Proteins

High-performance affinity chromatography and immobilized serum albumin as probes for drug- and hormone-protein binding 739(2000)39

Application of Pluronic copolymer liquid crystals for the capillary electrophoretic separation of collagen type I cyanogen bromide fragments 739(2000)109

Bisphenol derivative of allysine for high-performance liquid chromatographic analysis of allysine residue of proteins 739(2000)273

Pyrene

Biomonitoring of environmental polycyclic aromatic hydrocarbon exposure by simultaneous measurement of urinary phenanthrene, pyrene and benzo[*a*]pyrene hydroxides 739(2000)225

Pyrroloquinoline quinone

Determination of pyrroloquinoline quinone by capillary zone electrophoresis 739(2000)101

Riboflavin

Analysis of riboflavin and riboflavin cofactor levels in plasma by high-performance liquid chromatography 739(2000)219

Tetracyclines

Automated residue analysis of tetracyclines and their metabolites in whole egg, egg white, egg yolk and hen's plasma utilizing a modified ASTED system 739(2000)191

Threonine

Neutral amino acids monitoring in phenylketonuric plasma microdialysates using micellar electrokinetic chromatography and laser-induced fluorescence detection 739(2000)247

Toxic proteins

Polymeric adsorbent for removing toxic proteins from blood of patients with kidney failure 739(2000)73

Transferrins

Improved method for carbohydrate-deficient transferrin determination in human serum by capillary zone electrophoresis 739(2000)81

Trenbolone

Determination of α - and β -trenbolone in bovine muscle and liver by liquid chromatography with fluorescence detection 739(2000)363

Tyrosine

Neutral amino acids monitoring in phenylketonuric plasma microdialysates using micellar electrokinetic chromatography and laser-induced fluorescence detection 739(2000)247

Valine

Neutral amino acids monitoring in phenylketonuric plasma microdialysates using micellar electrokinetic chromatography and laser-induced fluorescence detection 739(2000)247

Verapamil

Development of an immobilized P-glycoprotein stationary phase for on-line liquid chromatographic determination of drug-binding affinities 739(2000)33

Vitamins

Analysis of riboflavin and riboflavin cofactor levels in plasma by high-performance liquid chromatography 739(2000)219

Vitamins

Determination of pyrroloquinoline quinone by capillary zone electrophoresis 739(2000)101