



ELSEVIER

Journal of Chromatography B, 740 (2000) 291–293

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Author Index Vol. 740

- Åberg, F., see Claeson, K. 740(2000)87
- Aldaz, A., see Escoriaza, J. 740(2000)159
- Alet, P., see Do, B. 740(2000)179
- Allanson, J.P., see Johnson, V.M. 740(2000)71
- Asano, Y., see Hibiya, M. 740(2000)35
- Atkinson, E.M., see Debelak, D. 740(2000)195
- Bauchart, D., see Grizard, G. 740(2000)101
- Bévalot, F., Gaillard, Y., Lhermitte, M.A. and Pépin, G.
Analysis of corticosteroids in hair by liquid
chromatography–electrospray ionization mass spectrometry
740(2000)227
- Binderup, E., see Kissmeyer, A.-M. 740(2000)117
- Biollaz, J., see Marzolini, C. 740(2000)43
- Boucher, D., see Grizard, G. 740(2000)101
- Boudinot, F.D., see Tan, X. 740(2000)281
- Buclin, T., see Marzolini, C. 740(2000)43
- Burstein, S., see Yagen, B. 740(2000)93
- Burton, S.J., see Sproule, K. 740(2000)17
- Calvo, E., see Escoriaza, J. 740(2000)159
- Campíns-Falcó, P., see Herráez-Hernández, R. 740(2000)169
- Castellanos, C., see Escoriaza, J. 740(2000)159
- Causon, R.C., see Johnson, V.M. 740(2000)71
- Chang, Y.L., see Tsai, T.H. 740(2000)203
- Chen, C.F., see Tsai, T.H. 740(2000)203
- Cheng, S.-C., see Huang, R.-N. 740(2000)109
- Chow, L.-P., see Huang, R.-N. 740(2000)109
- Cirimele, V., Kintz, P. and Ludes, B.
Testing of the anabolic stanozolol in human hair by gas
chromatography–negative ion chemical ionization mass
spectrometry 740(2000)265
- Claeson, K., Åberg, F. and Karlberg, B.
Free malondialdehyde determination in rat brain tissue by
capillary zone electrophoresis: evaluation of two protein
removal procedures 740(2000)87
- Cregor, M., see Zhu, Y. 740(2000)129
- Debelak, D., Fisher, J., Iuliano, S., Sesholtz, D., Sloane, D.L.
and Atkinson, E.M.
Cation-exchange high-performance liquid chromatography
of recombinant adeno-associated virus type 2
740(2000)195
- Decosterd, L.A., see Marzolini, C. 740(2000)43
- De Jager, A.D., Hundt, H.K.L., Hundt, A.F., Swart, K.J.,
Knight, M. and Roberts, J.
Extractionless determination of 6-methoxy-2-naphthylacetic
acid, a major metabolite of nabumetone, in human plasma
by high-performance liquid chromatography 740(2000)247
- Do, B., Alet, P., Pradeau, D., Poupon, J., Guilley–Gaillet, M.
and Guyon, F.
On-line reversed-phase liquid chromatography hydride
generation emission spectrometry: speciation of arsenic in
urine of patients intravenously treated with As₂O₃
740(2000)179
- Escoriaza, J., Aldaz, A., Castellanos, C., Calvo, E. and
Giráldez, J.
Simple and rapid determination of irinotecan and its
metabolite SN-38 in plasma by high-performance liquid-
chromatography: application to clinical pharmacokinetic
studies 740(2000)159
- Escuder-Gilabert, L., Sagrado, S., Villanueva-Camañas, R.M.
and Medina-Hernández, M.J.
Development of predictive retention–activity relationship
models of non-steroidal anti-inflammatory drugs by
micellar liquid chromatography: comparison with
immobilized artificial membrane columns 740(2000)59
- Fernández-Lafuente, R., see Murza, A. 740(2000)211
- Fisher, J., see Debelak, D. 740(2000)195
- Fujita, K., see Hibiya, M. 740(2000)35
- Gaillard, Y., see Bévalot, F. 740(2000)227
- Giráldez, J., see Escoriaza, J. 740(2000)159
- Grizard, G., Sion, B., Bauchart, D. and Boucher, D.
Separation and quantification of cholesterol and major
phospholipid classes in human semen by high-performance
liquid chromatography and light-scattering detection
740(2000)101
- Guilley–Gaillet, M., see Do, B. 740(2000)179
- Guisán, J.M., see Murza, A. 740(2000)211
- Guyon, F., see Do, B. 740(2000)179
- Hallström, S., see Kos, T. 740(2000)81
- Härter, S., Weigmann, H. and Hiemke, C.
Automated determination of reboxetine by high-
performance liquid chromatography with column-switching
and ultraviolet detection 740(2000)135
- Hayashi, T., see Ohmori, S. 740(2000)253
- Hejnæs, K.R., see Sproule, K. 740(2000)17
- Herráez-Hernández, R. and Campíns-Falcó, P.
Chromatographic separation of chlorthalidone enantiomers
using β-cyclodextrins as chiral additives 740(2000)169
- Hibiya, M., Ichinose, H., Ozaki, N., Fujita, K., Nishimoto, T.,
Yoshikawa, T., Asano, Y. and Nagatsu, T.
Normal values and age-dependent changes in GTP
cyclohydrolase I activity in stimulated mononuclear blood
cells measured by high-performance liquid chromatography
740(2000)35

- Hiemke, C., see Härtter, S. 740(2000)135
- Higuchi, S., see Kato, K. 740(2000)187
- Huang, R.-N., Yeh, H.-Y., Cheng, S.-C., Chow, L.-P. and Lee, T.-C.
Arsanilic acid–Sephacryl chromatography of pyruvate kinase from KB cells 740(2000)109
- Huang, T., see Zhu, Y. 740(2000)129
- Hundt, A.F., see de Jager, A.D. 740(2000)247
- Hundt, H.K.L., see de Jager, A.D. 740(2000)247
- Hung, L.C., see Tsai, T.H. 740(2000)203
- Husain, A., see Teng, S.F. 740(2000)1
- Hušek, P.
Determination of homocysteine by gas chromatography–mass spectrometry following treatment with chloroformates: a comment 740(2000)289
- Ichinose, H., see Hibiya, M. 740(2000)35
- Iuliano, S., see Debelak, D. 740(2000)195
- Jingu, S., see Kato, K. 740(2000)187
- Johnson, V.M., Allanson, J.P. and Causon, R.C.
Determination of the cephalosporin antibiotic cephadrine in human plasma by high-performance liquid chromatography with ultraviolet detection 740(2000)71
- Karlberg, B., see Claesson, K. 740(2000)87
- Kato, K., Jingu, S., Ogawa, N. and Higuchi, S.
Development and validation of a liquid chromatographic–tandem mass spectrometric method for the determination of pibutidine in human urine 740(2000)187
- Kawase, M., see Ohmori, S. 740(2000)253
- Kintz, P., see Cirimele, V. 740(2000)265
- Kissinger, C.B., see Zhu, Y. 740(2000)129
- Kissinger, P.T., see Zhu, Y. 740(2000)129
- Kissmeyer, A.-M., Sonne, K. and Binderup, E.
Determination of the vitamin D analog EB 1089 (seocalcitol) in human and pig serum using liquid chromatography–tandem mass spectrometry 740(2000)117
- Knight, M., see de Jager, A.D. 740(2000)247
- Kos, T., Moser, P., Yilmaz, N., Mayer, G., Pacher, R. and Hallström, S.
High-performance liquid chromatographic determination of *p*-aminohippuric acid and iothalamate in human serum and urine: comparison of two sample preparation methods 740(2000)81
- Kraushofer, T., see Lamprecht, G. 740(2000)219
- Lamprecht, G., Kraushofer, T., Stoschitzky, K. and Lindner, W.
Enantioselective analysis of (*R*)- and (*S*)-atenolol in urine samples by a high-performance liquid chromatography column-switching setup 740(2000)219
- Lee, T.-C., see Huang, R.-N. 740(2000)109
- Lhermitte, M.A., see Bévalot, F. 740(2000)227
- Lindner, W., see Lamprecht, G. 740(2000)219
- Ling, S., see Yang, X. 740(2000)273
- Liu, J., see Yang, X. 740(2000)273
- Long, H., see Zhu, Y. 740(2000)129
- Lowe, C.R., see Sproule, K. 740(2000)17
- Lowe, C.R., see Teng, S.F. 740(2000)1
- Ludes, B., see Cirimele, V. 740(2000)265
- Ludvigsen, S., see Sproule, K. 740(2000)17
- Marzolini, C., Telenti, A., Buclin, T., Biollaz, J. and Decosterd, L.A.
Simultaneous determination of the HIV protease inhibitors indinavir, amprenavir, saquinavir, zalcitabine, zalcitabine and the non-nucleoside reverse transcriptase inhibitor efavirenz by high-performance liquid chromatography after solid-phase extraction 740(2000)43
- Mayer, G., see Kos, T. 740(2000)81
- McClellan, S., O’Kane, E.J. and Smyth, W.F.
Electrospray ionisation–mass spectrometric characterisation of selected anti-psychotic drugs and their detection and determination in human hair samples by liquid chromatography–tandem mass spectrometry 740(2000)141
- Medina-Hernández, M.J., see Escuder-Gilabert, L. 740(2000)59
- Morimoto, Y., see Ohmori, S. 740(2000)253
- Morrill, P., see Sproule, K. 740(2000)17
- Moser, P., see Kos, T. 740(2000)81
- Murza, A., Fernández-Lafuente, R. and Guisán, J.M.
Essential role of the concentration of immobilized ligands in affinity chromatography: Purification of guanidinobenzoate on an ionized ligand 740(2000)211
- Nagatsu, T., see Hibiya, M. 740(2000)35
- Nakaoka, M., see Oguma, T. 740(2000)237
- Nishimoto, T., see Hibiya, M. 740(2000)35
- Ogawa, N., see Kato, K. 740(2000)187
- Oguma, T., Ohshima, Y. and Nakaoka, M.
Sensitive high-performance liquid chromatographic method for the determination of the lactone form and the lactone plus hydroxy-acid forms of the new camptothecin derivative DX-8951 in human plasma using fluorescence detection 740(2000)237
- Ohmori, S., Hayashi, T., Kawase, M., Saito, S. and Morimoto, Y.
Quantitative determination of dihydroetorphine in rat plasma and brain by liquid chromatography–tandem mass spectrometry 740(2000)253
- Ohshima, Y., see Oguma, T. 740(2000)237
- O’Kane, E.J., see McClellan, S. 740(2000)141
- Ozaki, N., see Hibiya, M. 740(2000)35
- Pacher, R., see Kos, T. 740(2000)81
- Pearson, J.C., see Sproule, K. 740(2000)17
- Pépin, G., see Bévalot, F. 740(2000)227
- Poupon, J., see Do, B. 740(2000)179
- Pradeau, D., see Do, B. 740(2000)179
- Qiu, N., see Yang, X. 740(2000)273
- Roberts, J., see de Jager, A.D. 740(2000)247
- Sagrado, S., see Escuder-Gilabert, L. 740(2000)59
- Saito, S., see Ohmori, S. 740(2000)253
- Sesholtz, D., see Debelak, D. 740(2000)195
- Shum, A.Y.C., see Tsai, T.H. 740(2000)203
- Sion, B., see Grizard, G. 740(2000)101
- Sloane, D.L., see Debelak, D. 740(2000)195
- Smyth, W.F., see McClellan, S. 740(2000)141
- Sonne, K., see Kissmeyer, A.-M. 740(2000)117
- Sproule, K., Morrill, P., Pearson, J.C., Burton, S.J., Hejnæs, K.R., Valore, H., Ludvigsen, S. and Lowe, C.R.
New strategy for the design of ligands for the purification of pharmaceutical proteins by affinity chromatography 740(2000)17
- Sproule, K., see Teng, S.F. 740(2000)1

- Stoschitzky, K., see Lamprecht, G. 740(2000)219
- Swart, K.J., see de Jager, A.D. 740(2000)247
- Tan, X. and Boudinot, F.D.
Simultaneous determination of zidovudine and its monophosphate in mouse plasma and peripheral red blood cells by high-performance liquid chromatography 740(2000)281
- Telenti, A., see Marzolini, C. 740(2000)43
- Teng, S.F., Sproule, K., Husain, A. and Lowe, C.R.
Affinity chromatography on immobilized "biomimetic" ligands. Synthesis, immobilization and chromatographic assessment of an immunoglobulin G binding ligand 740(2000)1
- Tsai, T.H., Hung, L.C., Chang, Y.L., Shum, A.Y.C. and Chen, C.F.
Simultaneous blood and brain sampling of cephalexin in the rat by microdialysis and microbore liquid chromatography: application to pharmacokinetics studies 740(2000)203
- Valore, H., see Sproule, K. 740(2000)17
- Villanueva-Camañas, R.M., see Escuder-Gilabert, L. 740(2000)59
- Wang, G., see Yang, X. 740(2000)273
- Wang, G., see Yang, X. 740(2000)273
- Weigmann, H., see Härter, S. 740(2000)135
- Yagen, B. and Burstein, S.
Novel and sensitive method for the detection of anandamide by the use of its dansyl derivative 740(2000)93
- Yang, X., Wang, G., Ling, S., Qiu, N., Wang, G., Zhu, J. and Liu, J.
Determination of Guan-Fu Base A, a new anti-arrhythmic, in human plasma by gas chromatography and electron-capture detection 740(2000)273
- Yeh, H.-Y., see Huang, R.-N. 740(2000)109
- Yilmatz, N., see Kos, T. 740(2000)81
- Yoshikawa, T., see Hibiya, M. 740(2000)35
- Zhu, J., see Yang, X. 740(2000)273
- Zhu, Y., Huang, T., Cregor, M., Long, H., Kissinger, C.B. and Kissinger, P.T.
Liquid chromatography with multichannel electrochemical detection for the determination of *trans*-resveratrol in rat blood utilizing an automated blood sampling device 740(2000)129