



ELSEVIER

Journal of Chromatography B, 744 (2000) 439–442

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Author Index Vol. 744

- Aalhus, J.L., see Dugan, M.E.R. 744(2000)195
- Alpert, A.J., see Mizzen, C.A. 744(2000)33
- Ando, M., see Hanioka, N. 744(2000)399
- Andreoli, R., see Manini, P. 744(2000)423
- Andretta, B., see Marsilio, R. 744(2000)241
- Arizono, K., see Hanioka, N. 744(2000)399
- Atkinson, R.L., see Kolesar, J.M. 744(2000)1
- Awad, M.I., see Taylor, R.B. 744(2000)415
- Axisa, B., Naylor, A.R., Bell, P.R.F. and Thompson, M.M.
Simple and reliable method of doxycycline determination
in human plasma and biological tissues 744(2000)359
- Aymard, G., Labarthe, B., Warot, D., Berlin, I. and Diquet, B.
Sensitive determination of ephedrine and norephedrine in
human plasma samples using derivatization with 9-
fluorenylmethyl chloroformate and liquid chromatography
744(2000)25
- Aymard, G., Legrand, M., Trichereau, N. and Diquet, B.
Determination of twelve antiretroviral agents in human
plasma sample using reversed-phase high-performance
liquid chromatography 744(2000)227
- Baker, T.R., see Gauw, R.D. 744(2000)283
- Bell, P.R.F., see Axisa, B. 744(2000)359
- Bergamaschi, E., see Manini, P. 744(2000)423
- Bergqvist, Y., see Lindegårdh, N. 744(2000)9
- Berlin, I., see Aymard, G. 744(2000)25
- Beyerbach, A., see Sabbioni, G. 744(2000)377
- Bisogno, G., see Marsilio, R. 744(2000)241
- Bochner, F., see Foster, D.J.R. 744(2000)165
- Boldizsár, M., see Oláh, S. 744(2000)73
- Bonato, P.S., see Bortocan, R. 744(2000)299
- Boobis, A.R., see Crosbie, S.J. 744(2000)55
- Borel, M.J., see Flakoll, P.J. 744(2000)47
- Bortocan, R., Lanchote, V.L., Cesario, E.J. and Bonato, P.S.
Enantioselective analysis of disopyramide and mono-*N*-
dealkyldisopyramide in plasma and urine by high-
performance liquid chromatography on an amylose-derived
chiral stationary phase 744(2000)299
- Brocky, J.L. and Hage, D.S.
Separation of near-infrared fluorescent conjugates of dATP
and related compounds by capillary electrophoresis
744(2000)315
- Burger, D.M., see Hollanders, R.M.F. 744(2000)65
- Burns, R.B. and Embree, L.
Validation of high-performance liquid chromatographic
assay methods for the analysis of carboplatin in plasma
ultrafiltrate 744(2000)367
- Campbell, K., see Russell, J.A. 744(2000)157
- Cavazzini, S., see Manini, P. 744(2000)423
- Cesarino, E.J., see Bortocan, R. 744(2000)299
- Chen, C.-L. and Uckun, F.M.
Highly sensitive liquid chromatography-electrospray mass
spectrometry (LC-MS) method for the determination of
etoposide levels in human serum and plasma 744(2000)91
- Chládek, J., Šíšpera, L. and Martínková, J.
High-performance liquid chromatographic assay for the
determination of 5-methyltetrahydrofolate in human plasma
744(2000)307
- Choi, S.O., Lee, S.H., Kong, H.S., Kim, E.J. and Choo, H.-Y.P.
Stereoselective determination of cetirizine and studies on
pharmacokinetics in rat plasma 744(2000)201
- Choo, H.-Y.P., see Choi, S.O. 744(2000)201
- Cole, R.O., see Reed-Hagen, A.E. 744(2000)333
- Crosbie, S.J., Murray, S., Boobis, A.R. and Gooderham, N.J.
Mass spectrometric detection and measurement of *N*²-(2'-
deoxyguanosin-8-yl)PhIP adducts in DNA 744(2000)55
- Czauderna, M. and Kowalczyk, J.
Quantification of allantoin, uric acid, xanthine and
hypoxanthine in ovine urine by high-performance liquid
chromatography and photodiode array detection
744(2000)129
- Dagleish, D.G., see Persaud, D.R. 744(2000)389
- Dall'Amico, R., see Marsilio, R. 744(2000)241
- Davydova, N.N., Yasuda, S.U., Woosley, R.L. and Wainer, I.W.
Determination of clemastine in human plasma by gas
chromatography with nitrogen-phosphorus detection
744(2000)177
- Delahaut, P., see Fluchard, D. 744(2000)139
- Desta, Z., Soukhova, N.V., Morocho, A., Park, J., Mahal, S.K.
and Flockhart, D.A.
Stereoselective determination of cisapride, a prokinetic
agent, in human plasma by chiral high-performance liquid
chromatography with ultraviolet detection: application to
pharmacokinetic study 744(2000)263
- Dhurandhar, N.V., see Kolesar, J.M. 744(2000)1
- Diquet, B., see Aymard, G. 744(2000)25
- Diquet, B., see Aymard, G. 744(2000)227
- Dubois, M., see Fluchard, D. 744(2000)139

- Dugan, M.E.R., Thacker, R.D., Aalhus, J.L., Jeremiah, L.E. and Lien, K.A.
Analysis of 4-hydroxyproline using 4-chloro-7-nitrobenzo-2-oxa-1,3-diazol derivatization and micellar electrokinetic chromatography combined with laser-induced fluorescence detection 744(2000)195
- Durand, T., see Schwedhelm, E. 744(2000)99
- Dussini, N., see Marsilio, R. 744(2000)241
- Embree, L., see Burns, R.B. 744(2000)367
- Erve, J.C.L., see He, H. 744(2000)323
- Fauler, G., see Leis, H.J. 744(2000)113
- Fekkes, D., Voskuilen-Kooymans, A., Jankie, R. and Huijmans, J.
Precise analysis of primary amino acids in urine by an automated high-performance liquid chromatography method: comparison with ion-exchange chromatography 744(2000)183
- Flakoll, P.J., Zheng, M., Vaughan, S. and Borel, M.J.
Determination of stable isotopic enrichment and concentration of glycerol in plasma via gas chromatography-mass spectrometry for the estimation of lipolysis in vivo 744(2000)47
- Flockhart, D.A., see Desta, Z. 744(2000)263
- Fluchard, D., Kiebooms, S., Dubois, M. and Delahaut, P.
Determination of a method for detecting and quantifying azaperone, azaperol and carazolol in pig tissues by liquid chromatography-tandem mass spectrometry 744(2000)139
- Foster, D.J.R., Somogyi, A.A. and Bochner, F.
Stereoselective quantification of methadone and its major oxidative metabolite, 2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine, in human urine using high-performance liquid chromatography 744(2000)165
- Frölich, J.C., see Schwedhelm, E. 744(2000)99
- Garver, S.M., see Gauw, R.D. 744(2000)283
- Gauthier, S., see Persaud, D.R. 744(2000)389
- Gauw, R.D., Stoffolano, P.J., Kuhlenbeck, D.L., Patel, V.S., Garver, S.M., Baker, T.R. and Wehmeyer, K.R.
Semi-automated 96-well solid-phase extraction and gas chromatography-negative chemical ionization tandem mass spectrometry for the trace analysis of fluprostenol in rat plasma 744(2000)283
- Giordano, G., see Marsilio, R. 744(2000)241
- Gooderham, N.J., see Crosbie, S.J. 744(2000)55
- Goto, T., see Mikami, E. 744(2000)81
- Gross, C.S., Simms, P.J., Towne, R.W. and Miller, R.E.
Quantitative determination of dipalmitoylphosphatidylcholine and palmitic acid in porcine lung surfactants used in the treatment of respiratory distress syndrome 744(2000)407
- Gutzki, F.-M., see Schwedhelm, E. 744(2000)99
- Guy, A., see Schwedhelm, E. 744(2000)99
- Hachey, D.L., see He, H. 744(2000)323
- Hage, D.S., see Brocky, J.L. 744(2000)315
- Hall, M.R., see Wood, A.T. 744(2000)221
- Hamase, K., see Inoue, T. 744(2000)213
- Hanioka, N., Tatarazako, N., Jinno, H., Arizono, K. and Ando, M.
Determination of cytochrome P450 1A activities in mammalian liver microsomes by high-performance liquid chromatography with fluorescence detection 744(2000)399
- He, H., Sadeque, A., Erve, J.C.L., Wood, A.J.J. and Hachey, D.L.
Quantitation of loperamide and *N*-demethyl-loperamide in human plasma using electrospray ionization with selected reaction ion monitoring liquid chromatography-mass spectrometry 744(2000)323
- Hekster, Y.A., see Hollanders, R.M.F. 744(2000)65
- Helaleh, M.I.H. and Korenaga, T.
Ion chromatographic method for simultaneous determination of nitrate and nitrite in human saliva 744(2000)433
- Hino, M., see Kuriya, S.-i. 744(2000)189
- Hollanders, R.M.F., van Ewijk-Beneken Kolmer, E.W.J., Burger, D.M., Wuis, E.W., Koopmans, P.P. and Hekster, Y.A.
Determination of nevirapine, an HIV-1 non-nucleoside reverse transcriptase inhibitor, in human plasma by reversed-phase high-performance liquid chromatography 744(2000)65
- Hostettmann, K., see Ndjoko, K. 744(2000)249
- Huijmans, J., see Fekkes, D. 744(2000)183
- Igarashi, T., see Kuriya, S.-i. 744(2000)189
- Inagaki, K., see Mikami, E. 744(2000)81
- Inoue, T., Hamase, K., Morikawa, A. and Zaitsu, K.
Determination of minute amounts of α -leucine in various brain regions of rat and mouse using column-switching high-performance liquid chromatography 744(2000)213
- Ishihara, H., see Mikami, E. 744(2000)81
- Iwase, H., see Sudo, J.-i. 744(2000)19
- Jackman, A.L., see Mitchell, F. 744(2000)351
- Janiszewski, J.S., see Reed-Hagen, A.E. 744(2000)333
- Jankie, R., see Fekkes, D. 744(2000)183
- Jayathirtha, M.G., see Ravishankara, M.N. 744(2000)257
- Jeremiah, L.E., see Dugan, M.E.R. 744(2000)195
- Jinno, H., see Hanioka, N. 744(2000)399
- Kakuno, K., see Sudo, J.-i. 744(2000)19
- Kang, S.H., Wei, W. and Yeung, E.S.
On-column derivatization for the analysis of homocysteine and other thiols by capillary electrophoresis with laser-induced fluorescence detection 744(2000)149
- Kiebooms, S., see Fluchard, D. 744(2000)139
- Kim, E.J., see Choi, S.O. 744(2000)201
- Kirchgessner, M., see Nöstelbacher, K. 744(2000)273
- Kitada, M., see Kuriya, S.-i. 744(2000)189
- Kobylańska, K., see Kobylańska, M. 744(2000)207
- Kobylańska, M. and Kobylańska, K.
High-performance liquid chromatographic analysis for the determination of domperidone in human plasma 744(2000)207
- Kolesar, J.M., Miller, J.A., Dhurandhar, N.V. and Atkinson, R.L.
Direct quantification of AD-36 adenovirus DNA by capillary electrophoresis with laser-induced fluorescence 744(2000)1
- Kong, H.S., see Choi, S.O. 744(2000)201
- Koopmans, P.P., see Hollanders, R.M.F. 744(2000)65
- Korenaga, T., see Helaleh, M.I.H. 744(2000)433
- Kowalczyk, J., see Czuderna, M. 744(2000)129
- Kremmer, T., see Oláh, S. 744(2000)73
- Kruck, T.P.A., see Mizzen, C.A. 744(2000)33
- Kuhlenbeck, D.L., see Gauw, R.D. 744(2000)283

- Kuriya, S.-i., Ohmori, S., Hino, M., Senda, C., Sakai, K.,
Igarashi, T. and Kitada, M.
Simple method for determination of the active metabolite
of the inotropic drug pimobendan in rat liver microsomes
744(2000)189
- Labarthe, B., see Aymard, G. 744(2000)25
- Lanchote, V.L., see Bortocan, R. 744(2000)299
- Lee, S.H., see Choi, S.O. 744(2000)201
- Legrand, M., see Aymard, G. 744(2000)227
- Leis, H.J., Fauler, G., Raspopnig, G. and Windischhofer, W.
Quantitative analysis of morphine in human plasma by gas
chromatography-negative ion chemical ionization mass
spectrometry 744(2000)113
- Lévesque, L., see Mizzen, C.A. 744(2000)33
- Lien, K.A., see Dugan, M.E.R. 744(2000)195
- Lindegårdh, N. and Bergqvist, Y.
Automated solid-phase extraction method for the
determination of atovaquone in plasma and whole blood by
rapid high-performance liquid chromatography 744(2000)9
- Lynn, S., see Mitchell, F. 744(2000)351
- Mahal, S.K., see Desta, Z. 744(2000)263
- Malcolm, R.K., see Russell, J.A. 744(2000)157
- Manghi, P., see Marsilio, R. 744(2000)241
- Manini, P., Andreoli, R., Cavazzini, S., Bergamaschi, E., Mutti,
A. and Niessen, W.M.A.
Liquid chromatography-electrospray tandem mass
spectrometry of acidic monoamine metabolites
744(2000)423
- Marsilio, R., Naturale, M., Manghi, P., Montini, G., Murer, L.,
Ros, M., Bisogno, G., Andretta, B., Dussini, N., Giordano,
G., Zucchello, G. and Dall'Amico, R.
Rapid and simple determination of inulin in biological
fluids by high-performance liquid chromatography with
light-scattering detection 744(2000)241
- Martínková, J., see Chládek, J. 744(2000)307
- Matsumoto, H., see Mikami, E. 744(2000)81
- McLachlan, D.R., see Mizzen, C.A. 744(2000)33
- Mehvar, R.
High-performance size-exclusion chromatographic analysis
of dextran-methylprednisolone hemisuccinate in rat plasma
744(2000)293
- Mikami, E., Goto, T., Ohno, T., Matsumoto, H., Inagaki, K.,
Ishihara, H. and Nishida, M.
Simultaneous analysis of anthranilic acid derivatives in
pharmaceuticals and human urine by high-performance
liquid chromatography with isocratic elution 744(2000)81
- Miller, J.A., see Kolesar, J.M. 744(2000)1
- Miller, R.E., see Gross, C.S. 744(2000)407
- Mitchell, F., Lynn, S. and Jackman, A.L.
Modified high-performance liquid chromatography assay for
the measurement of 2'-deoxyuridine in human plasma and
its application to pharmacodynamic studies of
antimetabolite drugs 744(2000)351
- Mizzen, C.A., Alpert, A.J., Lévesque, L., Kruck, T.P.A. and
McLachlan, D.R.
Resolution of allelic and non-allelic variants of histone H1
by cation-exchange-hydrophilic-interaction chromatography
744(2000)33
- Montini, G., see Marsilio, R. 744(2000)241
- Moody, R.R., see Taylor, R.B. 744(2000)415
- Morikawa, A., see Inoue, T. 744(2000)213
- Morocho, A., see Desta, Z. 744(2000)263
- Murer, L., see Marsilio, R. 744(2000)241
- Murray, S., see Crosbie, S.J. 744(2000)55
- Mutti, A., see Manini, P. 744(2000)423
- Nadeau, L., see Persaud, D.R. 744(2000)389
- Naturale, M., see Marsilio, R. 744(2000)241
- Naylor, A.R., see Axisa, B. 744(2000)359
- Ndjoko, K., Wolfender, J.-L. and Hostettmann, K.
Determination of trace amounts of ginkgolic acids in
Ginkgo biloba L. leaf extracts and phytopharmaceuticals by
liquid chromatography-electrospray mass spectrometry
744(2000)249
- Niessen, W.M.A., see Manini, P. 744(2000)423
- Nishida, M., see Mikami, E. 744(2000)81
- Nöstelbacher, K., Kirchgessner, M. and Stangl, G.I.
Separation and quantitation of metallothionein isoforms
from liver of untreated rats by ion-exchange high-
performance liquid chromatography and atomic absorption
spectrometry 744(2000)273
- Obach, R.S., see Reed-Hagen, A.E. 744(2000)333
- Ohmori, S., see Kuriya, S.-i. 744(2000)189
- Ohno, T., see Mikami, E. 744(2000)81
- Oláh, S., Kremmer, T. and Boldizsár, M.
Hydrophobic interaction chromatography of human serum
 α_1 -antitrypsin and α_1 -acid glycoprotein 744(2000)73
- Opfermann, G., see Thevis, M. 744(2000)345
- Padh, H., see Ravishankara, M.N. 744(2000)257
- Park, J., see Desta, Z. 744(2000)263
- Patel, V.S., see Gauw, R.D. 744(2000)283
- Persaud, D.R., Dalgleish, D.G., Nadeau, L. and Gauthier, S.
Isolation and purification of serum and interfacial peptides
of a trypsinolyzed β -lactoglobulin oil-in-water emulsion
744(2000)389
- Quentin-Leclercq, J., see Rafaturo, H. 744(2000)121
- Rafaturo, H., Rasoanaivo, P., Ratsimamanga-Urverg, S., Quentin-
Leclercq, J. and Verbeeck, R.K.
High-performance liquid chromatographic assay of
malagashanine in rat plasma and urine and its
pharmacokinetic application 744(2000)121
- Rajani, M., see Ravishankara, M.N. 744(2000)257
- Rasoanaivo, P., see Rafaturo, H. 744(2000)121
- Raspopnig, G., see Leis, H.J. 744(2000)113
- Ratsimamanga-Urverg, S., see Rafaturo, H. 744(2000)121
- Ravishankara, M.N., Shrivastava, N., Jayathirtha, M.G., Padh,
H. and Rajani, M.
Sensitive high-performance thin-layer chromatographic
method for the estimation of diospyrin, a tumour inhibitory
agent from the stem bark of *Diospyros montana* Roxb
744(2000)257
- Reed-Hagen, A.E., Janiszewski, J.S., Cole, R.O. and Obach,
R.S.
Assay of ezlopitant, a substance P receptor antagonist, and
metabolites in biological matrices by gas chromatography
with mass spectrometric detection: simultaneous analysis of
a benzyl alcohol and alkene 744(2000)333
- Reid, R.G., see Taylor, R.B. 744(2000)415
- Ros, M., see Marsilio, R. 744(2000)241
- Rossi, J.-C., see Schwedhelm, E. 744(2000)99

- Russell, J.A., Malcolm, R.K., Campbell, K. and Woolfson, A.D.
High-performance liquid chromatographic determination of
 17β -estradiol and 17β -estradiol-3-acetate solubilities and
diffusion coefficients in silicone elastomeric intravaginal
rings 744(2000)157
- Sabbioni, G. and Beyerbach, A.
Haemoglobin adducts of aromatic amines: diamines and
polyaromatic amines 744(2000)377
- Sadeque, A., see He, H. 744(2000)323
- Sakai, K., see Kuriya, S.-i. 744(2000)189
- Schänzer, W., see Thevis, M. 744(2000)345
- Schwendhelm, E., Tsikas, D., Durand, T., Gutzki, F.-M., Guy,
A., Rossi, J.-C. and Frölich, J.C.
Tandem mass spectrometric quantification of 8-iso-
prostaglandin $F_{2\alpha}$ and its metabolite 2,3-dinor-5,6-dihydro-
8-iso-prostaglandin $F_{2\alpha}$ in human urine 744(2000)99
- Senda, C., see Kuriya, S.-i. 744(2000)189
- Shrivastava, N., see Ravishankara, M.N. 744(2000)257
- Simms, P.J., see Gross, C.S. 744(2000)407
- Šíšpera, L., see Chládek, J. 744(2000)307
- Somogyi, A.A., see Foster, D.J.R. 744(2000)165
- Soukhova, N.V., see Desta, Z. 744(2000)263
- Stangl, G.I., see Nöstelbacher, K. 744(2000)273
- Stoffolano, P.J., see Gauw, R.D. 744(2000)283
- Sudo, J.-i., Terui, J., Iwase, H. and Kakuno, K.
Assay of ATPase and Na,K-ATPase activity using high-
performance liquid chromatographic determination of ADP
derived from ATP 744(2000)19
- Tatarazako, N., see Hanioka, N. 744(2000)399
- Taylor, R.B., Awad, M.I., Reid, R.G. and Moody, R.R.
Determination of sodium artesunate in plasma using ion-
pairing high-performance liquid chromatography
744(2000)415
- Terui, J., see Sudo, J.-i. 744(2000)19
- Thacker, R.D., see Dugan, M.E.R. 744(2000)195
- Thevis, M., Opfermann, G. and Schänzer, W.
Detection of the plasma volume expander hydroxyethyl
starch in human urine 744(2000)345
- Thompson, M.M., see Axisa, B. 744(2000)359
- Towne, R.W., see Gross, C.S. 744(2000)407
- Trichereau, N., see Aymard, G. 744(2000)227
- Tsikas, D., see Schwedhelm, E. 744(2000)99
- Uckun, F.M., see Chen, C.-L. 744(2000)91
- Van Ewijk-Beneken Kolmer, E.W.J., see Hollanders, R.M.F.
744(2000)65
- Vaughan, S., see Flakoll, P.J. 744(2000)47
- Verbeeck, R.K., see Rafatrol, H. 744(2000)121
- Voskuilen-Kooyman, A., see Fekkes, D. 744(2000)183
- Wainer, I.W., see Davydova, N.N. 744(2000)177
- Warot, D., see Aymard, G. 744(2000)25
- Wehmeyer, K.R., see Gauw, R.D. 744(2000)283
- Wei, W., see Kang, S.H. 744(2000)149
- Windischhofer, W., see Leis, H.J. 744(2000)113
- Wolfender, J.-L., see Ndjoko, K. 744(2000)249
- Wood, A.J.J., see He, H. 744(2000)323
- Wood, A.T. and Hall, M.R.
Reversed-phase high-performance liquid chromatography of
catecholamines and indoleamines using a simple gradient
solvent system and native fluorescence detection
744(2000)221
- Woolfson, A.D., see Russell, J.A. 744(2000)157
- Woosley, R.L., see Davydova, N.N. 744(2000)177
- Wuis, E.W., see Hollanders, R.M.F. 744(2000)65
- Yasuda, S.U., see Davydova, N.N. 744(2000)177
- Yeung, E.S., see Kang, S.H. 744(2000)149
- Zacchello, G., see Marsilio, R. 744(2000)241
- Zaitsu, K., see Inoue, T. 744(2000)213
- Zheng, M., see Flakoll, P.J. 744(2000)47