



ELSEVIER

Journal of Chromatography B, 744 (2000) 443–447

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Compound Index Vol. 744

AD-36 Adenovirus

Direct quantification of AD-36 adenovirus DNA by capillary electrophoresis with laser-induced fluorescence 744(2000)1

ADP

Assay of ATPase and Na,K-ATPase activity using high-performance liquid chromatographic determination of ADP derived from ATP 744(2000)19

Allantoin

Quantification of allantoin, uric acid, xanthine and hypoxanthine in ovine urine by high-performance liquid chromatography and photodiode array detection 744(2000)

Amino acids

Precise analysis of primary amino acids in urine by an automated high-performance liquid chromatography method: comparison with ion-exchange chromatography 744(2000)183

Determination of minute amounts of D-leucine in various brain regions of rat and mouse using column-switching high-performance liquid chromatography 744(2000)213

2-Amino-1-methyl-6-phenylimidazo[4,5-*b*]pyridine

Mass spectrometric detection and measurement of *N*²-(2'-deoxyguanosin-8-yl)PhIP adducts in DNA 744(2000)55

Anthranilic acid derivatives

Simultaneous analysis of anthranilic acid derivatives in pharmaceuticals and human urine by high-performance liquid chromatography with isocratic elution 744(2000)81

α₁-Acid glycoprotein

Hydrophobic interaction chromatography of human serum α₁-antitrypsin and α₁-acid glycoprotein 744(2000)73

α₁-Antitrypsin

Hydrophobic interaction chromatography of human serum α₁-antitrypsin and α₁-acid glycoprotein 744(2000)73
129

Aromatic amines

Haemoglobin adducts of aromatic amines: diamines and polyaromatic amines 744(2000)337

Atovaquone

Automated solid-phase extraction method for the determination of atovaquone in plasma and whole blood by rapid high-performance liquid chromatography 744(2000)9

ATPase

Assay of ATPase and Na,K-ATPase activity using high-performance liquid chromatographic determination of ADP derived from ATP 744(2000)19

Azaperol

Determination of a method for detecting and quantifying azaperone, azaperol and carazolol in pig tissues by liquid chromatography–tandem mass spectrometry 744(2000)139

Azaperone

Determination of a method for detecting and quantifying azaperone, azaperol and carazolol in pig tissues by liquid chromatography–tandem mass spectrometry 744(2000)139

Biogenic amines

Reversed-phase high-performance liquid chromatography of catecholamines and indoleamines using a simple gradient solvent system and native fluorescence detection 744(2000)221

Carazolol

Determination of a method for detecting and quantifying azaperone, azaperol and carazolol in pig tissues by liquid chromatography–tandem mass spectrometry 744(2000)139

Carboplatin

Validation of high-performance liquid chromatographic assay methods for the analysis of carboplatin in plasma ultrafiltrate 744(2000)367

Catecholamines

Reversed-phase high-performance liquid chromatography of catecholamines and indoleamines using a simple gradient solvent system and native fluorescence detection 744(2000)221

Liquid chromatography–electrospray tandem mass spectrometry of acidic monoamine metabolites 744(2000)423

Cetirizine

Stereoselective determination of cetirizine and studies on pharmacokinetics in rat plasma 744(2000)201

4-Chloro-7-nitrobenzo-2-oxa-1,3-diazol

Analysis of 4-hydroxyproline using 4-chloro-7-nitrobenzo-2-oxa-1,3-diazol derivatization and micellar electrokinetic chromatography combined with laser-induced fluorescence detection 744(2000)195

Cisapride

Stereoselective determination of cisapride, a prokinetic agent, in human plasma by chiral high-performance liquid chromatography with ultraviolet detection: application to pharmacokinetic study 744(2000)263

Clemastine

Determination of clemastine in human plasma by gas chromatography with nitrogen–phosphorus detection 744(2000)177

Cytochrome P450

Determination of cytochrome P450 1A activities in mammalian liver microsomes by high-performance liquid chromatography with fluorescence detection 744(2000)399

N-Demethyl-loperamide

Quantitation of loperamide and N-demethyl-loperamide in human plasma using electrospray ionization with selected reaction ion monitoring liquid chromatography–mass spectrometry 744(2000)323

Deoxyadenosine triphosphate

Separation of near-infrared fluorescent conjugates of dATP and related compounds by capillary electrophoresis 744(2000)315

2'-Deoxyuridine

Modified high-performance liquid chromatography assay for the measurement of 2'-deoxyuridine in human plasma and its application to pharmacodynamic studies of antimetabolite drugs 744(2000)351

Dextran

High-performance size-exclusion chromatographic analysis of dextran–methylprednisolone hemisuccinate in rat plasma 744(2000)293

3,4-Dihydroxyphenylacetic acid

Liquid chromatography–electrospray tandem mass spectrometry of acidic monoamine metabolites 744(2000)423

2,3-Dinor-5,6-dihydro-8-isoprostaglandin F_{2α}

Tandem mass spectrometric quantification of 8-iso-prostaglandin F_{2α} and its metabolite 2,3-dinor-5,6-dihydro-8-iso-prostaglandin F_{2α} in human urine 744(2000)99

Diospyrin

Sensitive high-performance thin-layer chromatographic method for the estimation of diospyrin, a tumour inhibitory agent from the stem bark of *Diospyros montana* Roxb. 744(2000)257

Dipalmitoylphosphatidylcholine

Quantitative determination of dipalmitoylphosphatidylcholine and palmitic acid in porcine lung surfactants used in the treatment of respiratory distress syndrome 744(2000)407

Disopyramide

Enantioselective analysis of disopyramide and mono-N-dealkyldisopyramide in plasma and urine by high-performance liquid chromatography on an amylose-derived chiral stationary phase 744(2000)299

DNA

Direct quantification of AD-36 adenovirus DNA by capillary electrophoresis with laser-induced fluorescence 744(2000)1

Mass spectrometric detection and measurement of N²-(2'-deoxyguanosin-8-yl)PhIP adducts in DNA 744(2000)55

Domperidone

High-performance liquid chromatographic analysis for the determination of domperidone in human plasma 744(2000)207

Doxycycline

Simple and reliable method of doxycycline determination in human plasma and biological tissues 744(2000)359

Enzymes

Assay of ATPase and Na,K-ATPase activity using high-performance liquid chromatographic determination of ADP derived from ATP 744(2000)19

Ephedrine

Sensitive determination of ephedrine and norephedrine in human plasma samples using derivatization with 9-fluorenylmethyl chloroformate and liquid chromatography 744(2000)25

17β-Estradiol

High-performance liquid chromatographic determination of 17β-estradiol and 17β-estradiol-3-acetate solubilities and diffusion coefficients in silicone elastomeric intravaginal rings 744(2000)157

17β-Estradiol-3-acetate

High-performance liquid chromatographic determination of 17β-estradiol and 17β-estradiol-3-acetate solubilities and diffusion coefficients in silicone elastomeric intravaginal rings 744(2000)157

Ethoxyresorufin

Determination of cytochrome P450 1A activities in mammalian liver microsomes by high-performance liquid chromatography with fluorescence detection 744(2000)399

2-Ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine

Stereoselective quantification of methadone and its major oxidative metabolite, 2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine, in human urine using high-performance liquid chromatography 744(2000)165

Etoposide

Highly sensitive liquid chromatography–electrospray mass spectrometry (LC–MS) method for the determination of etoposide levels in human serum and plasma 744(2000)91

Ezlopitant

Assay of ezlopitant, a substance P receptor antagonist, and metabolites in biological matrices by gas chromatography with mass spectrometric detection: simultaneous analysis of a benzyl alcohol and alkene 744(2000)333

Flufenamic acid

Simultaneous analysis of anthranilic acid derivatives in pharmaceuticals and human urine by high-performance liquid chromatography with isocratic elution 744(2000)81

9-Fluorenylmethyl chloroformate

Sensitive determination of ephedrine and norephedrine in human plasma samples using derivatization with 9-fluorenylmethyl chloroformate and liquid chromatography 744(2000)25

Fluprostenol

Semi-automated 96-well solid-phase extraction and gas chromatography–negative chemical ionization tandem mass spectrometry for the trace analysis of fluprostenol in rat plasma 744(2000)283

Ginkgolic acids

Determination of trace amounts of ginkgolic acids in *Ginkgo biloba* L. leaf extracts and phytopharmaceuticals by liquid chromatography–electrospray mass spectrometry 744(2000)249

Glycerol

Determination of stable isotopic enrichment and concentration of glycerol in plasma via gas chromatography–mass spectrometry for the estimation of lipolysis in vivo 744(2000)47

Haemoglobin adducts

Haemoglobin adducts of aromatic amines: diamines and polyaromatic amines 744(2000)337

Histone H1

Resolution of allelic and non-allelic variants of histone H1 by cation-exchange-hydrophilic-interaction chromatography 744(2000)33

Homocysteine

On-column derivatization for the analysis of homocysteine and other thiols by capillary electrophoresis with laser-induced fluorescence detection 744(2000)149

Homovanillic acid

Liquid chromatography–electrospray tandem mass spectrometry of acidic monoamine metabolites 744(2000)423

Hydroxyethyl starch

Detection of the plasma volume expander hydroxyethyl starch in human urine 744(2000)345

5-Hydroxyindoleacetic acid

Liquid chromatography–electrospray tandem mass spectrometry of acidic monoamine metabolites 744(2000)423

4-Hydroxyproline

Analysis of 4-hydroxyproline using 4-chloro-7-nitrobenzo-2-oxa-1,3-diazol derivatization and micellar electrokinetic chromatography combined with laser-induced fluorescence detection 744(2000)195

Hypoxanthine

Quantification of allantoin, uric acid, xanthine and hypoxanthine in ovine urine by high-performance liquid chromatography and photodiode array detection 744(2000)129

Indoleamines

Reversed-phase high-performance liquid chromatography of catecholamines and indoleamines using a simple gradient solvent system and native fluorescence detection 744(2000)221

Inulin

Rapid and simple determination of inulin in biological fluids by high-performance liquid chromatography with light-scattering detection 744(2000)241

Ion-exchange HPLC

Separation and quantitation of metallothionein isoforms from liver of untreated rats by ion-exchange high-performance liquid chromatography and atomic absorption spectrometry 744(2000)273

8-Isoprostaglandin F_{2α}

Tandem mass spectrometric quantification of 8-isoprostaglandin F_{2α} and its metabolite 2,3-dinor-5,6-dihydro-8-isoprostaglandin F_{2α} in human urine 744(2000)99

β-Lactoglobulin

Isolation and purification of serum and interfacial peptides of a trypsinolyzed β-lactoglobulin oil-in-water emulsion 744(2000)389

Leucine

Determination of minute amounts of D-leucine in various brain regions of rat and mouse using column-switching high-performance liquid chromatography 744(2000)213

Liver

Separation and quantitation of metallothionein isoforms from liver of untreated rats by ion-exchange high-performance liquid chromatography and atomic absorption spectrometry 744(2000)273

Loperamide

Quantitation of loperamide and *N*-demethyl-loperamide in human plasma using electrospray ionization with selected reaction ion monitoring liquid chromatography–mass spectrometry 744(2000)323

α -Lysophosphatidylcholine

Quantitative determination of dipalmitoylphosphatidylcholine and palmitic acid in porcine lung surfactants used in the treatment of respiratory distress syndrome 744(2000)407

Malagashanine

High-performance liquid chromatographic assay of malagashanine in rat plasma and urine and its pharmacokinetic application 744(2000)121

Mefenamic acid

Simultaneous analysis of anthranilic acid derivatives in pharmaceuticals and human urine by high-performance liquid chromatography with isocratic elution 744(2000)81

Metallothionein

Separation and quantitation of metallothionein isoforms from liver of untreated rats by ion-exchange high-performance liquid chromatography and atomic absorption spectrometry 744(2000)273

Methadone

Stereoselective quantification of methadone and its major oxidative metabolite, 2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine, in human urine using high-performance liquid chromatography 744(2000)165

Methoxyresorufin

Determination of cytochrome P450 1A activities in mammalian liver microsomes by high-performance liquid chromatography with fluorescence detection 744(2000)399

Methylprednisolone

High-performance size-exclusion chromatographic analysis of dextran-methylprednisolone hemisuccinate in rat plasma 744(2000)293

5-Methyltetrahydrofolate

High-performance liquid chromatographic assay for the determination of 5-methyltetrahydrofolate in human plasma 744(2000)307

Mono-N-dealkyldisopyramide

Enantioselective analysis of disopyramide and mono-N-dealkyldisopyramide in plasma and urine by high-performance liquid chromatography on an amylose-derived chiral stationary phase 744(2000)299

Morphine

Quantitative analysis of morphine in human plasma by gas chromatography-negative ion chemical ionization mass spectrometry 744(2000)113

Na,K-ATPase

Assay of ATPase and Na,K-ATPase activity using high-performance liquid chromatographic determination of ADP derived from ATP 744(2000)19

Nevirapine

Determination of nevirapine, an HIV-1 non-nucleoside reverse transcriptase inhibitor, in human plasma by reversed-phase high-performance liquid chromatography 744(2000)65

Nitrate

Ion chromatographic method for simultaneous determination of nitrate and nitrite in human saliva 744(2000)433

Nitrite

Ion chromatographic method for simultaneous determination of nitrate and nitrite in human saliva 744(2000)433

Non-nucleoside reverse transcriptase inhibitors

Determination of twelve antiretroviral agents in human plasma sample using reversed-phase high-performance liquid chromatography 744(2000)227

Norephedrine

Sensitive determination of ephedrine and norephedrine in human plasma samples using derivatization with 9-fluorenylmethyl chloroformate and liquid chromatography 744(2000)25

Nucleoside reverse transcriptase inhibitors

Determination of twelve antiretroviral agents in human plasma sample using reversed-phase high-performance liquid chromatography 744(2000)227

Nucleotides

Separation of near-infrared fluorescent conjugates of dATP and related compounds by capillary electrophoresis 744(2000)315

Palmitic acid

Quantitative determination of dipalmitoylphosphatidylcholine and palmitic acid in porcine lung surfactants used in the treatment of respiratory distress syndrome 744(2000)407

Peptides

Isolation and purification of serum and interfacial peptides of a trypsinolyzed β -lactoglobulin oil-in-water emulsion 744(2000)389

Phosphatidylcholine

Quantitative determination of dipalmitoylphosphatidylcholine and palmitic acid in porcine lung surfactants used in the treatment of respiratory distress syndrome 744(2000)407

Phospholipids

Quantitative determination of dipalmitoylphosphatidylcholine and palmitic acid in porcine lung surfactants used in the treatment of respiratory distress syndrome 744(2000)407

Pimobendan

Simple method for determination of the active metabolite of the inotropic drug pimobendan in rat liver microsomes 744(2000)189

Protease inhibitors

Determination of twelve antiretroviral agents in human plasma sample using reversed-phase high-performance liquid chromatography 744(2000)227

Rat

Separation and quantitation of metallothionein isoforms from liver of untreated rats by ion-exchange high-performance liquid chromatography and atomic absorption spectrometry 744(2000)273

Silicone

High-performance liquid chromatographic determination of 17 β -estradiol and 17 β -estradiol-3-acetate solubilities and diffusion coefficients in silicone elastomeric intravaginal rings 744(2000)157

Sodium artesunate

Determination of sodium artesunate in plasma using ion-pairing high-performance liquid chromatography 744(2000)415

Sphingomyelin

Quantitative determination of dipalmitoylphosphatidylcholine and palmitic acid in porcine lung surfactants used in the treatment of respiratory distress syndrome 744(2000)407

Substance P

Assay of ezlopitant, a substance P receptor antagonist, and metabolites in biological matrices by gas chromatography with mass spectrometric detection: simultaneous analysis of a benzyl alcohol and alkene 744(2000)333

Thiols

On-column derivatization for the analysis of homocysteine and other thiols by capillary electrophoresis with laser-induced fluorescence detection 744(2000)149

Tolfenamic acid

Simultaneous analysis of anthranilic acid derivatives in pharmaceuticals and human urine by high-performance liquid chromatography with isocratic elution 744(2000)81

Uric acid

Quantification of allantoin, uric acid, xanthine and hypoxanthine in ovine urine by high-performance liquid chromatography and photodiode array detection 744(2000)129

Vanilmandelic acid

Liquid chromatography–electrospray tandem mass spectrometry of acidic monoamine metabolites 744(2000)423

Xanthine

Quantification of allantoin, uric acid, xanthine and hypoxanthine in ovine urine by high-performance liquid chromatography and photodiode array detection 744(2000)129