



ELSEVIER

Journal of Chromatography B, 746 (2000) 339–341

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Author Index Vol. 746

- Alarcón, A., see Morales, J.M. 746(2000)133
- Anderegg, G., see Chollet, D.F. 746(2000)311
- Andreetta, A.M., see Marquínez, A.C. 746(2000)141
- Aoyama, T., see Yanagihara, Y. 746(2000)227
- Avenoso, A., Facciola, G., Salemi, M. and Spina, E.
Determination of risperidone and its major metabolite 9-hydroxyrisperidone in human plasma by reversed-phase liquid chromatography with ultraviolet detection 746(2000)173
- Azuma, J., see Ohno, M. 746(2000)95
- Barreda, A., see Morales, J.M. 746(2000)133
- Bendriss, E.-k., Markoglou, N. and Wainer, I.W.
Liquid chromatographic method for the simultaneous determination of caffeine and fourteen caffeine metabolites in urine 746(2000)331
- Birks, E.K., see Guan, F. 746(2000)209
- Blome, J., see Pagel, P. 746(2000)297
- Breindahl, T.
Therapeutic drug monitoring of flecainide in serum using high-performance liquid chromatography and electrospray mass spectrometry 746(2000)249
- Brodie, M.J., see Santangeli, S. 746(2000)325
- Burnat, P., see Ceppa, F. 746(2000)115
- Carné, X., see Sarasa, M. 746(2000)183
- Castagnoli, N., see Igarashi, K. 746(2000)33
- Ceppa, F., El Jahiri, Y., Mayaudon, H., Dupuy, O. and Burnat, P.
High-performance liquid chromatographic determination of cotinine in urine in isocratic mode 746(2000)115
- Chen, J.S., see Marquínez, A.C. 746(2000)141
- Chollet, D.F., Goumaz, L., Juliano, C. and Anderegg, G.
Fast isocratic high-performance liquid chromatographic assay method for the simultaneous determination of gabapentin and vigabatrin in human serum 746(2000)311
- Czubak, J., see Wróbel, M. 746(2000)315
- Dave, U.P., see Zhang, C. 746(2000)41
- Denizli, A., see Kassab, A. 746(2000)123
- Doyle, E., Fowles, S.E., McDonnell, D.F., McCarthy, R. and White, S.A.
Rapid determination of gemifloxacin in human plasma by high-performance liquid chromatography–tandem mass spectrometry 746(2000)191
- Dupuy, O., see Ceppa, F. 746(2000)115
- El Jahiri, Y., see Ceppa, F. 746(2000)115
- Facciola, G., see Avenoso, A. 746(2000)173
- Fowles, S.E., see Doyle, E. 746(2000)191
- Fu, X.-w., see Ohie, T. 746(2000)63
- Fujiwara, H., see Kasuya, F. 746(2000)25
- Fukui, M., see Kasuya, F. 746(2000)25
- Gao, X., see Wang, Q. 746(2000)151
- Goumaz, L., see Chollet, D.F. 746(2000)311
- Guan, F., Uboh, C.E., Soma, L.R., Birks, E.K., Teleis, D., Rudy, J.A., Watson, A.O. and Tsang, D.S.
Quantification of phenytoin and its metabolites in equine plasma and urine using high-performance liquid chromatography 746(2000)209
- Hattori, H., see Seno, H. 746(2000)3
- Ho, S.-T., see Pao, L.-H. 746(2000)241
- Højby, N., see Walther-Rasmussen, J. 746(2000)161
- Hsiung, C.-H., see Pao, L.-H. 746(2000)241
- Hu, O.Y.-P., see Pao, L.-H. 746(2000)241
- Iga, M., Kimura, M., Ohura, T., Kikawa, Y. and Yamaguchi, S.
Rapid, simplified and sensitive method for screening fructose-1,6-diphosphatase deficiency by analyzing urinary metabolites in urease/direct preparations and gas chromatography–mass spectrometry in the selected-ion monitoring mode 746(2000)75
- Iga, M., see Ohie, T. 746(2000)63
- Iga, T., see Yanagihara, Y. 746(2000)227
- Igarashi, K., Sugiyama, Y., Kasuya, F., Inoue, H., Matoba, R. and Castagnoli, N.
Analysis of citrulline in rat brain tissue after perfusion with haloperidol by liquid chromatography–mass spectrometry 746(2000)33
- Inoue, H., see Igarashi, K. 746(2000)33
- Ishida, S., see Kuhara, T. 746(2000)103
- Ishii, A., see Seno, H. 746(2000)3
- Izumi, Y., see Obata, T. 746(2000)11
- Jang, B.-s., see Lim, J.-h. 746(2000)219
- Juliano, C., see Chollet, D.F. 746(2000)311
- Jung, C.H., see Morales, J.M. 746(2000)133
- Kaneda, E., see Tsuda, T. 746(2000)305
- Kariya, S., see Yanagihara, Y. 746(2000)227
- Kassab, A., Yavuz, H., Odabaşı, M. and Denizli, A.
Human serum albumin chromatography by Cibacron Blue F3GA-derived microporous polyamide hollow-fiber affinity membranes 746(2000)123

- Kasuya, F., Fukui, M., Yanagawa, Y., Kimura, A. and Fujiwara, H.
Metabolism of an ionic contrast medium and the related agents 746(2000)25
- Kasuya, F., see Igarashi, K. 746(2000)33
- Kawamoto, T., see Obata, T. 746(2000)11
- Kikawa, Y., see Iga, M. 746(2000)75
- Kimura, A., see Kasuya, F. 746(2000)25
- Kimura, M., see Iga, M. 746(2000)75
- Kimura, M., see Ohie, T. 746(2000)63
- Kuhara, T., Ohse, M., Ohdoi, C. and Ishida, S.
Differential diagnosis of homocystinuria by urease treatment, isotope dilution and gas chromatography–mass spectrometry 746(2000)103
- Kumazawa, T., see Seno, H. 746(2000)3
- Lee, R.-k., see Lim, J.-h. 746(2000)219
- Li, H., Meininger, C.J. and Wu, G.
Rapid determination of nitrite by reversed-phase high-performance liquid chromatography with fluorescence detection 746(2000)199
- Lim, J.-h., Jang, B.-s., Lee, R.-k., Park, S.-c. and Yun, H.-i.
Determination of roxithromycin residues in the flounder muscle with electrospray liquid chromatography–mass spectrometry 746(2000)219
- Linnet, K., see Vendelin Olesen, O. 746(2000)233
- Lou, Y., see Wang, X. 746(2000)319
- Lowe, C.R., see Palanisamy, U.D. 746(2000)265
- Luo, G., see Wang, Q. 746(2000)151
- Markoglou, N., see Bendriss, E.-k. 746(2000)331
- Marquínez, A.C., Andreetta, A.M., Chen, J.S., Menesini Chen, M.G., Wolfenstein Todel, C. and Scacciati de Cerezo, J.M.
Inhibition of acrosine-like protease activity by a lectin affinity chromatographic bovine seminal plasma fraction containing the PDC-109 and aSFP proteins 746(2000)141
- Matoba, R., see Igarashi, K. 746(2000)33
- Matsumoto, I., see Zhang, C. 746(2000)41
- Mayaudon, H., see Ceppia, F. 746(2000)115
- McCarthy, R., see Doyle, E. 746(2000)191
- McDonnell, D.F., see Doyle, E. 746(2000)191
- McNeill, C., see Santangeli, S. 746(2000)325
- Meininger, C.J., see Li, H. 746(2000)199
- Menesini Chen, M.G., see Marquínez, A.C. 746(2000)141
- Morales, J.M., Jung, C.H., Alarcón, A. and Barreda, A.
Solid-phase extraction and liquid chromatographic quantitation of quinfamide in biological samples 746(2000)133
- Nagakura, T., see Obata, T. 746(2000)11
- Naito, C. and Niwa, T.
Analysis of glutathionyl hemoglobin levels in diabetic patients by electrospray ionization liquid chromatography–mass spectrometry: effect of vitamin E administration 746(2000)91
- Nakanishi, T. and Shimizu, A.
Determination of ionization efficiency of glycosylated and non-glycosylated peptides from the N-terminal of hemoglobin β -chain by electrospray ionization mass spectrometry 746(2000)83
- Niwa, T., see Naito, C. 746(2000)91
- Niwa, T., see Takeda, N. 746(2000)51
- Obata, T., Tomaru, K., Nagakura, T., Izumi, Y. and Kawamoto, T.
Smoking and oxidant stress: assay of isoprostane in human urine by gas chromatography–mass spectrometry 746(2000)11
- Odabaşı, M., see Kassab, A. 746(2000)123
- Ohashi, N. and Yoshikawa, M.
Rapid and sensitive quantification of 8-isoprostaglandin $F_{2\alpha}$ in human plasma and urine by liquid chromatography–electrospray ionization mass spectrometry 746(2000)17
- Ohdoi, C., see Kuhara, T. 746(2000)103
- Ohie, T., Fu, X.-w., Iga, M., Kimura, M. and Yamaguchi, S.
Gas chromatography–mass spectrometry with *tert*-butyldimethylsilyl derivatization: use of the simplified sample preparations and the automated data system to screen for organic acidemias 746(2000)63
- Ohno, M., Yamaguchi, I., Saiki, K., Yamamoto, I. and Azuma, J.
Specific determination of urinary 6β -hydroxycortisol and cortisol by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 746(2000)95
- Ohse, M., see Kuhara, T. 746(2000)103
- Ohsuga, M., see Tsuda, T. 746(2000)305
- Ohtani, M., see Yanagihara, Y. 746(2000)227
- Ohura, T., see Iga, M. 746(2000)75
- Pagel, P., Blome, J. and Wolf, H.U.
High-performance liquid chromatographic separation and measurement of various biogenic compounds possibly involved in the pathomechanism of Parkinson's disease 746(2000)297
- Pagel, P., Schubert, R. and Wolf, H.U.
Development of a method for sample preparation for subsequent identification and measurement of 1,2,3,4-tetrahydroisoquinolines and other potentially neurotoxic compounds by high-performance liquid chromatography with ultraviolet and fluorescence detection in blood plasma of Parkinson's disease patients 746(2000)283
- Palanisamy, U.D., Winzor, D.J. and Lowe, C.R.
Synthesis and evaluation of affinity adsorbents for glycoproteins: an artificial lectin 746(2000)265
- Pao, L.-H., Hsiang, C.-H., Hu, O.Y.-P. and Ho, S.-T.
High-performance liquid chromatographic method for the simultaneous determination of nalbuphine and its prodrug, sebacoil dinalbuphine ester, in dog plasma and application to pharmacokinetic studies in dogs 746(2000)241
- Park, S.-c., see Lim, J.-h. 746(2000)219
- Plougmann, P., see Vendelin Olesen, O. 746(2000)233
- Pragst, F., see Sporkert, F. 746(2000)255
- Riba, N., see Sarasa, M. 746(2000)183
- Rudy, J.A., see Guan, F. 746(2000)209
- Saiki, K., see Ohno, M. 746(2000)95
- Salemi, M., see Avenoso, A. 746(2000)173
- Santangeli, S., McNeill, C., Sills, G.J. and Brodie, M.J.
Simultaneous determination of remacemide hydrochloride and desglycylremacemide (AR-R12495XX) in brain tissue by high-performance liquid chromatography 746(2000)325
- Sarasa, M., Riba, N., Zamora, L. and Carné, X.
Determination of stavudine in human plasma and urine by high-performance liquid chromatography using a reduced sample volume 746(2000)183

- Scacciati de Cerezo, J.M., see Marquínez, A.C. 746(2000)141
- Schubert, R., see Pagel, P. 746(2000)283
- Seno, H., Hattori, H., Ishii, A., Kumazawa, T., Watanabe-Suzuki, K. and Suzuki, O.
Analyses of butyrophenones and their analogues in whole blood by high-performance liquid chromatography–electrospray tandem mass spectrometry 746(2000)3
- Shimizu, A., see Nakanishi, T. 746(2000)83
- Sills, G.J., see Santangeli, S. 746(2000)325
- Soma, L.R., see Guan, F. 746(2000)209
- Spina, E., see Avenoso, A. 746(2000)173
- Sporkert, F. and Pragst, F.
Determination of methadone and its metabolites EDDP and EMDP in human hair by headspace solid-phase microextraction and gas chromatography–mass spectrometry 746(2000)255
- Suga, K., see Tsuda, T. 746(2000)305
- Sugiyama, Y., see Igarashi, K. 746(2000)33
- Suzuki, O., see Seno, H. 746(2000)3
- Takeda, N., Yoshizumi, H. and Niwa, T.
Detection and characterization of modified nucleosides in serum and urine of uremic patients using capillary liquid chromatography–frit-fast atom bombardment mass spectrometry 746(2000)51
- Teleis, D., see Guan, F. 746(2000)209
- Tomaru, K., see Obata, T. 746(2000)11
- Tsang, D.S., see Guan, F. 746(2000)209
- Tsuda, T., Suga, K., Kaneda, E. and Ohsuga, M.
Determination of 4-nonylphenol, nonylphenol monoethoxylate, nonylphenol diethoxylate and other alkylphenols in fish and shellfish by high-performance liquid chromatography with fluorescence detection 746(2000)305
- Uboh, C.E., see Guan, F. 746(2000)209
- Uchino, K., see Yanagihara, Y. 746(2000)227
- Vendelin Olesen, O., Plougmann, P. and Linnet, K.
Determination of nortriptyline in human serum by fully automated solid-phase extraction and on-line high-performance liquid chromatography in the presence of antipsychotic drugs 746(2000)233
- Wainer, I.W., see Bendriss, E.-k. 746(2000)331
- Walther-Rasmussen, J. and Høiby, N.
Hydrophobic character of surface regions and total hydrophobicity of four variants of chromosomal class C β -lactamase from *Pseudomonas aeruginosa* are identical. Chromatographic comparison of the hydrophobic character of the variants and the effect of focusing buffer composition on the separation of the variants by chromatofocusing with internal and external pH gradients 746(2000)161
- Wang, Q., Wu, Z., Wang, Y., Luo, G., Wu, E. and Gao, X.
Determination of gestrinone in human serum by liquid chromatography–electrospray tandem mass spectrometry 746(2000)151
- Wang, X., Zhang, W., Zou, A. and Lou, Y.
Determination of pharmacokinetics of 8-chloroadenosine and its two major metabolites in dogs by high-performance liquid chromatography 746(2000)319
- Wang, Y., see Wang, Q. 746(2000)151
- Wang, Y., see Zhang, C. 746(2000)41
- Watanabe-Suzuki, K., see Seno, H. 746(2000)3
- Watson, A.O., see Guan, F. 746(2000)209
- White, S.A., see Doyle, E. 746(2000)191
- Winzor, D.J., see Palanisamy, U.D. 746(2000)265
- Wolf, H.U., see Pagel, P. 746(2000)283
- Wolf, H.U., see Pagel, P. 746(2000)297
- Wolfenstein Todel, C., see Marquínez, A.C. 746(2000)141
- Wróbel, M. and Czubak, J.
Rhodanese (thiosulfate:cyanide sulfurtransferase) from frog *Rana temporaria* 746(2000)315
- Wu, E., see Wang, Q. 746(2000)151
- Wu, G., see Li, H. 746(2000)199
- Wu, Z., see Wang, Q. 746(2000)151
- Xu, K., see Zhang, C. 746(2000)41
- Yamaguchi, I., see Ohno, M. 746(2000)95
- Yamaguchi, S., see Iga, M. 746(2000)75
- Yamaguchi, S., see Ohie, T. 746(2000)63
- Yamamoto, I., see Ohno, M. 746(2000)95
- Yamamura, Y., see Yanagihara, Y. 746(2000)227
- Yanagawa, Y., see Kasuya, F. 746(2000)25
- Yanagihara, Y., Ohtani, M., Kariya, S., Uchino, K., Aoyama, T., Yamamura, Y. and Iga, T.
Stereoselective high-performance liquid chromatographic determination of ketamine and its active metabolite, norketamine, in human plasma 746(2000)227
- Yavuz, H., see Kassab, A. 746(2000)123
- Yoshikawa, M., see Ohashi, N. 746(2000)17
- Yoshizumi, H., see Takeda, N. 746(2000)51
- Yun, H.-i., see Lim, J.-h. 746(2000)219
- Zamora, L., see Sarasa, M. 746(2000)183
- Zhang, C., Xu, K., Dave, U.P., Wang, Y. and Matsumoto, I.
Inborn errors of metabolism discovered in Asian department of pediatrics and mental retardation research center 746(2000)41
- Zhang, W., see Wang, X. 746(2000)319
- Zou, A., see Wang, X. 746(2000)319