



ELSEVIER

Journal of Chromatography B, 746 (2000) 343–346

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Compound Index Vol. 746

Acrosine-like protease

Inhibition of acrosine-like protease activity by a lectin affinity chromatographic bovine seminal plasma fraction containing the PDC-109 and aSFP proteins 746(2000)141

Alkylphenols

Determination of 4-nonylphenol, nonylphenol monoethoxylate, nonylphenol diethoxylate and other alkylphenols in fish and shellfish by high-performance liquid chromatography with fluorescence detection 746(2000)305

aSFP protein

Inhibition of acrosine-like protease activity by a lectin affinity chromatographic bovine seminal plasma fraction containing the PDC-109 and aSFP proteins 746(2000)141

Benzoic acid

Metabolism of an ionic contrast medium and the related agents 746(2000)25

Butyrophenones

Analyses of butyrophenones and their analogues in whole blood by high-performance liquid chromatography–electrospray tandem mass spectrometry 746(2000)3

Caffeine

Liquid chromatographic method for the simultaneous determination of caffeine and fourteen caffeine metabolites in urine 746(2000)331

Catecholamines

High-performance liquid chromatographic separation and measurement of various biogenic compounds possibly involved in the pathomechanism of Parkinson's disease 746(2000)297

8-Chloroadenine

Determination of pharmacokinetics of 8-chloroadenosine and its two major metabolites in dogs by high-performance liquid chromatography 746(2000)319

8-Chloroadenosine

Determination of pharmacokinetics of 8-chloroadenosine and its two major metabolites in dogs by high-performance liquid chromatography 746(2000)319

8-Chloroinosine

Determination of pharmacokinetics of 8-chloroadenosine and its two major metabolites in dogs by high-performance liquid chromatography 746(2000)319

Cibacron blue F3GA

Human serum albumin chromatography by Cibacron Blue F3GA-derived microporous polyamide hollow-fiber affinity membranes 746(2000)123

Citrulline

Analysis of citrulline in rat brain tissue after perfusion with haloperidol by liquid chromatography–mass spectrometry 746(2000)33

Cortisol

Specific determination of urinary 6 β -hydroxycortisol and cortisol by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 746(2000)95

Cotinine

High-performance liquid chromatographic determination of cotinine in urine in isocratic mode 746(2000)115

Desglycylremacemide

Simultaneous determination of remacemide hydrochloride and desglycylremacemide (AR-R12495XX) in brain tissue by high-performance liquid chromatography 746(2000)325

EDDP

Determination of methadone and its metabolites EDDP and EMDP in human hair by headspace solid-phase microextraction and gas chromatography–mass spectrometry 746(2000)255

EMDP

Determination of methadone and its metabolites EDDP and EMDP in human hair by headspace solid-phase microextraction and gas chromatography–mass spectrometry 746(2000)255

Enzymes

Rapid, simplified and sensitive method for screening fructose-1,6-diphosphatase deficiency by analyzing urinary metabolites in urease/direct preparations and gas chromatography–mass spectrometry in the selected-ion monitoring mode 746(2000)75

Differential diagnosis of homocystinuria by urease treatment, isotope dilution and gas chromatography–mass spectrometry 746(2000)103

Inhibition of acrosine-like protease activity by a lectin affinity chromatographic bovine seminal plasma fraction containing the PDC-109 and aSFP proteins 746(2000)141

Hydrophobic character of surface regions and total hydrophobicity of four variants of chromosomal class C β -lactamase from *Pseudomonas aeruginosa* are identical. Chromatographic comparison of the hydrophobic character of the variants and the effect of focusing buffer composition on the separation of the variants by chromatofocusing with internal and external pH gradients 746(2000)161

Flecainide

Therapeutic drug monitoring of flecainide in serum using high-performance liquid chromatography and electrospray mass spectrometry 746(2000)249

Fructose-1,6-diphosphatase

Rapid, simplified and sensitive method for screening fructose-1,6-diphosphatase deficiency by analyzing urinary metabolites in urease/direct preparations and gas chromatography–mass spectrometry in the selected-ion monitoring mode 746(2000)75

Gabapentin

Fast isocratic high-performance liquid chromatographic assay method for the simultaneous determination of gabapentin and vigabatrin in human serum 746(2000)311

GC–MS

Inborn errors of metabolism discovered in Asian department of pediatrics and mental retardation research center 746(2000)41

Gemifloxacin

Rapid determination of gemifloxacin in human plasma by high-performance liquid chromatography–tandem mass spectrometry 746(2000)191

Gestrinone

Determination of gestrinone in human serum by liquid chromatography–electrospray tandem mass spectrometry 746(2000)151

Glutathionyl hemoglobin

Analysis of glutathionyl hemoglobin levels in diabetic patients by electrospray ionization liquid chromatography–mass spectrometry: effect of vitamin E administration 746(2000)91

Glycine conjugates

Metabolism of an ionic contrast medium and the related agents 746(2000)25

Glycoproteins

Synthesis and evaluation of affinity adsorbents for glycoproteins: an artificial lectin 746(2000)265

Haloperidol

Analysis of citrulline in rat brain tissue after perfusion with haloperidol by liquid chromatography–mass spectrometry 746(2000)33

Hemoglobin β -chain

Determination of ionization efficiency of glycosylated and non-glycosylated peptides from the N-terminal of hemoglobin β -chain by electrospray ionization mass spectrometry 746(2000)83

Homocystinuria

Differential diagnosis of homocystinuria by urease treatment, isotope dilution and gas chromatography–mass spectrometry 746(2000)103

Human serum albumin

Human serum albumin chromatography by Cibacron Blue F3GA-derived microporous polyamide hollow-fiber affinity membranes 746(2000)123

6 β -Hydroxycortisol

Specific determination of urinary 6 β -hydroxycortisol and cortisol by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 746(2000)95

9-Hydroxyrisperidone

Determination of risperidone and its major metabolite 9-hydroxyrisperidone in human plasma by reversed-phase liquid chromatography with ultraviolet detection 746(2000)173

Inborn errors of metabolism

Inborn errors of metabolism discovered in Asian department of pediatrics and mental retardation research center 746(2000)41

8-Isoprostaglandin F_{2 α}

Rapid and sensitive quantification of 8-isoprostaglandin F_{2 α} in human plasma and urine by liquid chromatography–electrospray ionization mass spectrometry 746(2000)17

Isoprostane

Smoking and oxidant stress: assay of isoprostane in human urine by gas chromatography–mass spectrometry 746(2000)11

 β -Lactamase

Hydrophobic character of surface regions and total hydrophobicity of four variants of chromosomal class C β -lactamase from *Pseudomonas aeruginosa* are identical. Chromatographic comparison of the hydrophobic character of the variants and the effect of focusing buffer composition on the separation of the variants by chromatofocusing with internal and external pH gradients 746(2000)161

Methadone

Determination of methadone and its metabolites EDDP and EMDP in human hair by headspace solid-phase microextraction and gas chromatography–mass spectrometry 746(2000)255

Nalbuphine

High-performance liquid chromatographic method for the simultaneous determination of nalbuphine and its prodrug, sebacoyl dinalbuphine ester, in dog plasma and application to pharmacokinetic studies in dogs 746(2000)241

Neurotoxic compounds

Development of a method for sample preparation for subsequent identification and measurement of 1,2,3,4-tetrahydroisoquinolines and other potentially neurotoxic compounds by high-performance liquid chromatography with ultraviolet and fluorescence detection in blood plasma of Parkinson's disease patients 746(2000)283

High-performance liquid chromatographic separation and measurement of various biogenic compounds possibly involved in the pathomechanism of Parkinson's disease 746(2000)297

Nicotine

High-performance liquid chromatographic determination of cotinine in urine in isocratic mode 746(2000)115

Nitrate

Rapid determination of nitrite by reversed-phase high-performance liquid chromatography with fluorescence detection 746(2000)199

Nitrite

Rapid determination of nitrite by reversed-phase high-performance liquid chromatography with fluorescence detection 746(2000)199

4-Nonylphenol

Determination of 4-nonylphenol, nonylphenol monoethoxylate, nonylphenol diethoxylate and other alkylphenols in fish and shellfish by high-performance liquid chromatography with fluorescence detection 746(2000)305

Nonylphenol ethoxylate

Determination of 4-nonylphenol, nonylphenol monoethoxylate, nonylphenol diethoxylate and other alkylphenols in fish and shellfish by high-performance liquid chromatography with fluorescence detection 746(2000)305

Nortriptyline

Determination of nortriptyline in human serum by fully automated solid-phase extraction and on-line high-performance liquid chromatography in the presence of antipsychotic drugs 746(2000)233

PDC-109 protein

Inhibition of acrosine-like protease activity by a lectin affinity chromatographic bovine seminal plasma fraction containing the PDC-109 and aSFP proteins 746(2000)141

Peptides

Determination of ionization efficiency of glycosylated and non-glycosylated peptides from the N-terminal of hemoglobin β -chain by electrospray ionization mass spectrometry 746(2000)83

Phenytoin

Quantification of phenytoin and its metabolites in equine plasma and urine using high-performance liquid chromatography 746(2000)209

Quinamide

Solid-phase extraction and liquid chromatographic quantitation of quinamide in biological samples 746(2000)133

Remacemide

Simultaneous determination of remacemide hydrochloride and desglycylremacemide (AR-R12495XX) in brain tissue by high-performance liquid chromatography 746(2000)325

Rhodanese

Rhodanese (thiosulfate:cyanoide sulfurtransferase) from frog *Rana temporaria* 746(2000)315

Ribonucleosides

Detection and characterization of modified nucleosides in serum and urine of uremic patients using capillary liquid chromatography–frit-fast atom bombardment mass spectrometry 746(2000)51

Risperidone

Determination of risperidone and its major metabolite 9-hydroxyrisperidone in human plasma by reversed-phase liquid chromatography with ultraviolet detection 746(2000)173

Roxithromycin

Determination of roxithromycin residues in the flounder muscle with electrospray liquid chromatography–mass spectrometry 746(2000)219

Sebacoyl dinalbuphine ester

High-performance liquid chromatographic method for the simultaneous determination of nalbuphine and its prodrug, sebacoyl dinalbuphine ester, in dog plasma and application to pharmacokinetic studies in dogs 746(2000)241

Stavudine

Determination of stavudine in human plasma and urine by high-performance liquid chromatography using a reduced sample volume 746(2000)183

1,2,3,4-Tetrahydroisoquinolines

Development of a method for sample preparation for subsequent identification and measurement of 1,2,3,4-tetrahydroisoquinolines and other potentially neurotoxic compounds by high-performance liquid chromatography with ultraviolet and fluorescence detection in blood plasma of Parkinson's disease patients 746(2000)283

High-performance liquid chromatographic separation and measurement of various biogenic compounds possibly involved in the pathomechanism of Parkinson's disease 746(2000)297

Thiocyanates

High-performance liquid chromatographic determination of cotinine in urine in isocratic mode 746(2000)115

Thiosulfate:cyanide sulfurtransferase

Rhodanese (thiosulfate:cyanide sulfurtransferase) from frog *Rana temporaria* 746(2000)315

Urease

Differential diagnosis of homocystinuria by urease treatment, isotope dilution and gas chromatography–mass spectrometry 746(2000)103

Vigabatrin

Fast isocratic high-performance liquid chromatographic assay method for the simultaneous determination of gabapentin and vigabatrin in human serum 746(2000)311

Vitamins

Analysis of glutathionyl hemoglobin levels in diabetic patients by electrospray ionization liquid chromatography–mass spectrometry: effect of vitamin E administration 746(2000)91