



ELSEVIER

Journal of Chromatography B, 749 (2000) 295–297

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Author Index Vol. 749

- Abeck, D., see Hermann, K. 749(2000)41
- Abou-Donia, M.B., see Abu-Qare, A.W. 749(2000)171
- Abu-Qare, A.W. and Abou-Donia, M.B.
Simultaneous determination of pyridostigmine bromide, *N,N*-diethyl-*m*-toluamide, permethrin, and their metabolites in rat plasma and urine by high-performance liquid chromatography 749(2000)171
- Al-Dirbashi, O., see Sun, Y. 749(2000)49
- Armand, F., see Pouliquen, H. 749(2000)127
- Baker, G.B., see Lai, C.-T. 749(2000)275
- Basile, G., see Verdoliva, A. 749(2000)233
- Bateson, A.N., see Lai, C.-T. 749(2000)275
- Bereczki, A., Horváth, V. and Horvai, G.
Immunoassay-based determination of phenobarbital using size-exclusion chromatography 749(2000)215
- Bonato, P.S., see Cerqueira, P.M. 749(2000)153
- Boogaard, P.J., see Kežić, S. 749(2000)265
- Broznanová, H., Grundmann, M., Šafarčík, K. and Jegorov, A.
High-performance liquid chromatographic method for the therapeutic drug monitoring of cyclosporine A and its two metabolites in renal transplant patients 749(2000)93
- Brune, K., see Werner, U. 749(2000)35
- Cerqueira, P.M., Mateus, F.H., Cesarino, E.J., Bonato, P.S. and Lanchote, V.L.
Enantioselectivity of debrisoquine 4-hydroxylation in Brazilian Caucasian hypertensive patients phenotyped as extensive metabolizers 749(2000)153
- Cesarino, E.J., see Cerqueira, P.M. 749(2000)153
- Chan, E.C.Y., Wee, P.Y., Ho, P.Y. and Ho, P.C.
High-performance liquid chromatographic assay for catecholamines and metanephrines using fluorimetric detection with pre-column 9-fluorenylmethyloxycarbonyl chloride derivatization 749(2000)179
- Chang, P.C., see Su, S.C. 749(2000)163
- Chien, B., see Ramu, K. 749(2000)1
- Chinaka, S., Tanaka, S., Takayama, N., Komai, K., Ohshima, T. and Ueda, K.
Simultaneous chiral analysis of methamphetamine and related compounds by capillary electrophoresis 749(2000)111
- Chou, S.S., see Su, S.C. 749(2000)163
- Coutts, R.T., see Lai, C.-T. 749(2000)275
- Cox, D.S., Du, J., Scott, K.R., Gao, H. and Eddington, N.D.
Determination of the enaminone DM5, an anti-epileptic agent, in mouse plasma and brain tissue by high-performance liquid chromatography with ultraviolet detection 749(2000)191
- Dal Bo, L., Mazzucchelli, P. and Marzo, A.
Assay of zofenopril and its active metabolite zofenoprilat by liquid chromatography coupled with tandem mass spectrometry 749(2000)287
- Darrouzain, F., see Guillaume, Y.C. 749(2000)225
- De Wolff, F.A., see Kežić, S. 749(2000)265
- Draves, A.H. and Walker, S.E.
Determination of hypericin and pseudohypericin in pharmaceutical preparations by liquid chromatography with fluorescence detection 749(2000)57
- Du, J., see Cox, D.S. 749(2000)191
- Eddington, N.D., see Cox, D.S. 749(2000)191
- Egorin, M.J., see Parise, R.A. 749(2000)145
- Fariña, J., see Oliva, A. 749(2000)25
- Fassina, G., see Verdoliva, A. 749(2000)233
- Fischer, G., see Lausecker, B. 749(2000)67
- Frye, R.F., see Hutzler, J.M. 749(2000)119
- Fujitomo, H., see Nishino, I. 749(2000)101
- Fukuwatari, T., see Shibata, K. 749(2000)281
- Gao, H., see Cox, D.S. 749(2000)191
- Gordon, E.S., see Lai, C.-T. 749(2000)275
- Grundmann, M., see Broznanová, H. 749(2000)93
- Guehring, H., see Werner, U. 749(2000)35
- Guillaume, Y.C., Darrouzain, F., Hoang-Opperman, L., Millet, J. and Guinchard, C.
Hydrophilic surfactant–imidazole derivative association studied by RPLC using a hydroorganic solution 749(2000)225
- Guinchard, C., see Guillaume, Y.C. 749(2000)225
- Guzman, N.A.
Determination of immunoreactive gonadotropin-releasing hormone in serum and urine by on-line immunoaffinity capillary electrophoresis coupled to mass spectrometry 749(2000)197
- Hermann, K. and Abeck, D.
Determination of histidine and urocanic acid isomers in the human skin by high-performance capillary electrophoresis 749(2000)41
- Hess, B., see Lausecker, B. 749(2000)67
- Ho, P.C., see Chan, E.C.Y. 749(2000)179
- Ho, P.Y., see Chan, E.C.Y. 749(2000)179
- Hoang-Opperman, L., see Guillaume, Y.C. 749(2000)225

- Hopfgartner, G., see Lausecker, B. 749(2000)67
- Horvai, G., see Bereczki, A. 749(2000)215
- Horváth, V., see Bereczki, A. 749(2000)215
- Hutzler, J.M., Frye, R.F. and Tracy, T.S.
Sensitive and specific high-performance liquid chromatographic assay for 4'-hydroxyflurbiprofen and flurbiprofen in human urine and plasma 749(2000)119
- Hwang, D.F., see Su, S.C. 749(2000)163
- Inoue, K., Kato, K., Yoshimura, Y., Makino, T. and Nakazawa, H.
Determination of bisphenol A in human serum by high-performance liquid chromatography with multi-electrode electrochemical detection 749(2000)17
- Jacobsen, P.B.
On-line dialysis and quantitative high-performance liquid chromatography analysis of iodixanol in human, rat and monkey plasma 749(2000)135
- Jakaša, I., see Kežić, S. 749(2000)265
- Jegorov, A., see Brozmanová, H. 749(2000)93
- Kato, K., see Inoue, K. 749(2000)17
- Kennedy, S.H., see Lai, C.-T. 749(2000)275
- Keski-Hynnälä, H., Raanaa, K., Taskinen, J. and Kostianen, R.
Direct analysis of nitrocatechol-type glucuronides in urine by capillary electrophoresis–electrospray ionisation mass spectrometry and tandem mass spectrometry 749(2000)253
- Kežić, S., Jakaša, I., Wenker, M.A.M., Boogaard, P.J., Monster, A.C. and de Wolff, F.A.
Gas chromatography–electron capture determination of styrene-7,8-oxide enantiomers 749(2000)265
- Komai, K., see Chinaka, S. 749(2000)111
- Kostianen, R., see Keski-Hynnälä, H. 749(2000)253
- Krogh, M., see Ugland, H.G. 749(2000)85
- Kuroda, N., see Sun, Y. 749(2000)49
- Lai, C.-T., Gordon, E.S., Kennedy, S.H., Bateson, A.N., Coutts, R.T. and Baker, G.B.
Determination of paroxetine levels in human plasma using gas chromatography with electron-capture detection 749(2000)275
- Lam, G.N., see Ramu, K. 749(2000)1
- Lanchote, V.L., see Cerqueira, P.M. 749(2000)153
- Lausecker, B., Hess, B., Fischer, G., Mueller, M. and Hopfgartner, G.
Simultaneous determination of bosentan and its three major metabolites in various biological matrices and species using narrow bore liquid chromatography with ion spray tandem mass spectrometric detection 749(2000)67
- Layh, B., see Werner, U. 749(2000)35
- Llabrés, M., see Oliva, A. 749(2000)25
- Makino, T., see Inoue, K. 749(2000)17
- Marzo, A., see Dal Bo, L. 749(2000)287
- Mateus, F.H., see Cerqueira, P.M. 749(2000)153
- Mazzucchelli, P., see Dal Bo, L. 749(2000)287
- Mikčák, I.
Protein liquid chromatography 749(2000)135
- Miles, D.R., see Parise, R.A. 749(2000)145
- Millet, J., see Guillaume, Y.C. 749(2000)225
- Monster, A.C., see Kežić, S. 749(2000)265
- Mueller, M., see Lausecker, B. 749(2000)67
- Nakashima, K., see Sun, Y. 749(2000)49
- Nakazawa, H., see Inoue, K. 749(2000)17
- Nakazawa, H., see Sun, Y. 749(2000)49
- Nishino, I., Fujitomo, H. and Umeda, T.
Determination of a new oral cephalosporin, cefmatilen hydrochloride hydrate, and its seven metabolites in human and animal plasma and urine by coupled systems of ion-exchange and reversed-phase high-performance liquid chromatography 749(2000)101
- Ohshima, T., see Chinaka, S. 749(2000)111
- Oliva, A., Fariña, J. and Llabrés, M.
Development of two high-performance liquid chromatographic methods for the analysis and characterization of insulin and its degradation products in pharmaceutical preparations 749(2000)25
- Parise, R.A., Miles, D.R. and Egorin, M.J.
Sensitive high-performance liquid chromatographic assay for motexafin gadolinium and motexafin lutetium in human plasma 749(2000)145
- Pouliquen, H. and Armand, F.
Determination of oxolinic acid in faeces and urine of turbot (*Scophthalmus maximus*) by high-performance liquid chromatography using fluorescence detection 749(2000)127
- Raanaa, K., see Keski-Hynnälä, H. 749(2000)253
- Ramu, K., Lam, G.N. and Chien, B.
Development of a high-performance liquid chromatographic–tandem mass spectrometric method for the determination of pharmacokinetics of Co 102862 in mouse, rat, monkey and dog plasma 749(2000)1
- Rasmussen, K.E., see Ugland, H.G. 749(2000)85
- Remon, J.P., see Vermeulen, B. 749(2000)243
- Šafarčík, K., see Brozmanová, H. 749(2000)93
- Scott, K.R., see Cox, D.S. 749(2000)191
- Shibata, K., Fukuwatari, T. and Sugimoto, E.
Reversed-phase high-performance liquid chromatography of nicotinic acid mononucleotide for measurement of quinolinate phosphoribosyltransferase 749(2000)281
- Su, S.C., Chou, S.S., Chang, P.C. and Hwang, D.F.
Determination of biogenic amines in fish implicated in food poisoning by micellar electrokinetic capillary chromatography 749(2000)163
- Sugimoto, E., see Shibata, K. 749(2000)281
- Sun, Y., Wada, M., Al-Dirbashi, O., Kuroda, N., Nakazawa, H. and Nakashima, K.
High-performance liquid chromatography with peroxyoxalate chemiluminescence detection of bisphenol A migrated from polycarbonate baby bottles using 4-(4,5-diphenyl-1H-imidazol-2-yl)benzoyl chloride as a label 749(2000)49
- Takayama, N., see Chinaka, S. 749(2000)111
- Tanaka, S., see Chinaka, S. 749(2000)111
- Taskinen, J., see Keski-Hynnälä, H. 749(2000)253
- Tracy, T.S., see Hutzler, J.M. 749(2000)119
- Ueda, K., see Chinaka, S. 749(2000)111
- Ugland, H.G., Krogh, M. and Rasmussen, K.E.
Liquid-phase microextraction as a sample preparation technique prior to capillary gas chromatographic–determination of benzodiazepines in biological matrices 749(2000)85
- Umeda, T., see Nishino, I. 749(2000)101

- Verdoliva, A., Basile, G. and Fassina, G.
Affinity purification of immunoglobulins from chicken egg
yolk using a new synthetic ligand 749(2000)233
- Vermeulen, B. and Remon, J.P.
Validation of a high-performance liquid chromatographic
method for the determination of ibuprofen enantiomers in
plasma of broiler chickens 749(2000)243
- Wada, M., see Sun, Y. 749(2000)49
- Walker, S.E., see Draves, A.H. 749(2000)57
- Wee, P.Y., see Chan, E.C.Y. 749(2000)179
- Wenker, M.A.M., see Kežić, S. 749(2000)265
- Werner, U., Brune, K., Layh, B. and Guehring, H.
Determination of L-iminoethyl-L-lysine in serum by liquid
chromatography 749(2000)35
- Yoshimura, Y., see Inoue, K. 749(2000)17