

CUMULATIVE AUTHOR INDEX

J. CHROMATOGR. B VOLS. 726–750

A

- Aalhus, J.L., see Dugan, M.E.R. 744(2000)195
- Abbas, S., see Khan, P. 726(1999)249
- Abbas, S., see Khan, P. 729(1999)287
- Abbott, F.S., see Anari, M.R. 742(2000)217
- Abdel-Rehim, M., Bielenstein, M., Askemark, Y., Tyrefors, N. and Arvidsson, T.
High-performance liquid chromatography–tandem electrospray mass spectrometry for the determination of lidocaine and its metabolites in human plasma and urine 741(2000)175
- Abeck, D., see Hermann, K. 749(2000)41
- Abeck, D., see Hermann, K. 750(2001)71
- Abendroth, J., Chatterjee, S. and Schomburg, D.
Purification of a D-hydantoinase using a laboratory-scale Streamline phenyl column as the initial step 737(2000)187
- Abernathy, C., see Farthing, D. 726(1999)303
- Abou-Donia, M.B., see Abu-Qare, A.W. 749(2000)171
- Abraham, D.J., see Farthing, D. 726(1999)303
- Abraham, M.H., Gola, J.M.R., Kumarsingh, R., Cometto-Muniz, J.E. and Cain, W.S.
Connection between chromatographic data and biological data (Review) 745(2000)103
- Abramson, J., see Sivars, U. 743(2000)307
- Abu-Qare, A.W. and Abou-Donia, M.B.
Simultaneous determination of pyridostigmine bromide, *N,N*-diethyl-*m*-toluamide, permethrin, and their metabolites in rat plasma and urine by high-performance liquid chromatography 749(2000)171
- Ackland, S.P., see Garg, M.B. 748(2000)383
- Aderjan, R., see Nishikawa, M. 726(1999)105
- Adriaenssens, P., see Van Puymbroeck, M. 728(1999)217
- Ageta, T., see Ma, D. 726(1999)285
- Aguilar, A.R., see Murza, A. 732(1999)165
- Aguilera, R., Catlin, D.H., Becchi, M., Phillips, A., Wang, C., Swerdloff, R.S., Pope, H.G. and Hatton, C.K.
Screening urine for exogenous testosterone by isotope ratio mass spectrometric analysis of one pregnanediol and two androstanediols 727(1999)95
- Ahokas, J.T., see Haritos, V.S. 736(1999)201
- Aichholz, R., see Blum, W. 748(2000)349
- Aiuti, A., see Arcelloni, C. 729(1999)369
- Ajmal, M., see Zaitseva, I. 727(1999)15
- Akiba, K., see Takahashi, R. 742(2000)71
- Akiyama, H., see Fu, C.J. 728(1999)251
- Akiyama, Y., see Yoshioka, N. 739(2000)363
- Akwa, Y., see Liere, P. 739(2000)301
- Alarcón, A., see Morales, J.M. 746(2000)133
- Alba, G., see Rada, P. 735(1999)1
- Alberts, G., Lameris, T., Van den Meiracker, A.H., Man in 't Veld, A.J. and Boomsma, F.
Sensitive and specific method for the simultaneous determination of natural and synthetic catecholamines and 3,4-dihydroxyphenylglycol in microdialysis samples 730(1999)213
- Albertsson, P.-Å. and Tjerneld, F.
To the memory of Göte Johansson 743(2000)3
- Aldaz, A., see Escoriaza, J. 736(1999)97
- Aldaz, A., see Escoriaza, J. 740(2000)159
- Al-Dirbashi, O., see Sun, Y. 749(2000)49
- Alet, P., see Do, B. 740(2000)179
- Alfthan, G., see Erlund, I. 727(1999)179
- Alkatheeri, N.A., Wasfi, I.A., Kavanagh, P. and Lambert, M.
Identification and confirmation of 3-hydroxy metabolite of ketoprofen in camels by gas chromatography–mass spectrometry and nuclear magnetic resonance spectroscopy 732(1999)299

- Allanson, J.P., see Davies, I.D. 732(1999)173
- Allanson, J.P., see Johnson, V.M. 740(2000)71
- Allen, G.D., Brookes, S.T., Barrow, A., Dunn, J.A. and Grosse, C.M.
Liquid chromatographic–tandem mass spectrometric method for the determination of the neuraminidase inhibitor zanamivir (GG167) in human serum 732(1999)383
- Alpert, A.J., see Mizzen, C.A. 744(2000)33
- Altenbuchner, J., see Pietzsch, M. 737(2000)179
- Altieri, I., see Pichini, S. 732(1999)509
- Alves, J.G.L.F., Chumpitaz, L.D.A., da Silva, L.H.M., Franco, T.T. and Meirelles, A.J.A.
Partitioning of whey proteins, bovine serum albumin and porcine insulin in aqueous two-phase systems 743(2000)235
- Amburgey, J.S., see Eichhold, T.H. 741(2000)213
- Amini, A., see Ji, J. 745(2000)197
- Anari, M.R., Burton, R.W., Gopaul, S. and Abbott, F.S.
Metabolic profiling of valproic acid by cDNA-expressed human cytochrome P450 enzymes using negative-ion chemical ionization gas chromatography–mass spectrometry 742(2000)217
- Anderegg, G., see Chollet, D.F. 746(2000)311
- Andersen, C., see Kall, M.A. 730(1999)101
- Andersen, C., see Stenhoff, H. 731(1999)411
- Andersen, D.C., see Jandik, P. 732(1999)193
- Anderson, D., Ferry, D.R., Knox, R.J., Andrews, S.J., Downes, A.J., Kerr, D.J. and Seymour, L.W.
High-performance liquid chromatographic method for sensitive determination of the alkylating agent CB1954 in human plasma 731(1999)293
- Anderson, L.W., see Bi, D. 738(2000)249
- Andersson, L.I.
Molecular imprinting for drug bioanalysis. A review on the application of imprinted polymers to solid-phase extraction and binding assay (Review) 739(2000)163
- Andersson, L.I.
Molecular imprinting: developments and applications in the analytical chemistry field (Review) 745(2000)3
- Ando, M., see Hanioka, N. 744(2000)399
- Andrade, J.D., see Luo, Q. 741(2000)23
- Andreasen, K., see Breindahl, T. 732(1999)155
- Andreasen, K., see Breindahl, T. 736(1999)103
- Andreetta, A.M., see Marquínez, A.C. 746(2000)141
- Andrenšek, S., Šmidovnik, A., Pečavar, A. and Prošek, M.
Routine and sensitive method for determination of nicorandil in human plasma developed for liquid chromatography with ultraviolet and mass spectrometric detection 735(1999)103
- Andreoli, R., see Manini, P. 744(2000)423
- Andreoli, R., see Poli, D. 732(1999)115
- Andresen, P., see Soetebeer, U.B. 745(2000)271
- Andretta, B., see Marsilio, R. 744(2000)241
- Andrews, B.A., see Graber, T.A. 743(2000)57
- Andrews, B.A., see Taboada, M.E. 743(2000)101
- Andrews, S.J., see Anderson, D. 731(1999)293
- Angelis-Stoforidis, P., Morgan, D.J., O'Brien, T.J. and Vajda, F.J.E.
Determination of lamotrigine in human plasma by high-performance liquid chromatography 727(1999)113
- Angerer, J., see Gündel, J. 738(2000)47
- Angerer, J., see Hardt, J. 730(1999)229
- Angerer, J., see Käßlerlein, H.U. 734(1999)285
- Angerer, J., see Weiss, T. 726(1999)85
- Anselme, M., see Houzé, P. 728(1999)75
- Anspach, F.B., see Garke, G. 737(2000)25
- Antonini, R., see Matarese, R.M. 732(1999)137
- Antonucci, A., see Matarese, R.M. 732(1999)137
- Antranikian, G., see Linden, A. 737(2000)253
- Antinen-Klemetti, T., Vaaranrinta, R. and Peltonen, K.
Gas chromatographic determination of 3-butene-1,2-diol in urine samples after 1,3-butadiene exposure 730(1999)257
- Aoyama, T., see Yanagihara, Y. 746(2000)227
- Apffel, A., see Lichtenwalter, K.G. 745(2000)231
- Arai, K., see Sumi, S. 727(1999)9
- Arakawa, T., see Caughey, D.J. 728(1999)49
- Aramayona, J.J., see Garcia, M.A. 729(1999)157
- Arbughi, T., Bertani, F., Celeste, R. and Tirone, P.
High-performance liquid chromatographic assay of the X-ray contrast agent iopipерidol in plasma and urine of rats and humans 729(1999)323
- Arcelloni, C., Aiuti, A., Cipponi, A. and Paroni, R.
High-performance liquid chromatographic purification and capillary electrophoresis quantification of the chemokine stromal cell-derived factor-1 729(1999)369
- Arcelloni, C., see Comuzzi, B. 737(2000)47
- Ardiet, C., see Zhang, Z.D. 739(2000)281
- Arellano, M., Jomard, P., El Kaddouri, S., Roques, C., Nepveu, F. and Couderc, F.
Routine analysis of short-chain fatty acids for anaerobic bacteria identification using capillary electrophoresis and indirect ultraviolet detection 741(2000)89
- Argalášová, K., see Bovanová, L. 732(1999)405
- Ariniemi, K., see Erlund, I. 727(1999)179
- Arizono, K., see Hanioka, N. 744(2000)399
- Armand, F., see Pouliquen, H. 749(2000)127
- Arnal, J.F., see Caussé, E. 741(2000)77
- Arndt, R., see Hartleb, J. 727(1999)31
- Aro, A., see Erlund, I. 727(1999)179
- Arpellini, M., see Micoli, G. 750(2001)25
- Arrendale, R.F., see Testino Jr, S.A. 734(1999)73
- Arriaga, E., see Krylov, S.N. 741(2000)31
- Arvidsson, T., see Abdel-Rehim, M. 741(2000)175
- Asano, Y., see Hibiya, M. 740(2000)35
- Asenjo, J.A., see Graber, T.A. 743(2000)57
- Asenjo, J.A., see Taboada, M.E. 743(2000)101
- Ashton, M., see Gordi, T. 742(2000)155
- Askemark, Y., see Abdel-Rehim, M. 741(2000)175
- Assidjo, E., see Chianéa, T. 734(1999)91
- Astier-Gin, T., see Tallet, B. 737(2000)85
- Astner, L., see Bielenstein, M. 730(1999)177
- Astre, C., see Gauvin, A. 748(2000)389
- Atkinson, E.M., see Debelak, D. 740(2000)195
- Atkinson, R.L., see Kolesar, J.M. 744(2000)1
- Atul, B.V. and Gupta, R.C.
Determination of centpropazine and its metabolite in rat serum by high-performance liquid chromatography and fluorescence detection 748(2000)331

- Audran, M., Krafft, M.-P., De Ceaurriz, J., Mathurin, J.-C., Sicart, M.-T., Marion, B., Fabre, F. and Bressolle, F. Assay method for the perfluorooctyl bromide (perflubron) in rat blood by gas chromatography–mass spectrometry 734(1999)267
- Audran, M., Krafft, M.P., De Ceaurriz, J., Maturin, J.-C., Sicart, M.-T., Marion, B., Bougard, G. and Bressolle, F. Determination of perfluorodecalin and perfluoro-*N*-methylcyclohexylpiperidine in rat blood by gas chromatography–mass spectrometry 745(2000)333
- Audran, M., see Orti, V. 738(2000)357
- Aulagner, G., see Bleyzac, N. 742(2000)427
- Auriola, S., see Mönkkönen, H. 738(2000)395
- Austin, J., see Hage, D.S. 739(2000)39
- Avdalovic, N., see Jandik, P. 732(1999)193
- Avenoso, A., Facciola, G., Salemi, M. and Spina, E. Determination of risperidone and its major metabolite 9-hydroxyrisperidone in human plasma by reversed-phase liquid chromatography with ultraviolet detection 746(2000)173
- Avery, B.A., Venkatesh, K.K. and Avery, M.A. Rapid determination of artemisinin and related analogues using high-performance liquid chromatography and an evaporative light scattering detector 730(1999)71
- Avery, M.A., see Avery, B.A. 730(1999)71
- Awad, M.I., see Taylor, R.B. 744(2000)415
- Awata, N., see Ishida, M. 727(1999)245
- Axelsson, A., see Mattisson, C. 743(2000)151
- Axisa, B., Naylor, A.R., Bell, P.R.F. and Thompson, M.M. Simple and reliable method of doxycycline determination in human plasma and biological tissues 744(2000)359
- Aymard, G., Labarthe, B., Warot, D., Berlin, I. and Diquet, B. Sensitive determination of ephedrine and norephedrine in human plasma samples using derivatization with 9-fluorenylmethyl chloroformate and liquid chromatography 744(2000)25
- Aymard, G., Legrand, M., Trichereau, N. and Diquet, B. Determination of twelve antiretroviral agents in human plasma sample using reversed-phase high-performance liquid chromatography 744(2000)227
- Ayrton, J., see Dear, G.J. 748(2000)281
- Azoulay, C., see Ganiere-Monteil, C. 727(1999)235
- Azuma, J., see Ohno, M. 746(2000)95
- Åberg, F., see Claeson, K. 740(2000)87
- Baccard, N., see Hoizey, G. 731(1999)317
- Bach, C.A., see Kim, H. 735(1999)11
- Bachmann, A., see Stubenrauch, K. 737(2000)77
- Badenhorst, D., Sutherland, F.C.W., de Jager, A.D., Scanes, T., Hundt, H.K.L., Swart, K.J. and Hundt, A.F. Determination of doxepin and desmethyldoxepin in human plasma using liquid chromatography–tandem mass spectrometry 742(2000)91
- Baek, M., Rho, Y.-S. and Kim, D.-H. Column-switching high-performance liquid chromatographic assay for determination of asiaticoside in rat plasma and bile with ultraviolet absorbance detection 732(1999)357
- Bai, J., see Lichtenwalter, K.G. 745(2000)231
- Bai, S., see Brunner, L.J. 732(1999)323
- Bailey, J.A., see Phillips, K.M. 732(1999)17
- Bakalara, N., see Gibert, S. 737(2000)143
- Baker, G.B., see Lai, C.-T. 749(2000)275
- Baker, T.R., see Eichhold, T.H. 741(2000)213
- Baker, T.R., see Gauw, R.D. 744(2000)283
- Bakkali, A., see Corta, E. 727(1999)131
- Bakkali, A., Corta, E., Berrueta, L.A., Gallo, B. and Vicente, F. Study of the solid-phase extraction of diclofenac sodium, indomethacin and phenylbutazone for their analysis in human urine by liquid chromatography 729(1999)139
- Bakker, M.G., Morris, T.A., Turner, G.L. and Granger, E. Surfactant aggregates (solloids) adsorbed on silica as stationary chromatographic phases: structures and properties 743(2000)65
- Baktir, G., see Hermening, A. 741(2000)129
- Bal, K. and Larsson, L. New and simple procedure for the determination of muramic acid in chemically complex environments by gas chromatography–ion trap tandem mass spectrometry 738(2000)57
- Balasová, V., see Hyšpler, R. 739(2000)183
- Balitz, G. Determination of benzimidazole residues using liquid chromatography and tandem mass spectrometry 727(1999)167
- Balland, A., see Gaillard, Y. 735(1999)189
- Balsamo, M., see Davankov, V. 739(2000)73
- Balthasar, J.P., see Lobo, E.D. 736(1999)191
- Banditt, P., see Darius, J. 738(2000)437
- Bandmann, N., see Berggren, K. 743(2000)295
- Bangaru, R.A., Bansal, Y.K., Rao, A.R.M. and Gandhi, T.P. Rapid, simple and sensitive high-performance liquid chromatographic method for detection and determination of acyclovir in human plasma and its use in bioavailability studies 739(2000)231
- Banmairui, V., see Na-Bangchang, K. 738(2000)169
- Bansal, R., Chen, H.X., Marshall, J.L., Tan, J., Glazer, R.I. and Wainer, I.W. Detection of a mixed-backbone oligonucleotide (GEM 231) in liver and tumor tissues by capillary electrophoresis 750(2001)129
- Bansal, Y.K., see Bangaru, R.A. 739(2000)231
- Barak, Z., see Engel, S. 743(2000)225
- Barak, Z., see Engel, S. 743(2000)281
- Babalola, C.P., Bolaji, O.O., Dixon, P.A.F. and Ogunbona, F.A. Erratum to: “Column liquid chromatographic analysis of quinine in human plasma, saliva and urine”. [J. Chromatogr. B, 616 (1993) 151–154] 731(1999)419

B

- Barbosa, N.R. and Mídio, A.F.
Validated high-performance liquid chromatographic method for the determination of lamotrigine in human plasma 741(2000)289
- Barclay, M.L., see Menelaou, A. 731(1999)261
- Barinaga-Rementeria Ramírez, I., Ekblad, L. and Jergil, B.
Affinity partitioning of biotinylated mixed liposomes: effect of charge on biotin–NeutrAvidin interaction 743(2000)389
- Barlas, P., see Diamantopoulou, S. 732(1999)375
- Barou, P., see Bleyzac, N. 742(2000)427
- Barreda, A., see Morales, J.M. 746(2000)133
- Barrow, A., see Allen, G.D. 732(1999)383
- Bartlett, M.G., see Srinivasan, K. 745(2000)287
- Bartlett, M.G., see Vishwanathan, K. 748(2000)157
- Basile, G., see Verdoliva, A. 749(2000)233
- Bassetti, D., see Gatti, G. 728(1999)233
- Bassoo, E., see Zavitsanos, A.P. 730(1999)9
- Bateson, A.N., see Lai, C.-T. 749(2000)275
- Battaglia, A., Bertoluzza, A., Calbucci, F., Eusebi, V., Giorgianni, P., Ricci, R., Tosi, R. and Tugnoli, V.
High-performance liquid chromatographic analysis of physiological amino acids in human brain tumors by pre-column derivatization with phenylisothiocyanate 730(1999)81
- Battersby, J.E., Vanderlaan, M. and Jones, A.J.S.
Purification and quantitation of tumor necrosis factor receptor immunoadhesin using a combination of immunoaffinity and reversed-phase chromatography 728(1999)21
- Bauchart, D., see Grizard, G. 740(2000)101
- Baudin, O., see Marquet, P. 734(1999)137
- Bauer, J.A., see Kielbasa, W.B. 734(1999)83
- Baulieu, E.-E., see Liere, P. 739(2000)301
- Baumann, F., Lorenz, C., Jaehde, U. and Preiss, R.
Determination of cyclophosphamide and its metabolites in human plasma by high-performance liquid chromatography–mass spectrometry 729(1999)297
- Bausch, J., see Froescheis, O. 739(2000)291
- Bayle, C., see Caussé, E. 741(2000)77
- Becchi, M., see Aguilera, R. 727(1999)95
- Becher, G., see Janák, K. 734(1999)219
- Becher, G., see Thomsen, C. 750(2001)1
- Beck, T., see Heil, M. 739(2000)313
- Begum, R.R., Newbold, R.J. and Whitford, D.
Purification of the membrane binding domain of cytochrome *b₅* by immobilised nickel chelate chromatography 737(2000)119
- Beijnen, J.H., see Huitema, A.D.R. 745(2000)345
- Beijnen, J.H., see Rosing, H. 727(1999)191
- Beijnen, J.H., see Sparidans, R.W. 726(1999)255
- Beijnen, J.H., see Sparidans, R.W. 729(1999)43
- Beijnen, J.H., see Sparidans, R.W. 730(1999)95
- Beijnen, J.H., see Sparidans, R.W. 730(1999)193
- Beijnen, J.H., see Sparidans, R.W. 736(1999)115
- Beijnen, J.H., see Sparidans, R.W. 738(2000)331
- Beijnen, J.H., see Sparidans, R.W. 742(2000)185
- Beijnen, J.H., see Sparidans, R.W. 750(2001)155
- Beijnen, J.H., see van Maanen, M.J. 732(1999)73
- Beijnen, J.H., see van Maanen, M.J. 742(2000)335
- Beijnen, J.H., see Veldkamp, A.I. 727(1999)151
- Beijnen, J.H., see Veldkamp, A.I. 734(1999)55
- Beijnen, J.H., see Veldkamp, A.I. 736(1999)123
- Beike, J., Köhler, H., Brinkmann, B. and Blaschke, G.
Immunoaffinity extraction of morphine, morphine-3-glucuronide and morphine-6-glucuronide from blood of heroin victims for simultaneous high-performance liquid chromatographic determination 726(1999)111
- Belghazi, M., see Goetz, M. 737(2000)55
- Bell, C., see Romig, T.S. 731(1999)275
- Bell, P.R.F., see Axisa, B. 744(2000)359
- Bellini, M.S., Manetto, G., Deyl, Z., Tagliaro, F. and Mikšík, I.
Capillary electrophoretic separation of vitamins in sodium dodecyl sulfate containing buffers with lower aliphatic alcohols and *n*-hexane as organic modifiers 741(2000)67
- Bendriss, E.-k., Markoglou, N. and Wainer, I.W.
Liquid chromatographic method for the simultaneous determination of caffeine and fourteen caffeine metabolites in urine 746(2000)331
- Benet, L.Z., see Christians, U. 748(2000)41
- Bennasir, H.A.H., see Jodynis-Liebert, J. 738(2000)427
- Bereczki, A., Horváth, V. and Horvai, G.
Immunoassay-based determination of phenobarbital using size-exclusion chromatography 749(2000)215
- Berenguer, V., see Prieto, M.J. 741(2000)301
- Bereuter, T.L., see Zenker, A. 745(2000)211
- Bergamaschi, E., see Manini, P. 744(2000)423
- Bergamaschi, E., see Poli, D. 732(1999)115
- Berggren, K., Nilsson, A., Johansson, G., Bandmann, N., Nygren, P.-Å. and Tjerneld, F.
Partitioning of peptides and recombinant protein–peptide fusions in thermoseparating aqueous two-phase systems: effect of peptide primary structure 743(2000)295
- Bergquist, J., see Thorsén, G. 745(2000)389
- Bergqvist, Y., see Green, M.D. 727(1999)159
- Bergqvist, Y. and Hopstadius, C.
Simultaneous separation of atovaquone, proguanil and its metabolites on a mixed mode high-performance liquid chromatographic column 741(2000)189
- Bergqvist, Y., see Lindegårdh, N. 744(2000)9
- Berlin, I., see Aymard, G. 744(2000)25
- Berneman, Z., see Hoes, I. 736(1999)43
- Berneman, Z.N., see Hoes, I. 748(2000)197
- Berner, D., see Zöllner, P. 738(2000)233
- Bernillon, J., see Louis, D. 732(1999)271
- Bernotat, J., see Ehlermann, P. 737(2000)39
- Berrueta, L.A., see Bakkali, A. 729(1999)139
- Berrueta, L.A., see Corta, E. 727(1999)131
- Bertani, F., see Arbughi, T. 729(1999)323
- Berthelot, A., see Guillaume, Y.C. 728(1999)167
- Bertoluzza, A., see Battaglia, A. 730(1999)81
- Bertrand, O., see Cochet, S. 735(1999)207
- Bertrand, O., see Cochet, S. 750(2001)109
- Bévalot, F., Gaillard, Y., Lhermitte, M.A. and Pépin, G.
Analysis of corticosteroids in hair by liquid chromatography–electrospray ionization mass spectrometry 740(2000)227
- Beverini, M., see Lauer, I. 737(2000)277
- Beyerbach, A., see Sabbioni, G. 744(2000)377
- Bhardwaj, R.K., see Velpandian, T. 738(2000)431

- Bi, D., Anderson, L.W., Shapiro, J., Shapiro, A., Grem, J.L. and Takimoto, C.H.
Measurement of plasma uracil using gas chromatography–mass spectrometry in normal individuals and in patients receiving inhibitors of dihydropyrimidine dehydrogenase 738(2000)249
- Bialer, M., see Isoherranen, N. 745(2000)325
- Bialer, M., see Volosov, A. 738(2000)419
- Bibby, M.C., see Swaine, D.J. 742(2000)239
- Bickeboeller-Friedrich, J., see Maurer, H.H. 739(2000)325
- Biddlecombe, R.A. and Pleasance, S.
Automated protein precipitation by filtration in the 96-well format 734(1999)257
- Bielenstein, M., see Abdel-Rehim, M. 741(2000)175
- Bielenstein, M., Astner, L. and Ekberg, S.
Determination of 2-(2-nitro-4-trifluoromethylbenzoyl)-1,3-cyclohexanedione in plasma by direct injection into a coupled column liquid chromatographic system 730(1999)177
- Bienert, A., see Langmann, P. 735(1999)41
- Bim, M.A. and Franco, T.T.
Extraction in aqueous two-phase systems of alkaline xylanase produced by *Bacillus pumilus* and its application in kraft pulp bleaching 743(2000)349
- Bina, M., see Ji, J. 745(2000)197
- Binderup, E., see Kissmeyer, A.-M. 740(2000)117
- Binding, P., see Fahey, E.M. 737(2000)225
- Biollaz, J., see Marzolini, C. 740(2000)43
- Birks, E.K., see Guan, F. 746(2000)209
- Birks, J.W., see Robinson, J.K. 731(1999)179
- Birrell, H., see Charlwood, J. 734(1999)169
- Birrell, H., see Hutterer, K.M. 745(2000)365
- Bisogno, G., see Marsilio, R. 744(2000)241
- Bissell, M.G., see Rao, L.V. 730(1999)123
- Blancher, A., see Cochet, S. 735(1999)207
- Blandini, F., Martignoni, E., Ricotti, R., di Jeso, F. and Nappi, G.
Determination of hydroxyl free radical formation in human platelets using high-performance liquid chromatography with electrochemical detection 732(1999)213
- Blaschke, G., see Beike, J. 726(1999)111
- Blaschke, G., see Hüttemann, H. 729(1999)33
- Blaschke, G., see Meier, H. 748(2000)221
- Blaschke, G., see Olgemöller, J. 726(1999)261
- Blaschke, G., see Overbeck, P. 732(1999)185
- Blaschke, G., see Soetebeer, U.B. 745(2000)271
- Blaschke, G., see Strickmann, D.B. 748(2000)213
- Bleyzac, N., Barou, P. and Aulagner, G.
Rapid and sensitive high-performance liquid chromatographic method for busulfan assay in plasma 742(2000)427
- Bliss, P., see Murray, S. 739(2000)337
- Blome, J., see Pagel, P. 746(2000)297
- Blomqvist, Å., see Stenhoff, H. 734(1999)191
- Blum, W., Aichholz, R., Ramstein, P., Kühnöl, J., Froestl, W. and Desrayaud, S.
Determination of the GABA_B receptor agonist CGP 44532 (3-amino-2-hydroxypropylmethylphosphinic acid) in rat plasma after pre-column derivatization by micro-high-performance liquid chromatography combined with negative electrospray tandem mass spectrometry 748(2000)349
- Blumberg, J.B., see Nightingale, Z.D. 732(1999)495
- Bobzin, S.C., Yang, S. and Kasten, T.P.
Application of liquid chromatography–nuclear magnetic resonance spectroscopy to the identification of natural products 748(2000)259
- Bochner, F., see Foster, D.J.R. 744(2000)165
- Bochner, F., see Menelaou, A. 731(1999)261
- Boersma, A., see Ghulam, A. 727(1999)227
- Boersma, A., see Soudan, B. 729(1999)65
- Böger, R.H., see Tsikas, D. 742(2000)143
- Bogusz, M.J.
Hyphenated liquid chromatographic techniques in forensic toxicology (Review) 733(1999)65
- Bogusz, M.J.
Liquid chromatography–mass spectrometry as a routine method in forensic sciences: a proof of maturity 748(2000)3
- Bogusz, M.J., Krüger, K.D., Maier, R.D., Erkwöh, R. and Tuchtenhagen, F.
Monitoring of olanzapine in serum by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 732(1999)257
- Böhles, H., see Heil, M. 739(2000)313
- Bohnstengel, F., see Ritter, C.A. 730(1999)25
- Bohrer, D., Cícero do Nascimento, P. and Karlo Acosta Mendonça, J.
On-line deproteinization by adsorption of proteins on a polyethylene powder pre-column for the determination of Na, K, Mg and Ca in human serum by high-performance liquid chromatography 750(2001)61
- Bolaji, O.O., see Babalola, C.P. 731(1999)419
- Boldizsár, M., see Oláh, S. 744(2000)73
- Bolner, A., Tagliaro, F. and Lomeo, A.
Optimised determination of clobazam in human plasma with extraction and high-performance liquid chromatography analysis 750(2001)177
- Bombardelli, E., see Colombo, T. 736(1999)135
- Bonato, P.S., see Bortocan, R. 744(2000)299
- Bonato, P.S., see Cerqueira, P.M. 749(2000)153
- Bonato, P.S., see Lanchote, V.L. 738(2000)27
- Bonnaire, Y., see Durix, A. 729(1999)255
- Bonneil, E. and Waldron, K.C.
Characterization of a solid-phase extraction device for discontinuous on-line preconcentration in capillary electrophoresis-based peptide mapping 736(1999)273
- Bonner, H.S. and Shaw, L.M.
Measurement of both protein-bound and total S-2-(3-aminopropylamino)ethanethiol (WR-1065) in blood by high-performance liquid chromatography 739(2000)357
- Bonnewitz, B., see Lauer, I. 737(2000)277
- Bony, S., see Durix, A. 729(1999)255
- Boobis, A.R., see Crosbie, S.J. 744(2000)55
- Boogaard, P.J., see Kežić, S. 749(2000)265

- Boomsma, F., see Alberts, G. 730(1999)213
- Boos, J., see Olgemöller, J. 726(1999)261
- Borel, M.J., see Flakoll, P.J. 744(2000)47
- Borrull, F., see Hernández, M. 731(1999)309
- Borrull, F., see Hernández, M. 742(2000)255
- Bortocan, R., Lanchote, V.L., Cesarino, E.J. and Bonato, P.S.
Enantioselective analysis of disopyramide and mono-*N*-dealkyldisopyramide in plasma and urine by high-performance liquid chromatography on an amylose-derived chiral stationary phase 744(2000)299
- Bortolotti, F., see Tagliaro, F. 733(1999)273
- Bosma, J.C. and Wesselingh, J.A.
Partitioning and diffusion of large molecules in fibrous structures 743(2000)169
- Bosman, J., see Koole, A. 726(1999)149
- Boss, B., see Schütze, D. 748(2000)55
- Bossant, M.-J., see François-Bouchard, M. 745(2000)261
- Bota, A., Gella, F.-J. and Canalias, F.
Purification of human adenosine deaminase for the preparation of a reference material 737(2000)237
- Boucher, D., see Grizard, G. 740(2000)101
- Bouchereau, A., Guénot, P. and Larher, F.
Analysis of amines in plant materials (Review) 747(2000)49
- Boudinot, F.D., see Tan, X. 740(2000)281
- Bougard, G., see Audran, M. 745(2000)333
- Bougard, G., see Orti, V. 738(2000)357
- Bouillenne, F., Matagne, A., Joris, B. and Frère, J.-M.
Technique for a rapid and efficient purification of the SHV-1 and PSE-2 β -lactamases 737(2000)261
- Boulieu, R. and Dervieux, T.
High-performance liquid chromatographic determination of methyl 6-mercaptopurine nucleotides (Me6-MPN) in red blood cells: analysis of Me6-MPN per se or Me6-MPN derivative? 730(1999)273
- Boulieu, R., see Favetta, P. 742(2000)25
- Bourin, M., see Ganiere-Monteil, C. 727(1999)235
- Boursier-Neyret, C., see François-Bouchard, M. 745(2000)261
- Bousquet, B., see Gourmel, B. 732(1999)3
- Bousquet, B., see Houzé, P. 728(1999)75
- Boutique, C., see Lin, C. 742(2000)411
- Bovanová, L., Brandšteterová, E., Čaniová, A., Argalášová, K. and Lux, A.
High-performance liquid chromatographic determination of peroxisomicine A₁ (T-514) in genus *Karwinskia* 732(1999)405
- Braas, G.M.F., Walker, S.G. and Lyddiatt, A.
Recovery in aqueous two-phase systems of nanoparticulates applied as surrogate mimics for viral gene therapy vectors 743(2000)409
- Brady, J., see Davankov, V. 739(2000)73
- Bramer, S.L., see Fu, C.J. 728(1999)251
- Bramhall, C., see Phillips, L.R. 732(1999)315
- Bramhall, C., see Phillips, L.R. 741(2000)205
- Brandšteterová, E., see Kubalec, P. 726(1999)211
- Brandšteterová, E. and Wainer, I.W.
Achiral and chiral high-performance liquid chromatography of verapamil and its metabolites in serum samples 732(1999)395
- Brandšteterová, E., see Bovanová, L. 732(1999)405
- Braun, V., see Hertle, R. 737(2000)13
- Bravo, E., see Perez-Ruiz, T. 742(2000)205
- Braza, A.J., Modamio, P. and Mariño, E.L.
Two reproducible and sensitive liquid chromatographic methods to quantify atenolol and propranolol in human plasma and determination of their associated analytical error functions 738(2000)225
- Breen, P.J., see Zhou, X. 728(1999)273
- Bregante, M.A., see Garcia, M.A. 729(1999)157
- Breilh, D., Lavalley, C., Fratta, A., Ducint, D., Cony-Makhoul, P. and Saux, M.C.
Determination of cefepime and cefpirome in human serum by high-performance liquid chromatography using an ultrafiltration for antibiotics serum extraction 734(1999)121
- Breilh, D., see Lemoine, T. 742(2000)247
- Breindahl, T.
Therapeutic drug monitoring of flecainide in serum using high-performance liquid chromatography and electrospray mass spectrometry 746(2000)249
- Breindahl, T. and Andreasen, K.
Determination of 11-nor- Δ^9 -tetrahydrocannabinol-9-carboxylic acid in urine using high-performance liquid chromatography and electrospray ionization mass spectrometry 732(1999)155
- Breindahl, T. and Andreasen, K.
Validation of urine drug-of-abuse testing methods for ketobemidone using thin-layer chromatography and liquid chromatography–electrospray mass spectrometry 736(1999)103
- Bressolle, F., see Audran, M. 734(1999)267
- Bressolle, F., see Audran, M. 745(2000)333
- Bressolle, F., see Gauvin, A. 748(2000)389
- Bressolle, F., see Orti, V. 738(2000)357
- Breuillé, D., see Capitan, P. 732(1999)127
- Briand, G., see Ghulam, A. 727(1999)227
- Briand, G., see Soudan, B. 729(1999)65
- Bridonneau, P., Bunch, S., Tengler, R., Hill, K., Carter, J., Pieken, W., Tinnermeier, D., Lehman, R. and Drolet, D.W.
Purification of a highly modified RNA-aptamer. Effect of complete denaturation during chromatography on product recovery and specific activity 726(1999)237
- Brinkmann, B., see Beike, J. 726(1999)111
- Brion, F., see Paci, A. 739(2000)239
- Brion, F., Rogerieux, F., Noury, P., Migeon, B., Flammarion, P., Thybaud, E. and Porcher, J.-M.
Two-step purification method of vitellogenin from three teleost fish species: rainbow trout (*Oncorhynchus mykiss*), gudgeon (*Gobio gobio*) and chub (*Leuciscus cephalus*) 737(2000)3
- Brocks, D.R., see Omole, O.O. 727(1999)23
- Brocky, J.L. and Hage, D.S.
Separation of near-infrared fluorescent conjugates of dATP and related compounds by capillary electrophoresis 744(2000)315
- Brodie, M.J., see Santangeli, S. 746(2000)325
- Brookes, S.T., see Allen, G.D. 732(1999)383
- Brosens, E., see Messens, J. 737(2000)167
- Brouwer, E., see Loos, W.J. 738(2000)155
- Brown, M.P., see Chou, C.-C. 742(2000)441

- Brown, P.R., see Needham, S.R. 748(2000)77
- Brozmanová, H., Grundmann, M., Šafarčík, K. and Jegorov, A.
High-performance liquid chromatographic method for
therapeutic drug monitoring of cyclosporine A and its two
metabolites in renal transplant patients 749(2000)93
- Brückner, A., see Rizzi, A. 730(1999)167
- Bruckner, J.V., see Muralidhara, S. 732(1999)145
- Brügglér, K., see Mayr, P. 737(2000)195
- Brumbauer, A., Johansson, G. and Réczey, K.
Study on heterogeneity of β -glucosidase from *Aspergillus*
species by using counter-current distribution 743(2000)247
- Brune, K., see Werner, U. 749(2000)35
- Brunner, J., see Tang, C. 742(2000)303
- Brunner, L.J. and Bai, S.
Simple and rapid assay for acetaminophen and conjugated
metabolites in low-volume serum samples 732(1999)323
- Bruno, F.S., see Pellegrino, S. 729(1999)103
- Bu, F., see Sun, T. 742(2000)109
- Bu, H.-Z., Poglod, M., Micetich, R.G. and Khan, J.K.
Novel sample preparation method facilitating identification
of urinary drug metabolites by liquid chromatography–
tandem mass spectrometry 738(2000)259
- Buckley, J., see Phillips, L.R. 732(1999)315
- Buckley, J., see Phillips, L.R. 741(2000)205
- Buclin, T., see Marzolini, C. 740(2000)43
- Budd, T., see Zhang, Z. 728(1999)85
- Bufo, S.A., see Campa, C. 739(2000)95
- Bugge, A., see Kristoffersen, L. 734(1999)229
- Bührer, R., see Rentsch, K.M. 742(2000)131
- Buist, A., see Dodd, S. 730(1999)249
- Bult, A., see Rosing, H. 727(1999)191
- Bunch, S., see Bridonneau, P. 726(1999)237
- Burger, D.M., see Hollanders, R.M.F. 744(2000)65
- Burger, D.M., see Hugen, P.W.H. 727(1999)139
- Burgmann, H., see El Menyawi, I. 742(2000)13
- Burke, D.G., MacLean, P.G., Walker, R.A., Dewar, P.J. and
Smith-Palmer, T.
Analysis of creatine and creatinine in urine by capillary
electrophoresis 732(1999)479
- Burnat, P., see Ceppa, F. 746(2000)115
- Burns, R.B. and Embree, L.
Validation of high-performance liquid chromatographic
assay methods for the analysis of carboplatin in plasma
ultrafiltrate 744(2000)367
- Burrows, G.D., see Dodd, S. 730(1999)249
- Burrows, G.D., see Dodd, S. 748(2000)439
- Burstein, S., see Yagen, B. 740(2000)93
- Burton, R.W., see Anari, M.R. 742(2000)217
- Burton, S.J., see Sproule, K. 740(2000)17
- Butler, J.A., see Deutsch, J.C. 726(1999)79

C

- Caballero, A., see Ibarra, N. 735(1999)271
- Cabral, J.M.S., see Marcos, J.C. 734(1999)15
- Caccialanza, G., see Massolini, G. 738(2000)343
- Cacia, J., see Jandik, P. 732(1999)193
- Caffrey, R., see Khan, P. 726(1999)249
- Caffrey, R., see Khan, P. 729(1999)287
- Cai, X., Woo, M.H., Edick, M.J. and Relling, M.V.
Simultaneous quantitation of etoposide and its catechol
metabolite in human plasma using high-performance liquid
chromatography with electrochemical detection
728(1999)241
- Cain, W.S., see Abraham, M.H. 745(2000)103
- Calam, J., see Murray, S. 739(2000)337
- Calanni Rindina, P., see Taibi, G. 745(2000)431
- Calbucci, F., see Battaglia, A. 730(1999)81
- Calleri, E., see Massolini, G. 738(2000)343
- Calonghi, N., see Raggi, M.A. 730(1999)201
- Calull, M., see Hernández, M. 731(1999)309
- Calull, M., see Hernández, M. 742(2000)255
- Calvo, E., see Escoriza, J. 736(1999)97
- Calvo, E., see Escoriza, J. 740(2000)159
- Camilleri, P., see Charwood, J. 734(1999)169
- Camilleri, P., see Hadley, M. 745(2000)177
- Camilleri, P., see Hutterer, K.M. 745(2000)365
- Camilleri, P., see Shah, A.J. 735(1999)133
- Campa, C., Schmitt-Kopplin, Ph., Cataldi, T.R.I., Bufo, S.A.,
Freitag, D. and Kettrup, A.
Analysis of cyanogenic glycosides by micellar capillary
electrophoresis 739(2000)95
- Campbell, K., see Russell, J.A. 744(2000)157
- Campíns-Falcó, P., see Herráez-Hernández, R. 740(2000)169
- Campos-Takaki, G.M., see Sarubbo, L.A. 743(2000)79
- Canalias, F., see Bota, A. 737(2000)237
- Čaniová, A., see Bovanová, L. 732(1999)405
- Capitan, P., Malmezat, T., Breuillé, D. and Obléd, C.
Gas chromatographic–mass spectrometric analysis of stable
isotopes of cysteine and glutathione in biological samples
732(1999)127
- Capo-chichi, C.D., Guéant, J.-L., Feillet, F., Namour, F. and
Vidailhet, M.
Analysis of riboflavin and riboflavin cofactor levels in
plasma by high-performance liquid chromatography
739(2000)219
- Carda Broch, S., see García Alvarez-Coque, M.C. 736(1999)1
- Cardona, A., see Prieto, M.J. 741(2000)301
- Cardot, P., see Lachâtre, F. 738(2000)281
- Cardot, P.J.P., see Chianéa, T. 734(1999)91
- Carlucci, F., see Terzuoli, L. 728(1999)185
- Carné, X., see Sarasa, M. 746(2000)183
- Carneiro-Leão, A.M.A., see Sarubbo, L.A. 743(2000)79
- Carrey, E.A., see Fairbanks, L.D. 732(1999)487

- Carrier, A. and Parent, J.
Liquid chromatographic–mass spectrometric determination of itraconazole and its major metabolite, hydroxyitraconazole, in dog plasma 745(2000)413
- Carter, J., see Bridonneau, P. 726(1999)237
- Cartron, J.-P., see Cochet, S. 735(1999)207
- Cartron, J.-P., see Cochet, S. 750(2001)109
- Casamenti, G., see Raggi, M.A. 730(1999)201
- Casamenti, G., see Raggi, M.A. 750(2001)137
- Casazza, R., see Gatti, G. 728(1999)233
- Casciani, S., see Massoud, R. 734(1999)163
- Cassagne, C., see Santarelli, X. 739(2000)63
- Castagnoli, N., see Igarashi, K. 746(2000)33
- Castel, V., see Peris, J.-E. 730(1999)33
- Castellano, G., see Grippa, E. 738(2000)17
- Castellanos, C., see Escoriza, J. 740(2000)159
- Cataldi, T.R.I., see Campa, C. 739(2000)95
- Cataneo, R.N., see Phillips, M. 729(1999)75
- Catlin, D.H., see Aguilera, R. 727(1999)95
- Caughey, D.J., Narhi, L.O., Kita, Y., Meng, S.-Y., Wen, D., Chen, W., Ratzkin, B.J., Fujimoto, J., Iwahara, T., Yamamoto, T. and Arakawa, T.
Fractionation of polyclonal antibodies to fragments of a neuroreceptor using three increasingly chaotropic solvents 728(1999)49
- Causon, R.C., see Davies, I.D. 732(1999)173
- Causon, R.C., see Johnson, V.M. 740(2000)71
- Caussé, E., Siri, N., Arnal, J.F., Bayle, C., Malatray, P., Valdiguié, P., Salvayre, R. and Couderc, F.
Determination of asymmetrical dimethylarginine by capillary electrophoresis–laser-induced fluorescence 741(2000)77
- Cavazzini, S., see Manini, P. 744(2000)423
- Ceccato, A., see Chiap, P. 739(2000)205
- Ceccato, A., see Streel, B. 742(2000)391
- Ceccato, A., Vanderbist, F., Pabst, J.-Y. and Streel, B.
Enantiomeric determination of tramadol and its main metabolite *O*-desmethyltramadol in human plasma by liquid chromatography–tandem mass spectrometry 748(2000)65
- Celeste, R., see Arbughi, T. 729(1999)323
- Celli, M., see Salerno, C. 734(1999)175
- Celli, N., Gallardo, A.M., Rossi, C., Zucchetti, M., D'Incalci, M. and Rotilio, D.
Analysis of aplidine (dehydrodidemnin B), a new marine-derived depsipeptide, in rat biological fluids by liquid chromatography–tandem mass spectrometry 731(1999)335
- Cepeda, A., see Fente, C.A. 726(1999)133
- Ceppa, F., El Jahiri, Y., Mayaudon, H., Dupuy, O. and Burnat, P.
High-performance liquid chromatographic determination of cotinine in urine in isocratic mode 746(2000)115
- Cerqueira, P.M., see Lanchote, V.L. 738(2000)27
- Cerqueira, P.M., Mateus, F.H., Cesarino, E.J., Bonato, P.S. and Lanchote, V.L.
Enantioselectivity of debrisoquine 4-hydroxylation in Brazilian Caucasian hypertensive patients phenotyped as extensive metabolizers 749(2000)153
- Cersosimo, E., see Zaitseva, I. 727(1999)15
- Cesarino, E.J., see Bortocan, R. 744(2000)299
- Cesarino, E.J., see Cerqueira, P.M. 749(2000)153
- Cesarino, E.J., see Lanchote, V.L. 738(2000)27
- Chait, A., see Gulyaeva, N. 743(2000)187
- Chakel, J.A., see Lehmborg, E. 732(1999)411
- Chakel, J.A., see Lichtenwalter, K.G. 745(2000)231
- Chakraborty, A., see Ji, J. 745(2000)197
- Chan, E.C.Y., Wee, P.Y., Ho, P.Y. and Ho, P.C.
High-performance liquid chromatographic assay for catecholamines and metanephrines using fluorimetric detection with pre-column 9-fluorenylmethyloxycarbonyl chloride derivatization 749(2000)179
- Chan, K.C., see Issaq, H.J. 738(2000)243
- Chan, K.K., see Zhang, Z. 728(1999)85
- Chan, N.W.C., see Krylov, S.N. 741(2000)31
- Chan, S.T.H., see Ou, J.P. 727(1999)63
- Chan, S.T.H., see Ou, J.P. 731(1999)389
- Chang, P.C., see Su, S.C. 749(2000)163
- Chang, R.-J., see Lehmborg, E. 732(1999)411
- Chang, Y.L., Chen, Y.F., Chen, C.F. and Tsai, T.H.
Determination of unbound cephalothin in rat blood by on-line microdialysis and microbore liquid chromatography 742(2000)125
- Chang, Y.L., see Tsai, T.H. 740(2000)203
- Chaplin, M.F., see Chaudhury, S. 726(1999)71
- Charlwood, J., Birrell, H. and Camilleri, P.
Carbohydrate release from picomole quantities of glycoprotein and characterisation of glycans by high-performance liquid chromatography and mass spectrometry 734(1999)169
- Chassaing, C., Gonin, J., Wilcox, C.S. and Wainer, I.W.
Determination of reduced and oxidized homocysteine and related thiols in plasma by thiol-specific pre-column derivatization and capillary electrophoresis with laser-induced fluorescence detection 735(1999)219
- Chatterjee, S., see Abendroth, J. 737(2000)187
- Chaudhuri, J.B., see Fahey, E.M. 737(2000)225
- Chaudhuri, S. and Chaplin, M.F.
Determination of bile acids in human faecal samples using supercritical fluid extraction and high-performance liquid chromatography 726(1999)71
- Chavez-Eng, C.M., Constanzer, M.L. and Matuszewski, B.K.
Determination of Rofecoxib (MK-0966), a cyclooxygenase-2 inhibitor, in human plasma by high-performance liquid chromatography with tandem mass spectrometric detection 748(2000)31
- Cheah, P.Y., Yuen, K.H. and Liong, M.L.
Improved high-performance liquid chromatographic analysis of terazosin in human plasma 745(2000)439
- Chen, B.-C., see Jemal, M. 736(1999)19
- Chen, C.F., see Chang, Y.L. 742(2000)125
- Chen, C.-F., see Tsai, T.-H. 729(1999)119
- Chen, C.F., see Tsai, T.H. 732(1999)221
- Chen, C.F., see Tsai, T.H. 734(1999)277
- Chen, C.F., see Tsai, T.H. 735(1999)25
- Chen, C.F., see Tsai, T.H. 738(2000)75
- Chen, C.F., see Tsai, T.H. 740(2000)203
- Chen, C.-F., see Tsai, T.-H. 750(2001)93
- Chen, C.F., see Tsai, T.R. 736(1999)129
- Chen, C.-h., see Chen, D.-c. 750(2001)33

- Chen, C.-L., Malaviya, R., Chen, H., Liu, X.-P. and Uckun, F.M.
Quantitative high-performance liquid chromatographic method for pharmacokinetic studies of the potent mast cell inhibitor 4-(4'-hydroxyphenyl)amino-6,7-dimethoxyquinazoline (WHI-P131) 727(1999)205
- Chen, C.-L. and Uckun, F.M.
Highly sensitive liquid chromatography–electrospray mass spectrometry (LC–MS) method for the determination of etoposide levels in human serum and plasma 744(2000)91
- Chen, D.-c., Zhan, D.-Z., Cheng, C.-W., Liu, A.-C. and Chen, C.-h.
Determination of urine catecholamines by capillary electrophoresis with dual-electrode amperometric detection 750(2001)33
- Chen, G., see Sun, T. 742(2000)109
- Chen, H., see Chen, C.-L. 727(1999)205
- Chen, H., see Zhang, Z. 728(1999)85
- Chen, H.X., see Bansal, R. 750(2001)129
- Chen, I.-F., see Tsai, T.-H. 729(1999)119
- Chen, J.S., see Marquinez, A.C. 746(2000)141
- Chen, K.C., see Tsai, T.H. 735(1999)25
- Chen, K.C., see Tsai, T.H. 738(2000)75
- Chen, L.-C., Lee, M.-H., Chou, M.-H., Lin, M.-F. and Yang, L.-L.
Pharmacokinetic study of paeoniflorin in mice after oral administration of Paeoniae radix extract 735(1999)33
- Chen, L.-S., see Tucker, C.E. 732(1999)203
- Chen, S.-H., Wu, H.-L., Shen, M.-C. and Kou, H.-S.
Trace analysis of ethosuximide in human plasma with a chemically removable derivatizing reagent and high-performance liquid chromatography 729(1999)111
- Chen, W., see Caughey, D.J. 728(1999)49
- Chen, W.-Y., see Yang, C.-S. 734(1999)1
- Chen, Y.F., see Chang, Y.L. 742(2000)125
- Chen, Y.-F., see Tsai, T.-H. 729(1999)119
- Chen, Y.F., see Tsai, T.H. 732(1999)221
- Chen, Y.F., see Tsai, T.H. 735(1999)25
- Chen, Y.F., see Tsai, T.H. 738(2000)75
- Chen, Y.-H., see Li, S.-H. 726(1999)45
- Chen, Z., see Wu, J. 741(2000)85
- Cheng, C.-W., see Chen, D.-c. 750(2001)33
- Cheng, F.C., see Tsai, T.H. 734(1999)277
- Cheng, F.C., see Tsai, T.H. 735(1999)25
- Cheng, F.C., see Tsai, T.H. 736(1999)129
- Cheng, S.-C., see Huang, R.-N. 740(2000)109
- Cheng, Y.-F., Neue, U.D. and Woods, L.L.
Novel high-performance liquid chromatographic and solid-phase extraction methods for quantitating methadone and its metabolite in spiked human urine 729(1999)19
- Cherlet, M., De Baere, S., Croubels, S. and De Backer, P.
Quantitative analysis of levamisole in porcine tissues by high-performance liquid chromatography combined with atmospheric pressure chemical ionization mass spectrometry 742(2000)283
- Chervet, J.-P., see Smoluch, M.T. 726(1999)37
- Cheung, T.M., see Ou, J.P. 727(1999)63
- Chi, J.D. and Franklin, M.
Measurement of hyperforin a constituent of St. John's wort in plasma by high-performance liquid chromatography 735(1999)285
- Chi, J.D., Odontiadis, J. and Franklin, M.
Simultaneous determination of catecholamines in rat brain tissue by high-performance liquid chromatography 731(1999)361
- Chianéa, T., Cardot, P.J.P., Assidjo, E., Monteil, J., Clarot, I. and Krausz, P.
Field- and flow-dependent trapping of red blood cells on polycarbonate accumulation wall in sedimentation field-flow fractionation 734(1999)91
- Chiap, P., Miralles Buraglia, B., Ceccato, A., Hubert, Ph. and Crommen, J.
Automated liquid chromatographic determination of atenolol in plasma using dialysis and trace enrichment on a cation-exchange precolumn for sample handling 739(2000)205
- Chiari, M., see Kašička, V. 741(2000)43
- Chiarotti, M. and Fucci, N.
Comparative analysis of heroin and cocaine seizures (Review) 733(1999)127
- Chiba, N., Imai, H. and Nakagawa, Y.
Determination of 5-hydroperoxyeicosatetraenoic acid produced in rat basophilic leukemia cell line RBL-2H3 by high-performance liquid chromatography with chemiluminescence detection 728(1999)35
- Chien, B., see Ramu, K. 749(2000)1
- Chikuma, T., Ogura, Y., Kasamatsu, M., Taguchi, K., Mitsui, K., Kato, T. and Tanaka, A.
High-performance liquid chromatographic–fluorimetric assay for cathepsin A (lysosomal protective protein) activity 728(1999)59
- Chimirri, A., see Rizzo, M. 731(1999)207
- Chinaka, S., Tanaka, S., Takayama, N., Komai, K., Ohshima, T. and Ueda, K.
Simultaneous chiral analysis of methamphetamine and related compounds by capillary electrophoresis 749(2000)111
- Ching, M.S., see Haritos, V.S. 736(1999)201
- Chipman, D.M., see Engel, S. 743(2000)225
- Chipman, D.M., see Engel, S. 743(2000)281
- Chiu, J.A., see Kasper, S.C. 726(1999)203
- Chládek, J., Šišpera, L. and Martinková, J.
High-performance liquid chromatographic assay for the determination of 5-methyltetrahydrofolate in human plasma 744(2000)307
- Cho, K.H., see Shin, Y.G. 732(1999)331
- Choi, M.H., see Yang, Y.J. 742(2000)37
- Choi, S.J., see Jeong, C.K. 738(2000)175
- Choi, S.J., see Lee, H.M. 727(1999)213
- Choi, S.O., Lee, S.H., Kong, H.S., Kim, E.J. and Choo, H.-Y.P.
Stereoselective determination of cetirizine and studies on pharmacokinetics in rat plasma 744(2000)201
- Chollet, D.F., Goumaz, L., Juliano, C. and Anderegg, G.
Fast isocratic high-performance liquid chromatographic assay method for the simultaneous determination of gabapentin and vigabatrin in human serum 746(2000)311

- Choma, I., Grenda, D., Malinowska, I. and Suprynowicz, Z.
Determination of flumequine and doxycycline in milk by a simple thin-layer chromatographic method 734(1999)7
- Chong, B.E., Kim, J., Lubman, D.M., Tiedje, J.M. and Kathariou, S.
Use of non-porous reversed-phase high-performance liquid chromatography for protein profiling and isolation of proteins induced by temperature variations for Siberian permafrost bacteria with identification by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry and capillary electrophoresis–electrospray ionization mass spectrometry 748(2000)167
- Choo, H.-Y.P., see Choi, S.O. 744(2000)201
- Chou, C.-C., Brown, M.P. and Merritt, K.A.
Capillary zone electrophoresis for the determination of atovaquone in serum 742(2000)441
- Chou, C.J., see Tsai, T.H. 732(1999)221
- Chou, M.-H., see Chen, L.-C. 735(1999)33
- Chou, S.S., see Su, S.C. 749(2000)163
- Chow, L.-P., see Huang, R.-N. 740(2000)109
- Christensen, M.S., see Kiehr, B. 729(1999)315
- Christians, U., Jacobsen, W., Serkova, N., Benet, L.Z., Vidal, C., Sewing, K.-Fr., Manns, M.P. and Kirchner, G.I.
Automated, fast and sensitive quantification of drugs in blood by liquid chromatography–mass spectrometry with on-line extraction: immunosuppressants 748(2000)41
- Christophers, E., see Hartleb, J. 727(1999)31
- Chu, Y., see Su, Y. 732(1999)459
- Chumpitaz, L.D.A., see Alves, J.G.L.F. 743(2000)235
- Chung, B.C., see Yang, Y.J. 742(2000)37
- Chung, S.M., see Shin, Y.G. 732(1999)331
- Cícero do Nascimento, P., see Bohrer, D. 750(2001)61
- Cinatl, J., see Weber, C. 736(1999)299
- Cinci, G., see Terzuoli, L. 728(1999)185
- Cipponi, A., see Arcelloni, C. 729(1999)369
- Cirimele, V., Kintz, P. and Ludes, B.
Testing of the anabolic stanozolol in human hair by gas chromatography–negative ion chemical ionization mass spectrometry 740(2000)265
- Citron, A., see Wiltshire, H. 745(2000)373
- Cittadini, F., see Tagliaro, F. 733(1999)273
- Čížková, M., see Hyšpler, R. 739(2000)183
- Claeson, K., Åberg, F. and Karlberg, B.
Free malondialdehyde determination in rat brain tissue by capillary zone electrophoresis: evaluation of two protein removal procedures 740(2000)87
- Claessens, H.A., see Coufal, P. 732(1999)437
- Clarke, A.P., see Jandik, P. 732(1999)193
- Clarke, P., see Tarbin, J.A. 729(1999)127
- Clarke, R., see Zhang, Y. 739(2000)33
- Clarke, T., see Wiltshire, H. 745(2000)373
- Clarot, I., see Chianéa, T. 734(1999)91
- Clayton, E., see Scarfe, G.B. 748(2000)311
- Clofent-Sanchez, G., see Laroche-Traineau, J. 737(2000)107
- Cochet, S., Blancher, A., Roubinet, F., Hattab, C., Cartron, J.-P. and Bertrand, O.
Immunopurification of the blood group RhD protein from human erythrocyte membranes 735(1999)207
- Cochet, S., Voletèle, G., Cartron, J.-P. and Bertrand, O.
New procedures for glycoprotein A purification with high yield and high purity 750(2001)109
- Coe, R.A., DeCesare, L.S. and Lee, J.W.
Quantitation of efletirizine in human plasma and urine using automated solid-phase extraction and column-switching high-performance liquid chromatography 730(1999)239
- Cohen, M.S., see Pereira, A.S. 742(2000)173
- Cole, R.O., see Reed-Hagen, A.E. 744(2000)333
- Collins, E.D., see Suckow, R.F. 729(1999)217
- Colombi, A., see Floridia, L. 726(1999)95
- Colombo, T., Frapolli, R., Bombardelli, E., Morazzoni, P., Riva, A., D'Incalci, M. and Zucchetti, M.
High-performance liquid chromatographic assay for the determination of the novel taxane derivative IDN5109 in mouse plasma 736(1999)135
- Colyer, C.L., see Moody, E.D. 729(1999)55
- Cometto-Muniz, J.E., see Abraham, M.H. 745(2000)103
- Compadre, C.M., see Zhou, X. 728(1999)273
- Comuzzi, B., Arcelloni, C., Polo, S., Nardese, V., Lusso, P. and Paroni, R.
Multi-step purification strategy for RANTES wild-type and mutated analogues expressed in a baculovirus system 737(2000)47
- Cone, E.J., see Huestis, M.A. 733(1999)247
- Constanzer, M.L., see Chavez-Eng, C.M. 748(2000)31
- Cony-Makhoul, P., see Breilh, D. 734(1999)121
- Coolen, S.A.J., Ligor, T., van Lieshout, M. and Huf, F.A.
Determination of phenolic derivatives of antipyrine in plasma with solid-phase extraction and high-performance liquid chromatography–atmospheric-pressure chemical ionization mass spectrometry 732(1999)103
- Cooper, T.B., see Suckow, R.F. 729(1999)217
- Corbett, S., see Green, M.D. 727(1999)159
- Corta, E., see Bakkali, A. 729(1999)139
- Corta, E., Bakkali, A., Berrueta, L.A., Gallo, B., Vicente, F., Gonzalo, A., Lucero, M.L. and Orjales, A.
Semi-automated solid-phase extraction procedure for the high-performance liquid chromatographic determination of alinastine in biological fluids 727(1999)131
- Cortese, C., see Massoud, R. 734(1999)163
- Coscolluella, C., see Zhu, J. 741(2000)55
- Costa, S.A., Pessoa, A. and Roberto, I.C.
Partitioning of xylanolytic complex from *Penicillium janthinellum* by an aqueous two-phase system 743(2000)339
- Cotton, F., see Lin, C. 742(2000)411
- Couch, R.A., see Murday, M. 735(1999)151
- Couderc, F., see Arellano, M. 741(2000)89
- Couderc, F., see Caussé, E. 741(2000)77
- Coufal, P., Štulík, K., Claessens, H.A., Hardy, M.J. and Webb, M.
Separation and quantification of ropinirole and some impurities using capillary liquid chromatography 732(1999)437
- Coutts, R.T., see Lai, C.-T. 749(2000)275

- Cox, D.S., Du, J., Scott, K.R., Gao, H. and Eddington, N.D.
Determination of the enaminone DM5, an anti-epileptic agent, in mouse plasma and brain tissue by high-performance liquid chromatography with ultraviolet detection 749(2000)191
- Cranendonk, A., see Kulik, W. 750(2001)147
- Cregor, M., see Zhu, Y. 740(2000)129
- Cremers, S., see Sparidans, R.W. 730(1999)95
- Cremers, S., see Sparidans, R.W. 738(2000)331
- Crhová, Š., see Hyšpler, R. 739(2000)183
- Crifò, C., see Salerno, C. 734(1999)175
- Crivellente, F., Fracasso, G., Valentini, R., Manetto, G., Riviera, A.P. and Tagliaro, F.
Improved method for carbohydrate-deficient transferrin determination in human serum by capillary zone electrophoresis 739(2000)81
- Crommen, J., see Chiap, P. 739(2000)205
- Crosbie, S.J., Murray, S., Boobis, A.R. and Gooderham, N.J.
Mass spectrometric detection and measurement of N^2 -(2'-deoxyguanosin-8-yl)PhIP adducts in DNA 744(2000)55
- Croubels, S., see Cherlet, M. 742(2000)283
- Cruze, C.A., see Eichhold, T.H. 741(2000)213
- Cueto, L., see Rito-Palomares, M. 743(2000)5
- Culbertson, C.T., see Gottschlich, N. 745(2000)243
- Cummings, J., MacLellan, A.J., Mark, M. and Jodrell, D.I.
Development of a gradient elution high-performance liquid chromatography assay with ultraviolet detection for the determination in plasma of the anticancer peptide [Arg⁶, D-Trp^{7,9}, mPhe⁸]-substance P (6–11) (antagonist G), its major metabolites and a C-terminal pyrene-labelled conjugate 732(1999)277
- Cvitkovich, B., see Rizzi, A. 730(1999)167
- Czauderna, M. and Kowalczyk, J.
Quantification of allantoin, uric acid, xanthine and hypoxanthine in ovine urine by high-performance liquid chromatography and photodiode array detection 744(2000)129
- Czollner, L., see Rizzi, A. 730(1999)167
- Czubak, J., see Wróbel, M. 746(2000)315

D

- Da Silva, L.H.M., see Alves, J.G.L.F. 743(2000)235
- Da Silva, M.E. and Franco, T.T.
Purification of soybean peroxidase (*Glycine max*) by metal affinity partitioning in aqueous two-phase systems 743(2000)287
- Dai, Y., see Lichtenwalter, K.G. 745(2000)231
- Dal Bo, L., Mazzucchelli, P. and Marzo, A.
Assay of zofenopril and its active metabolite zofenoprilat by liquid chromatography coupled with tandem mass spectrometry 749(2000)287
- Dal Cortivo, L., see Houzé, P. 728(1999)75
- Dalglish, D.G., see Persaud, D.R. 744(2000)389
- Dall'Amico, R., see Marsilio, R. 744(2000)241
- Dallet, Ph., Labat, L., Kummer, E. and Dubost, J.P.
Determination of urea, allantoin and lysine pyroglutamate in cosmetic samples by hydrophilic interaction chromatography 742(2000)447
- Damm, Y., see Hartleb, J. 727(1999)31
- Danhof, M., see Visser, S.A.G. 745(2000)357
- Danhof, M., see Zuideveld, K.P. 738(2000)67
- D'Arbigny, P., see Hoizey, G. 731(1999)317
- Darius, J. and Banditt, P.
Validated method for the therapeutic drug monitoring of flunitrazepam in human serum using liquid chromatography–atmospheric pressure chemical ionization tandem mass spectrometry with an ion trap detector 738(2000)437
- Darrouzain, F., see Guillaume, Y.C. 749(2000)225
- Das Gupta, T.K., see Shin, Y.G. 732(1999)331
- Dash, A.K., see Owens, H.M. 728(1999)97
- Davankov, V., Pavlova, L., Tsyurupa, M., Brady, J., Balsamo, M. and Yousha, E.
Polymeric adsorbent for removing toxic proteins from blood of patients with kidney failure 739(2000)73
- Dave, U.P., see Zhang, C. 746(2000)41
- Davies, I.D., Allanson, J.P. and Causon, R.C.
Rapid determination of the anti-cancer drug chlorambucil (LeukeranTM) and its phenyl acetic acid mustard metabolite in human serum and plasma by automated solid-phase extraction and liquid chromatography–tandem mass spectrometry 732(1999)173
- Davis, P.A., see Marino, M.A. 732(1999)365
- Davydova, N.N., Gotti, R., Welch, W.J. and Wainer, I.W.
Determination of iohalamate in rat urine, plasma, and tubular fluid by capillary electrophoresis 728(1999)143
- Davydova, N.N., Yasuda, S.U., Woosley, R.L. and Wainer, I.W.
Determination of clemastine in human plasma by gas chromatography with nitrogen–phosphorus detection 744(2000)177
- Daw, T.W., see Phillips, L.R. 732(1999)315
- Dean, M.C., see Issaq, H.J. 738(2000)243
- Dear, G.J., Plumb, R.S., Sweatman, B.C., Ayrton, J., Lindon, J.C., Nicholson, J.K. and Ismail, I.M.
Mass directed peak selection, an efficient method of drug metabolite identification using directly coupled liquid chromatography–mass spectrometry–nuclear magnetic resonance spectroscopy 748(2000)281
- Dear, G.J., Plumb, R.S., Sweatman, B.C., Parry, P.S., Roberts, A.D., Lindon, J.C., Nicholson, J.K. and Ismail, I.M.
Use of directly coupled ion-exchange liquid chromatography–mass spectrometry and liquid chromatography–nuclear magnetic resonance spectroscopy as a strategy for polar metabolite identification 748(2000)295
- De Backer, P., see Cherlet, M. 742(2000)283
- De Baere, S., see Cherlet, M. 742(2000)283

- Debelak, D., Fisher, J., Iuliano, S., Sesholtz, D., Sloane, D.L. and Atkinson, E.M.
Cation-exchange high-performance liquid chromatography of recombinant adeno-associated virus type 2
740(2000)195
- De Biasi, V., see Shah, A.J. 735(1999)133
- De Boeck, G., see Guetens, G. 739(2000)139
- De Boeck, G., see Zhang, Z.D. 739(2000)281
- De Boer, T., see Ensing, K. 727(1999)53
- De Bruijn, E.A., see Guetens, G. 739(2000)139
- De Bruijn, E.A., see Zhang, Z.D. 739(2000)281
- De Bruijn, P., see Loos, W.J. 735(1999)293
- De Bruijn, P., see Loos, W.J. 738(2000)155
- De Ceaurriz, J., see Audran, M. 734(1999)267
- De Ceaurriz, J., see Audran, M. 745(2000)333
- DeCesare, L.S., see Coe, R.A. 730(1999)239
- Deckwer, W.-D., see Garke, G. 737(2000)25
- Decosterd, L.A., see Marzolini, C. 740(2000)43
- Deforce, D., see Hoes, I. 736(1999)43
- Degand, P., see Soudan, B. 729(1999)65
- Degoute, C.S., see Favetta, P. 742(2000)25
- De Gouveia, T. and Kilikian, B.V.
Bioaffinity extraction of glucoamylase in aqueous two-phase systems using starch as free bioligand 743(2000)241
- Degrauw, T., see Tang, P.H. 727(1999)125
- De Haan, A., see Karatzaferi, C. 730(1999)183
- Dehne, M.G., see Mühling, J. 728(1999)157
- De Jager, A.D., see Badenhorst, D. 742(2000)91
- De Jager, A.D., Ellis, H., Hundt, H.K.L., Swart, K.J. and Hundt, A.F.
High-performance liquid chromatographic determination with amperometric detection of piroxicam in human plasma and tissues 729(1999)183
- De Jager, A.D., Hundt, H.K.L., Hundt, A.F., Swart, K.J., Knight, M. and Roberts, J.
Extractionless determination of 6-methoxy-2-naphthylacetic acid, a major metabolite of nabumetone, in human plasma by high-performance liquid chromatography 740(2000)247
- De Jong, G.J., see Koster, E.H.M. 739(2000)175
- De Jong, G.J., see Theodoridis, G. 745(2000)49
- De Jong, G.J., see van Hout, M.W.J. 729(1999)199
- Del Corral, J., see Rada, P. 735(1999)1
- Delabar, U., see Luippold, G. 729(1999)379
- Delahaut, P., see Fluchard, D. 744(2000)139
- Delaunay, N., Pichon, V. and Hennion, M.-C.
Immunoaffinity solid-phase extraction for the trace-analysis of low-molecular-mass analytes in complex sample matrices (Review) 745(2000)15
- Delépée, R., Maume, D., Le Bizec, B. and Pouliquen, H.
Preliminary assays to elucidate the structure of oxytetracycline's degradation products in sediments.
Determination of natural tetracyclines by high-performance liquid chromatography–fast atom bombardment mass spectrometry 748(2000)369
- DeLong, M.A., see Eichhold, T.H. 741(2000)213
- De Lorenzi, E., see Massolini, G. 738(2000)343
- Delsaut, P., see Simon, P. 732(1999)91
- Delsaut, P., see Simon, P. 748(2000)337
- De Meer, K., see Kulik, W. 729(1999)211
- De Meer, K., see Kulik, W. 738(2000)99
- Demeyer, D., see Soudan, B. 729(1999)65
- Den Hartigh, J., see Sparidans, R.W. 738(2000)331
- Denis, S.L., see Gourmel, B. 732(1999)3
- Denizli, A., see Kassab, A. 746(2000)123
- De Pascalis, C.R., see Gatti, G. 728(1999)233
- De Paz, E., see Rabanal, B. 738(2000)293
- De Reuck, J., see De Vos, F. 736(1999)61
- De Rijke, A., see Hofland, G.W. 743(2000)357
- Dervieux, T., see Boulieu, R. 730(1999)273
- De Sarro, G., see Rizzo, M. 731(1999)207
- Desiderio, D.M.
Mass spectrometric analysis of neuropeptidergic systems in the human pituitary and cerebrospinal fluid (Review)
731(1999)3
- De Silva, D. and Wittwer, C.T.
Monitoring hybridization during polymerase chain reaction (Review) 741(2000)3
- Desimone, M., Krüger, M., Wessel, T., Wehofskey, M., Hoffmann, R. and Wagner, E.
Purification and characterization of an aminopeptidase from the chloroplast stroma of barley leaves by chromatographic and electrophoretic methods 737(2000)285
- Desrayaud, S., see Blum, W. 748(2000)349
- Desroches, R., see Gaulier, J.-M. 748(2000)407
- Desta, Z., Soukhova, N.V., Morocho, A., Park, J., Mahal, S.K. and Flockhart, D.A.
Stereoselective determination of cisapride, a prokinetic agent, in human plasma by chiral high-performance liquid chromatography with ultraviolet detection: application to pharmacokinetic study 744(2000)263
- Destache, C.J., see Owens, H.M. 728(1999)97
- D'Eufemia, P., see Salerno, C. 734(1999)175
- Deutsch, J.C., Butler, J.A., Marsh, A.M., Ross, C.A. and Norris, J.M.
Rapid mass spectrometric analysis for ascorbate and related organic acids in small volumes of plasma for use in pediatric subjects 726(1999)79
- Deutz, N.E.P., see van Eijk, H.M.H. 731(1999)199
- Devaney, J.M., see Marino, M.A. 732(1999)365
- Devarajan, P.V., Sule, P.N. and Parmar, D.V.
High-performance thin-layer chromatographic determination of theophylline in plasma 736(1999)289
- Devaux, Y., see Siaghy, E.M. 745(2000)279
- De Vos, F., Dumont, F., Santens, P., Slegers, G., Dierckx, R. and De Reuck, J.
High-performance liquid chromatographic determination of [¹¹C]1-(2-chlorophenyl)-N-methyl-N-(1-methylpropyl)-3-isquinoline carboxamide in mouse plasma and tissue and in human plasma 736(1999)61
- De Vries, E.G.E., see Kema, I.P. 747(2000)33
- Dewar, P.J., see Burke, D.G. 732(1999)479
- De Wolff, F.A., see Kežić, S. 749(2000)265
- Deyl, Z., see Bellini, M.S. 741(2000)67
- Deyl, Z., see Kašička, V. 741(2000)43
- Deyl, Z., see Mikšík, I. 726(1999)59
- Deyl, Z. and Mikšík, I.
Advanced separation methods for collagen parent α -chains, their polymers and fragments (Review) 739(2000)3
- Deyl, Z., see Mikšík, I. 739(2000)109
- Deyl, Z., see Mikšík, I. 741(2000)37

- Deyl, Z. and Mikšík, I.
Comparison of different electrokinetic separation modes applicable to a model peptide mixture (collagen type I and III CNBr fragments) 745(2000)251
- De Zeeuw, R.A., see Ensing, K. 727(1999)53
- De Zeeuw, R.A., see Hartstra, J. 739(2000)125
- De Zeeuw, R.A., see Koole, A. 726(1999)149
- De Zeeuw, R.A., see van Hout, M.W.J. 729(1999)199
- Dhermy, D., see Lin, C. 742(2000)411
- Dhurandhar, N.V., see Kolesar, J.M. 744(2000)1
- Di Jeso, F., see Blandini, F. 732(1999)213
- Di Mascio, P., see Ummus, R.E. 729(1999)237
- Di Stasi, S.M., see Massoud, R. 734(1999)163
- Di Stefano, C., see Xu, G. 732(1999)307
- Diamantopoulou, S., Stagiannis, K.D., Vasilopoulos, K., Barlas, P., Tsegenidis, T. and Karamanos, N.K.
Importance of high-performance liquid chromatographic analysis of serum *N*-acylneuraminic acids in evaluating surgical treatment in patients with early endometrial cancer 732(1999)375
- Dierckx, R., see De Vos, F. 736(1999)61
- Dilger, K., see Hofmann, U. 748(2000)113
- D'Incalci, M., see Celli, N. 731(1999)335
- D'Incalci, M., see Colombo, T. 736(1999)135
- Diquet, B., see Aymard, G. 744(2000)25
- Diquet, B., see Aymard, G. 744(2000)227
- Dixon, P.A.F., see Babalola, C.P. 731(1999)419
- Do, B., Alet, P., Pradeau, D., Poupon, J., Guilley-Gaillot, M. and Guyon, F.
On-line reversed-phase liquid chromatography hydride generation emission spectrometry: speciation of arsenic in urine of patients intravenously treated with As₂O₃ 740(2000)179
- Dodd, S., Buist, A., Burrows, G.D., Maguire, K.P. and Norman, T.R.
Determination of nefazodone and its pharmacologically active metabolites in human blood plasma and breast milk by high-performance liquid chromatography 730(1999)249
- Dodd, S., Burrows, G.D. and Norman, T.R.
Chiral determination of mirtazapine in human blood plasma by high-performance liquid chromatography 748(2000)439
- Doesburg Smits, K., see van Maanen, M.J. 742(2000)335
- Dolan, M.E., see Long, L. 731(1999)241
- Dong, Q., see Jin, W. 741(2000)155
- Donovan, J.L., Luthria, D.L., Stremple, P. and Waterhouse, A.L.
Analysis of (+)-catechin, (–)-epicatechin and their 3'- and 4'-O-methylated analogs. A comparison of sensitive methods 726(1999)277
- Dörnemann, D., see Ummus, R.E. 729(1999)237
- Dote, N., see Kondo, T. 734(1999)101
- Dott, W., see Hollender, J. 739(2000)225
- Douglas, A.J., see Somerville, L.E. 732(1999)81
- Dovichi, N.J., see Krylov, S.N. 741(2000)31
- Dovichi, N.J., see Wu, J. 741(2000)85
- Dowling, T.C. and Frye, R.F.
Determination of famotidine in human plasma and urine by high-performance liquid chromatography 732(1999)239
- Downes, A.J., see Anderson, D. 731(1999)293
- Doyle, E., Fowles, S.E., McDonnell, D.F., McCarthy, R. and White, S.A.
Rapid determination of gemifloxacin in human plasma by high-performance liquid chromatography–tandem mass spectrometry 746(2000)191
- Doyle, E., see Rosing, H. 727(1999)191
- Draves, A.H. and Walker, S.E.
Determination of hypericin and pseudohypericin in pharmaceutical preparations by liquid chromatography with fluorescence detection 749(2000)57
- Drenska, A., see Tzvetanov, S. 732(1999)251
- Drolet, D.W., see Bridonneau, P. 726(1999)237
- Drolet, D.W., see Romig, T.S. 731(1999)275
- Drolet, D.W., see Tucker, C.E. 732(1999)203
- Drummer, O.H.
Chromatographic screening techniques in systematic toxicological analysis (Review) 733(1999)27
- D'Souza, M.J., see Green, M.D. 727(1999)159
- Du, J., see Cox, D.S. 749(2000)191
- Du, M., see Rodriguez Jr, C.O. 745(2000)421
- Duarte, H.S., see Sarubbo, L.A. 743(2000)79
- Dubois, M., see Fluchard, D. 744(2000)139
- Dubost, J.P., see Dallet, Ph. 742(2000)447
- Dubrez, J., see Lemoine, T. 742(2000)247
- Ducint, D., see Breilh, D. 734(1999)121
- Ducint, D., see Lemoine, T. 742(2000)247
- Ducros, V., Schmitt, D., Pernod, G., Faure, H., Polack, B. and Favier, A.
Gas chromatographic–mass spectrometric determination of total homocysteine in human plasma by stable isotope dilution: method and clinical applications 729(1999)333
- Duda, M., see Wong, F.A. 734(1999)247
- Duddempudi, S., see Ellingson, T. 729(1999)347
- Dufourc, E.J., see Goetz, M. 737(2000)55
- Dugan, M.E.R., Thacker, R.D., Aalhus, J.L., Jeremiah, L.E. and Lien, K.A.
Analysis of 4-hydroxyproline using 4-chloro-7-nitrobenzo-2-oxa-1,3-diazol derivatization and micellar electrokinetic chromatography combined with laser-induced fluorescence detection 744(2000)195
- Dullaart, R.P.F., see Guillaume, C.P.F. 731(1999)323
- Dumont, F., see De Vos, F. 736(1999)61
- Dunn, J.A., see Allen, G.D. 732(1999)383
- Dunn, J.A., see Pereira, A.S. 742(2000)173
- Dupuy, J.L., see Lachâtre, F. 738(2000)281
- Dupuy, J.L., see Marquet, P. 734(1999)137
- Dupuy, J.L., see Ragot, S. 736(1999)175
- Dupuy, O., see Ceppa, F. 746(2000)115
- Durán, N., see Pereira, D.G. 728(1999)117
- Durand, T., see Schwedhelm, E. 744(2000)99
- Durham, D., see Poole, S.K. 745(2000)117
- Durix, A., Jaussaud, P., Garcia, P., Bonnaire, Y. and Bony, S.
Analysis of ergovaline in milk using high-performance liquid chromatography with fluorimetric detection 729(1999)255
- Dussini, N., see Marsilio, R. 744(2000)241
- Duthie, G.G., see Morrice, P.C. 738(2000)413

E

- Eades, D., see Reuschel, S.A. 733(1999)145
- Ebert, U., see Oertel, R. 750(2001)121
- Ebner, T., see Hofmann, U. 727(1999)81
- Eddington, N.D., see Cox, D.S. 749(2000)191
- Edick, M.J., see Cai, X. 728(1999)241
- Edman, K., Svensson, L., Eriksson, B. and Gunnarsson, P.O.
Determination of estramustine phosphate and its metabolites estromustine, estramustine, estrone and estradiol in human plasma by liquid chromatography with fluorescence detection and gas chromatography with nitrogen-phosphorus and mass spectrometric detection 738(2000)267
- Edom, R.W., see Wong, F.A. 734(1999)247
- Edwards, G., see Mohamed, S.S. 731(1999)251
- Egorin, M.J., see Parise, R.A. 749(2000)145
- Eguchi, N., see Furuta, T. 738(2000)119
- Ehlermann, P., Remppis, A., Most, P., Bernotat, J., Heizmann, C.W. and Katus, H.A.
Purification of the Ca^{2+} -binding protein S100A1 from myocardium and recombinant *Escherichia coli* 737(2000)39
- Ehrenreich, H., see Haber, H. 735(1999)299
- Eichelbaum, M., see Hofmann, U. 727(1999)81
- Eichelbaum, M., see Hofmann, U. 748(2000)113
- Eichelbaum, M., see von Richter, O. 738(2000)137
- Eichhold, T.H., Kühlenbeck, D.L., Baker, T.R., Stella, M.E., Amburgey, J.S., deLong, M.A., Hartke, J.R., Cruze, C.A., Pierce, S.A. and Wehmeyer, K.R.
Use of short high-performance liquid chromatography columns and tandem-mass spectrometry for the rapid analysis of a prostaglandin analog, fluprostenol, in rat plasma 741(2000)213
- Eisenhofer, G., see Ellingson, T. 729(1999)347
- Ekberg, S., see Bielenstein, M. 730(1999)177
- Ekblad, L., see Barinaga-Rementeria Ramírez, I. 743(2000)389
- Ekblad, L., Jergil, B. and Gierow, J.P.
Purification of rabbit lacrimal gland plasma membranes by aqueous two-phase affinity partitioning 743(2000)397
- El Jahiri, Y., see Ceppa, F. 746(2000)115
- El Kaddouri, S., see Arellano, M. 741(2000)89
- El Mahjoub, A. and Staub, C.
High-performance liquid chromatographic method for the determination of benzodiazepines in plasma or serum using the column-switching technique 742(2000)381
- El Menyawi, I., Wögerbauer, M., Sigmund, H., Burgmann, H. and Graninger, W.
Identification of yeast species by fatty acid profiling as measured by gas-liquid chromatography 742(2000)13
- Eley, A.T., see Srinivasan, K. 745(2000)287
- Elgstoen, K.B.P.
Foreword 741(2000)1
- Elisaf, M., see Halperin, G. 742(2000)345
- Elkær, T., see Sørensen, L.K. 734(1999)307
- Ellingson, T., Duddempudi, S., Greenberg, B.D., Hooper, D. and Eisenhofer, G.
Determination of differential activities of soluble and membrane-bound catechol-O-methyltransferase in tissues and erythrocytes 729(1999)347
- Ellis, H., see de Jager, A.D. 729(1999)183
- Embree, L., see Burns, R.B. 744(2000)367
- Engel, S., Barak, Z., Chipman, D.M. and Merchuk, J.C.
Purification of acetohydroxy acid synthase by separation in an aqueous two-phase system 743(2000)281
- Engel, S., Vyazmensky, M., Barak, Z., Chipman, D.M. and Merchuk, J.C.
Determination of the dissociation constant of valine from acetohydroxy acid synthase by equilibrium partition in an aqueous two-phase system 743(2000)225
- Engelborghs, Y., see Verheyden, G. 737(2000)213
- Enomoto, K., see Niwa, M. 729(1999)245
- Ensing, K., de Boer, T., Schreuder, N. and de Zeeuw, R.A.
Separation and identification of neuropeptide Y, two of its fragments and their degradation products using capillary electrophoresis-mass spectrometry 727(1999)53
- Eriksson, B., see Edman, K. 738(2000)267
- Erkwoh, R., see Bogusz, M.J. 732(1999)257
- Erlund, I., Alftan, G., Siren, H., Ariniemi, K. and Aro, A.
Validated method for the quantitation of quercetin from human plasma using high-performance liquid chromatography with electrochemical detection 727(1999)179
- Eron, J.J., see Pereira, A.S. 742(2000)173
- Erve, J.C.L., see He, H. 744(2000)323
- Eschaliér, A., see Gross, A.S. 728(1999)107
- Escoriza, J., Aldaz, A., Calvo, E. and Giráldez, J.
Simple and sensitive determination of 5-fluorouracil in plasma by high-performance liquid chromatography. Application to clinical pharmacokinetic studies 736(1999)97
- Escoriza, J., Aldaz, A., Castellanos, C., Calvo, E. and Giráldez, J.
Simple and rapid determination of irinotecan and its metabolite SN-38 in plasma by high-performance liquid chromatography: application to clinical pharmacokinetic studies 740(2000)159
- Escuder-Gilabert, L., Sagrado, S., Villanueva-Camañas, R.M. and Medina-Hernández, M.J.
Development of predictive retention-activity relationship models of non-steroidal anti-inflammatory drugs by micellar liquid chromatography: comparison with immobilized artificial membrane columns 740(2000)59
- Esmans, E.L., see Hoes, I. 736(1999)43
- Esmans, E.L., see Hoes, I. 748(2000)197
- Estape, E.S., see Needham, S.R. 748(2000)77
- Esteve, S., see Peris, J.-E. 730(1999)33
- Eusebi, V., see Battaglia, A. 730(1999)81
- Everhart, E.T., Shwonek, P., Jacob III, P., Rowbotham, M.C. and Jones, R.T.
Quantitation of levorphanol in human plasma at subnanogram per milliliter levels using capillary gas chromatography with electron-capture detection 729(1999)173
- Eychenne, B., see Liere, P. 739(2000)301

Ezure, Y., see Takahashi, R. 742(2000)71

F

Fabre, F., see Audran, M. 734(1999)267

Facciola, G., see Avenoso, A. 746(2000)173

Fahey, E.M., Chaudhuri, J.B. and Binding, P.

Refolding and purification of a urokinase plasminogen activator fragment by chromatography 737(2000)225

Fairbanks, L.D., Carrey, E.A., Rückemann, K., Swaminathan, R., Kirschbaum, B. and Simmonds, H.A.

Simultaneous separation by high-performance liquid chromatography of carbamoyl aspartate, carbamoyl phosphate and dihydroorotic acid 732(1999)487

Faircloth, G., see Sparidans, R.W. 726(1999)255

Faircloth, G., see Sparidans, R.W. 729(1999)43

Fakhry, I., see Farthing, D. 726(1999)303

Falcón, V., see Tleugabulova, D. 736(1999)153

Fandiño, A.S., see Toennes, S.W. 735(1999)127

Fariña, J., see Oliva, A. 749(2000)25

Farinotti, R., see Lamotte, C. 735(1999)159

Farmer, J.A., see Tucker, C.E. 732(1999)203

Farrar, J., see Meng, Q.C. 742(2000)115

Farthing, D., Sica, D., Abernathy, C., Fakhry, I., Roberts, J.D., Abraham, D.J. and Swerdlow, P.

High-performance liquid chromatographic method for determination of vanillin and vanillic acid in human plasma, red blood cells and urine 726(1999)303

Farver, O., see Sidenius, U. 735(1999)85

Fassina, G., see Verdoliva, A. 749(2000)233

Fattinger, K.E., see Rentsch, K.M. 742(2000)131

Fauler, G., see Leis, H.J. 744(2000)113

Faure, H., see Ducros, V. 729(1999)333

Favetta, P., Guitton, J., Degoute, C.S., Van Daele, L. and Boulieu, R.

High-performance liquid chromatographic assay to detect hydroxylate and conjugate metabolites of propofol in human urine 742(2000)25

Favier, A., see Ducros, V. 729(1999)333

Fawcett, J.P., see Zhang, M. 729(1999)225

Fechner, T., see Renner, T. 738(2000)311

Federici, G., see Massoud, R. 734(1999)163

Feillet, F., see Capo-chichi, C.D. 739(2000)219

Fekkes, D., Voskuilen-Kooyman, A., Jankie, R. and Huijman, J.

Precise analysis of primary amino acids in urine by an automated high-performance liquid chromatography method: comparison with ion-exchange chromatography 744(2000)183

Fente, C.A., Vázquez, B.I., Franco, C., Cepeda, A. and Gigoso, P.G.

Determination of clenbuterol residues in bovine hair by using diphasic dialysis and gas chromatography–mass spectrometry 726(1999)133

Fernández-Lafuente, R., see Murza, A. 740(2000)211

Fernandez-Lafuente, R., see Murza, A. 732(1999)165

Ferry, D.R., see Anderson, D. 731(1999)293

Fifer, E.K., see Zhou, X. 728(1999)273

Finocchiaro, R., see Salerno, C. 734(1999)175

Firer, M.A., see Nisnevitch, M. 738(2000)217

Fischer, G., see Lausacker, B. 749(2000)67

Fischman, M.W., see Suckow, R.F. 729(1999)217

Fisher, J., see Debelak, D. 740(2000)195

Fisher, J.W., see Narayanan, L. 729(1999)271

Fitton, V., see Santarelli, X. 739(2000)63

Flakoll, P.J., Zheng, M., Vaughan, S. and Borel, M.J.

Determination of stable isotopic enrichment and concentration of glycerol in plasma via gas chromatography–mass spectrometry for the estimation of lipolysis in vivo 744(2000)47

Flammarion, P., see Brion, F. 737(2000)3

Flavin, M.T., see Xu, Z.-Q. 742(2000)267

Fleitas, Y., see Tleugabulova, D. 736(1999)153

Fleurence, J., see Galland-Irmouli, A.V. 739(2000)117

Flockhart, D.A., see Desta, Z. 744(2000)263

Floriano, P., see Sparidans, R.W. 726(1999)255

Floriano, P., see Sparidans, R.W. 729(1999)43

Florida, L., Pietropaolo, A.M., Tavazzani, M., Rubino, F.M. and Colombi, A.

High-performance liquid chromatography of methotrexate for environmental monitoring of surface contamination in hospital departments and assessment of occupational exposure 726(1999)95

Fluchard, D., Kiebooms, S., Dubois, M. and Delahaut, P.

Determination of a method for detecting and quantifying azaperone, azaperol and carazolol in pig tissues by liquid chromatography–tandem mass spectrometry 744(2000)139

Foltz, R.L., see Reuschel, S.A. 733(1999)145

Fonseca, L.P., see Marcos, J.C. 734(1999)15

Fontana, D. and Ricci, G.

Poly(ethylene glycol)-based aqueous biphasic systems: effect of temperature on phase equilibria and on partitioning of 1,10-phenanthroline–copper(II) sulphate complex 743(2000)231

Forciniti, D., see Petitt, P. 743(2000)431

Forngren, B.H., Tyrefors, N., Markides, K.E. and Långström, B.

Determination of raclopride in human plasma by on-column focusing packed capillary liquid chromatography–electrospray ionisation mass spectrometry 748(2000)189

Forssmann, W.-G., see Richter, R. 726(1999)25

Forssmann, W.-G., see Tsikas, D. 742(2000)99

Foster, D.J.R., Somogyi, A.A. and Bochner, F.

Stereoselective quantification of methadone and its major oxidative metabolite, 2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine, in human urine using high-performance liquid chromatography 744(2000)165

Foth, H., see Schrader, E. 726(1999)195

Fouda, H., see Kamel, A. 748(2000)179

Fowles, S.E., see Doyle, E. 746(2000)191

- Fracasso, G., see Crivellente, F. 739(2000)81
- Franco, C., see Fente, C.A. 726(1999)133
- Franco, T.T., see Alves, J.G.L.F. 743(2000)235
- Franco, T.T., see Bim, M.A. 743(2000)349
- Franco, T.T., see da Silva, M.E. 743(2000)287
- François, B., see Marquet, P. 734(1999)137
- François-Bouchard, M., Simonin, G., Bossant, M.-J. and Boursier-Neyret, C.
Simultaneous determination of ivabradine and its metabolites in human plasma by liquid chromatography–tandem mass spectrometry 745(2000)261
- Frank, P., see Xu, Z.-Q. 742(2000)267
- Franke, J.P., see Hartstra, J. 739(2000)125
- Franke, J.P., see Koole, A. 726(1999)149
- Franke, J.P., see van Hout, M.W.J. 729(1999)199
- Franklin, M., see Chi, J.D. 731(1999)361
- Franklin, M., see Chi, J.D. 735(1999)285
- Frapolli, R., see Colombo, T. 736(1999)135
- Fratta, A., see Breilh, D. 734(1999)121
- Freitag, D., see Campa, C. 739(2000)95
- Frère, J.-M., see Bouillenne, F. 737(2000)261
- Frith, J.C., see Mönkkönen, H. 738(2000)395
- Froescheis, O., Moalli, S., Liechti, H. and Bausch, J.
Determination of lycopene in tissues and plasma of rats by normal-phase high-performance liquid chromatography with photometric detection 739(2000)291
- Fröstl, W., see Blum, W. 748(2000)349
- Fröhlich, J., see Rizzi, A. 730(1999)167
- Frölich, J.C., see Schwedhelm, E. 744(2000)99
- Frölich, J.C., see Tsikas, D. 726(1999)1
- Frölich, J.C., see Tsikas, D. 726(1999)13
- Frölich, J.C., see Tsikas, D. 729(1999)375
- Frölich, J.C., see Tsikas, D. 731(1999)285
- Frölich, J.C., see Tsikas, D. 742(2000)99
- Frölich, J.C., see Tsikas, D. 742(2000)143
- Frye, R.F., see Dowling, T.C. 732(1999)239
- Frye, R.F., see Hutzler, J.M. 749(2000)119
- Fu, C.J., Tata, P.N.V., Okada, K., Akiyama, H. and Bramer, S.L.
Simultaneous quantitative determination of cilostazol and its metabolites in human plasma by high-performance liquid chromatography 728(1999)251
- Fu, E., see He, T. 727(1999)43
- Fu, I., see Woolf, E. 730(1999)221
- Fu, L., see Wang, H. 731(1999)403
- Fu, X.-w., see Ohie, T. 746(2000)63
- Fucci, G., see Massoud, R. 734(1999)163
- Fucci, N., see Chiarotti, M. 733(1999)127
- Fuchs, M., see Mühling, J. 728(1999)157
- Fuh, M.-R. and Hsieh, C.-J.
Determination of flunarizine in rat brain by liquid chromatography–electrospray mass spectrometry 736(1999)167
- Fujii, T., Kawabe, S., Horike, T., Taguchi, T. and Ogata, M.
Simultaneous determination of the urinary metabolites of toluene, xylene and styrene using high-performance capillary electrophoresis. Comparison with high-performance liquid chromatography 730(1999)41
- Fujimoto, J., see Caughey, D.J. 728(1999)49
- Fujimoto, S., see Maeda, T. 731(1999)267
- Fujita, K., see Hibiya, M. 740(2000)35
- Fujita, K., Magara, H. and Kobayashi, H.
Determination of olopatadine, a new antiallergic agent, and its metabolites in human plasma by high-performance liquid chromatography with electrospray ionization tandem mass spectrometry 731(1999)345
- Fujita, T., see Yamamoto, T. 726(1999)317
- Fujitomo, H., Nagaoka, T., Nishino, I. and Umeda, T.
Determination of a new oral cephalosporin, S-1090, in human plasma and urine by direct injection high-performance liquid chromatography with ultraviolet detection and column switching 728(1999)125
- Fujitomo, H., see Nishino, I. 749(2000)101
- Fujiwaki, T., Yamaguchi, S., Sukegawa, K. and Taketomi, T.
Application of delayed extraction matrix-assisted laser desorption ionization time-of-flight mass spectrometry for analysis of sphingolipids in tissues from sphingolipidosis patients 731(1999)45
- Fujiwara, H., see Kasuya, F. 746(2000)25
- Fukano, A., see Tachibana, S. 734(1999)39
- Fukuda, K., Guo, L., Ohashi, N., Yoshikawa, M. and Yamazoe, Y.
Amounts and variation in grapefruit juice of the main components causing grapefruit–drug interaction 741(2000)195
- Fukui, M., see Kasuya, F. 746(2000)25
- Fukuoka, M., see Obayashi, M. 726(1999)219
- Fukushima, K., see Yamaguchi, J.-i. 730(1999)61
- Fukuwatari, T., see Shibata, K. 749(2000)281
- Fukuyama, T., see Mabuchi, M. 734(1999)145
- Fung, H.-L., see Kielbasa, W.B. 734(1999)83
- Furuta, T., Eguchi, N., Shibasaki, H. and Kasuya, Y.
Simultaneous determination of endogenous and ¹³C-labelled cortisols and cortisones in human plasma by stable isotope dilution mass spectrometry 738(2000)119
- Furuta, T., Matsuzawa, M., Shibasaki, H. and Kasuya, Y.
Simultaneous determination of 6β- and 6α-hydroxycortisols and 6β-hydroxycortisone in human urine by stable isotope dilution mass spectrometry 738(2000)367

G

- Gaillard, Y., see Bévalot, F. 740(2000)227
- Gaillard, Y. and Pépin, G.
Poisoning by plant material: review of human cases and analytical determination of main toxins by high-performance liquid chromatography–(tandem) mass spectrometry (Review) 733(1999)181
- Gaillard, Y. and Pépin, G.
Testing hair for pharmaceuticals (Review) 733(1999)231

- Gaillard, Y., Vayssette, F., Baland, A. and Pépin, G.
Gas chromatographic–tandem mass spectrometric
determination of anabolic steroids and their esters in hair.
Application in doping control and meat quality control
735(1999)189
- Galaev, I.Yu., see Kumar, A. 741(2000)103
- Galanski, M., see Zenker, A. 745(2000)211
- Galceran, M.T., see Toribio, F. 747(2000)171
- Galindo, E., see Rito-Palomares, M. 743(2000)403
- Galland-Irmouli, A.V., Pons, L., Luçon, M., Villaume, C.,
Mrabet, N.T., Guéant, J.L. and Fleurence, J.
One-step purification of R-phycoerythrin from the red
macroalga *Palmaria palmata* using preparative
polyacrylamide gel electrophoresis 739(2000)117
- Gallardo, A.M., see Celli, N. 731(1999)335
- Gallo, B., see Bakkali, A. 729(1999)139
- Gallo, B., see Corta, E. 727(1999)131
- Gammelgaard, B., see Sidenius, U. 735(1999)85
- Ganapathi, R., see Zhang, Z. 728(1999)85
- Gandhi, T.P., see Bangaru, R.A. 739(2000)231
- Gandhi, V., see Rodriguez Jr, C.O. 745(2000)421
- Ganiere-Monteil, C., Pineau, A., Kergueris, M.F., Azoulay, C.
and Bourin, M.
Thiopurine methyl transferase activity: new extraction
conditions for high-performance liquid chromatographic
assay 727(1999)235
- Gao, H., see Cox, D.S. 749(2000)191
- Gao, X., see Wang, Q. 746(2000)151
- García Alvarez-Coque, M.C. and Carda Broch, S.
Direct injection of physiological fluids in micellar liquid
chromatography (Review) 736(1999)1
- Garcia, M.A., Solans, C., Aramayona, J.J., Rueda, S. and
Bregante, M.A.
Determination of marbofloxacin in plasma samples by
high-performance liquid chromatography using fluorescence
detection 729(1999)157
- Garcia, P., see Durix, A. 729(1999)255
- García, Y., see Rada, P. 735(1999)1
- Garg, M.B. and Ackland, S.P.
Simple and sensitive high-performance liquid
chromatography method for the determination of docetaxel
in human plasma or urine 748(2000)383
- Garke, G., Deckwer, W.-D. and Anspach, F.B.
Preparative two-step purification of recombinant human
basic fibroblast growth factor from high-cell-density
cultivation of *Eschericia coli* 737(2000)25
- Garner, C.O., see Kasper, S.C. 726(1999)203
- Garver, S.M., see Gauw, R.D. 744(2000)283
- Gasco-Lopez, A.I., see Rosado-Maria, A. 748(2000)415
- Gasparič, J., see Hyšpler, R. 739(2000)183
- Gatti, G., De Pascalis, C.R., Miletich, F., Casazza, R. and
Bassetti, D.
Specific high-performance liquid chromatography assay for
determination of rifabutin plasma concentration following
Extrelut column extraction 728(1999)233
- Gatto, M.T., see Grippa, E. 738(2000)17
- Gaulier, J.-M., see Lacassie, E. 742(2000)229
- Gaulier, J.M., see Lachâtre, F. 738(2000)281
- Gaulier, J.M., see Marquet, P. 734(1999)137
- Gaulier, J.-M., Marquet, P., Lacassie, E., Desroches, R. and
Lachatre, G.
High-performance liquid chromatographic determination of
tianeptine in plasma applied to pharmacokinetic studies
748(2000)407
- Gaulier, J.M., see Ragot, S. 736(1999)175
- Gauron, S., see Lefèvre, G. 738(2000)129
- Gauthier, S., see Persaud, D.R. 744(2000)389
- Gauvin, A., Pinguet, F., Poujol, S., Astre, C. and Bressolle, F.
High-performance liquid chromatographic determination of
vinorelbine in human plasma and blood: application to a
pharmacokinetic study 748(2000)389
- Gauw, R.D., Stoffolano, P.J., Kuhlenbeck, D.L., Patel, V.S.,
Garver, S.M., Baker, T.R. and Wehmeyer, K.R.
Semi-automated 96-well solid-phase extraction and gas
chromatography–negative chemical ionization tandem mass
spectrometry for the trace analysis of fluprostenol in rat
plasma 744(2000)283
- Gella, F.-J., see Bota, A. 737(2000)237
- Geng, M., see Ji, J. 745(2000)197
- Gentili, S., see Mancinelli, R. 735(1999)243
- Georgakopoulos, C.G., Tsitsimpikou, C. and Spyridaki, M.-H.E.
Excretion study of the β_2 -agonist reproterol in human urine
726(1999)141
- German, I. and Kennedy, R.T.
Rapid simultaneous determination of glucagon and insulin
by capillary electrophoresis immunoassays 742(2000)353
- Gerra, G., see Raggi, M.A. 730(1999)201
- Ghabrial, H., see Haritos, V.S. 736(1999)201
- Ghulam, A., Kouach, M., Racadot, A., Boersma, A., Vantghem,
M.C. and Briand, G.
Quantitative analysis of human serum corticosterone by
high-performance liquid chromatography coupled to
electrospray ionization mass spectrometry 727(1999)227
- Giannantonio, A., see Massoud, R. 734(1999)163
- Giardini, O., see Salerno, C. 734(1999)175
- Gibert, P., see Orti, V. 738(2000)357
- Gibert, S., Bakalara, N. and Santarelli, X.
Three-step chromatographic purification procedure for the
production of a His-tag recombinant kinesin overexpressed
in *E. coli* 737(2000)143
- Gicquel, M., see Manceau, J. 726(1999)175
- Gierow, J.P., see Ekblad, L. 743(2000)397
- Gigosos, P.G., see Fente, C.A. 726(1999)133
- Gilges, M., see Hadley, M. 745(2000)177
- Gill, S., see Loos, W.J. 738(2000)155
- Gill, S.C., see Tucker, C.E. 732(1999)203
- Gimenez, F., see Proust, V. 742(2000)453
- Giordano, B.C., Muza, M., Trout, A. and Landers, J.P.
Dynamically-coated capillaries allow for capillary
electrophoretic resolution of transferrin sialoforms via
direct analysis of human serum 742(2000)79
- Giordano, G., see Marsilio, R. 744(2000)241
- Giorgianni, P., see Battaglia, A. 730(1999)81
- Giráldez, J., see Escoriza, J. 736(1999)97
- Giráldez, J., see Escoriza, J. 740(2000)159
- Girard, J.E., see Marino, M.A. 732(1999)365
- Girre, C., see Pham-Huy, C. 732(1999)47
- Giubbolini, M., see Terzuoli, L. 728(1999)185
- Gjøen, T., see Hvattum, E. 748(2000)137

- Gladdines, W.W.F.T., see Visser, S.A.G. 745(2000)357
- Glasl, S., Kastner, U., Jurenitsch, J. and Kubelka, W.
Qualitative and quantitative determination of
sesquiterpenoids in *Achillea* species by reversed-phase
high-performance liquid chromatography, mass-
spectrometry and thin-layer chromatography 729(1999)361
- Glatz, Z., Moravcová, M. and Janiczek, O.
Determination of pyrroloquinoline quinone by capillary
zone electrophoresis 739(2000)101
- Glauser, T.A., see Tang, P.H. 727(1999)125
- Glazer, R.I., see Bansal, R. 750(2001)129
- Gleiter, C.H., see Pilz, J. 742(2000)315
- Goetz, M., Rusconi, F., Belghazi, M., Schmitter, J.M. and
Dufourc, E.J.
Purification of the c-erbB2/*neu* membrane-spanning
segment. a hydrophobic challenge 737(2000)55
- Gola, J.M.R., see Abraham, M.H. 745(2000)103
- Gong, X. and Yeung, E.S.
Genetic typing and HIV-1 diagnosis by using 96 capillary
array electrophoresis and ultraviolet absorption detection
741(2000)15
- Gonin, J., see Chassaing, C. 735(1999)219
- González, E., see Ibarra, N. 735(1999)271
- Gonzalo, A., see Corta, E. 727(1999)131
- Gonzalo-Lumbreras, R. and Izquierdo-Hornillos, R.
High-performance liquid chromatographic optimization
study for the separation of natural and synthetic anabolic
steroids. Application to urine and pharmaceutical samples
742(2000)1
- Gonzalo-Lumbreras, R. and Izquierdo-Hornillos, R.
Optimization of the high-performance liquid
chromatographic separation of a complex mixture
containing urinary steroids, boldenone and bolasterone:
application to urine samples 742(2000)47
- Gooderham, N.J., see Crosbie, S.J. 744(2000)55
- Gopaul, D., see Zavitsanos, A.P. 730(1999)9
- Gopaul, S., see Anari, M.R. 742(2000)217
- Gorantcheva, J., see Tzvetanov, S. 732(1999)251
- Gordi, T., Nielsen, E., Yu, Z., Westerlund, D. and Ashton, M.
Direct analysis of artemisinin in plasma and saliva using
coupled-column high-performance liquid chromatography
with a restricted-access material pre-column 742(2000)155
- Gordon, E.S., see Lai, C.-T. 749(2000)275
- Gorman, S.H.
Determination of the D- and L-enantiomers of modafinil in
human plasma utilizing liquid-liquid extraction and high-
performance liquid chromatography 730(1999)1
- Goto, J., see Yamaguchi, J.-i. 730(1999)61
- Goto, T., see Mikami, E. 744(2000)81
- Gotti, R., see Davydova, N.N. 728(1999)143
- Gottschalk, I., Li, Y.-M. and Lundahl, P.
Chromatography on cells: analyses of solute interactions
with the glucose transporter Glut1 in human red cells
adsorbed on lectin-gel beads 739(2000)55
- Gottschalk, I., see Lundahl, P. 727(1999)249
- Gottschlich, N., Culbertson, C.T., McKnight, T.E., Jacobson,
S.C. and Ramsey, J.M.
Integrated microchip-device for the digestion, separation
and postcolumn labeling of proteins and peptides
745(2000)243
- Goumaz, L., see Chollet, D.F. 746(2000)311
- Gourdier, B., see Hoizey, G. 731(1999)317
- Gourmel, B., Granvil, C.P., Denis, S.L., Wainer, I.W. and
Bousquet, B.
Determination of 4-hydroxyifosfamide concomitantly with
ifosfamide and its dechloroethylated metabolites using gas
chromatography and a nitrogen phosphorus-selective
detector 732(1999)3
- Gourmel, B., see Houzé, P. 728(1999)75
- Govindaraju, K. and Lloyd, D.K.
Analysis of small-scale biological compartments by
capillary electrophoresis 745(2000)127
- Graber, T.A., Andrews, B.A. and Asenjo, J.A.
Model for the partition of metal ions in aqueous two-phase
systems 743(2000)57
- Graber, T.A., see Taboada, M.E. 743(2000)101
- Graefe, K.A., Tang, Z. and Karnes, H.T.
High-performance liquid chromatography with on-line post-
column immunoreaction detection of digoxin and its
metabolites based on fluorescence energy transfer in the
far-red spectral region 745(2000)305
- Gräfe, A.-K., see Hermening, A. 741(2000)129
- Graham, J., see Shin, Y.G. 732(1999)331
- Graham, M.A., see Swaine, D.J. 742(2000)239
- Granger, E., see Bakker, M.G. 743(2000)65
- Graninger, W., see El Menyawi, I. 742(2000)13
- Granvil, C.P., see Gourmel, B. 732(1999)3
- Gray, D., see Wiltshire, H. 745(2000)373
- Green, B.S., see Nisnevitch, M. 738(2000)217
- Green, M.D., Bergqvist, Y., Mount, D.L., Corbett, S. and
D'Souza, M.J.
Improved validated assay for the determination of
mefloquine and its carboxy metabolite in plasma, serum
and whole blood using solid-phase extraction and high-
performance liquid chromatography 727(1999)159
- Greenberg, A., see Johnson, C. 728(1999)209
- Greenberg, B.D., see Ellingson, T. 729(1999)347
- Greenberg, J., see Phillips, M. 729(1999)75
- Greijer, E., see Lundahl, P. 727(1999)249
- Grem, J.L., see Bi, D. 738(2000)249
- Grenda, D., see Choma, I. 734(1999)7
- Grieb, S., see Knebel, N.G. 748(2000)97
- Griffin, S.T., see Visser, A.E. 743(2000)107
- Grippa, E., Santini, L., Castellano, G., Gatto, M.T., Leone,
M.G. and Saso, L.
Simultaneous determination of hydrocortisone,
dexamethasone, indomethacin, phenylbutazone and
oxyphenbutazone in equine serum by high-performance
liquid chromatography 738(2000)17
- Grizard, G., Sion, B., Bauchart, D. and Boucher, D.
Separation and quantification of cholesterol and major
phospholipid classes in human semen by high-performance
liquid chromatography and light-scattering detection
740(2000)101
- Groll, A.H., Mickiene, D., Werner, K., Piscitelli, S.C. and
Walsh, T.J.
High-performance liquid chromatographic determination of
liposomal nystatin in plasma and tissues for
pharmacokinetic and tissue distribution studies
735(1999)51

- Gross, A.S., Nicolay, A. and Eschaliér, A.
Simultaneous analysis of ketamine and bupivacaine in plasma by high-performance liquid chromatography 728(1999)107
- Gross, C.S., Simms, P.J., Towne, R.W. and Miller, R.E.
Quantitative determination of dipalmitoylphosphatidylcholine and palmitic acid in porcine lung surfactants used in the treatment of respiratory distress syndrome 744(2000)407
- Grosse, C.M., see Allen, G.D. 732(1999)383
- Grundmann, M., see Brozmanová, H. 749(2000)93
- Grünefeld, G., see Soetebeer, U.B. 745(2000)271
- Gu, X., see Song, H. 738(2000)83
- Guan, F., Ishii, A., Seno, H., Watanabe-Suzuki, K., Kumazawa, T. and Suzuki, O.
Use of an ion-pairing reagent for high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry determination of anionic anticoagulant rodenticides in body fluids 731(1999)155
- Guan, F., Uboh, C.E., Soma, L.R., Birks, E.K., Teleis, D., Rudy, J.A., Watson, A.O. and Tsang, D.S.
Quantification of phenytoin and its metabolites in equine plasma and urine using high-performance liquid chromatography 746(2000)209
- Guchelaar, H.-J., see Toráño, J.S. 734(1999)203
- Guéant, J.-L., see Capo-chichi, C.D. 739(2000)219
- Guéant, J.L., see Galland-Irmouli, A.V. 739(2000)117
- Guéant, J.L., see Saviana, B. 742(2000)421
- Guehring, H., see Werner, U. 749(2000)35
- Gueli, M.C., see Taibi, G. 745(2000)431
- Guénot, P., see Bouchereau, A. 747(2000)49
- Guérand, W.S., see Struys, E.A. 732(1999)245
- Guetens, G., Van Cauwenberghe, K., De Boeck, G., Maes, R., Tjaden, U.R., van der Greef, J., Highley, M., van Oosterom, A.T. and de Bruijn, E.A.
Nanotechnology in bio/clinical analysis 739(2000)139
- Guetens, G., see Zhang, Z.D. 739(2000)281
- Guiducci, M.S., see Mancinelli, R. 735(1999)243
- Guillaume, C.P.F., van der Molen, J.C., Kerstens, M.N., Dullaart, R.P.F. and Wolthers, B.G.
Determination of urinary 18 β -glycyrrhetic acid by gas chromatography and its clinical application in man 731(1999)323
- Guillaume, D., see Paci, A. 739(2000)239
- Guillaume, Y.C., Darrouzain, F., Hoang-Opperman, L., Millet, J. and Guinchard, C.
Hydrophilic surfactant–imidazole derivative association studied by RPLC using a hydroorganic solution 749(2000)225
- Guillaume, Y.C., Peyrin, E. and Berthelot, A.
Chromatographic study of magnesium and calcium binding to immobilized human serum albumin 728(1999)167
- Guillaume, Y.C., Peyrin, E. and Millet, J.
Chromatographic approach to study β -cyclodextrin as a promoter of the penetration of bifonazole into keratinic tissue 735(1999)289
- Guillemain, B., see Tallet, B. 737(2000)85
- Guilley–Gaillot, M., see Do, B. 740(2000)179
- Guinchard, C., see Guillaume, Y.C. 749(2000)225
- Guisán, J.M., see Murza, A. 732(1999)165
- Guisán, J.M., see Murza, A. 740(2000)211
- Guitton, J., see Favetta, P. 742(2000)25
- Gulbis, B., see Lin, C. 742(2000)411
- Gulyaeva, N., Zaslavsky, A., Lechner, P., Chait, A. and Zaslavsky, B.
Relative hydrophobicity of organic compounds measured by partitioning in aqueous two-phase systems 743(2000)187
- Gulyaeva, N., see Zaslavsky, A. 743(2000)271
- Gündel, J. and Angerer, J.
High-performance liquid chromatographic method with fluorescence detection for the determination of 3-hydroxybenzo[*a*]pyrene and 3-hydroxybenz[*a*]anthracene in the urine of polycyclic aromatic hydrocarbon-exposed workers 738(2000)47
- Gündüz, U.
Viscosity prediction of polyethylene glycol–dextran–water solutions used in aqueous two-phase systems 743(2000)181
- Gündüz, U.
Partitioning of bovine serum albumin in an aqueous two-phase system: optimization of partition coefficient 743(2000)259
- Gündüz, U. and Korkmaz, K.
Bovine serum albumin partitioning in an aqueous two-phase system: Effect of pH and sodium chloride concentration 743(2000)255
- Gunnarsson, P.O., see Edman, K. 738(2000)267
- Guo, L., see Fukuda, K. 741(2000)195
- Gupta, R.C., see Atul, B.V. 748(2000)331
- Gupta, S.K., see Velpandian, T. 738(2000)431
- Gustavsson, B., see Odin, E. 734(1999)47
- Guttek–Amsler, U., see Rentsch, K.M. 742(2000)131
- Gutzki, F.-M., see Schwedhelm, E. 744(2000)99
- Gutzki, F.-M., see Tsikas, D. 726(1999)1
- Gutzki, F.-M., see Tsikas, D. 726(1999)13
- Gutzki, F.-M., see Tsikas, D. 729(1999)375
- Gutzki, F.-M., see Tsikas, D. 731(1999)285
- Gutzki, F.-M., see Tsikas, D. 742(2000)143
- Guy, A., see Schwedhelm, E. 744(2000)99
- Guy, P.A., Savoy, M.-C. and Stadler, R.H.
Quantitative analysis of clenbuterol in meat products using liquid chromatography–electrospray ionisation tandem mass spectrometry 736(1999)209
- Guyon, F., see Do, B. 740(2000)179
- Guzman, N.A.
Determination of immunoreactive gonadotropin-releasing hormone in serum and urine by on-line immunoaffinity capillary electrophoresis coupled to mass spectrometry 749(2000)197

H

- Haber, H., Stender, N., Mangholz, A., Ehrenreich, H. and Melzig, M.F.
Quantitative determination of endogenous tetrahydroisoquinoline salsolinol in peripheral blood mononuclear cells by gas chromatography–mass spectrometry 735(1999)299
- Habiro, A., see Sakai, T. 726(1999)313
- Hachey, D.L., see He, H. 744(2000)323
- Hachiuma, K., see Yamaguchi, J.-i. 750(2001)99
- Hadley, M., Gilges, M., Senior, J., Shah, A. and Camilleri, P.
Capillary electrophoresis in the pharmaceutical industry: applications in discovery and chemical development 745(2000)177
- Hage, D.S. and Austin, J.
High-performance affinity chromatography and immobilized serum albumin as probes for drug- and hormone-protein binding (Review) 739(2000)39
- Hage, D.S., see Brocky, J.L. 744(2000)315
- Hägglund, C.L., see Lundahl, P. 727(1999)249
- Hagimoto, T., see Kondo, T. 734(1999)101
- Haginaka, J., Matsunaga, H. and Kakehi, K.
Separation of enantiomers on a chiral stationary phase based on ovoglycoprotein. VIII. Chiral recognition ability of partially and completely deglycosylated ovoglycoprotein 745(2000)149
- Haginaka, J., see Takeuchi, T. 728(1999)1
- Haginaka, J., see Yamaguchi, Yu. 731(1999)223
- Hahnenberger, K.M., see Lichtenwalter, K.G. 745(2000)231
- Hall, G., see Sun, L. 745(2000)315
- Hall, J.E., see Pereira, A.S. 742(2000)173
- Hall, L.M., see Murphy, R.C. 731(1999)59
- Hall, M.R., see Wood, A.T. 744(2000)221
- Hallström, S., see Kos, T. 740(2000)81
- Halperin, G., Elisaf, M., Leitersdorf, E. and Harats, D.
A new method for determination of serum cholestanol by high-performance liquid chromatography with ultraviolet detection 742(2000)345
- Hamanaka, T., see Liu, J. 731(1999)217
- Hamanaka, T., see Liu, J. 748(2000)401
- Hamase, K., see Inoue, T. 744(2000)213
- Hamase, K., see Taniguchi, S. 727(1999)219
- Hamburger, M., see Muck, A. 732(1999)39
- Hamilton, M., see Loos, W.J. 738(2000)155
- Hanada, E., see Taninaka, C. 738(2000)405
- Hanai, T., Inamaoto, Y. and Inamoto, S.
Chromatography of guanidino compounds (Review) 747(2000)123
- Hancock, W.S., see Lehmborg, E. 732(1999)411
- Hancock, W.S., see Lichtenwalter, K.G. 745(2000)231
- Handelman, G.J., see Nightingale, Z.D. 732(1999)495
- Handie, A., see Zhou, X. 728(1999)273
- Hanioka, N., Tatarazako, N., Jinno, H., Arizono, K. and Ando, M.
Determination of cytochrome P450 1A activities in mammalian liver microsomes by high-performance liquid chromatography with fluorescence detection 744(2000)399
- Hansen, H., see Sørensen, L.K. 734(1999)307
- Hara, K., see Liu, J. 731(1999)217
- Hara, K., see Liu, J. 748(2000)401
- Hara, K.-i., see Iwasa, T. 734(1999)325
- Harada, T., see Tomiyama, N. 748(2000)361
- Harats, D., see Halperin, G. 742(2000)345
- Hardt, J. and Angerer, J.
Determination of metabolites of pirimicarb in human urine by gas chromatography–mass spectrometry 730(1999)229
- Hardt, J., see Weiss, T. 726(1999)85
- Hardy, M.J., see Coufal, P. 732(1999)437
- Hargreaves, R.H.J., see Khan, P. 729(1999)287
- Häring, H.-U., see Liebich, H.M. 745(2000)189
- Haritos, V.S., Ghabrial, H., Ahokas, J.T. and Ching, M.S.
Stereoselective measurement of *E*- and *Z*-doxepin and its *N*-desmethyl and hydroxylated metabolites by gas chromatography–mass spectrometry 736(1999)201
- Hartigh, J.d., see Sparidans, R.W. 730(1999)95
- Hartke, J.R., see Eichhold, T.H. 741(2000)213
- Hartleb, J., Damm, Y., Arndt, R., Christophers, E. and Stockfleth, E.
Determination of 5-S-cysteinyldopa in plasma and urine using a fully automated solid-phase extraction–high-performance liquid chromatographic method for an improvement of specificity and sensitivity of this prognostic marker of malignant melanoma 727(1999)31
- Hartman, D.H., see Visser, A.E. 743(2000)107
- Hartmannová, H., see Krijt, J. 726(1999)53
- Hartstra, J., Franke, J.P. and de Zeeuw, R.A.
How to approach substance identification in qualitative bioanalysis 739(2000)125
- Härtter, S., Weigmann, H. and Hiemke, C.
Automated determination of reboxetine by high-performance liquid chromatography with column-switching and ultraviolet detection 740(2000)135
- Harumi, T. and Matsushima, S.
Separation and assay methods for melatonin and its precursors (Review) 747(2000)95
- Hasegawa, H., Matsukawa, T., Shinohara, Y. and Hashimoto, T.
Simultaneous determination of the enantiomers of leucine and [³H]₂leucine in plasma by capillary gas chromatography–mass spectrometry 735(1999)141
- Hashimoto, T., see Hasegawa, H. 735(1999)141
- Hashimoto, T., see Shinohara, Y. 741(2000)271
- Hasumi, H., see Kuwada, M. 726(1999)291
- Hata, I., see Shigematsu, Y. 731(1999)97
- Hattab, C., see Cochet, S. 735(1999)207
- Hatton, C.K., see Aguilera, R. 727(1999)95
- Hattori, H., see Seno, H. 746(2000)3
- Hatzack, F. and Rasmussen, S.K.
High-performance thin-layer chromatography method for inositol phosphate analysis 736(1999)221
- Havlíček, V., see Krijt, J. 726(1999)53
- Hayashi, K., see Maeda, T. 731(1999)267
- Hayashi, T., see Ohmori, S. 740(2000)253

- Hayburn, G., see Messens, J. 737(2000)167
- Haynes, C.A., see Steels, B.M. 743(2000)31
- Haynes, C.A., see Steels, B.M. 743(2000)41
- Haynes, R.K., see Mohamed, S.S. 731(1999)251
- He, H., Sadeque, A., Erve, J.C.L., Wood, A.J.J. and Hachey, D.L.
Quantitation of loperamide and *N*-demethyl-loperamide in human plasma using electrospray ionization with selected reaction ion monitoring liquid chromatography–mass spectrometry 744(2000)323
- He, T., Quinn, D., Fu, E. and Wang, Y.K.
Analysis of diagnostic metabolites by capillary electrophoresis–mass spectrometry 727(1999)43
- Heffron, J.J.A., see McIntosh, J.M. 738(2000)207
- Heil, M., Podebrad, F., Prado, E., Beck, T., Mosandl, A., Sewell, A.C., Böhles, H. and Lehnert, W.
Enantioselective analysis of ketone bodies in patients with β -ketothiolase deficiency, medium-chain acyl coenzyme A dehydrogenase deficiency and ketonemic vomiting 739(2000)313
- Heinig, K. and Henion, J.
Fast liquid chromatographic–mass spectrometric determination of pharmaceutical compounds 732(1999)445
- Heinig, K. and Henion, J.
Determination of carnitine and acylcarnitines in biological samples by capillary electrophoresis–mass spectrometry 735(1999)171
- Heinig, R., Zimmer, D., Yeh, S. and Krol, G.J.
Development, validation and application of assays to quantify metrifonate and 2,2-dichlorovinyl dimethylphosphate in human body fluids 741(2000)257
- Heinkele, G., see Hofmann, U. 748(2000)113
- Heizmann, C.W., see Ehlermann, P. 737(2000)39
- Heizmann, P., Schmitt, M., Leube, J., Martin, H. and Saner, A.
Determination of the catechol-*O*-methyltransferase inhibitor tolcapone and three of its metabolites in animal and human plasma and urine by reversed-phase high-performance liquid chromatography with ultraviolet detection 730(1999)153
- Hejnæs, K.R., see Sproule, K. 740(2000)17
- Hekster, Y.A., see Hollanders, R.M.F. 744(2000)65
- Hekster, Y.A., see Hugen, P.W.H. 727(1999)139
- Helaleh, M.I.H. and Korenaga, T.
Ion chromatographic method for simultaneous determination of nitrate and nitrite in human saliva 744(2000)433
- Hemmati, P., see Shah, A.J. 735(1999)133
- Hempel, G., see Olgemöller, J. 726(1999)261
- Hempelmann, G., see Mühling, J. 728(1999)157
- Hendriks, L., see Van Puymbroeck, M. 728(1999)217
- Henion, J., see Heinig, K. 732(1999)445
- Henion, J., see Heinig, K. 735(1999)171
- Henion, J., see Ke, J. 742(2000)369
- Hennebicq, S., see Soudan, B. 729(1999)65
- Hennion, M.-C., see Delaunay, N. 745(2000)15
- Henrar, R.E.C., see Sparidans, R.W. 726(1999)255
- Henrar, R.E.C., see Sparidans, R.W. 729(1999)43
- Henson, C., see Peng, S.X. 732(1999)31
- Heo, Y.J., Whang, Y.S., In, M.K. and Lee, K.-J.
Determination of enantiomeric amphetamines as metabolites of illicit amphetamines and selegiline in urine by capillary electrophoresis using modified β -cyclodextrin 741(2000)221
- Hercegová, A., see Sádecká, J. 729(1999)11
- Hermann, K. and Abeck, D.
Determination of histidine and urocanic acid isomers in the human skin by high-performance capillary electrophoresis 749(2000)41
- Hermann, K. and Abeck, D.
Analysis of histidine and urocanic acid isomers by reversed-phase high-performance liquid chromatography 750(2001)71
- Hermening, A., Gräfe, A.-K., Baktir, G., Mutschler, E. and Spahn-Langguth, H.
Gemfibrozil and its oxidative metabolites: quantification of aglycones, acyl glucuronides, and covalent adducts in samples from preclinical and clinical kinetic studies 741(2000)129
- Hernández, L., see Páez, X. 739(2000)247
- Hernandez, L., see Rada, P. 735(1999)1
- Hernández, M., Borrull, F. and Calull, M.
Determination of amoxicillin in plasma samples by capillary electrophoresis 731(1999)309
- Hernández, M., Borrull, F. and Calull, M.
Determination of quinolones in plasma samples by capillary electrophoresis using solid-phase extraction 742(2000)255
- Hernández-Carrasquilla, M., see Olmos-Carmona, M.-L. 734(1999)113
- Herráez-Hernández, R. and Campíns-Falcó, P.
Chromatographic separation of chlorthalidone enantiomers using β -cyclodextrins as chiral additives 740(2000)169
- Herrera, J., see Phillips, M. 729(1999)75
- Herring, V.L. and Johnson, J.A.
Simple method for determination of terbutaline plasma concentration by high-performance liquid chromatography 741(2000)307
- Herron, W., see Wiltshire, H. 745(2000)373
- Hertle, R., Süssmuth, R., Braun, V. and Jung, G.
Two-step fast protein liquid chromatographic purification of the *Serratia marcescens* hemolysin and peptide mapping with mass spectrometry 737(2000)13
- Hess, B., see Lausecker, B. 749(2000)67
- Hettesheimer, H., see Juza, M. 735(1999)93
- Hibiya, M., Ichinose, H., Ozaki, N., Fujita, K., Nishimoto, T., Yoshikawa, T., Asano, Y. and Nagatsu, T.
Normal values and age-dependent changes in GTP cyclohydrolase I activity in stimulated mononuclear blood cells measured by high-performance liquid chromatography 740(2000)35
- Hider, R.C., see Liu, D.Y. 730(1999)135
- Hiemke, C., see Härtter, S. 740(2000)135
- Hiemke, C., see Ulrich, S. 731(1999)231
- Higashino, K., see Yamamoto, T. 726(1999)317
- Highley, M., see Guetens, G. 739(2000)139
- Highley, M., see Zhang, Z.D. 739(2000)281
- Higuchi, S., see Kato, K. 740(2000)187
- Higuchi, S., see Yamaguchi, J.-i. 750(2001)99

- Hiki, Y., see Iwase, H. 728(1999)175
- Hill, K., see Bridonneau, P. 726(1999)237
- Hino, M., see Kuriya, S.-i. 744(2000)189
- Hirsch-Ernst, K.I., see Schrader, E. 726(1999)195
- Hirschl, A.M., see Rokita, E. 737(2000)202
- Hisada, M., see Kaneko, R. 731(1999)125
- Hishinuma, T., see Mizugaki, M. 729(1999)279
- Hitoshi, N., see Ishida, J. 738(2000)199
- Hjerpe, A., see Lamari, F. 730(1999)129
- Ho, C.-M., see Ho, S.-T. 736(1999)89
- Ho, P.C., see Chan, E.C.Y. 749(2000)179
- Ho, P.Y., see Chan, E.C.Y. 749(2000)179
- Ho, S.-T., see Pao, L.-H. 746(2000)241
- Ho, S.-T., Wang, J.-J., Liaw, W.-J., Ho, C.-M. and Li, J.-H.
Determination of tramadol by capillary gas chromatography with flame ionization detection. Application to human and rabbit pharmacokinetic studies 736(1999)89
- Ho, W.M., see Yang, N.C. 742(2000)277
- Hoang-Opperman, L., see Guillaume, Y.C. 749(2000)225
- Hobara, N., see Hokama, N. 732(1999)233
- Hoes, I., Lemi re, F., Van Dongen, W., Vanhoutte, K., Esmans, E.L., Van Bockstaele, D., Berneman, Z., Deforce, D. and Van den Eeckhout, E.G.
Analysis of melphalan adducts of 2'-deoxynucleotides in calf thymus DNA hydrolysates by capillary high-performance liquid chromatography–electrospray tandem mass spectrometry 736(1999)43
- Hoes, I., Van Dongen, W., Lemi re, F., Esmans, E.L., Van Bockstaele, D. and Berneman, Z.N.
Comparison between capillary and nano liquid chromatography–electrospray mass spectrometry for the analysis of minor DNA–melphalan adducts 748(2000)197
- Hoetelmans, R.M.W., see Sparidans, R.W. 736(1999)115
- Hoetelmans, R.M.W., see Sparidans, R.W. 742(2000)185
- Hoetelmans, R.M.W., see Sparidans, R.W. 750(2001)155
- Hoetelmans, R.M.W., see Veldkamp, A.I. 727(1999)151
- Hoetelmans, R.M.W., see Veldkamp, A.I. 734(1999)55
- Hoetelmans, R.M.W., see Veldkamp, A.I. 736(1999)123
- Hoffmann, R., see Desimone, M. 737(2000)285
- Hofland, G.W., de Rijke, A., Thiering, R., van der Wielen, L.A.M. and Witkamp, G.-J.
Isoelectric precipitation of soybean protein using carbon dioxide as a volatile acid 743(2000)357
- Hofmann, S., see Kuhlmann, O. 728(1999)279
- Hofmann, U., Pecia, M., Heinkle, G., Dilger, K., Kroemer, H.K. and Eichelbaum, M.
Determination of propafenone and its phase I and phase II metabolites in plasma and urine by high-performance liquid chromatography–electrospray ionization mass spectrometry 748(2000)113
- Hofmann, U., see Ritter, C.A. 730(1999)25
- Hofmann, U., Seefried, S., Schweizer, E., Ebner, T., Mikus, G. and Eichelbaum, M.
Highly sensitive gas chromatographic–tandem mass spectrometric method for the determination of morphine and codeine in serum and urine in the femtomolar range 727(1999)81
- Hofmann, U., see von Richter, O. 738(2000)137
- H hne, G., see Smoluch, M.T. 726(1999)37
- H iby, N., see Walther-Rasmussen, J. 746(2000)161
- Hoitink, M.A., see Underberg, W.J.M. 742(2000)401
- Hoizey, G., Baccard, N., Gourdier, B., Lamiable, D., Millart, H., D'Arbigny, P. and Vistelle, R.
Modified gas chromatographic–mass spectrometric assay for the determination of gacyclidine enantiomers in human plasma 731(1999)317
- Hokama, N., Hobara, N., Kameya, H., Ohshiro, S. and Sakanashi, M.
Rapid and simple micro-determination of carvedilol in rat plasma by high-performance liquid chromatography 732(1999)233
- Hoke II, S.H., see Kuhlbeck, D.L. 738(2000)319
- Hollanders, R.M.F., van Ewijk-Beneken Kolmer, E.W.J., Burger, D.M., Wuis, E.W., Koopmans, P.P. and Hekster, Y.A.
Determination of nevirapine, an HIV-1 non-nucleoside reverse transcriptase inhibitor, in human plasma by reversed-phase high-performance liquid chromatography 744(2000)65
- Hollender, J., Koch, B. and Dott, W.
Biomonitoring of environmental polycyclic aromatic hydrocarbon exposure by simultaneous measurement of urinary phenanthrene, pyrene and benzo[a]pyrene hydroxides 739(2000)225
- Hon, Y.Y., see Su, Y. 732(1999)459
- Hong, D.-P., Lee, S.-S. and Kuboi, R.
Conformational transition and mass transfer in extraction of proteins by AOT–alcohol–isooctane reverse micellar systems 743(2000)203
- Hong, M.-F., see Jia, Q. 750(2001)81
- Hooper, D., see Ellingson, T. 729(1999)347
- Hopfgartner, G., see Lauecker, B. 749(2000)67
- Hopstadius, C., see Bergqvist, Y. 741(2000)189
- Horeck y, J., see Mi lanov , C. 739(2000)151
- Horike, T., see Fujii, T. 730(1999)41
- Horvai, G., see Bereczki, A. 749(2000)215
- Horv th, V., see Bereczki, A. 749(2000)215
- Hostettmann, K., see Ndjoko, K. 744(2000)249
- Hotta, K., see Iwase, H. 728(1999)175
- House, T.L., see Phillips, L.R. 741(2000)205
- Houz , P., Dal Cortivo, L., Anselme, M., Bousquet, B. and Gourmel, B.
Quantification of residual dimethyl sulfoxide in supernatants of haematopoietic stem cells by capillary zone electrophoresis 728(1999)75
- Howald, W.N., see Kalhorn, T.F. 732(1999)287
- Howald, W.N., see Madani, S. 741(2000)145
- H y, C.-E., see Mu, H. 748(2000)425
- Hsieh, C.-J., see Fuh, M.-R. 736(1999)167
- Hsiong, C.-H., see Pao, L.-H. 746(2000)241
- Hu, O.Y.-P., see Pao, L.-H. 746(2000)241
- Huang, J., see Yan, Z. 738(2000)149
- Huang, M., see Wong, F.A. 734(1999)247
- Huang, R.-N., Yeh, H.-Y., Cheng, S.-C., Chow, L.-P. and Lee, T.-C.
Arsanilic acid–Sephacryl chromatography of pyruvate kinase from KB cells 740(2000)109
- Huang, T., see Zhu, Y. 740(2000)129
- Hubert, Ph., see Chiap, P. 739(2000)205
- Hubert, Ph., see Streel, B. 742(2000)391
- Huddleston, J.G., see Willauer, H.D. 743(2000)127

- Huddleston, J.G., Willauer, H.D. and Rogers, R.D.
Solvatochromic studies in polyethylene glycol–salt aqueous biphasic systems 743(2000)137
- Huestis, M.A., Oyler, J.M., Cone, E.J., Wstadik, A.T., Schoendorfer, D. and Joseph Jr., R.E.
Sweat testing for cocaine, codeine and metabolites by gas chromatography–mass spectrometry (Review) 733(1999)247
- Huf, F.A., see Coolen, S.A.J. 732(1999)103
- Hugen, P.W.H., Verweij-van Wissen, C.P.W.G.M., Burger, D.M., Wuis, E.W., Koopmans, P.P. and Hekster, Y.A.
Simultaneous determination of the HIV-protease inhibitors indinavir, nelfinavir, saquinavir and zidovudine in human plasma by reversed-phase high-performance liquid chromatography 727(1999)139
- Hui, M., see Wang, H. 731(1999)403
- Huie, W.R. and Wong, S.S.
Improvement in assay sensitivity for plasma dolastatin-10 using capillary electrophoresis at elevated temperatures 729(1999)1
- Huijman, J., see Fekkes, D. 744(2000)183
- Huitema, A.D.R., Tibben, M.M., Kerbusch, T., Kettenes-van den Bosch, J.J., Rodenhuis, S. and Beijnen, J.H.
Simple and selective determination of the cyclophosphamide metabolite phosphoramidate mustard in human plasma using high-performance liquid chromatography 745(2000)345
- Hulin, A., see Proust, V. 742(2000)453
- Hulse, J.D., see Naidong, W. 735(1999)255
- Hundt, A.F., see Badenhorst, D. 742(2000)91
- Hundt, A.F., see de Jager, A.D. 729(1999)183
- Hundt, A.F., see de Jager, A.D. 740(2000)247
- Hundt, A.F., see Scanes, T. 750(2001)171
- Hundt, H.K.L., see Badenhorst, D. 742(2000)91
- Hundt, H.K.L., see de Jager, A.D. 729(1999)183
- Hundt, H.K.L., see de Jager, A.D. 740(2000)247
- Hundt, H.K.L., see Scanes, T. 750(2001)171
- Hung, D.Z., see Yang, N.C. 742(2000)277
- Hung, L.C., see Tsai, T.H. 734(1999)277
- Hung, L.C., see Tsai, T.H. 740(2000)203
- Hung, L.C., see Tsai, T.R. 736(1999)129
- Husain, A., see Teng, S.F. 740(2000)1
- Hušek, P.
Determination of homocysteine by gas chromatography–mass spectrometry following treatment with chloroformates: a comment 740(2000)289
- Husi, H. and Walkinshaw, M.D.
Separation of human vitamin K-dependent coagulation proteins using hydrophobic interaction chromatography 736(1999)77
- Hussain-Yusuf, H., Onodera, R., Nasser, M.E.A. and Sato, H.
Simple method for the simultaneous analysis of pipercolic acid and lysine by high-performance liquid chromatography and its application to rumen liquor and plasma of ruminants 735(1999)63
- Husson, H.-P., see Paci, A. 739(2000)239
- Hüttemann, H. and Blaschke, G.
Achiral and chiral determination of ciprofibrate and its glucuronide in human urine by capillary electrophoresis 729(1999)33
- Hutterer, K.M., Birrell, H., Camilleri, P. and Jorgenson, J.W.
High resolution of oligosaccharide mixtures by ultrahigh voltage micellar electrokinetic capillary chromatography 745(2000)365
- Hutzler, J.M., Frye, R.F. and Tracy, T.S.
Sensitive and specific high-performance liquid chromatographic assay for 4'-hydroxyflurbiprofen and flurbiprofen in human urine and plasma 749(2000)119
- Hvattum, E., Røsjø, C., Gjølén, T., Rosenlund, G. and Ruyter, B.
Effect of soybean oil and fish oil on individual molecular species of Atlantic salmon head kidney phospholipids determined by normal-phase liquid chromatography coupled to negative ion electrospray tandem mass spectrometry 748(2000)137
- Hwang, D.F., see Su, S.C. 749(2000)163
- Hwang, K.L., see Yang, N.C. 742(2000)277
- Hyšpler, R., Crhová, S., Gaspáříč, J., Zádák, Z., Čížková, M. and Balasová, V.
Determination of isoprene in human expired breath using solid-phase microextraction and gas chromatography–mass spectrometry 739(2000)183
- # I
- Ibarra, N., Caballero, A., González, E. and Valdés, R.
Comparison of different elution conditions for the immunopurification of recombinant hepatitis B surface antigen 735(1999)271
- Ichinose, H., see Hibiya, M. 740(2000)35
- Iga, M., Kimura, M., Ohura, T., Kikawa, Y. and Yamaguchi, S.
Rapid, simplified and sensitive method for screening fructose-1,6-diphosphatase deficiency by analyzing urinary metabolites in urease/direct preparations and gas chromatography–mass spectrometry in the selected-ion monitoring mode 746(2000)75
- Iga, M., see Ohie, T. 746(2000)63
- Iga, T., see Taninaka, C. 738(2000)405
- Iga, T., see Yanagihara, Y. 746(2000)227
- Igarashi, K., Sugiyama, Y., Kasuya, F., Saiki, K., Yamakawa, T. and Ohata, S.
Determination of 1-methyl-1,2,3,4-tetrahydroisoquinoline in mouse brain after treatment with haloperidol by gas chromatography–selected ion monitoring 731(1999)53
- Igarashi, K., Sugiyama, Y., Kasuya, F., Inoue, H., Matoba, R. and Castagnoli, N.
Analysis of citrulline in rat brain tissue after perfusion with haloperidol by liquid chromatography–mass spectrometry 746(2000)33
- Igarashi, T., see Kuriya, S.-i. 744(2000)189
- Iizuka, R., see Ishida, J. 738(2000)199

- Ikarashi, Y., Yuzurihara, M., Shinoda, M. and Maruyama, Y.
Effect of 2-deoxy-D-glucose on acetylcholine and histamine levels in gastric juice of pylorus-ligated rats anesthetized with urethane 742(2000)295
- Ikeda, N., see Kage, S. 742(2000)363
- Imagawa, H., see Sugiura, T. 742(2000)327
- Imai, H., see Chiba, N. 728(1999)35
- Imamura, T., Kudo, K., Namera, A., Tokunaga, H., Yashiki, M., Jitsufuchi, N. and Kojima, T.
Liquid chromatography–fast atom bombardment mass spectrometry for detection and determination of pentazocine in human tissues 731(1999)149
- In, M.K., see Heo, Y.J. 741(2000)221
- Inagaki, K., see Mikami, E. 744(2000)81
- Inamoto, Y., see Hanai, T. 747(2000)123
- Inamoto, S., see Hanai, T. 747(2000)123
- Ino, S., see Nakazawa, H. 732(1999)55
- Inokuchi, T., see Kuhara, T. 731(1999)141
- Inoue, F., see Terada, N. 731(1999)89
- Inoue, F., Terada, N., Nakajima, H., Okochi, M., Kodo, N., Kizaki, Z., Kinugasa, A. and Sawada, T.
Effect of sports activity on carnitine metabolism. Measurement of free carnitine, γ -butyrobetaine and acylcarnitines by tandem mass spectrometry 731(1999)83
- Inoue, H., see Igarashi, K. 746(2000)33
- Inoue, K., Kato, K., Yoshimura, Y., Makino, T. and Nakazawa, H.
Determination of bisphenol A in human serum by high-performance liquid chromatography with multi-electrode electrochemical detection 749(2000)17
- Inoue, K., see Yamamoto, H. 738(2000)3
- Inoue, T., Hamase, K., Morikawa, A. and Zaitso, K.
Determination of minute amounts of D-leucine in various brain regions of rat and mouse using column-switching high-performance liquid chromatography 744(2000)213
- Inoue, Y., see Kuhara, T. 731(1999)141
- Inoue, Y., see Shinka, T. 732(1999)469
- Irth, H., see Visser, S.A.G. 745(2000)357
- Irvine, A.E., see Somerville, L.E. 732(1999)81
- Ishida, J., Takada, M., Hitoshi, N., Iizuka, R. and Yamaguchi, M.
4-Dimethylaminobenzylamine as a sensitive chemiluminescence derivatization reagent for 5-hydroxyindoles and its application to their quantification in human platelet-poor plasma 738(2000)199
- Ishida, M., Kobayashi, K., Awata, N. and Sakamoto, F.
Simple high-performance liquid chromatography determination of ampicillin in human serum using solid-phase extraction disk cartridges 727(1999)245
- Ishida, S., see Kuhara, T. 742(2000)59
- Ishida, S., see Kuhara, T. 746(2000)103
- Ishihara, H., see Mikami, E. 744(2000)81
- Ishii, A., see Guan, F. 731(1999)155
- Ishii, A., see Seno, H. 746(2000)3
- Ishii, A., see Watanabe-Suzuki, K. 727(1999)89
- Ishii-Karakasa, I., see Iwase, H. 728(1999)175
- Ismail, I.M., see Dear, G.J. 748(2000)281
- Ismail, I.M., see Dear, G.J. 748(2000)295
- Isoherranen, N., Roeder, M., Soback, S., Yagen, B., Schurig, V. and Bialer, M.
Enantioselective analysis of levetiracetam and its enantiomer *R*- α -ethyl-2-oxo-pyrrolidine acetamide using gas chromatography and ion trap mass spectrometric detection 745(2000)325
- Issaq, H.J., Xu, H., Chan, K.C., and Dean, M.C.
Effect of temperature on the separation of DNA fragments by high-performance liquid chromatography and capillary electrophoresis: a comparative study 738(2000)243
- Isurugi, K., see Shinohara, Y. 741(2000)271
- Ito, Y., see Nakazawa, H. 732(1999)55
- Iuliano, S., see Debelak, D. 740(2000)195
- Iwahara, T., see Caughey, D.J. 728(1999)49
- Iwahashi, H.
3-Hydroxyanthranilic acid-derived compounds formed through electrochemical oxidation 736(1999)237
- Iwaki, M., Murakami, E. and Kakehi, K.
Chromatographic and capillary electrophoretic methods for the analysis of nicotinic acid and its metabolites (Review) 747(2000)229
- Iwasa, T., Takano, T., Hara, K.-i. and Kamei, T.
Method for the simultaneous determination of losartan and its major metabolite, EXP-3174, in human plasma by liquid chromatography–electrospray ionization tandem mass spectrometry 734(1999)325
- Iwase, H., see Sudo, J.-i. 744(2000)19
- Iwase, H., Tanaka, A., Hiki, Y., Kokubo, T., Sano, T., Ishii-Karakasa, I., Toma, K., Kobayashi, Y. and Hotta, K.
Mutual separation of hinge-glycopeptide isomers bearing five *N*-acetylgalactosamine residues from normal human serum immunoglobulin A1 by capillary electrophoresis 728(1999)175
- Iwata, S., see Sivars, U. 743(2000)307
- Izquierdo-Hornillos, R., see Gonzalo-Lumbreras, R. 742(2000)1
- Izquierdo-Hornillos, R., see Gonzalo-Lumbreras, R. 742(2000)47
- Izquierdo-Hornillos, R., see Rosado-Maria, A. 748(2000)415
- Izumi, H., see Nakamura, I. 729(1999)265
- Izumi, Y., see Obata, T. 746(2000)11

J

- Jackman, A.L., see Mitchell, F. 744(2000)351
- Jacob III, P., see Everhart, E.T. 729(1999)173
- Jacobs, M.-P., see Van Puymbroeck, M. 728(1999)217
- Jacobsen, P.B.
On-line dialysis and quantitative high-performance liquid chromatography analysis of iodixanol in human, rat and monkey plasma 749(2000)135
- Jacobsen, W., see Christians, U. 748(2000)41

- Jacobson, S.C., see Gottschlich, N. 745(2000)243
- Jahde, U., see Baumann, F. 729(1999)297
- Jagiello-Wójtowicz, E., see Misztal, G. 731(1999)383
- Jahanmard, E. and Suyama, K.
Bisphenol derivative of allysine for high-performance liquid chromatographic analysis of allysine residue of proteins 739(2000)273
- Jaiswal, J., see Velpandian, T. 738(2000)431
- Jakaša, I., see Kežić, S. 738(2000)39
- Jakaša, I., see Kežić, S. 749(2000)265
- Jakobs, C., see Kulik, W. 729(1999)211
- Jakobs, C., see Kulik, W. 738(2000)99
- Jakobs, C., see Struys, E.A. 732(1999)245
- Jakubetz, H., see Juzza, M. 735(1999)93
- Janák, K., Jensen, E. and Becher, G.
Determination of polychlorinated biphenyls in human blood by solid-phase extraction including on-column lipid decomposition 734(1999)219
- Janák, K., see Thomsen, C. 750(2001)1
- Jandik, P., Clarke, A.P., Avdalovic, N., Andersen, D.C. and Cacia, J.
Analyzing mixtures of amino acids and carbohydrates using bi-modal integrated amperometric detection 732(1999)193
- Jang, B.-s., see Lim, J.-h. 746(2000)219
- Janiczek, O., see Glatz, Z. 739(2000)101
- Janiszewski, J.S., see Reed-Hagen, A.E. 744(2000)333
- Jankie, R., see Fekkes, D. 744(2000)183
- Jaussaud, P., see Durix, A. 729(1999)255
- Jayathirtha, M.G., see Ravishankara, M.N. 744(2000)257
- Jeanville, P.M., see Needham, S.R. 748(2000)77
- Jegorov, A., see Brozmanová, H. 749(2000)93
- Jelić-Ivanović, Z., see Žunić, G. 727(1999)73
- Jemal, M. and Mulvana, D.E.
Liquid chromatographic–electrospray tandem mass spectrometric method for the simultaneous quantitation of the prodrug fosinopril and the active drug fosinoprilat in human serum 739(2000)255
- Jemal, M., Rao, S., Salahudeen, I., Chen, B.-C. and Kates, R.
Quantitation of cerivastatin and its seven acid and lactone biotransformation products in human serum by liquid chromatography–electrospray tandem mass spectrometry 736(1999)19
- Jemal, M., Teitz, D., Ouyang, Z. and Khan, S.
Comparison of plasma sample purification by manual liquid–liquid extraction, automated 96-well liquid–liquid extraction and automated 96-well solid-phase extraction for analysis by high-performance liquid chromatography with tandem mass spectrometry 732(1999)501
- Jensen, E., see Janák, K. 734(1999)219
- Jeong, C.K., Kim, S.B., Choi, S.J., Sohn, D.H., Ko, G.I. and Lee, H.S.
Rapid microbore liquid chromatographic analysis of biphenyldimethyl dicarboxylate in human plasma with on-line column switching 738(2000)175
- Jeong, C.K., see Lee, H.M. 727(1999)213
- Jeremiah, L.E., see Dugan, M.E.R. 744(2000)195
- Jergil, B., see Barinaga-Rementería Ramírez, I. 743(2000)389
- Jergil, B., see Ekblad, L. 743(2000)397
- Ji, J., Chakraborty, A., Geng, M., Zhang, X., Amini, A., Bina, M. and Regnier, F.
Strategy for qualitative and quantitative analysis in proteomics based on signature peptides 745(2000)197
- Jia, Q., Hong, M.-F., Pan, Z.-X. and Orndorff, S.
Quantification of urine 17-ketosteroid sulfates and glucuronides by high-performance liquid chromatography–ion trap mass spectroscopy 750(2001)81
- Jiang, Q. and Li, S.
Rapid high-performance liquid chromatographic determination of serum gabapentin 727(1999)119
- Jiang, X., see Naidong, W. 735(1999)255
- Jimeno, J.M., see Sparidans, R.W. 726(1999)255
- Jimeno, J.M., see Sparidans, R.W. 729(1999)43
- Jin, W., Ye, X., Yu, D. and Dong, Q.
Measurement of chloramphenicol by capillary zone electrophoresis following end-column amperometric detection at a carbon fiber micro-disk array electrode 741(2000)155
- Jingu, S., see Kato, K. 740(2000)187
- Jingu, S., see Yamaguchi, J.-i. 730(1999)61
- Jinno, H., see Hanioka, N. 744(2000)399
- Jitsufuchi, N., see Imamura, T. 731(1999)149
- Jodlbauer, J., see Zöllner, P. 738(2000)233
- Jodrell, D.I., see Cummings, J. 732(1999)277
- Jodynis-Liebert, J. and Bennisir, H.A.H.
Gas chromatographic method for the determination of toluidines in spiked urine samples 738(2000)427
- Johansson, G., see Berggren, K. 743(2000)295
- Johansson, G., see Brumbauer, A. 743(2000)247
- Johansson, H.-O., see Umakoshi, H. 743(2000)13
- Johnson, C. and Greenberg, A.
Extraction and high-performance liquid chromatographic separation of selected pyrene and benzo[a]pyrene sulfates and glucuronides: preliminary application to the analysis of smokers' urine 728(1999)209
- Johnson, G.V.W., see Miller, M.L. 732(1999)65
- Johnson, J.A., see Herring, V.L. 741(2000)307
- Johnson, J.T., see Kasper, S.C. 726(1999)203
- Johnson, V.M., Allanson, J.P. and Causon, R.C.
Determination of the cephalosporin antibiotic cephadrine in human plasma by high-performance liquid chromatography with ultraviolet detection 740(2000)71
- Jomard, P., see Arellano, M. 741(2000)89
- Jones, A.J.S., see Battersby, J.E. 728(1999)21
- Jones, R.T., see Everhart, E.T. 729(1999)173
- Jongen, P.J.H., see Vree, T.B. 726(1999)157
- Jongen, P.J.H., see Vree, T.B. 732(1999)337
- Jøns, O., see Sidenius, U. 735(1999)85
- Jönsson, B., see Mattisson, C. 743(2000)151
- Jordis, U., see Rizzi, A. 730(1999)167
- Jorge, S.M., see Weinmann, A.R.M. 729(1999)231
- Jorgenson, J.W., see Hutterer, K.M. 745(2000)365
- Joris, B., see Bouillenne, F. 737(2000)261
- Jorritsma, U., see Schrader, E. 726(1999)195
- Joseph Jr., R.E., see Huestis, M.A. 733(1999)247
- Jougon, J., see Lemoine, T. 742(2000)247
- Judkins, M.B., see Tucker, C.E. 732(1999)203
- Jukes, R., see Xu, J. (1999)349
- Juliano, C., see Chollet, D.F. 746(2000)311

- Julianto, T., see Yap, S.P. 735(1999)279
 Julianto, T., Yuen, K.H. and Noor, A.M.
 Simple high-performance liquid chromatographic method
 for determination of α -tocopherol in human plasma
 732(1999)227
 Jung, C.H., see Morales, J.M. 746(2000)133
 Jung, G., see Hertle, R. 737(2000)13
 Jurenitsch, J., see Glasl, S. 729(1999)361
 Jürgens, M., see Richter, R. 726(1999)25
 Juza, M., Jakubetz, H., Hettessheimer, H. and Schurig, V.
 Quantitative determination of isoflurane enantiomers in
 blood samples during and after surgery via headspace gas
 chromatography–mass spectrometry 735(1999)93
 Juzwin, S., see Wong, F.A. 734(1999)247

K

- Kado, N., see Shigematsu, Y. 731(1999)97
 Käfferlein, H.U. and Angerer, J.
 Simultaneous determination of two human urinary
 metabolites of *N,N*-dimethylformamide using gas
 chromatography–thermionic sensitive detection with mass
 spectrometric confirmation 734(1999)285
 Kage, S., Kudo, K. and Ikeda, N.
 Determination of nitrate in blood by gas chromatography
 and gas chromatography–mass spectrometry 742(2000)363
 Kageura, M., see Liu, J. 748(2000)401
 Kagota, S., see Yamaguchi, Yu. 731(1999)223
 Kahl, G.F., see Schrader, E. 726(1999)195
 Kajita, M., see Naito, C. 731(1999)121
 Takehi, K., see Haginaka, J. 745(2000)149
 Takehi, K., see Iwaki, M. 747(2000)229
 Kakuno, K., see Sudo, J.-i. 744(2000)19
 Kaleja, M.
 Foreword 737(2000)1
 Kalhorn, T.F., Ren, S., Howald, W.N., Lawrence, R.F. and
 Slattery, J.T.
 Analysis of cyclophosphamide and five metabolites from
 human plasma using liquid chromatography–mass
 spectrometry and gas chromatography–nitrogen–phosphorus
 detection 732(1999)287
 Kall, M.A. and Andersen, C.
 Improved method for simultaneous determination of
 ascorbic acid and dehydroascorbic acid, isoascorbic acid
 and dehydroisoascorbic acid in food and biological samples
 730(1999)101
 Kamataki, T., see Mushiroda, T. 734(1999)319
 Kamberi, M., Kamberi, P. and Nakano, S.
 Determination of grepafloxacin in plasma and urine by a
 simple and rapid high-performance liquid chromatographic
 method 741(2000)295
 Kamberi, P., see Kamberi, M. 741(2000)295
 Kamei, T., see Iwasa, T. 734(1999)325
 Kamel, A., Prakash, C., Saverino, C., Obach, B. and Fouda, H.
 Narrow-bore high-performance liquid chromatography in
 combination with ionspray tandem mass spectrometry for
 the determination of the substance P receptor antagonist
 ezlopitant and its two active metabolites in plasma
 748(2000)179
 Kameya, H., see Hokama, N. 732(1999)233
 Kaneda, E., see Tsuda, T. 746(2000)305
 Kaneko, K., Ueda, R., Kikuchi, K., Sano, Y. and Yoshimura, T.
 Quantitative determination of a potent lipopolysaccharide
 antagonist, E5564, in rat and dog plasma by high-
 performance liquid chromatography with fluorescence
 detection 736(1999)67
 Kaneko, R., Wada, Y., Hisada, M., Naoki, H. and Matsuo, T.
 Establishment of a combined strategy of genetic and mass
 spectrometric analyses for characterizing hemoglobin
 mutations. An example of Hb Hoshida (β 43Glu $\rightarrow$ Gln)
 731(1999)125
 Kang, S.H., Wei, W. and Yeung, E.S.
 On-column derivatization for the analysis of homocysteine
 and other thiols by capillary electrophoresis with laser-
 induced fluorescence detection 744(2000)149
 Kano, Y., see Mabuchi, M. 734(1999)145
 Kao, H.-Ya., see Tsai, T.-H. 750(2001)93
 Karamanos, N.K., see Diamantopoulou, S. 732(1999)375
 Karamanos, N.K., see Lamari, F. 730(1999)129
 Karatzaferi, C., De Haan, A., Offringa, C. and Sargeant, A.J.
 Improved high-performance liquid chromatographic assay
 for the determination of “high-energy” phosphates in
 mammalian skeletal muscle. Application to a single-fibre
 study in man 730(1999)183
 Karbwang, J., see Na-Bangchang, K. 738(2000)169
 Kardatzke, J., see Xu, Z.-Q. 742(2000)267
 Karim, N., see Murray, S. 739(2000)337
 Kariya, S., see Yanagihara, Y. 746(2000)227
 Karlberg, B., see Claeson, K. 740(2000)87
 Karlo Acosta Mendonça, J., see Bohrer, D. 750(2001)61
 Karnes, H.T., see Graefe, K.A. 745(2000)305
 Kasamatsu, M., see Chikuma, T. 728(1999)59
 Kashimura, S., see Liu, J. 731(1999)217
 Kashimura, S., see Liu, J. 748(2000)401
 Kashiwagi, M., see Liu, J. 748(2000)401
 Kašicka, V., see Mikšík, I. 741(2000)37
 Kašička, V., Prusík, Z., Sázelová, P., Chiari, M., Mikšík, I. and
 Deyl, Z.
 External electric field control of electroosmotic flow in
 non-coated and coated fused-silica capillaries and its
 application for capillary electrophoretic separations of
 peptides 741(2000)43
 Kasper, S.C., Mattiuz, E.L., Swanson, S.P., Chiu, J.A., Johnson,
 J.T. and Garner, C.O.
 Determination of olanzapine in human breast milk by high-
 performance liquid chromatography with electrochemical
 detection 726(1999)203
 Kassab, A., Yavuz, H., Odabaşı, M. and Denizli, A.
 Human serum albumin chromatography by Cibacron Blue
 F3GA-derived microporous polyamide hollow-fiber affinity
 membranes 746(2000)123

- Kassahun, K., see Tang, C. 742(2000)303
- Kasten, T.P., see Bobzin, S.C. 748(2000)259
- Kastner, U., see Glasl, S. 729(1999)361
- Kasuya, F., Fukui, M., Yanagawa, Y., Kimura, A. and Fujiwara, H.
Metabolism of an ionic contrast medium and the related agents 746(2000)25
- Kasuya, F., see Igarashi, K. 731(1999)53
- Kasuya, F., see Igarashi, K. 746(2000)33
- Kasuya, Y., see Furuta, T. 738(2000)119
- Kasuya, Y., see Furuta, T. 738(2000)367
- Katagi, M., see Nishikawa, M. 726(1999)105
- Kataoka, H., Lord, H.L. and Pawliszyn, J.
Automated in-tube solid-phase microextraction–liquid chromatography–electrospray ionization mass spectrometry for the determination of ranitidine 731(1999)353
- Kates, R., see Jemal, M. 736(1999)19
- Kathariou, S., see Chong, B.E. 748(2000)167
- Kato, H., see Mushiroda, T. 734(1999)319
- Kato, K., see Inoue, K. 749(2000)17
- Kato, K., Jingu, S., Ogawa, N. and Higuchi, S.
Development and validation of a liquid chromatographic–tandem mass spectrometric method for the determination of pibutidine in human urine 740(2000)187
- Kato, K., see Nakazawa, H. 732(1999)55
- Kato, T., see Chikuma, T. 728(1999)59
- Kato, Y., see Mawatari, H. 730(1999)275
- Katoh, T., see Kim, H. 734(1999)211
- Katus, H.A., see Ehlermann, P. 737(2000)39
- Kauert, G., see Toennes, S.W. 735(1999)127
- Kaul, A., see Persson, J. 743(2000)115
- Kavanagh, P., see Alkatheeri, N.A. 732(1999)299
- Kawabe, S., see Fujii, T. 730(1999)41
- Kawahara, S., see Sakai, T. 726(1999)313
- Kawamoto, T., see Kim, H. 734(1999)211
- Kawamoto, T., see Obata, T. 746(2000)11
- Kawasaki, T., see Matsui, T. 729(1999)89
- Kawase, M., see Ohmori, S. 740(2000)253
- Kawashima, S., see Koga, K. 738(2000)165
- Ke, J., Yancey, M., Zhang, S., Lowes, S. and Henion, J.
Quantitative liquid chromatographic–tandem mass spectrometric determination of reserpine in FVB/N mouse plasma using a “chelating” agent (disodium EDTA) for releasing protein-bound analytes during 96-well liquid–liquid extraction 742(2000)369
- Keating, M.J., see Rodriguez Jr, C.O. 745(2000)421
- Kehrer, D., see Loos, W.J. 738(2000)155
- Keller, Th., see Nishikawa, M. 726(1999)105
- Kema, I.P., De Vries, E.G.E. and Muskiet, F.A.J.
Clinical chemistry of serotonin and metabolites (Review) 747(2000)33
- Kenndler, E., see Pucci, V. 728(1999)263
- Kennedy, R.T., see German, I. 742(2000)353
- Kennedy, S.H., see Lai, C.-T. 749(2000)275
- Kenney, K.B., see Pereira, A.S. 742(2000)173
- Keppler, B.K., see Zenker, A. 745(2000)211
- Kera, Y., see Todoroki, N. 728(1999)41
- Kerbusch, T., see Huitema, A.D.R. 745(2000)345
- Kergueris, M.F., see Ganiere-Monteil, C. 727(1999)235
- Kerr, D.J., see Anderson, D. 731(1999)293
- Kerstens, M.N., see Guillaume, C.P.F. 731(1999)323
- Keski-Hyynilä, H., Raanaa, K., Taskinen, J. and Kostianen, R.
Direct analysis of nitrocatechol-type glucuronides in urine by capillary electrophoresis–electrospray ionisation mass spectrometry and tandem mass spectrometry 749(2000)253
- Kessel, D.
Protein-binding patterns of the antitumor antibiotic cryptophycin 52 as measured with a two-phase partitioning system 735(1999)121
- Kestell, P., see Zhou, S. 734(1999)129
- Kettenes-van den Bosch, J.J., see Sparidans, R.W. 729(1999)43
- Kettenes-van den Bosch, J.J., see Huitema, A.D.R. 745(2000)345
- Kettrup, A., see Campa, C. 739(2000)95
- Kežić, S., Jakaša, I. and Wenker, M.
Determination of mandelic acid enantiomers in urine by gas chromatography and electron-capture or flame ionisation detection 738(2000)39
- Kežić, S., Jakaša, I., Wenker, M.A.M., Boogaard, P.J., Monster, A.C. and de Wolff, F.A.
Gas chromatography-electron capture determination of styrene-7,8-oxide enantiomers 749(2000)265
- Khaksa, G. and Udupa, N.
Rapid and sensitive method for determination of nimesulide in human plasma by high-performance liquid chromatography 727(1999)241
- Khaledi, M.G., see Wang, F. 731(1999)187
- Khalid, S.A., see Mohamed, S.S. 731(1999)251
- Khan, J.K., see Bu, H.-Z. 738(2000)259
- Khan, P., Abbas, S., Hargreaves, R.H.J., Caffrey, R., Megram, V. and McGown, A.
Development and validation of a sensitive solid-phase extraction and high-performance liquid chromatographic assay for the novel bio-reductive anti-tumor agent RH1 in human and mouse plasma 729(1999)287
- Khan, P., Abbas, S., Petit, B., Caffrey, R., Megram, V. and McGown, A.
Development and validation of a high-performance liquid chromatographic assay using solid-phase extraction for the novel antitumor agent pancratistatin in human plasma 726(1999)249
- Khan, S., see Jemal, M. 732(1999)501
- Khaselev, N., see Murphy, R.C. 731(1999)59
- Kibbey, C., see Poole, S.K. 745(2000)117
- Kidouchi, K., see Maeda, T. 731(1999)267
- Kiebooms, S., see Fluchard, D. 744(2000)139
- Kiehr, B. and Christensen, M.S.
Assay for levormexifenone, a selective estrogen receptor modulator, in human and monkey plasma employing high-performance liquid chromatography and solid-phase extraction 729(1999)315
- Kielbasa, W.B., Bauer, J.A. and Fung, H.-L.
Analysis of isobutyl nitrite inhalant in rat and human blood: application for pharmacokinetic investigations 734(1999)83
- Kikawa, Y., see Iga, M. 746(2000)75
- Kikawa, Y., see Shigematsu, Y. 731(1999)97
- Kikuchi, K., see Kaneko, K. 736(1999)67

- Kikura, R., Nakahara, Y. and Kojima, S.
Simultaneous determination of dimethylamphetamine and its metabolites in rat hair by gas chromatography–mass spectrometry 741(2000)163
- Kilikian, B.V., see de Gouveia, T. 743(2000)241
- Kim, D.-H., see Baek, M. 732(1999)357
- Kim, E.J., see Choi, S.O. 744(2000)201
- Kim, H., Kim, Y.-D., Lee, H., Kawamoto, T., Yang, M. and Katoh, T.
Assay of 2-naphthol in human urine by high-performance liquid chromatography 734(1999)211
- Kim, H., Likhari, P., Kumari, P., Lin, C.-C. and Nomeir, A.A.
High-performance liquid chromatographic analysis of the anti-fungal agent SCH 56592 in dog serum 738(2000)93
- Kim, H., Likhari, P., Lin, C.-C. and Nomeir, A.A.
High-performance liquid chromatographic analysis of the anti-tumor agent SCH 66336 in cynomolgus monkey plasma and evaluation of its chiral inversion in animals 728(1999)133
- Kim, H., Schuessler, D.G., Bach, C.A., Lin, C.-C. and Nomeir, A.A.
High-performance liquid chromatographic analysis of the D₄ receptor antagonist SCH 66712 in rat plasma 735(1999)11
- Kim, J., see Chong, B.E. 748(2000)167
- Kim, K.-R., see Myung, S.-W. 727(1999)1
- Kim, M., see Myung, S.-W. 727(1999)1
- Kim, S.B., see Jeong, C.K. 738(2000)175
- Kim, Y.-D., see Kim, H. 734(1999)211
- Kim, Y.S., see Lee, H.M. 727(1999)213
- Kimura, A., see Kasuya, F. 746(2000)25
- Kimura, K.
Simultaneous accumulation of low-molecular-mass RNA at the interface along with accumulation of high-molecular-mass RNA on aqueous two-phase system partitioning 743(2000)421
- Kimura, M., see Iga, M. 746(2000)75
- Kimura, M., see Kubo, K. 736(1999)185
- Kimura, M., see Kubo, K. 742(2000)193
- Kimura, M., see Ohie, T. 746(2000)63
- Kimura, M. and Yamaguchi, S.
Screening for fatty acid beta oxidation disorders.
Acylglycine analysis by electron impact ionization gas chromatography–mass spectrometry 731(1999)105
- Kimura, Y., see Yamaguchi, J.-i. 750(2001)99
- Kinoshita, A., see Taniguchi, S. 727(1999)219
- Kintz, P., see Cirimele, V. 740(2000)265
- Kintz, P. and Samyn, N.
Determination of “Ecstasy” components in alternative biological specimens (Review) 733(1999)137
- Kinugasa, A., see Inoue, F. 731(1999)83
- Kinugasa, A., see Terada, N. 731(1999)89
- Kirch, W., see Oertel, R. 750(2001)121
- Kirchgessner, M., see Nöstelbacher, K. 744(2000)273
- Kirchner, G.I., see Christians, U. 748(2000)41
- Kirschbaum, B., see Fairbanks, L.D. 732(1999)487
- Kissinger, C.B., see Zhu, Y. 740(2000)129
- Kissinger, P.T., see Zhu, Y. 740(2000)129
- Kissmeyer, A.-M., Sonne, K. and Binderup, E.
Determination of the vitamin D analog EB 1089 (seocalcitol) in human and pig serum using liquid chromatography–tandem mass spectrometry 740(2000)117
- Kita, Y., see Caughey, D.J. 728(1999)49
- Kitada, M., see Kuriya, S.-i. 744(2000)189
- Kitahara, S., see Sumi, S. 727(1999)9
- Kizaki, Z., see Inoue, F. 731(1999)83
- Kizaki, Z., see Terada, N. 731(1999)89
- Klaunick, G., see Schrader, E. 726(1999)195
- Kletzin, A., see Laska, S. 737(2000)151
- Klíma, J., see Macek, J. 736(1999)231
- Klíma, J., see Ptáček, P. 738(2000)305
- Klinker, H., see Langmann, P. 735(1999)41
- Kloor, D., see Luippold, G. 729(1999)379
- Kmoch, S., see Krijt, J. 726(1999)53
- Knebel, N.G., Grieb, S., Leisenheimer, S. and Locher, M.
Determination of retigabine and its acetyl metabolite in biological matrices by on-line solid-phase extraction (column switching) liquid chromatography with tandem mass spectrometry 748(2000)97
- Kneepkens, C.M.F., see Kulik, W. 750(2001)147
- Knight, M., see de Jager, A.D. 740(2000)247
- Knize, M.G., see Pais, P. 747(2000)139
- Knox, R.J., see Anderson, D. 731(1999)293
- Ko, G.I., see Jeong, C.K. 738(2000)175
- Kobayashi, H., see Fujita, K. 731(1999)345
- Kobayashi, H., see Tomiyama, N. 748(2000)361
- Kobayashi, K., see Ishida, M. 727(1999)245
- Kobayashi, Y., see Iwase, H. 728(1999)175
- Kobylińska, K., see Kobylińska, M. 744(2000)207
- Kobylińska, M. and Kobylińska, K.
High-performance liquid chromatographic analysis for the determination of domperidone in human plasma 744(2000)207
- Koch, B., see Hollender, J. 739(2000)225
- Kochansky, C.J. and Strein, T.G.
Determination of uremic toxins in biofluids: creatinine, creatine, uric acid and xanthines (Review) 747(2000)217
- Kodama, H., see Ma, D. 726(1999)285
- Kodo, N., see Inoue, F. 731(1999)83
- Koga, K., Ohmachi, K., Kawashima, S., Takada, K. and Murakami, M.
Determination of 18 α -glycyrrhizin and 18 β -glycyrrhizin in dog plasma by high-performance liquid chromatography 738(2000)165
- Köhler, H., see Beike, J. 726(1999)111
- Kohlhof, K., see Song, D. 730(1999)141
- Koike, M., see Takahashi, R. 742(2000)71
- Koivisto, P., see Swart, R. 736(1999)247
- Kojima, S., see Kikura, R. 741(2000)163
- Kojima, T., see Imamura, T. 731(1999)149
- Kok, R.M., see Kulik, W. 738(2000)99
- Kokatsu, J., see Yamaguchi, J.-i. 730(1999)61
- Kokkonen, J., Leinonen, A., Tuominen, J. and Seppälä, T.
Comparison of sensitivity between gas chromatography–low-resolution mass spectrometry and gas chromatography–high-resolution mass spectrometry for determining metandienone metabolites in urine 734(1999)179
- Kokubo, T., see Iwase, H. 728(1999)175

- Kolesar, J.M., Miller, J.A., Dhurandhar, N.V. and Atkinson, R.L.
Direct quantification of AD-36 adenovirus DNA by capillary electrophoresis with laser-induced fluorescence 744(2000)1
- Kolog-Gulco, M., see Nisnevitch, M. 738(2000)217
- Komai, K., see Chinaka, S. 749(2000)111
- Komaromy-Hiller, G., see Kushnir, M.M. 741(2000)231
- Kondo, K., see Lee, X.-P. 734(1999)155
- Kondo, T., Dote, N., Hagimoto, T. and Yoshimura, Y.
Application of liquid chromatography–turbo ion spray tandem mass spectrometry for quantitative analysis of a potent motilin receptor agonist, EM574, and its metabolites in human plasma 734(1999)101
- Kondo, T., see Mabuchi, M. 734(1999)145
- Kondo, T., see Sugiyura, T. 742(2000)327
- Kong, H.S., see Choi, S.O. 744(2000)201
- Kong, L., see Wang, H. 731(1999)403
- Koole, A., Bosman, J., Franke, J.P. and de Zeeuw, R.A.
Multiresidue analysis of β_2 -agonists in human and calf urine using multimodal solid-phase extraction and high-performance liquid chromatography with electrochemical detection 726(1999)149
- Koopmans, P.P., see Hollanders, R.M.F. 744(2000)65
- Koopmans, P.P., see Hugen, P.W.H. 727(1999)139
- Korduba, C., see Lin, C.-c. 730(1999)55
- Korenaga, T., see Helaleh, M.I.H. 744(2000)433
- Korkmaz, K., see Gündüz, U. 743(2000)255
- Kos, T., Moser, P., Yilmaz, N., Mayer, G., Pacher, R. and Hallström, S.
High-performance liquid chromatographic determination of *p*-aminohippuric acid and iohalamate in human serum and urine: comparison of two sample preparation methods 740(2000)81
- Koska, J., see Steels, B.M. 743(2000)41
- Koster, E.H.M., see Theodoridis, G. 745(2000)49
- Koster, E.H.M., Wemes, C., Morsink, J.B. and de Jong, G.J.
Determination of lidocaine in plasma by direct solid-phase microextraction combined with gas chromatography 739(2000)175
- Kostiainen, R., see Keski-Hynnälä, H. 749(2000)253
- Kosugi, T., see Obayashi, M. 726(1999)219
- Kotaki, H., see Taninaka, C. 738(2000)405
- Kou, H.-S., see Chen, S.-H. 729(1999)111
- Kouach, M., see Ghulam, A. 727(1999)227
- Kovar, K.-A., see Krämer, E. 731(1999)167
- Kowalczyk, J., see Czauderna, M. 744(2000)129
- Kraemer, T., see Maurer, H.H. 739(2000)325
- Kraemer, T., see Maurer, H.H. 748(2000)125
- Kraemer, T., Theis, G.A., Weber, A.A. and Maurer, H.H.
Studies on the metabolism and toxicological detection of the amphetamine-like anorectic fenproporex in human urine by gas chromatography–mass spectrometry and fluorescence polarization immunoassay 738(2000)107
- Krafft, M.-P., see Audran, M. 734(1999)267
- Krafft, M.P., see Audran, M. 745(2000)333
- Krämer, E. and Kovar, K.-A.
On-line coupling of automated solid-phase extraction with high-performance liquid chromatography and electrochemical detection. Quantitation of oxidizable drugs of abuse and their metabolites in plasma and urine 731(1999)167
- Kramer, T., see Meng, Q.C. 742(2000)115
- Kraushofer, T., see Lamprecht, G. 740(2000)219
- Krausz, P., see Chianéa, T. 734(1999)91
- Kremmer, T., see Oláh, S. 744(2000)73
- Kremser, L., see Rizzi, A. 730(1999)167
- Kreuter, J., see Weber, C. 736(1999)299
- Kriegshäuser, G. and Liebl, W.
Pullulanase from the hyperthermophilic bacterium *Thermotoga maritima*: purification by β -cyclodextrin affinity chromatography 737(2000)245
- Krijt, J., Kmoch, S., Hartmannová, H., Havlíček, V. and Šebesta, I.
Identification and determination of succinyladenosine in human cerebrospinal fluid 726(1999)53
- Krishnan, S., see Phillips, M. 729(1999)75
- Kristoffersen, L., Bugge, A., Lundanes, E. and Slørdal, L.
Simultaneous determination of citalopram, fluoxetine, paroxetine and their metabolites in plasma and whole blood by high-performance liquid chromatography with ultraviolet and fluorescence detection 734(1999)229
- Kroemer, H.K., see Hofmann, U. 748(2000)113
- Kroemer, H.K., see Ritter, C.A. 730(1999)25
- Krogh, M., see Ugland, H.G. 749(2000)85
- Krol, G.J., see Heinig, R. 741(2000)257
- Kroon, M., see Umakoshi, H. 743(2000)13
- Kruck, T.P.A., see Mizzen, C.A. 744(2000)33
- Krüger, K.D., see Bogusz, M.J. 732(1999)257
- Krüger, M., see Desimone, M. 737(2000)285
- Krugel, S., see Ulrich, S. 731(1999)231
- Kruip, J., see Wenk, S.-O. 737(2000)131
- Krusat, T., see Roder, C. 737(2000)97
- Krylov, S.N., Arriaga, E., Zhang, Z., Chan, N.W.C., Palcic, M.M. and Dovichi, N.J.
Single-cell analysis avoids sample processing bias 741(2000)31
- Kubalec, P. and Brandšteterová, E.
Determination of propafenone and its main metabolite 5-hydroxypropafenone in human serum with direct injection into a column-switching chromatographic system 726(1999)211
- Kubelka, W., see Glasl, S. 729(1999)361
- Kubo, K., Sakita, Y., Okazaki, Y., Otaki, N., Kimura, M. and Minami, T.
Identification of metallothionein isoforms on capillary zone electrophoresis by adding anti-metallothionein antibody 736(1999)185
- Kubo, K., Sakita, Y., Otaki, N., Kimura, M. and Minami, T.
Rapid identification of metallothionein isoforms in liver cytosol fraction by capillary zone electrophoresis using EDTA 742(2000)193
- Kuboi, R., see Hong, D.-P. 743(2000)203
- Kuboi, R., Morita, S., Ota, H. and Umakoshi, H.
Protein refolding using stimuli-responsive polymer-modified aqueous two-phase systems 743(2000)215

- Kuboi, R., see Shimanouchi, T. 743(2000)85
- Kuboi, R., see Umakoshi, H. 743(2000)13
- Kuboi, R., see Yoshimoto, M. 743(2000)93
- Kudo, K., see Imamura, T. 731(1999)149
- Kudo, K., see Kage, S. 742(2000)363
- Küenburg, B., see Rizzi, A. 730(1999)167
- Kuhara, T., Niwa, T. and Matsumoto, I.
Preface 731(1999)1
- Kuhara, T., Niwa, T. and Matsumoto, I.
Erratum to the special issue of the Japanese Society for
Biomedical Mass Spectrometry [J. Chromatogr. B, 731
(1999)] 735(1999)305
- Kuhara, T., Ohse, M., Ohdoi, C. and Ishida, S.
Differential diagnosis of homocystinuria by urease
treatment, isotope dilution and gas chromatography–mass
spectrometry 742(2000)59
- Kuhara, T., Ohse, M., Ohdoi, C. and Ishida, S.
Differential diagnosis of homocystinuria by urease
treatment, isotope dilution and gas chromatography–mass
spectrometry 746(2000)103
- Kuhara, T., see Shinka, T. 732(1999)469
- Kuhara, T., Shinka, T., Inoue, Y., Ohse, M., Zhen-wei, X.,
Yoshida, I., Inokuchi, T., Yamaguchi, S., Takayanagi, M.
and Matsumoto, I.
Pilot study of gas chromatographic–mass spectrometric
screening of newborn urine for inborn errors of metabolism
after treatment with urease 731(1999)141
- Kuhlenbeck, D.L., see Eichhold, T.H. 741(2000)213
- Kuhlenbeck, D.L., see Gauw, R.D. 744(2000)283
- Kuhlenbeck, D.L., O'Neill, T.P., Mack, C.E., Hoke II, S.H. and
Wehmeyer, K.R.
Determination of norepinephrine in small volume plasma
samples by stable-isotope dilution gas chromatography–
tandem mass spectrometry with negative ion chemical
ionization 738(2000)319
- Kuhlmann, O., Hofmann, S. and Weiss, M.
Determination of idarubicin and idarubicinol in rat plasma
using reversed-phase high-performance liquid
chromatography and fluorescence detection 728(1999)279
- Kühnöl, J., see Blum, W. 748(2000)349
- Kuilman, M.E.M., see Van Puymbroeck, M. 728(1999)217
- Kula, B., see Sobczak, A. 730(1999)265
- Kula, M.-R., see Selber, K. 743(2000)21
- Kulbe, K.D., see Mayr, P. 737(2000)195
- Kulik, W., Jakobs, C. and De Meer, K.
Determination of extracellular and intracellular enrichments
of [1-¹³C]-α-ketoisovalerate using enzymatically converted
[1-¹³C]-valine standardization curves and gas
chromatography–mass spectrometry 729(1999)211
- Kulik, W., Kok, R.M., de Meer, K. and Jakobs, C.
Determination of isotopic enrichments of [1-¹³C]homocysteine, [1-¹³C]methionine and [2H₃-methyl-1-¹³C]methionine in human plasma by gas chromatography–
negative chemical ionization mass spectrometry
738(2000)99
- Kulik, W., Van Weissenbruch, M.M., Menelik, N., Cranendonk,
A., Kneepkens, C.M.F. and Lafeber, H.N.
Improved use of the [¹³C]octanoic acid breath test as intra-
individual parameter to study the effect of a prokinetic
drug on gastric emptying in preterm infants with oral
feeding intolerance 750(2001)147
- Külpmann, W.R., see Staerk, U. 745(2000)399
- Kumagai, Y., see Pi, J. 742(2000)199
- Kumar, A., Galaev, I.Yu. and Mattiasson, B.
Polymer displacement/shielding in protein chromatography
(Review) 741(2000)103
- Kumari, P., see Kim, H. 738(2000)93
- Kumarsingh, R., see Abraham, M.H. 745(2000)103
- Kumazawa, T., see Guan, F. 731(1999)155
- Kumazawa, T., see Lee, X.-P. 734(1999)155
- Kumazawa, T., see Seno, H. 746(2000)3
- Kumazawa, T. and Suzuki, O.
Separation methods for amino group-possessing pesticides
in biological samples (Review) 747(2000)241
- Kumazawa, T., see Watanabe-Suzuki, K. 727(1999)89
- Kummer, E., see Dallet, Ph. 742(2000)447
- Kunicki, P.K.
Simple and sensitive high-performance liquid
chromatographic method for the determination of 1,5-
benzodiazepine clobazam and its active metabolite N-
desmethyloclobazam in human serum and urine with
application to 1,4-benzodiazepines analysis 750(2001)41
- Kunitomo, M., see Yamaguchi, Yu. 731(1999)223
- Kuo, J.-S., see Yang, C.-S. 734(1999)1
- Kuriya, S.-i., Ohmori, S., Hino, M., Senda, C., Sakai, K.,
Igarashi, T. and Kitada, M.
Simple method for determination of the active metabolite
of the inotropic drug pimobendan in rat liver microsomes
744(2000)189
- Kuroda, N., see Sun, Y. 749(2000)49
- Kuroiwa, Y., see Nakajima, M. 742(2000)211
- Kushnir, M.M. and Komaromy-Hiller, G.
Optimization and performance of a rapid gas
chromatography–mass spectrometry analysis for
methylmalonic acid determination in serum and plasma
741(2000)231
- Kuwada, M., Maki, J. and Hasumi, H.
Purification of cytochrome P-450 from adult pig testis by
hydroxylapatite and deoxycorticosterone affinity column
chromatography 726(1999)291

L

- Labarthe, B., see Aymard, G. 744(2000)25
- Labat, L., see Dallet, Ph. 742(2000)447

- Lacassie, E., Gaulier, J.-M., Marquet, P., Rabatel, J.-F. and Lachâtre, G.
Methods for the determination of seven selective serotonin reuptake inhibitors and three active metabolites in human serum using high-performance liquid chromatography and gas chromatography 742(2000)229
- Lacassie, E., see Gaulier, J.-M. 748(2000)407
- Lacassie, E., see Marquet, P. 734(1999)137
- Lacassie, E., see Ragot, S. 736(1999)175
- Lachâtre, F., Marquet, P., Ragot, S., Gaulier, J.M., Cardot, P. and Dupuy, J.L.
Simultaneous determination of four anthracyclines and three metabolites in human serum by liquid chromatography–electrospray mass spectrometry 738(2000)281
- Lachâtre, F., see Ragot, S. 736(1999)175
- Lachatre, G., see Gaulier, J.-M. 748(2000)407
- Lachâtre, G., see Lacassie, E. 742(2000)229
- Lachâtre, G., see Marquet, P. 733(1999)93
- Lachâtre, G., see Marquet, P. 734(1999)137
- Lachâtre, G., see Ragot, S. 736(1999)175
- Lafeber, H.N., see Kulik, W. 750(2001)147
- Lafontaine, M., see Simon, P. 748(2000)337
- Lagerström, P.-O., see Stenhoff, H. 731(1999)411
- Lagerström, P.-O., see Stenhoff, H. 734(1999)191
- Lagerwerf, A.J., see Vree, T.B. 726(1999)157
- Lagerwerf, A.J., see Vree, T.B. 732(1999)337
- Lahidji, V., see Lehmborg, E. 732(1999)411
- Lai, C.-T., Gordon, E.S., Kennedy, S.H., Bateson, A.N., Coutts, R.T. and Baker, G.B.
Determination of paroxetine levels in human plasma using gas chromatography with electron-capture detection 749(2000)275
- Lam, G.N., see Ramu, K. 749(2000)1
- Lamari, F., Theocharis, A., Hjerpe, A. and Karamanos, N.K.
Ultrasensitive capillary electrophoresis of sulfated disaccharides in chondroitin/dermatan sulfates by laser-induced fluorescence after derivatization with 2-aminoacridone 730(1999)129
- Lamb, J.H., see Xu, J. (1999)349
- Lambert, M., see Alkatheeri, N.A. 732(1999)299
- Lameris, T., see Alberts, G. 730(1999)213
- Lamiable, D., see Hoizey, G. 731(1999)317
- Lamotte, C., Peytavin, G. and Farinotti, R.
Determination of nelfinavir, a potent HIV protease inhibitor, and its active metabolite M8 in human plasma by high-performance liquid chromatography with photodiode-array detection 735(1999)159
- Lamprecht, G., Kraushofer, T., Stoschitzky, K. and Lindner, W.
Enantioselective analysis of (R)- and (S)-atenolol in urine samples by a high-performance liquid chromatography column-switching setup 740(2000)219
- Lanchote, V.L., Bonato, P.S., Cerqueira, P.M., Pereira, V.A. and Cesarino, E.J.
Enantioselective analysis of metoprolol in plasma using high-performance liquid chromatographic direct and indirect separations: applications in pharmacokinetics 738(2000)27
- Lanchote, V.L., see Bortocan, R. 744(2000)299
- Lanchote, V.L., see Cerqueira, P.M. 749(2000)153
- Landers, J.P., see Giordano, B.C. 742(2000)79
- Landers, J.P., see Munro, N.J. 731(1999)369
- Lange, J.M.A., see Veldkamp, A.I. 727(1999)151
- Lange, J.M.A., see Veldkamp, A.I. 734(1999)55
- Langer, K., see Weber, C. 736(1999)299
- Langmann, P., Klinker, H., Schirmer, D., Zilly, M., Bienert, A. and Richter, E.
High-performance liquid chromatographic method for the simultaneous determination of HIV-1 protease inhibitors indinavir, saquinavir and ritonavir in plasma of patients during highly active antiretroviral therapy 735(1999)41
- Larher, F., see Bouchereau, A. 747(2000)49
- Laroche-Traineau, J., Clouet-Sanchez, G. and Santarelli, X.
Three-step purification of bacterially expressed human single-chain Fv antibodies for clinical applications 737(2000)107
- Larsson, L., see Bal, K. 738(2000)57
- Larsson, L., see Odin, E. 734(1999)47
- Larsson, P.-A., see Odin, E. 734(1999)47
- Laska, S. and Kletzin, A.
Improved purification of the membrane-bound hydrogenase–sulfur-reductase complex from thermophilic archaea using ϵ -aminocaproic acid-containing chromatography buffers 737(2000)151
- Latorre, J.-A., see Peris, J.-E. 730(1999)33
- Lau, C.E., see Sun, L. 745(2000)315
- Lau, C.E., see Wang, Q. 734(1999)299
- Lauer, I., Bonnewitz, B., Meunier, A. and Beverini, M.
New approach for separating *Bacillus subtilis* metalloprotease and α -amylase by affinity chromatography and for purifying neutral protease by hydrophobic chromatography 737(2000)277
- Laurentie, M., see Manceau, J. 726(1999)175
- Laus, G., see Messens, J. 737(2000)167
- Lausecker, B., Hess, B., Fischer, G., Mueller, M. and Hopfgartner, G.
Simultaneous determination of bosentan and its three major metabolites in various biological matrices and species using narrow bore liquid chromatography with ion spray tandem mass spectrometric detection 749(2000)67
- Lautala, P., Ulmanen, I. and Taskinen, J.
Radiochemical high-performance liquid chromatographic assay for the determination of catechol *O*-methyltransferase activity towards various substrates 736(1999)143
- Lavallee, C., see Breilh, D. 734(1999)121
- Law, B. and Temesi, D.
Factors to consider in the development of generic bioanalytical high-performance liquid chromatographic–mass spectrometric methods to support drug discovery 748(2000)21
- Lawrence, R.F., see Kalhorn, T.F. 732(1999)287
- Lawrence, R.F., see Madani, S. 741(2000)145
- Layh, B., see Werner, U. 749(2000)35
- Långström, B., see Forngren, B.H. 748(2000)189
- Le Bizec, B., see Delépée, R. 748(2000)369
- Le, X.C., see Wan, Q.-H. 734(1999)31
- Lebreton, B. and Lyddiatt, A.
Application of aqueous two-phase partition to the production of homogeneous preparations of fluorescently labelled human serum albumin 743(2000)263
- Lechner, P., see Gulyaeva, N. 743(2000)187

- Lee, B.L., see Wang, Q. 726(1999)297
- Lee, H., see Kim, H. 734(1999)211
- Lee, H.M., Choi, S.J., Jeong, C.K., Kim, Y.S., Lee, K.C. and Lee, H.S.
Microbore high-performance liquid chromatographic determination of cisapride in rat serum samples using column switching 727(1999)213
- Lee, H.S., see Jeong, C.K. 738(2000)175
- Lee, H.S., see Lee, H.M. 727(1999)213
- Lee, J.W., see Coe, R.A. 730(1999)239
- Lee, J.W., see Naidong, W. 735(1999)255
- Lee, K.C., see Lee, H.M. 727(1999)213
- Lee, K.-J., see Heo, Y.J. 741(2000)221
- Lee, M.-H., see Chen, L.-C. 735(1999)33
- Lee, R.-k., see Lim, J.-h. 746(2000)219
- Lee, S.H., see Choi, S.O. 744(2000)201
- Lee, S.-S., see Hong, D.-P. 743(2000)203
- Lee, T.-C., see Huang, R.-N. 740(2000)109
- Lee, X.-P., Kumazawa, T., Kondo, K., Sato, K. and Suzuki, O.
Analysis of methanol or formic acid in body fluids by headspace solid-phase microextraction and capillary gas chromatography 734(1999)155
- Leermakers, F.A.M., see Steels, B.M. 743(2000)31
- Lefèvre, G. and Gauron, S.
Automated quantitative determination of the new renin inhibitor CGP 60536 by high-performance liquid chromatography 738(2000)129
- Legrand, M., see Aymard, G. 744(2000)227
- Lehmann, R., see Liebich, H.M. 745(2000)189
- Lehmborg, E., Traina, J.A., Chakel, J.A., Chang, R.-J., Parkman, M., McCaman, M.T., Murakami, P.K., Lahidji, V., Nelson, J.W., Hancock, W.S., Nestaas, E. and Pungor, E.
Reversed-phase high-performance liquid chromatographic assay for the adenovirus type 5 proteome 732(1999)411
- Lehnert, W., see Heil, M. 739(2000)313
- Lehrman, R., see Bridonneau, P. 726(1999)237
- Leinonen, A., see Kokkonen, J. 734(1999)179
- Leis, H.J., Fauler, G., Raspotnig, G. and Windischhofer, W.
Quantitative analysis of morphine in human plasma by gas chromatography–negative ion chemical ionization mass spectrometry 744(2000)113
- Leisenheimer, S., see Knebel, N.G. 748(2000)97
- Leitersdorf, E., see Halperin, G. 742(2000)345
- Lemière, F., see Hoes, I. 736(1999)43
- Lemière, F., see Hoes, I. 748(2000)197
- Lemoine, T., Breilh, D., Ducint, D., Dubrez, J., Jougon, J., Velly, J.F. and Saux, M.C.
Determination of moxifloxacin (BAY 12-8039) in plasma and lung tissue by high-performance liquid chromatography with ultraviolet detection using a fully automated extraction method with a new polymeric cartridge 742(2000)247
- Leone, M.G., see Grippa, E. 738(2000)17
- Leonessa, F., see Zhang, Y. 739(2000)33
- Leube, J., see Heizmann, P. 730(1999)153
- Lévesque, L., see Mizzen, C.A. 744(2000)33
- Leyssens, L., see Van Puymbroeck, M. 728(1999)217
- Lhermitte, M.A., see Bévalot, F. 740(2000)227
- Li, H., Meininger, C.J. and Wu, G.
Rapid determination of nitrite by reversed-phase high-performance liquid chromatography with fluorescence detection 746(2000)199
- Li, J.-H., see Ho, S.-T. 736(1999)89
- Li, L., see Lichtenwalter, K.G. 745(2000)231
- Li, M., see Willauer, H.D. 743(2000)127
- Li, S., see Jiang, Q. 727(1999)119
- Li, S.-H. and Chen, Y.-H.
Various forms of mouse lactoferrins: purification and characterization 726(1999)45
- Li, X., Yao, T.-W. and Zeng, S.
Reversed-phase high-performance liquid chromatographic analysis of atenolol enantiomers in rat hepatic microsome after chiral derivatization with 2,3,4,6-tetra-*O*-acetyl- β -*D*-glycopyranosyl isothiocyanate 742(2000)433
- Li, Y., see Zeng, S. 728(1999)151
- Li, Y.-M., see Gottschalk, I. 739(2000)55
- Liaw, W.-J., see Ho, S.-T. 736(1999)89
- Lichtenwalter, K.G., Apffel, A., Bai, J., Chakel, J.A., Dai, Y., Hahnenberger, K.M., Li, L. and Hancock, W.S.
Approaches to functional genomics: potential of matrix-assisted laser desorption ionization–time of flight mass spectrometry combined with separation methods for the analysis of DNA in biological samples 745(2000)231
- Liebich, H.M., Lehmann, R., Xu, G., Wahl, H.G. and Häring, H.-U.
Application of capillary electrophoresis in clinical chemistry: the clinical value of urinary modified nucleosides 745(2000)189
- Liebich, H.M., see Xu, G. 732(1999)307
- Liebl, W., see Kriegshäuser, G. 737(2000)245
- Liechti, H., see Froescheis, O. 739(2000)291
- Lien, K.A., see Dugan, M.E.R. 744(2000)195
- Liere, P., Akwa, Y., Weill-Engerer, S., Eychemne, B., Planos, A., Robel, P., Sjövall, J., Schumacher, M. and Baulieu, E.-E.
Validation of an analytical procedure to measure trace amounts of neurosteroids in brain tissue by gas chromatography–mass spectrometry 739(2000)301
- Lightfield, A.R., see Stolker, A.A.M. 726(1999)121
- Ligor, T., see Coolen, S.A.J. 732(1999)103
- Likhari, P., see Kim, H. 728(1999)133
- Likhari, P., see Kim, H. 738(2000)93
- Lilie, H., see Stubenrauch, K. 737(2000)77
- Lim, J.-h., Jang, B.-s., Lee, R.-k., Park, S.-c. and Yun, H.-i.
Determination of roxithromycin residues in the flounder muscle with electrospray liquid chromatography–mass spectrometry 746(2000)219
- Lima-Filho, J.L., see Sarubbo, L.A. 743(2000)79
- Lin, C., Cotton, F., Boutique, C., Dhermy, D., Vertongen, F. and Gulbis, B.
Capillary gel electrophoresis: separation of major erythrocyte membrane proteins 742(2000)411
- Lin, C.-C., see Kim, H. 728(1999)133
- Lin, C.-C., see Kim, H. 735(1999)11
- Lin, C.-C., see Kim, H. 738(2000)93
- Lin, C.-c., Korduba, C. and Parker, D.
Simple and sensitive high-performance liquid chromatographic method for the determination of an everminomycin, SCH 27899, in rat plasma 730(1999)55

- Lin, M.-F., see Chen, L.-C. 735(1999)33
- Lin, P.P., see Naidong, W. 735(1999)255
- Lindegårdh, N. and Bergqvist, Y.
Automated solid-phase extraction method for the determination of atovaquone in plasma and whole blood by rapid high-performance liquid chromatography 744(2000)9
- Linden, A., Niehaus, F. and Antranikian, G.
Single-step purification of a recombinant thermostable α -amylase after solubilization of the enzyme from insoluble aggregates 737(2000)253
- Lindner, W., see Lamprecht, G. 740(2000)219
- Lindner, W., see Mišlanová, C. 739(2000)151
- Lindner, W., see Zenker, A. 745(2000)211
- Lindner, W., see Zöllner, P. 738(2000)233
- Lindon, J.C., see Dear, G.J. 748(2000)281
- Lindon, J.C., see Dear, G.J. 748(2000)295
- Lindon, J.C., Nicholson, J.K. and Wilson, I.D.
Directly coupled HPLC–NMR and HPLC–NMR–MS in pharmaceutical research and development 748(2000)233
- Lindon, J.C., see Shockcor, J.P. 748(2000)269
- Ling, S., see Yang, X. 740(2000)273
- Linnet, K., see Vendelin Olesen, O. 746(2000)233
- Liong, M.L., see Cheah, P.Y. 745(2000)439
- Litborn, E. and Roeraade, J.
Liquid lid for biochemical reactions in chip-based nanovials 745(2000)137
- Liu, A.-C., see Chen, D.-c. 750(2001)33
- Liu, D.Y., Liu, Z.D., Lu, S.L. and Hider, R.C.
Gradient ion-pair high-performance liquid chromatographic method for analysis of 3-hydroxypyridin-4-one iron chelators 730(1999)135
- Liu, G., see Wang, H. 731(1999)403
- Liu, J., Hara, K., Kashimura, S., Hamanaka, T., Tomojiri, S. and Tanaka, K.
Gas chromatographic–mass spectrometric analysis of dichlorobenzene isomers in human blood with headspace solid-phase microextraction 731(1999)217
- Liu, J., Hara, K., Kashimura, S., Kashiwagi, M., Hamanaka, T., Miyoshi, A. and Kageura, M.
Headspace solid-phase microextraction and gas chromatographic–mass spectrometric screening for volatile hydrocarbons in blood 748(2000)401
- Liu, J., see Yang, X. 740(2000)273
- Liu, K.-n., see Qu, F. 730(1999)161
- Liu, S. and Pleil, J.D.
Method for liquid–liquid extraction of blood surrogates for assessing human exposure to jet fuel 728(1999)193
- Liu, X.-P., see Chen, C.-L. 727(1999)205
- Liu, X.-Y., Yang, Q., Nakamura, C. and Miyake, J.
Avidin–biotin-immobilized liposome column for chromatographic fluorescence on-line analysis of solute–membrane interactions 750(2001)51
- Liu, Y., see Sun, T. 742(2000)109
- Liu, Z.D., see Liu, D.Y. 730(1999)135
- Llabrés, M., see Oliva, A. 749(2000)25
- Lloyd, D.K., see Govindaraju, K. 745(2000)127
- Lo, M.-W., see Song, H. 738(2000)83
- Loadman, P.M., see Swaine, D.J. 742(2000)239
- Lobo, E.D. and Balthasar, J.P.
Highly sensitive high-performance liquid chromatographic assay for methotrexate in the presence and absence of anti-methotrexate antibody fragments in rat and mouse plasma 736(1999)191
- Locher, M., see Knebel, N.G. 748(2000)97
- Locker, K.L., Morrison, D. and Watt, A.P.
Quantitative determination of L-775,606, a selective 5-hydroxytryptamine 1D agonist, in rat plasma using automated sample preparation and detection by liquid chromatography–tandem mass spectrometry 750(2001)13
- Lomeo, A., see Bolner, A. 750(2001)177
- Londos-Gagliardi, D., see Tallet, B. 737(2000)85
- Long, H., see Zhu, Y. 740(2000)129
- Long, L., McCabe, D.R. and Dolan, M.E.
Determination of 8-oxoguanine in human plasma and urine by high-performance liquid chromatography with electrochemical detection 731(1999)241
- Loos, W.J., de Bruijn, P., van Zuylen, L., Verweij, J., Nooter, K., Stoter, G. and Sparreboom, A.
Determination of 5-fluorouracil in microvolumes of human plasma by solvent extraction and high-performance liquid chromatography 735(1999)293
- Loos, W.J., Kehler, D., Brouwer, E., Verweij, J., de Bruijn, P., Hamilton, M., Gill, S., Nooter, K., Stoter, G. and Sparreboom, A.
Liposomal lurtotecan (NX211): determination of total drug levels in human plasma and urine by reversed-phase high-performance liquid chromatography 738(2000)155
- Loos, W.J., see Sparreboom, A. 735(1999)111
- Lord, H.L., see Kataoka, H. 731(1999)353
- Lorenz, C., see Baumann, F. 729(1999)297
- Lou, Y., see Wang, X. 746(2000)319
- Louis, D., Bernillon, J., Paise, J.-O. and Wallach, J.M.
Use of liquid chromatography–mass spectrometry coupling for monitoring the serralsin-catalyzed hydrolysis of a peptide library 732(1999)271
- Lowe, C.R., see Palanisamy, U.D. 746(2000)265
- Lowe, C.R., see Sproule, K. 740(2000)17
- Lowe, C.R., see Teng, S.F. 740(2000)1
- Lowes, S., see Ke, J. 742(2000)369
- Lu, P., see Xu, G. 732(1999)307
- Lu, S.L., see Liu, D.Y. 730(1999)135
- Lubman, D.M., see Chong, B.E. 748(2000)167
- Lucero, M.L., see Corta, E. 727(1999)131
- Luçon, M., see Galland-Irmouli, A.V. 739(2000)117
- Ludes, B., see Cirimele, V. 740(2000)265
- Ludvigsen, S., see Sproule, K. 740(2000)17
- Lueßen, P., see Tsikas, D. 742(2000)143
- Luippold, G., Delabar, U., Kloor, D. and Mühlbauer, B.
Erratum to “Simultaneous determination of adenosine, S-adenosylhomocysteine and S-adenosylmethionine in biological samples using solid-phase extraction and high-performance liquid chromatography [J. Chromatogr. B, 724 (1999) 231–238] 729(1999)379
- Lundahl, P., see Gottschalk, I. 739(2000)55

- Lundahl, P., Zeng, C.-M., Hägglund, C.L., Gottschalk, I. and Greijer, E.
Erratum to "Chromatographic approaches to liposomes, proteoliposomes and biomembrane vesicles". [J. Chromatogr. B, 722 (1999) 103–120] 727(1999)249
- Lundanes, E., see Kristoffersen, L. 734(1999)229
- Lundanes, E., see Thomsen, C. 750(2001)1
- Luo, G., see Wang, Q. 746(2000)151
- Luo, Q. and Andrade, J.D.
Phytic acid as an efficient low-molecular-mass displacer for anion-exchange displacement chromatography of proteins 741(2000)23
- Lusso, P., see Comuzzi, B. 737(2000)47
- Luthria, D.L., see Donovan, J.L. 726(1999)277
- Lux, A., see Bovanová, L. 732(1999)405
- Luyben, K.Ch.A.M., see van Berlo, M. 743(2000)317
- Lyddiatt, A., see Braas, G.M.F. 743(2000)409
- Lyddiatt, A., see Lebreton, B. 743(2000)263
- Lynn, S., see Mitchell, F. 744(2000)351
- Ma, D., Zhang, J., Sugahara, K., Ageta, T., Nakayama, K. and Kodama, H.
Simultaneous determination of γ -aminobutyric acid and glutamic acid in the brain of 3-mercaptopropionic acid-treated rats using liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 726(1999)285
- Maas, R.F.M., see Van Puymbroeck, M. 728(1999)217
- Mabuchi, M., Kano, Y., Fukuyama, T. and Kondo, T.
Determination of imidapril and imidaprilat in human plasma by high-performance liquid chromatography–electrospray ionization tandem mass spectrometry 734(1999)145
- Macchia, T., see Mancinelli, R. 735(1999)243
- MacDonald, C., see Zavitsanos, A.P. 730(1999)9
- Macek, J., Ptáček, P. and Klíma, J.
Determination of cetirizine in human plasma by high-performance liquid chromatography 736(1999)231
- Macek, J., see Ptáček, P. 738(2000)305
- Mack, C.E., see Kühlenbeck, D.L. 738(2000)319
- MacLean, P.G., see Burke, D.G. 732(1999)479
- MacLellan, A.J., see Cummings, J. 732(1999)277
- Maccone, A., see Matarese, R.M. 732(1999)137
- Madani, S., Howald, W.N., Lawrence, R.F. and Shen, D.D.
Analysis of hydroxylated and *N*-dealkylated metabolites of terfenadine in microsomal incubates by liquid chromatography–mass spectrometry 741(2000)145
- Maeda, H., see Obata, T. 731(1999)73
- Maeda, K., see Odani, H. 731(1999)131
- Maeda, T., Sumi, S., Hayashi, K., Kidouchi, K., Owaki, T., Togari, H., Fujimoto, S. and Wada, Y.
Automated determination of 5-fluorouracil and its metabolite in urine by high-performance liquid chromatography with column switching 731(1999)267
- Maekawa, K., see Obata, T. 731(1999)73
- Maes, R., see Guetens, G. 739(2000)139
- Maes, R.A.A., see Vree, T.B. 726(1999)157
- Maes, R.A.A., see Zhang, Z.D. 739(2000)281
- Magara, H., see Fujita, K. 731(1999)345
- Maggio, A., see Matarese, R.M. 732(1999)137
- Maguire, K.P., see Dodd, S. 730(1999)249
- Mahal, S.K., see Desta, Z. 744(2000)263
- Maier, R.D., see Bogusz, M.J. 732(1999)257
- Mak, P., see Smoluch, M.T. 726(1999)37
- Maki, J., see Kuwada, M. 726(1999)291
- Makino, T., see Inoue, K. 749(2000)17
- Makino, Y., Suzuki, A., Ogawa, T. and Shiota, O.
Direct determination of methamphetamine enantiomers in urine by liquid chromatography with a strong cation-exchange precolumn and phenyl- β -cyclodextrin-bonded semi-microcolumn 729(1999)97
- Makristathis, A., see Rokita, E. 737(2000)202
- Malatray, P., see Caussé, E. 741(2000)77
- Malaviya, R., see Chen, C.-L. 727(1999)205
- Malcolm, R.K., see Russell, J.A. 744(2000)157
- Malinowska, I., see Choma, I. 734(1999)7
- Malmesat, T., see Capitan, P. 732(1999)127
- Man in 't Veld, A.J., see Alberts, G. 730(1999)213
- Manceau, J., Gicquel, M., Laurentie, M. and Sanders, P.
Simultaneous determination of enrofloxacin and ciprofloxacin in animal biological fluids by high-performance liquid chromatography. Application in pharmacokinetic studies in pig and rabbit 726(1999)175
- Mancinelli, R., Gentili, S., Guiducci, M.S. and Macchia, T.
Simple and reliable high-performance liquid chromatography fluorimetric procedure for the determination of amphetamine-derived designer drugs 735(1999)243
- Mandrioli, R., see Raggi, M.A. 750(2001)137
- Manetto, G., see Bellini, M.S. 741(2000)67
- Manetto, G., see Crivellente, F. 739(2000)81
- Manetto, G., see Tagliaro, F. 733(1999)273
- Manghi, P., see Marsilio, R. 744(2000)241
- Mangholz, A., see Haber, H. 735(1999)299
- Manini, P., Andreoli, R., Cavazzini, S., Bergamaschi, E., Mutti, A. and Niessen, W.M.A.
Liquid chromatography–electrospray tandem mass spectrometry of acidic monoamine metabolites 744(2000)423
- Manini, P., see Poli, D. 732(1999)115
- Manns, M.P., see Christians, U. 748(2000)41
- Mao, H.Q., see Zeng, S. 727(1999)107
- Mao, Q. and Pawliszyn, J.
Effect of salt concentration on separation patterns in static capillary isoelectric focusing with imaging detection 729(1999)355
- Mao, S.J.T., see Yang, S.J. 731(1999)395
- Marchetti, D., see Tagliaro, F. 733(1999)273

- Marcos, J.C., Fonseca, L.P., Ramalho, M.T. and Cabral, J.M.S.
Partial purification of penicillin acylase from *Escherichia coli* in poly(ethylene glycol)–sodium citrate aqueous two-phase systems 734(1999)15
- Marhuenda, D., see Prieto, M.J. 741(2000)301
- Marigo, M., see Tagliaro, F. 733(1999)273
- Marinello, E., see Terzuoli, L. 728(1999)185
- Mariño, E.L., see Braza, A.J. 738(2000)225
- Marino, M.A., Devaney, J.M., Davis, P.A. and Girard, J.E.
Optimization of intercalation dye concentration for short tandem repeat allele genotyping using capillary electrophoresis with laser-induced fluorescence detection 732(1999)365
- Marion, B., see Audran, M. 734(1999)267
- Marion, B., see Audran, M. 745(2000)333
- Mark, M., see Cummings, J. 732(1999)277
- Markides, K.E., see Forngren, B.H. 748(2000)189
- Markides, K.E., see Swart, R. 736(1999)247
- Markoglou, N., see Bendriss, E.-k. 746(2000)331
- Marquet, P., Baudin, O., Gaulier, J.M., Lacassie, E., Dupuy, J.L., François, B. and Lachâtre, G.
Sensitive and specific determination of midazolam and 1-hydroxymidazolam in human serum by liquid chromatography–electrospray mass spectrometry 734(1999)137
- Marquet, P., see Gaulier, J.-M. 748(2000)407
- Marquet, P., see Lacassie, E. 742(2000)229
- Marquet, P. and Lachâtre, G.
Liquid chromatography–mass spectrometry: potential in forensic and clinical toxicology (Review) 733(1999)93
- Marquet, P., see Lachâtre, F. 738(2000)281
- Marquet, P., see Ragot, S. 736(1999)175
- Marquínez, A.C., Andreetta, A.M., Chen, J.S., Menesini Chen, M.G., Wolfenstein Todel, C. and Scacciati de Cerezo, J.M.
Inhibition of acrosine-like protease activity by a lectin affinity chromatographic bovine seminal plasma fraction containing the PDC-109 and aSFP proteins 746(2000)141
- Marsh, A.M., see Deutsch, J.C. 726(1999)79
- Marshall, J.L., see Bansal, R. 750(2001)129
- Marsilio, R., Naturale, M., Manghi, P., Montini, G., Murer, L., Ros, M., Bisogno, G., Andretta, B., Dussini, N., Giordano, G., Zacchello, G. and Dall'Amico, R.
Rapid and simple determination of inulin in biological fluids by high-performance liquid chromatography with light-scattering detection 744(2000)241
- Martignoni, E., see Blandini, F. 732(1999)213
- Martin, D.K., see Valdez, J.S. 729(1999)163
- Martin, H., see Heizmann, P. 730(1999)153
- Martínez Fernández, J., see Parrilla Vázquez, P. 738(2000)387
- Martínez Vidal, J.L., see Parrilla Vázquez, P. 738(2000)387
- Martínez-Lozano, C., see Perez-Ruiz, T. 742(2000)205
- Martin-Girardeau, A. and Renou-Gonnord, M.-F.
Optimization of a capillary electrophoresis–electrospray mass spectrometry method for the quantitation of the 20 natural amino acids in childrens blood 742(2000)163
- Martínková, J., see Chládek, J. 744(2000)307
- Martins, A.R., see Weinmann, A.R.M. 729(1999)231
- Maruyama, Y., see Ikarashi, Y. 742(2000)295
- Marzo, A., see Dal Bo, L. 749(2000)287
- Marzolini, C., Telenti, A., Buclin, T., Biollaz, J. and Decosterd, L.A.
Simultaneous determination of the HIV protease inhibitors indinavir, amprenavir, saquinavir, zidovudine, zalcitabine and the non-nucleoside reverse transcriptase inhibitor efavirenz by high-performance liquid chromatography after solid-phase extraction 740(2000)43
- Mascher, D.G., Mascher, H.J., Scherer, G. and Schmid, E.R.
High-performance liquid chromatographic–tandem mass spectrometric determination of 3-hydroxypropylmercapturic acid in human urine 750(2001)163
- Mascher, H.J., see Mascher, D.G. 750(2001)163
- Masotti, L., see Raggi, M.A. 730(1999)201
- Massolini, G., De Lorenzi, E., Calleri, E., Tabolotti, E. and Caccialanza, G.
Chromatographic investigation on the binding site characteristics of quail egg-white riboflavin binding protein as a chiral stationary phase 738(2000)343
- Massoud, R., Federici, G., Casciani, S., Di Stasi, S.M., Fucci, G., Giannantonio, A. and Cortese, C.
Extraction and determination of oxybutynin in human bladder samples by reversed-phase high-performance liquid chromatography 734(1999)163
- Matagne, A., see Bouillenne, F. 737(2000)261
- Matarese, R.M., Maccone, A., Antonini, R., Maggio, A. and Antonucci, A.
Identification of aminoethylcysteine ketimine decarboxylated dimer in human plasma 732(1999)137
- Mateus, F.H., see Cerqueira, P.M. 749(2000)153
- Mathurin, J.-C., see Audran, M. 734(1999)267
- Matoba, R., see Igarashi, K. 746(2000)33
- Matoka, D.J., see Meng, Q.C. 742(2000)115
- Matsui, K., Oda, Y., Nakata, H. and Yoshimura, T.
Simultaneous determination of donepezil (aricept®) enantiomers in human plasma by liquid chromatography–electrospray tandem mass spectrometry 729(1999)147
- Matsui, T., Tamaya, K., Kawasaki, T. and Osajima, Y.
Determination of angiotensin metabolites in human plasma by fluorimetric high-performance liquid chromatography using a heart-cut column-switching technique 729(1999)89
- Matsukawa, T., see Hasegawa, H. 735(1999)141
- Matsumoto, H., see Mikami, E. 744(2000)81
- Matsumoto, H., see Tetsuo, M. 731(1999)111
- Matsumoto, I., see Kuhara, T. 731(1999)1
- Matsumoto, I., see Kuhara, T. 731(1999)141
- Matsumoto, I., see Kuhara, T. 735(1999)305
- Matsumoto, I., see Tetsuo, M. 731(1999)111
- Matsumoto, I., see Zhang, C. 746(2000)41
- Matsumoto, M., see Obayashi, M. 726(1999)219
- Matsumoto, Y., see Obayashi, M. 726(1999)219
- Matsumoto, Y., see Odani, H. 731(1999)131
- Matsunaga, H., see Haginaka, J. 745(2000)149
- Matsuo, T., see Kaneko, R. 731(1999)125
- Matsushima, S., see Harumi, T. 747(2000)95
- Matsuzawa, M., see Furuta, T. 738(2000)367
- Mattes, R., see Pietzsch, M. 737(2000)179
- Mattiasson, B., see Kumar, A. 741(2000)103

- Mattisson, C., Roger, P., Jönsson, B., Axelsson, A. and Zacchi, G.
Diffusion of lysozyme in gels and liquids. A general approach for the determination of diffusion coefficients using holographic laser interferometry 743(2000)151
- Mattiu, E.L., see Kasper, S.C. 726(1999)203
- Maturin, J.-C., see Audran, M. 745(2000)333
- Matuszewski, B., see Woolf, E. 730(1999)221
- Matuszewski, B.K., see Chavez-Eng, C.M. 748(2000)31
- Matuszewski, B.K., see Rose, M.J. 732(1999)425
- Matuszewski, B.K., see Rose, M.J. 738(2000)377
- Maume, D., see Delépée, R. 748(2000)369
- Maurer, H.H.
Systematic toxicological analysis procedures for acidic drugs and/or metabolites relevant to clinical and forensic toxicology and/or doping control (Review) 733(1999)3
- Maurer, H.H., Bickeboeller-Friedrich, J. and Kraemer, T.
Gas chromatographic–mass spectrometric procedures for determination of the catechol-*O*-methyltransferase (COMT) activity and for detection of unstable catecholic metabolites in human and rat liver preparations after COMT catalyzed *in statu nascendi* derivatization using *S*-adenosylmethionine 739(2000)325
- Maurer, H.H., see Kraemer, T. 738(2000)107
- Maurer, H.H., Schmitt, C.J., Weber, A.A. and Kraemer, T.
Validated electrospray liquid chromatographic–mass spectrometric assay for the determination of the mushroom toxins α - and β -amanitin in urine after immunoaffinity extraction 748(2000)125
- Mawatari, H., Kato, Y., Nishimura, S.-i., Sakura, N. and Ueda, K.
Comments on “High-performance liquid chromatographic determination of methyl 6-mercaptopurine nucleotides in red blood cells” Reply to R. Bouliou and T. Dervieux 730(1999)275
- Maxwell, R.J., see Stalker, A.A.M. 726(1999)121
- Mayaudon, H., see Ceppa, F. 746(2000)115
- Mayer, B., see Tsikas, D. 742(2000)143
- Mayer, G., see Kos, T. 740(2000)81
- Mayersohn, M., see Valdez, J.S. 729(1999)163
- Mayr, C.
Three-step chromatographic purification of Cpr6, a cyclophilin from *Saccharomyces cerevisiae* 737(2000)295
- Mayr, P., Brüggler, K., Kulbe, K.D. and Nidetzky, B.
D-Xylose metabolism by *Candida intermedia*: isolation and characterisation of two forms of aldose reductase with different coenzyme specificities 737(2000)195
- Mayumi, M., see Shigematsu, Y. 731(1999)97
- Mazzucchelli, P., see Dal Bo, L. 749(2000)287
- McCabe, D.R., see Long, L. 731(1999)241
- McCall, J., see Zhou, S. 734(1999)129
- McCaman, M.T., see Lehmborg, E. 732(1999)411
- McCarthy, R., see Doyle, E. 746(2000)191
- McClean, S., O’Kane, E.J. and Smyth, W.F.
Electrospray ionisation–mass spectrometric characterisation of selected anti-psychotic drugs and their detection and determination in human hair samples by liquid chromatography–tandem mass spectrometry 740(2000)141
- McDonnell, D.F., see Doyle, E. 746(2000)191
- McGown, A., see Khan, P. 729(1999)287
- McIntosh, I.S., see Tang, C. 742(2000)303
- McIntosh, J.M. and Heffron, J.J.A.
Modelling alterations in the partition coefficient in *in vitro* biological systems using headspace gas chromatography 738(2000)207
- McKnight, T.E., see Gottschlich, N. 745(2000)243
- McLachlan, D.R., see Mizzen, C.A. 744(2000)33
- McLean, A.M., see Murday, M. 735(1999)151
- McNeill, C., see Santangeli, S. 746(2000)325
- Medeiros, M.H.G., see Ummus, R.E. 729(1999)237
- Medina-Hernández, M.J., see Escuder-Gilbert, L. 740(2000)59
- Meenhorst, P.L., see Veldkamp, A.I. 727(1999)151
- Meenhorst, P.L., see Veldkamp, A.I. 734(1999)55
- Megram, V., see Khan, P. 726(1999)249
- Megram, V., see Khan, P. 729(1999)287
- Mehvar, R.
High-performance size-exclusion chromatographic analysis of dextran–methylprednisolone hemisuccinate in rat plasma 744(2000)293
- Meier, H. and Blaschke, G.
Capillary electrophoresis–mass spectrometry, liquid chromatography–mass spectrometry and nanoelectrospray–mass spectrometry of praziquantel metabolites 748(2000)221
- Meineke, I., see Pilz, J. 742(2000)315
- Meininger, C.J., see Li, H. 746(2000)199
- Meirelles, A.J.A., see Alves, J.G.L.F. 743(2000)235
- Melzig, M.F., see Haber, H. 735(1999)299
- Menelaou, A., Somogyi, A.A., Barclay, M.L. and Bochner, F.
Simultaneous quantification of amoxicillin and metronidazole in plasma using high-performance liquid chromatography with photodiode array detection 731(1999)261
- Menelik, N., see Kulik, W. 750(2001)147
- Menesini Chen, M.G., see Marquinez, A.C. 746(2000)141
- Meng, Q.C., Soledad Cepeda, M., Kramer, T., Zou, H., Matoka, D.J. and Farrar, J.
High-performance liquid chromatographic determination of morphine and its 3- and 6-glucuronide metabolites by two-step solid-phase extraction 742(2000)115
- Meng, S.-Y., see Caughey, D.J. 728(1999)49
- Menges, T., see Mühlhling, J. 728(1999)157
- Merchuk, J.C., see Engel, S. 743(2000)225
- Merchuk, J.C., see Engel, S. 743(2000)281
- Merino, G., see Rabanal, B. 738(2000)293
- Merritt, K.A., see Chou, C.-C. 742(2000)441
- Merschman, S.A., see Rose, M.J. 732(1999)425
- Mertes, P.M., see Siaghy, E.M. 745(2000)279
- Messens, J., Hayburn, G., Brosens, E., Laus, G. and Wyns, L.
Development of a downstream process for the isolation of *Staphylococcus aureus* arsenate reductase overproduced in *Escherichia coli* 737(2000)167
- Meunier, A., see Lauer, I. 737(2000)277
- Micetich, R.G., see Bu, H.-Z. 738(2000)259
- Michaelis, M., see Weber, C. 736(1999)299
- Mickiene, D., see Groll, A.H. 735(1999)51

- Micoli, G., Turci, R., Arpellini, M. and Minoia, C.
Determination of 5-fluorouracil in environmental samples by solid-phase extraction and high-performance liquid chromatography with ultraviolet detection 750(2001)25
- Mídio, A.F., see Barbosa, N.R. 741(2000)289
- Migeon, B., see Brion, F. 737(2000)3
- Mikami, E., Goto, T., Ohno, T., Matsumoto, H., Inagaki, K., Ishihara, H. and Nishida, M.
Simultaneous analysis of anthranilic acid derivatives in pharmaceuticals and human urine by high-performance liquid chromatography with isocratic elution 744(2000)81
- Mikčák, I.
Protein liquid chromatography 749(2000)135
- Miki, A., see Nishikawa, M. 726(1999)105
- Mikšík, I., see Bellini, M.S. 741(2000)67
- Mikšík, I., see Deyl, Z. 739(2000)3
- Mikšík, I. and Deyl, Z.
Application of Pluronic copolymer liquid crystals for the capillary electrophoretic separation of collagen type I cyanogen bromide fragments 739(2000)109
- Mikšík, I., Deyl, Z. and Kašička, V.
Capillary electrophoretic separation of proteins and peptides using Pluronic liquid crystals and surface-modified capillaries 741(2000)37
- Mikšík, I., see Deyl, Z. 745(2000)251
- Mikšík, I., see Kašička, V. 741(2000)43
- Mikšík, I., Vylitová, M., Pácha, J. and Deyl, Z.
Separation and identification of corticosterone metabolites by liquid chromatography–electrospray ionization mass spectrometry 726(1999)59
- Mikus, G., see Hofmann, U. 727(1999)81
- Miles, D.R., see Parise, R.A. 749(2000)145
- Miles, M.V., see Tang, P.H. 727(1999)125
- Miletich, F., see Gatti, G. 728(1999)233
- Millart, H., see Hoizey, G. 731(1999)317
- Miller, J.A., see Kolesar, J.M. 744(2000)1
- Miller, M.L. and Johnson, G.V.W.
Rapid, single-step procedure for the identification of transglutaminase-mediated isopeptide crosslinks in amino acid digests 732(1999)65
- Miller, R.E., see Gross, C.S. 744(2000)407
- Millet, J., see Guillaume, Y.C. 735(1999)289
- Millet, J., see Guillaume, Y.C. 749(2000)225
- Mills, G.A., Walker, V. and Mughal, H.
Headspace solid-phase microextraction with 1-pyrenyldiazomethane in-fibre derivatisation for analysis of faecal short-chain fatty acids 730(1999)113
- Min, H.-K., see Myung, S.-W. 727(1999)1
- Minami, T., see Kubo, K. 736(1999)185
- Minami, T., see Kubo, K. 742(2000)193
- Minoia, C., see Micoli, G. 750(2001)25
- Miralles Buraglia, B., see Chiap, P. 739(2000)205
- Mišlanová, C., Štefancová, A., Oravcová, J., Horecký, J., Trnovec, T. and Lindner, W.
Direct high-performance liquid chromatographic determination of (R)- and (S)-propranolol in rat microdialysate using on-line column switching procedures 739(2000)151
- Misztal, G., Paw, B., Skierski, J.S. and Jagiello-Wójtowicz, E.
High-performance liquid chromatographic assay of formycin A in plasma after solid-phase extraction 731(1999)383
- Mitamura, K., Yatera, M. and Shimada, K.
Studies on neurosteroids XII. Determination of enzymatically formed catechol estrogens and guaiacol estrogens by rat brains using liquid chromatography–mass spectrometry–mass spectrometry 748(2000)89
- Mitchell, F., Lynn, S. and Jackman, A.L.
Modified high-performance liquid chromatography assay for the measurement of 2'-deoxyuridine in human plasma and its application to pharmacodynamic studies of antimetabolite drugs 744(2000)351
- Mitsui, K., see Chikuma, T. 728(1999)59
- Miyake, J., see Liu, X.-Y. 750(2001)51
- Miyoshi, A., see Liu, J. 748(2000)401
- Mizugaki, M., Hishinuma, T. and Suzuki, N.
Determination of leukotriene E₄ in human urine using liquid chromatography–tandem mass spectrometry 729(1999)279
- Mizzen, C.A., Alpert, A.J., Lévesque, L., Kruck, T.P.A. and McLachlan, D.R.
Resolution of allelic and non-allelic variants of histone H1 by cation-exchange-hydrophilic-interaction chromatography 744(2000)33
- Moalli, S., see Froescheis, O. 739(2000)291
- Modamio, P., see Braza, A.J. 738(2000)225
- Moghaddam, A.P., see Narayanan, L. 729(1999)271
- Mohamed, S.S., Khalid, S.A., Ward, S.A., Wan, T.S.M., Tang, H.P.O., Zheng, M., Haynes, R.K. and Edwards, G.
Simultaneous determination of artemether and its major metabolite dihydroartemisinin in plasma by gas chromatography–mass spectrometry–selected ion monitoring 731(1999)251
- Mohammad, A.A., see Rao, L.V. 730(1999)123
- Mohammed, N., see Or-Rashid, M.M. 741(2000)279
- Moilanen, P., see Mönkkönen, H. 738(2000)395
- Mönkkönen, H., Moilanen, P., Mönkkönen, J., Frith, J.C., Rogers, M.J. and Auriola, S.
Analysis of an adenine nucleotide-containing metabolite of clodronate using ion pair high-performance liquid chromatography–electrospray ionisation mass spectrometry 738(2000)395
- Mönkkönen, J., see Mönkkönen, H. 738(2000)395
- Monster, A.C., see Kežić, S. 749(2000)265
- Monteil, J., see Chianéa, T. 734(1999)91
- Montini, G., see Marsilio, R. 744(2000)241
- Moody, E.D., Viskari, P.J. and Colyer, C.L.
Non-covalent labeling of human serum albumin with indocyanine green: a study by capillary electrophoresis with diode laser-induced fluorescence detection 729(1999)55
- Moody, R.R., see Taylor, R.B. 744(2000)415
- Morales, J.M., Jung, C.H., Alarcón, A. and Barreda, A.
Solid-phase extraction and liquid chromatographic quantitation of quinfamide in biological samples 746(2000)133
- Moravcová, M., see Glatz, Z. 739(2000)101
- Morazzoni, P., see Colombo, T. 736(1999)135

- Morden, W., see Tames, F. 729(1999)341
- Morele, Y., see Simon, P. 732(1999)91
- Morele, Y., see Simon, P. 748(2000)337
- Morgan, D.J., see Angelis-Stoforidis, P. 727(1999)113
- Morikawa, A., see Inoue, T. 744(2000)213
- Morimoto, Y., see Ohmori, S. 740(2000)253
- Morita, S., see Kuboi, R. 743(2000)215
- Morita, S., see Shimanouchi, T. 743(2000)85
- Moriwaki, Y., see Yamamoto, T. 726(1999)317
- Morocho, A., see Desta, Z. 744(2000)263
- Morré, D.J. and Morré, D.M.
Applications of aqueous two-phase partition to isolation of membranes from plants: A periodic NADH oxidase activity as a marker for right side-out plasma membrane vesicles 743(2000)369
- Morre, D.J., see Morré, D.M. 743(2000)377
- Morré, D.M., see Morré, D.J. 743(2000)369
- Morré, D.M. and Morre, D.J.
Aqueous two-phase partition applied to the isolation of plasma membranes and Golgi apparatus from cultured mammalian cells 743(2000)377
- Morrice, P.C., Wood, S.G. and Duthie, G.G.
High-performance liquid chromatographic determination of quercetin and isorhamnetin in rat tissues using β -glucuronidase and acid hydrolysis 738(2000)413
- Morrill, P., see Sproule, K. 740(2000)17
- Morris, T.A., see Bakker, M.G. 743(2000)65
- Morrison, D., see Locker, K.L. 750(2001)13
- Morsink, J.B., see Koster, E.H.M. 739(2000)175
- Morton, N.S., see Stumpe, M. 748(2000)321
- Mosandl, A., see Heil, M. 739(2000)313
- Moser, P., see Kos, T. 740(2000)81
- Most, P., see Ehlermann, P. 737(2000)39
- Motohashi, M., see Okuda, T. 726(1999)225
- Mou, S.-f., see Qu, F. 730(1999)161
- Mount, D.L., see Green, M.D. 727(1999)159
- Moyana, T., see Yang, J. 731(1999)299
- Mrabet, N.T., see Galland-Irmouli, A.V. 739(2000)117
- Mu, H. and Høy, C.-E.
Application of atmospheric pressure chemical ionization liquid chromatography–mass spectrometry in identification of lymph triacylglycerols 748(2000)425
- Muck, A., Ramm, M. and Hamburger, M.
Efficient method for preparation of highly purified lipopolysaccharides by hydrophobic interaction chromatography 732(1999)39
- Mueller, M., see Lausecker, B. 749(2000)67
- Mughal, H., see Mills, G.A. 730(1999)113
- Mühlbauer, B., see Luippold, G. 729(1999)379
- Mühling, J., Fuchs, M., Dehne, M.G., Sablotzki, A., Menges, T., Weber, B. and Hempelmann, G.
Quantitative determination of free intracellular amino acids in single human polymorphonuclear leucocytes. Recent developments in sample preparation and high-performance liquid chromatography 728(1999)157
- Mulder, J.W., see Veldkamp, A.I. 727(1999)151
- Mulder, J.W., see Veldkamp, A.I. 734(1999)55
- Müller-Seitz, E., see Zurhelle, G. 739(2000)191
- Mulvana, D.E., see Jemal, M. 739(2000)255
- Munro, N.J., Palmer, J., Stalcup, A.M. and Landers, J.P.
Charged cyclodextrin-mediated sample stacking in micellar capillary electrophoresis. A simple method for enhancing the detection sensitivity of hydrophobic compounds 731(1999)369
- Munton, R., see Shah, A.J. 735(1999)133
- Murakami, E., see Iwaki, M. 747(2000)229
- Murakami, M., see Koga, K. 738(2000)165
- Murakami, P.K., see Lehmborg, E. 732(1999)411
- Muralidhara, S. and Bruckner, J.V.
Simple method for rapid measurement of trichloroethylene and its major metabolites in biological samples 732(1999)145
- Muratore, R., see Taibi, G. 745(2000)431
- Murby, E.J., see Whaites, L.X. 728(1999)67
- Murday, M., McLean, A.M., Slaughter, E. and Couch, R.A.
Determination of dihydroergotamine in human plasma by high-performance liquid chromatography with fluorescence detection 735(1999)151
- Murer, L., see Marsilio, R. 744(2000)241
- Murphy, R.C., Khaselev, N., Nakamura, T. and Hall, L.M.
Oxidation of glycerophospholipids from biological membranes by reactive oxygen species: liquid chromatographic–mass spectrometric analysis of eicosanoid products 731(1999)59
- Murray, S., Bliss, P., Karim, N., Calam, J. and Taylor, G.W.
Analysis of N^{α} -methylhistamine by gas chromatography–mass spectrometry 739(2000)337
- Murray, S., see Crosbie, S.J. 744(2000)55
- Murza, A., Aguilar, A.R., Fernandez-Lafuente, R. and Guisan, J.M.
Affinity chromatography of plasma proteins (guanidinobenzoate): use of mimetic matrices and mimetic soluble ligands to prevent the binding of albumin on target affinity matrices 732(1999)165
- Murza, A., Fernández-Lafuente, R. and Guisán, J.M.
Essential role of the concentration of immobilized ligands in affinity chromatography: Purification of guanidinobenzoate on an ionized ligand 740(2000)211
- Mushiroda, T., Yokoi, T., Takahara, E., Nagata, O., Kato, H. and Kamataki, T.
Sensitive assay of trimethylamine N -oxide in liver microsomes by headspace gas chromatography with flame thermionic detection 734(1999)319
- Muskiet, F.A.J., see Kema, I.P. 747(2000)33
- Mutschler, E., see Hermening, A. 741(2000)129
- Mutti, A., see Manini, P. 744(2000)423
- Mutti, A., see Poli, D. 732(1999)115
- Muza, M., see Giordano, B.C. 742(2000)79
- Myung, S.-W., Kim, M., Min, H.-K., Yoo, E.-A. and Kim, K.-R.
Determination of homocysteine and its related compounds by solid-phase microextraction–gas chromatography–mass spectrometry 727(1999)1

N

- Na-Bangchang, K., Supasynndh, O., Supaporn, T., Banmairuroi, V. and Karbwang, J.
Simple and sensitive high-performance liquid chromatographic method for the determination of mycophenolic acid in plasma 738(2000)169
- Nabet, P., see Siaghy, E.M. 745(2000)279
- Nackerdien, Z.E., see Nevins, S.A. 741(2000)243
- Nadeau, L., see Persaud, D.R. 744(2000)389
- Nagakura, T., see Obata, T. 731(1999)73
- Nagakura, T., see Obata, T. 746(2000)11
- Nagaoka, T., see Fujitomo, H. 728(1999)125
- Nagata, O., see Mushiroda, T. 734(1999)319
- Nagatsu, T., see Hibiya, M. 740(2000)35
- Naidong, W., Lee, J.W., Jiang, X., Wehling, M., Hulse, J.D. and Lin, P.P.
Simultaneous assay of morphine, morphine-3-glucuronide and morphine-6-glucuronide in human plasma using normal-phase liquid chromatography–tandem mass spectrometry with a silica column and an aqueous organic mobile phase 735(1999)255
- Naito, C., Kajita, M. and Niwa, T.
Determination of glutathionyl hemoglobin in hemodialysis patients using electrospray ionization liquid chromatography–mass spectrometry 731(1999)121
- Naito, C. and Niwa, T.
Analysis of glutathionyl hemoglobin levels in diabetic patients by electrospray ionization liquid chromatography–mass spectrometry: effect of vitamin E administration 746(2000)91
- Nakagawa, Y., see Chiba, N. 728(1999)35
- Nakagawa, Y., see Okuda, T. 726(1999)225
- Nakahara, Y.
Hair analysis for abused and therapeutic drugs (Review) 733(1999)161
- Nakahara, Y., see Kikura, R. 741(2000)163
- Nakajima, H., see Inoue, F. 731(1999)83
- Nakajima, H., see Terada, N. 731(1999)89
- Nakajima, M., Yamamoto, T., Kuroiwa, Y. and Yokoi, T.
Improved highly sensitive method for determination of nicotine and cotinine in human plasma by high-performance liquid chromatography 742(2000)211
- Nakamura, C., see Liu, X.-Y. 750(2001)51
- Nakamura, I., Takahashi, M. and Izumi, H.
Sensitive high-performance liquid chromatographic determination of nifedipine in cat plasma following improved sample treatment 729(1999)265
- Nakamura, T., see Murphy, R.C. 731(1999)59
- Nakanishi, T. and Shimizu, A.
Determination of ionization efficiency of glycosylated and non-glycosylated peptides from the N-terminal of hemoglobin β -chain by electrospray ionization mass spectrometry 746(2000)83
- Nakano, S., see Kamberi, M. 741(2000)295
- Nakaoka, M., see Oguma, T. 740(2000)237
- Nakashima, K., see Sun, Y. 749(2000)49
- Nakata, H., see Matsui, K. 729(1999)147
- Nakayama, K., see Ma, D. 726(1999)285
- Nakazawa, H., Ino, S., Kato, K., Watanabe, T., Ito, Y. and Oka, H.
Simultaneous determination of residual tetracyclines in foods by high-performance liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 732(1999)55
- Nakazawa, H., see Inoue, K. 749(2000)17
- Nakazawa, H., see Sun, Y. 749(2000)49
- Namera, A., see Imamura, T. 731(1999)149
- Namour, F., see Capo-chichi, C.D. 739(2000)219
- Namour, F., see Saviana, B. 742(2000)421
- Naoki, H., see Kaneko, R. 731(1999)125
- Nappert, G., see Omole, O.O. 727(1999)23
- Nappi, G., see Blandini, F. 732(1999)213
- Narayanan, L., Moghaddam, A.P., Taylor, A.G., Sudberry, G.L. and Fisher, J.W.
Sensitive high-performance liquid chromatography method for the simultaneous determination of low levels of dichloroacetic acid and its metabolites in blood and urine 729(1999)271
- Nardese, V., see Comuzzi, B. 737(2000)47
- Narhi, L.O., see Caughey, D.J. 728(1999)49
- Nasser, M.E.A., see Hussain-Yusuf, H. 735(1999)63
- Naturale, M., see Marsilio, R. 744(2000)241
- Nava-Ocampo, A.A., Velázquez-Armenta, E.Y., Reyes-Pérez, H., Ramirez-Lopez, E. and Ponce-Monter, H.
Simplified method to quantify furosemide in urine by high-performance liquid chromatography and ultraviolet detection 730(1999)49
- Naylor, A.R., see Axisa, B. 744(2000)359
- Naylor, J.M., see Omole, O.O. 727(1999)23
- Ndjoko, K., Wolfender, J.-L. and Hostettmann, K.
Determination of trace amounts of ginkgolic acids in *Ginkgo biloba* L. leaf extracts and phytopharmaceuticals by liquid chromatography–electrospray mass spectrometry 744(2000)249
- Needham, S.R., Jeanville, P.M., Brown, P.R. and Estape, E.S.
Performance of a pentafluorophenylpropyl stationary phase for the electrospray ionization high-performance liquid chromatography–mass spectrometry–mass spectrometry assay of cocaine and its metabolite ecgonine methyl ester in human urine 748(2000)77
- Negrete, A., see Rito-Palomares, M. 743(2000)403
- Negro, A., see Rabanal, B. 738(2000)293
- Nellen, F., see Selber, K. 743(2000)21
- Nelson, J.W., see Lehmborg, E. 732(1999)411
- Nepveu, F., see Arellano, M. 741(2000)89
- Nestaas, E., see Lehmborg, E. 732(1999)411
- Neue, U.D., see Cheng, Y.-F. 729(1999)19
- Neurath, H., see Schrader, E. 726(1999)195
- Nevins, S.A., Siles, B.A. and Nackerdien, Z.E.
Analysis of gamma radiation-induced damage to plasmid DNA using dynamic size-sieving capillary electrophoresis 741(2000)243
- Newbold, R.J., see Begum, R.R. 737(2000)119
- Nicholson, J.K., see Dear, G.J. 748(2000)281

- Nicholson, J.K., see Dear, G.J. 748(2000)295
 Nicholson, J.K., see Lindon, J.C. 748(2000)233
 Nicholson, J.K., see Scarfe, G.B. 748(2000)311
 Nicholson, J.K., see Shockcor, J.P. 748(2000)269
 Nicolay, A., see Gross, A.S. 728(1999)107
 Nicot, T., see Simon, P. 732(1999)91
 Nicot, T., see Simon, P. 748(2000)337
 Nicotra, C.M.A., see Taibi, G. 745(2000)431
 Nidetzky, B., see Mayr, P. 737(2000)195
 Niehaus, F., see Linden, A. 737(2000)253
 Nielsen, E., see Gordi, T. 742(2000)155
 Niessen, W.M.A., see Manini, P. 744(2000)423
 Nightingale, Z.D., Blumberg, J.B. and Handelman, G.J.
 Purification of fatty acid methyl esters by high-performance liquid chromatography 732(1999)495
 Nilsson, A., see Berggren, K. 743(2000)295
 Nishida, M., see Mikami, E. 744(2000)81
 Nishikawa, M., Tsuchihashi, H., Miki, A., Katagi, M., Schmitt, G., Zimmer, H., Keller, Th. and Aderjan, R.
 Determination of ethyl glucuronide, a minor metabolite of ethanol, in human serum by liquid chromatography–electrospray ionization mass spectrometry 726(1999)105
 Nishimoto, T., see Hibiya, M. 740(2000)35
 Nishimura, S.-i., see Mawatari, H. 730(1999)275
 Nishino, I., see Fujitomo, H. 728(1999)125
 Nishino, I., Fujitomo, H. and Umeda, T.
 Determination of a new oral cephalosporin, cefmatilen hydrochloride hydrate, and its seven metabolites in human and animal plasma and urine by coupled systems of ion-exchange and reversed-phase high-performance liquid chromatography 749(2000)101
 Nisnevitch, M., Kolog-Gulco, M., Trombka, D., Green, B.S. and Firer, M.A.
 Immobilization of antibodies onto glass wool 738(2000)217
 Niwa, M., Enomoto, K. and Yamashita, K.
 Measurement of the novel decapeptide cetrorelix in human plasma and urine by liquid chromatography–electrospray ionization mass spectrometry (Review) 729(1999)245
 Niwa, T.
 3-Deoxyglucosone: metabolism, analysis, biological activity, and clinical implication (Review) 731(1999)23
 Niwa, T., see Kuhara, T. 731(1999)1
 Niwa, T., see Kuhara, T. 735(1999)305
 Niwa, T., see Naito, C. 731(1999)121
 Niwa, T., see Naito, C. 746(2000)91
 Niwa, T., see Takeda, N. 746(2000)51
 Niwa, T., see Tsukushi, S. 731(1999)37
 Noguchi, T., see Takahashi, R. 742(2000)71
 Nolteernsting, E., see Rendic, S. 735(1999)73
 Nomeir, A.A., see Kim, H. 728(1999)133
 Nomeir, A.A., see Kim, H. 735(1999)11
 Nomeir, A.A., see Kim, H. 738(2000)93
 Noor, A.M., see Julianto, T. 732(1999)227
 Nooter, K., see Loos, W.J. 735(1999)293
 Nooter, K., see Loos, W.J. 738(2000)155
 Nooter, K., see Sparreboom, A. 735(1999)111
 Norman, T.R., see Dodd, S. 730(1999)249
 Norman, T.R., see Dodd, S. 748(2000)439
 Norris, J.M., see Deutsch, J.C. 726(1999)79

- Norris, K.J., see Xu, Z.-Q. 742(2000)267
 Nöstelbacher, K., Kirchgessner, M. and Stangl, G.I.
 Separation and quantitation of metallothionein isoforms from liver of untreated rats by ion-exchange high-performance liquid chromatography and atomic absorption spectrometry 744(2000)273
 Noury, P., see Brion, F. 737(2000)3
 Nowak, B., see Rodriguez Jr, C.O. 745(2000)421
 Nuyen, B., see Sparidans, R.W. 729(1999)43
 Nygren, P.-Å., see Berggren, K. 743(2000)295

O

- Obach, B., see Kamel, A. 748(2000)179
 Obach, R.S., see Reed-Hagen, A.E. 744(2000)333
 Obata, T., Nagakura, T., Maeda, H., Yamashita, K. and Maekawa, K.
 Simultaneous assay of prostaglandins and thromboxane in the cerebrospinal fluid by gas chromatography–mass spectrometry–selected ion monitoring 731(1999)73
 Obata, T., Tomaru, K., Nagakura, T., Izumi, Y. and Kawamoto, T.
 Smoking and oxidant stress: assay of isoprostane in human urine by gas chromatography–mass spectrometry 746(2000)11
 Obayashi, M., Kosugi, T., Yamazaki, J.-i., Matsumoto, Y., Fukuoka, M. and Matsumoto, M.
 Determination of concentrations of flecainide in human serum by high-performance liquid chromatography on a fluorocarbon-bonded silica gel column 726(1999)219
 Obled, C., see Capitan, P. 732(1999)127
 O'Brien, T.J., see Angelis-Stoforidis, P. 727(1999)113
 Oda, Y., see Matsui, K. 729(1999)147
 Odabaşı, M., see Kassab, A. 746(2000)123
 Odani, H., Matsumoto, Y., Shinzato, T., Usami, J. and Maeda, K.
 Mass spectrometric study on the protein chemical modification of uremic patients in advanced Maillard reaction 731(1999)131
 O'Dea, K., see Su, Q. 729(1999)191
 Odin, E., Wettergren, Y., Larsson, L., Larsson, P.-A. and Gustavsson, B.
 Rapid method for relative gene expression determination in human tissues using automated capillary gel electrophoresis and multicolor detection 734(1999)47
 Odontiadis, J., see Chi, J.D. 731(1999)361
 Oefner, P.J.
 Allelic discrimination by denaturing high-performance liquid chromatography 739(2000)345

- Oertel, R., Richter, K., Ebert, U. and Kirch, W.
Determination of scopolamine in human serum and microdialysis samples by liquid chromatography–tandem mass spectrometry 750(2001)121
- Offringa, C., see Karatzaferi, C. 730(1999)183
- Ogata, M., see Fujii, T. 730(1999)41
- Ogawa, N., see Kato, K. 740(2000)187
- Ogawa, N., see Yamaguchi, J.-i. 730(1999)61
- Ogawa, N., see Yamaguchi, J.-i. 750(2001)99
- Ogawa, T., see Makino, Y. 729(1999)97
- Ogra, Y. and Suzuki, K.T.
Biological significance of non-acetylated metallothionein 735(1999)17
- Oguma, T., Ohshima, Y. and Nakaoka, M.
Sensitive high-performance liquid chromatographic method for the determination of the lactone form and the lactone plus hydroxy-acid forms of the new camptothecin derivative DX-8951 in human plasma using fluorescence detection 740(2000)237
- Ogunbona, F.A., see Babalola, C.P. 731(1999)419
- Ogura, Y., see Chikuma, T. 728(1999)59
- Oguri, S.
Electromigration methods for amino acids, biogenic amines and aromatic amines (Review) 747(2000)1
- Oguri, S., Ohta, Y. and Suzuki, C.
Direct detection of endogenous histamine in rat peritoneal mast cells by in-capillary derivatization high-performance capillary electrophoresis 736(1999)263
- Ohashi, N., see Fukuda, K. 741(2000)195
- Ohashi, N. and Yoshikawa, M.
Rapid and sensitive quantification of 8-isoprostaglandin $F_{2\alpha}$ in human plasma and urine by liquid chromatography–electrospray ionization mass spectrometry 746(2000)17
- Ohata, S., see Igarashi, K. 731(1999)53
- Ohdoi, C., see Kuhara, T. 742(2000)59
- Ohdoi, C., see Kuhara, T. 746(2000)103
- Ohie, T., Fu, X.-w., Iga, M., Kimura, M. and Yamaguchi, S.
Gas chromatography–mass spectrometry with *tert*-butyldimethylsilyl derivatization: use of the simplified sample preparations and the automated data system to screen for organic acidemias 746(2000)63
- Ohmachi, K., see Koga, K. 738(2000)165
- Ohmichi, M., see Yamaguchi, J.-i. 730(1999)61
- Ohmori, S., Hayashi, T., Kawase, M., Saito, S. and Morimoto, Y.
Quantitative determination of dihydroetorphine in rat plasma and brain by liquid chromatography–tandem mass spectrometry 740(2000)253
- Ohmori, S., see Kuriya, S.-i. 744(2000)189
- Ohno, M., Yamaguchi, I., Saiki, K., Yamamoto, I. and Azuma, J.
Specific determination of urinary 6 β -hydroxycortisol and cortisol by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 746(2000)95
- Ohno, T., see Mikami, E. 744(2000)81
- Ohse, M., see Kuhara, T. 731(1999)141
- Ohse, M., see Kuhara, T. 742(2000)59
- Ohse, M., see Kuhara, T. 746(2000)103
- Ohshima, T., see Chinaka, S. 749(2000)111
- Ohshima, T. and Takayasu, T.
Simultaneous determination of local anesthetics including ester-type anesthetics in human plasma and urine by gas chromatography–mass spectrometry with solid-phase extraction 726(1999)185
- Ohshima, Y., see Oguma, T. 740(2000)237
- Ohshiro, S., see Hokama, N. 732(1999)233
- Ohsuga, M., see Tsuda, T. 746(2000)305
- Ohta, S., see Yamamoto, T. 726(1999)317
- Ohta, Y., see Oguri, S. 736(1999)263
- Ohtani, H., see Taninaka, C. 738(2000)405
- Ohtani, M., see Yanagihara, Y. 746(2000)227
- Ohura, T., see Iga, M. 746(2000)75
- Oka, H., see Nakazawa, H. 732(1999)55
- Okada, K., see Fu, C.J. 728(1999)251
- O’Kane, E.J., see McClean, S. 740(2000)141
- Okazaki, Y., see Kubo, K. 736(1999)185
- Okochi, M., see Inoue, F. 731(1999)83
- Okochi, M., see Terada, N. 731(1999)89
- Okorodudu, A.O., see Rao, L.V. 730(1999)123
- Okuda, T., Nakagawa, Y. and Motohashi, M.
Complete two-dimensional separation for analysis of acidic compounds in plasma using column-switching reversed-phase liquid chromatography 726(1999)225
- Oláh, S., Kremmer, T. and Boldizsár, M.
Hydrophobic interaction chromatography of human serum α_1 -antitrypsin and α_1 -acid glycoprotein 744(2000)73
- Olesik, S.V., see Sun, Q. 745(2000)159
- Olgemöller, J., Hempel, G., Boos, J. and Blaschke, G.
Determination of (*E*)-5-(2-bromovinyl)-2'-deoxyuridine in plasma and urine by capillary electrophoresis 726(1999)261
- Oliva, A., Fariña, J. and Llabrés, M.
Development of two high-performance liquid chromatographic methods for the analysis and characterization of insulin and its degradation products in pharmaceutical preparations 749(2000)25
- Oliveira, L.A., see Sarubbo, L.A. 743(2000)79
- Oliveira, M.S., see Weinmann, A.R.M. 729(1999)231
- Olmos-Carmona, M.-L. and Hernández-Carrasquilla, M.
Gas chromatographic–mass spectrometric analysis of veterinary tranquilizers in urine: evaluation of method performance 734(1999)113
- Omole, O.O., Brocks, D.R., Nappert, G., Naylor, J.M. and Zello, G.A.
High-performance liquid chromatographic assay of ($\pm$)-lactic acid and its enantiomers in calf serum 727(1999)23
- O’Neill, T.P., see Kuhlenbeck, D.L. 738(2000)319
- Ong, C.N., see Wang, Q. 726(1999)297
- Onodera, R., see Hussain-Yusuf, H. 735(1999)63
- Onodera, R., see Or-Rashid, M.M. 741(2000)279
- Onuki, J., see Ummus, R.E. 729(1999)237
- Opfermann, G., see Thevis, M. 744(2000)345
- Oravcová, J., see Mišlanová, C. 739(2000)151
- Orjales, A., see Corta, E. 727(1999)131
- Orndorff, S., see Jia, Q. 750(2001)81

- Or-Rashid, M.M., Onodera, R., Wadud, S. and Mohammed, N.
Convenient method of threonine, methionine and their related amino compounds by high-performance liquid chromatography and its application to rumen fluid 741(2000)279
- Orti, V., Audran, M., Gibert, P., Bougard, G. and Bressolle, F.
High-performance liquid chromatographic assay for minocycline in human plasma and parotid saliva 738(2000)357
- Osajima, Y., see Matsui, T. 729(1999)89
- Ose, M., see Shinka, T. 732(1999)469
- Ota, H., see Kuboi, R. 743(2000)215
- Otaki, N., see Kubo, K. 736(1999)185
- Otaki, N., see Kubo, K. 742(2000)193
- Ottens, M., see van Berlo, M. 743(2000)317
- Otzen, D.E., see Umakoshi, H. 743(2000)13
- Ou, J.P., Chan, S.T.H. and Yeung, W.S.B.
Separation of bovine serum albumin and its monoclonal antibody from their immunocomplexes by sodium dodecyl sulfate–capillary gel electrophoresis and its application in capillary electrophoresis-based immunoassay 731(1999)389
- Ou, J.P., Wang, Q.G., Cheung, T.M., Chan, S.T.H. and Yeung, W.S.B.
Use of capillary electrophoresis-based competitive immunoassay for a large molecule 727(1999)63
- Ouyang, Z., see Jemal, M. 732(1999)501
- Overbeck, P. and Blaschke, G.
Direct determination of tramadol glucuronides in human urine by high-performance liquid chromatography with fluorescence detection 732(1999)185
- Owaki, T., see Maeda, T. 731(1999)267
- Owens, H.M., Destache, C.J. and Dash, A.K.
Simple liquid chromatographic method for the analysis of the blood brain barrier permeability characteristics of ceftriaxone in an experimental rabbit meningitis model 728(1999)97
- Oyler, J.M., see Huestis, M.A. 733(1999)247
- Ozaki, N., see Hibiya, M. 740(2000)35
- Ozarowski, J., see Testino Jr, S.A. 734(1999)73
- Padh, H., see Ravishankara, M.N. 744(2000)257
- Paez, X., see Rada, P. 735(1999)1
- Páez, X., Rada, P. and Hernández, L.
Neutral amino acids monitoring in phenylketonuric plasma microdialysates using micellar electrokinetic chromatography and laser-induced fluorescence detection 739(2000)247
- Paff, M.T., see Rodriguez Jr, C.O. 745(2000)421
- Pagani, R., see Terzuoli, L. 728(1999)185
- Pagel, P., Blome, J. and Wolf, H.U.
High-performance liquid chromatographic separation and measurement of various biogenic compounds possibly involved in the pathomechanism of Parkinson's disease 746(2000)297
- Pagel, P., Schubert, R. and Wolf, H.U.
Development of a method for sample preparation for subsequent identification and measurement of 1,2,3,4-tetrahydroisoquinolines and other potentially neurotoxic compounds by high-performance liquid chromatography with ultraviolet and fluorescence detection in blood plasma of Parkinson's disease patients 746(2000)283
- Paik, M.-J., see Yang, Y.J. 742(2000)37
- Pais, P. and Knize, M.G.
Chromatographic and related techniques for the determination of aromatic heterocyclic amines in foods (Review) 747(2000)139
- Païsse, J.-O., see Louis, D. 732(1999)271
- Palanisamy, U.D., Winzor, D.J. and Lowe, C.R.
Synthesis and evaluation of affinity adsorbents for glycoproteins: an artificial lectin 746(2000)265
- Palcic, M.M., see Krylov, S.N. 741(2000)31
- Palmer, J., see Munro, N.J. 731(1999)369
- Palmeri, A., see Pichini, S. 732(1999)509
- Palombo, S., see Pham-Huy, C. 732(1999)47
- Pan, L., see Zeng, S. 728(1999)151
- Pan, Z.-X., see Jia, Q. 750(2001)81
- Pang, H., see Wang, H. 731(1999)403
- Pao, L.-H., Hsiong, C.-H., Hu, O.Y.-P. and Ho, S.-T.
High-performance liquid chromatographic method for the simultaneous determination of nalbuphine and its prodrug, sebacoyl dinalbuphine ester, in dog plasma and application to pharmacokinetic studies in dogs 746(2000)241
- Parent, J., see Carrier, A. 745(2000)413
- Parise, R.A., Miles, D.R. and Egorin, M.J.
Sensitive high-performance liquid chromatographic assay for motexafin gadolinium and motexafin lutetium in human plasma 749(2000)145
- Park, J., see Desta, Z. 744(2000)263
- Park, S.-c., see Lim, J.-h. 746(2000)219
- Parker, D., see Lin, C.-c. 730(1999)55
- Parkman, M., see Lehmberg, E. 732(1999)411
- Parks, O.W., see Stolker, A.A.M. 726(1999)121
- Parmar, D.V., see Devarajan, P.V. 736(1999)289
- Paroni, R., see Arcelloni, C. 729(1999)369
- Paroni, R., see Comuzzi, B. 737(2000)47
- Parrilla Vázquez, P., Martínez Vidal, J.L. and Martínez Fernández, J.
Reversed-phase liquid chromatographic column switching for the determination of *N*-methylcarbamates and some of their main metabolites in urine 738(2000)387
- Pabst, J.-Y., see Ceccato, A. 748(2000)65
- Pácha, J., see Mikšík, I. 726(1999)59
- Pacher, R., see Kos, T. 740(2000)81
- Paci, A., Rieutord, A., Guillaume, D., Traoré, F., Ropenga, J., Husson, H.-P. and Brion, F.
Quantitative high-performance liquid chromatographic determination of acrolein in plasma after derivatization with Luminarin® 739(2000)239
- Pacifici, R., see Pichini, S. 732(1999)509

P

- Parry, P.S., see Dear, G.J. 748(2000)295
- Pascual, C., see Vidal, E. 736(1999)295
- Patel, V.S., see Gauw, R.D. 744(2000)283
- Patonay, G., see Testino Jr, S.A. 734(1999)73
- Patterson, L.H., see Swaine, D.J. 742(2000)239
- Pavlova, L., see Davankov, V. 739(2000)73
- Paw, B., see Misztal, G. 731(1999)383
- Pawliszyn, J., see Kataoka, H. 731(1999)353
- Pawliszyn, J., see Mao, Q. 729(1999)355
- Paxton, J.W., see Zhou, S. 734(1999)129
- Pearson, J.C., see Sproule, K. 740(2000)17
- Pečavar, A., see Andrešek, S. 735(1999)103
- Pecia, M., see Hofmann, U. 748(2000)113
- Peinhardt, G.P.
High-performance liquid chromatographic determination of pholedrine in human serum using ion-pair extraction and amperometric detection 726(1999)309
- Pellegrini, M., see Pichini, S. 732(1999)509
- Pellegrino, S., Bruno, F.S. and Petrarulo, M.
Liquid chromatographic determination of ethyl alcohol in body fluids 729(1999)103
- Peltonen, K., see Anttinen-Klemetti, T. 730(1999)257
- Peng, H., see Shinka, T. 732(1999)469
- Peng, S.X., Henson, C. and Wilson, L.J.
Simultaneous determination of enantioselective plasma protein binding of aminohydantoin by ultrafiltration and chiral high-performance liquid chromatography 732(1999)31
- Pentón, E., see Tleugabulova, D. 736(1999)153
- Pépin, G., see Bévalot, F. 740(2000)227
- Pépin, G., see Gaillard, Y. 733(1999)181
- Pépin, G., see Gaillard, Y. 733(1999)231
- Pépin, G., see Gaillard, Y. 735(1999)189
- Pereira, A.S., Kenney, K.B., Cohen, M.S., Hall, J.E., Eron, J.J., Tidwell, R.R. and Dunn, J.A.
Simultaneous determination of lamivudine and zidovudine concentrations in human seminal plasma using high-performance liquid chromatography and tandem mass spectrometry 742(2000)173
- Pereira, D.G., Souza-Brito, A.R.M. and Durán, N.
Determination of the geometrical diarylpropenamine isomers in feces by high-performance liquid chromatography 728(1999)117
- Pereira, V.A., see Lanchote, V.L. 738(2000)27
- Perez, J., see Rada, P. 735(1999)1
- Perez-Ruiz, T., Martínez-Lozano, C., Sanz, A. and Bravo, E.
Sensitive method for the determination of ambroxol in body fluids by capillary electrophoresis and fluorescence detection 742(2000)205
- Peris, J.-E., Latorre, J.-A., Castel, V., Verdeguer, A., Esteve, S. and Torres-Molina, F.
Determination of busulfan in human plasma using high-performance liquid chromatography with pre-column derivatization and fluorescence detection 730(1999)33
- Pernod, G., see Ducros, V. 729(1999)383
- Persaud, D.R., Dalglish, D.G., Nadeau, L. and Gauthier, S.
Isolation and purification of serum and interfacial peptides of a trypsinolyzed β -lactoglobulin oil-in-water emulsion 744(2000)389
- Persson, J., Kaul, A. and Tjerneld, F.
Polymer recycling in aqueous two-phase extractions using thermoseparating ethylene oxide-propylene oxide copolymers 743(2000)115
- Persson, J., see Umakoshi, H. 743(2000)13
- Perucca, E., see Volosov, A. 738(2000)419
- Pessoa, A., see Costa, S.A. 743(2000)339
- Petersen, J.R., see Rao, L.V. 730(1999)123
- Petit, B., see Khan, P. 726(1999)249
- Petitt, P. and Forciniti, D.
Cold cataracts: a naturally occurring aqueous two-phase systems 743(2000)431
- Petrarulo, M., see Pellegrino, S. 729(1999)103
- Petz, M., see Zurhelle, G. 739(2000)191
- Peyrin, E., see Guillaume, Y.C. 728(1999)167
- Peyrin, E., see Guillaume, Y.C. 735(1999)289
- Peytavin, G., see Lamotte, C. 735(1999)159
- Pezzuto, J.M., see Shin, Y.G. 732(1999)331
- Pham-Huy, C., Stathouloupoulou, F., Sandouk, P., Scherrmann, J.-M., Palombo, S. and Girre, C.
Rapid determination of valaciclovir and acyclovir in human biological fluids by high-performance liquid chromatography using isocratic elution 732(1999)47
- Phillips, A., see Aguilera, R. 727(1999)95
- Phillips, K.M., Ruggio, D.M. and Bailey, J.A.
Precise quantitative determination of phytosterols, stanols, and cholesterol metabolites in human serum by capillary gas-liquid chromatography 732(1999)17
- Phillips, L.R., Bramhall, C., Buckley, J., Daw, T.W. and Stinson, S.F.
Analysis of 2-(3-methyl-4-aminophenyl)-benzothiazole (NSC 674495) in plasma by gas chromatography with mass-selective detection 732(1999)315
- Phillips, L.R., Bramhall, C., Buckley, J., Wolfe, T., House, T.L. and Stinson, S.F.
Identification of the principal circulating metabolite of a synthetic 5,4'-diaminoflavone (NSC 686288), an antitumor agent, in the rat 741(2000)205
- Phillips, M., Herrera, J., Krishnan, S., Zain, M., Greenberg, J. and Cataneo, R.N.
Variation in volatile organic compounds in the breath of normal humans 729(1999)75
- Pi, J., Kumagai, Y., Sun, G. and Shimojo, N.
Improved method for simultaneous determination of L-arginine and its mono- and dimethylated metabolites in biological samples by high-performance liquid chromatography 742(2000)199
- Pianos, A., see Liere, P. 739(2000)301
- Pichini, S., Pacifici, R., Altieri, I., Palmeri, A., Pellegrini, M. and Zuccaro, P.
Determination of lorazepam in plasma and urine as trimethylsilyl derivative using gas chromatography-tandem mass spectrometry 732(1999)509
- Pichon, V., see Delaunay, N. 745(2000)15
- Pieken, W., see Bridonneau, P. 726(1999)237
- Pierce, S.A., see Eichhold, T.H. 741(2000)213
- Pietropaolo, A.M., see Floridia, L. 726(1999)95

- Pietzsch, M., Wiese, A., Ragnitz, K., Wilms, B., Altenbuchner, J., Mattes, R. and Syldatk, C.
Purification of recombinant hydantoinase and L-N-carbamoylase from *Arthrobacter aureus* expressed in *Escherichia coli*: comparison of wild-type and genetically modified proteins 737(2000)179
- Pillans, P.I., see Willis, C. 748(2000)151
- Pilz, J., Meineke, I. and Gleiter, C.H.
Measurement of free and bound malondialdehyde in plasma by high-performance liquid chromatography as the 2,4-dinitrophenylhydrazine derivative 742(2000)315
- Pineau, A., see Ganiere-Monteil, C. 727(1999)235
- Pinguet, F., see Gauvin, A. 748(2000)389
- Pirkel, F.
Three-step purification of a fragment of the large immunophilin FKBP52 737(2000)71
- Pirkel, F., see Thies, M.J.W. 737(2000)63
- Piscitelli, S.C., see Groll, A.H. 735(1999)51
- Pleasance, S., see Biddlecombe, R.A. 734(1999)257
- Pleil, J.D., see Liu, S. 728(1999)193
- Plougmann, P., see Vendelin Olesen, O. 746(2000)233
- Plumb, R.S., see Dear, G.J. 748(2000)281
- Plumb, R.S., see Dear, G.J. 748(2000)295
- Plunkett, W., see Rodriguez Jr, C.O. 745(2000)421
- Podebrad, F., see Heil, M. 739(2000)313
- Poglod, M., see Bu, H.-Z. 738(2000)259
- Polack, B., see Ducros, V. 729(1999)333
- Polettini, A.
Systematic toxicological analysis of drugs and poisons in biosamples by hyphenated chromatographic and spectroscopic techniques (Review) 733(1999)47
- Poli, D., Bergamaschi, E., Manini, P., Andreoli, R. and Mutti, A.
Solid-phase microextraction gas chromatographic–mass spectrometric method for the determination of inhalation anesthetics in urine 732(1999)115
- Polo, S., see Comuzzi, B. 737(2000)47
- Polonský, J., see Sádecká, J. 729(1999)11
- Ponce-Monter, H., see Nava-Ocampo, A.A. 730(1999)49
- Pons, L., see Galland-Irmouli, A.V. 739(2000)117
- Pons, L., see Saviana, B. 742(2000)421
- Poole, S.K., Durham, D. and Kibbey, C.
Rapid method for estimating the octanol–water partition coefficient ($\log P_{ow}$) by microemulsion electrokinetic chromatography 745(2000)117
- Pope, H.G., see Aguilera, R. 727(1999)95
- Porcelli, B., see Terzuoli, L. 728(1999)185
- Porcher, J.-M., see Brion, F. 737(2000)3
- Porto, A.L.F., see Sarubbo, L.A. 743(2000)79
- Pou, L., see Vidal, E. 736(1999)295
- Poujol, S., see Gauvin, A. 748(2000)389
- Poulighen, H. and Armand, F.
Determination of oxolinic acid in faeces and urine of turbot (*Scophthalmus maximus*) by high-performance liquid chromatography using fluorescence detection 749(2000)127
- Poulighen, H., see Delépée, R. 748(2000)369
- Poupon, J., see Do, B. 740(2000)179
- Pradeau, D., see Do, B. 740(2000)179
- Prado, E., see Heil, M. 739(2000)313
- Pragst, F., see Sporkert, F. 746(2000)255
- Prakash, C., see Kamel, A. 748(2000)179
- Preiss, R., see Baumann, F. 729(1999)297
- Prieto, M.J., Berenguer, V., Marhuenda, D. and Cardona, A.
Purge-and-trap gas chromatographic determination of styrene in urine and blood. Application to exposed workers 741(2000)301
- Prošek, M., see Andrenšek, S. 735(1999)103
- Proust, V., Toth, K., Hulin, A., Taburet, A.-M., Gimenez, F. and Singlas, E.
Simultaneous high-performance liquid chromatographic determination of the antiretroviral agents amprenavir, nelfinavir, zidovudine, zalcitabine, didanosine and efavirenz in human plasma 742(2000)453
- Prusík, Z., see Kašička, V. 741(2000)43
- Ptáček, P., see Macek, J. 736(1999)231
- Ptáček, P., Macek, J. and Klíma, J.
Determination of finasteride in human plasma by liquid–liquid extraction and high-performance liquid chromatography 738(2000)305
- Pucci, V., Raggi, M. and Kenndler, E.
Separation of eleven central nervous system drugs by capillary zone electrophoresis 728(1999)263
- Puignou, L., see Toribio, F. 747(2000)171
- Pungor, E., see Lehmborg, E. 732(1999)411
- Purcell, W.M., see Xu, J. (1999)349

Q

- Qi, Z.-h., see Qu, F. 730(1999)161
- Qiu, N., see Yang, X. 740(2000)273
- Qu, F., Qi, Z.-h., Liu, K.-n. and Mou, S.-f.
Ion chromatographic determination of taurine in medicine, nutrient capsule and human urine with electrochemical detection 730(1999)161
- Quetin-Leclercq, J., see Rafatro, H. 744(2000)121
- Quilliot, D., see Saviana, B. 742(2000)421
- Quinn, D., see He, T. 727(1999)43

R

- Raanaa, K., see Keski-Hyynilä, H. 749(2000)253
- Rabanal, B., de Paz, E., Merino, G. and Negro, A.
Determination by capillary zone electrophoresis of berenil,
phenamidine, diampron and dibromopropamidine in serum
and urine 738(2000)293
- Rabatel, J.-F., see Lacassie, E. 742(2000)229
- Racadot, A., see Ghulam, A. 727(1999)227
- Rada, P., see Páez, X. 739(2000)247
- Rada, P., Tucci, S., Teneud, L., Paez, X., Perez, J., Alba, G.,
García, Y., Sacchettini, S., Del Corral, J. and Hernandez,
L.
Monitoring γ -aminobutyric acid in human brain and plasma
microdialysates using micellar electrokinetic
chromatography and laser-induced fluorescence detection
735(1999)1
- Rafatro, H., Rasoanaivo, P., Ratsimamanga-Urverg, S., Quetin-
Leclercq, J. and Verbeeck, R.K.
High-performance liquid chromatographic assay of
malagashanine in rat plasma and urine and its
pharmacokinetic application 744(2000)121
- Raggi, M., see Pucci, V. 728(1999)263
- Raggi, M.A., Casamenti, G., Mandrioli, R. and Volterra, V.
A sensitive high-performance liquid chromatographic
method using electrochemical detection for the analysis of
olanzapine and desmethylolanzapine in plasma of
schizophrenic patients using a new solid-phase extraction
procedure 750(2001)137
- Raggi, M.A., Sabbioni, C., Casamenti, G., Gerra, G., Calonghi,
N. and Masotti, L.
Determination of catecholamines in human plasma by high-
performance liquid chromatography with electrochemical
detection 730(1999)201
- Ragnitz, K., see Pietzsch, M. 737(2000)179
- Ragot, S., see Lachâtre, F. 738(2000)281
- Ragot, S., Marquet, P., Lachâtre, F., Rousseau, A., Lacassie, E.,
Gaulier, J.M., Dupuy, J.L. and Lachâtre, G.
Sensitive determination of irinotecan (CPT-11) and its
active metabolite SN-38 in human serum using liquid
chromatography–electrospray mass spectrometry
736(1999)175
- Raida, M., see Tsikas, D. 742(2000)99
- Rajani, M., see Ravishankara, M.N. 744(2000)257
- Ramakrishna, P., see Rodriguez Jr, C.O. 745(2000)421
- Ramvalho, M.T., see Marcos, J.C. 734(1999)15
- Ramirez-Lopez, E., see Nava-Ocampo, A.A. 730(1999)49
- Ramm, M., see Muck, A. 732(1999)39
- Ramsey, J.M., see Gottschlich, N. 745(2000)243
- Ramstein, P., see Blum, W. 748(2000)349
- Ramu, K., Lam, G.N. and Chien, B.
Development of a high-performance liquid
chromatographic–tandem mass spectrometric method for
the determination of pharmacokinetics of Co 102862 in
mouse, rat, monkey and dog plasma 749(2000)1
- Rao, A.R.M., see Bangaru, R.A. 739(2000)231
- Rao, L.V., Petersen, J.R., Bissell, M.G., Okorodudu, A.O. and
Mohammad, A.A.
Development of a urinary free cortisol assay using solid-
phase extraction–capillary electrophoresis 730(1999)123
- Rao, S., see Jemal, M. 736(1999)19
- Rasmussen, K.E., see Ugland, H.G. 749(2000)85
- Rasmussen, S.K., see Hatzack, F. 736(1999)221
- Rasoanaivo, P., see Rafatro, H. 744(2000)121
- Rasputnig, G., see Leis, H.J. 744(2000)113
- Ratsimamanga-Urverg, S., see Rafatro, H. 744(2000)121
- Ratzkin, B.J., see Caughey, D.J. 728(1999)49
- Raus, J., see Van Puymbroeck, M. 728(1999)217
- Ravishankara, M.N., Shrivastava, N., Jayathirtha, M.G., Padh,
H. and Rajani, M.
Sensitive high-performance thin-layer chromatographic
method for the estimation of diospyrin, a tumour inhibitory
agent from the stem bark of *Diospyros montana* Roxb
744(2000)257
- Ray, D.E., see Xu, J. (1999)349
- Réczey, K., see Brumbauer, A. 743(2000)247
- Reed-Hagen, A.E., Janiszewski, J.S., Cole, R.O. and Obach,
R.S.
Assay of ezlopitant, a substance P receptor antagonist, and
metabolites in biological matrices by gas chromatography
with mass spectrometric detection: simultaneous analysis of
a benzyl alcohol and alkene 744(2000)333
- Reeuwijk, H.J.E.M., Tjaden, U.R. and van der Greef, J.
Development and validation of a bioanalytical assay for
(E)-5-(2-bromovinyl)-2'-deoxyuridine in plasma by
capillary zone electrophoresis 726(1999)269
- Regnier, F., see Ji, J. 745(2000)197
- Reid, R.G., see Taylor, R.B. 744(2000)415
- Reimers, K., see Roder, C. 737(2000)97
- Relling, M.V., see Cai, X. 728(1999)241
- Relling, M.V., see Su, Y. 732(1999)459
- Remon, J.P., see Vermeulen, B. 749(2000)243
- Rempis, A., see Ehlermann, P. 737(2000)39
- Ren, J.
High-throughput single-strand conformation polymorphism
analysis by capillary electrophoresis (Review)
741(2000)115
- Ren, S., see Kalhorn, T.F. 732(1999)287
- Rendic, S., Nolteernsting, E. and Schänzer, W.
Metabolism of anabolic steroids by recombinant human
cytochrome P450 enzymes. Gas chromatographic–mass
spectrometric determination of metabolites^{*} 735(1999)73
- Renger, B.
System performance and variability of chromatographic
techniques used in pharmaceutical quality control
745(2000)167
- Renner, T., Fechner, T. and Scherer, G.
Fast quantification of the urinary marker of oxidative stress
8-hydroxy-2'-deoxyguanosine using solid-phase extraction
and high-performance liquid chromatography with triple-
stage quadrupole mass detection 738(2000)311
- Renou-Gonnord, M.-F., see Martin-Girardeau, A. 742(2000)163

- Rentsch, K.M., Gutteck-Amsler, U., Bühler, R., Fättinger, K.E. and Vonderschmitt, D.J.
Sensitive stereospecific determination of acenocoumarol and phenprocoumon in plasma by high-performance liquid chromatography 742(2000)131
- Reubsæet, J.L.E., see Underberg, W.J.M. 742(2000)401
- Reuschel, S.A., Eades, D. and Foltz, R.L.
Recent advances in chromatographic and mass spectrometric methods for determination of LSD and its metabolites in physiological specimens (Review) 733(1999)145
- Reyes-Pérez, H., see Nava-Ocampo, A.A. 730(1999)49
- Rho, Y.-S., see Baek, M. 732(1999)357
- Riba, N., see Sarasa, M. 746(2000)183
- Ricci, G., see Fontana, D. 743(2000)231
- Ricci, R., see Battaglia, A. 730(1999)81
- Richet, C., see Soudan, B. 729(1999)65
- Richter, E., see Langmann, P. 735(1999)41
- Richter, K., see Oertel, R. 750(2001)121
- Richter, R., Schulz-Knappe, P., Schrader, M., Ständker, L., Jürgens, M., Tammen, H. and Forssmann, W.-G.
Composition of the peptide fraction in human blood plasma: database of circulating human peptides 726(1999)25
- Ricotti, R., see Blandini, F. 732(1999)213
- Rieutord, A., see Paci, A. 739(2000)239
- Riffel, K., see Song, H. 738(2000)83
- Rinehart, K.L., see Sparidans, R.W. 729(1999)43
- Rito-Palomares, M. and Cueto, L.
Effect of biological suspensions on the position of the binodal curve in aqueous two-phase systems 743(2000)5
- Rito-Palomares, M., Negrete, A., Galindo, E. and Serrano-Carreón, L.
Aroma compounds recovery from mycelial cultures in aqueous two-phase processes 743(2000)403
- Rito-Palomares, M., see Solano-Castillo, C. 743(2000)195
- Ritter, C.A., Bohnenstengel, F., Hofmann, U., Kroemer, H.K. and Sperker, B.
Determination of tetrahydrothiophene formation as a probe of *in vitro* busulfan metabolism by human glutathione S-transferase A1-1: use of a highly sensitive gas chromatographic–mass spectrometric method 730(1999)25
- Riva, A., see Colombo, T. 736(1999)135
- Riviera, A.P., see Crivellente, F. 739(2000)81
- Rizzi, A., Schuh, R., Brückner, A., Cvitkovich, B., Kremser, L., Jordis, U., Fröhlich, J., Küenburg, B. and Czollner, L.
Enantiomeric resolution of galanthamine and related drugs used in anti-Alzheimer therapy by means of capillary zone electrophoresis employing derivatized cyclodextrin selectors 730(1999)167
- Rizzo, M.
Chromatographic separation of 2,3-benzodiazepines (Review) 747(2000)203
- Rizzo, M., De Sarro, G., Zappalà, M. and Chimirri, A.
Determination of new 2,3-benzodiazepines in rat plasma using high-performance liquid chromatography with ultraviolet detection 731(1999)207
- Robel, P., see Liere, P. 739(2000)301
- Roberto, I.C., see Costa, S.A. 743(2000)339
- Roberts, A.D., see Dear, G.J. 748(2000)295
- Roberts, C., see Shah, A.J. 735(1999)133
- Roberts, J., see de Jager, A.D. 740(2000)247
- Roberts, J.D., see Farthing, D. 726(1999)303
- Robinson, J.K., Scott, W.G., Rowlen, K.L. and Birks, J.W.
Derivatization of thymine and thymine photodimers with 4-bromomethyl-7-methoxycoumarin for fluorescence detection in high-performance liquid chromatography 731(1999)179
- Rodenhuis, S., see Huitema, A.D.R. 745(2000)345
- Roder, C., Krusat, T., Reimers, K. and Werchau, H.
Purification of respiratory syncytial virus F and G proteins 737(2000)97
- Rodrigues, A.D., see Tang, C. 742(2000)303
- Rodríguez Jr, C.O., Plunkett, W., Paff, M.T., Du, M., Nowak, B., Ramakrishna, P., Keating, M.J. and Gandhi, V.
High-performance liquid chromatography method for the determination and quantitation of arabinosylguanine triphosphate and fludarabine triphosphate in human cells 745(2000)421
- Roeder, M., see Isoherranen, N. 745(2000)325
- Roeraade, J., see Litborn, E. 745(2000)137
- Roger, P., see Mattisson, C. 743(2000)151
- Rogerieux, F., see Brion, F. 737(2000)3
- Rogers, M.J., see Mönkkönen, H. 738(2000)395
- Rogers, R.D.
Preface 743(2000)1
- Rogers, R.D., see Huddleston, J.G. 743(2000)137
- Rogers, R.D., see Visser, A.E. 743(2000)107
- Rogers, R.D., see Willauer, H.D. 743(2000)127
- Rokita, E., Makristathis, A., Hirschl, A.M. and Rotter, M.L.
Purification of surface-associated urease from *Helicobacter pylori* 737(2000)202
- Romig, T.S., Bell, C. and Drolet, D.W.
Aptamer affinity chromatography. combinatorial chemistry applied to protein purification 731(1999)275
- Rooyakkers, D.R., see van Eijk, H.M.H. 731(1999)199
- Ropenga, J., see Paci, A. 739(2000)239
- Roques, C., see Arellano, M. 741(2000)89
- Ros, M., see Marsilio, R. 744(2000)241
- Rosado-Maria, A., Gasco-Lopez, A.I., Santos-Montes, A. and Izquierdo-Hornillos, R.
High-performance liquid chromatographic separation of a complex mixture of diuretics using a micellar mobile phase of sodium dodecyl sulphate. Application to human urine samples 748(2000)415
- Rose, M.J., Merschman, S.A., Woolf, E.J. and Matuszewski, B.K.
Determination of L-756 423, a novel HIV protease inhibitor, in human plasma and urine using high-performance liquid chromatography with fluorescence detection 732(1999)425
- Rose, M.J., Woolf, E.J. and Matuszewski, B.K.
Determination of celecoxib in human plasma by normal-phase high-performance liquid chromatography with column switching and ultraviolet absorbance detection 738(2000)377
- Rosenlund, G., see Hvattum, E. 748(2000)137

- Rosing, H., van Zomeren, D.M., Doyle, E., ten Bokkel Huinink, W.W., Schellens, J.H.M., Bult, A. and Beijnen, J.H.
Quantification of topotecan and its metabolite *N*-desmethyltopotecan in human plasma, urine and faeces by high-performance liquid chromatographic methods 727(1999)191
- Røsjø, C., see Hvattum, E. 748(2000)137
- Ross, C.A., see Deutsch, J.C. 726(1999)79
- Rossa, S., see Tsikas, D. 726(1999)1
- Rossa, S., see Tsikas, D. 742(2000)99
- Rossi, C., see Celli, N. 731(1999)335
- Rossi, J.-C., see Schwedhelm, E. 744(2000)99
- Rotilio, D., see Celli, N. 731(1999)335
- Rotter, M.L., see Rokita, E. 737(2000)202
- Roubinet, F., see Cochet, S. 735(1999)207
- Rousseau, A., see Ragot, S. 736(1999)175
- Routledge, C., see Shah, A.J. 735(1999)133
- Rowbotham, M.C., see Everhart, E.T. 729(1999)173
- Rowlen, K.L., see Robinson, J.K. 731(1999)179
- Rowley, K.G., see Su, Q. 729(1999)191
- Rubino, F.M., see Floridia, L. 726(1999)95
- Rückemann, K., see Fairbanks, L.D. 732(1999)487
- Rudolph, R., see Stubenrauch, K. 737(2000)77
- Rudy, J.A., see Guan, F. 746(2000)209
- Rueda, S., see Garcia, M.A. 729(1999)157
- Ruggio, D.M., see Phillips, K.M. 732(1999)17
- Rusconi, F., see Goetz, M. 737(2000)55
- Russell, J.A., Malcolm, R.K., Campbell, K. and Woolfson, A.D.
High-performance liquid chromatographic determination of 17 β -estradiol and 17 β -estradiol-3-acetate solubilities and diffusion coefficients in silicone elastomeric intravaginal rings 744(2000)157
- Ruyter, B., see Hvattum, E. 748(2000)137
- Sabbioni, C., see Raggi, M.A. 730(1999)201
- Sabbioni, G. and Beyerbach, A.
Haemoglobin adducts of aromatic amines: diamines and polyaromatic amines 744(2000)377
- Sablitzki, A., see Mühling, J. 728(1999)157
- Sacchettini, S., see Rada, P. 735(1999)1
- Sádecká, J., Hercegová, A. and Polonský, J.
Determination of fenoprofen in serum by capillary isotachophoresis 729(1999)11
- Sadeque, A., see He, H. 744(2000)323
- Šafarčík, K., see Brozmanová, H. 749(2000)93
- Sagrado, S., see Escuder-Gilabert, L. 740(2000)59
- Saiki, K., see Igarashi, K. 731(1999)53
- Saiki, K., see Ohno, M. 746(2000)95
- Saito, S., see Ohmori, S. 740(2000)253
- Sajiki, J., Takahashi, K. and Yonekubo, J.
Sensitive method for the determination of bisphenol-A in serum using two systems of high-performance liquid chromatography 736(1999)255
- Sakai, K., see Kuriya, S.-i. 744(2000)189
- Sakai, T., Habiro, A. and Kawahara, S.
High-performance liquid chromatographic determination of 1,3-diethyl-2-thiobarbituric acid-malonaldehyde adduct in fish meat 726(1999)313
- Sakamoto, F., see Ishida, M. 727(1999)245
- Sakanashi, M., see Hokama, N. 732(1999)233
- Sakita, Y., see Kubo, K. 736(1999)185
- Sakita, Y., see Kubo, K. 742(2000)193
- Sakura, N., see Mawatari, H. 730(1999)275
- Salahudeen, I., see Jemal, M. 736(1999)19
- Salari, H., see Zhou, X. 728(1999)273
- Salemi, M., see Avenoso, A. 746(2000)173
- Salerno, C., D'Eufemia, P., Celli, M., Finocchiaro, R., Crifò, C. and Giardini, O.
Determination of urinary orotic acid and uracil by capillary zone electrophoresis 734(1999)175
- Salm, P., see Willis, C. 748(2000)151
- Salvayre, R., see Caussé, E. 741(2000)77
- Samyn, N., see Kintz, P. 733(1999)137
- Sanders, P., see Manceau, J. 726(1999)175
- Sandmann, J., see Tsikas, D. 726(1999)1
- Sandmann, J., see Tsikas, D. 726(1999)13
- Sandmann, J., see Tsikas, D. 729(1999)375
- Sandmann, J., see Tsikas, D. 731(1999)285
- Sandmann, J., see Tsikas, D. 742(2000)99
- Sandmann, J., see Tsikas, D. 742(2000)143
- Sandouk, P., see Pham-Huy, C. 732(1999)47
- Saner, A., see Heizmann, P. 730(1999)153
- Sano, T., see Iwase, H. 728(1999)175
- Sano, Y., see Kaneko, K. 736(1999)67
- Santangeli, S., McNeill, C., Sills, G.J. and Brodie, M.J.
Simultaneous determination of remacemide hydrochloride and desglycylremacemide (AR-R12495XX) in brain tissue by high-performance liquid chromatography 746(2000)325
- Santarelli, X., Fitton, V., Verdoni, N. and Cassagne, C.
Preparation, evaluation and application of new pseudo-affinity chromatographic supports for penicillin acylase purification 739(2000)63
- Santarelli, X., see Gibert, S. 737(2000)143
- Santarelli, X., see Laroche-Traineau, J. 737(2000)107
- Santens, P., see De Vos, F. 736(1999)61
- Santini, L., see Grippa, E. 738(2000)17
- Santos-Montes, A., see Rosado-Maria, A. 748(2000)415
- Sanz, A., see Perez-Ruiz, T. 742(2000)205
- Sarasa, M., Riba, N., Zamora, L. and Carné, X.
Determination of stavudine in human plasma and urine by high-performance liquid chromatography using a reduced sample volume 746(2000)183
- Sargeant, A.J., see Karatzaferi, C. 730(1999)183
- Sarubbo, L.A., Oliveira, L.A., Porto, A.L.F., Duarte, H.S., Carneiro-Leão, A.M.A., Lima-Filho, J.L., Campos-Takaki, G.M. and Tambourgi, E.B.
New aqueous two-phase system based on cashew-nut tree gum and poly(ethylene glycol) 743(2000)79
- Saso, L., see Grippa, E. 738(2000)17

S

- Sato, H., see Hussain-Yusuf, H. 735(1999)63
- Sato, H., see Taninaka, C. 738(2000)405
- Sato, K., see Lee, X.-P. 734(1999)155
- Saux, M.C., see Breilh, D. 734(1999)121
- Saux, M.C., see Lemoine, T. 742(2000)247
- Saverino, C., see Kamel, A. 748(2000)179
- Saviana, B., Pons, L., Namour, F., Quilliot, D., Ziegler, O. and Guéant, J.L.
Sodium dodecyl sulphate gel electrophoretic preparation of protein standard human apolipoprotein B-48 742(2000)421
- Savina, P., see Shockcor, J.P. 748(2000)269
- Savoy, M.-C., see Guy, P.A. 736(1999)209
- Savva, A., see Tsikas, D. 742(2000)143
- Sawada, T., see Inoue, F. 731(1999)83
- Sawada, T., see Terada, N. 731(1999)89
- Sázelová, P., see Kašička, V. 741(2000)43
- Scacciati de Cerezo, J.M., see Marquínez, A.C. 746(2000)141
- Scanes, T., see Badenhorst, D. 742(2000)91
- Scanes, T., Hundt, A.F., Swart, K.J. and Hundt, H.K.L.
Simultaneous determination of cefotaxime and desacetylcefotaxime in human plasma and cerebrospinal fluid by high-performance liquid chromatography 750(2001)171
- Scarfe, G.B., Clayton, E., Wilson, I.D. and Nicholson, J.K.
Identification and quantification of metabolites of 2,3,5,6-tetrafluoro-4-trifluoromethylaniline in rat urine using ^{19}F nuclear magnetic resonance spectroscopy, high-performance liquid chromatography–nuclear magnetic resonance spectroscopy and high-performance liquid chromatography–mass spectrometry 748(2000)311
- Schänzer, W., see Rendic, S. 735(1999)73
- Schänzer, W., see Thevis, M. 744(2000)345
- Schellens, J.H.M., see Rosing, H. 727(1999)191
- Scherer, G., see Mascher, D.G. 750(2001)163
- Scherer, G., see Renner, T. 738(2000)311
- Scherrmann, J.-M., see Pham-Huy, C. 732(1999)47
- Schiavo, M.R., see Taibi, G. 745(2000)431
- Schierenberg, M.-O., see Soetebeer, U.B. 745(2000)271
- Schirmer, D., see Langmann, P. 735(1999)41
- Schmid, E.R., see Mascher, D.G. 750(2001)163
- Schmid, J., see Schütze, D. 748(2000)55
- Schmitt, C.J., see Maurer, H.H. 748(2000)125
- Schmitt, D., see Ducros, V. 729(1999)333
- Schmitt, G., see Nishikawa, M. 726(1999)105
- Schmitt, M., see Heizmann, P. 730(1999)153
- Schmitter, J.M., see Goetz, M. 737(2000)55
- Schmitt-Kopplin, Ph., see Campa, C. 739(2000)95
- Schneiderman, E. and Stalcup, A.M.
Cyclodextrins: a versatile tool in separation science (Review) 745(2000)83
- Schoendorfer, D., see Huestis, M.A. 733(1999)247
- Schomburg, D., see Abendroth, J. 737(2000)187
- Schönberger, F., see von Richter, O. 738(2000)137
- Schrader, E., Klaunick, G., Jorritsma, U., Neurath, H., Hirsch-Ernst, K.I., Kahl, G.F. and Foth, H.
High-performance liquid chromatographic method for simultaneous determination of [1-methyl- ^{14}C]caffeine and its eight major metabolites in rat urine 726(1999)195
- Schrader, M., see Richter, R. 726(1999)25
- Schreuder, N., see Ensing, K. 727(1999)53
- Schroeder, H., see Siaghy, E.M. 745(2000)279
- Schubert, R., see Pagel, P. 746(2000)283
- Schuessler, D.G., see Kim, H. 735(1999)11
- Schuh, R., see Rizzi, A. 730(1999)167
- Schulz, H., see Soetebeer, U.B. 745(2000)271
- Schulz-Knappe, P., see Richter, R. 726(1999)25
- Schumacher, M., see Liere, P. 739(2000)301
- Schurig, V., see Isoherranen, N. 745(2000)325
- Schurig, V., see Juza, M. 735(1999)93
- Schütze, D., Boss, B. and Schmid, J.
Liquid chromatographic–tandem mass spectrometric method for the analysis of a neurokinin-1 antagonist and its metabolite using automated solid-phase sample preparation and automated data handling and reporting 748(2000)55
- Schwedhelm, E., see Tsikas, D. 731(1999)285
- Schwedhelm, E., Tsikas, D., Durand, T., Gutzki, F.-M., Guy, A., Rossi, J.-C. and Frölich, J.C.
Tandem mass spectrometric quantification of 8-iso-prostaglandin $\text{F}_{2\alpha}$ and its metabolite 2,3-dinor-5,6-dihydro-8-iso-prostaglandin $\text{F}_{2\alpha}$ in human urine 744(2000)99
- Schweizer, E., see Hofmann, U. 727(1999)81
- Schwelberger, H.G., see Willingseder, D. 737(2000)161
- Scott, K.R., see Cox, D.S. 749(2000)191
- Scott, W.G., see Robinson, J.K. 731(1999)179
- Šebesta, I., see Krijt, J. 726(1999)53
- Seefried, S., see Hofmann, U. 727(1999)81
- Segovia, M., see Yagüe, G. 738(2000)181
- Selber, K., Nellen, F., Steffen, B., Thömmes, J. and Kula, M.-R.
Investigation of mathematical methods for efficient optimisation of aqueous two-phase extraction 743(2000)21
- Senda, C., see Kuriya, S.-i. 744(2000)189
- Senior, J., see Hadley, M. 745(2000)177
- Seno, H., see Guan, F. 731(1999)155
- Seno, H., Hattori, H., Ishii, A., Kumazawa, T., Watanabe-Suzuki, K. and Suzuki, O.
Analyses of butyrophenones and their analogues in whole blood by high-performance liquid chromatography–electrospray tandem mass spectrometry 746(2000)3
- Seno, H., see Watanabe-Suzuki, K. 727(1999)89
- Seppälä, T., see Kokkonen, J. 734(1999)179
- Serkova, N., see Christians, U. 748(2000)41
- Serpe, C., see Wiltshire, H. 745(2000)373
- Serrano-Carreón, L., see Rito-Palomares, M. 743(2000)403
- Sesholtz, D., see Debelak, D. 740(2000)195
- Setacci, C., see Terzuoli, L. 728(1999)185
- Sewell, A.C., see Heil, M. 739(2000)313
- Sewer, M., see Tleugabulova, D. 736(1999)153
- Sewing, K.-Fr., see Christians, U. 748(2000)41
- Seymour, L.W., see Anderson, D. 731(1999)293
- Sfaksi, N., see Siaghy, E.M. 745(2000)279
- Shah, A., see Hadley, M. 745(2000)177
- Shah, A.J., de Biasi, V., Taylor, S.G., Roberts, C., Hemmati, P., Munton, R., West, A., Routledge, C. and Camilleri, P.
Development of a protocol for the automated analysis of amino acids in brain tissue samples and microdialysates 735(1999)133
- Shapiro, A., see Bi, D. 738(2000)249
- Shapiro, J., see Bi, D. 738(2000)249
- Shaw, J.P., see Zhang, M. 729(1999)225

- Shaw, L.M., see Bonner, H.S. 739(2000)357
- Shearer, G., see Tarbin, J.A. 729(1999)127
- Shen, D.D., see Madani, S. 741(2000)145
- Shen, M.-C., see Chen, S.-H. 729(1999)111
- Shibasaki, H., see Furuta, T. 738(2000)119
- Shibasaki, H., see Furuta, T. 738(2000)367
- Shibata, K., Fukuwatari, T. and Sugimoto, E.
Reversed-phase high-performance liquid chromatography of
nicotinic acid mononucleotide for measurement of
quinolinate phosphoribosyltransferase 749(2000)281
- Shibata, K., see Todoroki, N. 728(1999)41
- Shigematsu, Y., Hata, I., Kikawa, Y., Mayumi, M., Tanaka, Y.,
Sudo, M. and Kado, N.
Modifications in electrospray tandem mass spectrometry for
a neonatal-screening pilot study in Japan 731(1999)97
- Shimada, K., see Mitamura, K. 748(2000)89
- Shimanouchi, T., Morita, S., Umakoshi, H. and Kuboi, R.
Stimuli-responsive separation of proteins using immobilized
liposome chromatography 743(2000)85
- Shimanouchi, T., see Yoshimoto, M. 743(2000)93
- Shimizu, A., see Nakanishi, T. 746(2000)83
- Shimizu, K., see Yamamoto, T. 726(1999)317
- Shimojo, N., see Pi, J. 742(2000)199
- Shimokata, K., see Tsukushi, S. 731(1999)37
- Shin, Y.G., Cho, K.H., Chung, S.M., Graham, J., Das Gupta,
T.K. and Pezzuto, J.M.
Determination of betulinic acid in mouse blood, tumor and
tissue homogenates by liquid chromatography–electrospray
mass spectrometry 732(1999)331
- Shinka, T., Inoue, Y., Peng, H., Zhen-Wei, X., Ose, M. and
Kuhara, T.
Urine screening of five-day-old newborns: metabolic
profiling of neonatal galactosuria 732(1999)469
- Shinka, T., see Kuhara, T. 731(1999)141
- Shinoda, M., see Ikarashi, Y. 742(2000)295
- Shinohara, Y., see Hasegawa, H. 735(1999)141
- Shinohara, Y., Isurugi, K. and Hashimoto, T.
Stable isotope dilution analysis of human urinary
metabolites of 17 α -methyltestosterone 741(2000)271
- Shinzato, T., see Odani, H. 731(1999)131
- Shiota, M., see Yamamoto, T. 726(1999)317
- Shirota, O., see Makino, Y. 729(1999)97
- Shockcor, J.P., Unger, S.E., Savina, P., Nicholson, J.K. and
Lindon, J.C.
Application of directly coupled LC–NMR–MS to the
structural elucidation of metabolites of the HIV-1 reverse-
transcriptase inhibitor BW935U83 748(2000)269
- Shrivastava, N., see Ravishankara, M.N. 744(2000)257
- Shum, A.Y.C., see Tsai, T.H. 738(2000)75
- Shum, A.Y.C., see Tsai, T.H. 740(2000)203
- Shwonek, P., see Everhart, E.T. 729(1999)173
- Siaghy, E.M., Devaux, Y., Schroeder, H., Sfaksi, N., Ungureanu-
Longrois, D., Zannad, F., Villemot, J.P., Nabet, P. and
Mertes, P.M.
High-performance liquid chromatographic analysis of
muscular interstitial arginine and norepinephrine kinetics. A
microdialysis study in rats 745(2000)279
- Sica, D., see Farthing, D. 726(1999)303
- Sicart, M.-T., see Audran, M. 734(1999)267
- Sicart, M.-T., see Audran, M. 745(2000)333
- Sidenius, U., Farver, O., Jøns, O. and Gammelgaard, B.
Comparison of different transition metal ions for
immobilized metal affinity chromatography of selenoprotein
P from human plasma 735(1999)85
- Sigmund, H., see El Menyawi, I. 742(2000)13
- Silberring, J., see Smoluch, M.T. 726(1999)37
- Siles, B.A., see Nevins, S.A. 741(2000)243
- Sills, G.J., see Santangeli, S. 746(2000)325
- Simmonds, H.A., see Fairbanks, L.D. 732(1999)487
- Simms, P.J., see Gross, C.S. 744(2000)407
- Simon, P., Lafontaine, M., Delsaut, P., Morele, Y. and Nicot, T.
Trace determination of urinary 3-hydroxybenzo[a]pyrene by
automated column-switching high-performance liquid
chromatography 748(2000)337
- Simon, P., Morele, Y., Delsaut, P. and Nicot, T.
Automated column-switching high-performance liquid
chromatography method for the determination of
1-hydroxypyrene in human urine 732(1999)91
- Simonin, G., see François-Bouchard, M. 745(2000)261
- Singlas, E., see Proust, V. 742(2000)453
- Sintov, A., see Volosov, A. 738(2000)419
- Sion, B., see Grizard, G. 740(2000)101
- Siren, H., see Erlund, I. 727(1999)179
- Siri, N., see Caussé, E. 741(2000)77
- Šišpera, L., see Chládek, J. 744(2000)307
- Sivars, U., Abramson, J., Iwata, S. and Tjerneld, F.
Affinity partitioning of a poly(histidine)-tagged integral
membrane protein, cytochrome *bo*₃ ubiquinol oxidase, in a
detergent–polymer aqueous two-phase system containing
metal-chelating polymer 743(2000)307
- Sivars, U., see Xiao, J.-X. 743(2000)327
- Sjövall, J., see Liere, P. 739(2000)301
- Skierski, J.S., see Misztal, G. 731(1999)383
- Skop, B., see Sobczak, A. 730(1999)265
- Slattery, J.T., see Kalhorn, T.F. 732(1999)287
- Slaughter, E., see Murday, M. 735(1999)151
- Slegers, G., see De Vos, F. 736(1999)61
- Sloane, D.L., see Debelak, D. 740(2000)195
- Slørdal, L., see Kristoffersen, L. 734(1999)229
- Šmidovnik, A., see Andrenšek, S. 735(1999)103
- Smith, F.P., see Zlotnick, J.A. 733(1999)265
- Smith-Palmer, T., see Burke, D.G. 732(1999)479
- Smoluch, M.T., Mak, P., Chervet, J.-P., Höhne, G. and
Silberring, J.
Size-exclusion chromatography performed in capillaries.
Studies by liquid chromatography–mass spectrometry
726(1999)37
- Smulders, C.J.G.M., see Visser, S.A.G. 745(2000)357
- Smyth, W.F., see McClean, S. 740(2000)141
- Snor, L.K., see Sørensen, L.K. 734(1999)307
- Soback, S., see Isoherranen, N. 745(2000)325
- Sobczak, A., Skop, B. and Kula, B.
Simultaneous determination of serum retinol and α - and
 γ -tocopherol levels in type II diabetic patients using high-
performance liquid chromatography with fluorescence
detection 730(1999)265

- Soetebeer, U.B., Schierenberg, M.-O., Schulz, H., Grünefeld, G., Andresen, P. and Blaschke, G.
Assay of tramadol in urine by capillary electrophoresis using laser-induced native fluorescence detection
745(2000)271
- Soeters, P.B., see van Eijk, H.M.H. 731(1999)199
- Sohn, D.H., see Jeong, C.K. 738(2000)175
- Solano-Castillo, C. and Rito-Palomares, M.
Kinetics of phase separation under different process and design parameters in aqueous two-phase systems
743(2000)195
- Solans, C., see Garcia, M.A. 729(1999)157
- Soleded Cepeda, M., see Meng, Q.C. 742(2000)115
- Soma, L.R., see Guan, F. 746(2000)209
- Somerville, L.E., Douglas, A.J. and Irvine, A.E.
Discrimination of granulocyte colony-stimulating factor isoforms by high-performance capillary electrophoresis
732(1999)81
- Somogyi, A.A., see Foster, D.J.R. 744(2000)165
- Somogyi, A.A., see Menelaou, A. 731(1999)261
- Song, D. and Kohlhof, K.
Application of two-dimensional high-performance liquid chromatography-mass spectrometry with particle beam interface
730(1999)141
- Song, H., Gu, X., Riffel, K., Yan, K. and Lo, M.-W.
Determination of a novel thrombin inhibitor in human plasma and urine utilizing liquid chromatography with tandem mass spectrometric and ultraviolet detection
738(2000)83
- Sonne, K., see Kissmeyer, A.-M. 740(2000)117
- Sørensen, L.K., Snor, L.K., Elkær, T. and Hansen, H.
Simultaneous determination of seven penicillins in muscle, liver and kidney tissues from cattle and pigs by a multiresidue high-performance liquid chromatographic method
734(1999)307
- Souček, P.
Novel sensitive high-performance liquid chromatographic method for assay of coumarin 7-hydroxylation
734(1999)23
- Soudan, B., Hennebicq, S., Tetaert, D., Boersma, A., Richet, C., Demeyer, D., Briand, G. and Degand, P.
Capillary zone electrophoresis and MALDI-mass spectrometry for the monitoring of in vitro *O*-glycosylation of a threonine/serine-rich MUC5AC hexadecapeptide
729(1999)65
- Soukhova, N.V., see Desta, Z. 744(2000)263
- Souza-Brito, A.R.M., see Pereira, D.G. 728(1999)117
- Spahn-Langguth, H., see Hermening, A. 741(2000)129
- Sparidans, R.W., den Hartigh, J., Cremers, S., Beijnen, J.H. and Vermeij, P.
Semi-automatic liquid chromatographic analysis of olpadronate in urine and serum using derivatization with (9-fluorenylmethyl)chloroformate
738(2000)331
- Sparidans, R.W., Hartigh, J.d., Cremers, S., Beijnen, J.H. and Vermeij, P.
Semi-automatic liquid chromatographic analysis of pamidronate in urine after derivatization with 1-naphthylisothiocyanate
730(1999)95
- Sparidans, R.W., Henrar, R.E.C., Jimeno, J.M., Faircloth, G., Floriano, P. and Beijnen, J.H.
Bioanalysis of thiocoraline, a new marine antitumoral depsipeptide, in plasma by high-performance liquid chromatography and fluorescence detection
726(1999)255
- Sparidans, R.W., Hoetelmans, R.M.W. and Beijnen, J.H.
Sensitive liquid chromatographic assay for amprenavir, a human immunodeficiency virus protease inhibitor, in human plasma, cerebrospinal fluid and semen
742(2000)185
- Sparidans, R.W., Hoetelmans, R.M.W. and Beijnen, J.H.
Liquid chromatographic assay for simultaneous determination of abacavir and mycophenolic acid in human plasma using dual spectrophotometric detection
750(2001)155
- Sparidans, R.W., Kettenes-van den Bosch, J.J., van Tellingen, O., Nuyen, B., Henrar, R.E.C., Jimeno, J.M., Faircloth, G., Floriano, P., Rinehart, K.L. and Beijnen, J.H.
Bioanalysis of aplidine, a new marine antitumoral depsipeptide, in plasma by high-performance liquid chromatography after derivatization with *trans*-4'-hydrazino-2-stilbazole
729(1999)43
- Sparidans, R.W., Taal, B.G. and Beijnen, J.H.
Bioanalysis of *m*-iodobenzylguanidine in plasma by high-performance liquid chromatography after derivatization with benzoin
730(1999)193
- Sparidans, R.W., Veldkamp, A., Hoetelmans, R.M.W. and Beijnen, J.H.
Improved and simplified liquid chromatographic assay for adefovir, a novel antiviral drug, in human plasma using derivatization with chloroacetaldehyde
736(1999)115
- Sparidans, R.W., see Veldkamp, A.I. 736(1999)123
- Sparreboom, A., Loos, W.J., Nooter, K., Stoter, G. and Verweij, J.
Liquid chromatographic analysis and preliminary pharmacokinetics of methotrexate in cancer patients co-treated with docetaxel
735(1999)111
- Sparreboom, A., see Loos, W.J. 735(1999)293
- Sparreboom, A., see Loos, W.J. 738(2000)155
- Spasić, S., see Žunić, G. 727(1999)73
- Sperker, B., see Ritter, C.A. 730(1999)25
- Spina, E., see Avenoso, A. 746(2000)173
- Sporkert, F. and Pragst, F.
Determination of methadone and its metabolites EDDP and EMDP in human hair by headspace solid-phase microextraction and gas chromatography-mass spectrometry
746(2000)255
- Sproule, K., Morrill, P., Pearson, J.C., Burton, S.J., Hejnæs, K.R., Valore, H., Ludvigsen, S. and Lowe, C.R.
New strategy for the design of ligands for the purification of pharmaceutical proteins by affinity chromatography
740(2000)17
- Sproule, K., see Teng, S.F. 740(2000)1
- Spyridaki, M.-H.E., see Georgakopoulos, C.G. 726(1999)141
- Srinivasan, K., Wang, P., Eley, A.T., White, C.A. and Bartlett, M.G.
Liquid chromatography-tandem mass spectrometry analysis of cocaine and its metabolites from blood, amniotic fluid, placental and fetal tissues: study of the metabolism and distribution of cocaine in pregnant rats
745(2000)287

- Stadler, R.H., see Guy, P.A. 736(1999)209
- Staerk, U. and Külpmann, W.R.
High-temperature solid-phase microextraction procedure for the detection of drugs by gas chromatography–mass spectrometry 745(2000)399
- Stagiannis, K.D., see Diamantopoulou, S. 732(1999)375
- Stalcup, A.M., see Munro, N.J. 731(1999)369
- Stalcup, A.M., see Schneiderman, E. 745(2000)83
- Ständker, L., see Richter, R. 726(1999)25
- Stangl, G.I., see Nöstelbacher, K. 744(2000)273
- Stathouloupoulou, F., see Pham-Huy, C. 732(1999)47
- Staub, C.
Chromatographic procedures for determination of cannabinoids in biological samples, with special attention to blood and alternative matrices like hair, saliva, sweat and meconium (Review) 733(1999)119
- Staub, C., see El Mahjoub, A. 742(2000)381
- Stead, D.A.
Current methodologies for the analysis of aminoglycosides (Review) 747(2000)69
- Steels, B.M., Koska, J. and Haynes, C.A.
Analysis of brush-particle interactions using self-consistent-field theory 743(2000)41
- Steels, B.M., Leermakers, F.A.M. and Haynes, C.A.
Analysis of compression of polymer mushrooms using self-consistent field theory 743(2000)31
- Štefancová, A., see Mišlanová, C. 739(2000)151
- Steffen, B., see Selber, K. 743(2000)21
- Stella, M.E., see Eichhold, T.H. 741(2000)213
- Steller, S. and Vater, J.
Purification of the fengycin synthetase multienzyme system from *Bacillus subtilis* b213 737(2000)267
- Stender, N., see Haber, H. 735(1999)299
- Stenhoff, H., Blomqvist, Å. and Lagerström, P.-O.
Determination of the enantiomers of omeprazole in blood plasma by normal-phase liquid chromatography and detection by atmospheric pressure ionization tandem mass spectrometry 734(1999)191
- Stenhoff, H., Lagerström, P.-O. and Andersen, C.
Determination of candesartan cilexetil, candesartan and a metabolite in human plasma and urine by liquid chromatography and fluorometric detection 731(1999)411
- Stephany, R.W., see Stolker, A.A.M. 726(1999)121
- Stevenson, D.
Immuno-affinity solid-phase extraction (Review) 745(2000)39
- Stewart, J.T., see Vishwanathan, K. 748(2000)157
- Stewart, M.J., see Talwar, D. 735(1999)229
- Stichtenoth, D.O., see Tsikas, D. 726(1999)13
- Stinson, S.F., see Phillips, L.R. 732(1999)315
- Stinson, S.F., see Phillips, L.R. 741(2000)205
- Stockfleth, E., see Hartleb, J. 727(1999)31
- Stoffolano, P.J., see Gauw, R.D. 744(2000)283
- Stolker, A.A.M., van Ginkel, L.A., Stephany, R.W., Maxwell, R.J., Parks, O.W. and Lightfield, A.R.
Supercritical fluid extraction of methyltestosterone, nortestosterone and testosterone at low ppb levels from fortified bovine urine 726(1999)121
- Stoschitzky, K., see Lamprecht, G. 740(2000)219
- Stoter, G., see Loos, W.J. 735(1999)293
- Stoter, G., see Loos, W.J. 738(2000)155
- Stoter, G., see Sparreboom, A. 735(1999)111
- Streel, B., see Ceccato, A. 748(2000)65
- Streel, B., Hubert, Ph. and Ceccato, A.
Determination of fenofibric acid in human plasma using automated solid-phase extraction coupled to liquid chromatography 742(2000)391
- Strein, T.G., see Kochansky, C.J. 747(2000)217
- Stremple, P., see Donovan, J.L. 726(1999)277
- Strickmann, D.B. and Blaschke, G.
Capillary electrochromatography–electrospray ionization mass spectrometry for the qualitative investigation of the drug etodolac and its metabolites in biological samples 748(2000)213
- Struys, E.A., Guérard, W.S., ten Brink, H.J. and Jakobs, C.
Combined method for the determination of γ -aminobutyric and β -alanine in cerebrospinal fluid by stable isotope dilution mass spectrometry 732(1999)245
- Stubenrauch, K., Bachmann, A., Rudolph, R. and Lilie, H.
Purification of a viral coat protein by an engineered polyionic sequence 737(2000)77
- Štulík, K., see Coufal, P. 732(1999)437
- Stumpe, M., Morton, N.S. and Watson, D.G.
Determination of free concentrations of ropivacaine and bupivacaine in plasma from neonates using small-scale equilibrium–dialysis followed by liquid chromatography–mass spectrometry 748(2000)321
- Su, C., see Wang, H. 731(1999)403
- Su, Q., Rowley, K.G. and O'Dea, K.
Stability of individual carotenoids, retinol and tocopherols in human plasma during exposure to light and after extraction 729(1999)191
- Su, S.C., Chou, S.S., Chang, P.C. and Hwang, D.F.
Determination of biogenic amines in fish implicated in food poisoning by micellar electrokinetic capillary chromatography 749(2000)163
- Su, Y., Hon, Y.Y., Chu, Y., Van de Poll, M.E.C. and Relling, M.V.
Assay of 6-mercaptopurine and its metabolites in patient plasma by high-performance liquid chromatography with diode-array detection 732(1999)459
- Suckow, R.F., Zhang, M.F., Collins, E.D., Fischman, M.W. and Cooper, T.B.
Sensitive and selective liquid chromatographic assay of memantine in plasma with fluorescence detection after pre-column derivatization 729(1999)217
- Sudberry, G.L., see Narayanan, L. 729(1999)271
- Sudo, J.-i., Terui, J., Iwase, H. and Kakuno, K.
Assay of ATPase and Na,K-ATPase activity using high-performance liquid chromatographic determination of ADP derived from ATP 744(2000)19
- Sudo, K.-i., see Tachibana, S. 734(1999)39
- Sudo, M., see Shigematsu, Y. 731(1999)97
- Suga, K., see Tsuda, T. 746(2000)305
- Sugahara, K., see Ma, D. 726(1999)285
- Sugimoto, E., see Shibata, K. 749(2000)281

- Sugiura, T., Imagawa, H. and Kondo, T.
Purification of horse immunoglobulin isotypes based on differential elution properties of isotypes from protein A and protein G-columns 742(2000)327
- Sugiyama, Y., see Igarashi, K. 731(1999)53
- Sugiyama, Y., see Igarashi, K. 746(2000)33
- Sukegawa, K., see Fujiwaki, T. 731(1999)45
- Sule, P.N., see Devarajan, P.V. 736(1999)289
- Sumi, S., Arai, K., Kitahara, S. and Yoshida, K.-i.
Serial lectin affinity chromatography demonstrates altered asparagine-linked sugar-chain structures of prostate-specific antigen in human prostate carcinoma 727(1999)9
- Sumi, S., see Maeda, T. 731(1999)267
- Sun, G., see Pi, J. 742(2000)199
- Sun, L., Hall, G. and Lau, C.E.
High-performance liquid chromatographic determination of cocaine and its metabolites in serum microsamples with fluorimetric detection and its application to pharmacokinetics in rats 745(2000)315
- Sun, L., see Wang, Q. 734(1999)299
- Sun, Q. and Olesik, S.V.
Chiral separation by simultaneous use of vancomycin as stationary phase chiral selector and chiral mobile phase additive 745(2000)159
- Sun, T., Chen, G., Liu, Y., Bu, F. and Wen, M.
Purification of human prothrombin from Nitschmann fraction III using DEAE membrane radial flow chromatography 742(2000)109
- Sun, Y., Wada, M., Al-Dirbashi, O., Kuroda, N., Nakazawa, H. and Nakashima, K.
High-performance liquid chromatography with peroxyoxalate chemiluminescence detection of bisphenol A migrated from polycarbonate baby bottles using 4-(4,5-diphenyl-1H-imidazol-2-yl)benzoyl chloride as a label 749(2000)49
- Supaporn, T., see Na-Bangchang, K. 738(2000)169
- Supasindh, O., see Na-Bangchang, K. 738(2000)169
- Suprynowicz, Z., see Choma, I. 734(1999)7
- Süssmuth, R., see Hertle, R. 737(2000)13
- Sutherland, F.C.W., see Badenhorst, D. 742(2000)91
- Suyama, K., see Jahanmard, E. 739(2000)273
- Suzuki, A., see Makino, Y. 729(1999)97
- Suzuki, C., see Oguri, S. 736(1999)263
- Suzuki, K.T., see Ogra, Y. 735(1999)17
- Suzuki, N., see Mizugaki, M. 729(1999)279
- Suzuki, O., see Guan, F. 731(1999)155
- Suzuki, O., see Kumazawa, T. 747(2000)241
- Suzuki, O., see Lee, X.-P. 734(1999)155
- Suzuki, O., see Seno, H. 746(2000)3
- Suzuki, O., see Watanabe-Suzuki, K. 727(1999)89
- Svensson, L., see Edman, K. 738(2000)267
- Swaine, D.J., Loadman, P.M., Bibby, M.C., Graham, M.A. and Patterson, L.H.
High-performance liquid chromatographic analysis of AQ4N, an alkylaminoanthraquinone *N*-oxide 742(2000)239
- Swaminathan, R., see Fairbanks, L.D. 732(1999)487
- Swanson, S.P., see Kasper, S.C. 726(1999)203
- Swart, K.J., see Badenhorst, D. 742(2000)91
- Swart, K.J., see de Jager, A.D. 729(1999)183
- Swart, K.J., see de Jager, A.D. 740(2000)247
- Swart, K.J., see Scanes, T. 750(2001)171
- Swart, R., Koivisto, P. and Markides, K.E.
Capillary solid-phase extraction–tandem mass spectrometry for fast quantification of free concentrations of tolterodine and two metabolites in ultrafiltered plasma samples 736(1999)247
- Sweatman, B.C., see Dear, G.J. 748(2000)281
- Sweatman, B.C., see Dear, G.J. 748(2000)295
- Swerdlhoff, R.S., see Aguilera, R. 727(1999)95
- Swerdlow, P., see Farthing, D. 726(1999)303
- Swolfs, A., see Vree, T.B. 726(1999)157
- Syldatk, C., see Pietzsch, M. 737(2000)179

T

- Taal, B.G., see Sparidans, R.W. 730(1999)193
- Taboada, M.E., Graber, T.A., Asenjo, J.A. and Andrews, B.A.
Drowning-out crystallisation of sodium sulphate using aqueous two-phase systems 743(2000)101
- Tabolotti, E., see Massolini, G. 738(2000)343
- Taburet, A.-M., see Proust, V. 742(2000)453
- Tachibana, S., Fukano, A., Sudo, K.-i. and Tanaka, M.
Determination of a novel calmodulin antagonist, 3-{2-[4-(3-chloro-2-methylphenyl)-1-piperazinyl]ethyl}-5,6-dimethoxy-1-(4-imidazolylmethyl)-1H-indazole dihydrochloride 3.5 hydrate, DY-9760e, in human plasma using solid-phase extraction and high-performance liquid chromatography with fluorescence detection 734(1999)39
- Tackett, R.L., see Vishwanathan, K. 748(2000)157
- Tagliaro, F., see Bellini, M.S. 741(2000)67
- Tagliaro, F., see Bolner, A. 750(2001)177
- Tagliaro, F., see Crivellente, F. 739(2000)81
- Tagliaro, F., Manetto, G., Cittadini, F., Marchetti, D., Bortolotti, F. and Marigo, M.
Capillary zone electrophoresis of potassium in human vitreous humour: validation of a new method 733(1999)273
- Taguchi, K., see Chikuma, T. 728(1999)59
- Taguchi, T., see Fujii, T. 730(1999)41
- Taibi, G., Schiavo, M.R., Gueli, M.C., Calanni Rindina, P., Muratore, R. and Nicotra, C.M.A.
Rapid and simultaneous high-performance liquid chromatography assay of polyamines and monoacetylpolyamines in biological specimens 745(2000)431
- Takada, K., see Koga, K. 738(2000)165
- Takada, M., see Ishida, J. 738(2000)199
- Takahara, E., see Mushiroda, T. 734(1999)319
- Takahashi, K., see Sajiki, J. 736(1999)255

- Takahashi, M., see Nakamura, I. 729(1999)265
- Takahashi, R., Akiba, K., Koike, M., Noguchi, T. and Ezure, Y.
Affinity chromatography for purification of two urokinases
from human urine 742(2000)71
- Takahashi, S., see Yamamoto, T. 726(1999)317
- Takano, T., see Iwasa, T. 734(1999)325
- Takayama, N., see Chinaka, S. 749(2000)111
- Takayanagi, M., see Kuhara, T. 731(1999)141
- Takayasu, T., see Ohshima, T. 726(1999)185
- Takeda, M., see Tomiyama, N. 748(2000)361
- Takeda, N., see Yoshioka, N. 739(2000)363
- Takeda, N., Yoshizumi, H. and Niwa, T.
Detection and characterization of modified nucleosides in
serum and urine of uremic patients using capillary liquid
chromatography–frit-fast atom bombardment mass
spectrometry 746(2000)51
- Taketomi, T., see Fujiwaki, T. 731(1999)45
- Takeuchi, T. and Haginaka, J.
Separation and sensing based on molecular recognition
using molecularly imprinted polymers (Review)
728(1999)1
- Takimoto, C.H., see Bi, D. 738(2000)249
- Tallet, B., Astier-Gin, T., Londos-Gagliardi, D. and Guillemain,
B.
Expression, purification and biological properties of the
carboxyl half part of the HTLV-I surface envelope
glycoprotein 737(2000)85
- Talwar, D., Watson, I.D. and Stewart, M.J.
Routine analysis of amphetamine class drugs as their
naphthaquinone derivatives in human urine by high-
performance liquid chromatography 735(1999)229
- Tamaya, K., see Matsui, T. 729(1999)89
- Tambourgi, E.B., see Sarubbo, L.A. 743(2000)79
- Tames, F., Watson, I.D., Morden, W. and Wilson, I.D.
Detection and identification of morphine in urine extracts
using thin-layer chromatography and tandem mass
spectrometry 729(1999)341
- Tammen, H., see Richter, R. 726(1999)25
- Tan, J., see Bansal, R. 750(2001)129
- Tan, X. and Boudinot, F.D.
Simultaneous determination of zidovudine and its
monophosphate in mouse plasma and peripheral red blood
cells by high-performance liquid chromatography
740(2000)281
- Tanaka, A., see Chikuma, T. 728(1999)59
- Tanaka, A., see Iwase, H. 728(1999)175
- Tanaka, K., see Liu, J. 731(1999)217
- Tanaka, M., see Tachibana, S. 734(1999)39
- Tanaka, S., see Chinaka, S. 749(2000)111
- Tanaka, Y., see Shigematsu, Y. 731(1999)97
- Tang, C., Kassahun, K., McIntosh, I.S., Brunner, J. and
Rodrigues, A.D.
Simultaneous determination of urinary free cortisol and 6 β -
hydroxycortisol by liquid chromatography–atmospheric
pressure chemical ionization tandem mass spectrometry and
its application for estimating hepatic CYP3A induction
742(2000)303
- Tang, H.P.O., see Mohamed, S.S. 731(1999)251
- Tang, P.H., Miles, M.V., Glauser, T.A. and Degrauw, T.
Automated microanalysis of gabapentin in human serum by
high-performance liquid chromatography with fluorometric
detection 727(1999)125
- Tang, Z., see Graefe, K.A. 745(2000)305
- Taniguchi, S., Hamase, K., Kinoshita, A. and Zaitu, K.
Simple and rapid analytical method for carbapenems using
capillary zone electrophoresis 727(1999)219
- Taninaka, C., Ohtani, H., Hanada, E., Kotaki, H., Sato, H. and
Iga, T.
Determination of erythromycin, clarithromycin,
roxithromycin, and azithromycin in plasma by high-
performance liquid chromatography with amperometric
detection 738(2000)405
- Tarbin, J.A., Clarke, P. and Shearer, G.
Screening of sulphonamides in egg using gas
chromatography–mass-selective detection and liquid
chromatography–mass spectrometry 729(1999)127
- Taskinen, J., see Keski-Hynnälä, H. 749(2000)253
- Taskinen, J., see Lautala, P. 736(1999)143
- Tata, P.N.V., see Fu, C.J. 728(1999)251
- Tatarazako, N., see Hanioka, N. 744(2000)399
- Tavazzani, M., see Floridia, L. 726(1999)95
- Taylor, A.G., see Narayanan, L. 729(1999)271
- Taylor, G.W., see Murray, S. 739(2000)337
- Taylor, P.J., see Willis, C. 748(2000)151
- Taylor, R.B., Awad, M.I., Reid, R.G. and Moody, R.R.
Determination of sodium artesunate in plasma using ion-
pairing high-performance liquid chromatography
744(2000)415
- Taylor, S.G., see Shah, A.J. 735(1999)133
- Tegegne, G., see Wong, F.A. 734(1999)247
- Teitz, D., see Jemal, M. 732(1999)501
- Teleis, D., see Guan, F. 746(2000)209
- Telenti, A., see Marzolini, C. 740(2000)43
- Temesi, D., see Law, B. 748(2000)21
- Ten Bokkel Huinink, W.W., see Rosing, H. 727(1999)191
- Ten Brink, H.J., see Struys, E.A. 732(1999)245
- Teneud, L., see Rada, P. 735(1999)1
- Teng, S.F., Sproule, K., Husain, A. and Lowe, C.R.
Affinity chromatography on immobilized “biomimetic”
ligands. Synthesis, immobilization and chromatographic
assessment of an immunoglobulin G binding ligand
740(2000)1
- Tengler, R., see Bridonneau, P. 726(1999)237
- Terada, N., see Inoue, F. 731(1999)83
- Terada, N., Inoue, F., Okochi, M., Nakajima, H., Kizaki, Z.,
Kinugasa, A. and Sawada, T.
Measurement of carnitine precursors, ϵ -trimethyllysine and
 γ -butyrobetaine in human serum by tandem mass
spectrometry 731(1999)89
- Terui, J., see Sudo, J.-i. 744(2000)19
- Terzuoli, L., Porcelli, B., Setacci, C., Giubolini, M., Cinci, G.,
Carlucci, F., Pagani, R. and Marinello, E.
Comparative determination of purine compounds in carotid
plaque by capillary zone electrophoresis and high-
performance liquid chromatography 728(1999)185

- Testino Jr, S.A., Ozarowski, J., Thurston, A.W., Arrendale, R.F. and Patonay, G.
Determination of testosterone and 6 β -hydroxytestosterone by gas chromatography–selected ion monitoring–mass spectrometry for the characterization of cytochrome p450 3a activity 734(1999)73
- Tetaert, D., see Soudan, B. 729(1999)65
- Tetsuo, M., Zhang, C., Matsumoto, H. and Matsumoto, I.
Gas chromatographic–mass spectrometric analysis of urinary sugar and sugar alcohols during pregnancy 731(1999)111
- Tett, S.E., see Willis, C. 748(2000)151
- Thacker, R.D., see Dugan, M.E.R. 744(2000)195
- Theis, G.A., see Kraemer, T. 738(2000)107
- Theocharis, A., see Lamari, F. 730(1999)129
- Theodoridis, G., Koster, E.H.M. and de Jong, G.J.
Solid-phase microextraction for the analysis of biological samples (Review) 745(2000)49
- Thevis, M., Opfermann, G. and Schänzer, W.
Detection of the plasma volume expander hydroxyethyl starch in human urine 744(2000)345
- Thiering, R., see Hofland, G.W. 743(2000)357
- Thies, M.J.W. and Pirkel, F.
Chromatographic purification of the C₁/2 domain of the monoclonal antibody MAK33 737(2000)63
- Thömmes, J., see Selber, K. 743(2000)21
- Thompson, M.M., see Axisa, B. 744(2000)359
- Thomsen, C., Janák, K., Lundanes, E. and Becher, G.
Determination of phenolic flame-retardants in human plasma using solid-phase extraction and gas chromatography–electron-capture mass spectrometry 750(2001)1
- Thorsén, G. and Bergquist, J.
Chiral separation of amino acids in biological fluids by micellar electrokinetic chromatography with laser-induced fluorescence detection 745(2000)389
- Thurston, A.W., see Testino Jr, S.A. 734(1999)73
- Thybaud, E., see Brion, F. 737(2000)3
- Tibben, M.M., see Huitema, A.D.R. 745(2000)345
- Tidwell, R.R., see Pereira, A.S. 742(2000)173
- Tiedje, J.M., see Chong, B.E. 748(2000)167
- Tingle, M.D., see Zhou, S. 734(1999)129
- Tinnermeier, D., see Bridonneau, P. 726(1999)237
- Tirone, P., see Arbughi, T. 729(1999)323
- Tischio, J.P., see Wong, F.A. 734(1999)247
- Tjaden, U.R., see Guetens, G. 739(2000)139
- Tjaden, U.R., see Reeuwijk, H.J.E.M. 726(1999)269
- Tjaden, U.R., see Zhang, Z.D. 739(2000)281
- Tjerneld, F., see Albertsson, P.-Å. 743(2000)3
- Tjerneld, F., see Berggren, K. 743(2000)295
- Tjerneld, F., see Persson, J. 743(2000)115
- Tjerneld, F., see Sivars, U. 743(2000)307
- Tjerneld, F., see Umakoshi, H. 743(2000)13
- Tjerneld, F., see Xiao, J.-X. 743(2000)327
- Tleugabulova, D., Falcón, V., Pentón, E., Sewer, M. and Fleitas, Y.
Aggregation of recombinant hepatitis B surface antigen induced in vitro by oxidative stress 736(1999)153
- Todoroki, N., Shibata, K., Yamada, T., Kera, Y. and Yamada, R.-h.
Determination of *N*-methyl-D-aspartate in tissues of bivalves by high-performance liquid chromatography 728(1999)41
- Toennes, S.W., Fandiño, A.S. and Kauert, G.
Gas chromatographic–mass spectrometric detection of anhydroecgonine methyl ester (methylecgonidine) in human serum as evidence of recent smoking of crack 735(1999)127
- Togari, H., see Maeda, T. 731(1999)267
- Tokunaga, H., see Imamura, T. 731(1999)149
- Toma, K., see Iwase, H. 728(1999)175
- Tomaru, K., see Obata, T. 746(2000)11
- Tomiyaama, N., Tsuji, H., Watanabe, M., Takeda, M., Harada, T. and Kobayashi, H.
High-performance liquid chromatographic method for determination of DDT and its degradation products in rat plasma, liver and brain: validation and application to a pharmacokinetic study 748(2000)361
- Tomojiri, S., see Liu, J. 731(1999)217
- Torano, J.S., Verbon, A. and Guchelaar, H.-J.
Quantitative determination of thalidomide in human serum with high-performance liquid chromatography using protein precipitation with trichloroacetic acid and ultraviolet detection 734(1999)203
- Toribio, F., Galceran, M.T. and Puignou, L.
Separation of heteroaromatic amines in food products (Review) 747(2000)171
- Torres-Molina, F., see Peris, J.-E. 730(1999)33
- Tosi, R., see Battaglia, A. 730(1999)81
- Toth, K., see Proust, V. 742(2000)453
- Towne, R.W., see Gross, C.S. 744(2000)407
- Tracy, T.S., see Hutzler, J.M. 749(2000)119
- Traina, J.A., see Lehmborg, E. 732(1999)411
- Traoré, F., see Paci, A. 739(2000)239
- Treijtel, N., see Zuideveld, K.P. 738(2000)67
- Trichereau, N., see Aymard, G. 744(2000)227
- Trnovec, T., see Mišlanová, C. 739(2000)151
- Trombka, D., see Nisnevitch, M. 738(2000)217
- Trout, A., see Giordano, B.C. 742(2000)79
- Tsai, P.-J., see Yang, C.-S. 734(1999)1
- Tsai, T.-H.
Separation methods used in the determination of choline and acetylcholine (Review) 747(2000)111
- Tsai, T.H., see Chang, Y.L. 742(2000)125
- Tsai, T.-H., Chen, Y.-F., Chen, I.-F. and Chen, C.-F.
Measurement of unbound caffeic acid in rat blood by on-line microdialysis coupled with liquid chromatography and its application to pharmacokinetic study 729(1999)119
- Tsai, T.H., Chen, Y.F., Chen, K.C., Shum, A.Y.C. and Chen, C.F.
Concurrent quantification and pharmacokinetic analysis of cefotaxime in rat blood and brain by microdialysis and microbore liquid chromatography 738(2000)75
- Tsai, T.H., Cheng, F.C., Chen, K.C., Chen, Y.F. and Chen, C.F.
Simultaneous measurement of cefuroxime in rat blood and brain by microdialysis and microbore liquid chromatography. Application to pharmacokinetics 735(1999)25

- Tsai, T.H., Cheng, F.C., Hung, L.C. and Chen, C.F.
Measurement of hydroxyl radical in rat blood vessel by microbore liquid chromatography and electrochemical detection: an on-line microdialysis study 734(1999)277
- Tsai, T.H., Hung, L.C., Chang, Y.L., Shum, A.Y.C. and Chen, C.F.
Simultaneous blood and brain sampling of cephalexin in the rat by microdialysis and microbore liquid chromatography: application to pharmacokinetics studies 740(2000)203
- Tsai, T.-H., Kao, H.-Ya. and Chen, C.-F.
Measurement and pharmacokinetic analysis of unbound ceftazidime in rat blood using microdialysis and microbore liquid chromatography 750(2001)93
- Tsai, T.H., see Tsai, T.R. 736(1999)129
- Tsai, T.H., Tsai, T.R., Chen, Y.F., Chou, C.J. and Chen, C.F.
Determination of unbound 20(S)-camptothecin in rat bile by on-line microdialysis coupled to microbore liquid chromatography with fluorescence detection 732(1999)221
- Tsai, T.R., Cheng, F.C., Hung, L.C., Chen, C.F. and Tsai, T.H.
Determination of unbound cefmetazole in rat blood by on-line microdialysis and microbore liquid chromatography: a pharmacokinetic study 736(1999)129
- Tsai, T.R., see Tsai, T.H. 732(1999)221
- Tsai, W.-J., see Yang, C.-S. 734(1999)1
- Tsang, D.S., see Guan, F. 746(2000)209
- Tsegenidis, T., see Diamantopoulou, S. 732(1999)375
- Tsikak, D., Gutzki, F.-M., Sandmann, J., Schwedhelm, E. and Frölich, J.C.
Gas chromatographic–tandem mass spectrometric quantification of human plasma and urinary nitrate after its reduction to nitrite and derivatization to the pentafluorobenzyl derivative 731(1999)285
- Tsikak, D., Raida, M., Sandmann, J., Rossa, S., Forssmann, W.-G. and Frölich, J.C.
Electrospray ionization mass spectrometry of low-molecular-mass S-nitroso compounds and their thiols 742(2000)99
- Tsikak, D., Sandmann, J., Rossa, S., Gutzki, F.-M. and Frölich, J.C.
Measurement of S-nitrosoalbumin by gas chromatography–mass spectrometry. I. Preparation, purification, isolation, characterization and metabolism of S-[¹⁵N]nitrosoalbumin in human blood in vitro 726(1999)1
- Tsikak, D., Sandmann, J., Gutzki, F.-M., Stichtenoth, D.O. and Frölich, J.C.
Measurement of S-nitrosoalbumin by gas chromatography–mass spectrometry. II. Quantitative determination of S-nitrosoalbumin in human plasma using S-[¹⁵N]nitrosoalbumin as internal standard 726(1999)13
- Tsikak, D., Sandmann, J., Gutzki, F.-M. and Frölich, J.C.
Interference by S-nitroso compounds with the measurement of nitrate in methods requiring reduction of nitrate to nitrite by cadmium 729(1999)375
- Tsikak, D., Sandmann, J., Savva, A., Lueßen, P., Böger, R.H., Gutzki, F.-M., Mayer, B. and Frölich, J.C.
Assessment of nitric oxide synthase activity in vitro and in vivo by gas chromatography–mass spectrometry 742(2000)143
- Tsikak, D., see Schwedhelm, E. 744(2000)99
- Tsitsimpikou, C., see Georgakopoulos, C.G. 726(1999)141
- Tsuchihashi, H., see Nishikawa, M. 726(1999)105
- Tsuda, T., Suga, K., Kaneda, E. and Ohsuga, M.
Determination of 4-nonylphenol, nonylphenol monoethoxylate, nonylphenol diethoxylate and other alkylphenols in fish and shellfish by high-performance liquid chromatography with fluorescence detection 746(2000)305
- Tsuji, H., see Tomiyama, N. 748(2000)361
- Tsukushi, S., Shimokata, K. and Niwa, T.
Gas chromatographic–mass spectrometric analysis of erythrocyte 3-deoxyglucosone in hemodialysis patients 731(1999)37
- Tsutsumi, Z., see Yamamoto, T. 726(1999)317
- Tsyurupa, M., see Davankov, V. 739(2000)73
- Tucci, S., see Rada, P. 735(1999)1
- Tuchenhagen, F., see Bogusz, M.J. 732(1999)257
- Tucker, C.E., Chen, L.-S., Judkins, M.B., Farmer, J.A., Gill, S.C. and Drolet, D.W.
Detection and plasma pharmacokinetics of an anti-vascular endothelial growth factor oligonucleotide-aptamer (NX1838) in rhesus monkeys 732(1999)203
- Tugnoli, V., see Battaglia, A. 730(1999)81
- Tuominen, J., see Kokkonen, J. 734(1999)179
- Turci, R., see Micoli, G. 750(2001)25
- Turner, G.L., see Bakker, M.G. 743(2000)65
- Tyrefors, N., see Abdel-Rehim, M. 741(2000)175
- Tyrefors, N., see Forngren, B.H. 748(2000)189
- Tyutyulkova, N., see Tzvetanov, S. 732(1999)251
- Tzvetanov, S., Vatsova, M., Drenska, A., Gorantcheva, J. and Tyutyulkova, N.
Gas chromatographic–mass spectrometric method for quantitative determination of ketotifen in human plasma after enzyme hydrolysis of conjugated ketotifen 732(1999)251

U

- Ubok, C.E., see Guan, F. 746(2000)209
- Uchino, K., see Yanagihara, Y. 746(2000)227
- Uckun, F.M., see Chen, C.-L. 727(1999)205
- Uckun, F.M., see Chen, C.-L. 744(2000)91
- Udupa, N., see Khaksa, G. 727(1999)241
- Ueda, K., see Chinaka, S. 749(2000)111
- Ueda, K., see Mawatari, H. 730(1999)275
- Ueda, R., see Kaneko, K. 736(1999)67
- Ugland, H.G., Krogh, M. and Rasmussen, K.E.
Liquid-phase microextraction as a sample preparation technique prior to capillary gas chromatographic-determination of benzodiazepines in biological matrices 749(2000)85

- Ulmanen, I., see Lautala, P. 736(1999)143
 Ulrich, S., Kruggel, S., Weigmann, H. and Hiemke, C.
 Fishing for a drug: solid-phase microextraction for the
 assay of clozapine in human plasma 731(1999)231
 Umakoshi, H., see Kuboi, R. 743(2000)215
 Umakoshi, H., Persson, J., Kroon, M., Johansson, H.-O., Otzen,
 D.E., Kuboi, R. and Tjerneld, F.
 Model process for separation based on unfolding and
 refolding of chymotrypsin inhibitor 2 in thermoseparating
 polymer two-phase systems 743(2000)13
 Umakoshi, H., see Shimanouchi, T. 743(2000)85
 Umakoshi, H., see Yoshimoto, M. 743(2000)93
 Umeda, T., see Fujitomo, H. 728(1999)125
 Umeda, T., see Nishino, I. 749(2000)101
 Ummus, R.E., Onuki, J., Dörnemann, D., Medeiros, M.H.G. and
 Di Mascio, P.
 Measurement of 4,5-dioxovaleric acid by high-performance
 liquid chromatography and fluorescence detection
 729(1999)237
 Underberg, W.J.M., Hoitink, M.A., Reubsaet, J.L.E. and
 Waterval, J.C.M.
 Separation and detection techniques for peptides and
 proteins in stability research and bioanalysis 742(2000)401
 Unger, S.E., see Shockcor, J.P. 748(2000)269
 Ungureanu-Longrois, D., see Siaghy, E.M. 745(2000)279
 Usami, J., see Odani, H. 731(1999)131
- V**
- Vaaranrinta, R., see Anttinen-Klemetti, T. 730(1999)257
 Vajda, F.J.E., see Angelis-Stoforidis, P. 727(1999)113
 Valdés, R., see Ibarra, N. 735(1999)271
 Valdez, J.S., Martin, D.K. and Mayersohn, M.
 Sensitive and selective gas chromatographic methods for
 the quantitation of camphor, menthol and methyl salicylate
 from human plasma 729(1999)163
 Valdiguié, P., see Caussé, E. 741(2000)77
 Valentini, R., see Crivellente, F. 739(2000)81
 Valero-Guillén, P.L., see Yagüe, G. 738(2000)181
 Valore, H., see Sproule, K. 740(2000)17
 Van Acker, B.A.C., see Van Eijk, H.M.H. 731(1999)199
 Van Berlo, M., Ottens, M., Luyben, K.Ch.A.M. and van der
 Wielen, L.A.M.
 Partitioning behavior of amino acids in aqueous two-phase
 systems with recyclable volatile salts 743(2000)317
 Van Bockstaele, D., see Hoes, I. 736(1999)43
 Van Bockstaele, D., see Hoes, I. 748(2000)197
 Van Cauwenberghe, K., see Guetens, G. 739(2000)139
 Van Cauwenberghe, K., see Zhang, Z.D. 739(2000)281
 Van Daele, L., see Favetta, P. 742(2000)25
 Van den Eeckhout, E.G., see Hoes, I. 736(1999)43
 Van den Meiracker, A.H., see Alberts, G. 730(1999)213
 Van de Poll, M.E.C., see Su, Y. 732(1999)459
 Vanderbist, F., see Ceccato, A. 748(2000)65
 Van der Graaf, P.H., see Visser, S.A.G. 745(2000)357
 Van der Graaf, P.H., see Zuideveld, K.P. 738(2000)67
 Van der Greef, J., see Guetens, G. 739(2000)139
 Van der Greef, J., see Reeuwijk, H.J.E.M. 726(1999)269
 Vanderlaan, M., see Battersby, J.E. 728(1999)21
 Van der Molen, J.C., see Guillaume, C.P.F. 731(1999)323
 Van der Wielen, L.A.M., see Hofland, G.W. 743(2000)357
 Van der Wielen, L.A.M., see van Berlo, M. 743(2000)317
 Vanderzande, D., see Van Puymbroeck, M. 728(1999)217
 Van Dongen, W., see Hoes, I. 736(1999)43
 Van Dongen, W., see Hoes, I. 748(2000)197
 Van Eijk, H.M.H., Rooyakkers, D.R., van Acker, B.A.C.,
 Soeters, P.B. and Deutz, N.E.P.
 Automated isolation of high-purity plasma albumin for
 isotope ratio measurements 731(1999)199
 Van Eikema Hommes, O.R., see Vree, T.B. 726(1999)157
 Van Ewijk-Beneken Kolmer, E.W.J., see Hollanders, R.M.F.
 744(2000)65
 Van Gennip, A.H., see Van Kuilenburg, A.B.P. 729(1999)307
 Van Ginkel, L.A., see Stolker, A.A.M. 726(1999)121
 Van Heeswijk, R.P.G., see Veldkamp, A.I. 727(1999)151
 Van Heeswijk, R.P.G., see Veldkamp, A.I. 734(1999)55
 Van Hoogdalem, E.J., see van Zijtveeld, J. 726(1999)169
 Van Hout, M.W.J., de Zeeuw, R.A., Franke, J.P. and De Jong,
 G.J.
 Evaluation of the programmed temperature vaporiser for
 large-volume injection of biological samples in gas
 chromatography 729(1999)199
 Vanhoutte, K., see Hoes, I. 736(1999)43
 Van Kuilenburg, A.B.P., Van Lenthe, H. and Van Gennip, A.H.
 Radiochemical assay for determination of
 dihydropyrimidinase activity using reversed-phase high-
 performance liquid chromatography 729(1999)307
 Van Lenthe, H., see Van Kuilenburg, A.B.P. 729(1999)307
 Van Lieshout, M., see Coolen, S.A.J. 732(1999)103
 Van Maanen, M.J. and Beijnen, J.H.
 Liquid chromatographic–mass spectrometric determination
 of the novel, recently identified thioTEPA metabolite,
 thioTEPA-mercaptopate, in urine 732(1999)73
 Van Maanen, M.J., Doesburg Smits, K. and Beijnen, J.H.
 Simultaneous determination of thioTEPA, TEPA and a
 novel, recently identified thioTEPA metabolite,
 monochloroTEPA, in urine using capillary gas
 chromatography 742(2000)335
 Van Miert, A.S.J.P.A.M., see Van Puymbroeck, M.
 728(1999)217
 Van Ooijen, R.D., see Vree, T.B. 726(1999)157
 Van Oosterom, A.T., see Guetens, G. 739(2000)139
 Van Oosterom, A.T., see Zhang, Z.D. 739(2000)281
 Van Puymbroeck, M., Kuilman, M.E.M., Maas, R.F.M.,
 Witkamp, R.F., Leyssens, L., Van Miert, A.S.J.P.A.M.,
 Hendriks, L., Vanderzande, D., Adriaenssens, P., Jacobs, M.-
 P. and Raus, J.
 17 α -Ethyl-5 β -estrane-3 α ,17 β -diol, a biological marker for
 the abuse of norethandrolone and ethylestrenol in slaughter
 cattle 728(1999)217
 Van Tellingen, O., see Sparidans, R.W. 729(1999)43

- Vantighem, M.C., see Ghulam, A. 727(1999)227
- van Weissenbruch, M.M., see Kulik, W. 750(2001)147
- Van Zijtveld, J. and van Hoogdalem, E.J.
Application of a semipermeable surface column for the determination of amoxicillin in human blood serum 726(1999)169
- Van Zomeren, D.M., see Rosing, H. 727(1999)191
- Van Zuylen, L., see Loos, W.J. 735(1999)293
- Vasilopoulos, K., see Diamantopoulou, S. 732(1999)375
- Vater, J., see Steller, S. 737(2000)267
- Vatsova, M., see Tzvetanov, S. 732(1999)251
- Vaughan, S., see Flakoll, P.J. 744(2000)47
- Vayssette, F., see Gaillard, Y. 735(1999)189
- Vázquez, B.I., see Fente, C.A. 726(1999)133
- Velázquez-Armenta, E.Y., see Nava-Ocampo, A.A. 730(1999)49
- Veldkamp, A., see Sparidans, R.W. 736(1999)115
- Veldkamp, A.I., Sparidans, R.W., Hoetelmans, R.M.W. and Beijnen, J.H.
Quantitative determination of abacavir (1592U89), a novel nucleoside reverse transcriptase inhibitor, in human plasma using isocratic reversed-phase high-performance liquid chromatography with ultraviolet detection 736(1999)123
- Veldkamp, A.I., van Heeswijk, R.P.G., Hoetelmans, R.M.W., Meenhorst, P.L., Mulder, J.W., Lange, J.M.A. and Beijnen, J.H.
Rapid quantification of delavirdine, a novel non-nucleoside reverse transcriptase inhibitor, in human plasma using isocratic reversed-phase high-performance liquid chromatography with fluorescence detection 727(1999)151
- Veldkamp, A.I., van Heeswijk, R.P.G., Meenhorst, P.L., Mulder, J.W., Lange, J.M.A., Beijnen, J.H. and Hoetelmans, R.M.W.
Quantitative determination of efavirenz (DMP 266), a novel non-nucleoside reverse transcriptase inhibitor, in human plasma using isocratic reversed-phase high-performance liquid chromatography with ultraviolet detection 734(1999)55
- Velly, J.F., see Lemoine, T. 742(2000)247
- Velpandian, T., Jaiswal, J., Bhardwaj, R.K. and Gupta, S.K.
Development and validation of a new high-performance liquid chromatographic estimation method of meloxicam in biological samples 738(2000)431
- Vendelin Olesen, O., Plougmann, P. and Linnet, K.
Determination of nortriptyline in human serum by fully automated solid-phase extraction and on-line high-performance liquid chromatography in the presence of antipsychotic drugs 746(2000)233
- Venkatesh, K.K., see Avery, B.A. 730(1999)71
- Verbeeck, R.K., see Rafatro, H. 744(2000)121
- Verbon, A., see Toraño, J.S. 734(1999)203
- Verdeguer, A., see Peris, J.-E. 730(1999)33
- Verdoliva, A., Basile, G. and Fassina, G.
Affinity purification of immunoglobulins from chicken egg yolk using a new synthetic ligand 749(2000)233
- Verdoni, N., see Santarelli, X. 739(2000)63
- Verheyden, G., Volckaert, G. and Engelborghs, Y.
Expression of chymotrypsin(ogen) in the thioredoxin reductase deficient mutant strain of *Escherichia coli* AD494(DE3) and purification via a fusion product with a hexahistidine-tail 737(2000)213
- Vermeij, P., see Sparidans, R.W. 730(1999)95
- Vermeij, P., see Sparidans, R.W. 738(2000)331
- Vermeulen, B. and Remon, J.P.
Validation of a high-performance liquid chromatographic method for the determination of ibuprofen enantiomers in plasma of broiler chickens 749(2000)243
- Vertongen, F., see Lin, C. 742(2000)411
- Verweij, J., see Loos, W.J. 735(1999)293
- Verweij, J., see Loos, W.J. 738(2000)155
- Verweij, J., see Sparreboom, A. 735(1999)111
- Verweij-van Wissen, C.P.W.G.M., see Hugen, P.W.H. 727(1999)139
- Verwey-van Wissen, C.P.W.G.M., see Vree, T.B. 726(1999)157
- Verwey-van Wissen, C.P.W.G.M., see Vree, T.B. 732(1999)337
- Vicente, F., see Bakkali, A. 729(1999)139
- Vicente, F., see Corta, E. 727(1999)131
- Vidailhet, M., see Capo-chichi, C.D. 739(2000)219
- Vidal, C., see Christians, U. 748(2000)41
- Vidal, E., Pascual, C. and Pou, L.
Determination of lamotrigine in human serum by liquid chromatography 736(1999)295
- Villanueva-Camañas, R.M., see Escuder-Gilabert, L. 740(2000)59
- Villaume, C., see Galland-Irmouli, A.V. 739(2000)117
- Villemot, J.P., see Siaghy, E.M. 745(2000)279
- Vishwanathan, K., Tackett, R.L., Stewart, J.T. and Bartlett, M.G.
Determination of arginine and methylated arginines in human plasma by liquid chromatography–tandem mass spectrometry 748(2000)157
- Viskari, P.J., see Moody, E.D. 729(1999)55
- Visser, A.E., Griffin, S.T., Hartman, D.H. and Rogers, R.D.
Naphthol- and resorcinol-based azo dyes as metal ion complexants in aqueous biphasic systems 743(2000)107
- Visser, S.A.G., Smulders, C.J.G.M., Gladdines, W.W.F.T., Irth, H., van der Graaf, P.H. and Danhof, M.
High-performance liquid chromatography of the neuroactive steroids alphaxalone and pregnanolone in plasma using dansyl hydrazine as fluorescent label: application to a pharmacokinetic-pharmacodynamic study in rats 745(2000)357
- Vistelle, R., see Hoizey, G. 731(1999)317
- Vogel, J.-U., see Weber, C. 736(1999)299
- Volckaert, G., see Verheyden, G. 737(2000)213
- Voletèle, G., see Cochet, S. 750(2001)109
- Volosov, A., Bialer, M., Xiaodong, S., Perucca, E., Sintov, A. and Yagen, B.
Simultaneous stereoselective high-performance liquid chromatographic determination of 10-hydroxycarbamazepine and its metabolite carbamazepine-10,11-*trans*-dihydrodiol in human urine 738(2000)419
- Volterra, V., see Raggi, M.A. 750(2001)137
- Von Richter, O., Eichelbaum, M., Schönberger, F. and Hofmann, U.
Rapid and highly sensitive method for the determination of verapamil, [²H₄]verapamil and metabolites in biological fluids by liquid chromatography–mass spectrometry 738(2000)137
- Vonderschmitt, D.J., see Rentsch, K.M. 742(2000)131
- Voskuilen-Kooyman, A., see Fekkes, D. 744(2000)183

- Vree, T.B., Lagerwerf, A.J., Verwey-van Wissen, C.P.W.G.M. and Jongen, P.J.H.
High-performance liquid chromatography analysis, preliminary pharmacokinetics, metabolism and renal excretion of methylprednisolone with its C6 and C20 hydroxy metabolites in multiple sclerosis patients receiving high-dose pulse therapy 732(1999)337
- Vree, T.B., Verwey-van Wissen, C.P.W.G.M., Lagerwerf, A.J., Swolfs, A., Maes, R.A.A., van Ooijen, R.D., van Eikema Hommes, O.R. and Jongen, P.J.H.
Isolation and identification of the C₆-hydroxy and C₂₀-hydroxy metabolites and glucuronide conjugate of methylprednisolone by preparative high-performance liquid chromatography from urine of patients receiving high-dose pulse therapy 726(1999)157
- Vyazmensky, M., see Engel, S. 743(2000)225
- Výlitová, M., see Mikšík, I. 726(1999)59

W

- Wada, M., see Sun, Y. 749(2000)49
- Wada, Y., see Kaneko, R. 731(1999)125
- Wada, Y., see Maeda, T. 731(1999)267
- Wadud, S., see Or-Rashid, M.M. 741(2000)279
- Wagner, E., see Desimone, M. 737(2000)285
- Wahl, H.G., see Liebich, H.M. 745(2000)189
- Wainer, I.W., see Bansal, R. 750(2001)129
- Wainer, I.W., see Bendriss, E.-k. 746(2000)331
- Wainer, I.W., see Brandšteterová, E. 732(1999)395
- Wainer, I.W., see Chassaing, C. 735(1999)219
- Wainer, I.W., see Davydova, N.N. 728(1999)143
- Wainer, I.W., see Davydova, N.N. 744(2000)177
- Wainer, I.W., see Gourmel, B. 732(1999)3
- Wainer, I.W., see Zhang, Y. 739(2000)33
- Waldron, K.C., see Bonneil, E. 736(1999)273
- Walker, R.A., see Burke, D.G. 732(1999)479
- Walker, S.E., see Draves, A.H. 749(2000)57
- Walker, S.G., see Braas, G.M.F. 743(2000)409
- Walker, V., see Mills, G.A. 730(1999)113
- Walkinshaw, M.D., see Husi, H. 736(1999)77
- Wallach, J.M., see Louis, D. 732(1999)271
- Walsh, T.J., see Groll, A.H. 735(1999)51
- Walther-Rasmussen, J. and Høiby, N.
Hydrophobic character of surface regions and total hydrophobicity of four variants of chromosomal class C β -lactamase from *Pseudomonas aeruginosa* are identical. Chromatographic comparison of the hydrophobic character of the variants and the effect of focusing buffer composition on the separation of the variants by chromatofocusing with internal and external pH gradients 746(2000)161
- Wan, Q.-H. and Le, X.C.
Capillary electrophoretic immunoassays for digoxin and gentamicin with laser-induced fluorescence polarization detection 734(1999)31
- Wan, T.S.M., see Mohamed, S.S. 731(1999)251
- Wang, C., see Aguilera, R. 727(1999)95
- Wang, F. and Khaledi, M.G.
Non-aqueous capillary electrophoresis chiral separations with sulfated β -cyclodextrin 731(1999)187
- Wang, G., see Yang, X. 740(2000)273
- Wang, G., see Yang, X. 740(2000)273
- Wang, H., Zou, H., Kong, L., Zhang, Y., Pang, H., Su, C., Liu, G., Hui, M. and Fu, L.
Determination of ginsenoside Rg3 in plasma by solid-phase extraction and high-performance liquid chromatography for pharmacokinetic study 731(1999)403
- Wang, J.-J., see Ho, S.-T. 736(1999)89
- Wang, P., see Srinivasan, K. 745(2000)287
- Wang, Q., Lee, B.L. and Ong, C.N.
Automated high-performance liquid chromatographic method with precolumn reduction for the determination of ubiquinol and ubiquinone in human plasma 726(1999)297
- Wang, Q., Sun, L. and Lau, C.E.
Determination of zolpidem in serum microsomes by high-performance liquid chromatography and its application to pharmacokinetics in rats 734(1999)299
- Wang, Q., Wu, Z., Wang, Y., Luo, G., Wu, E. and Gao, X.
Determination of gestrinone in human serum by liquid chromatography–electrospray tandem mass spectrometry 746(2000)151
- Wang, Q.G., see Ou, J.P. 727(1999)63
- Wang, X., Zhang, W., Zou, A. and Lou, Y.
Determination of pharmacokinetics of 8-chloroadenosine and its two major metabolites in dogs by high-performance liquid chromatography 746(2000)319
- Wang, Y., see Wang, Q. 746(2000)151
- Wang, Y., see Zhang, C. 746(2000)41
- Wang, Y.K., see He, T. 727(1999)43
- Ward, S.A., see Mohamed, S.S. 731(1999)251
- Warot, D., see Aymard, G. 744(2000)25
- Wasfi, I.A., see Alkathheeri, N.A. 732(1999)299
- Watanabe, M., see Tomiyama, N. 748(2000)361
- Watanabe, T., see Nakazawa, H. 732(1999)55
- Watanabe, Y., see Yamaguchi, J.-i. 730(1999)61
- Watanabe-Suzuki, K., see Guan, F. 731(1999)155
- Watanabe-Suzuki, K., Seno, H., Ishii, A., Kumazawa, T. and Suzuki, O.
Ultra-sensitive method for determination of ethanol in whole blood by headspace capillary gas chromatography with cryogenic oven trapping 727(1999)89
- Watanabe-Suzuki, K., see Seno, H. 746(2000)3
- Waterhouse, A.L., see Donovan, J.L. 726(1999)277
- Waterval, J.C.M., see Underberg, W.J.M. 742(2000)401
- Watson, A.O., see Guan, F. 746(2000)209
- Watson, D.G., see Stumpe, M. 748(2000)321
- Watson, I.D., see Talwar, D. 735(1999)229
- Watson, I.D., see Tames, F. 729(1999)341
- Watt, A.P., see Locker, K.L. 750(2001)13
- Webb, M., see Coufal, P. 732(1999)437
- Weber, A.A., see Kraemer, T. 738(2000)107

- Weber, A.A., see Maurer, H.H. 748(2000)125
- Weber, B., see Mühling, J. 728(1999)157
- Weber, C., Michaelis, M., Vogel, J.-U., Cinatl, J., Kreuter, J. and Langer, K.
Simple and efficient method for the detection of diethylenetriaminepentaacetic acid 736(1999)299
- Wee, P.Y., see Chan, E.C.Y. 749(2000)179
- Wehling, M., see Naidong, W. 735(1999)255
- Wehmeyer, K.R., see Eichhold, T.H. 741(2000)213
- Wehmeyer, K.R., see Gauw, R.D. 744(2000)283
- Wehmeyer, K.R., see Kühlenbeck, D.L. 738(2000)319
- Wehofsky, M., see Desimone, M. 737(2000)285
- Wei, W., see Kang, S.H. 744(2000)149
- Wei, W. and Yeung, E.S.
Improvements in DNA sequencing by capillary electrophoresis at elevated temperature using poly(ethylene oxide) as a sieving matrix 745(2000)221
- Weigmann, H., see Härtter, S. 740(2000)135
- Weigmann, H., see Ulrich, S. 731(1999)231
- Weill-Engerer, S., see Liere, P. 739(2000)301
- Weinberg, D.S., see Xu, Z.-Q. 742(2000)267
- Weinmann, A.R.M., Oliveira, M.S., Jorge, S.M. and Martins, A.R.
Simultaneous high-performance liquid chromatographic determination of retinol by fluorometry and of tocopherol by ultraviolet absorbance in the serum of newborns 729(1999)231
- Weiss, M., see Kuhlmann, O. 728(1999)279
- Weiss, T., Hardt, J. and Angerer, J.
Determination of urinary 2-thiazolidinethione-4-carboxylic acid after exposure to alkylene bisdithiocarbamates using gas chromatography–mass spectrometry 726(1999)85
- Welch, W.J., see Davydova, N.N. 728(1999)143
- Wemes, C., see Koster, E.H.M. 739(2000)175
- Wen, D., see Caughey, D.J. 728(1999)49
- Wen, M., see Sun, T. 742(2000)109
- Wenk, S.-O. and Kruij, J.
Novel, rapid purification of the membrane protein photosystem I by high-performance liquid chromatography on porous materials 737(2000)131
- Wenker, M., see Kežić, S. 738(2000)39
- Wenker, M.A.M., see Kežić, S. 749(2000)265
- Werchau, H., see Roder, C. 737(2000)97
- Werner, K., see Groll, A.H. 735(1999)51
- Werner, U., Brune, K., Layh, B. and Guehring, H.
Determination of L-iminoethyl-L-lysine in serum by liquid chromatography 749(2000)35
- Wertz, P., see Xu, Z.-Q. 742(2000)267
- Wessel, T., see Desimone, M. 737(2000)285
- Wesselingh, J.A., see Bosma, J.C. 743(2000)169
- West, A., see Shah, A.J. 735(1999)133
- Westerink, B.H.C.
Analysis of biogenic amines in microdialysates of the brain (Review) 747(2000)21
- Westerlund, D., see Gordi, T. 742(2000)155
- Wettergren, Y., see Odin, E. 734(1999)47
- Whaites, L.X. and Murby, E.J.
Determination of clenbuterol in bovine urine using gas chromatography–mass spectrometry following clean-up on an ion-exchange resin 728(1999)67
- Whang, Y.S., see Heo, Y.J. 741(2000)221
- White, C.A., see Srinivasan, K. 745(2000)287
- White, S.A., see Doyle, E. 746(2000)191
- Whitford, D., see Begum, R.R. 737(2000)119
- Wiese, A., see Pietzsch, M. 737(2000)179
- Wilcox, C.S., see Chassaing, C. 735(1999)219
- Wilflingseder, D. and Schwelberger, H.G.
Highly efficient purification of porcine diamine oxidase 737(2000)161
- Willauer, H.D., Huddleston, J.G., Li, M. and Rogers, R.D.
Investigation of aqueous biphasic systems for the separation of lignins from cellulose in the paper pulping process 743(2000)127
- Willauer, H.D., see Huddleston, J.G. 743(2000)137
- Willis, C., Taylor, P.J., Salm, P., Tett, S.E. and Pillans, P.I.
Quantification of free mycophenolic acid by high-performance liquid chromatography–atmospheric pressure chemical ionisation tandem mass spectrometry 748(2000)151
- Wilms, B., see Pietzsch, M. 737(2000)179
- Wilson, I.
Foreword 748(2000)1
- Wilson, I.D., see Lindon, J.C. 748(2000)233
- Wilson, I.D., see Scarfe, G.B. 748(2000)311
- Wilson, I.D., see Tames, F. 729(1999)341
- Wilson, L.J., see Peng, S.X. 732(1999)31
- Wiltshire, B., see Wiltshire, H. 745(2000)373
- Wiltshire, H., Wiltshire, B., Citron, A., Clarke, T., Serpe, C., Gray, D. and Herron, W.
Development of a high-performance liquid chromatographic–mass spectrometric assay for the specific and sensitive quantification of Ro 64-0802, an anti-influenza drug, and its pro-drug, oseltamivir, in human and animal plasma and urine 745(2000)373
- Windischhofer, W., see Leis, H.J. 744(2000)113
- Winzor, D.J., see Palanisamy, U.D. 746(2000)265
- Witkamp, G.-J., see Hofland, G.W. 743(2000)357
- Witkamp, R.F., see Van Puymbroeck, M. 728(1999)217
- Wittwer, C.T., see De Silva, D. 741(2000)3
- Wögerbauer, M., see El Menyawi, I. 742(2000)13
- Wolf, H.U., see Pagel, P. 746(2000)283
- Wolf, H.U., see Pagel, P. 746(2000)297
- Wolfe, T., see Phillips, L.R. 741(2000)205
- Wolfender, J.-L., see Ndjoko, K. 744(2000)249
- Wolfenstein Todel, C., see Marquinez, A.C. 746(2000)141
- Wolthers, B.G., see Guillaume, C.P.F. 731(1999)323
- Wong, F.A., Edom, R.W., Duda, M., Tischio, J.P., Huang, M., Juzwin, S. and Tegegne, G.
Determination of norgestimate and its metabolites in human serum using high-performance liquid chromatography with tandem mass spectrometric detection 734(1999)247
- Wong, J.W., see Yap, S.P. 735(1999)279
- Wong, S.S., see Huie, W.R. 729(1999)1
- Woo, M.H., see Cai, X. 728(1999)241
- Wood, A.J.J., see He, H. 744(2000)323
- Wood, A.T. and Hall, M.R.
Reversed-phase high-performance liquid chromatography of catecholamines and indoleamines using a simple gradient solvent system and native fluorescence detection 744(2000)221

- Wood, S.G., see Morrice, P.C. 738(2000)413
 Woods, L.L., see Cheng, Y.-F. 729(1999)19
 Woolf, E., Fu, I. and Matuszewski, B.
 Determination of rofecoxib, a cyclooxygenase-2 specific inhibitor, in human plasma using high-performance liquid chromatography with post-column photochemical derivatization and fluorescence detection 730(1999)221
 Woolf, E.J., see Rose, M.J. 732(1999)425
 Woolf, E.J., see Rose, M.J. 738(2000)377
 Woolfson, A.D., see Russell, J.A. 744(2000)157
 Woosley, R.L., see Davydova, N.N. 744(2000)177
 Wróbel, M. and Czubak, J.
 Rhodanese (thiosulfate:cyanide sulfurtransferase) from frog *Rana temporaria* 746(2000)315
 Wstadik, A.T., see Huestis, M.A. 733(1999)247
 Wu, E., see Wang, Q. 746(2000)151
 Wu, G., see Li, H. 746(2000)199
 Wu, H.-L., see Chen, S.-H. 729(1999)111
 Wu, J., Chen, Z. and Dovichi, N.J.
 Reaction rate, activation energy, and detection limit for the reaction of 5-furoylquinoline-3-carboxaldehyde with neurotransmitters in artificial cerebrospinal fluid 741(2000)85
 Wu, Z., see Wang, Q. 746(2000)151
 Wuhh, H.H., see Yang, N.C. 742(2000)277
 Wuis, E.W., see Hollanders, R.M.F. 744(2000)65
 Wuis, E.W., see Hugen, P.W.H. 727(1999)139
 Wyns, L., see Messens, J. 737(2000)167

X

- Xiang, J., see Yang, J. 731(1999)299
 Xiao, J.-X., Sivals, U. and Tjerneld, F.
 Phase behavior and protein partitioning in aqueous two-phase systems of cationic–anionic surfactant mixtures 743(2000)327
 Xiaodong, S., see Volosov, A. 738(2000)419
 Xu, G., Di Stefano, C., Liebich, H.M., Zhang, Y. and Lu, P.
 Reversed-phase high-performance liquid chromatographic investigation of urinary normal and modified nucleosides of cancer patients 732(1999)307
 Xu, G., see Liebich, H.M. 745(2000)189
 Xu, H., see Issaq, H.J. 738(2000)243
 Xu, J., Lamb, J.H., Jukes, R., Purcell, W.M. and Ray, D.E.
 Application of the high-performance liquid chromatographic method for separation, purification and characterisation of *p*-bromophenylacetylurea and its metabolites (1999)349
 Xu, K., see Zhang, C. 746(2000)41
 Xu, Z.-Q., Norris, K.J., Weinberg, D.S., Kardatzke, J., Wertz, P., Frank, P. and Flavin, M.T.
 Quantification of (+)-calanolide A, a novel and naturally occurring anti-HIV agent, by high-performance liquid chromatography in plasma from rat, dog and human 742(2000)267
- ## Y
- Yagen, B. and Burstein, S.
 Novel and sensitive method for the detection of anandamide by the use of its dansyl derivative 740(2000)93
 Yagen, B., see Isoherranen, N. 745(2000)325
 Yagen, B., see Volosov, A. 738(2000)419
 Yagüe, G., Segovia, M. and Valero-Guillén, P.L.
 Detection of mycoloylglycerol by thin-layer chromatography as a tool for the rapid inclusion of corynebacteria of clinical origin in the genus *Corynebacterium* 738(2000)181
 Yamada, R.-h., see Todoroki, N. 728(1999)41
 Yamada, T., see Todoroki, N. 728(1999)41
 Yamaguchi, I., see Ohno, M. 746(2000)95
 Yamaguchi, J.-i., Hachiuma, K., Kimura, Y., Ogawa, N. and Higuchi, S.
 Highly sensitive determination of TS-962 (HL-004), a novel acyl-CoA:cholesterol acyltransferase inhibitor, in rat and rabbit plasma by liquid chromatography and atmospheric pressure chemical ionization-tandem mass spectrometry combined with a column-switching technique 750(2001)99
 Yamaguchi, J.-i., Watanabe, Y., Ohmichi, M., Jingu, S., Ogawa, N., Kokatsu, J., Fukushima, K. and Goto, J.
 Ultrasensitive determination of NE-100, a novel sigma ligand, in human plasma by liquid chromatography and electrospray ionization tandem mass spectrometry combined with a column-switching technique 730(1999)61
 Yamaguchi, M., see Ishida, J. 738(2000)199
 Yamaguchi, S., see Fujiwaki, T. 731(1999)45
 Yamaguchi, S., see Iga, M. 746(2000)75
 Yamaguchi, S., see Kimura, M. 731(1999)105
 Yamaguchi, S., see Kuhara, T. 731(1999)141
 Yamaguchi, S., see Ohie, T. 746(2000)63
 Yamaguchi, Yu., Kagota, S., Kunitomo, M. and Haginaka, J.
 High-performance liquid chromatographic assay of hydroperoxide levels in oxidatively modified lipoproteins 731(1999)223
 Yamakawa, T., see Igarashi, K. 731(1999)53
 Yamakita, J.-i., see Yamamoto, T. 726(1999)317

- Yamamoto, H., Yazaki, K. and Inoue, K.
Simultaneous analysis of shikimate-derived secondary metabolites in *Lithospermum erythrorhizon* cell suspension cultures by high-performance liquid chromatography 738(2000)3
- Yamamoto, I., see Ohno, M. 746(2000)95
- Yamamoto, T., see Caughey, D.J. 728(1999)49
- Yamamoto, T., Moriwaki, Y., Takahashi, S., Fujita, T., Tsutsumi, Z., Yamakita, J.-i., Shimizu, K., Shiota, M., Ohta, S. and Higashino, K.
Erratum to “Determination of adenosine and deoxyadenosine in urine by high-performance liquid chromatography with column switching”. [J. Chromatogr. B, 719 (1998) 55–61] 726(1999)317
- Yamamoto, T., see Nakajima, M. 742(2000)211
- Yamamura, Y., see Yanagihara, Y. 746(2000)227
- Yamashita, K., see Niwa, M. 729(1999)245
- Yamashita, K., see Obata, T. 731(1999)73
- Yamazaki, J.-i., see Obayashi, M. 726(1999)219
- Yamazoe, Y., see Fukuda, K. 741(2000)195
- Yan, K., see Song, H. 738(2000)83
- Yan, Z. and Huang, J.
Chromatographic behavior of mouse serum immunoglobulin G in protein G perfusion affinity chromatography 738(2000)149
- Yanagawa, Y., see Kasuya, F. 746(2000)25
- Yanagihara, Y., Ohtani, M., Kariya, S., Uchino, K., Aoyama, T., Yamamura, Y. and Iga, T.
Stereoselective high-performance liquid chromatographic determination of ketamine and its active metabolite, norketamine, in human plasma 746(2000)227
- Yancey, M., see Ke, J. 742(2000)369
- Yang, C.-S., Tsai, P.-J., Chen, W.-Y., Tsai, W.-J. and Kuo, J.-S.
On-line derivatization for continuous and automatic monitoring of brain extracellular glutamate levels in anesthetized rats: a microdialysis study 734(1999)1
- Yang, J., Moyana, T. and Xiang, J.
Enzyme-linked immunosorbent assay-based selection and optimization of elution buffer for TAG72-affinity chromatography 731(1999)299
- Yang, L.-L., see Chen, L.-C. 735(1999)33
- Yang, M., see Kim, H. 734(1999)211
- Yang, N.C., Hwang, K.L., Hung, D.Z., Wuhh, H.H. and Ho, W.M.
Reliable gas chromatographic–mass spectrometric method combined with a headspace autosampler for isoflurane determination in blood 742(2000)277
- Yang, Q., see Liu, X.-Y. 750(2001)51
- Yang, S., see Bobzin, S.C. 748(2000)259
- Yang, S.J. and Mao, S.J.T.
Simple high-performance liquid chromatographic purification procedure for porcine plasma haptoglobin 731(1999)395
- Yang, X., Wang, G., Ling, S., Qiu, N., Wang, G., Zhu, J. and Liu, J.
Determination of Guan-Fu Base A, a new anti-arrhythmic, in human plasma by gas chromatography and electron–capture detection 740(2000)273
- Yang, Y.J., Choi, M.H., Paik, M.-J., Yoon, H.-R. and Chung, B.C.
Gas chromatographic–mass spectrometric determination of plasma saturated fatty acids using pentafluorophenyltrimethylsilyl derivatization 742(2000)37
- Yao, T.-W., see Li, X. 742(2000)433
- Yap, S.P., Julianto, T., Wong, J.W. and Yuen, K.H.
Simple high-performance liquid chromatographic method for the determination of tocotrienols in human plasma 735(1999)279
- Yashiki, M., see Imamura, T. 731(1999)149
- Yasuda, S.U., see Davydova, N.N. 744(2000)177
- Yatera, M., see Mitamura, K. 748(2000)89
- Yavuz, H., see Kassab, A. 746(2000)123
- Yazaki, K., see Yamamoto, H. 738(2000)3
- Ye, X., see Jin, W. 741(2000)155
- Yeh, H.-Y., see Huang, R.-N. 740(2000)109
- Yeh, K.C., see Zhong, L. 734(1999)63
- Yeh, S., see Heinig, R. 741(2000)257
- Yeung, E.S., see Gong, X. 741(2000)15
- Yeung, E.S., see Kang, S.H. 744(2000)149
- Yeung, E.S., see Wei, W. 745(2000)221
- Yeung, W.S.B., see Ou, J.P. 727(1999)63
- Yeung, W.S.B., see Ou, J.P. 731(1999)389
- Yilmaz, N., see Kos, T. 740(2000)81
- Yokoi, T., see Mushiroda, T. 734(1999)319
- Yokoi, T., see Nakajima, M. 742(2000)211
- Yonekubo, J., see Sajiki, J. 736(1999)255
- Yoo, E.-A., see Myung, S.-W. 727(1999)1
- Yoon, H.-R., see Yang, Y.J. 742(2000)37
- Yoshida, I., see Kuhara, T. 731(1999)141
- Yoshida, K.-i., see Sumi, S. 727(1999)9
- Yoshikawa, M., see Fukuda, K. 741(2000)195
- Yoshikawa, M., see Ohashi, N. 746(2000)17
- Yoshikawa, T., see Hibiya, M. 740(2000)35
- Yoshimoto, M., Shimanouchi, T., Umakoshi, H. and Kuboi, R.
Immobilized liposome chromatography for refolding and purification of protein 743(2000)93
- Yoshimura, T., see Kaneko, K. 736(1999)67
- Yoshimura, T., see Matsui, K. 729(1999)147
- Yoshimura, Y., see Inoue, K. 749(2000)17
- Yoshimura, Y., see Kondo, T. 734(1999)101
- Yoshioka, N., Akiyama, Y. and Takeda, N.
Determination of α - and β -trenbolone in bovine muscle and liver by liquid chromatography with fluorescence detection 739(2000)363
- Yoshizumi, H., see Takeda, N. 746(2000)51
- Yousha, E., see Davankov, V. 739(2000)73
- Yu, D., see Jin, W. 741(2000)155
- Yu, Z., see Gordi, T. 742(2000)155
- Yuen, K.H., see Cheah, P.Y. 745(2000)439
- Yuen, K.H., see Julianto, T. 732(1999)227
- Yuen, K.H., see Yap, S.P. 735(1999)279
- Yun, H.-i., see Lim, J.-h. 746(2000)219
- Yuzurihara, M., see Ikarashi, Y. 742(2000)295

Z

- Zacchello, G., see Marsilio, R. 744(2000)241
- Zacchi, G., see Mattisson, C. 743(2000)151
- Zadák, Z., see Hyšpler, R. 739(2000)183
- Zain, M., see Phillips, M. 729(1999)75
- Zaitseva, I., Ajmal, M. and Cersosimo, E.
Application of high-performance liquid chromatography of plasma fatty acids as their phenacyl esters to evaluate splanchnic and renal fatty acid balance in vivo 727(1999)15
- Zaitsu, K., see Inoue, T. 744(2000)213
- Zaitsu, K., see Taniguchi, S. 727(1999)219
- Zamora, L., see Sarasa, M. 746(2000)183
- Zannad, F., see Siaghy, E.M. 745(2000)279
- Zappalà, M., see Rizzo, M. 731(1999)207
- Zaslavsky, A., see Gulyaeva, N. 743(2000)187
- Zaslavsky, A., Gulyaeva, N. and Zaslavsky, B.
Peptides partitioning in an aqueous dextran–polyethylene glycol two-phase system 743(2000)271
- Zaslavsky, B., see Gulyaeva, N. 743(2000)187
- Zaslavsky, B., see Zaslavsky, A. 743(2000)271
- Zavitsanos, A.P., MacDonald, C., Bassoo, E. and Gopaul, D.
Determination of domperidone in human serum and human breast milk by high-performance liquid chromatography–electrospray mass spectrometry 730(1999)9
- Zello, G.A., see Omole, O.O. 727(1999)23
- Zeng, C.-M., see Lundahl, P. 727(1999)249
- Zeng, S., see Li, X. 742(2000)433
- Zeng, S. and Mao, H.Q.
Stereoselective determination of fenfluramine enantiomers in rat liver microsomal incubates 727(1999)107
- Zeng, S., Zhong, J., Pan, L. and Li, Y.
High-performance liquid chromatography separation and quantitation of ofloxacin enantiomers in rat microsomes 728(1999)151
- Zenker, A., Galanski, M., Bereuter, T.L., Keppler, B.K. and Lindner, W.
Kinetics of binding properties of 5'-GMP with cisplatin under simulated physiological conditions by capillary electrophoresis 745(2000)211
- Zhan, D.-Z., see Chen, D.-c. 750(2001)33
- Zhang, C., see Tetsuo, M. 731(1999)111
- Zhang, C., Xu, K., Dave, U.P., Wang, Y. and Matsumoto, I.
Inborn errors of metabolism discovered in Asian department of pediatrics and mental retardation research center 746(2000)41
- Zhang, J., see Ma, D. 726(1999)285
- Zhang, M., Fawcett, J.P. and Shaw, J.P.
Rapid chiral high-performance liquid chromatographic assay for salmeterol and α -hydroxysalmeterol. Application to in vitro metabolism studies 729(1999)225
- Zhang, M.F., see Suckow, R.F. 729(1999)217
- Zhang, S., see Ke, J. 742(2000)369
- Zhang, W., see Wang, X. 746(2000)319
- Zhang, X., see Ji, J. 745(2000)197
- Zhang, Y., Leonessa, F., Clarke, R. and Wainer, I.W.
Development of an immobilized P-glycoprotein stationary phase for on-line liquid chromatographic determination of drug-binding affinities 739(2000)33
- Zhang, Y., see Wang, H. 731(1999)403
- Zhang, Y., see Xu, G. 732(1999)307
- Zhang, Z., Chen, H., Chan, K.K., Budd, T. and Ganapathi, R.
Gas chromatographic–mass spectrometric analysis of perillyl alcohol and metabolites in plasma 728(1999)85
- Zhang, Z., see Krylov, S.N. 741(2000)31
- Zhang, Z.D., Guetens, G., De Boeck, G., Van Cauwenberghe, K., Maes, R.A.A., Ardiet, C., van Oosterom, A.T., Highley, M., de Bruijn, E.A. and Tjaden, U.R.
Simultaneous determination of the peptide-mitomycin KW-2149 and its metabolites in plasma by high-performance liquid chromatography 739(2000)281
- Zheng, M., see Flakoll, P.J. 744(2000)47
- Zheng, M., see Mohamed, S.S. 731(1999)251
- Zhen-wei, X., see Kuhara, T. 731(1999)141
- Zhen-Wei, X., see Shinka, T. 732(1999)469
- Zhong, J., see Zeng, S. 728(1999)151
- Zhong, L. and Yeh, K.C.
Determination of indinavir in human cerebrospinal fluid and plasma by solid-phase extraction and high-performance liquid chromatography with column switching 734(1999)63
- Zhou, S., Paxton, J.W., Tingle, M.D., McCall, J. and Kestell, P.
Determination of two major metabolites of the novel anti-tumour agent 5,6-dimethylxanthenone-4-acetic acid in hepatic microsomal incubations by high-performance liquid chromatography with fluorescence detection 734(1999)129
- Zhou, X., Handie, A., Salari, H., Fifer, E.K., Breen, P.J. and Compadre, C.M.
High-performance liquid chromatography determination of residue levels on chicken carcasses treated with cetylpyridinium chloride 728(1999)273
- Zhu, J. and Coscolluella, C.
Chromatographic assay of pharmaceutical compounds under column overloading 741(2000)55
- Zhu, J., see Yang, X. 740(2000)273
- Zhu, Y., Huang, T., Cregor, M., Long, H., Kissinger, C.B. and Kissinger, P.T.
Liquid chromatography with multichannel electrochemical detection for the determination of *trans*-resveratrol in rat blood utilizing an automated blood sampling device 740(2000)129
- Ziegler, O., see Saviana, B. 742(2000)421
- Zilly, M., see Langmann, P. 735(1999)41
- Zimmer, D., see Heinig, R. 741(2000)257
- Zimmer, H., see Nishikawa, M. 726(1999)105
- Zlotnick, J.A. and Smith, F.P.
Chromatographic and electrophoretic approaches in ink analysis (Review) 733(1999)265
- Zöllner, P., Berner, D., Jodlbauer, J. and Lindner, W.
Determination of zearalenone and its metabolites α - and β -zearalenol in beer samples by high-performance liquid chromatography–tandem mass spectrometry 738(2000)233
- Zou, A., see Wang, X. 746(2000)319
- Zou, H., see Meng, Q.C. 742(2000)115

- Zou, H., see Wang, H. 731(1999)403
- Zuccaro, P., see Pichini, S. 732(1999)509
- Zucchetti, M., see Celli, N. 731(1999)335
- Zucchetti, M., see Colombo, T. 736(1999)135
- Zuideveld, K.P., Treijtel, N., Van der Graaf, P.H. and Danhof, M.
 Enantioselective high-performance liquid chromatographic analysis of the 5-HT_{1A} receptor agonist 8-hydroxy-2-(di-*n*-propylamino)tetralin. Application to a pharmacokinetic–pharmacodynamic study in rats 738(2000)67
- Žunić, G., Spasić, S. and Jelić-Ivanović, Z.
 Simple and rapid method for the measurement of nitrite and nitrate in human plasma and cerebrospinal fluid by capillary electrophoresis 727(1999)73
- Zurhelle, G., Müller-Seitz, E. and Petz, M.
 Automated residue analysis of tetracyclines and their metabolites in whole egg, egg white, egg yolk and hen's plasma utilizing a modified ASTED system 739(2000)191