



ELSEVIER

Journal of Chromatography B, 751 (2001) 393–397

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Compound Index Vol. 751

β-2 Agonists

Screening of β-2 agonists and confirmation of fenoterol, orciprenaline, reproterol and terbutaline with gas chromatography–mass spectrometry as tetrahydroisoquinoline derivatives 751(2001)93

Aldolase

Interaction between phosphofructokinase and aldolase from *Saccharomyces cerevisiae* studied by aqueous two-phase partitioning 751(2001)341

p-Aminohippuric acid

Simultaneous determination of inulin and p-aminohippuric acid in plasma and urine by reversed-phase high-performance liquid chromatography 751(2001)187

Amphetamine

Analysis of benzphetamine and its metabolites in rat urine by liquid chromatography–electrospray ionization mass spectrometry 751(2001)277

APCP363

High-performance liquid chromatographic assays for a second-generation novel oral iron chelator (APCP363) and their application to pharmacokinetic studies in rats 751(2001)107

Bacille Calmette–Guerin

Electron-capture gas chromatographic–chemical ionization mass spectrometric study of sera from people vaccinated with bacille Calmette–Guerin for characteristic metabolites 751(2001)143

Benzene

Determination of monobromobimane derivatives of phenylmercapturic and benzylmercapturic acids in urine by high-performance liquid chromatography and fluorimetry 751(2001)305

Improved coupled column liquid chromatographic method for high-speed direct analysis of urinary *trans,trans*-muconic acid, as a biomarker of exposure to benzene 751(2001)331

Benzoylcegonine

Analysis of cocaethylene, benzoylcegonine and cocaine in human urine by high-performance thin-layer chromatography with ultraviolet detection: a comparison with high-performance liquid chromatography 751(2001)19

Benzphetamine

Analysis of benzphetamine and its metabolites in rat urine by liquid chromatography–electrospray ionization mass spectrometry 751(2001)277

Benzylmercapturic acid

Determination of monobromobimane derivatives of phenylmercapturic and benzylmercapturic acids in urine by high-performance liquid chromatography and fluorimetry 751(2001)305

Bile acids

High-performance liquid chromatographic determination for bile components in fish, chicken and duck 751(2001)1

Bronchial secretion

Rapid antibiotic drug monitoring: Meropenem and ceftazidime determination in serum and bronchial secretions by high-performance liquid chromatography–integrated sample preparation 751(2001)357

Capillary electrophoresis

Modified method for the determination of capillary electrophoresis nitric oxide-correlated nitrate in tissue homogenates 751(2001)257

Methyl malondialdehyde as an internal standard for the determination of malondialdehyde 751(2001)315

Carotenoids

Simple method for clinical determination of 13 carotenoids in human plasma using an isocratic high-performance liquid chromatographic method 751(2001)297

Ceftazidime

Rapid antibiotic drug monitoring: Meropenem and ceftazidime determination in serum and bronchial secretions by high-performance liquid chromatography–integrated sample preparation 751(2001)357

5-Chloro-6-(2-iminopyrrolidin-1-yl)methyl-2,4(1H,3H)-pyrimidinedione hydrochloride

Determination of a new thymidine phosphorylase inhibitor, TPI, in dog and rat plasma by reversed-phase ion-pair high-performance liquid chromatography 751(2001)325

Citrate

Influence of citrate and EDTA anticoagulants on plasma malondialdehyde concentrations estimated by high-performance liquid chromatography 751(2001)193

Cocaethylene

Analysis of cocaethylene, benzoylecgonine and cocaine in human urine by high-performance thin-layer chromatography with ultraviolet detection: a comparison with high-performance liquid chromatography 751(2001)19

Cocaine

Analysis of cocaethylene, benzoylecgonine and cocaine in human urine by high-performance thin-layer chromatography with ultraviolet detection: a comparison with high-performance liquid chromatography 751(2001)19

Column-switching

Column-switching high-performance liquid chromatography–electrospray ionization mass spectrometry for identification of heroin metabolites in human urine 751(2001)177

Coupled column

Improved coupled column liquid chromatographic method for high-speed direct analysis of urinary *trans,trans*-muconic acid, as a biomarker of exposure to benzene 751(2001)331

Cyclooxygenase II inhibitor

High-throughput, semi-automated determination of a cyclooxygenase II inhibitor in human plasma and urine using solid-phase extraction in the 96-well format and high-performance liquid chromatography with post-column photochemical derivatization-fluorescence detection 751(2001)237

Cyprinol sulfate

High-performance liquid chromatographic determination for bile components in fish, chicken and duck 751(2001)1

Denaverine

A validated high-performance liquid chromatographic assay for the simultaneous determination of denaverine and its *N*-monodemethyl metabolite in human plasma 751(2001)221

***N,N*-Dimethyltryptamine**

Distribution of the hallucinogens *N,N*-dimethyltryptamine and 5-methoxy-*N,N*-dimethyltryptamine in rat brain following intraperitoneal injection: application of a new solid-phase extraction LC–APcI–MS–MS–isotope dilution method 751(2001)37

Ecstasy

Stereospecific analysis of ecstasy-like *N*-ethyl-3,4-methylenedioxyamphetamine and its metabolites in humans 751(2001)9

EDTA

Influence of citrate and EDTA anticoagulants on plasma malondialdehyde concentrations estimated by high-performance liquid chromatography 751(2001)193

Enzymes

Interaction between phosphofructokinase and aldolase from *Saccharomyces cerevisiae* studied by aqueous two-phase partitioning 751(2001)341

Ethyl-*p*-hydroxybenzoate

Determination of ethyl-*p*-hydroxybenzoate in sow pancreatic juice by reversed-phase high-performance liquid chromatography 751(2001)365

***N*-Ethyl-3,4-methylenedioxyamphetamine**

Stereospecific analysis of ecstasy-like *N*-ethyl-3,4-methylenedioxyamphetamine and its metabolites in humans 751(2001)9

Fatty acids

Properties of a stationary phase based on immobilised chicken liver basic fatty acid-binding protein 751(2001)117

Fenoterol

Screening of β -2 agonists and confirmation of fenoterol, orciprenaline, reproterol and terbutaline with gas chromatography–mass spectrometry as tetrahydroisoquinoline derivatives 751(2001)93

High-performance liquid chromatographic determination of the β_2 -selective adrenergic agonist fenoterol in human plasma after fluorescence derivatization 751(2001)169

Flavoxate

Development of a high-performance liquid chromatographic method for bioequivalence study of flavoxate tablets 751(2001)79

Flumequine

High-performance liquid chromatographic determination of oxolinic acid and flumequine in the live fish feed *Artemia* 751(2001)247

Ganaxolone

A high-performance liquid chromatography–tandem mass spectrometric method for the determination of pharmacokinetics of ganaxolone in rat, monkey, dog and human plasma 751(2001)49

Heroin

Column-switching high-performance liquid chromatography–electrospray ionization mass spectrometry for identification of heroin metabolites in human urine 751(2001)177

High-energy phosphate

Determination of high-energy phosphate compounds and inorganic phosphate by reversed-phase high-performance liquid chromatography: evaluation of myocardial metabolic status in aerobically perfused and hypoxic mouse heart 751(2001)229

Hippuric acid

Modified method for determination of hippuric acid and methylhippuric acid in urine by gas chromatography 751(2001)199

Histatins

Determination of the human salivary peptides histatins 1, 3, 5 and statherin by high-performance liquid chromatography and by diode-array detection 751(2001)153

HPLC-ESI-MS

Column-switching high-performance liquid chromatography–electrospray ionization mass spectrometry for identification of heroin metabolites in human urine 751(2001)177

Inorganic phosphate

Determination of high-energy phosphate compounds and inorganic phosphate by reversed-phase high-performance liquid chromatography: evaluation of myocardial metabolic status in aerobically perfused and hypoxic mouse heart 751(2001)229

Inulin

Simultaneous determination of inulin and *p*-aminohippuric acid in plasma and urine by reversed-phase high-performance liquid chromatography 751(2001)187

Iron chelator

High-performance liquid chromatographic assays for a second-generation novel oral iron chelator (APCP363) and their application to pharmacokinetic studies in rats 751(2001)107

 α -Ketoisocaproic acid

Gas chromatographic–mass spectrometric determination of α -ketoisocaproic acid and [$^2\text{H}_7$] α -ketoisocaproic acid in plasma after derivatization with *N*-phenyl-1,2-phenylenediamine 751(2001)213

Large volume injection

Improved coupled column liquid chromatographic method for high-speed direct analysis of urinary *trans,trans*-muconic acid, as a biomarker of exposure to benzene 751(2001)331

Lipoproteins

Anion-exchange high-performance liquid chromatography assays of plasma lipoproteins and modified low-density lipoproteins using a ProtEx-DEAE column 751(2001)161

Malondialdehyde

Influence of citrate and EDTA anticoagulants on plasma malondialdehyde concentrations estimated by high-performance liquid chromatography 751(2001)193

Methyl malondialdehyde as an internal standard for the determination of malondialdehyde 751(2001)315

Meropenem

Rapid antibiotic drug monitoring: Meropenem and ceftazidime determination in serum and bronchial secretions by high-performance liquid chromatography–integrated sample preparation 751(2001)357

Methamphetamine

Analysis of benzphetamine and its metabolites in rat urine by liquid chromatography–electrospray ionization mass spectrometry 751(2001)277

5-Methoxy-*N,NB*-dimethyltryptamine

Distribution of the hallucinogens *N,N*-dimethyltryptamine and 5-methoxy-*N,N*-dimethyltryptamine in rat brain following intraperitoneal injection: application of a new solid-phase extraction LC–APcI–MS–MS–isotope dilution method 751(2001)37

Methylated

Determination of urinary methylated purine pattern by high-performance liquid chromatography 751(2001)87

Methylhippuric acid

Modified method for determination of hippuric acid and methylhippuric acid in urine by gas chromatography 751(2001)199

Methyl malondialdehyde

Methyl malondialdehyde as an internal standard for the determination of malondialdehyde 751(2001)315

Modified low-density lipoproteins

Anion-exchange high-performance liquid chromatography assays of plasma lipoproteins and modified low-density lipoproteins using a ProtEx-DEAE column 751(2001)161

Monitoring

Rapid antibiotic drug monitoring: Meropenem and ceftazidime determination in serum and bronchial secretions by high-performance liquid chromatography–integrated sample preparation 751(2001)357

***N*-Monodemethyl denaverine**

A validated high-performance liquid chromatographic assay for the simultaneous determination of denaverine and its *N*-monodemethyl metabolite in human plasma 751(2001)221

Muconic acid

Improved coupled column liquid chromatographic method for high-speed direct analysis of urinary *trans,trans*-muconic acid, as a biomarker of exposure to benzene 751(2001)331

Nevirapine

Simple and rapid determination of nevirapine in human serum by reversed-phase high-performance liquid chromatography 751(2001)371

Nitric oxide-correlated nitrate

Modified method for the determination of capillary electrophoresis nitric oxide-correlated nitrate in tissue homogenates 751(2001)257

Orciprenaline

Screening of β -2 agonists and confirmation of fenoterol, orciprenaline, reproterol and terbutaline with gas chromatography–mass spectrometry as tetrahydroisoquinoline derivatives 751(2001)93

Oxolinic acid

High-performance liquid chromatographic determination of oxolinic acid and flumequine in the live fish feed *Artemia* 751(2001)247

Peptides

Determination of the human salivary peptides histatins 1, 3, 5 and statherin by high-performance liquid chromatography and by diode-array detection 751(2001)153

Phenylmercapturic acid

Determination of monobromobimane derivatives of phenylmercapturic and benzylmercapturic acids in urine by high-performance liquid chromatography and fluorimetry 751(2001)305

N-Phenyl-1,2-phenylenediamine

Gas chromatographic–mass spectrometric determination of α -ketoisocaproic acid and [$^3\text{H}_7$] α -ketoisocaproic acid in plasma after derivatization with *N*-phenyl-1,2-phenylenediamine 751(2001)213

Phosphofructokinase

Interaction between phosphofructokinase and aldolase from *Saccharomyces cerevisiae* studied by aqueous two-phase partitioning 751(2001)341

Picolinic acid

New high-performance liquid chromatographic method for the detection of picolinic acid in biological fluids 751(2001)61

Platinum anticancer drugs

Speciation of platinum compounds: a review of recent applications in studies of platinum anticancer drugs (Review) 751(2001)205

Proteins

Properties of a stationary phase based on immobilised chicken liver basic fatty acid-binding protein 751(2001)117

Purines

Determination of urinary methylated purine pattern by high-performance liquid chromatography 751(2001)87

Pyridoxal 5'-phosphate

Clinical adaptation of a high-performance liquid chromatographic method for the assay of pyridoxal 5'-phosphate in human plasma 751(2001)383

Ranitidine

Rapid determination of ranitidine in human plasma by high-performance liquid chromatography without solvent extraction 751(2001)291

Reproterol

Screening of β -2 agonists and confirmation of fenoterol, orciprenaline, reproterol and terbutaline with gas chromatography–mass spectrometry as tetrahydroisoquinoline derivatives 751(2001)93

Retinol

Determination of retinol and retinyl esters in human plasma by high-performance liquid chromatography with automated column switching and ultraviolet detection 751(2001)265

Retinyl esters

Determination of retinol and retinyl esters in human plasma by high-performance liquid chromatography with automated column switching and ultraviolet detection 751(2001)265

Sodium picosulfate

Analytical control of a pharmaceutical formulation of sodium picosulfate by capillary zone electrophoresis 751(2001)29

Sputum

Rapid antibiotic drug monitoring: Meropenem and ceftazidime determination in serum and bronchial secretions by high-performance liquid chromatography–integrated sample preparation 751(2001)357

Statherin

Determination of the human salivary peptides histatins 1, 3, 5 and statherin by high-performance liquid chromatography and by diode-array detection 751(2001)153

Terbutaline

Determination of terbutaline enantiomers in human urine by coupled achiral–chiral high-performance liquid chromatography with fluorescence detection 751(2001)69

Screening of β -2 agonists and confirmation of fenoterol, orciprenaline, reproterol and terbutaline with gas chromatography–mass spectrometry as tetrahydroisoquinoline derivatives 751(2001)93

Tetrahydroisoquinoline

Screening of β -2 agonists and confirmation of fenoterol, orciprenaline, reproterol and terbutaline with gas chromatography–mass spectrometry as tetrahydroisoquinoline derivatives 751(2001)93

Thymidine phosphorylase inhibitor

Determination of a new thymidine phosphorylase inhibitor, TPI, in dog and rat plasma by reversed-phase ion-pair high-performance liquid chromatography 751(2001)325

Tissue homogenates

Modified method for the determination of capillary electrophoresis nitric oxide-correlated nitrate in tissue homogenates 751(2001)257

Toluene

Determination of monobromobimane derivatives of phenylmercapturic and benzylmercapturic acids in urine by high-performance liquid chromatography and fluorimetry 751(2001)305

Tryptophan

New high-performance liquid chromatographic method for the detection of picolinic acid in biological fluids 751(2001)61

Tuberculostearic acid

Electron-capture gas chromatographic–chemical ionization mass spectrometric study of sera from people vaccinated with bacille Calmette–Guerin for characteristic metabolites 751(2001)143

Urine analysis

Improved coupled column liquid chromatographic method for high-speed direct analysis of urinary *trans,trans*-muconic acid, as a biomarker of exposure to benzene 751(2001)331

Vancomycin

New sensitive assay of vancomycin in human plasma using high-performance liquid chromatography and electrochemical detection 751(2001)377

Vitamin B6

Clinical adaptation of a high-performance liquid chromatographic method for the assay of pyridoxal 5'-phosphate in human plasma 751(2001)383