



ELSEVIER

Journal of Chromatography B, 757 (2001) 375–378

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Author Index Vol. 757

- Abe, T., see Ubuka, T. 757(2001)31
- Abou El Hassan, M.A.I., Kedde, M.A., Bast, A. and van der Vlijgh, W.J.F.
Determination of monohydroxyethylrutoside in heart tissue by high-performance liquid chromatography with electrochemical detection 757(2001)191
- Abou-Donia, M.B., see Abu-Qare, A.W. 757(2001)295
- Abu-Qare, A.W. and Abou-Donia, M.B.
Quantification of nicotine, chlorpyrifos and their metabolites in rat plasma and urine using high-performance liquid chromatography 757(2001)295
- Albert, K., see Rühl, R. 757(2001)101
- Allbritton, N.L., see Li, H. 757(2001)79
- Andre, F., see Antignac, J.-P. 757(2001)11
- Antignac, J.-P., Le Bizec, B., Monteau, F., Poulain, F. and Andre, F.
Multi-residue extraction-purification procedure for corticosteroids in biological samples for efficient control of their misuse in livestock production 757(2001)11
- Arimori, K., see Katsuki, H. 757(2001)127
- Asano, T., Sadakane, C., Ishihara, K., Yanagisawa, T., Kimura, M. and Kamei, H.
High-performance liquid chromatographic assay with fluorescence detection for the determination of cephalexine and emetine in human plasma and urine 757(2001)197
- Baker, B., see Gao, L. 757(2001)207
- Balsalobre, N., see Viñas, P. 757(2001)301
- Bast, A., see Abou El Hassan, M.A.I. 757(2001)191
- Beijnen, J.H., see Huitema, A.D.R. 757(2001)349
- Bellott, R., Pouna, P. and Robert, J.
Separation and determination of liposomal and non-liposomal daunorubicin from the plasma of patients treated with Daunoxome 757(2001)257
- Berrini, A., see Secchi, C. 757(2001)237
- Bhagwat, A.M., see Bhoir, S.I. 757(2001)39
- Bhoir, I.C., see Bhoir, S.I. 757(2001)39
- Bhoir, S.I., Bhoir, I.C., Bhagwat, A.M. and Sundaresan, M.
Determination of sulfadoxine in human blood plasma using packed-column supercritical fluid chromatography 757(2001)39
- Bigler, L., see Ha, H.R. 757(2001)309
- Birrell, G.B., see Hedberg, K.K. 757(2001)317
- Blanco, J.L., see Sarasa-Nacenta, M. 757(2001)325
- Borromeo, V., see Secchi, C. 757(2001)237
- Briganti, S., see Camera, E. 757(2001)69
- Buzinkaiová, T., Polonský, J. and Skačání, I.
Determination of fendiline and gallopamil by capillary isotachophoresis 757(2001)215
- Camera, E., Rinaldi, M., Briganti, S., Picardo, M. and Fanali, S.
Simultaneous determination of reduced and oxidized glutathione in peripheral blood mononuclear cells by liquid chromatography-electrospray mass spectrometry 757(2001)69
- Carné, X., see Sarasa-Nacenta, M. 757(2001)325
- Cicciu', D., see Venza, M. 757(2001)111
- Cogan, E.B., see Hedberg, K.K. 757(2001)317
- Cooper, J., Currie, W. and Elliott, C.T.
Comparison of the efficiencies of enzymatic and chemical hydrolysis of (nortestosterone and diethylstilboestrol) glucuronides in bovine urine 757(2001)221
- Cornelis, R., see De Cremer, K. 757(2001)21
- Currie, W., see Cooper, J. 757(2001)221
- Dams, R., see De Cremer, K. 757(2001)21
- De Cremer, K., Cornelis, R., Strijckmans, K., Dams, R., Lameire, N. and Vanholder, R.
Non-ideal behaviour of free vanadate on a Superose 12 size-exclusion column. Application to *in vivo* ⁴⁸V-labelled rat spleen homogenate 757(2001)21
- Echeverria, D., see Tornero-Velez, R. 757(2001)59
- Elliott, C.T., see Cooper, J. 757(2001)221
- Fanali, S., see Camera, E. 757(2001)69
- Follath, F., see Ha, H.R. 757(2001)309
- Franklin, C.L., see Pike, M.G. 757(2001)1
- Frostvik-Stolt, M., see Zhou, R. 757(2001)135
- Fujino, H., Yamada, I., Shimada, S. and Yoneda, M.
Simultaneous determination of taxol and its metabolites in microsomal samples by a simple thin-layer chromatography radioactivity assay — inhibitory effect of NK-104, a new inhibitor of HMG-CoA reductase 757(2001)143
- Funato, K., Imai, T., Nakashima, K. and Otagiri, M.
High-performance liquid chromatography with chemiluminescence detection of penbutolol and its hydroxylated metabolite in rat plasma 757(2001)229
- Gaggioli, D., see Secchi, C. 757(2001)237
- Gao, L., Ramzan, I. and Baker, B.
Gas chromatographic-mass spectrometric assay for rocuronium with potential for quantifying its metabolite, 17-desacetylrocuronium, in human plasma 757(2001)207
- Gatell, J.M., see Sarasa-Nacenta, M. 757(2001)325
- Goldberg, D.M., see Soleas, G.J. 757(2001)161

- Grases, F., see March, J.G. 757(2001)247
- Griffith, O.H., see Hedberg, K.K. 757(2001)317
- Grosse, J., see Thieme, D. 757(2001)49
- Ha, H.R., Kozlik, P., Stieger, B., Bigler, L. and Follath, F. Metabolism of amiodarone. II. High-performance liquid chromatographic assay for mono-*N*-desethylamiodarone hydroxylation in liver microsomes 757(2001)309
- Hamada, A., see Katsuki, H. 757(2001)127
- Hamase, K., see Morikawa, A. 757(2001)119
- Hedberg, K.K., Cogan, E.B., Birrell, G.B. and Griffith, O.H. Sensitive fluorescent quantitation of *myo*-inositol 1,2-cyclic phosphate and *myo*-inositol 1-phosphate by high-performance thin-layer chromatography 757(2001)317
- Henion, J., see Zhang, H. 757(2001)151
- Hernández-Córdoba, M., see Viñas, P. 757(2001)301
- Huitema, A.D.R., Reinders, C., Tibben, M.M., Rodenhuis, S. and Beijnen, J.H. Sensitive gas chromatographic determination of the cyclophosphamide metabolite 2-dechloroethylcyclophosphamide in human plasma 757(2001)349
- Huwe, J.K., Shelver, W.L., Stanker, L., Patterson Jr., D.G. and Turner, W.E. On the isolation of polychlorinated dibenzo-*p*-dioxins and furans from serum samples using immunoaffinity chromatography prior to high-resolution gas chromatography-mass spectrometry 757(2001)285
- Igarashi, Y., Lee, M.Y. and Matsuzaki, S. Heparin column analysis of serum type 5 tartrate-resistant acid phosphatase isoforms 757(2001)269
- Iguchi, H., see Inoue, H. 757(2001)369
- Imai, T., see Funato, K. 757(2001)229
- Inoue, H., Iguchi, H., Kouno, A. and Tsuruta, Y. Fluorometric determination of *N*-terminal prolyl dipeptides, proline and hydroxyproline in human serum by pre-column high-performance liquid chromatography using 4-(5,6-dimethoxy-2-phthalimidinyl)-2-methoxyphenylsulfonyl chloride 757(2001)369
- Inoue, T., see Morikawa, A. 757(2001)119
- Ishihara, K., see Asano, T. 757(2001)197
- Ishii, H., see Miyagi, M. 757(2001)365
- Kajikawa, R., see Ubuka, T. 757(2001)31
- Kamei, H., see Asano, T. 757(2001)197
- Katsuki, H., Hamada, A., Nakamura, C., Arimori, K. and Nakano, M. High-performance liquid chromatographic assay for the simultaneous determination of lansoprazole enantiomers and metabolites in human liver microsomes 757(2001)127
- Kedde, M.A., see Abou El Hassan, M.A.I. 757(2001)191
- Kestell, P., see Zhou, S. 757(2001)343
- Kestell, P., see Zhou, S. 757(2001)359
- Kimura, M., see Asano, T. 757(2001)197
- Konno, R., see Morikawa, A. 757(2001)119
- Kouno, A., see Inoue, H. 757(2001)369
- Kozlik, P., see Ha, H.R. 757(2001)309
- Lacker, T.S., see Rühl, R. 757(2001)101
- Lameire, N., see De Cremer, K. 757(2001)21
- Lang, R., see Thieme, D. 757(2001)49
- Lardy, H., see Marwah, A. 757(2001)333
- Le Bizec, B., see Antignac, J.-P. 757(2001)11
- Lee, M.Y., see Igarashi, Y. 757(2001)269
- Li, H., Wu, H.Y., Wang, Y., Sims, C.E. and Allbritton, N.L. Improved capillary electrophoresis conditions for the separation of kinase substrates by the laser micropipet system 757(2001)79
- Liliemark, E., see Zhou, R. 757(2001)135
- Lipsky, J.J., see Pike, M.G. 757(2001)1
- López-Erroz, C., see Viñas, P. 757(2001)301
- López-Púa, Y., see Sarasa-Nacenta, M. 757(2001)325
- Lowry, PW., see Pike, M.G. 757(2001)1
- Malliaros, D.P., see Nellaippalan, K. 757(2001)181
- Mallolas, J., see Sarasa-Nacenta, M. 757(2001)325
- March, J.G., Simonet, B.M. and Grases, F. Determination of phytic acid by gas chromatography-mass spectroscopy: application to biological samples 757(2001)247
- Martínez-Pla, J.J., Sagrado, S., Villanueva-Camañas, R.M. and Medina-Hernández, M.J. Retention-property relationships of anticonvulsant drugs by biopartitioning micellar chromatography 757(2001)89
- Marwah, A., Marwah, P. and Lardy, H. Liquid chromatography-electrospray ionization mass spectrometric analysis of corticosterone in rat plasma using selected ion monitoring 757(2001)333
- Marwah, P., see Marwah, A. 757(2001)333
- Matsuda, M., Mizuki, Y. and Terauchi, Y. Simultaneous determination of the histamine H₁-receptor antagonist ebastine and its two metabolites, carebastine and hydroxyebastine, in human plasma using high-performance liquid chromatography 757(2001)173
- Matsumoto, M., see Miyagi, M. 757(2001)365
- Matsuzaki, S., see Igarashi, Y. 757(2001)269
- Mays, D.C., see Pike, M.G. 757(2001)1
- Medina-Hernández, M.J., see Martínez-Pla, J.J. 757(2001)89
- Miyagi, M., Yokoyama, H., Shirashi, H., Matsumoto, M. and Ishii, H. Simultaneous quantification of retinol, retinal, and retinoic acid isomers by high-performance liquid chromatography with a simple gradation 757(2001)365
- Mizuki, Y., see Matsuda, M. 757(2001)173
- Monteau, F., see Antignac, J.-P. 757(2001)11
- Morikawa, A., Hamase, K., Inoue, T., Konno, R., Niwa, A. and Zaitaku, K. Determination of free D-aspartic acid, D-serine and D-alanine in the brain of mutant mice lacking D-amino-acid oxidase activity 757(2001)119
- Morino, K., see Ubuka, T. 757(2001)31
- Mueller, R.K., see Thieme, D. 757(2001)49
- Nakamura, C., see Katsuki, H. 757(2001)127
- Nakano, M., see Katsuki, H. 757(2001)127
- Nakashima, K., see Funato, K. 757(2001)229
- Nau, H., see Rühl, R. 757(2001)101
- Nellaippalan, K., Nicklas, G., Yao, S. and Malliaros, D.P. Validation of a simple and sensitive gas chromatographic method for the analysis of tri-*n*-butyl phosphate from virally inactivated human immunoglobulin 757(2001)181
- Nicklas, G., see Nellaippalan, K. 757(2001)181
- Niwa, A., see Morikawa, A. 757(2001)119

- Osterman-Golkar, S., see Tornero-Velez, R. 757(2001)59
- Otagiri, M., see Funato, K. 757(2001)229
- Patterson Jr., D.G., see Huwe, J.K. 757(2001)285
- Paxton, J.W., see Zhou, S. 757(2001)343
- Paxton, J.W., see Zhou, S. 757(2001)359
- Pérez, H.L., see Tornero-Velez, R. 757(2001)59
- Picardo, M., see Camera, E. 757(2001)69
- Piepponen, T.P. and Skujins, A.
- Rapid and sensitive step gradient assays of glutamate, glycine, taurine and γ -aminobutyric acid by high-performance liquid chromatography–fluorescence detection with *o*-phthalaldehyde–mercaptoethanol derivatization with an emphasis on microdialysis samples 757(2001)277
- Pike, M.G., Franklin, C.L., Mays, D.C., Lipsky, J.J., Lowry, P.W. and Sandborn, W.J.
- Improved methods for determining the concentration of 6-thioguanine nucleotides and 6-methylmercaptopurine nucleotides in blood 757(2001)1
- Polonský, J., see Buzinkaiová, T. 757(2001)215
- Poulain, F., see Antignac, J.-P. 757(2001)11
- Pouna, P., see Bellott, R. 757(2001)257
- Ramzan, I., see Gao, L. 757(2001)207
- Rappaport, S.M., see Tornero-Velez, R. 757(2001)59
- Reinders, C., see Huitema, A.D.R. 757(2001)349
- Rinaldi, M., see Camera, E. 757(2001)69
- Robert, J., see Bellott, R. 757(2001)257
- Rodenhuis, S., see Huitema, A.D.R. 757(2001)349
- Rühl, R., Thiel, R., Lacker, T.S., Strohschein, S., Albert, K. and Nau, H.
- Synthesis, high-performance liquid chromatography–nuclear magnetic resonance characterization and pharmacokinetics in mice of CD271 glucuronide 757(2001)101
- Sadakane, C., see Asano, T. 757(2001)197
- Sagrado, S., see Martínez-Pla, J.J. 757(2001)89
- Sandborn, W.J., see Pike, M.G. 757(2001)1
- Saras-Nacentia, M., López-Púa, Y., Mallolas, J., Blanco, J.L., Gatell, J.M. and Carné, X.
- Simultaneous determination of the HIV-protease inhibitors indinavir, amprenavir, ritonavir, saquinavir and nelfinavir in human plasma by reversed-phase high-performance liquid chromatography 757(2001)325
- Secchi, C., Berrini, A., Gaggioli, D. and Borromeo, V.
- Amino acid modifications in canine, equine and porcine pituitary growth hormones, identified by peptide-mass mapping 757(2001)237
- Shelver, W.L., see Huwe, J.K. 757(2001)285
- Shimada, S., see Fujino, H. 757(2001)143
- Shiraishi, H., see Miyagi, M. 757(2001)365
- Simonet, B.M., see March, J.G. 757(2001)247
- Sims, C.E., see Li, H. 757(2001)79
- Skačání, I., see Buzinkaiová, T. 757(2001)215
- Skujins, A., see Piepponen, T.P. 757(2001)277
- Soleas, G.J., Yan, J. and Goldberg, D.M.
- Ultrasensitive assay for three polyphenols (catechin, quercetin and resveratrol) and their conjugates in biological fluids utilizing gas chromatography with mass selective detection 757(2001)161
- Stanker, L., see Huwe, J.K. 757(2001)285
- Stieger, B., see Ha, H.R. 757(2001)309
- Strijckmans, K., see De Cremer, K. 757(2001)21
- Strohschein, S., see Rühl, R. 757(2001)101
- Sundaresan, M., see Bhoir, S.I. 757(2001)39
- Terauchi, Y., see Matsuda, M. 757(2001)173
- Teti, D., see Venza, M. 757(2001)111
- Thiel, R., see Rühl, R. 757(2001)101
- Thieme, D., Grosse, J., Lang, R., Mueller, R.K. and Wahl, A.
- Screening, confirmation and quantitation of diuretics in urine for doping control analysis by high-performance liquid chromatography–atmospheric pressure ionisation tandem mass spectrometry 757(2001)49
- Tibben, M.M., see Huitema, A.D.R. 757(2001)349
- Tingle, M.D., see Zhou, S. 757(2001)343
- Tingle, M.D., see Zhou, S. 757(2001)359
- Tornero-Velez, R., Waidyanatha, S., Pérez, H.L., Osterman-Golkar, S., Echeverria, D. and Rappaport, S.M.
- Determination of styrene and styrene-7,8-oxide in human blood by gas chromatography–mass spectrometry 757(2001)59
- Tsuruta, Y., see Inoue, H. 757(2001)369
- Turner, W.E., see Huwe, J.K. 757(2001)285
- Ubuka, T., Abe, T., Kajikawa, R. and Morino, K.
- Determination of hydrogen sulfide and acid-labile sulfur in animal tissues by gas chromatography and ion chromatography 757(2001)31
- Van der Vijgh, W.J.F., see Abou El Hassan, M.A.I. 757(2001)191
- Vanholder, R., see De Cremer, K. 757(2001)21
- Venza, M., Visalli, M., Cicciù, D. and Teti, D.
- Determination of polyamines in human saliva by high-performance liquid chromatography with fluorescence detection 757(2001)111
- Villanueva-Cañas, R.M., see Martínez-Pla, J.J. 757(2001)89
- Viñas, P., López-Erroz, C., Balsalobre, N. and Hernández-Córdoba, M.
- Comparison of ion-pair and amide-based column reversed-phase liquid chromatography for the separation of thiamine-related compounds 757(2001)301
- Visalli, M., see Venza, M. 757(2001)111
- Wahl, A., see Thieme, D. 757(2001)49
- Waidyanatha, S., see Tornero-Velez, R. 757(2001)59
- Wang, Y., see Li, H. 757(2001)79
- Wu, H.Y., see Li, H. 757(2001)79
- Yamada, I., see Fujino, H. 757(2001)143
- Yan, J., see Soleas, G.J. 757(2001)161
- Yanagisawa, T., see Asano, T. 757(2001)197
- Yao, S., see Nelliappan, K. 757(2001)181
- Yokoyama, H., see Miyagi, M. 757(2001)365
- Yoneda, M., see Fujino, H. 757(2001)143
- Zaitsu, K., see Morikawa, A. 757(2001)119
- Zhang, H. and Henion, J.
- Comparison between liquid chromatography–time-of-flight mass spectrometry and selected reaction monitoring liquid chromatography–mass spectrometry for quantitative determination of idoxifene in human plasma 757(2001)151
- Zhou, R., Frostvik-Stolt, M. and Liliemark, E.
- Determination of etoposide in human plasma and leukemic cells by high-performance liquid chromatography with electrochemical detection 757(2001)135

Zhou, S., Paxton, J.W., Tingle, M.D. and Kestell, P.
Determination of the covalent adducts of the novel anti-cancer agent 5,6-dimethylxanthone-4-acetic acid in biological samples by high-performance liquid chromatography 757(2001)343

Zhou, S., Paxton, J.W., Tingle, M.D. and Kestell, P.
Determination of unbound concentration of the novel anti-tumour agent 5,6-dimethylxanthone-4-acetic acid in human plasma by ultrafiltration followed by high-performance liquid chromatography with fluorimetric detection 757(2001)359