

Journal of Chromatography B, 757 (2001) 379-383

JOURNAL OF CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Compound Index Vol. 757

Acid-labile sulphur

Determination of hydrogen sulfide and acid-labile sulfur in animal tissues by gas chromatography and ion chromatography 757(2001)31

Alanine

Determination of free D-aspartic acid, D-serine and D-alanine in the brain of mutant mice lacking D-amino-acid oxidase activity 757(2001)119

Amino acids

Amino acid modifications in canine, equine and porcine pituitary growth hormones, identified by peptide-mass mapping 757(2001)237

γ-Aminobutyric acid

Rapid and sensitive step gradient assays of glutamate, glycine, taurine and γ -aminobutyric acid by high-performance liquid chromatography-fluorescence detection with o-phthalaldehyde-mercaptoethanol derivatization with an emphasis on microdialysis samples 757(2001)277

Amiodarone

Metabolism of amiodarone. II. High-performance liquid chromatographic assay for mono-*N*-desethylamiodarone hydroxylation in liver microsomes 757(2001)309

Amprenavir

Simultaneous determination of the HIV-protease inhibitors indinavir, amprenavir, ritonavir, saquinavir and nelfinavir in human plasma by reversed-phase high-performance liquid chromatography 757(2001)325

Anticonvulsant drugs

Retention-property relationships of anticonvulsant drugs by biopartitioning micellar chromatography 757(2001)89

Aspartic acid

Determination of free D-aspartic acid, D-serine and D-alanine in the brain of mutant mice lacking D-amino-acid oxidase activity 757(2001)119

Benzothiadiazine

Screening, confirmation and quantitation of diuretics in urine for doping control analysis by high-performance liquid chromatography-atmospheric pressure ionisation tandem mass spectrometry 757(2001)49

Betain

Improved capillary electrophoresis conditions for the separation of kinase substrates by the laser micropipet system 757(2001)79

Carebastine

Simultaneous determination of the histamine H_1 -receptor antagonist ebastine and its two metabolites, carebastine and hydroxyebastine, in human plasma using high-performance liquid chromatography 757(2001)173

Catechin

Ultrasensitive assay for three polyphenols (catechin, quercetin and resveratrol) and their conjugates in biological fluids utilizing gas chromatography with mass selective detection 757(2001)161

CD271 glucuronide

Synthesis, high-performance liquid chromatography—nuclear magnetic resonance characterization and pharmacokinetics in mice of CD271 glucuronide 757(2001)101

Cephaeline

High-performance liquid chromatographic assay with fluorescence detection for the determination of cephaeline and emetine in human plasma and urine 757(2001)197

Chlorpyrifos

Quantification of nicotine, chlorpyrifos and their metabolites in rat plasma and urine using high-performance liquid chromatography 757(2001)295

Chlorpyrifos-oxon

Quantification of nicotine, chlorpyrifos and their metabolites in rat plasma and urine using high-performance liquid chromatography 757(2001)295

Corticosteroids

Multi-residue extraction-purification procedure for corticosteroids in biological samples for efficient control of their misuse in livestock production 757(2001)11

Corticosterone

Liquid chromatography-electrospray ionization mass spectrometric analysis of corticosterone in rat plasma using selected ion monitoring 757(2001)333

PII: S0378-4347(01)00221-3

Cotinine

Quantification of nicotine, chlorpyrifos and their metabolites in rat plasma and urine using high-performance liquid chromatography 757(2001)295

Cyclic phosphodiesterase

Sensitive fluorescent quantitation of *myo*-inositol 1,2-cyclic phosphate and *myo*-inositol 1-phosphate by high-performance thin-layer chromatography 757(2001)317

Cyclophosphamide

Sensitive gas chromatographic determination of the cyclophosphamide metabolite 2-dechloroethylcyclophosphamide in human plasma 757(2001)349

Daunorubicin

Separation and determination of liposomal and non-liposomal daunorubicin from the plasma of patients treated with Daunoxome 757(2001)257

Daunoxome

Separation and determination of liposomal and non-liposomal daunorubicin from the plasma of patients treated with Daunoxome 757(2001)257

2-Dechloroethylcyclophosphamide

Sensitive gas chromatographic determination of the cyclophosphamide metabolite 2-dechloroethylcyclophosphamide in human plasma 757(2001)349

17-Desacetylrocuronium

Gas chromatographic-mass spectrometric assay for rocuronium with potential for quantifying its metabolite, 17-desacetylrocuronium, in human plasma 757(2001)207

Diethylstilbestrol

Comparison of the efficiences of enzymatic and chemical hydrolysis of (nortestosterone and diethylstilboestrol) glucuronides in bovine urine 757(2001)221

5,6-Dimethylxanthenone-4-acetic acid

Determination of the covalent adducts of the novel anti-cancer agent 5,6-dimethylxanthenone-4-acetic acid in biological samples by high-performance liquid chromatography 757(2001)343

Determination of unbound concentration of the novel antitumour agent 5,6-dimethylxanthenone-4-acetic acid in human plasma by ultrafiltration followed by high-performance liquid chromatography with fluorimetric detection 757(2001)359

Diuretics

Screening, confirmation and quantitation of diuretics in urine for doping control analysis by high-performance liquid chromatography-atmospheric pressure ionisation tandem mass spectrometry 757(2001)49

Ebastine

Simultaneous determination of the histamine H_1 -receptor antagonist ebastine and its two metabolites, carebastine and hydroxyebastine, in human plasma using high-performance liquid chromatography 757(2001)173

Electrospray

Multi-residue extraction-purification procedure for corticosteroids in biological samples for efficient control of their misuse in livestock production 757(2001)11

Emetine

High-performance liquid chromatographic assay with fluorescence detection for the determination of cephaeline and emetine in human plasma and urine 757(2001)197

Enzymes

Heparin column analysis of serum type 5 tartrate-resistant acid phosphatase isoforms 757(2001)269

Etoposide

Determination of etoposide in human plasma and leukemic cells by high-performance liquid chromatography with electrochemical detection 757(2001)135

Fendiline

Determination of fendiline and gallopamil by capillary isotachophoresis 757(2001)215

Fluorescein

Sensitive fluorescent quantitation of *myo*-inositol 1,2-cyclic phosphate and *myo*-inositol 1-phosphate by high-performance thin-layer chromatography 757(2001)317

Furans

On the isolation of polychlorinated dibenzo-p-dioxins and furans from serum samples using immunoaffinity chromatography prior to high-resolution gas chromatography—mass spectrometry 757(2001)285

Gallopamil

Determination of fendiline and gallopamil by capillary isotachophoresis 757(2001)215

Glutamate

Rapid and sensitive step gradient assays of glutamate, glycine, taurine and γ -aminobutyric acid by high-performance liquid chromatography–fluorescence detection with o-phthalaldehyde–mercaptoethanol derivatization with an emphasis on microdialysis samples 757(2001)277

Glutathione

Simultaneous determination of reduced and oxidized glutathione in peripheral blood mononuclear cells by liquid chromatography–electrospray mass spectrometry 757(2001)69

Glycine

Rapid and sensitive step gradient assays of glutamate, glycine, taurine and γ -aminobutyric acid by high-performance liquid chromatography–fluorescence detection with o-phthalaldehyde–mercaptoethanol derivatization with an emphasis on microdialysis samples 757(2001)277

Growth hormones

Amino acid modifications in canine, equine and porcine pituitary growth hormones, identified by peptide-mass mapping 757(2001)237

Growth promoter

Multi-residue extraction-purification procedure for corticosteroids in biological samples for efficient control of their misuse in livestock production 757(2001)11

HPLC

Simultaneous determination of the histamine H_1 -receptor antagonist ebastine and its two metabolites, carebastine and hydroxyebastine, in human plasma using high-performance liquid chromatography 757(2001)173

Hydrogen sulphide

Determination of hydrogen sulfide and acid-labile sulfur in animal tissues by gas chromatography and ion chromatography 757(2001)31

Hydroxyebastine

Simultaneous determination of the histamine H_1 -receptor antagonist ebastine and its two metabolites, carebastine and hydroxyebastine, in human plasma using high-performance liquid chromatography 757(2001)173

5-Hydroxylansoprazole

High-performance liquid chromatographic assay for the simultaneous determination of lansoprazole enantiomers and metabolites in human liver microsomes 757(2001)127

4-Hydroxypenbutolol

High-performance liquid chromatography with chemiluminescence detection of penbutolol and its hydroxylated metabolite in rat plasma 757(2001)229

Hydroxyproline

Fluorometric determination of *N*-terminal prolyl dipeptides, proline and hydroxyproline in human serum by pre-column high-performance liquid chromatography using 4-(5,6-dimethoxy-2-phthalimidinyl)-2-methoxyphenylsulfonyl chloride 757(2001)369

Immunoglobulins

Validation of a simple and sensitive gas chromatographic method for the analysis of tri-*n*-butyl phosphate from virally inactivated human immunoglobulin 757(2001)181

Indinavir

Simultaneous determination of the HIV-protease inhibitors indinavir, amprenavir, ritonavir, saquinavir and nelfinavir in human plasma by reversed-phase high-performance liquid chromatography 757(2001)325

Iodoxifene

Comparison between liquid chromatography-time-of-flight mass spectrometry and selected reaction monitoring liquid chromatography-mass spectrometry for quantitative determination of idoxifene in human plasma 757(2001)151

Kinases

Improved capillary electrophoresis conditions for the separation of kinase substrates by the laser micropipet system 757(2001)79

Lansoprazole

High-performance liquid chromatographic assay for the simultaneous determination of lansoprazole enantiomers and metabolites in human liver microsomes 757(2001)127

Lansoprazole sulfone

High-performance liquid chromatographic assay for the simultaneous determination of lansoprazole enantiomers and metabolites in human liver microsomes 757(2001)127

Lead tetraacetate

Sensitive fluorescent quantitation of *myo*-inositol 1,2-cyclic phosphate and *myo*-inositol 1-phosphate by high-performance thin-layer chromatography 757(2001)317

6-Methylmercaptopurine nucleotides

Improved methods for determining the concentration of 6-thioguanine nucleotides and 6-methylmercaptopurine nucleotides in blood 757(2001)1

Mono-N-desethylamiodarone

Metabolism of amiodarone. II. High-performance liquid chromatographic assay for mono-*N*-desethylamiodarone hydroxylation in liver microsomes 757(2001)309

Monohydroxyethylrutoside

Determination of monohydroxyethylrutoside in heart tissue by high-performance liquid chromatography with electrochemical detection 757(2001)191

Myoinositol phosphate

Sensitive fluorescent quantitation of *myo*-inositol 1,2-cyclic phosphate and *myo*-inositol 1-phosphate by high-performance thin-layer chromatography 757(2001)317

Nelfinavir

Simultaneous determination of the HIV-protease inhibitors indinavir, amprenavir, ritonavir, saquinavir and nelfinavir in human plasma by reversed-phase high-performance liquid chromatography 757(2001)325

Nicotine

Quantification of nicotine, chlorpyrifos and their metabolites in rat plasma and urine using high-performance liquid chromatography 757(2001)295

NK-104

Simultaneous determination of taxol and its metabolites in microsomal samples by a simple thin-layer chromatography radioactivity assay — inhibitory effect of NK-104, a new inhibitor of HMG-CoA reductase 757(2001)143

Nornicotine

Quantification of nicotine, chlorpyrifos and their metabolites in rat plasma and urine using high-performance liquid chromatography 757(2001)295

Nortestosterone

Comparison of the efficiences of enzymatic and chemical hydrolysis of (nortestosterone and diethylstilboestrol) glucuronides in bovine urine 757(2001)221

Penbutolol

High-performance liquid chromatography with chemiluminescence detection of penbutolol and its hydroxylated metabolite in rat plasma 757(2001)229

Peptides

Improved capillary electrophoresis conditions for the separation of kinase substrates by the laser micropipet system 757(2001)79

Phospholipase C

Sensitive fluorescent quantitation of *myo*-inositol 1,2-cyclic phosphate and *myo*-inositol 1-phosphate by high-performance thin-layer chromatography 757(2001)317

Phytic acid

Determination of phytic acid by gas chromatography-mass spectroscopy: application to biological samples 757(2001)247

Polyamines

Determination of polyamines in human saliva by highperformance liquid chromatography with fluorescence detection 757(2001)111

Polychlorinated dibenzo-p-dioxins

On the isolation of polychlorinated dibenzo-p-dioxins and furans from serum samples using immunoaffinity chromatography prior to high-resolution gas chromatography-mass spectrometry 757(2001)285

Polyphenols

Ultrasensitive assay for three polyphenols (catechin, quercetin and resveratrol) and their conjugates in biological fluids utilizing gas chromatography with mass selective detection 757(2001)161

Proline

Fluorometric determination of *N*-terminal prolyl dipeptides, proline and hydroxyproline in human serum by pre-column high-performance liquid chromatography using 4-(5,6-dimethoxy-2-phthalimidinyl)-2-methoxyphenylsulfonyl chloride 757(2001)369

Prolyl dipeptides

Fluorometric determination of *N*-terminal prolyl dipeptides, proline and hydroxyproline in human serum by pre-column high-performance liquid chromatography using 4-(5,6-dimethoxy-2-phthalimidinyl)-2-methoxyphenylsulfonyl chloride 757(2001)369

Putrescine

Determination of polyamines in human saliva by highperformance liquid chromatography with fluorescence detection 757(2001)111

Ouercetin

Ultrasensitive assay for three polyphenols (catechin, quercetin and resveratrol) and their conjugates in biological fluids utilizing gas chromatography with mass selective detection 757(2001)161

Resveratrol

Ultrasensitive assay for three polyphenols (catechin, quercetin and resveratrol) and their conjugates in biological fluids utilizing gas chromatography with mass selective detection 757(2001)161

Retinal

Simultaneous quantification of retinol, retinal, and retinoic acid isomers by high-performance liquid chromatography with a simple gradiation 757(2001)365

Retinoic acid

Simultaneous quantification of retinol, retinal, and retinoic acid isomers by high-performance liquid chromatography with a simple gradiation 757(2001)365

Retino

Simultaneous quantification of retinol, retinal, and retinoic acid isomers by high-performance liquid chromatography with a simple gradiation 757(2001)365

Ritonavir

Simultaneous determination of the HIV-protease inhibitors indinavir, amprenavir, ritonavir, saquinavir and nelfinavir in human plasma by reversed-phase high-performance liquid chromatography 757(2001)325

Rocuronium

Gas chromatographic-mass spectrometric assay for rocuronium with potential for quantifying its metabolite, 17-desacetylrocuronium, in human plasma 757(2001)207

Saquinavir

Simultaneous determination of the HIV-protease inhibitors indinavir, amprenavir, ritonavir, saquinavir and nelfinavir in human plasma by reversed-phase high-performance liquid chromatography 757(2001)325

Serine

Determination of free D-aspartic acid, D-serine and D-alanine in the brain of mutant mice lacking D-amino-acid oxidase activity 757(2001)119

Spermidine

Determination of polyamines in human saliva by highperformance liquid chromatography with fluorescence detection 757(2001)111

Spermine

Determination of polyamines in human saliva by highperformance liquid chromatography with fluorescence detection 757(2001)111

Styrene

Determination of styrene and styrene-7,8-oxide in human blood by gas chromatography-mass spectrometry 757(2001)59

Styrene-7,8-oxide

Determination of styrene and styrene-7,8-oxide in human blood by gas chromatography-mass spectrometry 757(2001)59

Sulfadoxine

Determination of sulfadoxine in human blood plasma using packed-column supercritical fluid chromatography 757(2001)39

Tartrate-resistant acid phosphatase

Heparin column analysis of serum type 5 tartrate-resistant acid phosphatase isoforms 757(2001)269

Taurine

Rapid and sensitive step gradient assays of glutamate, glycine, taurine and γ -aminobutyric acid by high-performance liquid chromatography–fluorescence detection with o-phthalaldehyde–mercaptoethanol derivatization with an emphasis on microdialysis samples 757(2001)277

Taxol

Simultaneous determination of taxol and its metabolites in microsomal samples by a simple thin-layer chromatography radioactivity assay — inhibitory effect of NK-104, a new inhibitor of HMG-CoA reductase 757(2001)143

Thiamine

Comparison of ion-pair and amide-based column reversed-phase liquid chromatography for the separation of thiamine-related compounds 757(2001)301

6-Thioguanine nucleotides

Improved methods for determining the concentration of 6-thioguanine nucleotides and 6-methylmercaptopurine nucleotides in blood 757(2001)1

Tri-n-butyl phosphate

Validation of a simple and sensitive gas chromatographic method for the analysis of tri-*n*-butyl phosphate from virally inactivated human immunoglobulin 757(2001)181

3,5,6-Trichloro-2-pyridinol

Quantification of nicotine, chlorpyrifos and their metabolites in rat plasma and urine using high-performance liquid chromatography 757(2001)295

Vanadate

Non-ideal behaviour of free vanadate on a Superose 12 size-exclusion column. Application to in vivo ⁴⁸V-labelled rat spleen homogenate 757(2001)21

Vitamins

Comparison of ion-pair and amide-based column reversed-phase liquid chromatography for the separation of thiamine-related compounds 757(2001)301

Simultaneous quantification of retinol, retinal, and retinoic acid isomers by high-performance liquid chromatography with a simple gradiation 757(2001)365