



ELSEVIER

Journal of Chromatography B, 758 (2001) 331–334

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Compound Index Vol. 758

Acrolein

Determination of acrolein by headspace solid-phase microextraction gas chromatography and mass spectrometry 758(2001)123

Acrylamide

Determination of acrylamide and glycidamide in rat plasma by reversed-phase high performance liquid chromatography 758(2001)289

Acylcarnitines

Clinical applications of tandem mass spectrometry: ten years of diagnosis and screening for inherited metabolic diseases (Review) 758(2001)27

Acylglycines

Clinical applications of tandem mass spectrometry: ten years of diagnosis and screening for inherited metabolic diseases (Review) 758(2001)27

Advanced glycated end products

Protein adsorption on histidyl-aminohexyl-Sepharose 4B. I. Study of the mechanistic aspects of adsorption for the separation of human serum albumin from its non-enzymatic glycated isoforms (advanced glycosylated end products) 758(2001)163

Alloisoleucine

Initial catabolic steps of isoleucine, the *R*-pathway and the origin of alloisoleucine (Review) 758(2001)49

Amino acid neurotransmitters

Analysis of trace amino acid neurotransmitters in hypothalamus of rats after exhausting exercise using microdialysis 758(2001)277

Amino acids

Simplified in-line sample preparation for amino acid analysis in carbohydrate containing samples 758(2001)189

Amlodipine

Determination of amlodipine in human plasma by high-performance liquid chromatography with fluorescence detection 758(2001)305

Amphetamines

New method of derivatization and headspace solid-phase microextraction for gas chromatographic–mass spectrometric analysis of amphetamines in hair 758(2001)95

Amprenavir

High-performance liquid chromatographic assay to determine the plasma levels of HIV-protease inhibitors (amprenavir, indinavir, nelfinavir, ritonavir and saquinavir) and the non-nucleoside reverse transcriptase inhibitor (nevirapine) after liquid–liquid extraction 758(2001)129

Atovaquone

Automated solid-phase extraction method for the determination of atovaquone in capillary blood applied onto sampling paper by rapid high-performance liquid chromatography 758(2001)137

Benzene

Direct analysis of urinary *trans,trans*-muconic acid by coupled column liquid chromatography and spectrophotometric ultraviolet detection: method applicability to human urine 758(2001)295

Carbohydrates

Simplified in-line sample preparation for amino acid analysis in carbohydrate containing samples 758(2001)189

β -Carotene

Rapid high-performance liquid chromatographic method for the simultaneous determination of retinol, α -tocopherol and β -carotene in human plasma and low-density lipoproteins 758(2001)315

Catecholestrogens

Gas chromatographic determination of catecholestrogens following isolation by solid-phase extraction 758(2001)145

4-chloro-7-nitrobenzofurazan

Determination of amlodipine in human plasma by high-performance liquid chromatography with fluorescence detection 758(2001)305

Cinnamic acid

High-performance liquid chromatography method for the quantification of non-radiolabelled cinnamic compounds in analytes derived from human skin absorption and metabolism experiments 758(2001)249

Cinnamic alcohol

High-performance liquid chromatography method for the quantification of non-radiolabelled cinnamic compounds in analytes derived from human skin absorption and metabolism experiments 758(2001)249

Cinnamic aldehyde

High-performance liquid chromatography method for the quantification of non-radiolabelled cinnamic compounds in analytes derived from human skin absorption and metabolism experiments 758(2001)249

Cysteine

Pre-column derivatization high-performance liquid chromatographic method for determination of cysteine, cysteinyl-glycine, homocysteine and glutathione in plasma and cell extracts 758(2001)207

Cysteinyl-glycine

Pre-column derivatization high-performance liquid chromatographic method for determination of cysteine, cysteinyl-glycine, homocysteine and glutathione in plasma and cell extracts 758(2001)207

Daunorubicin

Quantification of daunorubicin and daunorubicinol in plasma by capillary electrophoresis 758(2001)221

Daunorubicinol

Quantification of daunorubicin and daunorubicinol in plasma by capillary electrophoresis 758(2001)221

Di(2-ethylhexyl)phthalate

Simultaneous analysis of the di(2-ethylhexyl)phthalate metabolites 2-ethylhexanoic acid, 2-ethyl-3-hydroxyhexanoic acid and 2-ethyl-3-oxohexanoic acid in urine by gas chromatography-mass spectrometry 758(2001)213

1-(*N,N*-Diisopropylamino)-*n*-alkanes

Systematic analysis of acid, neutral and basic drugs in horse plasma by combination of solid-phase extraction, non-aqueous partitioning and gas chromatography-mass spectrometry 758(2001)235

Doping drugs

Systematic analysis of acid, neutral and basic drugs in horse plasma by combination of solid-phase extraction, non-aqueous partitioning and gas chromatography-mass spectrometry 758(2001)235

Ephedrines

Determination of ephedrines in urine by gas chromatography-mass spectrometry 758(2001)311

Epoxydicarboxylic acid

Urinary organic acids in peroxisomal disorders: a simple screening method 758(2001)81

Ethyl glucuronide

Improvement of ethyl glucuronide determination in human urine and serum samples by solid-phase extraction 758(2001)229

2-Ethylhexanoic acid

Simultaneous analysis of the di(2-ethylhexyl)phthalate metabolites 2-ethylhexanoic acid, 2-ethyl-3-hydroxyhexanoic acid and 2-ethyl-3-oxohexanoic acid in urine by gas chromatography-mass spectrometry 758(2001)213

2-Ethyl-3-hydroxyhexanoic acid

Simultaneous analysis of the di(2-ethylhexyl)phthalate metabolites 2-ethylhexanoic acid, 2-ethyl-3-hydroxyhexanoic acid and 2-ethyl-3-oxohexanoic acid in urine by gas chromatography-mass spectrometry 758(2001)213

2-Ethyl-3-oxohexanoic acid

Simultaneous analysis of the di(2-ethylhexyl)phthalate metabolites 2-ethylhexanoic acid, 2-ethyl-3-hydroxyhexanoic acid and 2-ethyl-3-oxohexanoic acid in urine by gas chromatography-mass spectrometry 758(2001)213

5-fluorouracil

Simple gas chromatographic-mass spectrometric procedure for diagnosing pyrimidine degradation defects for prevention of severe anticancer side effects 758(2001)61

Glutathione

Pre-column derivatization high-performance liquid chromatographic method for determination of cysteine, cysteinyl-glycine, homocysteine and glutathione in plasma and cell extracts 758(2001)207

Glycidamide

Determination of acrylamide and glycidamide in rat plasma by reversed-phase high performance liquid chromatography 758(2001)289

Histidyl-aminoethyl-Sepharose 4B

Protein adsorption on histidyl-aminoethyl-Sepharose 4B. I. Study of the mechanistic aspects of adsorption for the separation of human serum albumin from its non-enzymatic glycosylated isoforms (advanced glycosylated end products) 758(2001)163

Protein adsorption on histidyl-aminoethyl-Sepharose 4B. II. Application to the negative one-step affinity purification of human β 2-microglobulin and Immunoglobulin G 758(2001)173

Homocysteine

Pre-column derivatization high-performance liquid chromatographic method for determination of cysteine, cysteinyl-glycine, homocysteine and glutathione in plasma and cell extracts 758(2001)207

Simultaneous determination of methionine and total homocysteine in human plasma by gas chromatography–mass spectrometry 758(2001)283

Human serum albumin

Protein adsorption on histidyl-aminohexyl-Sepharose 4B. I. Study of the mechanistic aspects of adsorption for the separation of human serum albumin from its non-enzymatic glycosylated isoforms (advanced glycosylated end products) 758(2001)163

 α -Hydroxymetoprolol

Enantiomeric separation of metoprolol and α -hydroxymetoprolol by liquid chromatography and fluorescence detection using a chiral stationary phase 758(2001)153

Immunoglobulins

Protein adsorption on histidyl-aminohexyl-Sepharose 4B. II. Application to the negative one-step affinity purification of human β_2 -microglobulin and Immunoglobulin G 758(2001)173

Indinavir

High-performance liquid chromatographic assay to determine the plasma levels of HIV-protease inhibitors (amprenavir, indinavir, nelfinavir, ritonavir and saquinavir) and the non-nucleoside reverse transcriptase inhibitor (nevirapine) after liquid–liquid extraction 758(2001)129

Isoleucine

Initial catabolic steps of isoleucine, the *R*-pathway and the origin of alloisoleucine (Review) 758(2001)49

Isothiazolones

Fast analysis of antibacterial isothiazolones by capillary electrophoresis 758(2001)323

 α -Ketoacids

Gas chromatographic–mass spectrometric screening for organic acidemias using dried urine filter paper: determination of α -ketoacids 758(2001)87

Lytic enzymes

Lytic enzyme complex of an antagonistic *Bacillus* sp. X-b: isolation and purification of components 758(2001)197

Mannitol

Sensitive and simple determination of mannitol in human brain tissues by gas chromatography–mass spectrometry 758(2001)103

Methionine

Simultaneous determination of methionine and total homocysteine in human plasma by gas chromatography–mass spectrometry 758(2001)283

Metoprolol

Enantiomeric separation of metoprolol and α -hydroxymetoprolol by liquid chromatography and fluorescence detection using a chiral stationary phase 758(2001)153

 β_2 -Microglobulin

Molecular heterogeneity of amyloid β_2 -microglobulin and modification with advanced glycation end products 758(2001)109

Microglobulins

Protein adsorption on histidyl-aminohexyl-Sepharose 4B. II. Application to the negative one-step affinity purification of human β_2 -microglobulin and Immunoglobulin G 758(2001)173

Muconic acid

Direct analysis of urinary *trans,trans*-muconic acid by coupled column liquid chromatography and spectrophotometric ultraviolet detection: method applicability to human urine 758(2001)295

Nelfinavir

High-performance liquid chromatographic assay to determine the plasma levels of HIV-protease inhibitors (amprenavir, indinavir, nelfinavir, ritonavir and saquinavir) and the non-nucleoside reverse transcriptase inhibitor (nevirapine) after liquid–liquid extraction 758(2001)129

Nevirapine

High-performance liquid chromatographic assay to determine the plasma levels of HIV-protease inhibitors (amprenavir, indinavir, nelfinavir, ritonavir and saquinavir) and the non-nucleoside reverse transcriptase inhibitor (nevirapine) after liquid–liquid extraction 758(2001)129

Nimesulide

Rapid and simple high-performance liquid chromatographic determination of nimesulide in human plasma 758(2001)183

Organic acids

Urinary organic acids in peroxisomal disorders: a simple screening method 758(2001)81

Pethidine

Sensitive determination of pethidine in body fluids by surface ionization organic mass spectrometry 758(2001)117

Phospholipids

Analysis of phospholipid species in human blood using normal-phase liquid chromatography coupled with electrospray ionization ion-trap tandem mass spectrometry 758(2001)265

Proteins

Protein adsorption on histidyl-aminohexyl-Sepharose 4B. I. Study of the mechanistic aspects of adsorption for the separation of human serum albumin from its non-enzymatic glycosylated isoforms (advanced glycosylated end products) 758(2001)163

Protein adsorption on histidyl-aminohexyl-Sepharose 4B. II. Application to the negative one-step affinity purification of human β 2-microglobulin and Immunoglobulin G 758(2001)173

Pyrimidine

Simple gas chromatographic–mass spectrometric procedure for diagnosing pyrimidine degradation defects for prevention of severe anticancer side effects 758(2001)61

Retinol

Rapid high-performance liquid chromatographic method for the simultaneous determination of retinol, α -tocopherol and β -carotene in human plasma and low-density lipoproteins 758(2001)315

Ritonavir

High-performance liquid chromatographic assay to determine the plasma levels of HIV-protease inhibitors (amprenavir, indinavir, nelfinavir, ritonavir and saquinavir) and the non-nucleoside reverse transcriptase inhibitor (nevirapine) after liquid–liquid extraction 758(2001)129

Saquinavir

High-performance liquid chromatographic assay to determine the plasma levels of HIV-protease inhibitors (amprenavir, indinavir, nelfinavir, ritonavir and saquinavir) and the non-nucleoside reverse transcriptase inhibitor (nevirapine) after liquid–liquid extraction 758(2001)129

 α -Tocopherol

Rapid high-performance liquid chromatographic method for the simultaneous determination of retinol, α -tocopherol and β -carotene in human plasma and low-density lipoproteins 758(2001)315

Vitamins

Rapid high-performance liquid chromatographic method for the simultaneous determination of retinol, α -tocopherol and β -carotene in human plasma and low-density lipoproteins 758(2001)315