



ELSEVIER

Journal of Chromatography B, 759 (2001) 367–369

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Author Index Vol. 759

- Abbott, F.S., see Tong, V. 759(2001)259
Ackermans, M.T., see Ruiter, A.F.C. 759(2001)169
Angerer, J., see Koch, H.M. 759(2001)43
Avdalovic, N., see Jandik, P. 759(2001)145
Barbosa, J., see Barrón, D. 759(2001)73
Barrón, D., Jiménez-Lozano, E., Cano, J. and Barbosa, J.
 Determination of residues of enrofloxacin and its
 metabolite ciprofloxacin in biological materials by capillary
 electrophoresis 759(2001)73
Beijnen, J.H., see Kemper, M. 759(2001)135
Berridge, M.S., see Muzic, R.F. 759(2001)355
Blachon, M.F., see Ciccolini, J. 759(2001)299
Black, D.M., see Satterfield, M. 759(2001)33
Boulton, D.W., Markowitz, J.S. and DeVane, C.L.
 A high-performance liquid chromatography assay with
 ultraviolet detection for olanzapine in human plasma and
 urine 759(2001)319
Bourgogne, E., see Mathurin, J.-C. 759(2001)267
Brambilla, G., Fiori, M., Rizzo, B., Crescenzi, V. and Masci, G.
 Use of molecularly imprinted polymers in the solid-phase
 extraction of clenbuterol from animal feeds and biological
 matrices 759(2001)27
Brodbelt, J.S., see Satterfield, M. 759(2001)33
Broten, T., see Johns, B.A. 759(2001)343
Brouwer, K.R., see Kemper, M. 759(2001)135
Brugnone, F., see Perbellini, L. 759(2001)349
Campíns-Falcó, P., Molins-Legua, C., Sevillano-Cabeza, A. and
 Tortajada Genaro, L.A.
 α -Phthalaldehyde- N -acetylcysteine polyamine derivatives:
 formation and stability in solution and in C_{18} supports
 759(2001)285
Cano, J., see Barrón, D. 759(2001)73
Catalin, J., see Ciccolini, J. 759(2001)299
Ceaurriz, J., see Mathurin, J.-C. 759(2001)267
Chen, I.-K., see Uang, Y.-S. 759(2001)91
Cheng, J., see Jandik, P. 759(2001)145
Chung, Yu.-L., Liu, J.-T. and Lin, C.-H.
 On-line identification of 3,4-
 methylenedioxymethamphetamine in human urine by non-
 aqueous capillary electrophoresis-fluorescence spectroscopy
 at 77 K 759(2001)219
Ciccolini, J., Catalin, J., Blachon, M.F. and Durand, A.
 Rapid high-performance liquid chromatographic
 determination of docetaxel (Taxotere) in plasma using
 liquid-liquid extraction 759(2001)299
Cohen, L., see Sadagopan, N. 759(2001)277
Collard, W., see Sadagopan, N. 759(2001)277

- Cook, J.J., see Johns, B.A. 759(2001)343
Corbett, T.H., see Poondru, S. 759(2001)175
Crescenzi, V., see Brambilla, G. 759(2001)27
Cunningham, J., see Zhang, X. 759(2001)1
Daftsios, A.C., see Niopas, I. 759(2001)179
Daguet, J.L., see Lacassie, E. 759(2001)109
Dannhardt, G., see Weigmann, H. 759(2001)63
DeVane, C.L., see Boulton, D.W. 759(2001)319
Ding, J.L., Zhu, Y. and Ho, B.
 High-performance affinity capture-removal of bacterial
 pyrogen from solutions 759(2001)237
Dreyfuss, M.-F., see Lacassie, E. 759(2001)109
Durand, A., see Ciccolini, J. 759(2001)299
Endert, E., see Ruiter, A.F.C. 759(2001)169
Ervovski, J., see Jandik, P. 759(2001)145
Figg, W.D., see Woo, E.W. 759(2001)247
Fiori, M., see Brambilla, G. 759(2001)27
Fokkens, R.H., see Lips, A.G.A.M. 759(2001)191
Forsberg, M., see Keski-Hynnilä, H. 759(2001)227
Furuta, T., see Ishii, K. 759(2001)161
Gan, S.H. and Ismail, R.
 Validation of a high-performance liquid chromatography
 method for tramadol and *o*-desmethyltramadol in human
 plasma using solid-phase extraction 759(2001)325
Gaulier, J.M., see Lacassie, E. 759(2001)109
Georga, K.A., Samanidou, V.F. and Papadoyannis, I.N.
 Use of novel solid-phase extraction sorbent materials for
 high-performance liquid chromatography quantitation of
 caffeine metabolism products methylxanthines and
 methyluric acids in samples of biological origin
 759(2001)209
Giang, Y.-S., see Wang, S.-M. 759(2001)17
Harmatz, P., see Zhang, X. 759(2001)1
Härtter, S., see Weigmann, H. 759(2001)63
Haasheer, F., see Smith, J.A. 759(2001)117
Herrou, V., see Mathurin, J.-C. 759(2001)267
Hiemke, C., see Weigmann, H. 759(2001)63
Ho, B., see Ding, J.L. 759(2001)237
Ho, W.M., see Yang, N.C. 759(2001)307
Holahan, M.A., see Johns, B.A. 759(2001)343
Hsu, K.-Y., see Uang, Y.-S. 759(2001)91
Hwang, K.L., see Yang, N.C. 759(2001)307
Imasaka, T., see Miki, S. 759(2001)337
Ishii, K., Furuta, T. and Kasuya, Y.
 Determination of rutin in human plasma by high-
 performance liquid chromatography utilizing solid-phase
 extraction and ultraviolet detection 759(2001)161

- Ismail, R., see Gan, S.H. 759(2001)325
- Jandik, P., Cheng, J., Evrovski, J. and Avdalovic, N.
Simultaneous analysis of homocysteine and methionine in plasma 759(2001)145
- Jansen, B., see Kemper, M. 759(2001)135
- Jasti, B.R., see Poondru, S. 759(2001)175
- Jiménez-Lozano, E., see Barrón, D. 759(2001)73
- Johns, B.A., Broten, T., Stranieri, M.T., Holahan, M.A. and Cook, J.J.
Simple high-performance liquid chromatographic method to analyze serum creatinine has several advantages over the Jaffé picric acid reaction as demonstrated with a cimetidine dose response in rhesus monkeys 759(2001)343
- Kaneta, T., see Miki, S. 759(2001)337
- Kasuya, Y., see Ishii, K. 759(2001)161
- Katagi, M., Tatsuno, M., Miki, A., Nishikawa, M., Nakajima, K. and Tsuehishashi, H.
Simultaneous determination of selegiline-N-oxide, a new indicator for selegiline administration, and other metabolites in urine by high-performance liquid chromatography-electrospray ionization mass spectrometry 759(2001)125
- Kemper, M., Jansen, B., Brouwer, K.R., Schellens, J.H.M., Beijnen, J.H. and van Tellingen, O.
Bioanalysis and preliminary pharmacokinetics of the acridonecarboxamide derivative GF120918 in plasma of mice and humans by ion-pairing reversed-phase high-performance liquid chromatography with fluorescence detection 759(2001)135
- Keppler, B.K., see Küng, A. 759(2001)81
- Keski-Hynnilä, H., Raanaa, K., Forsberg, M., Männistö, P., Taskinen, J. and Kostiainen, R.
Quantitation of entacapone glucuronide in rat plasma by on-line coupled restricted access media column and liquid chromatography-tandem mass spectrometry 759(2001)227
- Kiefer, W., see Weigmann, H. 759(2001)63
- Koch, H.M. and Angerer, J.
Analysis of 3,5,6-trichloro-2-pyridinol in urine samples from the general population using gas chromatography-mass spectrometry after steam distillation and solid-phase extraction 759(2001)43
- Kostiainen, R., see Keski-Hynnilä, H. 759(2001)227
- Krämer, G., see Weigmann, H. 759(2001)63
- Küng, A., Pieper, T. and Keppler, B.K.
Investigations into the interaction between tumor-inhibiting ruthenium(III) complexes and nucleotides by capillary electrophoresis 759(2001)81
- Lacassie, E., Dreyfuss, M.-F., Gaulier, J.M., Marquet, P., Daguet, J.L. and Lachâtre, G.
Multiresidue determination method for organophosphorus pesticides in serum and whole blood by gas chromatography-mass-selective detection 759(2001)109
- Lachâtre, G., see Lacassie, E. 759(2001)109
- Lameijer, W., see Lips, A.G.A.M. 759(2001)191
- Landmeier, B., see Muzic, R.F. 759(2001)355
- Lee, P.D.K., see Zhang, X. 759(2001)1
- Lin, C.-H., see Chung, Yu-L. 759(2001)219
- Ling, Y.-C., see Wang, S.-M. 759(2001)17
- Lips, A.G.A.M., Lameijer, W., Fokkens, R.H. and Nibbering, N.M.M.
Methodology for the development of a drug library based upon collision-induced fragmentation for the identification of toxicologically relevant drugs in plasma samples 759(2001)191
- Liu, J.-T., see Chung, Yu-L. 759(2001)219
- Madden, T.L., see Smith, J.A. 759(2001)117
- Mahrlein, S., see Weigmann, H. 759(2001)63
- Maestri, L., see Perbellini, L. 759(2001)349
- Majumdar, T.K., Wu, S. and Tse, F.L.S.
Quantitative determination of CGS 26214, a cholesterol lowering agent, in human plasma using negative electrospray ionization liquid chromatography-tandem mass spectrometry 759(2001)99
- Männistö, P., see Keski-Hynnilä, H. 759(2001)227
- Markowitz, J.S., see Boulton, D.W. 759(2001)319
- Marquet, P., see Lacassie, E. 759(2001)109
- Masci, G., see Brambilla, G. 759(2001)27
- Mathurin, J.-C., Herrou, V., Bourgogne, E., Pascaud, L. and Ceaurriz, J.
Gas chromatography-combustion-isotope ratio mass spectrometry analysis of 19-norsteroids: application to the detection of a nandrolone metabolite in urine 759(2001)267
- Medzihradzsky, K.F., see Zhang, X. 759(2001)1
- Messmann, R., see Woo, E.W. 759(2001)247
- Miki, A., see Katagi, M. 759(2001)125
- Miki, S., Kaneta, T. and Imasaka, T.
Immunoassay for human serum albumin using capillary electrophoresis-semiconductor laser-induced fluorometry 759(2001)337
- Misawa, S., see Tanaka, E. 759(2001)361
- Mohri, K., Uesawa, Y. and Uesugi, T.
Metabolism of bucolome in rats. Stability and biliary excretion of bucolome N-glucuronide 759(2001)153
- Molins-Legua, C., see Campíns-Falcó, P. 759(2001)285
- Muzic, R.F., Landmeier, B., Zhang, Z., Zheng, L. and Berridge, M.S.
Solid-phase analysis method for (S)-[¹⁸F]fluorocarazolol and its metabolites 759(2001)355
- Nagashima, A., see Tanaka, E. 759(2001)361
- Nakajima, K., see Katagi, M. 759(2001)125
- Nakamura, T., see Tanaka, E. 759(2001)361
- Newman, R.A., see Smith, J.A. 759(2001)117
- Nibbering, N.M.M., see Lips, A.G.A.M. 759(2001)191
- Niopas, I. and Daftsios, A.C.
Determination of 2-hydroxyflutamide in human plasma by high-performance liquid chromatography and its application to pharmacokinetic studies 759(2001)179
- Nishikawa, M., see Katagi, M. 759(2001)125
- Ohashi, N., see Tanaka, E. 759(2001)361
- Omer, C., see Sadagopan, N. 759(2001)277
- Ou, C.-N., see Zhang, X. 759(2001)1
- Papadoyannis, I.N., see Georga, K.A. 759(2001)209
- Parchment, R.E., see Poondru, S. 759(2001)175
- Pascaud, L., see Mathurin, J.-C. 759(2001)267
- Perbellini, L., Maestri, L., Veronese, N., Romani, S. and Brugnone, F.
Analysis of urinary N-acetyl-S-(N-methylcarbamoyl)cysteine, the mercapturic acid derived from N,N-dimethylformamide 759(2001)349
- Peters, G.J., see Van Kuilenburg, A.B.P. 759(2001)51
- Pieper, T., see Küng, A. 759(2001)81

- Poondru, S., Zhou, S., Rake, J., Shackleton, G., Corbett, T.H., Parchment, R.E. and Jasti, B.R.
High-performance liquid chromatographic method for the estimation of the novel investigational anti-cancer agent SR271425 and its metabolites in mouse plasma 759(2001)175
- Raabaa, K., see Keski-Hynnälä, H. 759(2001)227
- Rake, J., see Poondru, S. 759(2001)175
- Rizzo, B., see Brambilla, G. 759(2001)27
- Roberts, B., see Sadagopan, N. 759(2001)277
- Rognrud, C.L., see Zhang, X. 759(2001)1
- Romani, S., see Perbellini, L. 759(2001)349
- Ruiter, A.F.C., Ackermans, M.T. and Endert, E.
Simultaneous gas chromatographic determination of concentration and isotopic enrichment of fatty acids in human plasma using flame ionization and mass spectrometric detection 759(2001)169
- Sadagopan, N., Cohen, L., Roberts, B., Collard, W. and Omer, C.
Liquid chromatography-tandem mass spectrometric quantitation of cyclophosphamide and its hydroxy metabolite in plasma and tissue for determination of tissue distribution 759(2001)277
- Samanidou, V.F., see Georga, K.A. 759(2001)209
- Satterfield, M., Black, D.M. and Brodbelt, J.S.
Detection of the isoflavone aglycones genistein and daidzein in urine using solid-phase microextraction-high-performance liquid chromatography-electrospray ionization mass spectrometry 759(2001)33
- Sausville, E.A., see Woo, E.W. 759(2001)247
- Schellens, J.H.M., see Kemper, M. 759(2001)135
- Seifert, W., see Vasquez, H. 759(2001)185
- Sevillano-Cabeza, A., see Campíns-Falcó, P. 759(2001)285
- Shackleton, G., see Poondru, S. 759(2001)175
- Shen, C.H., see Yang, N.C. 759(2001)307
- Sheng, T., see Tong, V. 759(2001)259
- Smith, J.A., Hausheer, F., Newman, R.A. and Madden, T.L.
Development of a high-performance liquid chromatographic method to determine the concentration of karenitecin, a novel highly lipophilic camptothecin derivative, in human plasma and urine 759(2001)117
- Stranieri, M.T., see Johns, B.A. 759(2001)343
- Strobel, H., see Vasquez, H. 759(2001)185
- Stroomer, A.E.M., see Van Kuilenburg, A.B.P. 759(2001)51
- Tanaka, E., Nakamura, T., Nagashima, A., Yamazaki, K., Ohashi, N., Tsuchihashi, H. and Misawa, S.
Determination of plasma bromvalerylurea and its main metabolite by a simple high-performance liquid chromatographic method and quantitation of bromide by energy dispersive X-ray spectrometry in carbon tetrachloride-intoxicated rats 759(2001)361
- Taskinen, J., see Keski-Hynnälä, H. 759(2001)227
- Tatsuno, M., see Katagi, M. 759(2001)125
- Tong, V., Sheng, T., Walker, M.J.A. and Abbott, F.S.
Determination of an aryloether antiarrhythmic and its N-dealkyl metabolite in rat plasma and hepatic microsomal incubates using liquid chromatography-tandem mass spectrometry 759(2001)259
- Tortajada Genaro, L.A., see Campíns-Falcó, P. 759(2001)285
- Tse, F.L.S., see Majumdar, T.K. 759(2001)99
- Tsuchihashi, H., see Katagi, M. 759(2001)125
- Tsuchihashi, H., see Tanaka, E. 759(2001)361
- Uang, Y.-S., Chen, I.-K., Wang, L.-H. and Hsu, K.-Y.
Determination of mephenoxyalone in human plasma sample by high-performance liquid chromatography-fluorescence detection 759(2001)91
- Uesawa, Y., see Mohri, K. 759(2001)153
- Uesugi, T., see Mohri, K. 759(2001)153
- Van Gennip, A.H., see Van Kuilenburg, A.B.P. 759(2001)51
- Van Kuilenburg, A.B.P., Stroomer, A.E.M., Peters, G.J. and Van Gennip, A.H.
Simultaneous determination of F-β-alanine and β-alanine in plasma and urine with dual-column reversed-phase high-performance liquid chromatography 759(2001)51
- van Tellingen, O., see Kemper, M. 759(2001)135
- Vasquez, H., Seifert, W. and Strobel, H.
High-performance liquid chromatographic method with electrochemical detection for the analysis of O⁶-methylguanine 759(2001)185
- Veronese, N., see Perbellini, L. 759(2001)349
- Walker, M.J.A., see Tong, V. 759(2001)259
- Wang, H.F., see Yang, N.C. 759(2001)307
- Wang, L.-H., see Uang, Y.-S. 759(2001)91
- Wang, S.-M., Giang, Y.-S. and Ling, Y.-C.
Simultaneous supercritical fluid extraction and chemical derivatization for the gas chromatographic-isotope dilution mass spectrometric determination of amphetamine and methamphetamine in urine 759(2001)17
- Weigmann, H., Härtter, S., Maehrlein, S., Kiefer, W., Krämer, G., Dannhardt, G. and Hiemke, C.
Simultaneous determination of olanzapine, clozapine and demethylated metabolites in serum by on-line column-switching high-performance liquid chromatography 759(2001)63
- Witkowska, H.E., see Zhang, X. 759(2001)1
- Woo, E.W., Messmann, R., Sausville, E.A. and Figg, W.D.
Quantitative determination of perifosine, a novel alkylphosphocholine anticancer agent, in human plasma by reversed-phase liquid chromatography-electrospray mass spectrometry 759(2001)247
- Wu, S., see Majumdar, T.K. 759(2001)99
- Yamazaki, K., see Tanaka, E. 759(2001)361
- Yang, N.C., Hwang, K.L., Shen, C.H., Wang, H.F. and Ho, W.M.
Simultaneous determination of fluorinated inhalation anesthetics in blood by gas chromatography-mass spectrometry combined with a headspace autosampler 759(2001)307
- Zhang, X., Medzihradzky, K.F., Cunningham, J., Lee, P.D.K., Rognrud, C.L., Ou, C.-N., Harmatz, P. and Witkowska, H.E.
Characterization of glycated hemoglobin in diabetic patients: usefulness of electrospray mass spectrometry in monitoring the extent and distribution of glycation 759(2001)1
- Zhang, Z., see Muzic, R.F. 759(2001)355
- Zheng, L., see Muzic, R.F. 759(2001)355
- Zhou, S., see Poondru, S. 759(2001)175
- Zhu, Y., see Ding, J.L. 759(2001)237