



ELSEVIER

Journal of Chromatography B, 761 (2001) 271–273

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Compound Index Vol. 761

***N*-Acylaziridine**

Delta(2)-oxazolines-1,3 and *N*-acylaziridines as potential proinsecticides of carboxylic acids. V. Direct thin-layer chromatography monitoring of the metabolism in locust tissues 761(2001)35

Adenosine nucleotides

Adenosine nucleotides in rat bone measured by ion-pair reversed-phase high-performance liquid chromatography: effect of hemorrhagic shock, with and without retransfusion of blood 761(2001)159

Adenovirus type 5 particles

Validation of a high-performance liquid chromatographic assay for the quantification of adenovirus type 5 particles 761(2001)187

Alumina

Extraction and isolation of avermectins and milbemycins from liver samples using unmodified supercritical CO₂ with in-line trapping on basic alumina 761(2001)115

Antihistamines

Retention pharmacokinetic and pharmacodynamic parameter relationships of antihistamine drugs using biopartitioning micellar chromatography 761(2001)13

Arbutin

Validated method for the determination of hydroquinone in human urine by high-performance liquid chromatography–coulometric-array detection 761(2001)125

Aspartate

Determination of D- and L-aspartate in cell culturing medium, within cells of MPT1 cell line and in rat blood by a column-switching high-performance liquid chromatographic method 761(2001)99

Avermectins

Extraction and isolation of avermectins and milbemycins from liver samples using unmodified supercritical CO₂ with in-line trapping on basic alumina 761(2001)115

***p*-Benzoquinone**

Determination of cycloserine in human plasma by high-performance liquid chromatography with fluorescence detection, using derivatization with *p*-benzoquinone 761(2001)27

Budesonide

Quantification of epimeric budesonide and fluticasone propionate in human plasma by liquid chromatography–atmospheric pressure chemical ionization tandem mass spectrometry 761(2001)177

Carboxylic acids

Delta(2)-oxazolines-1,3 and *N*-acylaziridines as potential proinsecticides of carboxylic acids. V. Direct thin-layer chromatography monitoring of the metabolism in locust tissues 761(2001)35

Celecoxib

Determination of celecoxib in human plasma and rat microdialysis samples by liquid chromatography tandem mass spectrometry 761(2001)203

Citalopram

High-performance liquid chromatographic method to screen and quantitate seven selective serotonin reuptake inhibitors in human serum 761(2001)147

Colistin

A simple method for the assay of colistin in human plasma, using pre-column derivatization with 9-fluorenylmethyl chloroformate in solid-phase extraction cartridges and reversed-phase high-performance liquid chromatography 761(2001)167

Corticosteroids

Determination of natural corticosteroids in urine samples from sportsmen 761(2001)77

Cycloserine

Determination of cycloserine in human plasma by high-performance liquid chromatography with fluorescence detection, using derivatization with *p*-benzoquinone 761(2001)27

Cysteine

A new and versatile method for determination of thiolamines of biological importance 761(2001)1

Cystine

A new and versatile method for determination of thiolamines of biological importance 761(2001)1

***p,p'*-DDE**

Solid-phase microextraction and gas chromatography–mass spectrometry analysis of *p,p'*-DDE in biological samples 761(2001)93

2'-Deoxy-3'-thiacytidine

High-performance liquid chromatographic assay for the determination of 2'-deoxy-3'-thiacytidine (lamivudine) in human plasma 761(2001)195

Dextran

New antibody purification procedure using a thermally responsive poly(*N*-isopropylacrylamide)–dextran derivative conjugate 761(2001)247

Dextromoramide

Chiral analysis of methylphenidate and dextromoramide by capillary electrophoresis 761(2001)61

Diazepam

High-performance liquid chromatographic determination of diazepam in plasma of children with severe malaria 761(2001)255

DNA

Separation of DNA fragments and single strand conformation polymorphism analysis in bare capillaries using poly(acrylamide–dimethylacrylamide) as a separation medium 761(2001)139

9-Fluorenylmethyl chloroformate

A simple method for the assay of colistin in human plasma, using pre-column derivatization with 9-fluorenylmethyl chloroformate in solid-phase extraction cartridges and reversed-phase high-performance liquid chromatography 761(2001)167

Fluoxetine

High-performance liquid chromatographic method to screen and quantitate seven selective serotonin reuptake inhibitors in human serum 761(2001)147

Fluticasone propionate

Quantification of epimeric budesonide and fluticasone propionate in human plasma by liquid chromatography–atmospheric pressure chemical ionization tandem mass spectrometry 761(2001)177

Fluvoxamine

High-performance liquid chromatographic method to screen and quantitate seven selective serotonin reuptake inhibitors in human serum 761(2001)147

Glutathione

A new and versatile method for determination of thiolamines of biological importance 761(2001)1

Glutathione disulfide

A new and versatile method for determination of thiolamines of biological importance 761(2001)1

Hydroquinone

Validated method for the determination of hydroquinone in human urine by high-performance liquid chromatography–coulometric-array detection 761(2001)125

Hydroquinone glucuronide

Validated methods for direct determination of hydroquinone glucuronide and sulfate in human urine after oral intake of bearberry leaf extract by capillary zone electrophoresis 761(2001)261

Hydroquinone sulfate

Validated methods for direct determination of hydroquinone glucuronide and sulfate in human urine after oral intake of bearberry leaf extract by capillary zone electrophoresis 761(2001)261

5-Hydroxy-*N*-methyl-2-pyrrolidone

Determination of 5-hydroxy-*N*-methyl-2-pyrrolidone and 2-hydroxy-*N*-methylsuccinimide in human plasma and urine using liquid chromatography–electrospray tandem mass spectrometry 761(2001)107

2-Hydroxy-*N*-methylsuccinimide

Determination of 5-hydroxy-*N*-methyl-2-pyrrolidone and 2-hydroxy-*N*-methylsuccinimide in human plasma and urine using liquid chromatography–electrospray tandem mass spectrometry 761(2001)107

11-Keto- β -boswellic acid

Development of a high-performance liquid chromatographic method for the determination of 11-keto- β -boswellic acid in human plasma 761(2001)221

Lamivudine

High-performance liquid chromatographic assay for the determination of 2'-deoxy-3'-thiacytidine (lamivudine) in human plasma 761(2001)195

Liposomes

Polydispersity of liposome preparations as a likely source of peak width in capillary zone electrophoresis 761(2001)69

Methylphenidate

Chiral analysis of methylphenidate and dextromoramide by capillary electrophoresis 761(2001)61

Metronidazole

Quantification of metronidazole in small-volume biological samples using narrow-bore high-performance liquid chromatography 761(2001)213

Milbemycins

Extraction and isolation of avermectins and milbemycins from liver samples using unmodified supercritical CO₂ with in-line trapping on basic alumina 761(2001)115

Milnacipran

High-performance liquid chromatographic method to screen and quantitate seven selective serotonin reuptake inhibitors in human serum 761(2001)147

mRNA

Quantitative determination of gene expression in human lymphocytes assessed by reverse transcription–polymerase chain reaction coupled to high-performance liquid chromatography 761(2001)237

6 β -Naltrexol

Quantification of naltrexone and 6 β -naltrexol in plasma and milk using gas chromatography–mass spectrometry. Application to studies in the lactating sheep 761(2001)85

Naltrexone

Quantification of naltrexone and 6 β -naltrexol in plasma and milk using gas chromatography–mass spectrometry. Application to studies in the lactating sheep 761(2001)85

Nandrolone

Determination of nandrolone and metabolites in urine samples from sedentary persons and sportsmen 761(2001)229

Nitroimidazoles

Validation of a method for the detection and confirmation of nitroimidazoles and corresponding hydroxy metabolites in turkey and swine muscle by means of gas chromatography–negative ion chemical ionization mass spectrometry 761(2001)47

19-Norandrosterone

Determination of nandrolone and metabolites in urine samples from sedentary persons and sportsmen 761(2001)229

19-Noretiocholanolone

Determination of nandrolone and metabolites in urine samples from sedentary persons and sportsmen 761(2001)229

Nucleotides

Adenosine nucleotides in rat bone measured by ion-pair reversed-phase high-performance liquid chromatography: effect of hemorrhagic shock, with and without retransfusion of blood 761(2001)159

 Δ^2 -Oxazolines-1,3

Delta(2)-oxazolines-1,3 and *N*-acylaziridines as potential proinsecticides of carboxylic acids. V. Direct thin-layer chromatography monitoring of the metabolism in locust tissues 761(2001)35

Paroxetine

High-performance liquid chromatographic method to screen and quantitate seven selective serotonin reuptake inhibitors in human serum 761(2001)147

Poly(acrylamide–dimethylacrylamide)

Separation of DNA fragments and single strand conformation polymorphism analysis in bare capillaries using poly(acrylamide–dimethylacrylamide) as a separation medium 761(2001)139

Poly(*N*-isopropylacrylamide)

New antibody purification procedure using a thermally responsive poly(*N*-isopropylacrylamide)–dextran derivative conjugate 761(2001)247

Sertraline

High-performance liquid chromatographic method to screen and quantitate seven selective serotonin reuptake inhibitors in human serum 761(2001)147

Thiolamines

A new and versatile method for determination of thiolamines of biological importance 761(2001)1

Topiramate

Simple and rapid liquid chromatographic–turbo ion spray mass spectrometric determination of topiramate in human plasma 761(2001)133

Venlafaxine

High-performance liquid chromatographic method to screen and quantitate seven selective serotonin reuptake inhibitors in human serum 761(2001)147