



ELSEVIER

Journal of Chromatography B, 767 (2002) 375–377

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Author Index Vol. 767

- Abel, G., see Kohlert, C. 767(2002)11
Ackermann, B., see Berna, M. 767(2002)163
Adam, T., Lochman, P. and Friedecký, D.
 Screening method for inherited disorders of purine and pyrimidine metabolism by capillary electrophoresis with reversed electroosmotic flow 767(2002)333
Agha, B., see Kachadourian, R. 767(2002)61
Aimi, N., see Ogra, Y. 767(2002)301
Antony, P.J., Karthikeyan, S. and Iyer, C.S.P.
 Ion chromatographic separation and determination of phosphate and arsenate in water and hair 767(2002)363
Bailac, S., see Barrón, D. 767(2002)313
Barbas, C., see Simó, C. 767(2002)35
Barbosa, J., see Barrón, D. 767(2002)313
Barrón, D., Jiménez-Lozano, E., Bailac, S. and Barbosa, J.
 Determination of difloxacin and sarafloxacin in chicken muscle using solid-phase extraction and capillary electrophoresis 767(2002)313
Barron, L., see Connolly, D. 767(2002)175
Beijnen, J.H., see Koks, C.H.W. 767(2002)103
Benet, L.Z., see Unger, M. 767(2002)245
Berna, M., Ackermann, B., Ruterborries, K. and Glass, S.
 Determination of olanzapine in human blood by liquid chromatography–tandem mass spectrometry 767(2002)163
Bocckino, S.B., see Kachadourian, R. 767(2002)61
Bonato, P.S., see Iha, M.H. 767(2002)1
Bringmann, G., Münchbach, M., Feineis, D., Messer, K., Diem, S., Herderich, M., Clement, H.-W., Stichel-Gunkel, C. and Kuhn, W.
 Endogenous alkaloids in man. XXXVIII. “Chiral” and “achiral” determination of the neurotoxin TaClo (1-trichloromethyl-1,2,3,4-tetrahydro-β-caroline) from blood and urine samples by high-performance liquid chromatography–electrospray ionization tandem mass spectrometry 767(2002)321
Brisson, J.-M., see Hsieh, Y. 767(2002)353
Bryant, M.S., see Hsieh, Y. 767(2002)353
Bucolo, C., see Maltese, A. 767(2002)153
Chandula, R.S., see Teo, S.K. 767(2002)145
Chavez-Eng, C.M., Constanzer, M.L. and Matuszewski, B.K.
 High-performance liquid chromatographic–tandem mass spectrometric evaluation and determination of stable isotope labeled analogs of rofecoxib in human plasma samples from oral bioavailability studies 767(2002)117
Chiang, D., see Zhou, S. 767(2002)19
Chin, R., see Zhou, S. 767(2002)19
Chollet, D.F.
 Determination of antiepileptic drugs in biological material (Review) 767(2002)191
Cifuentes, A., see Simó, C. 767(2002)35
Clement, H.-W., see Bringmann, G. 767(2002)321
Connolly, D., Barron, L. and Paull, B.
 Determination of urinary thiocyanate and nitrate using fast ion-interaction chromatography 767(2002)175
Constanzer, M.L., see Chavez-Eng, C.M. 767(2002)117
Crommentuyn, K.M.L., see Koks, C.H.W. 767(2002)103
Day, B.J., see Kachadourian, R. 767(2002)61
DeHaven, J., see Zang, L.-Y. 767(2002)93
Desch, S., see Langmann, P. 767(2002)69
Diem, S., see Bringmann, G. 767(2002)321
Ding, L., Li, L., Tao, P., Yang, J. and Zhang, Z.
 Quantitation of tamsulosin in human plasma by liquid chromatography–electrospray ionization mass spectrometry 767(2002)75
Dumasia, M.C., Houghton, E., Hyde, W., Greulich, D., Nelson, T. and Peterson, J.
 Detection of fenspiride and identification of in vivo metabolites in horse body fluids by capillary gas chromatography–mass spectrometry: administration, biotransformation and urinary excretion after a single oral dose 767(2002)131
Feineis, D., see Bringmann, G. 767(2002)321
Fernández-López, P., see Ruiz-Ángel, M.J. 767(2002)277
Friedecký, D., see Adam, T. 767(2002)333
Fujisawa, M., see Hori, Y. 767(2002)255
Gallardo, A., see Simó, C. 767(2002)35
García-Alvarez-Coque, M.C., see Ruiz-Ángel, M.J.
 767(2002)277
Glass, S., see Berna, M. 767(2002)163
Gorman, S.H.
 Determination of modafinil, modafinil acid and modafinil sulfone in human plasma utilizing liquid–liquid extraction and high-performance liquid chromatography 767(2002)269
Green, M.D., Mount, D.L. and Nettey, H.
 High-performance liquid chromatographic assay for the simultaneous determination of sulfadoxine and pyrimethamine from whole blood dried onto filter paper 767(2002)159
Greulich, D., see Dumasia, M.C. 767(2002)131

- Harada, K., Kuniyasu, A., Nakayama, H., Nakayama, M., Matsunaga, T., Uji, Y., Sugiuchi, H. and Okabe, H. Separation of human serum transferrins with different iron-binding states by high-performance liquid chromatography using a pyridinium polymer column 767(2002)45
- Harden, J.L., see Teo, S.K. 767(2002)145
- Herderich, M., see Bringmann, G. 767(2002)321
- Hernández-Carrasquilla, M. External contamination of bovine hair with β_2 -agonist compounds: evaluation of decontamination strategies 767(2002)235
- Hirose, Y., see Hori, Y. 767(2002)255
- Holzgrabe, U., see Unger, M. 767(2002)245
- Honda, M., see Hori, Y. 767(2002)255
- Hori, Y., Fujisawa, M., Shimada, K., Sato, M., Kikuchi, M., Honda, M. and Hirose, Y. Quantitative determination of glufosinate in biological samples by liquid chromatography with ultraviolet detection after *p*-nitrobenzoyl derivatization 767(2002)255
- Houghton, E., see Dumasia, M.C. 767(2002)131
- Hsieh, Y., Bryant, M.S., Brisson, J.-M., Ng, K. and Korfomacher, W.A. Direct cocktail analysis of drug discovery compounds in pooled plasma samples using liquid chromatography–tandem mass spectrometry 767(2002)353
- Hušek, P., Pohlídal, A. and Slabík, D. Rapid screening of urinary proline–hydroxyproline dipeptide in bone turnover studies 767(2002)169
- Hyde, W., see Dumasia, M.C. 767(2002)131
- Iha, M.H., Martinez, A.S. and Bonato, P.S. Enantioselective analysis of atenolol in biologic fluids: comparison of liquid–liquid and solid-phase extraction methods 767(2002)1
- Ishiwata, K., see Ogra, Y. 767(2002)301
- Iyer, C.S.P., see Antony, P.J. 767(2002)363
- Jacobsen, W., see Unger, M. 767(2002)245
- Jiménez, C., Ventura, R. and Segura, J. Validation of qualitative chromatographic methods: strategy in antidoping control laboratories 767(2002)341
- Jiménez-Lozano, E., see Barrón, D. 767(2002)313
- Jorden, J.L., see Phillips, L.R. 767(2002)27
- Kachadourian, R., Menzelev, R., Agha, B., Bocckino, S.B. and Day, B.J. High-performance liquid chromatography with spectrophotometric and electrochemical detection of a series of manganese(III) cationic porphyrins 767(2002)61
- Kamijo, M., see Liu, S. 767(2002)53
- Karthikeyan, S., see Antony, P.J. 767(2002)363
- Kestell, P., see Zhou, S. 767(2002)19
- Kikuchi, M., see Hori, Y. 767(2002)255
- Klíma, J., see Ptáček, P. 767(2002)111
- Klinker, H., see Langmann, P. 767(2002)69
- Kohlert, C., Abel, G., Schmid, E. and Veit, M. Determination of thymol in human plasma by automated headspace solid-phase microextraction–gas chromatographic analysis 767(2002)11
- Koks, C.H.W., Sparidans, R.W., Lucassen, G., Crommentuyn, K.M.L. and Beijnen, J.H. Selective high-performance liquid chromatographic assay for itraconazole and hydroxyitraconazole in plasma from human immunodeficiency virus-infected patients 767(2002)103
- Korfomacher, W.A., see Hsieh, Y. 767(2002)353
- Kuhn, W., see Bringmann, G. 767(2002)321
- Kuniyasu, A., see Harada, K. 767(2002)45
- Langmann, P., Schirmer, D., Väth, T., Desch, S., Zilly, M. and Klinker, H. Rapid determination of nevirapine in human plasma by gas chromatography 767(2002)69
- Lardy, H., see Marwah, A. 767(2002)285
- Li, L., see Ding, L. 767(2002)75
- Liu, S., Kamijo, M., Takayasu, T. and Takayama, S. Direct analysis of indomethacin in rat plasma using a column-switching high-performance liquid chromatographic system 767(2002)53
- Lochman, P., see Adam, T. 767(2002)333
- Lucassen, G., see Koks, C.H.W. 767(2002)103
- Macek, J., see Ptáček, P. 767(2002)111
- Maltese, A. and Bucolo, C. Simultaneous determination of cloricromene and its active metabolite in rabbit aqueous humor by high-performance liquid chromatography 767(2002)153
- Martinez, A.S., see Iha, M.H. 767(2002)1
- Marwah, A., Marwah, P. and Lardy, H. Ergosteroids. VI. Metabolism of dehydroepiandrosterone by rat liver *in vitro*: a liquid chromatographic–mass spectrometric study 767(2002)285
- Marwah, P., see Marwah, A. 767(2002)285
- Matsunaga, T., see Harada, K. 767(2002)45
- Matuszewski, B.K., see Chavez-Eng, C.M. 767(2002)117
- Menzelev, R., see Kachadourian, R. 767(2002)61
- Messer, K., see Bringmann, G. 767(2002)321
- Mount, D.L., see Green, M.D. 767(2002)159
- Mukai, Y., Togawa, T., Suzuki, T., Ohata, K. and Tanabe, S. Determination of homocysteine thiolactone and homocysteine in cell cultures using high-performance liquid chromatography with fluorescence detection 767(2002)263
- Münchbach, M., see Bringmann, G. 767(2002)321
- Murillo-Pulgarín, J.A., see Ruiz-Ángel, M.J. 767(2002)277
- Nakayama, H., see Harada, K. 767(2002)45
- Nakayama, M., see Harada, K. 767(2002)45
- Nelson, T., see Dumasia, M.C. 767(2002)131
- Nettey, H., see Green, M.D. 767(2002)159
- Ng, K., see Hsieh, Y. 767(2002)353
- Ogra, Y., Ishiwata, K., Takayama, H., Aimi, N. and Suzuki, K.T. Identification of a novel selenium metabolite, Se-methyl-*N*-acetylselenohexosamine, in rat urine by high-performance liquid chromatography–inductively coupled plasma mass spectrometry and –electrospray ionization tandem mass spectrometry 767(2002)301
- Ohata, K., see Mukai, Y. 767(2002)263
- Okabe, H., see Harada, K. 767(2002)45
- Onodera, R., see Wadud, S. 767(2002)369
- Or-Rashid, M.M., see Wadud, S. 767(2002)369
- Patel, B.D., see Shah, S.A. 767(2002)83

- Paul, B., see Connolly, D. 767(2002)175
 Paxton, J.W., see Zhou, S. 767(2002)19
 Peterson, J., see Dumasia, M.C. 767(2002)131
 Phillips, L.R., Jorden, J.L., Rivera, M.I., Upadhyay, K., Wolfe, T.L. and Stinson, S.F.
 Identification of the major metabolite of 2,5-bis(5-hydroxymethyl-2-thienyl)furan (NSC 652287), an antitumor agent, in the S9 subcellular fraction of dog liver cells 767(2002)27
 Pohlídal, A., see Hušek, P. 767(2002)169
 Ptáček, P., Klíma, J. and Macek, J.
 Determination of alendronate in human urine as 9-fluorenylmethyl derivative by high-performance liquid chromatography 767(2002)111
 Qiao, G., see Zang, L.-Y. 767(2002)93
 Rathod, I.S., see Shah, S.A. 767(2002)83
 Rivera, M.I., see Phillips, L.R. 767(2002)27
 Ruiz-Ángel, M.J., Fernández-López, P., Murillo-Pulgarín, J.A. and García-Alvarez-Coque, M.C.
 Control of propranolol intake by direct chromatographic detection of α -naphthoxylic acid in urine 767(2002)277
 Ruterbories, K., see Berna, M. 767(2002)163
 San Román, J., see Simó, C. 767(2002)35
 Sato, M., see Hori, Y. 767(2002)255
 Savale, S.S., see Shah, S.A. 767(2002)83
 Schirmer, D., see Langmann, P. 767(2002)69
 Schmid, E., see Kohlert, C. 767(2002)11
 Segura, J., see Jiménez, C. 767(2002)341
 Shah, S.A., Rathod, I.S., Savale, S.S. and Patel, B.D.
 Development of a sensitive high-performance thin-layer chromatography method for estimation of ranitidine in urine and its application for bioequivalence decision for ranitidine tablet formulations 767(2002)83
 Shimada, K., see Hori, Y. 767(2002)255
 Simó, C., Gallardo, A., San Román, J., Barbas, C. and Cifuentes, A.
 Fast and sensitive capillary electrophoresis method to quantitatively monitor ibuprofen enantiomers released from polymeric drug delivery systems 767(2002)35
 Slabík, D., see Hušek, P. 767(2002)169
 Sparidans, R.W., see Koks, C.H.W. 767(2002)103
 Stichel-Gunkel, C., see Bringmann, G. 767(2002)321
 Stinson, S.F., see Phillips, L.R. 767(2002)27
 Stirling, D.I., see Teo, S.K. 767(2002)145
 Sugiuchi, H., see Harada, K. 767(2002)45
 Suzuki, K.T., see Ogra, Y. 767(2002)301
 Suzuki, T., see Mukai, Y. 767(2002)263
 Takayama, H., see Ogra, Y. 767(2002)301
 Takayama, S., see Liu, S. 767(2002)53
 Takayasu, T., see Liu, S. 767(2002)53
 Tanabe, S., see Mukai, Y. 767(2002)263
 Tao, P., see Ding, L. 767(2002)75
 Teo, S.K., Chandula, R.S., Harden, J.L., Stirling, D.I. and Thomas, S.D.
 Sensitive and rapid method for the determination of thalidomide in human plasma and semen using solid-phase extraction and liquid chromatography-tandem mass spectrometry 767(2002)145
 Thomas, S.D., see Teo, S.K. 767(2002)145
 Togawa, T., see Mukai, Y. 767(2002)263
 Uji, Y., see Harada, K. 767(2002)45
 Unger, M., Jacobsen, W., Holzgrabe, U. and Benet, L.Z.
 Quantitative liquid chromatography-mass spectrometry determination of isatin in urine using automated on-line extraction 767(2002)245
 Upadhyay, K., see Phillips, L.R. 767(2002)27
 Väth, T., see Langmann, P. 767(2002)69
 Veit, M., see Kohlert, C. 767(2002)11
 Ventura, R., see Jiménez, C. 767(2002)341
 Wadud, S., Or-Rashid, M.M. and Onodera, R.
 Method for determination of histidine in tissues by isocratic high-performance liquid chromatography and its application to the measurement of histidinol dehydrogenase activity in six cattle organs 767(2002)369
 Wolfe, T.L., see Phillips, L.R. 767(2002)27
 Yang, J., see Ding, L. 767(2002)75
 Yocom, A., see Zang, L.-Y. 767(2002)93
 Zang, L.-Y., DeHaven, J., Yocom, A. and Qiao, G.
 Determination of alachlor and its metabolites in rat plasma and urine by liquid chromatography-electrospray ionization mass spectrometry 767(2002)93
 Zhang, Z., see Ding, L. 767(2002)75
 Zhou, S., Chiang, D., Chin, R., Kestell, P. and Paxton, J.W.
 High-throughput screening of potential inhibitors for the metabolism of the investigational anti-cancer drug 5,6-dimethylxanthenone-4-acetic acid 767(2002)19
 Zilly, M., see Langmann, P. 767(2002)69