



ELSEVIER

Journal of Chromatography B, 767 (2002) 379–381

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Compound Index Vol. 767

2-Acetamide-1,2-dideoxy- β -D-glucopyranosyl methylselenide

Identification of a novel selenium metabolite, Se-methyl-N-acetylselenohexosamine, in rat urine by high-performance liquid chromatography–inductively coupled plasma mass spectrometry and –electrospray ionization tandem mass spectrometry 767(2002)301

β_2 -Agonists

External contamination of bovine hair with β_2 -agonist compounds: evaluation of decontamination strategies 767(2002)235

Alachlor

Determination of alachlor and its metabolites in rat plasma and urine by liquid chromatography–electrospray ionization mass spectrometry 767(2002)93

Alendronate

Determination of alendronate in human urine as 9-fluorenylmethyl derivative by high-performance liquid chromatography 767(2002)111

Alkaloids

Endogenous alkaloids in man. XXXVIII. “Chiral” and “achiral” determination of the neurotoxin TaClo (1-trichloromethyl-1,2,3,4-tetrahydro- β -carboline) from blood and urine samples by high-performance liquid chromatography–electrospray ionization tandem mass spectrometry 767(2002)321

Antiepileptic drugs

Determination of antiepileptic drugs in biological material 767(2002)191

Arsenate

Ion chromatographic separation and determination of phosphate and arsenate in water and hair 767(2002)363

Atenolol

Enantioselective analysis of atenolol in biologic fluids: comparison of liquid–liquid and solid-phase extraction methods 767(2002)1

Bioequivalence

Development of a sensitive high-performance thin-layer chromatography method for estimation of ranitidine in urine and its application for bioequivalence decision for ranitidine tablet formulations 767(2002)83

2,5-Bis(5-hydroxymethyl-2-thienyl)furan

Identification of the major metabolite of 2,5-bis(5-hydroxymethyl-2-thienyl)furan (NSC 652287), an antitumor agent, in the S9 subcellular fraction of dog liver cells 767(2002)27

Cloricromene

Simultaneous determination of cloricromene and its active metabolite in rabbit aqueous humor by high-performance liquid chromatography 767(2002)153

Dehydroepiandrosterone

Ergosteroids. VI. Metabolism of dehydroepiandrosterone by rat liver in vitro: a liquid chromatographic–mass spectrometric study 767(2002)285

Difloxacin

Determination of difloxacin and sarafloxacin in chicken muscle using solid-phase extraction and capillary electrophoresis 767(2002)313

5,6-Dimethylxanthenone-4-acetic acid

High-throughput screening of potential inhibitors for the metabolism of the investigational anti-cancer drug 5,6-dimethylxanthenone-4-acetic acid 767(2002)19

Drug discovery compounds

Direct cocktail analysis of drug discovery compounds in pooled plasma samples using liquid chromatography–tandem mass spectrometry 767(2002)353

Ergosteroids

Ergosteroids. VI. Metabolism of dehydroepiandrosterone by rat liver in vitro: a liquid chromatographic–mass spectrometric study 767(2002)285

Fenspiride

Detection of fenspiride and identification of in vivo metabolites in horse body fluids by capillary gas chromatography–mass spectrometry: administration, biotransformation and urinary excretion after a single oral dose 767(2002)131

Glufosinate

Quantitative determination of glufosinate in biological samples by liquid chromatography with ultraviolet detection after *p*-nitrobenzoyl derivatization 767(2002)255

Histidine

Method for determination of histidine in tissues by isocratic high-performance liquid chromatography and its application to the measurement of histidinol dehydrogenase activity in six cattle organs 767(2002)369

Histidinol dehydrogenase

Method for determination of histidine in tissues by isocratic high-performance liquid chromatography and its application to the measurement of histidinol dehydrogenase activity in six cattle organs 767(2002)369

Homocysteine

Determination of homocysteine thiolactone and homocysteine in cell cultures using high-performance liquid chromatography with fluorescence detection 767(2002)263

Homocysteine thiolactone

Determination of homocysteine thiolactone and homocysteine in cell cultures using high-performance liquid chromatography with fluorescence detection 767(2002)263

Hydroxyitraconazole

Selective high-performance liquid chromatographic assay for itraconazole and hydroxyitraconazole in plasma from human immunodeficiency virus-infected patients 767(2002)103

Ibuprofen

Fast and sensitive capillary electrophoresis method to quantitatively monitor ibuprofen enantiomers released from polymeric drug delivery systems 767(2002)35

Indican

Quantitative liquid chromatography-mass spectrometry determination of isatin in urine using automated on-line extraction 767(2002)245

Indomethacin

Direct analysis of indomethacin in rat plasma using a column-switching high-performance liquid chromatographic system 767(2002)53

Indoxyl

Quantitative liquid chromatography-mass spectrometry determination of isatin in urine using automated on-line extraction 767(2002)245

Iron

Separation of human serum transferrins with different iron-binding states by high-performance liquid chromatography using a pyridinium polymer column 767(2002)45

Isatin

Quantitative liquid chromatography-mass spectrometry determination of isatin in urine using automated on-line extraction 767(2002)245

Isatinoxime

Quantitative liquid chromatography-mass spectrometry determination of isatin in urine using automated on-line extraction 767(2002)245

Itraconazole

Selective high-performance liquid chromatographic assay for itraconazole and hydroxyitraconazole in plasma from human immunodeficiency virus-infected patients 767(2002)103

Manganese

High-performance liquid chromatography with spectrophotometric and electrochemical detection of a series of manganese(III) cationic porphyrins 767(2002)61

5-Methylisatin

Quantitative liquid chromatography-mass spectrometry determination of isatin in urine using automated on-line extraction 767(2002)245

Modafinil

Determination of modafinil, modafinil acid and modafinil sulfone in human plasma utilizing liquid-liquid extraction and high-performance liquid chromatography 767(2002)269

Modafinil acid

Determination of modafinil, modafinil acid and modafinil sulfone in human plasma utilizing liquid-liquid extraction and high-performance liquid chromatography 767(2002)269

Modafinil sulfone

Determination of modafinil, modafinil acid and modafinil sulfone in human plasma utilizing liquid-liquid extraction and high-performance liquid chromatography 767(2002)269

 α -Naphthoxylactic acid

Control of propranolol intake by direct chromatographic detection of α -naphthoxylactic acid in urine 767(2002)277

Nevirapine

Rapid determination of nevirapine in human plasma by gas chromatography 767(2002)69

Nitrate

Determination of urinary thiocyanate and nitrate using fast ion-interaction chromatography 767(2002)175

NSC 652287

Identification of the major metabolite of 2,5-bis(5-hydroxymethyl-2-thienyl)furan (NSC 652287), an antitumor agent, in the S9 subcellular fraction of dog liver cells 767(2002)27

Olanzapine

Determination of olanzapine in human blood by liquid chromatography–tandem mass spectrometry 767(2002)163

Phosphate

Ion chromatographic separation and determination of phosphate and arsenate in water and hair 767(2002)363

Porphyrins

High-performance liquid chromatography with spectrophotometric and electrochemical detection of a series of manganese(III) cationic porphyrins 767(2002)61

Proline–hydroxyproline dipeptide

Rapid screening of urinary proline–hydroxyproline dipeptide in bone turnover studies 767(2002)169

Propranolol

Control of propranolol intake by direct chromatographic detection of α -naphthoxylactic acid in urine 767(2002)277

Purine

Screening method for inherited disorders of purine and pyrimidine metabolism by capillary electrophoresis with reversed electroosmotic flow 767(2002)333

Pyridinium polymer

Separation of human serum transferrins with different iron-binding states by high-performance liquid chromatography using a pyridinium polymer column 767(2002)45

Pyrimethamine

High-performance liquid chromatographic assay for the simultaneous determination of sulfadoxine and pyrimethamine from whole blood dried onto filter paper 767(2002)159

Pyrimidine

Screening method for inherited disorders of purine and pyrimidine metabolism by capillary electrophoresis with reversed electroosmotic flow 767(2002)333

Quinolones

Determination of difloxacin and sarafloxacin in chicken muscle using solid-phase extraction and capillary electrophoresis 767(2002)313

Ranitidine

Development of a sensitive high-performance thin-layer chromatography method for estimation of ranitidine in urine and its application for bioequivalence decision for ranitidine tablet formulations 767(2002)83

Rofecoxib

High-performance liquid chromatographic–tandem mass spectrometric evaluation and determination of stable isotope labeled analogs of rofecoxib in human plasma samples from oral bioavailability studies 767(2002)117

Sarafloxacin

Determination of difloxacin and sarafloxacin in chicken muscle using solid-phase extraction and capillary electrophoresis 767(2002)313

Selenium

Identification of a novel selenium metabolite, Se-methyl-N-acetylselenohexosamine, in rat urine by high-performance liquid chromatography–inductively coupled plasma mass spectrometry and –electrospray ionization tandem mass spectrometry 767(2002)301

Sulfadoxine

High-performance liquid chromatographic assay for the simultaneous determination of sulfadoxine and pyrimethamine from whole blood dried onto filter paper 767(2002)159

Tamsulosin

Quantitation of tamsulosin in human plasma by liquid chromatography–electrospray ionization mass spectrometry 767(2002)75

Thalidomide

Sensitive and rapid method for the determination of thalidomide in human plasma and semen using solid-phase extraction and liquid chromatography–tandem mass spectrometry 767(2002)145

Thiocyanate

Determination of urinary thiocyanate and nitrate using fast ion-interaction chromatography 767(2002)175

Thymol

Determination of thymol in human plasma by automated headspace solid-phase microextraction–gas chromatographic analysis 767(2002)11

Transferrins

Separation of human serum transferrins with different iron-binding states by high-performance liquid chromatography using a pyridinium polymer column 767(2002)45

1-Trichloromethyl-1,2,3,4-tetrahydro- β -carboline

Endogenous alkaloids in man. XXXVIII. “Chiral” and “achiral” determination of the neurotoxin TaClo (1-trichloromethyl-1,2,3,4-tetrahydro- β -carboline) from blood and urine samples by high-performance liquid chromatography–electrospray ionization tandem mass spectrometry 767(2002)321

Urinary excretion

Development of a sensitive high-performance thin-layer chromatography method for estimation of ranitidine in urine and its application for bioequivalence decision for ranitidine tablet formulations 767(2002)83