



ELSEVIER

Journal of Chromatography B, 768 (2002) 375–377

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Author Index Vol. 768

- Addison, T., see Eerkes, A. 768(2002)277
- Andrisano, V., see Bertucci, C. 768(2002)147
- Andrisano, V., Gotti, R., Recanatini, M., Cavalli, A., Varoli, L. and Bertucci, C.
Stereoselective binding of 2-(4-biphenyl)-3-substituted-3-hydroxy-propionic acids on an immobilised human serum albumin chiral stationary phase 768(2002)137
- Arata, Y., see Shimura, K. 768(2002)199
- Aubry, A.-F.
Applications of affinity chromatography to the study of drug–melanin binding interactions (Review) 768(2002)67
- Bakhtiar, R., Lohne, J., Ramos, L., Khemani, L., Hayes, M. and Tse, F.
High-throughput quantification of the anti-leukemia drug STI571 (GleevecTM) and its main metabolite (CGP 74588) in human plasma using liquid chromatography–tandem mass spectrometry 768(2002)325
- Barrientos-Astigarraga, R.E., see Oliveira, C.H. 768(2002)341
- Battu, S., see Cardot, P. 768(2002)285
- Baynham, M., see Moaddel, R. 768(2002)41
- Berger, G. and Girault, G.
Use of the Hummel and Dreyer method for the study of nucleotide binding on chloroplast ATPase CF1 768(2002)167
- Bergés, R., see Roig, M. 768(2002)315
- Bertucci, C., see Andrisano, V. 768(2002)137
- Bertucci, C., Andrisano, V., Gotti, R. and Cavrini, V.
Use of an immobilised human serum albumin HPLC column as a probe of drug–protein interactions: the reversible binding of valproate 768(2002)147
- Block, L.H., see Hashash, A. 768(2002)239
- Blume, H., see Chen, X. 768(2002)267
- Brenner, S., see Schönberger, F. 768(2002)255
- Cardot, P., Battu, S., Simon, A. and Delage, C.
Hyphenation of sedimentation field flow fractionation with flow cytometry 768(2002)285
- Cavalli, A., see Andrisano, V. 768(2002)137
- Cavrini, V., see Bertucci, C. 768(2002)147
- Chawla, H.P.S., see Sharma, P. 768(2002)349
- Chen, J. and Lee, C.S.
On-line post-capillary affinity detection of immunoglobulin G for capillary zone electrophoresis (Review) 768(2002)105
- Chen, J., see Xu, X.-H. 768(2002)369
- Chen, P., see Xu, X.-H. 768(2002)369
- Chen, X., Zhong, D., Xu, H., Schug, B. and Blume, H.
Sensitive and specific liquid chromatographic–tandem mass spectrometric assay for dihydroergotamine and its major metabolite in human plasma 768(2002)267
- Chiu, M.-C., see Kuo, H.-W. 768(2002)297
- De Jager, A.D., see Van Rooyen, G.F. 768(2002)223
- Delage, C., see Cardot, P. 768(2002)285
- De Nucci, G., see Oliveira, C.H. 768(2002)341
- Dowling, T.C., see Raje, S. 768(2002)305
- Eddington, N.D., see Raje, S. 768(2002)305
- Eerkes, A., Addison, T. and Naidong, W.
Simultaneous assay of sildenafil and desmethylsildenafil in human plasma using liquid chromatography–tandem mass spectrometry on silica column with aqueous–organic mobile phase 768(2002)277
- Egorin, M.J., see Hashash, A. 768(2002)239
- Erös, D., see Hollósy, F. 768(2002)361
- Fitch, K.D., see Roig, M. 768(2002)315
- Furuya, R., see Yasui-Furukori, N. 768(2002)261
- Geisendorfer, T., see Gmeiner, G. 768(2002)215
- Girault, G., see Berger, G. 768(2002)167
- Gmeiner, G., Geisendorfer, T., Kainzbauer, J., Nikolajevic, M. and Tausch, H.
Quantification of ephedrines in urine by column-switching high-performance liquid chromatography 768(2002)215
- Gotti, R., see Andrisano, V. 768(2002)137
- Gotti, R., see Bertucci, C. 768(2002)147
- Gottschalk, I., Lagerquist, C., Zuo, S.-S., Lundqvist, A. and Lundahl, P.
Immobilized-biomembrane affinity chromatography for binding studies of membrane proteins (Review) 768(2002)31
- Graudenz, G.S., see Oliveira, C.H. 768(2002)341
- Grimalt, J.O., see Vives, I. 768(2002)247
- Guillaume, Y.C., Millet, J., Nicod, L., Truong-Thanh, T., Guinchard, C., Xicluna, A. and Thomassum, M.
Solute complexation degree with human serum albumin: biochromatographic approach 768(2002)121
- Guillaume, Y.C., Nicod, L., Truong-Thanh, T., Guinchard, C., Robert, J.F. and Thomassin, M.
Role of the magnesium cation on antihypertensive molecule–human serum albumin binding: affinity chromatography approach 768(2002)129
- Guinchard, C., see Guillaume, Y.C. 768(2002)121
- Guinchard, C., see Guillaume, Y.C. 768(2002)129

- Hage, D.S.
High-performance affinity chromatography: a powerful tool for studying serum protein binding (Review) 768(2002)3
- Hashash, A., Lynn Kirkpatrick, D., Egorin, M.J., Block, L.H. and Lazo, J.S.
Normal-phase and stability-indicating reversed-phase high-performance liquid chromatographic methods for the determination of the novel antitumor agent: 1-methylpropyl-2-imidazolyl disulfide 768(2002)239
- Hayes, M., see Bakhtiar, R. 768(2002)325
- Heegaard, N.H.H. and Kennedy, R.T.
Antigen–antibody interactions in capillary electrophoresis (Review) 768(2002)93
- Heineke, G., see Schönberger, F. 768(2002)255
- Hirabayashi, J., see Shimura, K. 768(2002)199
- Hofmann, U., see Schönberger, F. 768(2002)255
- Hollósy, F., Lórán, T., Örfi, L., Erös, D., Kéri, G. and Idei, M.
Relationship between lipophilicity and antitumor activity of molecule library of Mannich ketones determined by high-performance liquid chromatography, clogP calculation and cytotoxicity test 768(2002)361
- Hundt, A.F., see van Rooyen, G.F. 768(2002)223
- Hundt, H.K.L., see van Rooyen, G.F. 768(2002)223
- Idei, M., see Hollósy, F. 768(2002)361
- Ishizawa, N., see Shibukawa, A. 768(2002)177
- Kainzbauer, J., see Gmeiner, G. 768(2002)215
- Kaliszan, R., see Markuszewski, M. 768(2002)55
- Kasai, K.-i., see Shimura, K. 768(2002)199
- Kennedy, R.T., see Heegaard, N.H.H. 768(2002)93
- Kéri, G., see Hollósy, F. 768(2002)361
- Kettrup, A., see Zhang, W. 768(2002)211
- Khemani, L., see Bakhtiar, R. 768(2002)325
- Kimura, T., see Shibukawa, A. 768(2002)177
- Kimura, T., see Shibukawa, A. 768(2002)189
- Klotz, U., see Schönberger, F. 768(2002)255
- Kuo, H.-W., Yang, J.-S. and Chiu, M.-C.
Determination of urinary and salivary cotinine using gas and liquid chromatography and enzyme-linked immunosorbent assay 768(2002)297
- Kuramitsu, T., Takai, K., Ohashi, R. and Kuwabara, T.
Determination of the anticancer drug KW-2170, a pyrazoloacridone derivative, and its metabolites in human and dog plasma by high-performance liquid chromatography using an electrochemical detector 768(2002)231
- Kuroda, Y., see Shibukawa, A. 768(2002)177
- Kuroda, Y., see Shibukawa, A. 768(2002)189
- Kuwabara, T., see Kuramitsu, T. 768(2002)231
- Lagerquist, C., see Gottschalk, I. 768(2002)31
- Lazo, J.S., see Hashash, A. 768(2002)239
- Lee, C.S., see Chen, J. 768(2002)105
- Li, R.-K., see Xu, X.-H. 768(2002)369
- Ling, X.-Y., see Xu, X.-H. 768(2002)369
- Lohne, J., see Bakhtiar, R. 768(2002)325
- Lórán, T., see Hollósy, F. 768(2002)361
- Lu, L., see Moaddel, R. 768(2002)41
- Lundahl, P., see Gottschalk, I. 768(2002)31
- Lundqvist, A., see Gottschalk, I. 768(2002)31
- Lynn Kirkpatrick, D., see Hashash, A. 768(2002)239
- Mach, M., see Šoltés, L. 768(2002)113
- Markuszewski, M. and Kalisz, R.
Quantitative structure–retention relationships in affinity high-performance liquid chromatography (Review) 768(2002)55
- Matayatsuk, C., see Shibukawa, A. 768(2002)177
- Matsuo, Y., see Shibukawa, A. 768(2002)177
- Millet, J., see Guillaume, Y.C. 768(2002)121
- Millot, M.C., Taleb, N.L. and Sebille, B.
Binding of human serum albumin to silica particles by means of polymers: a liquid chromatographic study of the selectivity of resulting chiral stationary phases 768(2002)157
- Moaddel, R., Lu, L., Baynham, M. and Wainer, I.W.
Immobilized receptor- and transporter-based liquid chromatographic phases for on-line pharmacological and biochemical studies: a mini-review (Review) 768(2002)41
- Morton, A.R., see Roig, M. 768(2002)315
- Mürdter, T.E., see Schönberger, F. 768(2002)255
- Muscará, M.N., see Oliveira, C.H. 768(2002)341
- Naidong, W., see Eerkes, A. 768(2002)277
- Nakagawa, T., see Shibukawa, A. 768(2002)177
- Nakagawa, T., see Shibukawa, A. 768(2002)189
- Nicod, L., see Guillaume, Y.C. 768(2002)121
- Nicod, L., see Guillaume, Y.C. 768(2002)129
- Nikolajevic, M., see Gmeiner, G. 768(2002)215
- Ogita, K., see Shibukawa, A. 768(2002)177
- Ohashi, R., see Kuramitsu, T. 768(2002)231
- Oliveira, C.H., Barrientos-Astigarraga, R.E., Sucupira, M., Graudenz, G.S., Muscará, M.N. and De Nucci, G.
Quantification of methyldopa in human plasma by high-performance liquid chromatography–electrospray tandem mass spectrometry. Application to a bioequivalence study 768(2002)341
- Örfi, L., see Hollósy, F. 768(2002)361
- Panchagnula, R., see Sharma, P. 768(2002)349
- Ping, G., see Zhang, W. 768(2002)211
- Raje, S., Dowling, T.C. and Eddington, N.D.
Determination of the benzotropine analog AHN-1055, a dopamine uptake inhibitor, in rat plasma and brain by high-performance liquid chromatography with ultraviolet absorbance detection 768(2002)305
- Ramos, L., see Bakhtiar, R. 768(2002)325
- Rao, P.-F., see Xu, X.-H. 768(2002)369
- Recanatini, M., see Andrisano, V. 768(2002)137
- Robert, J.F., see Guillaume, Y.C. 768(2002)129
- Roig, M., Bergés, R., Ventura, R., Fitch, K.D., Morton, A.R. and Segura, J.
Quantification of terbutaline in urine by enzyme-linked immunosorbent assay and capillary electrophoresis after oral and inhaled administrations 768(2002)315
- Sakamoto, Y., see Shibukawa, A. 768(2002)177
- Sanny, C.G.
Antibody–antigen binding study using size-exclusion liquid chromatography (Review) 768(2002)75
- Schönberger, F., Heinkele, G., Mürdter, T.E., Brenner, S., Klotz, U. and Hofmann, U.
Simple and sensitive method for the determination of celecoxib in human serum by high-performance liquid chromatography with fluorescence detection 768(2002)255
- Schug, B., see Chen, X. 768(2002)267

- Sebille, B., see Millot, M.C. 768(2002)157
- Segura, J., see Roig, M. 768(2002)315
- Sharma, P., Chawla, H.P.S. and Panchagnula, R.
Analytical method for monitoring concentrations of cyclosporin and lovastatin in vitro in an everted rat intestinal sac absorption model 768(2002)349
- Shibukawa, A., Ishizawa, N., Kimura, T., Sakamoto, Y., Ogita, K., Matsuo, Y., Kuroda, Y., Matayatsuk, C., Nakagawa, T. and Wainer, I.W.
Plasma protein binding study of oxybutynin by high-performance frontal analysis 768(2002)177
- Shibukawa, A., Yoshikawa, Y., Kimura, T., Kuroda, Y., Nakagawa, T. and Wainer, I.W.
Binding study of desethyloxybutynin using high-performance frontal analysis method 768(2002)189
- Shimura, K., Arata, Y., Uchiyama, N., Hirabayashi, J. and Kasai, K.-i.
Determination of the affinity constants of recombinant human galectin-1 and -3 for simple saccharides by capillary affinophoresis 768(2002)199
- Simon, A., see Cardot, P. 768(2002)285
- Smit, M.J., see Van Rooyen, G.F. 768(2002)223
- Soltés, L. and Mach, M.
Estimation of drug–protein binding parameters on assuming the validity of thermodynamic equilibrium (Review)
768(2002)113
- Sucupira, M., see Oliveira, C.H. 768(2002)341
- Swart, K.J., see Van Rooyen, G.F. 768(2002)223
- Takahata, T., see Yasui-Furukori, N. 768(2002)261
- Takai, K., see Kuramitsu, T. 768(2002)231
- Taleb, N.L., see Millot, M.C. 768(2002)157
- Tanaka, Y. and Terabe, S.
Estimation of binding constants by capillary electrophoresis (Review) 768(2002)81
- Tateishi, T., see Yasui-Furukori, N. 768(2002)261
- Tausch, H., see Gmeiner, G. 768(2002)215
- Terabe, S., see Tanaka, Y. 768(2002)81
- Thomassin, M., see Guillaume, Y.C. 768(2002)129
- Thomassium, M., see Guillaume, Y.C. 768(2002)121
- Truong-Thanh, T., see Guillaume, Y.C. 768(2002)121
- Truong-Thanh, T., see Guillaume, Y.C. 768(2002)129
- Tse, F., see Bakhtiar, R. 768(2002)325
- Uchiyama, N., see Shimura, K. 768(2002)199
- Van Rooyen, G.F., Smit, M.J., de Jager, A.D., Hundt, H.K.L., Swart, K.J. and Hundt, A.F.
Sensitive liquid chromatography–tandem mass spectrometry method for the determination of clarithromycin in human plasma 768(2002)223
- Varoli, L., see Andrisano, V. 768(2002)137
- Ventura, R., see Roig, M. 768(2002)315
- Vives, I. and Grimalt, J.O.
Method for integrated analysis of polycyclic aromatic hydrocarbons and organochlorine compounds in fish liver
768(2002)247
- Wainer, I.W., see Moaddel, R. 768(2002)41
- Wainer, I.W., see Shibukawa, A. 768(2002)177
- Wainer, I.W., see Shibukawa, A. 768(2002)189
- Xicluna, A., see Guillaume, Y.C. 768(2002)121
- Xu, H., see Chen, X. 768(2002)267
- Xu, X.-H., Li, R.-K., Chen, J., Chen, P., Ling, X.-Y. and Rao, P.-F.
Quantification of cholesterol in foods using non-aqueous capillary electrophoresis 768(2002)369
- Yang, J.-S., see Kuo, H.-W. 768(2002)297
- Yasui-Furukori, N., Furuya, R., Takahata, T. and Tateishi, T.
Determination of donepezil, an acetylcholinesterase inhibitor, in human plasma by high-performance liquid chromatography with ultraviolet absorbance detection
768(2002)261
- Yoshikawa, Y., see Shibukawa, A. 768(2002)189
- Zhang, L., see Zhang, W. 768(2002)211
- Zhang, W., Zhang, L., Ping, G., Zhang, Y. and Kettrup, A.
Study on the multiple sites binding of human serum albumin and porphyrin by affinity capillary electrophoresis
768(2002)211
- Zhang, Y., see Zhang, W. 768(2002)211
- Zhong, D., see Chen, X. 768(2002)267
- Zuo, S.-S., see Gottschalk, I. 768(2002)31