



ELSEVIER

Journal of Chromatography B, 770 (2002) 313–315

JOURNAL OF
CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Author Index Vol. 770

- Almeida, V., see Morais, H. 770(2002)111
Barbe, J., see Coufal, P. 770(2002)183
Bártlová, M., Opletal, L., Chobot, V. and Sovová, H.
 Liquid chromatographic analysis of supercritical carbon dioxide extracts of *Schizandra chinensis* 770(2002)283
Bílková, Z., Slováková, M., Lyčka, A., Horák, D., Lenfeld, J.,
 Turková, J. and Churáček, J.
 Oriented immobilization of galactose oxidase to bead and magnetic bead cellulose and poly(HEMA-co-EDMA) and magnetic poly(HEMA-co-EDMA) microspheres 770(2002)25
Bílková, Z., Slováková, M., Horák, D., Lenfeld, J. and
 Churáček, J.
 Enzymes immobilized on magnetic carriers: efficient and selective system for protein modification 770(2002)177
Bosáková, Z., see Coufal, P. 770(2002)183
Bosáková, Z., Kloučková, I. and Tesařová, E.
 Study of the stability of promethazine enantiomers by liquid chromatography using a vancomycin-bonded chiral stationary phase 770(2002)63
Caslavská, J. and Thormann, W.
 Rapid analysis of furosemide in human urine by capillary electrophoresis with laser-induced fluorescence and electrospray ionization-ion trap mass spectrometric detection 770(2002)207
Charvátová, J., Král, V. and Deyl, Z.
 Capillary electrochromatographic separation of aromatic amino acids possessing peptides using porphyrin derivatives as the inner wall modifiers 770(2002)155
Charvátová, J., Kašička, V., Král, V. and Deyl, Z.
 Capillary electrochromatographic study of the interactions of porphyrin derivatives with amino acids and oligopeptides 770(2002)165
Chiari, M., see Reijenga, J.C. 770(2002)45
Chobot, V., see Bártlová, M. 770(2002)281
Churáček, J., see Bílková, Z. 770(2002)25
Churáček, J., see Bílková, Z. 770(2002)177
Churáček, J., see Hyšpler, R. 770(2002)255
Cincibuchová, J., see Koplík, R. 770(2002)261
Collinsonová, M., see Koval, D. 770(2002)145
Coufal, P., Bosáková, Z., Tesařová, E., Kafková, B.,
 Suchánková, J. and Barbe, J.
 Quantification and purity determination of newly synthesized thioacridines by capillary liquid chromatography 770(2002)183

- Cserháti, T., see Morais, H. 770(2002)111
Cserháti, T., see Morais, H. 770(2002)297
Darwish, Y., see Morais, H. 770(2002)111
Dempsey, E., see Regan, F. 770(2002)243
Deyl, Z., see Charvátová, J. 770(2002)155
Deyl, Z., see Charvátová, J. 770(2002)165
Deyl, Z., see Rohlíček, V. 770(2002)19
Fogarty, B., see Regan, F. 770(2002)243
Fontaniella, B., Rodríguez, C.W., Piñón, D., Vicente, C. and
 Legaz, M.-E.
 Identification of xanthans isolated from sugarcane juices obtained from scalded plants infected by *Xanthomonas albilineans* 770(2002)275
Forgács, E., see Jakab, A. 770(2002)227
Forgács, E., see Morais, H. 770(2002)111
Forgács, E., see Morais, H. 770(2002)297
Garrow, T.A., see Koval, D. 770(2002)145
Garzotti, M. and Hamdan, M.
 Supercritical fluid chromatography coupled to electrospray mass spectrometry: a powerful tool for the analysis of chiral mixtures 770(2002)53
Gasparič, J., see Hyšpler, R. 770(2002)255
Giuliani, A., see Reijenga, J.C. 770(2002)45
Glatz, Z. and Ševčíková, P.
 Monitoring of dithiothreitol clearance by means of micellar electrokinetic chromatography 770(2002)237
Grüner, K., see Pavlík, M. 770(2002)291
Hamdan, M., see Garzotti, M. 770(2002)53
Harmatha, J., see Pavlík, M. 770(2002)291
Horák, D., see Bílková, Z. 770(2002)25
Horák, D., see Bílková, Z. 770(2002)177
Huidobro, J.F., see Suárez-Luque, S. 770(2002)77
Hyšpler, R., Tichá, A., Indrová, M., Zadák, Z., Hyšplerová, L.,
 Gasparič, J. and Churáček, J.
 A simple, optimized method for the determination of sulphide in whole blood by GC-MS as a marker of bowel fermentation processes 770(2002)255
Hyšplerová, L., see Hyšpler, R. 770(2002)255
Il'ina, O.V., see Ostryanina, N.D. 770(2002)35
Illés, Z., see Morais, H. 770(2002)111
Indrová, M., see Hyšpler, R. 770(2002)255

- Jakab, A., Schubert, G., Prodan, M. and Forgács, E.
Determination of the retention behavior of barbituric acid derivatives in reversed-phase high-performance liquid chromatography by using quantitative structure-retention relationships 770(2002)227
- Jiráček, J., see Koval, D. 770(2002)145
- Jonák, J., see Tomincová, H. 770(2002)129
- Jonáková, V., see Liberda, J. 770(2002)101
- Jonáková, V., see Maňásková, P. 770(2002)137
- Kafková, B., see Coufal, P. 770(2002)183
- Kašička, V., see Charvátová, J. 770(2002)165
- Kasicka, V. and Deyl, Z.
Preface 770(2002)1
- Kašička, V., see Koval, D. 770(2002)145
- Kašička, V., see Sázelová, P. 770(2002)303
- Kenndler, E., see Raggi, M.A. 770(2002)217
- Kloučková, I., see Bosáková, Z. 770(2002)63
- Koplík, R., Pavelková, H., Cincibuchová, J., Mestek, O., Kvásnička, F. and Suchánek, M.
Fractionation of phosphorus and trace elements species in soybean flour and common white bean seeds by size exclusion chromatography-inductively coupled plasma mass spectrometry 770(2002)261
- Koval, D., Kašička, V., Jiráček, J., Collinson, M. and Garrow, T.A.
Determination of dissociation constant of phosphinate group in phosphinic pseudopeptides by capillary zone electrophoresis 770(2002)145
- Koval, D., see Sázelová, P. 770(2002)303
- Král, V., see Charvátová, J. 770(2002)155
- Král, V., see Charvátová, J. 770(2002)165
- Krásný, L., see Tomincová, H. 770(2002)129
- Kučerová, Z. and Tichá, M.
Aromatic amino acids and their derivatives as ligands for the isolation of aspartic proteinases 770(2002)121
- Kurečková, K., Maralíková, B. and Ventura, K.
Supercritical fluid extraction of steroids from biological samples and first experience with solid-phase microextraction-liquid chromatography 770(2002)83
- Kvasnička, F., see Koplík, R. 770(2002)261
- Laudová, V., see Pavlík, M. 770(2002)291
- Legaz, M.-E., see Fontaniella, B. 770(2002)275
- Lenfeld, J., see Bílková, Z. 770(2002)25
- Lenfeld, J., see Bílková, Z. 770(2002)177
- Liberda, J., Maňásková, P., Švesták, M., Jonáková, V. and Tichá, M.
Immobilization of L-glyceryl phosphorylcholine: isolation of phosphorylcholine-binding proteins from seminal plasma 770(2002)101
- Liberda, J., see Maňásková, P. 770(2002)137
- López-Hernández, J., see Rodríguez-Bernaldo de Quiros, A. 770(2002)71
- Lyčka, A., see Bílková, Z. 770(2002)25
- Maňásková, P., see Liberda, J. 770(2002)101
- Maňásková, P., Liberda, J., Tichá, M. and Jonáková, V.
Isolation of non-heparin-binding and heparin-binding proteins of boar prostate 770(2002)137
- Maralíková, B., see Kurečková, K. 770(2002)83
- Martens, J.H.P.A., see Reijenga, J.C. 770(2002)45
- Mato, I., see Suárez-Luque, S. 770(2002)77
- Matos, N., see Morais, H. 770(2002)111
- Maurizio, A., see Raggi, M.A. 770(2002)217
- Mestek, O., see Koplík, R. 770(2002)261
- Morais, H., Ramos, C., Forgács, E., Cserháti, T. and Oliveira, J.
Influence of storage conditions on the stability of monomeric anthocyanins studied by reversed-phase high-performance liquid chromatography 770(2002)297
- Morais, H., Ramos, C., Matos, N., Forgács, E., Cserháti, T., Almeida, V., Oliveira, J., Darwish, Y. and Illés, Z.
Liquid chromatographic and electrophoretic characterisation of extracellular β-glucosidase of *Pleurotus ostreatus* grown in organic waste 770(2002)111
- Moran, A., see Regan, F. 770(2002)243
- Muzikar, J., see Raggi, M.A. 770(2002)217
- Oliveira, J., see Morais, H. 770(2002)111
- Oliviera, J., see Morais, H. 770(2002)297
- Opletal, L., see Bártlová, M. 770(2002)283
- Ostryanova, N.D., Il'ina, O.V. and Tennikova, T.B.
Effect of experimental conditions on strong biocomplimentary pairing in high-performance monolithic disk affinity chromatography 770(2002)35
- Pavelková, H., see Koplík, R. 770(2002)261
- Pavlík, M., Laudová, V., Grüner, K., Vokáč, K. and Harmatha, J.
High-performance liquid chromatographic analysis and separation of N-feruloylserotonin isomers 770(2002)291
- Peltre, G., see Sázelová, P. 770(2002)303
- Piñón, D., see Fontaniella, B. 770(2002)275
- Prodan, M., see Jakab, A. 770(2002)227
- Prusík, Z., see Sázelová, P. 770(2002)303
- Pucci, V., see Raggi, M.A. 770(2002)217
- Raggi, M.A., Pucci, V., Maurizio, A., Muzikar, J. and Kenndler, E.
Separation of carbamazepine and five metabolites, and analysis in human plasma by micellar electrokinetic capillary chromatography 770(2002)217
- Ramos, C., see Morais, H. 770(2002)111
- Ramos, C., see Morais, H. 770(2002)297
- Regan, F., Moran, A., Fogarty, B. and Dempsey, E.
Development of comparative methods using gas chromatography-mass spectrometry and capillary electrophoresis for determination of endocrine disrupting chemicals in bio-solids 770(2002)243
- Reijenga, J.C., Martens, J.H.P.A., Giuliani, A. and Chiari, M.
Pherogram normalization in capillary electrophoresis and micellar electrokinetic chromatography analyses in cases of sample matrix-induced migration time shifts 770(2002)45
- Rodríguez, C.W., see Fontaniella, B. 770(2002)275
- Rodríguez-Bernaldo de Quiros, A., López-Hernández, J. and Simal-Lozano, J.
Separation of phospholipid classes in sea urchin, *Paracentrotus lividus* by high-performance liquid chromatography 770(2002)71
- Rohlíček, V. and Deyl, Z.
Versatile tool for the manipulation of electrophoresis chips 770(2002)19
- Sázelová, P., Kašička, V., Koval, D., Prusík, Z. and Peltre, G.
Evaluation of the efficiency of extraction of ultraviolet-absorbing pollen allergens and organic pollutants from airborne dust samples by capillary electromigration methods 770(2002)303

- Schubert, G., see Jakab, A. 770(2002)227
Ševčíková, P., see Glatz, Z. 770(2002)237
Simal-Lozano, J., see Rodríguez-Bernaldo de Quiros, A. 770(2002)71
Simal-Lozano, J., see Suárez-Luque, S. 770(2002)77
Šimko, P.
 Determination of polycyclic aromatic hydrocarbons in smoked meat products and smoke flavouring food additives (Review) 770(2002)3
Slováková, M., see Bílková, Z. 770(2002)25
Slováková, M., see Bílková, Z. 770(2002)177
Sovová, H., see Bártlová, M. 770(2002)283
Staňková, B., see Vecka, M. 770(2002)91
Suárez-Luque, S., Mato, I., Huidobro, J.F. and Simal-Lozano, J.
 Solid-phase extraction procedure to remove organic acids from honey 770(2002)77
Suchánek, M., see Koplík, R. 770(2002)261
Suchánková, J., see Coufal, P. 770(2002)183
Švesták, M., see Liberda, J. 770(2002)101
Tennikova, T.B., see Ostryanina, N.D. 770(2002)35
Tesařová, E., see Bosáková, Z. 770(2002)63
Tesařová, E., see Coufal, P. 770(2002)183
Thormann, W., see Caslavská, J. 770(2002)207
Thormann, W., see Wey, A.B. 770(2002)191
Tichá, A., see Hyšpler, R. 770(2002)255
Tichá, M., see Kučerová, Z. 770(2002)121
Tichá, M., see Liberda, J. 770(2002)101
Tichá, M., see Maňáková, P. 770(2002)137
Tomincová, H., Krásný, L. and Jonák, J.
 Isolation of chimaeric forms of elongation factor EF-Tu by affinity chromatography 770(2002)129
Turková, J., see Bílková, Z. 770(2002)25
Tvrdická, E., see Vecka, M. 770(2002)91
Vecka, M., Tvrdická, E., Staňková, B. and Žák, A.
 Effect of column and software on gas chromatographic determination of fatty acids 770(2002)91
Ventura, K., see Kurečková, K. 770(2002)83
Vicente, C., see Fontaniella, B. 770(2002)275
Vokáč, K., see Pavlík, M. 770(2002)291
Wey, A.B. and Thormann, W.
 Capillary electrophoresis and capillary electrophoresis–ion trap multiple-stage mass spectrometry for the differentiation and identification of oxycodone and its major metabolites in human urine 770(2002)191
Zadák, Z., see Hyšpler, R. 770(2002)255
Žák, A., see Vecka, M. 770(2002)91