

Journal of Chromatography B, 770 (2002) 317-319

JOURNAL OF CHROMATOGRAPHY B

www.elsevier.com/locate/chromb

Compound Index Vol. 770

Amino acids

Capillary electrochromatographic study of the interactions of porphyrin derivatives with amino acids and oligopeptides 770(2002)165

Anthocyanins

Influence of storage conditions on the stability of monomeric anthocyanins studied by reversed-phase high-performance liquid chromatography 770(2002)297

Aromatic amino acids

Aromatic amino acids and their derivatives as ligands for the isolation of aspartic proteinases 770(2002)121

Capillary electrochromatographic separation of aromatic amino acids possessing peptides using porphyrin derivatives as the inner wall modifiers 770(2002)155

Aspartic proteinases

Aromatic amino acids and their derivatives as ligands for the isolation of aspartic proteinases 770(2002)121

Barbituric acid

Determination of the retention behavior of barbituric acid derivatives in reversed-phase high-performance liquid chromatography by using quantitative structure–retention relationships 770(2002)227

Carbamazepine

Separation of carbamazepine and five metabolites, and analysis in human plasma by micellar electrokinetic capillary chromatography 770(2002)217

Carbamazepine metabolites

Separation of carbamazepine and five metabolites, and analysis in human plasma by micellar electrokinetic capillary chromatography 770(2002)217

Carbon dioxide

Liquid chromatographic analysis of supercritical carbon dioxide extracts of *Schizandra chinensis* 770(2002)283

Chimaeric protein

Isolation of chimaeric forms of elongation factor EF-Tu by affinity chromatography 770(2002)129

Dithiothreitol

Monitoring of dithiothreitol clearance by means of micellar electrokinetic chromatography 770(2002)237

Enzymes

Oriented immobilization of galactose oxidase to bead and magnetic bead cellulose and poly(HEMA-co-EDMA) and magnetic poly(HEMA-co-EDMA) microspheres 770(2002)25

Liquid chromatographic and electrophoretic characterisation of extracellular β -glucosidase of *Pleurotus ostreatus* grown in organic waste 770(2002)111

Aromatic amino acids and their derivatives as ligands for the isolation of aspartic proteinases 770(2002)121

Enzymes immobilized on magnetic carriers: efficient and selective system for protein modification 770(2002)177

Fatty acids

Effect of column and software on gas chromatographic determination of fatty acids 770(2002)91

N-Feruloylserotonin

High-performance liquid chromatographic analysis and separation of *N*-feruloylserotonin isomers 770(2002)291

Furosemide

Rapid analysis of furosemide in human urine by capillary electrophoresis with laser-induced fluorescence and electrospray ionization-ion trap mass spectrometric detection 770(2002)207

Galactose oxidase

Oriented immobilization of galactose oxidase to bead and magnetic bead cellulose and poly(HEMA-co-EDMA) and magnetic poly(HEMA-co-EDMA) microspheres 770(2002)25

Enzymes immobilized on magnetic carriers: efficient and selective system for protein modification 770(2002)177

B-Glucosidase

Liquid chromatographic and electrophoretic characterisation of extracellular β -glucosidase of *Pleurotus ostreatus* grown in organic waste 770(2002)111

PII: S1570-0232(02)00123-X

L-Glyceryl phosphorylcholine

Immobilization of L-glyceryl phosphorylcholine: isolation of phosphorylcholine-binding proteins from seminal plasma 770(2002)101

Glycoproteins

Enzymes immobilized on magnetic carriers: efficient and selective system for protein modification 770(2002)177

Heparin

Isolation of non-heparin-binding and heparin-binding proteins of boar prostate 770(2002)137

N-Isoferuloylserotonin

High-performance liquid chromatographic analysis and separation of *N*-feruloylserotonin isomers 770(2002)291

Neuraminidase

Enzymes immobilized on magnetic carriers: efficient and selective system for protein modification 770(2002)177

Organic acids

Solid-phase extraction procedure to remove organic acids from honey 770(2002)77

Organic pollutants

Evaluation of the efficiency of extraction of ultravioletabsorbing pollen allergens and organic pollutants from airborne dust samples by capillary electromigration methods 770(2002)303

Oxycodone

Capillary electrophoresis and capillary electrophoresis—ion trap multiple-stage mass spectrometry for the differentiation and identification of oxycodone and its major metabolites in human urine 770(2002)191

Peptides

Capillary electrochromatographic separation of aromatic amino acids possessing peptides using porphyrin derivatives as the inner wall modifiers 770(2002)155

Capillary electrochromatographic study of the interactions of porphyrin derivatives with amino acids and oligopeptides 770(2002)165

Phosphinate

Determination of dissociation constant of phosphinate group in phosphinic pseudopeptides by capillary zone electrophoresis 770(2002)145

Phosphinic pseudopeptides

Determination of dissociation constant of phosphinate group in phosphinic pseudopeptides by capillary zone electrophoresis 770(2002)145

Phospholipids

Separation of phospholipid classes in sea urchin, *Paracentrotus lividus* by high-performance liquid chromatography 770(2002)71

Phosphorus

Fractionation of phosphorus and trace elements species in soybean flour and common white bean seeds by size exclusion chromatography-inductively coupled plasma mass spectrometry 770(2002)261

Pollen allergens

Evaluation of the efficiency of extraction of ultravioletabsorbing pollen allergens and organic pollutants from airborne dust samples by capillary electromigration methods 770(2002)303

Polycyclic aromatic hydrocarbons

Determination of polycyclic aromatic hydrocarbons in smoked meat products and smoke flavouring food additives 770(2002)3

Porphyrins

Capillary electrochromatographic separation of aromatic amino acids possessing peptides using porphyrin derivatives as the inner wall modifiers 770(2002)155

Capillary electrochromatographic study of the interactions of porphyrin derivatives with amino acids and oligopeptides 770(2002)165

Promethazine

Study of the stability of promethazine enantiomers by liquid chromatography using a vancomycin-bonded chiral stationary phase 770(2002)63

Proteins

Immobilization of L-glyceryl phosphorylcholine: isolation of phosphorylcholine-binding proteins from seminal plasma 770(2002)101

Isolation of non-heparin-binding and heparin-binding proteins of boar prostate 770(2002)137

Steroids

Supercritical fluid extraction of steroids from biological samples and first experience with solid-phase microextraction-liquid chromatography 770(2002)83

Sulphide

A simple, optimized method for the determination of sulphide in whole blood by GC-MS as a marker of bowel fermentation processes 770(2002)255

Thioacridines

Quantification and purity determination of newly synthesized thioacridines by capillary liquid chromatography 770(2002)183

Trace elements

Fractionation of phosphorus and trace elements species in soybean flour and common white bean seeds by size exclusion chromatography-inductively coupled plasma mass spectrometry 770(2002)261

Vancomycin

Study of the stability of promethazine enantiomers by liquid chromatography using a vancomycin-bonded chiral stationary phase 770(2002)63

Xanthans

Identification of xanthans isolated from sugarcane juices obtained from scalded plants infected by *Xanthomonas albilineans* 770(2002)275